MAXIMO TEKSTIL

Hrastovec 22, 1236 Trzin, Slovenija, tel.: 00 386 (0)1 56 21 843, mob.: 00 386 (0)40 855 805
maximo3@siol.net, www.maximo-tekstil.com

TECHNICAL DATA SHEET

art. MS BAY 125

Workwear fabric · Shirts, tunics, chef and service wear · Mini check

Industrial laundering 70 °C

65% PES / 35% CO	125 g/m²	Plain 1/1	152 cm
COMPOSITION	WEIGHT ±5%	WEAVE	FINISHED WIDTH

01 BASIC CHARACTERISTICS

PARAMETER	TEST METHOD	VALUE
Composition		65% polyester / 35% cotton
Colour		yarn-dyed mini check (disperse / vat)
Weight	EN ISO 3801	125 g/m² (±5%)
Weight per linear metre	calculated	approx. 190 g/m
Weave	EN ISO 8020	plain 1/1
Finished width	EN ISO 3932	152 cm
Finish		mechanical stretch, crease resistant, soil release

02 PHYSICAL PERFORMANCE

PARAMETER	TEST METHOD	RESULT
Shrinkage, 10 industrial washes	ISO 15797	WARP −3% WEFT −3%
Tensile strength	ISO 13934-1	WARP 400 N WEFT 250 N
Tear strength	ISO 13937-1	WARP 20 N WEFT 15 N
Stretch, elasticity / recovery / growth	ISO 14704-1	10% / 96% / 4%
Pilling resistance	ISO 12945-2	Grade 4
Smoothness appearance	AATCC 124	Grade 4
Soil release	AATCC 130	Grade 3
Air permeability	EN ISO 9237	400 mm/s
Formaldehyde content	EN ISO 14184-1	< 75 ppm

03 COLOUR FASTNESS

PARAMETER	TEST METHOD	GRADE
Washing	ISO 105-C06 C2S	CHANGE 4 STAINING 4
Industrial laundering, 50 cycles	ISO 15797	CHANGE 4 STAINING 4
Perspiration, acidic and alkaline	ISO 105-E04	CHANGE 4 STAINING 4
Rubbing	ISO 105-X12	DRY 4 WET 3
Bleaching, hypochlorite, colour change	ISO 105-N01	4

04 CARE INSTRUCTIONS

Washing	Industrial	Bleaching	Tumble dry	Ironing	Dry cleaning
max 70 °C	ISO 15797	Oxygen only, no chlorine	Medium heat	Medium, 150 °C	Professional, P

Values are typical guide values. *Suitable for industrial laundering. Colour performance may vary depending on the shade; dark shades can show lower wet rubbing fastness. A build up of softeners can lead to pilling and should be avoided. Characteristics may vary within commercial tolerances. Please consult us for specific values. The data is based on specific materials and tested by sources believed to be reliable; no guarantee is expressed or implied as to use, handling or possession of the product.*

More workwear fabrics
maximo-tekstil.com