

Test Report No.SDHL2404007427FT Date: May 08, 2024 Page 1 of 3

FOSHAN QUEENSHOME FURNITURE CO.,LTD NO. 162, DONGTOU ROAD, DONGTOU VILLAGE, LONGJIANG TOWN, SHUNDE DISTRICT, FOSHAN CITY, GUANGDONG PROVINCE

Sample Description : SOFA FOAM

Style No. : W576

Client Reference Information : SKU No.(USED FOR):

P81/P82/P83/P80P/P18/P17/P16/P15/P81PU/

P52PU/P83PU/P53/P51/P91/P41/P42/P60/P61/D1

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No. : SDFS2404002947FF

Sample Receiving Date : Apr 29, 2024

Test Performing Date : Apr 29, 2024 to May 08, 2024

Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments		
1	16CFR 1640.5 Material requirements of Standard for the flammability of Upholstered Furniture	Pass	1		
For further details, please refer to the following page(s)					

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Marco Leung Authorized Signatory

Mario Leurg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force were cising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com"

1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com



Test Report

No.SDHL2404007427FT

Date: May 08, 2024 Page 2 of 3

Test Criteria:

Clause	Requirement	Results
§ 1640.5	All upholstered furniture must comply with the requirements in the California standard, Technical Bulletin (TB) 117–2013, "Requirements, Test Procedure and Apparatus for Testing the Smolder Resistance of Materials Used in Upholstered Furniture," June 2013 (incorporated by reference § 1640.6).	Pass

Test Conducted:

TB117-2013 R2019 Requirements, Test Procedure and Apparatus for Testing the Smolder Resistance of Materials Used in Upholstered Furniture Section 3-Resilient Filling Material Test

I. Sample Details

Material:	Foam	Density of sample:	33.5 kg/m ³						
II. Test Condition									
	Temperature	Relative humidity	Duration						
Conditioning of test samples and cigarettes	(21±3) °C	RH < 55 %	24h						

III. Acceptance Criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
- a) The mock-up test specimen continues to smolder after the 45 minute test duration;
- b) A vertical char length of more than 1.5 inches develops on the cover fabric.
- c) The mock-up test specimen transitions to open flaming.
- 2. The resilient filling material passes the test if three mock-up specimens pass the test.
- 3. If more than one specimen fails, the resilient filling material fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
- 5. If all three additional specimens pass the test, the resilient filling material passes the test. If any one of the additional three specimens fails, the resilient filling material fails the test.

IV. Test Result

Specimen #	Smouldering after 45min (YES/NO)	Open flaming (YES/NO)	Vertical Char Length (inches)	Rating
1	NO	NO	0.6	PASS
2	NO	NO	0.6	PASS
3	NO	NO	0.5	PASS

Conclusion: PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force were cising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com"

or email: <u>CN.Doccheck@sgs.com</u> 1-2/F, Bullding 1, European Industria Park, M.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86—757)22805888 www.sgsgroup.com.cn 中国・广东・保山市順徳区大良街道办事处五沙社区居民委员会順和南路1号欧洲工业园一号厂房首层、二层 邮箱: 528300 t (86—757)22805888 sgs.china@sgs.com



Test Report


No.SDHL2404007427FT

Date: May 08, 2024

Page 3 of 3

Note: This document cannot be reproduced except full, without prior written approval of the Company.

Photo Appendix:



Remark: According to client's statements the tested samples are used in their products entitled as item no. stated in "Client Reference Information" column on the first page.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"