



EÖTVÖS LORÁND UNIVERSITY

FACULTY OF INFORMATICS

DEPT. OF SOFTWARE TECHNOLOGY AND METHODOLOGY

Solar Energy Monitoring and Control System

Supervisor:

Dr. Alwahab Dhulfiqar Zoltán

Associate Professor

Author:

Joseph Paul Koyi

Computer Science BSc

Budapest, 2025

Contents

1	Introduction	4
1.1	Motivation	4
1.2	Purpose of the System	5
1.3	Key Features	6
1.3.1	Energy Monitoring	6
1.3.2	Payment Compliance	6
1.3.3	Security and Tampering Detection	7
1.3.4	User Management	7
1.4	System Architecture Overview	8
1.5	Thesis Structure	9
2	User Documentation	10
2.1	System Overview	10
2.1.1	What is the Solar Energy Monitoring and Control System? . .	10
2.1.2	Who Should Use This Documentation	11
2.1.3	System Components	11
2.2	Quick Start Guide	12
2.2.1	System Requirements	12
2.2.2	Account Access	13
2.3	User Interface Guide	15
2.3.1	System Requirements	15
2.4	Installation and Setup Guide	17
2.4.1	Prerequisites	17
2.4.2	Quick Docker Installation	18
2.4.3	System Configuration	19
2.4.4	Device Simulation Setup	19
2.4.5	Local Development (Alternative to Docker)	20

2.4.6	Verification and Testing	20
2.4.7	System Management	21
2.4.8	Account Setup and Access	22
2.5	Dashboard Interface Guide	24
2.5.1	Dashboard Overview	24
2.5.2	Energy Monitoring	25
2.5.3	Payment Operations Interface	26
2.5.4	Security & Compliance Interface	29
2.6	Operational Procedures	32
2.6.1	Installation Management	32
2.6.2	User Management	33
2.6.3	Payment Operations	34
2.7	User Workflows and Step-by-Step Procedures	36
2.7.1	Administrator Workflows	37
2.7.2	Customer Workflows	41
2.8	System Messages and Error Handling	43
2.8.1	Authentication and Access Messages	43
2.8.2	Data Operation Messages	44
2.8.3	System Status and Monitoring Messages	46
2.8.4	Technical Error Messages	47
2.9	Security and Troubleshooting Instructions	48
2.9.1	Security Best Practices	48
2.9.2	Common Issues and Solutions	50
2.9.3	Emergency Procedures	52
2.9.4	Contact and Support Information	53
2.9.5	Testing Environment Issues	54
2.9.6	Research Implementation Limitations	54
2.9.7	Development Testing Guidance	55
2.10	Reference	55
2.10.1	Glossary	55
2.10.2	Research and Development Resources	56
2.11	Documentation Summary and Compliance	57
2.11.1	Coverage Verification	57
2.11.2	Documentation Quality Standards	59

2.11.3	Research Context and Limitations	59
2.11.4	Maintenance and Updates	60
3	Developer Documentation	61
3.1	Solution Plan	61
3.1.1	System Architecture Design	62
3.1.2	Database Design and Architecture	65
3.1.3	User Interface Design and Architecture	66
3.1.4	Security Architecture and Design	68
3.2	Implementation	69
3.3	Testing	70
3.4	Deployment and Performance	70
3.4.1	Support Resources	77
3.5	Conclusion	78
A	Raspberry Pi Simulation Framework	83
A.1	Overview	83
A.2	Simulation Components	83
A.2.1	Energy Simulator	83
A.2.2	Heartbeat Simulator	84
A.2.3	Tamper Simulator	84
A.2.4	Command Handler	85
A.3	Implementation Details	85
A.3.1	Configuration System	85
A.3.2	Data Generation	85
A.3.3	Communication with Backend	86
A.3.4	Command Processing	86
A.4	Interactive Features	86
A.5	Usage in Development and Testing	87
	Acknowledgements	88
	Bibliography	88

Chapter 1

Introduction

1.1 Motivation

Solar energy represents one of the most promising renewable energy solutions in our collective effort to combat climate change and reduce dependency on fossil fuels. The technology has evolved dramatically over the past decades, with improved efficiency and reduced manufacturing costs. However, despite these advances, the high upfront cost of solar installation remains a significant barrier for residential and small commercial users, particularly in developing regions and for lower-income households.

To address this accessibility gap, many companies have introduced innovative financing models that allow users to pay for solar installations through installment plans. These pay-as-you-go or lease-to-own models have successfully expanded the reach of solar energy to previously underserved markets. However, these financing arrangements introduce new challenges for solar providers:

- **Payment Compliance Monitoring:** Tracking and managing customer payment schedules across numerous installations.
- **System Performance Monitoring:** Ensuring systems operate optimally to deliver the promised energy benefits.
- **Tampering Detection:** Identifying unauthorized modifications or manipulations of the system that might compromise its functionality or payment mechanisms.

- **Remote Management:** Enabling providers to monitor and control installations without requiring costly on-site visits.

The Solar Energy Monitoring and Control System addresses these challenges by providing a comprehensive, scalable solution for remotely monitoring solar energy systems, tracking consumption patterns, ensuring payment compliance, and detecting tampering attempts. By automating these processes, the solution reduces the operational overhead for solar providers while making solar energy more accessible to a broader range of users.

1.2 Purpose of the System

The Solar Energy Monitoring and Control System platform is a comprehensive system designed to monitor, analyze, and manage solar energy installations. The system bridges the gap between solar providers and customers by providing real-time monitoring capabilities, financial management tools, and security features that protect both the provider's assets and the customer's investment.

The primary goals of the system are to:

1. **Monitor solar energy production and consumption** in real-time across multiple installations, providing insights into system performance and usage patterns.
2. **Generate detailed energy summaries** (daily, weekly, monthly) to track performance over time, identify anomalies, and optimize energy usage.
3. **Manage financial aspects** of solar installations, including payment plans, transaction processing, and compliance monitoring.
4. **Provide analytics and insights** to both providers and customers, enabling data-driven decisions about energy usage and system management.
5. **Ensure security and compliance** through robust tampering detection, authentication mechanisms, and adherence to relevant regulations.

By integrating these capabilities into a single platform, the Solar Energy Monitoring and Control System enables solar providers to scale their operations efficiently while maintaining high levels of service quality and security.

1.3 Key Features

1.3.1 Energy Monitoring

The Energy Monitoring module forms the core of the Solar Energy Monitoring and Control System platform, providing comprehensive visibility into the performance and output of solar installations:

- **Real-time Monitoring:** Continuous tracking of energy production and consumption metrics, with readings collected at configurable intervals.
- **Historical Data Analysis:** Storage and visualization of historical energy data, enabling trend analysis and performance comparisons.
- **Automated Summaries:** Generation of daily, weekly, and monthly energy summaries, providing aggregated views of system performance.
- **Performance Metrics:** Calculation of key performance indicators such as efficiency ratios, yield rates, and consumption patterns.
- **Anomaly Detection:** Identification of unusual patterns or deviations from expected performance, triggering alerts for potential issues.

1.3.2 Payment Compliance

The Payment Compliance module manages the financial aspects of solar installations, particularly for systems using installment-based financing models:

- **Payment Plan Management:** Creation and management of customized payment plans tailored to different customer segments and installation types.
- **Transaction Processing:** Secure handling of payment transactions, providing flexible payment processing capabilities.
- **Automated Reminders:** Scheduled notifications for upcoming and overdue payments, reducing default rates through proactive communication.
- **Payment History:** Comprehensive records of payment transactions, providing both customers and administrators with transparent payment histories.

- **Compliance Reporting:** Generation of compliance reports for regulatory requirements and internal auditing purposes.
- **Grace Period Handling:** Flexible management of grace periods and late payment policies to accommodate customer circumstances.

1.3.3 Security and Tampering Detection

The Security and Tampering Detection module protects the integrity of solar installations and prevents unauthorized modifications:

- **Physical Tampering Detection:** Monitoring of sensors that detect unauthorized opening of equipment enclosures or modifications to hardware.
- **Electrical Anomaly Detection:** Identification of unusual voltage or current patterns that might indicate tampering with the electrical system.
- **Communication Security:** Encrypted communication channels between devices and the central platform, preventing man-in-the-middle attacks.
- **Geolocation Monitoring:** Tracking of device locations to detect unauthorized relocation of equipment.
- **Alert Management:** Generation and handling of security alerts, with configurable severity levels and response protocols.
- **Audit Logging:** Comprehensive logging of security events and system activities for forensic analysis and compliance purposes.

1.3.4 User Management

The User Management module handles authentication, authorization, and profile management for different user types:

- **Role-based Access Control:** Granular permission settings based on user roles (administrators, technicians, customers, etc.).
- **Profile Management:** Self-service tools for users to manage their profiles, contact information, and preferences.

- **Activity Tracking:** Monitoring and logging of user activities for security and audit purposes.
- **Communication Preferences:** Management of notification settings and communication channels for each user.

1.4 System Architecture Overview

The Solar Energy Monitoring and Control System platform employs a modern, modular monolithic architecture that ensures maintainability, simplicity, and ease of deployment. The system is organized into several functional modules, each responsible for specific functionality:

- **Energy Monitoring Module:** Collects, processes, and analyzes energy production and consumption data from connected devices.
- **Payment Compliance Module:** Manages payment plans, processes transactions, and monitors compliance with payment schedules.
- **Security and Tampering Detection Module:** Monitors installations for unauthorized access or modifications, generating alerts for suspicious activities.
- **System Monitoring Module:** Tracks the health and status of connected devices, managing device heartbeats and diagnostics.
- **User Management Module:** Handles user authentication, authorization, and profile management.
- **Frontend Application:** Provides the user interface for different user roles, visualizing data and enabling system interaction.

This modular approach allows for organized code structure and clear separation of concerns, while the use of standardized APIs ensures seamless integration between modules within the monolithic architecture [1]. The system's web interface, as shown in Figure 1.1, provides an intuitive entry point for users to access monitoring capabilities and manage their solar energy systems.



Figure 1.1: Solar Energy Monitoring and Control System platform landing page

1.5 Thesis Structure

This thesis is organized into the following chapters:

- **Chapter 1: Introduction** - Provides the context, motivation, and high-level overview of the Solar Energy Monitoring and Control System platform.
- **Chapter 2: User Documentation** - Detailed documentation for end-users, including installation guides, user interfaces, and operational procedures.
- **Chapter 3: Developer Documentation** - Technical documentation covering system architecture, implementation details, APIs, and development guidelines.

Each chapter is designed to provide comprehensive information for its target audience, whether they are end-users interacting with the system or developers extending or maintaining the platform.

Chapter 2

User Documentation

This chapter provides comprehensive documentation for users of the Solar Energy Monitoring and Control System. The documentation is organized to help different user types quickly find the information they need.

2.1 System Overview

2.1.1 What is the Solar Energy Monitoring and Control System?

The Solar Energy Monitoring and Control System is a comprehensive platform designed for solar energy monitoring and payment compliance in developing markets. It enables real-time monitoring of solar installations and automated payment tracking for Pay-As-You-Go (PAYG) solar financing models.

Key Capabilities:

- **Energy Monitoring:** Real-time tracking of solar energy production and consumption
- **Payment Management:** Automated tracking of customer payments and loan compliance
- **Security Monitoring:** Detection and alerting of potential tampering or unauthorized access
- **Multi-Role Access:** Role-based access control for administrators and customers

- **Comprehensive Reporting:** Analytics and insights for operational decision-making

2.1.2 Who Should Use This Documentation

Primary Users:

System Administrators Technical staff responsible for platform configuration, user management, and system maintenance

Solar Installation Customers End-users with solar installations who monitor their energy production and manage payments

Secondary Users:

Technical Support Staff Personnel providing customer support and troubleshooting

Research Personnel Academic researchers and developers evaluating the system

Financial Officers Staff responsible for payment processing and loan management

Prerequisites:

- **Administrators:** Basic web application management skills, user management understanding
- **Customers:** Basic computer literacy, web browser usage, email access
- **Support Staff:** Customer service experience, basic troubleshooting skills

2.1.3 System Components

User-Facing Components:

- **Web Dashboard:** Responsive web application for monitoring and management
- **Device Simulation:** Raspberry Pi-based framework for testing and demonstration
- **Notification System:** Email and web-based alerts and notifications

User Roles and Permissions:

The system implements role-based access control with clearly defined permissions for different user types, as detailed in Table 2.1.

Table 2.1: Access privileges by user role

Feature	Admin	Customer
User Management	Full	Self Only
Energy Monitoring	Full	Own Only
Payment Processing	Full	Own Only
Security Alerts	Full	Limited
System Configuration	Full	No
Reports	Full	Limited

Note: A mobile application and additional user roles (Customer Support, Field Technician, etc.) are planned for future development.

2.2 Quick Start Guide

2.2.1 System Requirements

For End Users (Customers)

Device Requirements:

- **Computer:** Any modern computer, tablet, or smartphone
- **Internet:** Stable internet connection (minimum 1 Mbps)
- **Email:** Active email account for notifications

Browser Requirements:

- **Supported Browsers:** Chrome 88+, Firefox 85+, Edge 88+, Safari 14+
- **Settings:** JavaScript enabled, cookies allowed
- **Screen Size:** Minimum 1280×768 resolution

For System Administrators

Server Infrastructure:

- **CPU:** Dual-core 2.5GHz minimum, quad-core 3.0GHz recommended

- **RAM:** 8GB minimum, 16GB recommended
- **Storage:** 100GB minimum, 500GB recommended
- **Network:** 10 Mbps minimum bandwidth

Software Requirements:

- **Operating System:** Ubuntu 20.04+, CentOS 8, Windows Server 2019, or macOS 10.15+
- **Java:** OpenJDK 21 or Oracle JDK 21
- **Database:** PostgreSQL 14 or newer
- **SSL Certificate:** Required for production deployment

2.2.2 Account Access

Getting Your Account

For Customers:

1. Your solar installation provider will create your account
2. You'll receive an email with activation instructions
3. Click the activation link and set your password
4. Requirements: 8+ characters, uppercase, lowercase, number, special character

For Administrators:

1. System administrators are set up during initial deployment
2. Contact your system deployer for admin account credentials
3. Change default password on first login

Logging In

1. Navigate to the system URL (provided by your administrator)
2. Enter your email address and password
3. Click "Sign In"
4. You'll be redirected to your appropriate dashboard based on your user role, as shown in Figure 2.1




Figure 2.1: User login interface

Password Management

Important Note: Email functionality is not implemented in this demonstration system. All email-related features (password reset, account activation notifications) are simulated for demonstration purposes only.

Reset Forgotten Password:

1. Click "Forgot Password" on login page
2. Enter your email address

3. Check email for reset instructions (Note: No actual email will be sent in this demonstration system)
4. Follow link to set new password

Change Password:

1. Log in to your account
2. Go to Profile Settings
3. Enter current password and new password
4. Save changes

2.3 User Interface Guide

2.3.1 System Requirements

Browser Compatibility

The Solar Energy Monitoring System is designed to work with modern web browsers. Below are the supported browsers and their minimum version requirements:

- **Web Browsers:**

- Chrome version 90 or newer
- Firefox version 88 or newer
- Edge version 90 or newer (Chromium-based)
- Safari version 14 or newer (macOS/iOS)
- Opera version 74 or newer

- **Browser Configuration:**

- JavaScript enabled (required for all functionality)
- Cookies enabled (required for authentication and user preferences)
- Local Storage enabled (required for session management)
- Pop-up blockers configured to allow notifications from the platform

- **Network Requirements:**

- Minimum 1 Mbps download speed for basic functionality
- Recommended 5 Mbps for optimal performance with real-time updates
- Stable connection for continuous monitoring features
- HTTPS support (all traffic is encrypted)

- **Display Requirements:**

- Minimum screen resolution: 1280×768 pixels
- Recommended resolution: 1920×1080 pixels or higher
- Support for responsive design (adapts to various screen sizes)
- Color depth: 16-bit minimum, 24-bit recommended

Hardware Simulation Environment

The current research implementation includes a Raspberry Pi simulation framework:

- **Raspberry Pi:** Raspberry Pi 4 Model B with 4GB RAM (recommended) or Raspberry Pi 3B+ minimum
- **Storage:** MicroSD card 32GB Class 10 or higher
- **Power Supply:** Official Raspberry Pi power supply (5V 3A for Pi 4, 5V 2.5A for Pi 3)
- **Network Connectivity:** Wi-Fi 802.11n or Gigabit Ethernet for reliable communication
- **Operating System:** Raspberry Pi OS (32-bit or 64-bit) or Ubuntu 20.04 LTS for Pi
- **Python Environment:** Python 3.8+ with the following packages:
 - requests (for HTTP communication)
 - numpy (for data simulation)
 - schedule (for periodic tasks)
 - paho-mqtt (for IoT communication protocols)

Network and Security Requirements

- **Firewall Configuration:**
 - Port 443 (HTTPS) open for web access
 - Port 80 (HTTP) for automatic HTTPS redirects
 - Port 5432 (PostgreSQL) accessible only from application servers
 - Port 22 (SSH) for administrative access with key-based authentication
- **SSL/TLS:** TLS 1.2 minimum, TLS 1.3 recommended
- **Security Protocols:**
 - Strong password policies enforced
 - Session timeout configuration (configurable, default 30 minutes)
 - CORS (Cross-Origin Resource Sharing) properly configured
 - Content Security Policy (CSP) headers implemented

2.4 Installation and Setup Guide

This section provides installation procedures for deploying the Solar Energy Monitoring and Control System using Docker (recommended) and a local development setup.

2.4.1 Prerequisites

Before installation, ensure you have:

- **Docker:** Docker Desktop 4.0+ or Docker Engine 20.10+
- **Docker Compose:** Version 2.0+ (included with Docker Desktop)
- **System Resources:** 4GB RAM minimum, 8GB recommended
- **Network Access:** Internet connection for downloading images
- **Ports Available:** 3000 (frontend), 8080 (backend), 5432 (database)

2.4.2 Quick Docker Installation

Step 1: Get the Source Code

1. Clone the repository:

```
git clone https://github.com/2001J/nebular-power.git
cd nebular-power
```

2. Verify Docker is running:

```
docker --version
docker-compose --version
```

Step 2: Launch the System

1. Start all services with Docker Compose:

```
docker-compose up -d
```

2. Wait for services to initialize (approximately 2-3 minutes)
3. Verify all containers are running:

```
docker-compose ps
```

Step 3: Access the Application

1. Open web browser and navigate to: `http://localhost:3000`
2. Default administrator credentials:
 - Email: `admin@solar.com`
 - Password: `admin123`
3. Change default password on first login

2.4.3 System Configuration

Environment Variables

The system can be configured through environment variables in the `compose.yaml` file:

```
POSTGRES_DB=nebula_power
POSTGRES_USER=nebulapower
POSTGRES_PASSWORD=secure_password
JWT_SECRET=your-jwt-secret-key
FRONTEND_URL=http://localhost:3000
BACKEND_URL=http://localhost:8080
```

Production Deployment

For production deployment, modify the `compose.yaml` file:

1. Update environment variables with secure values
2. Configure SSL certificates for HTTPS
3. Set production database credentials
4. Update CORS settings for your domain
5. Configure backup and monitoring

2.4.4 Device Simulation Setup

Raspberry Pi Simulation (Optional)

For hardware simulation demonstration:

1. Set up Raspberry Pi with Python 3.8+
2. Install simulation dependencies:

```
pip3 install -r pi_simulation/requirements.txt
```

3. Configure backend connection in `pi_simulation/config.json`

4. Run simulation:

```
cd pi_simulation
python3 main.py
```

2.4.5 Local Development (Alternative to Docker)

For local testing without containers:

1. **Backend (Spring Boot):** from repo root run `./mvnw spring-boot:run`.
API docs: <http://localhost:8080/swagger-ui/index.html>
2. **Frontend (Next.js):** `cd solar_frontend && pnpm install && pnpm dev`.
Open <http://localhost:3000>
3. **Simulator (optional):** `cd pi_simulation && pip install -r requirements.txt && python main.py -u http://localhost:8080`

2.4.6 Verification and Testing

System Health Check

Verify installation success:

1. Check all containers are healthy:

```
docker-compose logs
```

2. Test web interface at <http://localhost:3000>
3. Log in with administrator credentials
4. Create a test customer account
5. Verify energy monitoring dashboard displays

Common Issues and Solutions

Port Conflicts • Ensure ports 3000, 8080, and 5432 are not in use

- Modify port mappings in `compose.yaml` if needed
- Stop conflicting services or use different ports

Container Startup Failures • Check Docker service is running

- Verify sufficient system resources (RAM, disk space)
- Review container logs: `docker-compose logs [service-name]`
- Restart services: `docker-compose restart`

Database Connection Issues • Wait for database initialization (may take 2-3 minutes)

- Check database container logs: `docker-compose logs postgres`
- Verify environment variables are correctly set
- Restart backend service: `docker-compose restart backend`

2.4.7 System Management

Starting and Stopping

- Start system: `docker-compose up -d`
- Stop system: `docker-compose down`
- Restart service: `docker-compose restart [service-name]`
- View logs: `docker-compose logs -f`

Data Management

- Backup database: Docker volumes persist data automatically
- Reset system: `docker-compose down -v` (removes all data)
- Update images: `docker-compose pull && docker-compose up -d`

2.4.8 Account Setup and Access

Customer Onboarding Process

In this research implementation, the account provisioning follows a controlled approach where customers are onboarded to the Solar Energy Monitoring and Control System platform by administrators once their solar energy system is installed. Self-registration is not available for customers, ensuring systematic data collection for the research study. The onboarding process follows these steps:

1. Administrator navigates to Customer Management in the admin dashboard and selects "All Customers"
2. Administrator clicks the "Add Customer" button
3. Administrator enters customer information:
 - Full name
 - Email address (will be used as username)
 - Phone number
 - Temporary password (with confirmation)
4. System sends an account activation email to the customer's email address
5. Customer clicks the activation link and sets their own password (minimum 8 characters, including uppercase, lowercase, number, and special character)

The customer onboarding interface is shown in Figure 2.2, which displays the administrator's view of the onboarding process.

Note: Terms of service, privacy policy acceptance, and multi-factor authentication are planned for future versions of the platform but are not implemented in the current version.

Login Procedure

Registered users can access the system through:

1. Navigate to the login page at <https://nebula-power.com/login> (this URL is an example; replace with your deployment URL)

The screenshot shows the NebulaPower Admin interface. On the left is a sidebar with a search bar and a menu including Dashboard, Overview, Customer Management (with 'All Customers' selected), Installations, Payment Operations, Payment Analytics, Loan Management, System (with Energy Monitoring, Service Control, and System Logs), and Security & Compliance (with Security Monitoring and Security Alerts). The main content area has a breadcrumb trail 'Admin > Customers > Add New Customer' and a title 'Add New Customer' with the subtitle 'Create a new customer account'. A 'Back' button is in the top right. The form is titled 'Customer Information' and includes a descriptive paragraph. It has three sections: 'Required Information' with fields for Full Name, Email Address, and Phone Number; 'Password' with fields for Password and Confirm Password. A note at the bottom of the password section states: 'Must be at least 6 characters. This is used for internal account creation only. Customers will create their own password after verifying their email.' At the bottom right are 'Cancel' and 'Create Customer' buttons.

Figure 2.2: Customer onboarding interface (admin view)

2. Enter email address and password
3. Click the "Sign In" button

Note: Multi-factor authentication and organization context selection are planned for future versions of the platform but are not implemented in the current version.

Password Management

Users can manage their passwords through the following functions:

- **Password Reset:** Available through the "Forgot Password" link on the login page. Requires access to the registered email address.
- **Password Change:** Available in the user profile settings. Requires current password verification.
- **Password Expiry:** System administrators can configure password expiry policies requiring periodic password changes.

2.5 Dashboard Interface Guide

This section provides a detailed overview of the Solar Energy Monitoring and Control System's user interface, highlighting key screens and navigation patterns.

2.5.1 Dashboard Overview

The dashboard is your main workspace after logging in. The interface you see depends on your user role.

Administrator Dashboard

The administrator dashboard provides comprehensive system oversight, as shown in Figure 2.3.

Main Navigation:

- **Dashboard:** System overview and key metrics
- **Customer Management:** Customer accounts and installations
- **Payment Operations:** Payment analytics and loan management
- **System:** Energy monitoring, service control, system logs
- **Security & Compliance:** Security monitoring and alerts

Customer Dashboard

The customer dashboard provides a focused view of individual installations and payment status, as shown in Figure 2.4.

Main Sections:

- **Installation Summary:** Number of installations, total capacity, system health
- **Loan Status:** Loan progress, payment completion percentage, amount paid
- **Payment Information:** Payment amount, frequency, loan end date
- **Navigation Tabs:** Overview, Installations, Payments
- **Quick Actions:** Direct access to common tasks




Figure 2.3: Administrator dashboard with system overview

2.5.2 Energy Monitoring

The energy monitoring interface shows real-time and historical data about solar energy production and consumption.

Customer Energy View

The customer energy monitoring interface provides detailed insights into individual installation performance, as shown in Figure 2.5.

Key Metrics Displayed:

- **Current Generation:** Live power output in watts/kilowatts
- **Daily Production:** Today's energy production in kWh
- **Monthly Production:** Current month's total energy in kWh
- **System Efficiency:** Performance percentage compared to optimal
- **Environmental Impact:** CO₂ saved and trees equivalent

Charts and Visualizations:

- Daily, weekly, and monthly production graphs




Figure 2.4: Customer dashboard showing installation performance and payment status

- Energy consumption patterns
- System health indicators

Administrator Energy View

The administrator energy monitoring interface provides system-wide visibility across all installations, as shown in Figure 2.6.

System-Wide Monitoring:

- **Aggregated Metrics:** Total system production and consumption
- **Installation Comparison:** Side-by-side performance metrics
- **Performance Rankings:** Top-performing installations
- **Status Indicators:** Operational status of all systems

2.5.3 Payment Operations Interface

The Payment Operations section provides comprehensive payment management capabilities for both administrators and customers.




Figure 2.5: Customer energy monitoring dashboard

Administrator Payment Management

Payment Analytics Dashboard

The payment analytics dashboard provides comprehensive financial oversight, as shown in Figure 2.7.

- **Payment Overview:** Statistical summary and trends analysis
- **Customer Status Tracking:** Payment status indicators across all accounts
- **Performance Metrics:** Visual representation of payment patterns and system health

Loan Management Interface

The loan management interface enables comprehensive configuration and monitoring of payment plans, as shown in Figure 2.8.

- **Loan Configuration:** Setting amounts, terms, conditions, and interest rates
- **Customer Assignment:** Linking loans to specific customer installations
- **Progress Monitoring:** Real-time tracking of payment completion and defaults




Figure 2.6: Administrator system-wide energy monitoring

Payment History and Tracking

The payment history interface provides detailed transaction tracking and reporting capabilities, as shown in Figure 2.9.

- **Transaction Records:** Complete payment history with detailed transaction information
- **Payment Reconciliation:** Tools for matching payments to customer accounts
- **Reporting Features:** Export capabilities for financial reporting and analysis

Customer Payment Interface

The customer payment interface in the Payments tab provides a streamlined view focused on individual loan management, as shown in Figure 2.10:

- **Loan Summary:** Current loan details, terms, and remaining balance
- **Payment Schedule:** Visual calendar showing past and upcoming payment dates




Figure 2.7: Payment analytics overview screen

- **Progress Tracking:** Visual indicators showing loan completion percentage
- **Payment History:** Personal transaction history with receipt access

2.5.4 Security & Compliance Interface

The Security & Compliance section of the Administrator Dashboard provides tools for monitoring and responding to security events.

Security Monitoring

The Security Monitoring interface displays comprehensive security oversight, as shown in Figure 2.11:

- **System Access Logs:** Record of user login activities
- **User Authentication Status:** Current authentication status of all users
- **Security Health Indicators:** Visual indicators of overall system security
- **Security Configuration:** Settings for system security parameters




Figure 2.8: Payment plan management interface

Security Alerts

The Administrator Security Alerts interface shows comprehensive alert management capabilities, as shown in Figure 2.12:

- **Alert Dashboard:** Summary metrics including total alert count, number of open alerts, and critical severity alerts
- **Alert Filtering:** Ability to filter alerts based on status (open, closed, in progress)
- **Severity Classification:** Visual indicators of alert priority (critical, high, medium, low)
- **Response Actions:** Tools for acknowledging and responding to alerts
- **Alert Assignment:** Functionality to assign alerts to specific administrators

The Customer Security Alerts interface shows installation-specific security information, as shown in Figure 2.13:

- **Installation Alerts:** Security alerts specific to the customer's installation only




Figure 2.9: Payment history and transaction details

- **Alert Status:** Indicators showing whether alerts are open, in progress, or resolved
- **Alert Details:** Information about detected issues and recommended actions

System Logs

The System Logs section in the Administrator Dashboard provides two main categories of logs, as shown in Figures 2.14, 2.15, and 2.16:

- **Operational Logs:**
 - System logs from all services and installations
 - Error and warning messages from system components
 - Service start/stop events and status changes
 - Installation connection status changes
- **Security Logs:**
 - Security system audit logs
 - Tamper detection events
 - Authentication attempts (successful and failed)




Figure 2.10: Customer payment view showing loan details

- Authorization violations
- Configuration changes to security settings

These logs can be filtered, searched, and exported for compliance and security analysis.

2.6 Operational Procedures

This section outlines common operational procedures for users of the Solar Energy Monitoring and Control System in the research environment. These procedures are designed to facilitate the systematic evaluation of the system's capabilities within the context of the thesis research.

2.6.1 Installation Management

Adding a New Installation

To add a new solar installation to the system:

1. Navigate to Customer Management → Installations in the admin dashboard




Figure 2.11: Security monitoring interface

2. Select "Add New Installation"
3. Enter basic installation details:
 - Installation name
 - Capacity (in kW)
 - Physical location (address)
 - Customer information (select from the dropdown list of existing customers)
4. Assign payment plan to the installation
5. Activate the installation

2.6.2 User Management

Deactivating User Accounts

To deactivate a user account:

1. Navigate to Customer Management and select the customer from the list
2. Select "Deactivate Account"




Figure 2.12: Administrator security alert monitoring interface

3. Provide reason for deactivation

4. Confirm deactivation action

Note: The current implementation only allows creation of Customer accounts through the Customer Onboarding process described in section 2.4.8. Administrator accounts must be created directly by system administrators with appropriate database access.

2.6.3 Payment Operations

Creating New Loans

To create a new loan for a customer:

1. Navigate to Payment Operations → Loan Management in the admin dashboard
2. Click the "Add New Loan" button
3. Enter loan details:
 - Loan name and description




Figure 2.13: Customer view of installation-specific security alerts

- Payment amount and frequency
 - Total number of payments or loan duration
 - Interest rate (if applicable)
 - Select the customer from the dropdown list
4. Click the "Create Payment" button to finalize and activate the loan

Modifying Existing Loans

To modify an existing loan:

1. Navigate to Payment Operations → Loan Management in the admin dashboard
2. Locate the loan in the list and click "Edit"
3. Update the necessary loan parameters
4. Save the modifications

The screenshot displays the NebulaPower Admin interface for System Logs. The sidebar on the left contains navigation links for Dashboard, Overview, Customer Management, and System. The main content area is titled 'System Logs' and 'Security Audit Logs'. It includes a search bar, filters for activities and installations, and a table of log entries.

Timestamp	Activity Type	Details	Installation	User ID
2025-05-02 12:07:27	ALERT_ACKNOWLEDGED	Tamper event status updated to: ACKNOWLEDGED (Tamper event status updated to: ACKNOWLEDGED (Tamper Event ID: 3))	Residential Installation 1	SYSTEM
2025-05-02 12:07:23	ALERT_ACKNOWLEDGED	Tamper event status updated to: ACKNOWLEDGED (Tamper ...	Residential Installation 1	SYSTEM
2025-05-02 12:06:45	ALERT_GENERATED	Tamper response executed: NOTIFICATION_SENT for tamper...	Residential Installation 1	SYSTEM
2025-05-02 12:06:45	SYSTEM_DIAGNOSTIC	Tamper response executed: SERVICE_SUSPENDED for tamp...	Residential Installation 1	SYSTEM
2025-05-02 12:06:45	ALERT_GENERATED	Tamper event created: CONNECTION_TAMPERING with seve...	Residential Installation 1	SYSTEM
2025-05-02 11:51:50	ALERT_RESOLVED	Tamper event status updated to: RESOLVED (Tamper Event I...	Residential Installation 1	SYSTEM
2025-05-02 11:51:36	ALERT_RESOLVED	Tamper event status updated to: RESOLVED (Tamper Event I...	Residential Installation 1	SYSTEM

Figure 2.14: System logs interface showing security and operational events

Processing Manual Payments

To record a manual payment:

1. Navigate to the customer's payment history
2. Select "Record Manual Payment"
3. Enter payment details:
 - Payment amount
 - Payment date
 - Payment method
 - Reference number or transaction ID
4. Confirm and process the payment

2.7 User Workflows and Step-by-Step Procedures

This section provides detailed step-by-step procedures for common user tasks, complete with screenshots and expected system responses. These workflows are de-

The screenshot shows the NebulaPower Admin interface. The sidebar on the left contains navigation links: Dashboard, Overview, Customer Management (All Customers, Installations, Payment Operations, Payment Analytics, Loan Management), System (Energy Monitoring, Service Control, System Logs), and Security & Compliance (Security Monitoring, Security Alerts). The main content area is titled 'System Logs' and includes a search bar, filters for 'All Types', 'All Installations', and 'Last 30 Days', and an 'Export Logs' button. Below these is a table of 'Operational Logs' with columns: Timestamp, Operation, Status, Source System, Installation, and Details. The table displays several heartbeat logs for 'Residential Installation 1' with a 'Success' status.

Timestamp	Operation	Status	Source System	Installation	Details
2025-05-02 12:26:20	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01
2025-05-02 12:25:35	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01
2025-05-02 12:24:50	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01
2025-05-02 12:11:52	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01
2025-05-02 12:11:07	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01
2025-05-02 12:10:22	DEVICE_HEARTBEAT	Success	DEVICE	Residential Installation 1	Received heartbeat from device RPI-INVERTER-01

Figure 2.15: Operational logs display with filtering and search capabilities

signed to guide users through typical scenarios they will encounter when using the Solar Energy Monitoring and Control System.

2.7.1 Administrator Workflows

Complete Customer Onboarding Workflow

This workflow demonstrates the complete process of adding a new customer to the system, from initial account creation through installation setup.

Workflow Steps:

1. Access Customer Management

- Navigate to Administrator Dashboard
- Click on "Customer Management" in the main navigation
- Select "All Customers" from the submenu

2. Create New Customer Account

- Click the "Add Customer" button (top right of customer list)
- Fill in customer information form:




Figure 2.16: Operational log status and analysis dashboard

- Full Name: Enter customer's complete legal name
- Email Address: Must be valid and unique in the system
- Phone Number: Include country code for international numbers
- Temporary Password: System will generate or allow manual entry
- Click "Create Customer" to proceed

3. System Response and Verification

- System displays success message: "Customer account created successfully"
- New customer appears in the customer list with "Pending Activation" status
- System automatically sends activation email to customer

4. Add Solar Installation

- From the customer list, click on the newly created customer
- Navigate to "Installations" tab within customer details
- Click "Add Installation" button

- Enter installation details:
 - Installation Name: Descriptive name for the solar installation
 - Capacity (kW): Total installed solar panel capacity
 - Location: Physical address of installation
 - Installation Date: Date when system was installed
- Save installation details

5. Configure Payment Plan

- Navigate to Payment Operations → Loan Management
- Click "Add New Loan"
- Configure loan parameters:
 - Loan Type: Select from available financing options
 - Payment Amount: Monthly payment amount
 - Payment Frequency: Usually monthly
 - Total Duration: Number of payments or months
 - Interest Rate: If applicable
- Assign loan to the customer
- Activate the payment plan

Expected Results:

- Customer receives activation email within 5 minutes
- Customer account shows "Active" status after email confirmation
- Installation appears in Energy Monitoring dashboard
- Payment plan is visible in customer's payment tab
- System begins collecting simulated data for the installation

Security Alert Response Workflow

This workflow describes how administrators should respond to security alerts in the system.

Workflow Steps:

1. Alert Detection and Notification

- Security alert appears in the administrator dashboard
- Alert notification shows in the top navigation bar
- System may send email notification (if configured)

2. Initial Alert Assessment

- Navigate to Security & Compliance → Security Alerts
- Review alert details:
 - Alert severity level (Critical, High, Medium, Low)
 - Affected installation or system component
 - Timestamp of detection
 - Alert description and potential impact

3. Alert Investigation

- Click on alert to view detailed information
- Review related system logs in System → System Logs
- Check installation status in Energy Monitoring
- Correlate with any customer-reported issues

4. Response Actions

- For Critical Alerts:
 - Immediately contact field technician if available
 - Notify customer of potential security issue
 - Document response actions in alert notes
- For Lower Priority Alerts:
 - Schedule investigation within appropriate timeframe
 - Assign alert to appropriate team member
 - Set follow-up reminders

5. Resolution and Documentation

- Update alert status as investigation progresses

- Document findings and actions taken
- Mark alert as resolved when issue is addressed
- Update security procedures if necessary

2.7.2 Customer Workflows

Daily Energy Monitoring Routine

This workflow helps customers establish a routine for monitoring their solar installation performance.

Workflow Steps:

1. Access Customer Dashboard

- Log in to the Solar Energy Monitoring and Control System platform
- Navigate to the Overview tab (default landing page)

2. Review Installation Summary

- Check installation status indicators
- Verify all installations show "Online" status
- Note any warning or error indicators

3. Monitor Energy Production

- Review current generation (real-time power output)
- Check today's production totals
- Compare with previous day's performance
- Review monthly production trends

4. Check System Efficiency

- Review efficiency percentage
- Note any significant deviations from normal performance
- Check environmental impact metrics

5. Review Alerts and Notifications

- Check for any security alerts
- Review system notifications
- Address any required actions

Payment Review and Management Workflow

This workflow guides customers through reviewing their payment status and history.

Workflow Steps:

1. Access Payment Information

- Navigate to the Payments tab in customer dashboard
- Review loan summary information

2. Check Payment Progress

- Review payment progress bar
- Note percentage of loan completed
- Check remaining payment amount

3. Review Payment History

- Scroll through list of completed payments
- Verify payment dates and amounts
- Check for any missed or late payments

4. Upcoming Payment Planning

- Review next payment due date
- Note payment amount and method
- Ensure adequate funds are available

5. Address Payment Issues

- Contact administrator for payment discrepancies
- Report any payment processing issues
- Request payment plan modifications if needed

2.8 System Messages and Error Handling

This section documents all system messages, notifications, and error conditions that users may encounter while using the Solar Energy Monitoring and Control System. Understanding these messages helps users respond appropriately to different system states.

2.8.1 Authentication and Access Messages

Login and Session Messages

Successful Authentication:

- **Message:** "Welcome back! Login successful."
- **Context:** Displayed after successful user authentication
- **User Action:** User is redirected to appropriate dashboard

Invalid Credentials:

- **Message:** "Invalid email or password. Please check your credentials and try again."
- **Context:** Displayed when login attempt fails due to incorrect credentials
- **User Action:** Re-enter correct username and password

Account Locked:

- **Message:** "Account temporarily locked due to multiple failed login attempts. Please try again in 15 minutes or contact support."
- **Context:** Displayed after exceeding failed login attempt threshold
- **User Action:** Wait for lockout period to expire or contact administrator

Session Expired:

- **Message:** "Your session has expired for security reasons. Please log in again."
- **Context:** Displayed when user session timeout is reached
- **User Action:** Re-authenticate to continue using the system

Insufficient Privileges:

- **Message:** "You do not have permission to access this feature. Contact your administrator if you believe this is an error."
- **Context:** Displayed when user attempts to access restricted functionality
- **User Action:** Contact administrator to request appropriate permissions

2.8.2 Data Operation Messages

Create Operations

Successful Creation:

- **Message:** "[Item] created successfully."
- **Context:** Displayed after successful creation of customers, installations, loans, etc.
- **User Action:** Continue with workflow or navigate to view created item

Validation Errors:

- **Message:** "Please correct the following errors: [detailed field-specific error list]"
- **Context:** Displayed when form submission contains invalid data
- **User Action:** Correct highlighted fields and resubmit form

Duplicate Data:

- **Message:** "A [record type] with this [field] already exists. Please use a different value."
- **Context:** Displayed when attempting to create record with non-unique required fields
- **User Action:** Modify field value to be unique and resubmit

Update Operations

Successful Update:

- Message: "[Item] updated successfully."
- Context: Displayed after successful modification of existing records
- User Action: Changes are saved and user can continue with other tasks

Concurrent Modification:

- Message: "This record has been modified by another user. Please refresh and try again."
- Context: Displayed when attempting to save changes to a record that was modified by another user
- User Action: Refresh page and re-apply changes

Delete Operations

Confirmation Required:

- Message: "Are you sure you want to delete [item]? This action cannot be undone."
- Context: Displayed as confirmation dialog before deletion
- User Action: Confirm deletion or cancel operation

Successful Deletion:

- Message: "[Item] deleted successfully."
- Context: Displayed after successful deletion
- User Action: Item is removed from lists and user is returned to parent view

Deletion Restricted:

- Message: "Cannot delete [item] because it is referenced by other records. Please remove dependencies first."
- Context: Displayed when attempting to delete records with dependencies
- User Action: Remove or reassign dependent records before attempting deletion

2.8.3 System Status and Monitoring Messages

Installation Status Messages

Online Status:

- **Message:** "Installation [name] is online and functioning normally."
- **Context:** Displayed when installation is communicating and producing expected data
- **User Action:** No action required; normal monitoring continues

Offline Status:

- **Message:** "Installation [name] is offline. Last communication: [timestamp]."
- **Context:** Displayed when installation has not communicated within expected timeframe
- **User Action:** Customer should contact administrator; administrator should investigate connectivity

Performance Warning:

- **Message:** "Installation [name] is performing below expected efficiency. Current: [value]%, Expected: [value]%. "
- **Context:** Displayed when installation efficiency drops below threshold
- **User Action:** Monitor for improvement; contact support if condition persists

Security Alert Messages

Tampering Detection:

- **Message:** "Security Alert: Potential tampering detected at installation [name]. Immediate attention required."
- **Context:** Displayed when security monitoring detects potential unauthorized access
- **User Action:** Administrator should investigate immediately; customer should verify installation security

Unusual Activity:

- **Message:** "Security Notice: Unusual activity patterns detected at installation [name]. Monitoring enhanced."
- **Context:** Displayed when system detects patterns that may indicate security concerns
- **User Action:** Monitor situation; investigate if patterns continue

2.8.4 Technical Error Messages

Connectivity Issues

Database Connection Error:

- **Message:** "Temporary system unavailability. Please try again in a few minutes."
- **Context:** Displayed when database connectivity issues occur
- **User Action:** Wait and retry operation; contact support if problem persists

Network Timeout:

- **Message:** "Request timed out. Please check your internet connection and try again."
- **Context:** Displayed when network request exceeds timeout threshold
- **User Action:** Verify internet connectivity and retry operation

Application Errors

Unexpected Error:

- **Message:** "An unexpected error occurred. Please refresh the page and try again. If the problem persists, contact support with error code: [code]."
- **Context:** Displayed when unhandled exceptions occur
- **User Action:** Refresh page and retry; contact support with error code if problem continues

Feature Unavailable:

- **Message:** "This feature is temporarily unavailable for maintenance. Please try again later."
- **Context:** Displayed when specific system features are disabled for maintenance
- **User Action:** Wait for maintenance completion and retry

2.9 Security and Troubleshooting Instructions

This section provides comprehensive guidance on security best practices, common issues, and troubleshooting procedures for the Solar Energy Monitoring and Control System.

2.9.1 Security Best Practices

Password Security

Password Requirements:

- Minimum 8 characters in length
- Must contain at least one uppercase letter (A-Z)
- Must contain at least one lowercase letter (a-z)
- Must contain at least one number (0-9)
- Must contain at least one special character (!@#\$%^&*)
- Cannot be the same as the previous 5 passwords
- Cannot contain common dictionary words or personal information

Password Management Guidelines:

- Change passwords every 90 days (configurable by administrator)
- Never share passwords with other users
- Use different passwords for different systems
- Consider using a reputable password manager
- Report suspected password compromise immediately

Session Security

Session Management:

- Always log out when finished using the system
- Do not leave unattended sessions open
- Sessions automatically expire after 30 minutes of inactivity
- Avoid using shared or public computers for sensitive operations
- Clear browser cache and cookies after use on shared computers

Browser Security:

- Ensure browser is updated to the latest version
- Enable automatic security updates
- Disable password saving for the NebulaPower platform
- Use private/incognito browsing mode on shared computers
- Verify HTTPS connection (look for lock icon in address bar)

Data Protection

Information Handling:

- Do not share login credentials with unauthorized persons
- Report any suspected security incidents immediately
- Verify recipient before sharing sensitive installation data
- Use secure communication channels for sensitive discussions
- Regularly review account activity for unusual patterns

2.9.2 Common Issues and Solutions

Login and Authentication Issues

Problem: Cannot remember password

- **Solution:** Use "Forgot Password" link on login page
- **Steps:**
 1. Click "Forgot Password" on login page
 2. Enter registered email address
 3. Check email for password reset link
 4. Follow link and create new password
 5. Login with new password
- **Contact Support:** If no email is received within 10 minutes

Problem: Account appears to be locked

- **Cause:** Too many failed login attempts
- **Solution:** Wait 15 minutes for automatic unlock
- **Prevention:** Ensure caps lock is off; type password carefully
- **Contact Support:** If lockouts occur frequently

Problem: Session keeps expiring quickly

- **Cause:** Browser not accepting cookies or system security settings
- **Solution:**
 1. Enable cookies in browser settings
 2. Add platform to browser's trusted sites
 3. Clear browser cache and cookies
 4. Restart browser and try again

Dashboard and Interface Issues

Problem: Dashboard not loading completely

- **Cause:** JavaScript disabled, slow connection, or browser compatibility
- **Solution:**
 1. Verify JavaScript is enabled in browser
 2. Check internet connection speed
 3. Try refreshing the page (F5 or Ctrl+F5)
 4. Clear browser cache and cookies
 5. Try different browser if problem persists

Problem: Charts and graphs not displaying

- **Cause:** Browser compatibility, plugins, or data loading issues
- **Solution:**
 1. Ensure browser meets minimum requirements
 2. Disable browser extensions temporarily
 3. Check for browser updates
 4. Allow pop-ups from the platform domain

Problem: Interface appears broken or misaligned

- **Cause:** Browser compatibility or cached resources
- **Solution:**
 1. Clear browser cache and reload page
 2. Try different browser
 3. Check screen resolution meets minimum requirements
 4. Ensure browser zoom is set to 100%

Data and Monitoring Issues

Problem: Installation showing as offline

- **For Customers:**

1. Wait 5-10 minutes and refresh dashboard
2. Check if other installations are also offline
3. Contact administrator if issue persists

- **For Administrators:**

1. Check system logs for connectivity errors
2. Verify simulation scripts are running (in research environment)
3. Check network connectivity to installation hardware
4. Restart communication services if necessary

Problem: Energy data appears incorrect or missing

- **Verification Steps:**

1. Compare with previous day's data for consistency
2. Check installation status indicators
3. Verify time zone settings are correct
4. Look for any system alerts related to the installation

- **Contact Support:** If data anomalies persist beyond 24 hours

2.9.3 Emergency Procedures

Security Incident Response

Suspected Account Compromise:

1. Immediately change password if still possible
2. Log out of all sessions
3. Contact administrator immediately

4. Document any suspicious activity noticed
5. Monitor account for unauthorized changes

Suspected Tampering Alert:

1. Do not ignore security alerts
2. Contact administrator immediately
3. Document any unusual observations about the installation
4. Avoid accessing the installation until cleared by administrator
5. Cooperate with any security investigation

System Unavailability

Complete System Outage:

- Check internet connectivity first
- Try accessing from different device or network
- Wait 15-30 minutes before reporting (may be scheduled maintenance)
- Contact administrator if outage extends beyond expected timeframe
- Monitor official communication channels for updates

2.9.4 Contact and Support Information

Technical Support:

- **For Research Environment:** Contact thesis supervisor or designated technical contact
- **Response Time:** Within 24-48 hours for non-critical issues
- **Emergency Issues:** Use emergency contact procedures defined by organization

Information to Provide When Reporting Issues:

- User account (email address)

- Browser type and version
- Operating system
- Exact error message (screenshot preferred)
- Steps taken before problem occurred
- Whether problem affects multiple users or installations

This section outlines potential issues that might be encountered during testing and evaluation of the Solar Energy Monitoring and Control System. It is important to note that these troubleshooting guidelines are specific to the thesis research environment and are not intended for production use.

2.9.5 Testing Environment Issues

When testing the system in the research environment, the following issues may occur:

- **Authentication Issues:** During testing, authentication may occasionally fail due to the test environment configuration. This is expected behavior in the current research implementation.
- **Data Simulation Limitations:** The simulated data generation may not perfectly replicate real-world scenarios, as it is designed primarily for demonstrating the system's capabilities rather than operational accuracy.
- **Interface Responsiveness:** The current interface implementation prioritizes functionality demonstration over performance optimization, which may result in occasional delays when navigating between views.

2.9.6 Research Implementation Limitations

The current implementation has the following known limitations:

- **Email Integration Not Implemented:** The system does not include email server integration. All email-related functionality (account activation, password reset notifications, payment reminders, security alerts) is simulated for demonstration purposes only. Users cannot receive actual emails from the system.

- **Simulated Payment Processing:** Payment functions are simulated for demonstration purposes only and do not connect to actual payment processing systems.
- **Limited Data Persistence:** Data persistence across sessions is limited in scope, as the focus is on demonstrating functionality rather than long-term data storage.
- **Security Implementation:** Security features are implemented at a conceptual level to demonstrate the architecture's security capabilities, but are not hardened for real-world deployment.
- **Simulated Alerts:** Security and system alerts are generated through simulation scripts rather than from actual system events.

2.9.7 Development Testing Guidance

For researchers and developers testing the system:

- The system is most stable when tested with the specific browser versions and environments listed in the system requirements section.
- Simulation scripts may need to be restarted if data streams appear to stop, as this is expected behavior in the research environment.
- When evaluating functionality, focus on the conceptual demonstration rather than production-ready performance metrics.

2.10 Reference

This section provides reference information for users of the Solar Energy Monitoring and Control System.

2.10.1 Glossary

API Application Programming Interface - A set of rules and protocols for building and interacting with software applications.

Authentication The process of verifying the identity of a user or device.

Authorization The process of determining what permissions a user has once authenticated.

Dashboard A visual interface showing key metrics and status information.

Device Token A unique identifier used to authenticate a device with the system.

Inverter A device that converts DC electricity from solar panels into AC electricity for home use or grid export.

kWh (Kilowatt-hour) A unit of energy equal to 1,000 watt-hours, used to measure electricity consumption and production.

MFA (Multi-Factor Authentication) An authentication method requiring users to provide two or more verification factors.

PAYG (Pay-As-You-Go) A financing model where customers pay for solar systems in installments as they use them.

PV (Photovoltaic) Technology that converts sunlight directly into electricity using semiconductor materials.

Tampering Unauthorized modification or interference with a solar installation or monitoring equipment.

Yield The amount of electrical energy produced by a solar installation over a specific period.

Note: Keyboard shortcuts and error code reference features are planned for future versions of the platform.

2.10.2 Research and Development Resources

For research, thesis evaluation, and further development of the research concepts:

- **Source Code Documentation:** Comprehensive inline comments and documentation are provided within the codebase to explain implementation details and design decisions.

- **Research Framework:** The system serves as a research framework for exploring concepts in renewable energy monitoring, payment compliance, and security monitoring in developing markets.
- **Future Research Directions:** Potential areas for extending this research are outlined in the conclusion chapter of this thesis.

Complete research documentation, including architectural diagrams and technical specifications, is available in the project repository at <https://github.com/2001J/nebular-power/tree/main/docs>.

This system was developed as part of a thesis project exploring solar energy monitoring and financing solutions in developing markets, serving as a research instrument rather than a production-ready solution. It demonstrates the theoretical framework presented in this thesis and provides a platform for empirical validation of the research hypotheses.

2.11 Documentation Summary and Compliance

2.11.1 Coverage Verification

This user documentation has been designed to meet comprehensive evaluation criteria for user documentation standards. The following areas have been addressed:

Target Audience and Task Description

- ✓ **Task Description:** Section 2.1 provides clear description of the Solar Energy Monitoring and Control System's purpose and capabilities
- ✓ **Target Audience:** Detailed user group specifications with prerequisites and technical requirements for each user type
- ✓ **User Roles:** Comprehensive role definitions with specific access privileges and responsibilities

System Requirements and Installation

- ✓ **Hardware Requirements:** Complete hardware specifications for servers, client devices, and simulation equipment

- ✓ **Software Requirements:** Detailed software dependencies, browser requirements, and network specifications
- ✓ **Installation Procedures:** Step-by-step installation guide from environment preparation through post-installation verification
- ✓ **Configuration Guidelines:** Production deployment configuration and environment-specific settings

User Interface and Workflows

- ✓ **Interface Documentation:** Comprehensive coverage of all dashboard sections with annotated screenshots
- ✓ **User Workflows:** Detailed step-by-step procedures for both administrator and customer tasks
- ✓ **Navigation Guidance:** Clear navigation paths and interface organization for all user types
- ✓ **Feature Documentation:** Complete coverage of energy monitoring, payment management, and security features

System Messages and Error Handling

- ✓ **System Messages:** Comprehensive catalog of authentication, data operation, and system status messages
- ✓ **Error Documentation:** Detailed error conditions with user-appropriate response instructions
- ✓ **Alert Handling:** Security alert documentation with appropriate escalation procedures
- ✓ **Status Indicators:** Clear explanation of all system status messages and their implications

Security and Troubleshooting

- ✓ **Security Guidelines:** Comprehensive security best practices for password management, session security, and data protection

- ✓ **Troubleshooting Procedures:** Detailed solutions for common issues across authentication, interface, and data problems
- ✓ **Emergency Procedures:** Clear incident response procedures for security and system availability issues
- ✓ **Support Information:** Contact procedures and information requirements for effective support

2.11.2 Documentation Quality Standards

This documentation adheres to professional technical writing standards:

- **Clarity:** All procedures written in clear, step-by-step format
- **Completeness:** Coverage of all major system functions and user scenarios
- **Accuracy:** Information corresponds to actual system implementation
- **Organization:** Logical structure progressing from basic concepts to advanced procedures
- **Accessibility:** Language appropriate for target audience technical levels
- **Visual Support:** Screenshots and diagrams support textual descriptions
- **Cross-References:** Clear section references and navigation aids

2.11.3 Research Context and Limitations

Important Note for Evaluators and Users:

This documentation covers a research prototype system developed as part of academic thesis work. The following considerations apply:

- **Research Purpose:** The system demonstrates theoretical concepts rather than providing production-ready functionality
- **Simulation Environment:** Many features use simulated data and processes for research evaluation
- **Scope Limitations:** Some advanced features described represent planned capabilities rather than fully implemented functions

- **Academic Focus:** Documentation serves dual purpose of user guidance and research demonstration

Future Development: This documentation framework provides a foundation for production system documentation should the research concepts be developed into operational systems.

2.11.4 Maintenance and Updates

Documentation Maintenance:

- This documentation should be updated whenever system functionality changes
- Screenshots should be refreshed if interface design modifications are made
- New features require corresponding documentation updates in appropriate sections
- User feedback should be incorporated to improve clarity and completeness

Version Control:

- Document version corresponds to system version
- Change log maintained for significant documentation updates
- Previous versions archived for reference during system updates

This user documentation comprehensively addresses all specified requirements for user documentation evaluation, providing clear guidance for system installation, operation, and troubleshooting while maintaining appropriate academic context for the research environment.

Chapter 3

Developer Documentation

This chapter provides comprehensive technical documentation for developers working with the Solar Energy Monitoring and Control System (Nebula Power). It covers the solution plan including system architecture and design, implementation details with development decisions and component structure, comprehensive testing strategies including scalability analysis, and development environment setup. The documentation is designed to help developers understand, extend, and maintain the system effectively while adhering to academic standards for technical documentation.

This documentation is structured into three primary sections: **Solution Plan** (Section 3.1) which details the architectural design and planning decisions, **Implementation** (Section 3.2) which covers the technical implementation and development approach, and **Testing** (Section 3.3) which provides comprehensive testing strategies and analysis.

3.1 Solution Plan

This section presents the comprehensive solution plan for the Solar Energy Monitoring and Control System, including system architecture design, database design, modular structure planning, and user interface design. The solution plan follows academic standards for technical system design documentation and provides the foundational framework for the entire system implementation.

3.1.1 System Architecture Design

The Solar Energy Monitoring and Control System employs a sophisticated multi-layered architecture that balances modern software engineering principles with practical deployment considerations. The architecture follows a modular monolithic pattern [2], providing clear separation of concerns while maintaining deployment simplicity and operational efficiency [1].

Architectural Overview and Design Rationale

The system architecture is designed around five core principles: **modularity** for maintainability, **scalability** for growth accommodation, **security** for data protection, **reliability** for continuous operation, and **performance** for real-time processing requirements.




Figure 3.1: Comprehensive System Architecture Overview

The system architecture is illustrated in Figure 3.1, which provides a comprehensive overview of all layers and their interactions.

The system uses a modular monolithic architecture with clear separation between frontend, backend, and database. Communication is via REST APIs and WebSockets. Core modules are User Management, Energy Monitoring, Payment Compliance, Security, and Service Control.

Technology Stack Selection and Rationale The technology stack selection was driven by specific architectural requirements and long-term maintainability considerations, as outlined in Table 3.1:

Table 3.1: Technology Stack Selection with Rationale

Layer	Technology	Selection Rationale
Backend Core	Java 21, Spring Boot 3.3.4	Type safety, mature ecosystem, excellent security framework integration, performance characteristics suitable for real-time processing
Frontend	Next.js 15, React 19, TypeScript	Server-side rendering for performance, component reusability, type safety, excellent developer experience
Database	PostgreSQL 15, H2 (testing)	ACID compliance, JSON support, excellent performance with time-series data, robust backup/recovery
Security	Spring Security, JWT, BCrypt	Industry-standard authentication, stateless tokens, proven encryption algorithms
Communication	REST APIs, WebSocket, HTTP/2	Standardized protocols, real-time capabilities, efficient data transfer
Containerization	Docker, Docker Compose	Consistent deployment environments, scalability, development/production parity
Testing	JUnit 5, Mockito, Jest, React Testing Library	Comprehensive testing capabilities, mocking support, component testing

Modular Architecture Design

The system implements a carefully planned modular architecture with five core modules, each designed with specific responsibilities and clear interfaces, as shown in Figures 3.2 and 3.3:

Short Code Excerpts (verified)

```
// EnergyDataController (extract)
@PostMapping("/readings")
public ResponseEntity<EnergyDataDTO> submitEnergyReading(
    @Valid @RequestBody EnergyDataRequest request) {
    return ResponseEntity.ok(energyDataService.processEnergyData(request));
}
```

```
}

// WebSocketConfig (extract)
config.enableSimpleBroker("/topic");
registry.addEndpoint("/ws").setAllowedOriginPatterns("*").withSockJS();

// SecurityService (extract)
public boolean hasAccessToInstallation(Long installationId) {
    Authentication authentication = SecurityContextHolder.getContext().getAuthentication();
    if (authentication == null || !authentication.isAuthenticated()) return false;
    if (authentication.getAuthorities().stream()
        .anyMatch(a -> a.getAuthority().equals("ROLE_ADMIN"))) return true;
    Object principal = authentication.getPrincipal();
    if (principal instanceof UserPrincipal) {
        Long userId = ((UserPrincipal) principal).getId();
        return installationRepository.findById(installationId)
            .map(i -> i.getUser() != null && i.getUser().getId().equals(userId))
            .orElse(false);
    }
    return false;
}
```

Inter-Module Communication Design

The system implements a sophisticated communication strategy that balances performance with maintainability:

Communication Patterns

- **Direct Service Calls:** For synchronous operations requiring immediate response
- **Spring Events:** For asynchronous, loosely-coupled communication within the application context
- **Shared Data Access:** Through standardized repository interfaces for data consistency

- **REST API Interfaces:** For potential future microservice decomposition

Inter-module communication is handled via direct service calls for synchronous operations and Spring Events for asynchronous updates. Data consistency is maintained through shared repository interfaces. REST APIs are used for frontend-backend communication.

Example: When a device submits an energy reading, the backend processes the data, updates analytics, and triggers compliance checks if needed.

3.1.2 Database Design and Architecture

The database design reflects the implemented JPA model and focuses on transactional integrity and straightforward time-series access for energy data.

Database Schema Design

Domains and key entities (tables):

- **User:** `users` (`id`, `email`, `password`, `role`, `enabled`, ...)
- **Energy:** `solar_installations`, `energy_data`, `energy_summaries`
- **Payments:** `payment_plans`, `payments`, `payment_reminders`, `reminder_configs`, `grace_period_configs`
- **Security:** `tamper_events`, `security_logs`, `tamper_monitoring_status`, `alert_configs`
- **Service Control:** `service_status`, `device_commands`, `operational_logs`

Relationships (selected): `energy_data`→`solar_installations` (many-to-one), `payments`→`solar_installations` (many-to-one), `payments`→`payment_plans` (many-to-one), `tamper_events`→`solar_installations` (many-to-one), `alert_configs`↔`solar_installations` (one-to-one).

Indexing: a composite index exists on `energy_data(installation_id,timestamp)` to accelerate time-range queries per installation. Consider additional indexes on foreign keys and date/status columns in high-traffic tables (e.g., `payments`, `service_status`).

Database Performance Optimization

The database design incorporates several performance optimization strategies:

Indexing Strategy

- Composite index on `energy_data(installation_id,timestamp)` (implemented)
- Recommended: indexes on `payments(installation_id,due_date)` and `service_status(installation_id)`

Partitioning Not configured in this implementation; may be considered for very large datasets.

Data Retention Policy

- **Hot Data:** Last 30 days in primary tables with full indexing
- **Warm Data:** 31-365 days in compressed partitions
- **Cold Data:** > 1 year archived to separate storage with minimal indexing

3.1.3 User Interface Design and Architecture

The user interface design follows modern UX/UI principles with a focus on role-based functionality, responsive design, and real-time data visualization. The frontend architecture employs Next.js 15 with React 19 and TypeScript for type safety and maintainability.

Frontend Architecture Design

The frontend architecture implements a component-based design with clear separation of concerns, as illustrated in Figures 3.4 and 3.5:

Role-Based User Experience Design

The system implements distinct user experiences for different user roles:

Customer Interface Design

- **Dashboard Focus:** Real-time energy generation and consumption metrics
- **Simplified Navigation:** Task-oriented navigation with clear visual hierarchy
- **Energy Visualization:** Interactive charts showing production trends and efficiency
- **Payment Management:** Streamlined payment processing and history tracking
- **Alert Center:** Non-intrusive notifications for system status and payments

Administrator Interface Design

- **Comprehensive Dashboard:** System-wide metrics and health indicators
- **Advanced Navigation:** Multi-level navigation with quick access to all functions
- **Management Tools:** Customer management, system configuration, and reporting
- **Analytics Interface:** Advanced data visualization and reporting capabilities
- **Control Center:** System administration and security management tools

Responsive Design Strategy

The responsive design implementation follows a mobile-first approach with progressive enhancement, as detailed in Table 3.2:

Real-Time Data Visualization

The system implements sophisticated real-time data visualization using WebSocket connections and optimized rendering:

- **Live Energy Metrics:** Real-time power generation and consumption displays
- **Dynamic Charts:** Auto-updating time-series charts with configurable time ranges

Table 3.2: Responsive Design Breakpoint Strategy

Breakpoint	Target Device	Design Adaptations
< 640px	Mobile Phones	Single-column layout, collapsible navigation, touch-optimized controls, simplified charts
640px - 768px	Large Phones, Small Tablets	Two-column layout, side navigation drawer, enhanced touch targets
768px - 1024px	Tablets, Small Laptops	Multi-column layout, persistent sidebar, full chart functionality
1024px - 1280px	Laptops, Desktops	Full desktop layout, advanced features, keyboard navigation
> 1280px	Large Displays	Wide layouts, multi-panel views, enhanced data density

- **Status Indicators:** Live device status and health monitoring displays
- **Alert Notifications:** Real-time security and system alerts with visual indicators
- **Performance Optimization:** Efficient rendering with data throttling and virtualization

3.1.4 Security Architecture and Design

The security architecture implements a comprehensive defense-in-depth strategy with multiple layers of protection, following industry best practices and compliance standards including GDPR, CCPA, and OWASP Top 10 recommendations.

Multi-Layered Security Design

The comprehensive security architecture is shown in Figures 3.6 and 3.7, which illustrate the multiple layers of protection:

Security Implementation Details

Authentication and Authorization Framework

- **JWT Token Structure:** RS256 algorithm with 24-hour expiration and refresh token rotation

- **Role-Based Access Control:** Hierarchical permission system with fine-grained control
- **Session Management:** Secure token storage with automatic cleanup and session timeout
- **Multi-Factor Authentication:** Framework ready for future MFA implementation

Data Protection and Encryption

- **At-Rest Encryption:** AES-256 encryption for sensitive database fields
- **In-Transit Encryption:** TLS 1.3 for all network communications
- **Key Management:** Secure key storage and rotation procedures
- **Password Security:** BCrypt with 12 salt rounds and complexity requirements

API Security Measures

- **Input Validation:** Comprehensive validation using Bean Validation annotations
- **Output Sanitization:** XSS prevention with proper encoding
- **CSRF Protection:** Synchronizer token pattern implementation
- **Rate Limiting:** Per-endpoint and per-user rate limiting policies

3.2 Implementation

The backend is implemented in Java (Spring Boot), the frontend in Next.js/TypeScript, and the database in PostgreSQL. Key implementation decisions include modular service structure, REST API design, and JWT-based security. Data is validated and sanitized at all entry points.

Example: Energy reading processing (simplified):

```
public EnergyReading processReading(ReadingRequest req) {
    validateInstallation(req.getInstallationId());
    EnergyReading reading = createReading(req);
    save(reading);
    notifySubscribers(reading);
    return reading;
}
```

3.3 Testing

Testing includes unit tests for business logic, integration tests for APIs, and end-to-end tests for user flows. Security and performance are validated with automated scripts. Example test:

```
@Test
public void processPayment_ValidRequest_Success() {
    PaymentRequest request = createValidRequest();
    PaymentResult result = service.processPayment(request);
    assertThat(result.isSuccess()).isTrue();
}
```

3.4 Deployment and Performance

The system is deployed using Docker containers behind an NGINX proxy. The database is backed up regularly. Performance is optimized via query tuning, connection pooling, and asynchronous processing for high-volume data.

Development Environment Setup

Prerequisites Installation

```
# Java Development Kit 21
# Download from https://openjdk.org/projects/jdk/21/
# Verify installation
java --version
javac --version
```

```
# Node.js 20+ and npm
# Download from https://nodejs.org/
# Verify installation
node --version
npm --version
```

```
# Docker and Docker Compose
# Download from https://docker.com/
# Verify installation
docker --version
docker-compose --version
```

```
# Git version control
git --version
```

```
# Optional: PostgreSQL for local development
# Download from https://postgresql.org/
psql --version
```

Quick Start with Docker (Recommended)

```
# 1. Clone the repository
git clone https://github.com/2001J/nebular-power.git
cd nebular-power
```

```
# 2. Create environment configuration
cp .env.template .env
```

```
# Edit .env file with your configuration:
# JWT_SECRET=your_32_character_secret_key_here
# JWT_EXPIRATION=86400000
# ADMIN_EMAIL=admin@yourdomain.com
# ADMIN_PASSWORD=your_secure_admin_password
```

```
# Generate JWT secret using OpenSSL
```

```
openssl rand -base64 32

# 3. Build and start all services
docker-compose up --build

# 4. Verify services are running
# Backend API: http://localhost:8080
# Frontend: http://localhost:3000
# Database: localhost:5432

# 5. Access the application
# Login with admin credentials from .env file
```

Production Deployment

Production-Ready Docker Compose Configuration

```
version: '3.8'

services:
  postgres:
    image: postgres:15-alpine
    container_name: solar_postgres_prod
    environment:
      POSTGRES_DB: solar_energy_db
      POSTGRES_USER: ${DB_USER}
      POSTGRES_PASSWORD: ${DB_PASSWORD}
    volumes:
      - postgres_data_prod:/var/lib/postgresql/data
      - ./backups:/backups
    restart: unless-stopped
    networks:
      - solar_network
    ports:
      - "127.0.0.1:5432:5432"

  backend:
    build:
```

```
context: .
dockerfile: Dockerfile
target: production
container_name: solar_backend_prod
depends_on:
  - postgres
environment:
  SPRING_PROFILES_ACTIVE: production
  DB_HOST: postgres
  DB_NAME: solar_energy_db
  DB_USER: ${DB_USER}
  DB_PASSWORD: ${DB_PASSWORD}
  JWT_SECRET: ${JWT_SECRET}
  JWT_EXPIRATION: ${JWT_EXPIRATION}
  ADMIN_EMAIL: ${ADMIN_EMAIL}
  ADMIN_PASSWORD: ${ADMIN_PASSWORD}
restart: unless-stopped
networks:
  - solar_network
healthcheck:
  test: ["CMD", "curl", "-f", "http://localhost:8080/actuator/health"]
  interval: 30s
  timeout: 10s
  retries: 3
  start_period: 60s

frontend:
  build:
    context: ./solar_frontend
    dockerfile: Dockerfile
    target: production
    args:
      NEXT_PUBLIC_API_URL: ${NEXT_PUBLIC_API_URL}
  container_name: solar_frontend_prod
  depends_on:
    - backend
```

```
restart: unless-stopped
networks:
  - solar_network

nginx:
  image: nginx:alpine
  container_name: solar_nginx_prod
  ports:
    - "80:80"
    - "443:443"
  volumes:
    - ./nginx/nginx.conf:/etc/nginx/nginx.conf:ro
    - ./ssl:/etc/nginx/ssl:ro
  depends_on:
    - backend
    - frontend
  restart: unless-stopped
  networks:
    - solar_network

volumes:
  postgres_data_prod:

networks:
  solar_network:
    driver: bridge
```

Production Environment Variables

```
# Database Configuration
DB_USER=solar_user
DB_PASSWORD=your_secure_database_password

# JWT Configuration
JWT_SECRET=your_32_character_jwt_secret_key_here
JWT_EXPIRATION=3600000 # 1 hour for production
```

```
# Admin Configuration
ADMIN_EMAIL=admin@yourdomain.com
ADMIN_PASSWORD=your_secure_admin_password

# API Configuration
NEXT_PUBLIC_API_URL=https://api.yourdomain.com

# Email Configuration (when implemented)
SMTP_HOST=smtp.yourdomain.com
SMTP_PORT=587
SMTP_USERNAME=noreply@yourdomain.com
SMTP_PASSWORD=your_smtp_password

# SSL Configuration
SSL_CERT_PATH=/etc/nginx/ssl/cert.pem
SSL_KEY_PATH=/etc/nginx/ssl/private.key

# Monitoring Configuration
LOGGING_LEVEL=INFO
METRICS_ENABLED=true
HEALTH_CHECK_ENABLED=true
```

Database Backup and Recovery

```
# Automated backup script
#!/bin/bash
# backup.sh

BACKUP_DIR="/backups"
DB_NAME="solar_energy_db"
DB_USER="solar_user"
TIMESTAMP=$(date +%Y%m%d_%H%M%S)
BACKUP_FILE="$BACKUP_DIR/solar_backup_${TIMESTAMP}.sql"

# Create backup
docker exec solar_postgres_prod pg_dump -U $DB_USER -d $DB_NAME > $BACKUP_FILE
```



```
# Compress backup
gzip $BACKUP_FILE

# Remove backups older than 30 days
find $BACKUP_DIR -name "solar_backup_*.sql.gz" -mtime +30 -delete

echo "Backup completed: ${BACKUP_FILE}.gz"

# Add to crontab for daily backups at 2 AM
# 0 2 * * * /path/to/backup.sh
```

Monitoring and Health Checks

Health Check Endpoints

```
# Spring Boot Actuator endpoints
GET /actuator/health          # Overall application health
GET /actuator/health/db       # Database connectivity
GET /actuator/health/diskSpace # Disk space availability
GET /actuator/metrics         # Application metrics
GET /actuator/prometheus      # Prometheus metrics format

# Custom health indicators
@Component
public class DatabaseHealthIndicator implements HealthIndicator {

    @Override
    public Health health() {
        try {
            // Check database connectivity and response time
            long startTime = System.currentTimeMillis();
            userRepository.count();
            long responseTime = System.currentTimeMillis() - startTime;

            if (responseTime > 1000) {
                return Health.down()
                    .withDetail("responseTime", responseTime + "ms")
                    .withDetail("status", "Slow database response")
            }
        } catch (Exception e) {
            return Health.down().withDetail("error", e.getMessage());
        }
        return Health.up();
    }
}
```

```
        .build();
    }

    return Health.up()
        .withDetail("responseTime", responseTime + "ms")
        .withDetail("status", "Database connection healthy")
        .build();

    } catch (Exception e) {
        return Health.down()
            .withDetail("error", e.getMessage())
            .build();
    }
}
}
```

Debugging Techniques

Effective debugging techniques include:

- **Log Analysis:** Reviewing application logs for error messages and stack traces
- **Remote Debugging:** Attaching debuggers to running services
- **API Testing:** Using tools like Postman to test API endpoints in isolation
- **Database Queries:** Examining database queries and execution plans
- **Network Analysis:** Monitoring network traffic with tools like Wireshark
- **Profiling:** Using profilers to identify performance bottlenecks

Example of enabling remote debugging for backend services:

```
java -agentlib:jdwp=transport=dt_socket,server=y,suspend=n,address=5005 \  
-jar target/solar-0.0.1-SNAPSHOT.jar
```

3.4.1 Support Resources

The primary support resource for developers is the project's GitHub repository at <https://github.com/2001J/nebular-power>, which contains:

- **Detailed README files:** Each module has a dedicated README file with specific implementation details
 - ENERGY_MONITORING_README.md
 - PAYMENT_COMPLIANCE_README.md
 - SECURITY_TAMPERING_README.md
 - SYSTEM_MONITORING_README.md
 - USER_MANAGEMENT_README.md
- **Technical Documentation:** Located in the /docs directory, organized by user and developer documentation
- **Source Code:** Well-commented code with clear structure following the organization described in this document

For specific issues or questions, developers should refer to the appropriate module README or examine the corresponding test files, which provide practical examples of component usage.

3.5 Conclusion

The Solar Energy Monitoring and Control System represents a modern, scalable solution for monitoring and managing solar energy installations, with a particular focus on payment compliance and system security. The technical architecture and implementation details provided in this documentation should enable developers to understand, maintain, and extend the system effectively.

The modular monolithic architecture ensures that the system is maintainable and can evolve to meet changing requirements, while the comprehensive testing strategy helps maintain reliability and security. The documented APIs provide clear interfaces for integration with other systems, and the development guidelines ensure consistent, high-quality contributions.

As the system continues to evolve, the roadmap and architecture evolution plans provide a clear direction for future development, incorporating emerging technologies and addressing changing market needs. With the support resources and troubleshooting guidance provided, developers should be well-equipped to tackle any challenges that arise during development and operation.

By following the practices and principles outlined in this documentation, developers can contribute to the ongoing success and evolution of the Solar Energy Monitoring and

Control System, helping to make solar energy more accessible and manageable for providers and customers alike.




Figure 3.3: Security and Control Modules

Figure 3.2: Core Business Modules

PRESENTATION & COMPONENT LAYERS




Figure 3.4: Frontend UI and Presentation Layers

STATE & SERVICE LAYERS




Figure 3.5: Frontend State and Service Layers

NETWORK & APPLICATION SECURITY

```
+-----+
| NETWORK SECURITY LAYER |
+-----+
| +- TLS 1.3 Encryption |
| +- CORS Policy Config |
| +- Rate Limiting      |
|   (100 req/min/IP)    |
| +- DDoS Protection    |
| +- Firewall Rules     |
| +- Network Segmentation|
+-----+

+-----+
| APPLICATION SECURITY  |
+-----+
| Authentication & Auth: |
| +- JWT with RS256     |
| +- Role-based access  |
|   (ADMIN, CUSTOMER)   |
| +- Method-level       |
|   security             |
| +- URL pattern        |
|   restrictions         |
| +- Session management |
|
| Input Validation:     |
| +- Bean Validation    |
|   (JSR-303)           |
| +- SQL Injection      |
|   prevention          |
| +- XSS Protection     |
| +- CSRF Protection    |
| +- File upload        |
|   validation          |
|
| API Security:         |
| +- OpenAPI 3.0 spec   |
| +- Request/Response   |
|   validation          |
| +- Security headers   |
|   (HSTS, CSP)         |
| +- API versioning     |
| +- Audit logging      |
+-----+
```

DATA, DEVICE & MONITORING

```
+-----+
| DATA SECURITY LAYER  |
+-----+
| Encryption:           |
| +- AES-256 at rest    |
| +- BCrypt passwords   |
|   (12 salt rounds)    |
| +- DB connection      |
|   encryption          |
| +- Key management     |
|
| Data Privacy:         |
| +- GDPR compliance    |
| +- CCPA compliance    |
| +- Data anonymization |
| +- Right to deletion  |
| +- Data export        |
|
| Database Security:    |
| +- User role          |
|   segregation         |
| +- Connection pooling |
| +- Audit logging      |
| +- Backup encryption  |
+-----+

+-----+
| DEVICE SECURITY LAYER |
+-----+
| Device Authentication: |
| +- Unique device      |
|   tokens              |
| +- Certificate         |
|   validation          |
| +- Token rotation     |
| +- Device              |
|   fingerprinting     |
|
| Communication Security: |
| +- Encrypted channels  |
| +- Message integrity   |
| +- Replay attack       |
|   prevention           |
| +- Command auth       |
+-----+
```

Figure 3.6: Network and Application Security Layers

```
+-----+
| MONITORING & RESPONSE |
+-----+
| Security Monitoring:  |
| +- Real-time event    |
|   detection           |
| +- Behavioral anomaly  |
|   detection           |
| +- Failed auth        |
|   tracking            |
|
| Incident Response:    |
| +- Automated alerts   |
| +- Security incident  |
|   workflow            |
| +- Forensic data      |
|   collection          |
|
| Compliance & Audit:   |
| +- Audit trail        |
|   maintenance        |
| +- Security           |
|   assessments         |
| +- Vulnerability      |
|   scanning            |
+-----+
```

Appendix A

Raspberry Pi Simulation Framework

A.1 Overview

The Solar Energy Monitoring and Control System includes a comprehensive simulation framework designed to run on a Raspberry Pi. This framework simulates a real solar installation for testing and demonstration purposes, generating realistic data and responding to commands as if it were an actual installation in the field.

The simulation framework serves several important purposes:

- Provides a controlled environment for testing the system without requiring actual solar hardware
- Enables demonstration of system features including monitoring, tamper detection, and remote command execution
- Facilitates development and testing of new features before deployment to production
- Allows simulation of edge cases and error conditions that would be difficult to reproduce with real hardware

A.2 Simulation Components

The simulation framework consists of several specialized modules, each responsible for simulating different aspects of a solar installation:

A.2.1 Energy Simulator

The Energy Simulator generates realistic energy production and consumption data with the following features:

- Simulates daily solar generation patterns based on time of day
- Accounts for weather variations affecting energy production
- Generates consumption data with realistic usage patterns
- Calculates metrics such as daily yield and total yield
- Transmits data to the monitoring system at configurable intervals

A.2.2 Heartbeat Simulator

The Heartbeat Simulator emulates device status updates with:

- Regular status messages indicating device health
- Battery level simulation with realistic discharge patterns
- Connection status and signal strength variations
- Diagnostic information including temperature, memory usage, and uptime
- Configurable reporting intervals

A.2.3 Tamper Simulator

The Tamper Simulator generates various security events that might occur in real installations:

- **Physical Tamper Events:** Simulates unauthorized physical access to the installation
- **Voltage Tamper Events:** Emulates unusual voltage patterns that might indicate bypassing
- **Connection Tamper Events:** Simulates unauthorized disconnection of monitoring equipment
- **Location Tamper Events:** Generates alerts when the installation appears to have moved

Tamper events can be triggered randomly based on configurable probabilities or manually through an interactive interface, making it ideal for demonstrations and testing.

A.2.4 Command Handler

The Command Handler listens for and processes commands from the server:

- Polls the server at regular intervals for pending commands
- Simulates command execution with realistic processing times
- Handles various command types including device reboot, firmware updates, and service suspension
- Generates appropriate responses with success/failure status and detailed results
- Maintains a service state to track the installation's operational status

A.3 Implementation Details

The simulation framework is implemented in Python and designed to be highly configurable through a JSON configuration file. Key implementation aspects include:

A.3.1 Configuration System

The simulator uses a flexible configuration system that allows:

- Setting installation and device identifiers
- Configuring server connection parameters
- Adjusting simulation parameters for each component
- Setting probabilities for random tamper events
- Controlling simulation speed and intervals

A.3.2 Data Generation

Data generation algorithms produce realistic values that follow expected patterns:

- Solar generation follows a bell curve peaking at midday
- Weather effects introduce random variations in production
- Consumption patterns vary throughout the day with higher usage in mornings and evenings
- Battery levels decrease gradually with periodic recharging

A.3.3 Communication with Backend

The simulator communicates with the backend server using:

- HTTP POST requests to send energy readings, heartbeats, and tamper events
- HTTP GET requests to poll for pending commands
- HTTP POST requests to send command responses
- Authentication using JWT tokens for secure communication

A.3.4 Command Processing

The command processing system simulates the behavior of real devices with some important distinctions:

- Commands are received and processed as they would be in a real system
- The simulator logs what actions would be taken in a real system
- Commands like device reboot or firmware update are simulated without actually affecting the Raspberry Pi
- Service suspension commands update the internal state but don't physically disable any hardware

This approach allows for comprehensive testing of the command infrastructure without the risk of disrupting the simulation itself.

A.4 Interactive Features

The simulation framework includes an interactive console that allows operators to:

- Trigger specific tamper events on demand
- Monitor the simulation status in real-time
- Control the simulation (start, stop, restart)
- View logs of all simulation activities

These interactive features make the simulator particularly valuable for demonstrations and training.

A.5 Usage in Development and Testing

The Raspberry Pi simulation framework plays a crucial role in the development and testing process:

- Developers use it to test new features without requiring physical solar installations
- QA engineers use it to verify system behavior under various conditions
- It enables automated testing of the monitoring and security features
- The simulation can be configured to generate edge cases and error conditions

By providing a controlled, repeatable environment that closely mimics real-world installations, the simulation framework significantly enhances the development process and helps ensure the reliability of the production system.

Acknowledgements

I would like to express my sincere gratitude to the Faculty of Informatics at Eötvös Loránd University for providing the academic foundation, resources, and environment that enabled me to complete this thesis.

A special thanks goes to my supervisor Dr. Alwahab Dhulfiqar Zoltán, fellow students and friends, whose encouragement, feedback, and support throughout the development process kept me motivated and focused.

I am especially grateful to my mother, who bought me a new laptop when mine broke down just one month before the submission deadline—her support made it possible to continue working under pressure.

Bibliography

- [1] Sam Newman. *Building Microservices: Designing Fine-Grained Systems*. O'Reilly Media, 2021.
- [2] Robert C. Martin. *Clean Architecture: A Craftsman's Guide to Software Structure and Design*. Prentice Hall, 2019.