APS March Meeting 2019

View Abstract

CONTROL ID: 3096655

TITLE: Are freestanding Xene monolayers excitonic insulators in their ground state?

Abstract Body: We present evidence that monolayers of Xenes (silicene, germanene and stanene) suspended in vacuum behave as excitonic insulators in their ground state, by drawing upon well-established ab initio and theoretical models of the electronic structure of these materials. By solving the Schrödinger equation for electrons and holes interacting via the Rytova-Keldysh potential, it is shown that the direct exciton binding energy exceeds the band gap when the external electric field is small or zero [1]. We propose a phase transition in freestanding monolayer Xenes from the semiconducting phase to the excitonic insulating (EI) phase can be induced by reducing an external electric field below some critical value which is unique to each material. Our calculations show the coexistence of the semiconducting phase of A excitons with the El phase of B excitons for a particular range of electric field. Enhanced dielectric screening in supported or encapsulated monolayer Xenes precludes the existence of the EI phase in those scenarios.

[1] M. N. Brunetti, O. L. Berman, and R. Ya. Kezerashvili, arxiv:1809.04155 (2018).

Funding Acknowledgement: This work is supported by U.S. Department of Defense under Grant No. W911NF1810433.

PRESENTATION TYPE: Poster

UNIT: 12.0 COMPLEX STRUCTURED MATERIALS, INCLUDING GRAPHENE (DCMP) SORTING CATEGORY: 12.08.00 2D Materials: Electronic Structure and Interactions

Category Type: Theoretical

AUTHORS (FIRST NAME, LAST NAME): Matthew Brunetti¹, Oleg Berman², Roman Kezerashvili²

INSTITUTIONS (ALL): 1. CUNY Graduate Center, ,

2. Physics, CUNY - City Tech, null,

Teams: (none)

© Clarivate Analytics | © ScholarOne, Inc., 2018. All Rights Reserved. ScholarOne Abstracts and ScholarOne are registered trademarks of ScholarOne, Inc. ScholarOne Abstracts Patents #7,257,767 and #7,263,655.

🆤 @ScholarOneNews | 🌣 System Requirements | 🔦 Privacy Statement | 🔦 Terms of Use

Product version number 4.16.0 (Build 43). Build date Thu Oct 25 15:04:00 EDT 2018. Server ip-10-236-26-193