

These are the vulnerabilities known for ABUS Secvest FUAA50000: CVE ID: CVE-2019-9862, Description: An issue was discovered on ABUS Secvest wireless alarm system FUAA50000 3.01.01 in conjunction with Secvest remote control FUBE50014 or FUBE50015. Because "encrypted signal transmission" is missing, an attacker is able to eavesdrop sensitive data as cleartext (for instance, the current rolling code state)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2019-9863, Description: Due to the use of an insecure algorithm for rolling codes in the ABUS Secvest wireless alarm system FUAA50000 3.01.01 and its remote controls FUBE50014 and FUBE50015, an attacker is able to predict valid future rolling codes, and can thus remotely control the alarm system in an unauthorized way., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2019-9860, Description: Due to unencrypted signal communication and predictability of rolling codes, an attacker can "desynchronize" an ABUS Secvest wireless remote control (FUBE50014 or FUBE50015) relative to its controlled Secvest wireless alarm system FUAA50000 3.01.01, so that sent commands by the remote control are not accepted anymore., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2019-9861, Description: Due to the use of an insecure RFID technology (MIFARE Classic), ABUS proximity chip keys (RFID tokens) of the ABUS Secvest FUAA50000 wireless alarm system can easily be cloned and used to deactivate the alarm system in an unauthorized way., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.8, Base Severity: MEDIUM CVE ID: CVE-2019-14261, Description: An issue was discovered on ABUS Secvest FUAA50000 3.01.01 devices. Due to an insufficient implementation of jamming detection, an attacker is able to suppress correctly received RF messages sent between wireless peripheral components, e.g., wireless detectors or remote

controls, and the ABUS Secvest alarm central. An attacker is able to perform a "reactive jamming" attack. The reactive jamming simply detects the start of a RF message sent by a component of the ABUS Secvest wireless alarm system, for instance a wireless motion detector (FUBW50000) or a remote control (FUBE50014 or FUBE50015), and overlays it with random data before the original RF message ends. Thereby, the receiver (alarm central) is not able to properly decode the original transmitted signal. This enables an attacker to suppress correctly received RF messages of the wireless alarm system in an unauthorized manner, for instance status messages sent by a detector indicating an intrusion., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2020-28973, Description: The ABUS Secvest wireless alarm system FUAA50000 (v3.01.17) fails to properly authenticate some requests to its built-in HTTPS interface. Someone can use this vulnerability to obtain sensitive information from the system, such as usernames and passwords. This information can then be used to reconfigure or disable the alarm system., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for ADC-V522IR: CVE ID: CVE-2018-19588, Description: Alarm.com ADC-V522IR 0100b9 devices have Incorrect Access Control., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.0, Base Severity: HIGH CVE ID: CVE-2019-9657, Description: Alarm.com ADC-V522IR 0100b9 devices have Incorrect Access Control, a different issue than CVE-2018-19588. This occurs because of incorrect protection of VPN certificates (used for initiating a VPN session to the Alarm.com infrastructure) on the local camera device., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for ASUS DSL-AC51: CVE ID: CVE-2017-14698, Description: ASUS DSL-AC51, DSL-AC52U, DSL-AC55U, DSL-N55U C1, DSL-N55U D1, DSL-AC56U, DSL-N10_C1, DSL-N12U C1, DSL-N12E C1, DSL-N14U, DSL-N14U-B1, DSL-N16, DSL-N16U, DSL-N17U, DSL-N66U, and DSL-AC750 routers allow remote attackers to change passwords of arbitrary users via the http_passwd parameter to mod_login.asp., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2017-14699, Description: Multiple XML external entity (XXE) vulnerabilities in the AiCloud feature on ASUS DSL-AC51, DSL-AC52U, DSL-AC55U, DSL-N55U C1, DSL-N55U D1, DSL-AC56U, DSL-N10_C1, DSL-N12U C1, DSL-N12E C1, DSL-N14U, DSL-N14U-B1, DSL-N16, DSL-N16U, DSL-N17U, DSL-N66U, and DSL-AC750 routers allow remote authenticated users to read arbitrary files via a crafted DTD in (1) an UPDATEACCOUNT or (2) a PROPFIND request., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.0, Base Severity: MEDIUM

These are the vulnerabilities known for ASUS ROG Rapture GT-AX11000: CVE ID: CVE-2021-41435, Description: A brute-force protection bypass in CAPTCHA protection in ASUS ROG Rapture GT-AX11000, RT-AX3000, RT-AX55, RT-AX56U, RT-AX56U_V2, RT-AX58U, RT-AX82U, RT-AX82U GUNDAM EDITION, RT-AX86 Series(RT-AX86U/RT-AX86S), RT-AX86U ZAKU II EDITION, RT-AX88U, RT-AX92U, TUF Gaming AX3000, TUF Gaming AX5400 (TUF-AX5400), ASUS ZenWiFi XD6, ASUS ZenWiFi AX (XT8) before 3.0.0.4.386.45898, and RT-AX68U before 3.0.0.4.386.45911, allows a remote attacker to attempt any number of login attempts via sending a specific HTTP request., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2021-41436, Description: An HTTP request smuggling in web application in ASUS ROG Rapture GT-AX11000, RT-AX3000, RT-AX55, RT-AX56U,

RT-AX56U_V2, RT-AX58U, RT-AX82U, RT-AX82U GUNDAM EDITION, RT-AX86 Series(RT-AX86U/RT-AX86S), RT-AX86U ZAKU II EDITION, RT-AX88U, RT-AX92U, TUF Gaming AX3000, TUF Gaming AX5400 (TUF-AX5400), ASUS ZenWiFi XD6, ASUS ZenWiFi AX (XT8) before 3.0.0.4.386.45898, and RT-AX68U before 3.0.0.4.386.45911, allows a remote unauthenticated attacker to DoS via sending a specially crafted HTTP packet., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for ASUS ROG Zephyrus M GM501GS: CVE ID: CVE-2019-18216, Description: The BIOS configuration design on ASUS ROG Zephyrus M GM501GS laptops with BIOS 313 relies on the main battery instead of using a CMOS battery, which reduces the value of a protection mechanism in which booting from a USB device is prohibited. Attackers who have physical laptop access can exhaust the main battery to reset the BIOS configuration, and then achieve direct access to the hard drive by booting a live USB OS without disassembling the laptop. NOTE: the vendor has apparently indicated that this is "normal" and use of the same battery for the BIOS and the overall system is a "new design." However, the vendor apparently plans to "improve" this an unspecified later time, Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2019-18216, Description: The BIOS configuration design on ASUS ROG Zephyrus M GM501GS laptops with BIOS 313 relies on the main battery instead of using a CMOS battery, which reduces the value of a protection mechanism in which booting from a USB device is prohibited. Attackers who have physical laptop access can exhaust the main battery to reset the BIOS configuration, and then achieve direct access to the hard drive by booting a live USB OS without disassembling the laptop. NOTE: the vendor has apparently indicated that this is "normal" and use of the same battery for the BIOS and the overall system is a "new design." However, the vendor apparently plans to "improve" this an unspecified later time,

Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for ASUS RT-AC1200HP: CVE ID: CVE-2018-0583, Description: Cross-site scripting vulnerability in ASUS RT-AC1200HP Firmware version prior to 3.0.0.4.380.4180 allows remote attackers to inject arbitrary web script or HTML via unspecified vectors., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for ASUS RT-AC68U: CVE ID: CVE-2013-5948, Description: The Network Analysis tab (Main_Analysis_Content.asp) in the ASUS RT-AC68U and other RT series routers with firmware before 3.0.0.4.374.5047 allows remote authenticated users to execute arbitrary commands via shell metacharacters in the Target field (destIP parameter)., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 8.5, Base Severity: HIGH CVE ID: CVE-2014-2925, Description: Cross-site scripting (XSS) vulnerability in Advanced_Wireless_Content.asp in ASUS RT-AC68U and other RT series routers with firmware before 3.0.0.4.374.5047 allows remote attackers to inject arbitrary web script or HTML via the current_page parameter to apply.cgi., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2014-2718, Description: ASUS RT-AC68U, RT-AC66R, RT-AC66U, RT-AC56R, RT-AC56U, RT-N66R, RT-N66U, RT-N56R, RT-N56U, and possibly other RT-series routers before firmware 3.0.0.4.376.x do not verify the integrity of firmware (1) update information or (2) downloaded updates, which allows man-in-the-middle (MITM) attackers to execute arbitrary code via a crafted image., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base

Score: 7.1, Base Severity: HIGH CVE ID: CVE-2014-7269, Description: ASUS JAPAN RT-AC87U routers with firmware 3.0.0.4.378.3754 and earlier, RT-AC68U routers with firmware 3.0.0.4.376.3715 and earlier, RT-AC56S routers with firmware 3.0.0.4.376.3715 and earlier, RT-N66U routers with firmware 3.0.0.4.376.3715 and earlier, and RT-N56U routers with firmware 3.0.0.4.376.3715 and earlier allow remote authenticated users to execute arbitrary OS commands via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2014-7270, Description: Cross-site request forgery (CSRF) vulnerability on ASUS JAPAN RT-AC87U routers with firmware 3.0.0.4.378.3754 and earlier, RT-AC68U routers with firmware 3.0.0.4.376.3715 and earlier, RT-AC56S routers with firmware 3.0.0.4.376.3715 and earlier, RT-N66U routers with firmware 3.0.0.4.376.3715 and earlier, and RT-N56U routers with firmware 3.0.0.4.376.3715 and earlier allows remote attackers to hijack the authentication of arbitrary users., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2017-6547, Description: Cross-site scripting (XSS) vulnerability in httpd on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R, RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P, RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488 allows remote attackers to inject arbitrary JavaScript by requesting filenames longer than 50 characters., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-6548, Description: Buffer overflows in networkmap on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R,

RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P, RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488; and Asuswrt-Merlin firmware before 380.65_2 allow remote attackers to execute arbitrary code on the router via a long host or port in crafted multicast messages., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-6549, Description: Session hijack vulnerability in httpd on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R, RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P, RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488; and Asuswrt-Merlin firmware before 380.65_2 allows remote attackers to steal any active admin session by sending cgi_logout and asusrouter-Windows-IFTTT-1.0 in certain HTTP headers., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-11344, Description: Global buffer overflow in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT-AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT-AC1200GU, RT-AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT-N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to write shellcode at any address in the heap; this can be used to execute arbitrary code on the router by hosting a crafted device description XML document at a URL specified within a Location header

in an SSDP response., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-11345, Description: Stack buffer overflow in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code on the router by hosting a crafted device description XML document (that includes a serviceType element) at a URL specified within a Location header in an SSDP response., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2017-11420, Description: Stack-based buffer overflow in ASUS_Discovery.c in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code via long device information that is mishandled during a strcat to a device list., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-12754, Description: Stack buffer overflow in httpd in Asuswrt-Merlin firmware 380.67_0RT-AC5300 and earlier for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP,

RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code on the router by sending a crafted http GET request packet that includes a long delete_offline_client parameter in the url., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH CVE ID: CVE-2018-9285, Description: Main_Analysis_Content.asp in /apply.cgi on ASUS RT-AC66U, RT-AC68U, RT-AC86U, RT-AC88U, RT-AC1900, RT-AC2900, and RT-AC3100 devices before 3.0.0.4.384_10007; RT-N18U devices before 3.0.0.4.382.39935; RT-AC87U and RT-AC3200 devices before 3.0.0.4.382.50010; and RT-AC5300 devices before 3.0.0.4.384.20287 allows OS command injection via the pingCNT and destIP fields of the SystemCmd variable., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2018-0582, Description: Cross-site scripting vulnerability in ASUS RT-AC68U Firmware version prior to 3.0.0.4.380.1031 allows remote attackers to inject arbitrary web script or HTML via unspecified vectors., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2021-45756, Description: Asus RT-AC68U <3.0.0.4.385.20633 and RT-AC5300 <3.0.0.4.384.82072 are affected by a buffer overflow in blocking_request.cgi., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2021-37315, Description: Incorrect Access Control issue discovered in Cloud Disk in ASUS RT-AC68U router firmware version before 3.0.0.4.386.41634 allows remote attackers to write arbitrary files via improper sanitation on the source for COPY and MOVE operations., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.1, Base Severity: CRITICAL CVE ID: CVE-2021-37316, Description: SQL injection vulnerability in Cloud Disk in ASUS RT-AC68U router firmware version before 3.0.0.4.386.41634 allows remote attackers to view

sensitive information via /etc/shadow., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2021-37317, Description: Directory Traversal vulnerability in Cloud Disk in ASUS RT-AC68U router firmware version before 3.0.0.4.386.41634 allows remote attackers to write arbitrary files via improper sanitation on the target for COPY and MOVE operations., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.1, Base Severity: CRITICAL CVE ID: CVE-2024-0401, Description: ASUS routers supporting custom OpenVPN profiles are vulnerable to a code execution vulnerability. An authenticated and remote attacker can execute arbitrary operating system commands by uploading a crafted OVPN profile. Known affected routers include ASUS ExpertWiFi, ASUS RT-AX55, ASUS RT-AX58U, ASUS RT-AC67U, ASUS RT-AC68R, ASUS RT-AC68U, ASUS RT-AX86, ASUS RT-AC86U, ASUS RT-AX88U, and ASUS RT-AX3000., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for ASUS RT-N56U: CVE ID: CVE-2011-4497, Description: QIS_wizard.htm on the ASUS RT-N56U router with firmware before 1.0.1.40 allows remote attackers to obtain the administrator password via a flag=detect request., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2013-4937, Description: Multiple unspecified vulnerabilities in the AiCloud feature on the ASUS RT-AC66U, RT-N66U, RT-N65U, RT-N14U, RT-N16, RT-N56U, and DSL-N55U with firmware before 3.0.4.372 have unknown impact and attack vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2013-6343, Description: Multiple buffer overflows in web.c in httpd on the ASUS RT-N56U and RT-AC66U routers with

firmware 3.0.0.4.374_979 allow remote attackers to execute arbitrary code via the (1) apps_name or (2) apps_flag parameter to APP_Installation.asp., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2014-2718, Description: ASUS RT-AC68U, RT-AC66R, RT-AC66U, RT-AC56R, RT-AC56U, RT-N66R, RT-N66U, RT-N56R, RT-N56U, and possibly other RT-series routers before firmware 3.0.0.4.376.x do not verify the integrity of firmware (1) update information or (2) downloaded updates, which allows man-in-the-middle (MITM) attackers to execute arbitrary code via a crafted image., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2014-7269, Description: ASUS JAPAN RT-AC87U routers with firmware 3.0.0.4.378.3754 and earlier, RT-AC68U routers with firmware 3.0.0.4.376.3715 and earlier, RT-AC56S routers with firmware 3.0.0.4.376.3715 and earlier, RT-N66U routers with firmware 3.0.0.4.376.3715 and earlier, and RT-N56U routers with firmware 3.0.0.4.376.3715 and earlier allow remote authenticated users to execute arbitrary OS commands via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2014-7270, Description: Cross-site request forgery (CSRF) vulnerability on ASUS JAPAN RT-AC87U routers with firmware 3.0.0.4.378.3754 and earlier, RT-AC68U routers with firmware 3.0.0.4.376.3715 and earlier, RT-AC56S routers with firmware 3.0.0.4.376.3715 and earlier, RT-N66U routers with firmware 3.0.0.4.376.3715 and earlier, and RT-N56U routers with firmware 3.0.0.4.376.3715 and earlier allows remote attackers to hijack the authentication of arbitrary users., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2017-5632, Description: An issue was discovered on the ASUS RT-N56U Wireless Router with Firmware 3.0.0.4.374_979. When executing an "nmap -O" command that specifies an IP address of an

affected device, one can crash the device's WAN connection, causing disconnection from the Internet, a Denial of Service (DoS). The attack is only possible from within the local area network., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2017-6547, Description: Cross-site scripting (XSS) vulnerability in httpd on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R, RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P, RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488 allows remote attackers to inject arbitrary JavaScript by requesting filenames longer than 50 characters., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-6548, Description: Buffer overflows in networkmap on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R, RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P, RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488; and Asuswrt-Merlin firmware before 380.65_2 allow remote attackers to execute arbitrary code on the router via a long host or port in crafted multicast messages., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-6549, Description: Session hijack vulnerability in httpd on ASUS RT-N56U, RT-N66U, RT-AC66U, RT-N66R, RT-AC66R, RT-AC68U, RT-AC68R, RT-N66W, RT-AC66W, RT-AC87R, RT-AC87U, RT-AC51U, RT-AC68P, RT-N11P,

RT-N12+, RT-N12E B1, RT-AC3200, RT-AC53U, RT-AC1750, RT-AC1900P, RT-N300, and RT-AC750 routers with firmware before 3.0.0.4.380.7378; RT-AC68W routers with firmware before 3.0.0.4.380.7266; and RT-N600, RT-N12+ B1, RT-N11P B1, RT-N12VP B1, RT-N12E C1, RT-N300 B1, and RT-N12+ Pro routers with firmware before 3.0.0.4.380.9488; and Asuswrt-Merlin firmware before 380.65_2 allows remote attackers to steal any active admin session by sending cgi_logout and asusrouter-Windows-IFTTT-1.0 in certain HTTP headers., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-11344, Description: Global buffer overflow in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to write shellcode at any address in the heap; this can be used to execute arbitrary code on the router by hosting a crafted device description XML document at a URL specified within a Location header in an SSDP response., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-11345, Description: Stack buffer overflow in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code on the router by hosting a crafted device description XML document (that includes a serviceType element) at a URL specified within a Location header in an SSDP response., Access Vector: NETWORK, Attack Complexity:

MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2017-11420, Description: Stack-based buffer overflow in ASUS_Discovery.c in networkmap in Asuswrt-Merlin firmware for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code via long device information that is mishandled during a strcat to a device list., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-12754, Description: Stack buffer overflow in httpd in Asuswrt-Merlin firmware 380.67_0RT-AC5300 and earlier for ASUS devices and ASUS firmware for ASUS RT-AC5300, RT_AC1900P, RT-AC68U, RT-AC68P, RT-AC88U, RT-AC66U, RT-AC66U_B1, RT-AC58U, RT-AC56U, RT-AC55U, RT-AC52U, RT-AC51U, RT-N18U, RT-N66U, RT-N56U, RT-AC3200, RT-AC3100, RT_AC1200GU, RT_AC1200G, RT-AC1200, RT-AC53, RT-N12HP, RT-N12HP_B1, RT-N12D1, RT-N12+, RT_N12+_PRO, RT-N16, and RT-N300 devices allows remote attackers to execute arbitrary code on the router by sending a crafted http GET request packet that includes a long delete_offline_client parameter in the url., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH CVE ID: CVE-2013-4656, Description: Symlink Traversal vulnerability in ASUS RT-AC66U and RT-N56U due to misconfiguration in the SMB service., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2013-3093, Description: ASUS RT-N56U devices allow CSRF., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score:

8.8, Base Severity: HIGH

These are the vulnerabilities known for ASUS VivoMini: CVE ID: CVE-2022-21933, Description: ASUS VivoMini/Mini PC device has an improper input validation vulnerability. A local attacker with system privilege can use system management interrupt (SMI) to modify memory, resulting in arbitrary code execution for controlling the system or disrupting service., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for ASUS ZenFone 3 Max: CVE ID: CVE-2018-14979, Description: The ASUS ZenFone 3 Max Android device with a build fingerprint of asus/US_Phone/ASUS_X008_1:7.0/NRD90M/US_Phone-14.14.1711.92-20171208:user/release-keys contains a pre-installed app with a package name of com.asus.loguploader (versionCode=1570000275, versionName=7.0.0.55_170515). This app contains an exported service app component named com.asus.loguploader.LogUploaderService that, when accessed with a particular action string, will write a bugreport (kernel log, logcat log, and the state of system services including the text of active notifications), Wi-Fi Passwords, and other system data to external storage (sdcard). Any app with the READ_EXTERNAL_STORAGE permission on this device can read this data from the sdcard after it has been dumped there by the com.asus.loguploader. Third-party apps are not allowed to directly create a bugreport or access the user's stored wireless network credentials., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW

CVE ID: CVE-2018-14992, Description: The ASUS ZenFone 3 Max Android device with a build fingerprint of

asus/US_Phone/ASUS_X008_1:7.0/NRD90M/US_Phone-14.14.1711.92-20171208:user/release-keys contains a pre-installed platform app with a package name of com.asus.dm

(versionCode=1510500200, versionName=1.5.0.40_171122) has an exposed interface in an exported service named com.asus.dm.installer.DMInstallerService that allows any app co-located on the device to use its capabilities to download an arbitrary app over the internet and install it. Any app on the device can send an intent with specific embedded data that will cause the com.asus.dm app to programmatically download and install the app. For the app to be downloaded and installed, certain data needs to be provided: download URL, package name, version name from the app's AndroidManifest.xml file, and the MD5 hash of the app. Moreover, any app that is installed using this method can also be programmatically uninstalled using the same unprotected component named com.asus.dm.installer.DMInstallerService., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2018-14980, Description: The ASUS ZenFone 3 Max Android device with a build fingerprint of asus/US_Phone/ASUS_X008_1:7.0/NRD90M/US_Phone-14.14.1711.92-20171208:user/release-keys contains the android framework (i.e., system_server) with a package name of android (versionCode=24, versionName=7.0) that has been modified by ASUS or another entity in the supply chain. The system_server process in the core android package has an exported broadcast receiver that allows any app co-located on the device to programmatically initiate the taking of a screenshot and have the resulting screenshot be written to external storage (i.e., sdcard). The taking of a screenshot is not transparent to the user; the device has a screen animation as the screenshot is taken and there is a notification indicating that a screenshot occurred. If the attacking app also requests the EXPAND_STATUS_BAR permission, it can wake the device up using certain techniques and expand the status bar to take a screenshot of the user's notifications even if the device has an active screen lock. The notifications may contain sensitive data such as text messages used in two-factor authentication. The system_server process that provides this capability cannot be disabled, as it is part of the Android framework. The notification can be removed by a local Denial of Service (DoS) attack to reboot the device., Access Vector: LOCAL, Attack

Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.6, Base Severity: LOW CVE ID: CVE-2018-14993, Description: The ASUS Zenfone V Live Android device with a build fingerprint of asus/VZW_ASUS_A009/ASUS_A009:7.1.1/NMF26F/14.0610.1802.78-20180313:user/release-keys and the Asus ZenFone 3 Max Android device with a build fingerprint of asus/US_Phone/ASUS_X008_1:7.0/NRD90M/US_Phone-14.14.1711.92-20171208:user/release-keys both contain a pre-installed platform app with a package name of com.asus.splendidcommandagent (versionCode=1510200090, versionName=1.2.0.18_160928) that contains an exported service named com.asus.splendidcommandagent.SplendidCommandAgentService that allows any app co-located on the device to supply arbitrary commands to be executed as the system user. This app cannot be disabled by the user and the attack can be performed by a zero-permission app. Executing commands as system user can allow a third-party app to video record the user's screen, factory reset the device, obtain the user's notifications, read the logcat logs, inject events in the Graphical User Interface (GUI), change the default Input Method Editor (IME) (e.g., keyboard) with one contained within the attacking app that contains keylogging functionality, obtain the user's text messages, and more., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2019-15395, Description: The Asus ZenFone 3s Max Android device with a build fingerprint of asus/IN_X00G/ASUS_X00G_1:7.0/NRD90M/IN_X00G-14.02.1807.33-20180706:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000015, versionName=7.0.0.3_161222) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app.,

Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15403, Description: The Asus ZenFone 3s Max Android device with a build fingerprint of asus/IN_X00G/ASUS_X00G_1:7.0/NRD90M/IN_X00G-14.02.1807.33-20180706:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for ASUSTek ZenBook Pro Due 15 UX582: CVE ID: CVE-2021-42055, Description: ASUSTek ZenBook Pro Due 15 UX582 laptop firmware through 203 has Insecure Permissions that allow attacks by a physically proximate attacker., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Alcatel-Lucent CellPipe 7130: CVE ID: CVE-2015-4587, Description: Cross-site scripting (XSS) vulnerability in the Alcatel-Lucent CellPipe 7130 router with firmware 1.0.0.20h.HOL allows remote attackers to inject arbitrary web script or HTML via the "Custom application" field in the "port triggering" menu., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2015-4586, Description: Cross-site request forgery (CSRF) vulnerability in Alcatel-Lucent CellPipe 7130 RG 5Ae.M2013 HOL with firmware 1.0.0.20h.HOL allows remote attackers to hijack the authentication of administrators for

requests that create a user account via an add_user action in a request to password.cmd., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Amazon Echo Dot: CVE ID: CVE-2019-15027, Description: The MediaTek Embedded Multimedia Card (eMMC) subsystem for Android on MT65xx, MT66xx, and MT8163 SoC devices allows attackers to execute arbitrary commands as root via shell metacharacters in a filename under /data, because clear_emmc_nomedia_entry in platform/mt6577/external/meta/emmc/meta_clr_emmc.c invokes 'system("/system/bin/rm -r /data/' followed by this filename upon an eMMC clearance from a Meta Mode boot. NOTE: compromise of Fire OS on the Amazon Echo Dot would require a second hypothetical vulnerability that allows creation of the required file under /data., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2021-37436, Description: Amazon Echo Dot devices through 2021-07-02 sometimes allow attackers, who have physical access to a device after a factory reset, to obtain sensitive information via a series of complex hardware and software attacks. NOTE: reportedly, there were vendor marketing statements about safely removing personal content via a factory reset. Also, the vendor has reportedly indicated that they are working on mitigations., Access Vector: PHYSICAL, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.2, Base Severity: MEDIUM CVE ID: CVE-2022-25809, Description: Improper Neutralization of audio output from 3rd and 4th Generation Amazon Echo Dot devices allows arbitrary voice command execution on these devices via a malicious skill (in the case of remote attackers) or by pairing a malicious Bluetooth device (in the case of physically proximate attackers), aka an "Alexa versus Alexa (AvA)" attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-33248,

Description: Amazon Alexa software version 8960323972 on Echo Dot 2nd generation and 3rd generation devices potentially allows attackers to deliver security-relevant commands via an audio signal between 16 and 22 kHz (often outside the range of human adult hearing). Commands at these frequencies are essentially never spoken by authorized actors, but a substantial fraction of the commands are successful., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.6, Base Severity: HIGH

These are the vulnerabilities known for Apple Mac Mini: CVE ID: CVE-2006-6292, Description: Apple Airport Extreme firmware 0.1.27 in Mac OS X 10.4.8 on Mac mini, MacBook, and MacBook Pro with Core Duo hardware allows remote attackers to cause a denial of service (out-of-bounds memory access and kernel panic) and have possibly other security-related impact via certain beacon frames., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 5.7, Base Severity: MEDIUM CVE ID: CVE-2007-0355, Description: Buffer overflow in the Apple Minimal SLP v2 Service Agent (slpd) in Mac OS X 10.4.11 and earlier, including 10.4.8, allows local users, and possibly remote attackers, to gain privileges and possibly execute arbitrary code via a registration request with an invalid attr-list field., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for Apple Watch Ultra: CVE ID: CVE-2023-40418, Description: An authentication issue was addressed with improved state management. This issue is fixed in watchOS 10. An Apple Watch Ultra may not lock when using the Depth app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Asus ZenFone 3 Laser: CVE ID: CVE-2019-15411,
Description: The Asus ZenFone 3 Laser Android device with a build fingerprint of asus/WW_msm8937/msm8937:7.1.1/NMF26F/WW_32.40.106.114_20180928:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app.,
Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Asus ZenFone 3s Max: CVE ID: CVE-2019-15395,
Description: The Asus ZenFone 3s Max Android device with a build fingerprint of asus/IN_X00G/ASUS_X00G_1:7.0/NRD90M/IN_X00G-14.02.1807.33-20180706:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000015, versionName=7.0.0.3_161222) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app.,
Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15403,
Description: The Asus ZenFone 3s Max Android device with a build fingerprint of asus/IN_X00G/ASUS_X00G_1:7.0/NRD90M/IN_X00G-14.02.1807.33-20180706:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to

perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Asus ZenFone 5Q: CVE ID: CVE-2019-15399, Description: The Asus ZenFone 5Q Android device with a build fingerprint of asus/WW_Phone/ASUS_X017D_2:7.1.1/NGI77B/14.0400.1809.059-20181016:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15409, Description: The Asus ZenFone 5Q Android device with a build fingerprint of asus/WW_Phone/ASUS_X017D_2:7.1.1/NGI77B/14.0400.1809.059-20181016:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15410, Description: The Asus ZenFone 5Q Android device with a build fingerprint of

asus/WW_Phone/ASUS_X017D_2:7.1.1/NGI77B/14.0400.1809.059-20181016:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Asus ZenFone Max 4: CVE ID: CVE-2019-15397, Description: The Asus ZenFone Max 4 Android device with a build fingerprint of asus/WW_Phone/ASUS_X00HD_4:7.1.1/NMF26F/14.2016.1803.373-20180308:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15404, Description: The Asus ZenFone Max 4 Android device with a build fingerprint of asus/WW_Phone/ASUS_X00HD_4:7.1.1/NMF26F/14.2016.1712.367-20171225:user/release-keys contains a pre-installed app with a package name of com.asus.loguploaderproxy app (versionCode=1570000020, versionName=7.0.0.4_170901) that allows other pre-installed apps to perform command execution via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app.,

Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Ayision Ays-WR01: CVE ID: CVE-2019-19514, Description: Ayision Ays-WR01 v28K.RPT.20161224 devices allow stored XSS in basic repeater settings via an SSID., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 5.4, Base Severity: MEDIUM CVE ID: CVE-2019-19515, Description: Ayision Ays-WR01 v28K.RPT.20161224 devices allow stored XSS in wireless settings., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 6.1, Base Severity: MEDIUM

These are the vulnerabilities known for BRAVIA Smart TV: CVE ID: CVE-2019-11336, Description: Sony Bravia Smart TV devices allow remote attackers to retrieve the static Wi-Fi password (used when the TV is acting as an access point) by using the Photo Sharing Plus application to execute a backdoor API command, a different vulnerability than CVE-2019-10886., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2019-11889, Description: Sony BRAVIA Smart TV devices allow remote attackers to cause a denial of service (device hang) via a crafted web page over HbbTV., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-11890, Description: Sony Bravia Smart TV devices allow remote attackers to cause a denial of service (device hang or reboot) via a SYN flood attack over a wired or Wi-Fi LAN., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Brother MFC-9970CDW: CVE ID: CVE-2013-2507, Description: Multiple cross-site scripting (XSS) vulnerabilities in the Brother MFC-9970CDW printer with firmware G (1.03) allow remote attackers to inject arbitrary web script or HTML via the (1) id parameter to admin/log_to_net.html or (2) kind parameter to fax/copy_settings.html, a different vulnerability than CVE-2013-2670 and CVE-2013-2671., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2013-2670, Description: Cross-site scripting (XSS) vulnerability in the Brother MFC-9970CDW printer with firmware G (1.03) and L (1.10) allows remote attackers to inject arbitrary web script or HTML via an arbitrary parameter name (QUERY_STRING) to admin/admin_main.html, a different vulnerability than CVE-2013-2507 and CVE-2013-2671., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2013-2671, Description: Multiple cross-site scripting (XSS) vulnerabilities in the Brother MFC-9970CDW printer with firmware L (1.10) allow remote attackers to inject arbitrary web script or HTML via the (1) id or (2) val parameter to admin/admin_main.html; (3) id, (4) val, or (5) arbitrary parameter name (QUERY_STRING) to admin/profile_settings_net.html; or (6) kind or (7) arbitrary parameter name (QUERY_STRING) to fax/general_setup.html, a different vulnerability than CVE-2013-2507 and CVE-2013-2670., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2013-2672, Description: Brother MFC-9970CDW devices with firmware 0D allow cleartext submission of passwords., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2013-2673, Description: Brother MFC-9970CDW 1.10 firmware L devices contain a security bypass vulnerability which allows physically proximate attackers to gain unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH,

Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2013-2674, Description: Brother MFC-9970CDW 1.10 firmware L devices contain an information disclosure vulnerability which allows remote attackers to view sensitive information from referrer logs due to inadequate handling of HTTP referrer headers., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2013-2676, Description: Brother MFC-9970CDW 1.10 firmware L devices contain an information disclosure vulnerability which allows remote attackers to view private IP addresses and other sensitive information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2013-2675, Description: Brother MFC-9970CDW 1.10 devices with Firmware L contain a Frameable response (Clickjacking) vulnerability which could allow remote attackers to obtain sensitive information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM

These are the vulnerabilities known for Chuango 433 MHz burglar-alarm: CVE ID: CVE-2019-9659, Description: The Chuango 433 MHz burglar-alarm product line uses static codes in the RF remote control, allowing an attacker to arm, disarm, or trigger the alarm remotely via replay attacks, as demonstrated by Chuango branded products, and non-Chuango branded products such as the Eminent EM8617 OV2 Wifi Alarm System., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.4, Base Severity: MEDIUM CVE ID: CVE-2019-11561, Description: The Chuango 433 MHz burglar-alarm product line is vulnerable to a Denial of Service attack. When the condition is triggered, the OV2 base station is unable to process sensor states and effectively prevents the alarm from setting off, as demonstrated by Chuango branded products, and non-Chuango branded products such as the Eminent EM8617 OV2 Wifi Alarm System., Access Vector: NETWORK, Attack

Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for Dell 3000cn: CVE ID: CVE-2006-2112, Description: Fuji Xerox Printing Systems (FXPS) print engine, as used in products including (1) Dell 3000cn through 5110cn and (2) Fuji Xerox DocuPrint firmware before 20060628 and Network Option Card firmware before 5.13, allows remote attackers to use the FTP printing interface as a proxy ("FTP bounce") by using arbitrary PORT arguments to connect to systems for which access would be otherwise restricted., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH

CVE ID: CVE-2006-2113, Description: The embedded HTTP server in Fuji Xerox Printing Systems (FXPS) print engine, as used in products including (1) Dell 3000cn through 5110cn and (2) Fuji Xerox DocuPrint firmware before 20060628 and Network Option Card firmware before 5.13, does not properly perform authentication for HTTP requests, which allows remote attackers to modify system configuration via crafted requests, including changing the administrator password or causing a denial of service to the print server., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.4, Base Severity: MEDIUM

These are the vulnerabilities known for Dell Inspiron 5675: CVE ID: CVE-2020-26186, Description: Dell Inspiron 5675 BIOS versions prior to 1.4.1 contain a UEFI BIOS RuntimeServices overwrite vulnerability. A local attacker with access to system memory may exploit this vulnerability by overwriting the RuntimeServices structure to execute arbitrary code in System Management Mode (SMM)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Dell Latitude 2110: CVE ID: CVE-2010-0834, Description: The base-files package before 5.0.0ubuntu7.1 on Ubuntu 9.10 and before 5.0.0ubuntu20.10.04.2 on Ubuntu 10.04 LTS, as shipped on Dell Latitude 2110 netbooks, does not require authentication for package installation, which allows remote archive servers and man-in-the-middle attackers to execute arbitrary code via a crafted package., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH

These are the vulnerabilities known for Dell Latitude 7202: CVE ID: CVE-2020-5348, Description: Dell Latitude 7202 Rugged Tablet BIOS versions prior to A28 contain a UAF vulnerability in EFI_BOOT_SERVICES in system management mode. A local unauthenticated attacker may exploit this vulnerability by overwriting the EFI_BOOT_SERVICES structure to execute arbitrary code in system management mode., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Dell Latitude E6430: CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used

on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-0949, Description: The System Management Mode (SMM) implementation in Dell Latitude E6430 BIOS Revision A09, HP EliteBook 850 G1 BIOS revision L71 Ver. 01.09, and possibly other BIOS implementations does not ensure that function calls operate on SMRAM memory locations, which allows local users to bypass the Secure Boot protection mechanism and gain privileges by leveraging write access to physical memory., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Dell Latitude Z600: CVE ID: CVE-2013-3582, Description: Buffer overflow in Dell BIOS on Dell Latitude D####, E#####, XT2, and Z600 devices, and Dell Precision M##### devices, allows local users to bypass intended BIOS signing requirements and install arbitrary BIOS images by leveraging administrative privileges and providing a crafted `rbu_packet.pktNum` value in conjunction with a crafted `rbu_packet.pktSize` value., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.6, Base Severity: HIGH

These are the vulnerabilities known for Dell Optiplex: CVE ID: CVE-2015-2890, Description: The BIOS implementation on Dell Latitude, OptiPlex, Precision Mobile Workstation, and Precision Workstation Client Solutions (CS) devices with model-dependent firmware before A21 does not enforce a BIOS_CNTL locking protection mechanism upon being woken from sleep, which allows

local users to conduct EFI flash attacks by leveraging console access, a similar issue to CVE-2015-3692., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM

These are the vulnerabilities known for Dell Precision 7910: CVE ID: CVE-2022-22558, Description: Dell PowerEdge Server BIOS and Dell Precision Workstation 7910 and 7920 Rack BIOS contain an Improper SMM communication buffer verification vulnerability. A Local High Privileged attacker could potentially exploit this vulnerability leading to arbitrary writes or denial of service., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM

These are the vulnerabilities known for Dell Precision 7920: CVE ID: CVE-2021-21554, Description: Dell PowerEdge R640, R740, R740XD, R840, R940, R940xa, MX740c, MX840c, and, Dell Precision 7920 Rack Workstation BIOS contain a stack-based buffer overflow vulnerability in systems with Intel Optane DC Persistent Memory installed. A local malicious user with high privileges may potentially exploit this vulnerability, leading to a denial of Service, arbitrary code execution, or information disclosure in UEFI or BIOS Preboot Environment., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2022-22558, Description: Dell PowerEdge Server BIOS and Dell Precision Workstation 7910 and 7920 Rack BIOS contain an Improper SMM communication buffer verification vulnerability. A Local High Privileged attacker could potentially exploit this vulnerability leading to arbitrary writes or denial of service., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM

These are the vulnerabilities known for Dell XPS 13 2-in-1: CVE ID: CVE-2019-18579, Description:

Settings for the Dell XPS 13 2-in-1 (7390) BIOS versions prior to 1.1.3 contain a configuration vulnerability. The BIOS configuration for the "Enable Thunderbolt (and PCIe behind TBT) pre-boot modules" setting is enabled by default. A local unauthenticated attacker with physical access to a user's system can obtain read or write access to main memory via a DMA attack during platform boot., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Dell XPS 13 9370: CVE ID: CVE-2020-5387, Description: Dell XPS 13 9370 BIOS versions prior to 1.13.1 contains an Improper Exception Handling vulnerability. A local attacker with physical access could exploit this vulnerability to prevent the system from booting until the exploited boot device is removed., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 4.4, Base Severity: MEDIUM

These are the vulnerabilities known for Dongguan Diqee Diqee360: CVE ID: CVE-2018-10987, Description: An issue was discovered on Dongguan Diqee Diqee360 devices. The affected vacuum cleaner suffers from an authenticated remote code execution vulnerability. An authenticated attacker can send a specially crafted UDP packet, and execute commands on the vacuum cleaner as root. The bug is in the function REQUEST_SET_WIFIPASSWD (UDP command 153). A crafted UDP packet runs `"/mnt/skyeye/mode_switch.sh %s"` with an attacker controlling the `%s` variable. In some cases, authentication can be achieved with the default password of 888888 for the admin account., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 8.5, Base Severity: HIGH

These are the vulnerabilities known for FLIR AX8: CVE ID: CVE-2022-37060, Description: FLIR AX8

thermal sensor cameras version up to and including 1.46.16 is vulnerable to Directory Traversal due to an improper access restriction. An unauthenticated, remote attacker can exploit this by sending a URI that contains directory traversal characters to disclose the contents of files located outside of the server's restricted path., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2022-37061, Description: All FLIR AX8 thermal sensor cameras version up to and including 1.46.16 are vulnerable to Remote Command Injection. This can be exploited to inject and execute arbitrary shell commands as the root user through the id HTTP POST parameter in the res.php endpoint. A successful exploit could allow the attacker to execute arbitrary commands on the underlying operating system with the root privileges., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2022-37062, Description: All FLIR AX8 thermal sensor cameras version up to and including 1.46.16 are affected by an insecure design vulnerability due to an improper directory access restriction. An unauthenticated, remote attacker can exploit this by sending a URI that contains the path of the SQLite users database and download it. A successful exploit could allow the attacker to extract usernames and hashed passwords., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2022-37063, Description: All FLIR AX8 thermal sensor cameras versions up to and including 1.46.16 are vulnerable to Cross Site Scripting (XSS) due to improper input sanitization. An authenticated remote attacker can execute arbitrary JavaScript code in the web management interface. A successful exploit could allow the attacker to insert malicious JavaScript code., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 5.4, Base Severity: MEDIUM CVE ID: CVE-2022-4364, Description: A vulnerability classified as critical has been found in Teledyne FLIR AX8 up to 1.46.16. Affected is an unknown function of the file palette.php of the component Web Service Handler. The

manipulation of the argument palette leads to command injection. It is possible to launch the attack remotely. The exploit has been disclosed to the public and may be used. VDB-215118 is the identifier assigned to this vulnerability., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-51126, Description: Command injection vulnerability in /usr/www/res.php in FLIR AX8 up to 1.46.16 allows attackers to run arbitrary commands via the value parameter., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-51127, Description: FLIR AX8 thermal sensor cameras up to and including 1.46.16 are vulnerable to Directory Traversal due to improper access restriction. This vulnerability allows an unauthenticated, remote attacker to obtain arbitrary sensitive file contents by uploading a specially crafted symbolic link file., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2024-3013, Description: A vulnerability was found in FLIR AX8 up to 1.46.16. It has been rated as critical. This issue affects some unknown processing of the file /tools/test_login.php?action=register of the component User Registration. The manipulation leads to improper authorization. The attack may be initiated remotely. The exploit has been disclosed to the public and may be used. The associated identifier of this vulnerability is VDB-258299. NOTE: The vendor was contacted early about this disclosure but did not respond in any way., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: LOW, Base Score: 6.3, Base Severity: MEDIUM

These are the vulnerabilities known for Finjan Vital Security Appliance 5100: CVE ID: CVE-2006-3663, Description: Finjan Vital Security Appliance 5100/8100 NG 8.3.5 stores passwords in plaintext in a backup file, which allows local users to gain privileges. NOTE: the vendor has notified CVE that this issue was fixed in 8.3.6., Access Vector: LOCAL, Attack Complexity: LOW,

Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for Geutebruck G-Cam/EFD-2250: CVE ID: CVE-2017-5173, Description: An Improper Neutralization of Special Elements (in an OS command) issue was discovered in Geutebruck IP Camera G-Cam/EFD-2250 Version 1.11.0.12. An improper neutralization of special elements vulnerability has been identified. If special elements are not properly neutralized, an attacker can call multiple parameters that can allow access to the root level operating system which could allow remote code execution., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2017-5174, Description: An Authentication Bypass issue was discovered in Geutebruck IP Camera G-Cam/EFD-2250 Version 1.11.0.12. An authentication bypass vulnerability has been identified. The existing file system architecture could allow attackers to bypass the access control that may allow remote code execution., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2018-7512, Description: A cross-site scripting vulnerability has been identified in Geutebruck G-Cam/EFD-2250 Version 1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which may allow remote code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2018-7516, Description: A server-side request forgery vulnerability has been identified in Geutebruck G-Cam/EFD-2250 Version 1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which could lead to proxied network scans., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2018-7520, Description: An improper access control vulnerability has been identified in Geutebruck G-Cam/EFD-2250 Version

1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which could allow a full configuration download, including passwords., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2018-7524, Description: A cross-site request forgery vulnerability has been identified in Geutebruck G-Cam/EFD-2250 Version 1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which may allow an unauthorized user to be added to the system., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2018-7528, Description: An SQL injection vulnerability has been identified in Geutebruck G-Cam/EFD-2250 Version 1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which may allow an attacker to alter stored data., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 6.4, Base Severity: MEDIUM CVE ID: CVE-2018-7532, Description: Unauthentication vulnerabilities have been identified in Geutebruck G-Cam/EFD-2250 Version 1.12.0.4 and Topline TopFD-2125 Version 3.15.1 IP cameras, which may allow remote code execution., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for Google Home: CVE ID: CVE-2011-2785, Description: The extensions implementation in Google Chrome before 13.0.782.107 does not properly validate the URL for the home page, which allows remote attackers to have an unspecified impact via a crafted extension., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2013-0927, Description: Google Chrome OS before 26.0.1410.57 relies on a Pango pango-utils.c read_config implementation that loads the contents of the .pangorc file in the user's home directory, and the file referenced by the PANGO_RC_FILE environment variable, which allows

attackers to bypass intended access restrictions via crafted configuration data., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2018-12716, Description: The API service on Google Home and Chromecast devices before mid-July 2018 does not prevent DNS rebinding attacks from reading the scan_results JSON data, which allows remote attackers to determine the physical location of most web browsers by leveraging the presence of one of these devices on its local network, extracting the scan_results bssid fields, and sending these fields in a geolocation/v1/geolocate Google Maps Geolocation API request., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2022-36442, Description: An issue was discovered in Zebra Enterprise Home Screen 4.1.19. By using the embedded Google Chrome application, it is possible to install an unauthorized application via a downloaded APK., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2023-48419, Description: An attacker in the wifi vicinity of a target Google Home can spy on the victim, resulting in Elevation of Privilege , Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for HP EliteBook 850: CVE ID: CVE-2015-0949, Description: The System Management Mode (SMM) implementation in Dell Latitude E6430 BIOS Revision A09, HP EliteBook 850 G1 BIOS revision L71 Ver. 01.09, and possibly other BIOS implementations does not ensure that function calls operate on SMRAM memory locations, which allows local users to bypass the Secure Boot protection mechanism and gain privileges by leveraging write access to physical memory., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for HP ElitePad 900: CVE ID: CVE-2012-5218, Description: HP ElitePad 900 PCs with BIOS F.0x before F.01 Update 1.0.0.8 do not enable the Secure Boot feature, which allows local users to bypass intended BIOS restrictions and boot unintended operating systems via unspecified vectors., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for HP OfficeJet Pro: CVE ID: CVE-2013-4845, Description: Cross-site scripting (XSS) vulnerability on HP Officejet Pro 8500 (aka A909) All-in-One printers allows remote attackers to inject arbitrary web script or HTML via unspecified vectors., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-2741, Description: A potential security vulnerability has been identified with HP PageWide Printers, HP OfficeJet Pro Printers, with firmware before 1708D. This vulnerability could potentially be exploited to execute arbitrary code., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2019-6332, Description: A potential security vulnerability has been identified with certain HP InkJet printers. The vulnerability could be exploited to allow cross-site scripting (XSS). Affected products and versions include: HP DeskJet 2600 All-in-One Printer series model numbers 4UJ28B, V1N01A - V1N08A, Y5H60A - Y5H80A; HP DeskJet Ink Advantage 2600 All-in-One Printer series model numbers V1N02A - V1N02B, Y5Z00A - Y5Z04B; HP DeskJet Ink Advantage 5000 All-in-One Printer series model numbers M2U86A - M2U89B; HP DeskJet Ink Advantage 5200 All-in-One Printer series model numbers M2U76A - M2U78B; HP ENVY 5000 All-in-One Printer series model numbers M2U85A - M2U85B, M2U91A - M2U94B, Z4A54A - Z4A74A; HP ENVY Photo 6200 All-in-One Printer series

model numbers K7G18A-K7G26B, K7S21B, Y0K13D - Y0K15A; HP ENVY Photo 7100 All-in-One Printer series model numbers 3XD89A, K7G93A-K7G99A, Z3M37A - Z3M52A; HP ENVY Photo 7800 All-in-One Printer series model numbers K7R96A, K7S00A - K7S10D, Y0G42D - Y0G52B; HP Ink Tank Wireless 410 series model numbers Z4B53A - Z4B55A, Z6Z95A - Z6Z99A, 4DX94A - 4DX95A, 4YF79A, Z7A01A; HP OfficeJet 5200 All-in-One Printer series model numbers M2U75A, M2U81A-M2U84B, Z4B12A - Z4B14A, Z4B27A - Z4B29A; HP Smart Tank Wireless 450 series model numbers Z4B56A, Z6Z96A - Z6Z98A., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 4.8, Base Severity: MEDIUM CVE ID: CVE-2020-11158, Description: u'Null pointer dereference in HP OfficeJet Pro 8210 jbig2 filter due to lack of check of PDF font array leads to denial of service' in IPS PDF releases prior to IPS System 2020.2, Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2019-16240, Description: A Buffer Overflow and Information Disclosure issue exists in HP OfficeJet Pro Printers before 001.1937C, and HP PageWide Managed Printers and HP PageWide Pro Printers before 001.1937D exists; A maliciously crafted print file might cause certain HP Inkjet printers to assert. Under certain circumstances, the printer produces a core dump to a local device., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 9.1, Base Severity: CRITICAL CVE ID: CVE-2023-4694, Description: Certain HP OfficeJet Pro printers are potentially vulnerable to a Denial of Service when sending a SOAP message to the service on TCP port 3911 that contains a body but no header., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-4063, Description: Certain HP OfficeJet Pro printers are potentially vulnerable to a Denial of Service when using an improper eSCL URL GET request., Access Vector: nan, Attack Complexity: nan, Confidentiality Impact: nan, Integrity Impact: nan, Availability Impact: nan, Base Score: nan, Base Severity: nan

These are the vulnerabilities known for HUAWEI Mate 20: CVE ID: CVE-2018-7956, Description: Huawei VIP App is a mobile app for Malaysia customers that purchased P20 Series, Nova 3/3i and Mate 20. There is a vulnerability in versions before 4.0.5 that attackers can conduct bruteforce to the VIP App Web Services to get user information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2019-5221, Description: There is a path traversal vulnerability on Huawei Share. The software does not properly validate the path, an attacker could crafted a file path when transporting file through Huawei Share, successful exploit could allow the attacker to transport a file to arbitrary path on the phone. Affected products: Mate 20 X versions earlier than Ever-L29B 9.1.0.300(C432E3R1P12), versions earlier than Ever-L29B 9.1.0.300(C636E3R2P1), and versions earlier than Ever-L29B 9.1.0.300(C185E3R3P1)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2020-1787, Description: HUAWEI Mate 20 smartphones versions earlier than 9.1.0.139(C00E133R3P1) have an improper authentication vulnerability. The system has a logic error under certain scenario, successful exploit could allow the attacker who gains the privilege of guest user to access to the host user's desktop in an instant, without unlocking the screen lock of the host user., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.6, Base Severity: MEDIUM CVE ID: CVE-2020-1786, Description: HUAWEI Mate 20 Pro smartphones versions earlier than 10.0.0.175(C00E69R3P8) have an improper authentication vulnerability. The software does not sufficiently validate the name of apk file in a special condition which could allow an attacker to forge a crafted application as a normal one. Successful exploit could allow the attacker to bypass digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

CVE ID: CVE-2020-1840, Description: HUAWEI Mate 20 smart phones with versions earlier than 10.0.0.175(C00E70R3P8) have an insufficient authentication vulnerability. A local attacker with high privilege can execute a specific command to exploit this vulnerability. Successful exploitation may cause information leak and compromise the availability of the smart phones. Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.0.0.175(C00E70R3P8), Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2020-1882, Description: Huawei mobile phones Ever-L29B versions earlier than 10.0.0.180(C185E6R3P3), earlier than 10.0.0.180(C432E6R1P7), earlier than 10.0.0.180(C636E5R2P3); HUAWEI Mate 20 RS versions earlier than 10.0.0.175(C786E70R3P8); HUAWEI Mate 20 X versions earlier than 10.0.0.176(C00E70R2P8); and Honor Magic2 versions earlier than 10.0.0.175(C00E59R2P11) have an improper authorization vulnerability. Due to improper authorization of some function, attackers can bypass the authorization to perform some operations., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1791, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system has a logic judging error under certain scenario, successful exploit could allow the attacker to switch to third desktop after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1807, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.188(C00E74R3P8) have an improper authorization vulnerability. The software does not properly restrict certain user's modification of certain configuration file, successful exploit could allow the attacker to bypass app lock after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.5, Base Severity: LOW CVE ID: CVE-2019-5302,

Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303.

Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30

Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than

9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8)

Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-1797, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system does not properly restrict certain operation in ADB mode, successful exploit could allow certain user break the limit of digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1831, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.195(SP31C00E74R3P8) have an improper authorization vulnerability. The digital balance function does not sufficiently restrict the using time of certain user, successful exploit could allow the user break the limit of digital balance function after a series of operations with a PC., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID:

CVE-2020-9252, Description: HUAWEI Mate 20 versions earlier than 10.1.0.160(C00E160R3P8), HUAWEI Mate 20 X versions earlier than 10.1.0.135(C00E135R2P8), HUAWEI Mate 20 RS versions earlier than 10.1.0.160(C786E160R3P8), and Honor Magic2 smartphones versions earlier than 10.1.0.160(C00E160R2P11) have a path traversal vulnerability. The system does not sufficiently validate certain pathname from certain process, successful exploit could allow the attacker write files to a crafted path., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.3, Base Severity: LOW CVE ID: CVE-2020-9251, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.1.0.160(C00E160R2P11) have an improper authorization vulnerability. The software does not properly restrict certain operation in certain scenario, the attacker should do certain configuration before the user turns on student mode function. Successful exploit could allow the attacker to bypass the limit of student mode function. Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9244, Description: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8);HUAWEI Mate 20 Pro versions Versions earlier than 10.1.0.270(C431E7R1P5),Versions earlier than 10.1.0.270(C635E3R1P5),Versions earlier than 10.1.0.273(C636E7R2P4);HUAWEI Mate 20 X versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI P30 versions Versions earlier than 10.1.0.160(C00E160R2P11);HUAWEI P30 Pro versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI Mate 20 RS versions Versions earlier than 10.1.0.160(C786E160R3P8);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);Honor20 versions Versions earlier than 10.0.0.175(C00E58R4P11);Honor20 PRO versions Versions earlier than 10.0.0.194(C00E62R8P12);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);HonorV20 versions Versions earlier than 10.0.0.188(C00E62R2P11)

have an improper authentication vulnerability. The system does not properly sign certain encrypted file, the attacker should gain the key used to encrypt the file, successful exploit could cause certain file be forged, Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-9103, Description: HUAWEI Mate 20 smartphones with 9.0.0.205(C00E205R2P1) have a logic error vulnerability. In a special scenario, the system does not properly process. As a result, attackers can perform a series of operations to successfully establish P2P connections that are rejected by the peer end. As a result, the availability of the device is affected., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9083, Description: HUAWEI Mate 20 smart phones with Versions earlier than 10.1.0.163(C00E160R3P8) have a denial of service (DoS) vulnerability. The attacker can enter a large amount of text on the phone. Due to insufficient verification of the parameter, successful exploitation can impact the service., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9092, Description: HUAWEI Mate 20 versions earlier than 10.1.0.163(C00E160R3P8) have a JavaScript injection vulnerability. A module does not verify a specific input. This could allow attackers to bypass filter mechanism to launch JavaScript injection. This could compromise normal service of the affected module., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9113, Description: HUAWEI Mate 20 versions earlier than 10.0.0.188(C00E74R3P8) have a buffer overflow vulnerability in the Bluetooth module. Due to insufficient input validation, an unauthenticated attacker may craft Bluetooth messages after successful pairing, causing buffer overflow. Successful exploit may cause code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH CVE ID:

CVE-2020-9247, Description: There is a buffer overflow vulnerability in several Huawei products. The system does not sufficiently validate certain configuration parameter which is passed from user that would cause buffer overflow. The attacker should trick the user into installing and running a malicious application with a high privilege, successful exploit may cause code execution. Affected product include Huawei HONOR 20 PRO, Mate 20, Mate 20 Pro, Mate 20 X, P30, P30 Pro, Hima-L29C, Laya-AL00EP, Princeton-AL10B, Tony-AL00B, Yale-L61A, Yale-TL00B and YaleP-AL10B., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

CVE-2021-22440, Description: There is a path traversal vulnerability in some Huawei products. The vulnerability is due to that the software uses external input to construct a pathname that is intended to identify a file or directory that is located underneath a restricted parent directory, but the software does not properly validate the pathname. Successful exploit could allow the attacker to access a location that is outside of the restricted directory by a crafted filename. Affected product versions include: HUAWEI Mate 20 9.0.0.195(C01E195R2P1), 9.1.0.139(C00E133R3P1); HUAWEI Mate 20 Pro 9.0.0.187(C432E10R1P16), 9.0.0.188(C185E10R2P1), 9.0.0.245(C10E10R2P1), 9.0.0.266(C432E10R1P16), 9.0.0.267(C636E10R2P1), 9.0.0.268(C635E12R1P16), 9.0.0.278(C185E10R2P1); Hima-L29C 9.0.0.105(C10E9R1P16), 9.0.0.105(C185E9R1P16), 9.0.0.105(C636E9R1P16); Laya-AL00EP 9.1.0.139(C786E133R3P1); OxfordS-AN00A 10.1.0.223(C00E210R5P1); Tony-AL00B 9.1.0.257(C00E222R2P1)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei HG8247: CVE ID: CVE-2014-0337, Description: Cross-site scripting (XSS) vulnerability in the web interface on Huawei Echo Life HG8247 routers with software before V100R006C00SPC127 allows remote attackers to inject arbitrary web script or HTML via an invalid TELNET connection attempt with a crafted username that is not properly

handled during construction of the "failed log-in attempts over telnet" log view., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei HONOR 20 PRO: CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than

9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei

smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than

9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-9074, Description: Huawei Smartphones HONOR 20 PRO;Honor View 20;HONOR 20 have an improper handling of exceptional condition Vulnerability. A component cannot deal with an exception correctly. Attackers can exploit this vulnerability by sending malformed message. This could compromise normal service of affected phones., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-9252, Description: HUAWEI Mate 20

versions earlier than 10.1.0.160(C00E160R3P8), HUAWEI Mate 20 X versions earlier than 10.1.0.135(C00E135R2P8), HUAWEI Mate 20 RS versions earlier than 10.1.0.160(C786E160R3P8), and Honor Magic2 smartphones versions earlier than 10.1.0.160(C00E160R2P11) have a path traversal vulnerability. The system does not sufficiently validate certain pathname from certain process, successful exploit could allow the attacker write files to a crafted path., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.3, Base Severity: LOW CVE ID: CVE-2020-9235, Description: Huawei smartphones HONOR 20 PRO Versions earlier than 10.1.0.230(C432E9R5P1), Versions earlier than 10.1.0.231(C10E3R3P2), Versions earlier than 10.1.0.231(C185E3R5P1), Versions earlier than 10.1.0.231(C636E3R3P1); Versions earlier than 10.1.0.212(C432E10R3P4), Versions earlier than 10.1.0.213(C636E3R4P3), Versions earlier than 10.1.0.214(C10E5R4P3), Versions earlier than 10.1.0.214(C185E3R3P3); Versions earlier than 10.1.0.212(C00E210R5P1); Versions earlier than 10.1.0.160(C00E160R2P11); Versions earlier than 10.1.0.160(C00E160R2P11); Versions earlier than 10.1.0.160(C01E160R2P11); Versions earlier than 10.1.0.160(C00E160R2P11); Versions earlier than 10.1.0.160(C00E160R8P12); Versions earlier than 10.1.0.230(C432E9R5P1), Versions earlier than 10.1.0.231(C10E3R3P2), Versions earlier than 10.1.0.231(C636E3R3P1); Versions earlier than 10.1.0.225(C431E3R1P2), Versions earlier than 10.1.0.225(C432E3R1P2) contain an information vulnerability. A module has a design error that is lack of control of input. Attackers can exploit this vulnerability to obtain some information. This can lead to information leak., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-9247, Description: There is a buffer overflow vulnerability in several Huawei products. The system does not sufficiently validate certain configuration parameter which is passed from user that would cause buffer overflow. The attacker should trick the user into installing and running a malicious application with a high privilege, successful exploit may cause code execution. Affected product include Huawei HONOR 20 PRO,

Mate 20, Mate 20 Pro, Mate 20 X, P30, P30 Pro, Hima-L29C, Laya-AL00EP, Princeton-AL10B, Tony-AL00B, Yale-L61A, Yale-TL00B and YaleP-AL10B., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Huawei Honor 10: CVE ID: CVE-2019-5216, Description: There is a race condition vulnerability on Huawei Honor V10 smartphones versions earlier than Berkeley-AL20 9.0.0.156(C00E156R2P14T8), Honor 10 smartphones versions earlier than Columbia-AL10B 9.0.0.156(C00E156R1P20T8) and Honor Play smartphones versions earlier than Cornell-AL00A 9.0.0.156(C00E156R1P13T8). An attacker tricks the user into installing a malicious application, which makes multiple processes to operate the same variate at the same time. Successful exploit could cause execution of malicious code., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.6, Base Severity: HIGH CVE ID: CVE-2019-5292, Description: Honor 10 Lite, Honor 8A, Huawei Y6 mobile phones with the versions before 9.1.0.217(C00E215R3P1), the versions before 9.1.0.205(C00E97R1P9), the versions before 9.1.0.205(C00E97R2P2) have an information leak vulnerability. Due to improper function error records of some module, an attacker with the access permission may exploit the vulnerability to obtain some information., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2020-1826, Description: Huawei Honor Magic2 mobile phones with versions earlier than 10.0.0.175(C00E59R2P11) have an information leak vulnerability. Due to a module using weak encryption tool, an attacker with the root permission may exploit the vulnerability to obtain some information., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.4, Base Severity: MEDIUM CVE ID: CVE-2020-1882, Description: Huawei mobile phones Ever-L29B versions earlier than

10.0.0.180(C185E6R3P3), earlier than 10.0.0.180(C432E6R1P7), earlier than 10.0.0.180(C636E5R2P3); HUAWEI Mate 20 RS versions earlier than 10.0.0.175(C786E70R3P8); HUAWEI Mate 20 X versions earlier than 10.0.0.176(C00E70R2P8); and Honor Magic2 versions earlier than 10.0.0.175(C00E59R2P11) have an improper authorization vulnerability. Due to improper authorization of some function, attackers can bypass the authorization to perform some operations., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9064, Description: Huawei smartphone Honor V30 with versions earlier than OxfordS-AN00A 10.0.1.167(C00E166R4P1) have an improper authentication vulnerability. Authentication to target component is improper when device performs an operation. Attackers exploit this vulnerability to obtain some information by loading malicious application, leading to information leak., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-1803, Description: Huawei smartphones Honor V20 with versions earlier than 10.0.0.179(C636E3R4P3), versions earlier than 10.0.0.180(C185E3R3P3), versions earlier than 10.0.0.180(C432E10R3P4) have an information disclosure vulnerability. The device does not sufficiently validate the identity of smart wearable device in certain specific scenario, the attacker need to gain certain information in the victim's smartphone to launch the attack, successful exploit could cause information disclosure., Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-1804, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 1 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1805 and CVE-2020-1806., Access Vector: LOCAL, Attack Complexity: LOW,

Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2020-1805, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 2 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1804 and CVE-2020-1806., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2020-1806, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 3 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1804 and CVE-2020-1805., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8),

earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8),

earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8)
SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8)
SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8),
earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8)
Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than
9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier
than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector:
ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact:
NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID:
CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei
smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base
station to the affected devices. Due to insufficient input validation of two values when parsing the
messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different
than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8)
ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than
9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than
9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than
9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than
9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than
9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than
9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than
9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier
than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier
than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than
9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A:
earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than

9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than

9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-9069, Description: There is an information leakage vulnerability in some Huawei products. An unauthenticated, adjacent attacker could exploit this vulnerability to decrypt data. Successful exploitation may leak information randomly. Affected product versions include: Anne-AL00 Versions earlier than 9.1.0.331(C675E9R1P3T8); Berkeley-L09 Versions earlier than 10.0.1.1(C675R1); CD16-10 Versions earlier than 10.0.2.8; CD17-10 Versions earlier than 10.0.2.8; CD17-16 Versions earlier than 10.0.2.8; CD18-10 Versions earlier than 10.0.2.8; CD18-16 Versions earlier than 10.0.2.8; Columbia-TL00B Versions earlier than 9.0.0.187(C01E181R1P20T8); E6878-370 Versions earlier than 10.0.5.1(H610SP10C00); HUAWEI P30 lite Versions earlier than 10.0.0.185(C605E3R1P3), Versions earlier than 10.0.0.197(C432E8R2P7); HUAWEI nova 4e Versions earlier than 10.0.0.158(C00E64R1P9); Honor 10 Lite 9.0.1.113(C675E11R1P12); LelandP-L22A Versions earlier than 9.1.0.166(C675E5R1P4T8); Marie-AL00AX Versions earlier than 10.0.0.158(C00E64R1P9); Marie-AL00AY Versions earlier than 10.0.0.158(C00E64R1P9); Marie-AL00BX Versions earlier than 10.0.0.158(C00E64R1P9); Marie-L03BX Versions earlier than 10.0.0.188(C605E5R1P1); Marie-L21BX Versions earlier than 10.0.0.188(C432E4R4P1), Versions earlier than 10.0.0.188(C461E5R3P1); Marie-L22BX Versions earlier than 10.0.0.188(C636E3R3P1); Marie-L23BX Versions earlier than 10.0.0.188(C605E5R1P1); TC5200-16 Versions earlier than 10.0.2.8; WS5200-11 Versions earlier than 10.0.2.8; WS5200-12 Versions earlier than 10.0.2.23; WS5200-16 Versions earlier than 10.0.2.8; WS5200-17 Versions earlier than 10.0.2.23; WS5800-10 Versions earlier than 10.0.3.27; WS6500-10 Versions earlier than 10.0.2.8; WS6500-16 Versions earlier than 10.0.2.8, Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2020-9252, Description: HUAWEI

Mate 20 versions earlier than 10.1.0.160(C00E160R3P8), HUAWEI Mate 20 X versions earlier than 10.1.0.135(C00E135R2P8), HUAWEI Mate 20 RS versions earlier than 10.1.0.160(C786E160R3P8), and Honor Magic2 smartphones versions earlier than 10.1.0.160(C00E160R2P11) have a path traversal vulnerability. The system does not sufficiently validate certain pathname from certain process, successful exploit could allow the attacker write files to a crafted path., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.3, Base Severity: LOW CVE ID: CVE-2020-9255, Description: Huawei Honor 10 smartphones with versions earlier than 10.0.0.178(C00E178R1P4) have a denial of service vulnerability. Certain service in the system does not sufficiently validate certain parameter which is received, the attacker should trick the user into installing a malicious application, successful exploit could cause a denial of service condition., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-9259, Description: Huawei Honor V30 smartphones with versions earlier than 10.1.0.212(C00E210R5P1) have an improper authentication vulnerability. The system does not sufficiently validate certain parameter passed from the bottom level, the attacker should trick the user into installing a malicious application and control the bottom level, successful exploit could cause information disclosure., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2020-9235, Description: Huawei smartphones HONOR 20 PRO Versions earlier than 10.1.0.230(C432E9R5P1), Versions earlier than 10.1.0.231(C10E3R3P2), Versions earlier than 10.1.0.231(C185E3R5P1), Versions earlier than 10.1.0.231(C636E3R3P1); Versions earlier than 10.1.0.212(C432E10R3P4), Versions earlier than 10.1.0.213(C636E3R4P3), Versions earlier than 10.1.0.214(C10E5R4P3), Versions earlier than 10.1.0.214(C185E3R3P3); Versions earlier than 10.1.0.212(C00E210R5P1); Versions earlier than 10.1.0.160(C00E160R2P11); Versions earlier than 10.1.0.160(C00E160R2P11); Versions earlier than

10.1.0.160(C01E160R2P11);Versions earlier than 10.1.0.160(C00E160R2P11);Versions earlier than 10.1.0.160(C00E160R8P12);Versions earlier than 10.1.0.230(C432E9R5P1),Versions earlier than 10.1.0.231(C10E3R3P2),Versions earlier than 10.1.0.231(C636E3R3P1);Versions earlier than 10.1.0.225(C431E3R1P2),Versions earlier than 10.1.0.225(C432E3R1P2) contain an information vulnerability. A module has a design error that is lack of control of input. Attackers can exploit this vulnerability to obtain some information. This can lead to information leak., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Honor 4C: CVE ID: CVE-2016-6180, Description: The Camera driver in Huawei Honor 4C smartphones with software CHM-UL00C00 before CHM-UL00C00B564, CHM-TL00C01 before CHM-TL00C01B564, and CHM-TL00C00 before CHM-TL00HC00B564 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2016-6181, CVE-2016-6182, CVE-2016-6183, and CVE-2016-6184., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM CVE ID: CVE-2016-6181, Description: The Camera driver in Huawei Honor 4C smartphones with software CHM-UL00C00 before CHM-UL00C00B564, CHM-TL00C01 before CHM-TL00C01B564, and CHM-TL00C00 before CHM-TL00HC00B564 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2016-6180, CVE-2016-6182, CVE-2016-6183, and CVE-2016-6184., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM CVE ID: CVE-2016-6182, Description: The Camera driver in Huawei Honor 4C smartphones with software CHM-UL00C00 before CHM-UL00C00B564, CHM-TL00C01 before CHM-TL00C01B564, and CHM-TL00C00 before CHM-TL00HC00B564 allows attackers to cause a

denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2016-6180, CVE-2016-6181, CVE-2016-6183, and CVE-2016-6184., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-6183, Description: The Camera driver in Huawei Honor 4C smartphones with software CHM-UL00C00 before CHM-UL00C00B564, CHM-TL00C01 before CHM-TL00C01B564, and CHM-TL00C00 before CHM-TL00HC00B564 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2016-6180, CVE-2016-6181, CVE-2016-6182, and CVE-2016-6184., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM CVE ID: CVE-2016-6184, Description: The Camera driver in Huawei Honor 4C smartphones with software CHM-UL00C00 before CHM-UL00C00B564, CHM-TL00C01 before CHM-TL00C01B564, and CHM-TL00C00 before CHM-TL00HC00B564 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2016-6180, CVE-2016-6181, CVE-2016-6182, and CVE-2016-6183., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Honor 5C: CVE ID: CVE-2017-8143, Description: Wi-Fi driver of Honor 5C and P9 Lite Huawei smart phones with software versions earlier than NEM-L21C432B351 and versions earlier than VNS-L21C10B381 has a DoS vulnerability. An attacker may trick a user into installing a malicious application and the application can access invalid address of driver to crash the system., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-8207, Description: The driver of honor 5C,

honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8208, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8209, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8210, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart

phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8211, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8212, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH

These are the vulnerabilities known for Huawei Honor 5S: CVE ID: CVE-2017-8151, Description: Huawei Honor 5S smart phones with software the versions before TAG-TL00C01B173 have an authentication bypass vulnerability due to the improper design of some components. An attacker can get a user's smart phone and install malicious apps in the mobile phone, allowing the attacker to reset the password and fingerprint of the phone without authentication., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2017-8152,

Description: Huawei Honor 5S smart phones with software the versions before TAG-TL00C01B173 have a Factory Reset Protection (FRP) bypass security vulnerability due to the improper design. An attacker can access factory reset page without authorization by only dial with special code. The attacker can exploit this vulnerability to restore the phone to factory settings., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 4.9, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Honor 6: CVE ID: CVE-2016-6179, Description: The WiFi driver in Huawei Honor 6 smartphones with software H60-L01 before H60-L01C00B850, H60-L11 before H60-L11C00B850, H60-L21 before H60-L21C00B850, H60-L02 before H60-L02C00B850, H60-L12 before H60-L12C00B850, and H60-L03 before H60-L03C01B850 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM CVE ID: CVE-2016-8279, Description: The video driver in Huawei Mate S smartphones with software CRR-TL00 before CRR-TL00C01B362, CRR-UL20 before CRR-UL20C00B362, CRR-CL00 before CRR-CL00C92B362, and CRR-CL20 before CRR-CL20C92B362; P8 smartphones with software GRA-TL00 before GRA-TL00C01B366, GRA-UL00 before GRA-UL00C00B366, GRA-UL10 before GRA-UL10C00B366, and GRA-CL00 before GRA-CL00C92B366; and Honor 6 and Honor 6 Plus smartphones with software before 6.9.16 allows attackers to cause a denial of service (device reboot) via a crafted application., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8759, Description: Video driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a stack overflow vulnerability, which allows attackers to crash the system or escalate user privilege.,

Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8760, Description: Touchscreen driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a heap overflow vulnerability, which allows attackers to crash the system or escalate user privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8761, Description: Video driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a stack overflow vulnerability, which allows attackers to crash the system or escalate user privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8768, Description: Huawei Honor 6, Honor 6 Plus, Honor 7 phones with software versions earlier than 6.9.16 could allow attackers to disable the PXN defense mechanism by invoking related drive code to crash the system or escalate privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-2728, Description: Some Huawei mobile phones Honor 6X Berlin-L22C636B150 and earlier versions have a Bluetooth unlock bypassing vulnerability. If a user has enabled the smart unlock function, an attacker can impersonate the user's Bluetooth device to unlock the user's mobile phone screen.uawei mobile phones have a Bluetooth unlock bypassing vulnerability due to the lack of validation on Bluetooth devices. If a user has enabled the smart unlock function, an attacker can impersonate the user's Bluetooth device to unlock the user's mobile phone screen., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM CVE ID: CVE-2017-8207, Description: The driver of honor 5C, honor 6x Huawei

smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8208, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8209, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8210, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system

reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8211, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-8212, Description: The driver of honor 5C,honor 6x Huawei smart phones with software of versions earlier than NEM-AL10C00B356, versions earlier than Berlin-L21HNC432B360 have a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP which has the root privilege of the Android system, the APP can send a specific parameter to the driver of the smart phone, causing a system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2018-7939, Description: Huawei smart phones G9 Lite, Honor 5A, Honor 6X, Honor 8 with the versions before VNS-L53C605B120CUSTC605D103, the versions before CAM-L03C605B143CUSTC605D008, the versions before CAM-L21C10B145, the versions before CAM-L21C185B156, the versions before CAM-L21C223B133, the versions before CAM-L21C432B210, the versions before CAM-L21C464B170, the versions before CAM-L21C636B245, the versions before Berlin-L21C10B372, the versions before Berlin-L21C185B363, the versions before Berlin-L21C464B137, the versions before Berlin-L23C605B161, the versions before FRD-L09C10B387, the versions before FRD-L09C185B387, the versions before FRD-L09C432B398, the versions before

FRD-L09C636B387, the versions before FRD-L19C10B387, the versions before FRD-L19C432B399, the versions before FRD-L19C636B387 have a Factory Reset Protection (FRP) bypass security vulnerability. When re-configuring the mobile phone using the factory reset protection (FRP) function, an attacker can disable the boot wizard by enable the talkback function. As a result, the FRP function is bypassed., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 4.9, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Honor 7: CVE ID: CVE-2016-8768, Description: Huawei Honor 6, Honor 6 Plus, Honor 7 phones with software versions earlier than 6.9.16 could allow attackers to disable the PXN defense mechanism by invoking related drive code to crash the system or escalate privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH

These are the vulnerabilities known for Huawei Honor 8 Lite: CVE ID: CVE-2017-8144, Description: Honor 5A,Honor 8 Lite,Mate9,Mate9 Pro,P10,P10 Plus Huawei smartphones with software the versions before CAM-L03C605B143CUSTC605D003,the versions before Prague-L03C605B161,the versions before Prague-L23C605B160,the versions before MHA-AL00C00B225,the versions before LON-AL00C00B225,the versions before VTR-AL00C00B167,the versions before VTR-TL00C01B167,the versions before VKY-AL00C00B167,the versions before VKY-TL00C01B167 have a resource exhaustion vulnerability due to configure setting. An attacker tricks a user into installing a malicious application, the application may turn on the device flash-light and rapidly drain the device battery., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-8154, Description: The Themes App Honor 8

Lite Huawei mobile phones with software of versions before Prague-L31C576B172, versions before Prague-L31C530B160, versions before Prague-L31C432B180 has a man-in-the-middle (MITM) vulnerability due to the use of the insecure HTTP protocol for theme download. An attacker may exploit this vulnerability to tamper with downloaded themes., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.6, Base Severity: LOW CVE ID: CVE-2018-7939, Description: Huawei smart phones G9 Lite, Honor 5A, Honor 6X, Honor 8 with the versions before VNS-L53C605B120CUSTC605D103, the versions before CAM-L03C605B143CUSTC605D008, the versions before CAM-L21C10B145, the versions before CAM-L21C185B156, the versions before CAM-L21C223B133, the versions before CAM-L21C432B210, the versions before CAM-L21C464B170, the versions before CAM-L21C636B245, the versions before Berlin-L21C10B372, the versions before Berlin-L21C185B363, the versions before Berlin-L21C464B137, the versions before Berlin-L23C605B161, the versions before FRD-L09C10B387, the versions before FRD-L09C185B387, the versions before FRD-L09C432B398, the versions before FRD-L09C636B387, the versions before FRD-L19C10B387, the versions before FRD-L19C432B399, the versions before FRD-L19C636B387 have a Factory Reset Protection (FRP) bypass security vulnerability. When re-configuring the mobile phone using the factory reset protection (FRP) function, an attacker can disable the boot wizard by enable the talkback function. As a result, the FRP function is bypassed., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 4.9, Base Severity: MEDIUM CVE ID: CVE-2019-5292, Description: Honor 10 Lite, Honor 8A, Huawei Y6 mobile phones with the versions before 9.1.0.217(C00E215R3P1), the versions before 9.1.0.205(C00E97R1P9), the versions before 9.1.0.205(C00E97R2P2) have an information leak vulnerability. Due to improper function error records of some module, an attacker with the access permission may exploit the vulnerability to obtain some information., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact:

LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW

CVE ID: CVE-2019-5252, Description: There is an improper authentication vulnerability in Huawei smartphones (Y9, Honor 8X, Honor 9 Lite, Honor 9i, Y6 Pro). The applock does not perform a sufficient authentication in a rare condition. Successful exploit could allow the attacker to use the application locked by applock in an instant., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.5, Base Severity: LOW

CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than

9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact:

NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI

P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Honor Cube WS860: CVE ID: CVE-2014-9134, Description: Unrestricted file upload vulnerability in Huawei Honor Cube Wireless Router WS860s before V100R001C02B222 allows remote attackers to execute arbitrary code by uploading a file

with an executable extension, then accessing it via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH

These are the vulnerabilities known for Huawei Honor V10: CVE ID: CVE-2014-9134, Description: Unrestricted file upload vulnerability in Huawei Honor Cube Wireless Router WS860s before V100R001C02B222 allows remote attackers to execute arbitrary code by uploading a file with an executable extension, then accessing it via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2019-5216, Description: There is a race condition vulnerability on Huawei Honor V10 smartphones versions earlier than Berkeley-AL20 9.0.0.156(C00E156R2P14T8), Honor 10 smartphones versions earlier than Columbia-AL10B 9.0.0.156(C00E156R1P20T8) and Honor Play smartphones versions earlier than Cornell-AL00A 9.0.0.156(C00E156R1P13T8). An attacker tricks the user into installing a malicious application, which makes multiple processes to operate the same variate at the same time. Successful exploit could cause execution of malicious code., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.6, Base Severity: HIGH CVE ID: CVE-2019-5295, Description: Huawei Honor V10 smartphones versions earlier than Berkeley-AL20 9.0.0.125(C00E125R2P14T8) have an authorization bypass vulnerability. Due to improper authorization implementation logic, attackers can bypass certain authorization scopes of smart phones by performing specific operations. This vulnerability can be exploited to perform operations beyond the scope of authorization., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.4, Base Severity: MEDIUM CVE ID: CVE-2020-1804, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver

program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 1 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1805 and CVE-2020-1806., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2020-1805, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 2 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1804 and CVE-2020-1806., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2020-1806, Description: Huawei Honor V10 smartphones with versions earlier than 10.0.0.156(C00E156R2P4) has three out of bounds vulnerabilities. Certain driver program does not sufficiently validate certain parameters received, that would lead to several bytes out of bound read. Successful exploit may cause information disclosure or service abnormal. This is 3 out of 3 out of bounds vulnerabilities found. Different than CVE-2020-1804 and CVE-2020-1805., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.1, Base Severity: HIGH

These are the vulnerabilities known for Huawei Honor V20: CVE ID: CVE-2019-5301, Description: Huawei smart phones Honor V20 with the versions before 9.0.1.161(C00E161R2P2) have an information leak vulnerability. An attacker may trick a user into installing a malicious application. Due to coding error during layer information processing, attackers can exploit this vulnerability to obtain some layer information., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base

Severity: MEDIUM CVE ID: CVE-2020-1803, Description: Huawei smartphones Honor V20 with versions earlier than 10.0.0.179(C636E3R4P3), versions earlier than 10.0.0.180(C185E3R3P3), versions earlier than 10.0.0.180(C432E10R3P4) have an information disclosure vulnerability. The device does not sufficiently validate the identity of smart wearable device in certain specific scenario, the attacker need to gain certain information in the victim's smartphone to launch the attack, successful exploit could cause information disclosure., Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than

9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier

than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate

20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Mate 20: CVE ID: CVE-2018-7956, Description:

Huawei VIP App is a mobile app for Malaysia customers that purchased P20 Series, Nova 3/3i and Mate 20. There is a vulnerability in versions before 4.0.5 that attackers can conduct bruteforce to the VIP App Web Services to get user information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2019-5221, Description: There is a path traversal vulnerability on Huawei Share. The software does not properly validate the path, an attacker could crafted a file path when transporting file through Huawei Share, successful exploit could allow the attacker to transport a file to arbitrary path on the phone. Affected products: Mate 20 X versions earlier than Ever-L29B 9.1.0.300(C432E3R1P12), versions earlier than Ever-L29B 9.1.0.300(C636E3R2P1), and versions earlier than Ever-L29B 9.1.0.300(C185E3R3P1)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2020-1787, Description: HUAWEI Mate 20 smartphones versions earlier than 9.1.0.139(C00E133R3P1) have an improper authentication vulnerability. The system has a logic error under certain scenario, successful exploit could allow the attacker who gains the privilege of guest user to access to the host user's desktop in an instant, without unlocking the screen lock of the host user., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.6, Base Severity: MEDIUM CVE ID: CVE-2020-1786, Description: HUAWEI Mate 20 Pro smartphones versions earlier than 10.0.0.175(C00E69R3P8) have an improper authentication vulnerability. The software does not sufficiently validate the name of apk file in a special condition which could allow an attacker to forge a crafted application as a normal one. Successful exploit could allow the attacker to bypass digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1840, Description: HUAWEI Mate 20 smart phones with versions earlier than 10.0.0.175(C00E70R3P8) have an insufficient authentication vulnerability. A local attacker with high

privilege can execute a specific command to exploit this vulnerability. Successful exploitation may cause information leak and compromise the availability of the smart phones. Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.0.0.175(C00E70R3P8), Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2020-1882, Description: Huawei mobile phones Ever-L29B versions earlier than 10.0.0.180(C185E6R3P3), earlier than 10.0.0.180(C432E6R1P7), earlier than 10.0.0.180(C636E5R2P3); HUAWEI Mate 20 RS versions earlier than 10.0.0.175(C786E70R3P8); HUAWEI Mate 20 X versions earlier than 10.0.0.176(C00E70R2P8); and Honor Magic2 versions earlier than 10.0.0.175(C00E59R2P11) have an improper authorization vulnerability. Due to improper authorization of some function, attackers can bypass the authorization to perform some operations., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1791, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system has a logic judging error under certain scenario, successful exploit could allow the attacker to switch to third desktop after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1807, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.188(C00E74R3P8) have an improper authorization vulnerability. The software does not properly restrict certain user's modification of certain configuration file, successful exploit could allow the attacker to bypass app lock after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.5, Base Severity: LOW CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected

devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10

Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than

9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than

9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22:
earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8)
SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than
9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than
9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21:
earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22:
earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than
9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A:
earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than
9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier
than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector:
ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact:
NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID:
CVE-2020-1797, Description: HUAWEI Mate 20 smartphones with versions earlier than
10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system does not
properly restrict certain operation in ADB mode, successful exploit could allow certain user break the
limit of digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality
Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity:
LOW CVE ID: CVE-2020-1831, Description: HUAWEI Mate 20 smartphones with versions earlier
than 10.0.0.195(SP31C00E74R3P8) have an improper authorization vulnerability. The digital
balance function does not sufficiently restrict the using time of certain user, successful exploit could
allow the user break the limit of digital balance function after a series of operations with a PC.,
Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity
Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID:
CVE-2020-9252, Description: HUAWEI Mate 20 versions earlier than 10.1.0.160(C00E160R3P8),
HUAWEI Mate 20 X versions earlier than 10.1.0.135(C00E135R2P8), HUAWEI Mate 20 RS

versions earlier than 10.1.0.160(C786E160R3P8), and Honor Magic2 smartphones versions earlier than 10.1.0.160(C00E160R2P11) have a path traversal vulnerability. The system does not sufficiently validate certain pathname from certain process, successful exploit could allow the attacker write files to a crafted path., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.3, Base Severity: LOW CVE ID: CVE-2020-9251, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.1.0.160(C00E160R2P11) have an improper authorization vulnerability. The software does not properly restrict certain operation in certain scenario, the attacker should do certain configuration before the user turns on student mode function. Successful exploit could allow the attacker to bypass the limit of student mode function. Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9244, Description: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8);HUAWEI Mate 20 Pro versions Versions earlier than 10.1.0.270(C431E7R1P5),Versions earlier than 10.1.0.270(C635E3R1P5),Versions earlier than 10.1.0.273(C636E7R2P4);HUAWEI Mate 20 X versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI P30 versions Versions earlier than 10.1.0.160(C00E160R2P11);HUAWEI P30 Pro versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI Mate 20 RS versions Versions earlier than 10.1.0.160(C786E160R3P8);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);Honor20 versions Versions earlier than 10.0.0.175(C00E58R4P11);Honor20 PRO versions Versions earlier than 10.0.0.194(C00E62R8P12);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);HonorV20 versions Versions earlier than 10.0.0.188(C00E62R2P11) have an improper authentication vulnerability. The system does not properly sign certain encrypted file, the attacker should gain the key used to encrypt the file, successful exploit could cause certain

file be forged, Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-9103, Description: HUAWEI Mate 20 smartphones with 9.0.0.205(C00E205R2P1) have a logic error vulnerability. In a special scenario, the system does not properly process. As a result, attackers can perform a series of operations to successfully establish P2P connections that are rejected by the peer end. As a result, the availability of the device is affected., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9083, Description: HUAWEI Mate 20 smart phones with Versions earlier than 10.1.0.163(C00E160R3P8) have a denial of service (DoS) vulnerability. The attacker can enter a large amount of text on the phone. Due to insufficient verification of the parameter, successful exploitation can impact the service., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9092, Description: HUAWEI Mate 20 versions earlier than 10.1.0.163(C00E160R3P8) have a JavaScript injection vulnerability. A module does not verify a specific input. This could allow attackers to bypass filter mechanism to launch JavaScript injection. This could compromise normal service of the affected module., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9113, Description: HUAWEI Mate 20 versions earlier than 10.0.0.188(C00E74R3P8) have a buffer overflow vulnerability in the Bluetooth module. Due to insufficient input validation, an unauthenticated attacker may craft Bluetooth messages after successful pairing, causing buffer overflow. Successful exploit may cause code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH CVE ID: CVE-2020-9247, Description: There is a buffer overflow vulnerability in several Huawei products. The system does not sufficiently validate certain configuration parameter which is passed from user

that would cause buffer overflow. The attacker should trick the user into installing and running a malicious application with a high privilege, successful exploit may cause code execution. Affected product include Huawei HONOR 20 PRO, Mate 20, Mate 20 Pro, Mate 20 X, P30, P30 Pro, Hima-L29C, Laya-AL00EP, Princeton-AL10B, Tony-AL00B, Yale-L61A, Yale-TL00B and YaleP-AL10B., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2021-22440, Description: There is a path traversal vulnerability in some Huawei products. The vulnerability is due to that the software uses external input to construct a pathname that is intended to identify a file or directory that is located underneath a restricted parent directory, but the software does not properly validate the pathname. Successful exploit could allow the attacker to access a location that is outside of the restricted directory by a crafted filename. Affected product versions include: HUAWEI Mate 20 9.0.0.195(C01E195R2P1), 9.1.0.139(C00E133R3P1); HUAWEI Mate 20 Pro 9.0.0.187(C432E10R1P16), 9.0.0.188(C185E10R2P1), 9.0.0.245(C10E10R2P1), 9.0.0.266(C432E10R1P16), 9.0.0.267(C636E10R2P1), 9.0.0.268(C635E12R1P16), 9.0.0.278(C185E10R2P1); Hima-L29C 9.0.0.105(C10E9R1P16), 9.0.0.105(C185E9R1P16), 9.0.0.105(C636E9R1P16); Laya-AL00EP 9.1.0.139(C786E133R3P1); OxfordS-AN00A 10.1.0.223(C00E210R5P1); Tony-AL00B 9.1.0.257(C00E222R2P1)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei Mate S: CVE ID: CVE-2015-8088, Description: Heap-based buffer overflow in the HIFI driver in Huawei Mate 7 phones with software MT7-UL00 before MT7-UL00C17B354, MT7-TL10 before MT7-TL10C00B354, MT7-TL00 before MT7-TL00C01B354, and MT7-CL00 before MT7-CL00C92B354 and P8 phones with software GRA-TL00 before GRA-TL00C01B220SP01, GRA-CL00 before GRA-CL00C92B220, GRA-CL10 before GRA-CL10C92B220, GRA-UL00 before GRA-UL00C00B220, and GRA-UL10 before

GRA-UL10C00B220 allows attackers to cause a denial of service (reboot) or execute arbitrary code via a crafted application., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8337, Description: The HIFI driver in Huawei P8 phones with software GRA-TL00 before GRA-TL00C01B220SP01, GRA-CL00 before GRA-CL00C92B220, GRA-CL10 before GRA-CL10C92B220, GRA-UL00 before GRA-UL00C00B220, GRA-UL10 before GRA-UL10C00B220 and Mate7 phones with software MT7-UL00 before MT7-UL00C17B354, MT7-TL10 before MT7-TL10C00B354, MT7-TL00 before MT7-TL00C01B354, and MT7-CL00 before MT7-CL00C92B354 allows remote attackers to cause a denial of service (invalid memory access and reboot) via unspecified vectors related to "input null pointer as parameter.", Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2015-8307, Description: The Graphics driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230, and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application with the graphics permission, aka an "interface access control vulnerability," a different vulnerability than CVE-2015-8680., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8318, Description: Heap-based buffer overflow in the HIFI driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230, and Mate S smartphones with software CRR-TL00 before

CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2015-8319., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8319, Description: Heap-based buffer overflow in the HIFI driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230, and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, a different vulnerability than CVE-2015-8318., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8679, Description: The Maxim_smartpa_dev driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230 and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allow attackers to cause a denial of service (system crash) via a crafted application, which triggers an invalid memory access., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2015-8680, Description: The Graphics driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230, and Mate S smartphones with

software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application with the graphics permission, aka an "interface access control vulnerability," a different vulnerability than CVE-2015-8307., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8681, Description: The ovisp driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230, and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application with the camera permission, aka an "interface access control vulnerability.", Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2015-8682, Description: The Video0 driver in Huawei P8 smartphones with software GRA-UL00 before GRA-UL00C00B350, GRA-UL10 before GRA-UL10C00B350, GRA-TL00 before GRA-TL00C01B350, GRA-CL00 before GRA-CL00C92B350, and GRA-CL10 before GRA-CL10C92B350 and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to obtain sensitive information from stack memory or cause a denial of service (system crash) via a crafted application, which triggers an invalid memory access., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2016-1495, Description: Integer overflow in the graphics drivers in Huawei Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before

CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows attackers to cause a denial of service (system crash) or gain privileges via a crafted application, which triggers a heap-based buffer overflow., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-3680, Description: Buffer overflow in the Wi-Fi driver in Huawei Mate 8 NXT-AL before NXT-AL10C00B182, NXT-CL before NXT-CL00C92B182, NXT-DL before NXT-DL00C17B182, and NXT-TL before NXT-TL00C01B182 allows attackers to cause a denial of service (crash) or possibly gain privileges via a crafted application, aka HWPSIRT-2016-03020., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-3681, Description: Buffer overflow in the Wi-Fi driver in Huawei Mate 8 NXT-AL before NXT-AL10C00B182, NXT-CL before NXT-CL00C92B182, NXT-DL before NXT-DL00C17B182, and NXT-TL before NXT-TL00C01B182 allows attackers to cause a denial of service (crash) or possibly gain privileges via a crafted application, aka HWPSIRT-2016-03021., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-5233, Description: Huawei Mate 8 smartphones with software NXT-AL10 before NXT-AL10C00B182, NXT-CL00 before NXT-CL00C92B182, NXT-DL00 before NXT-DL00C17B182, and NXT-TL00 before NXT-TL00C01B182 allow remote base stations to obtain sensitive subscriber signal strength information via vectors involving improper security status verification, aka HWPSIRT-2015-12007., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2016-5232, Description: Buffer overflow in Huawei Mate8 NXT-AL before NXT-AL10C00B182, NXT-CL before NXT-CL00C92B182, NXT-DL before NXT-DL00C17B182, and NXT-TL before NXT-TL00C01B182 allows attackers to cause a denial of service (system crash) via a crafted app., Access Vector: NETWORK, Attack Complexity: MEDIUM,

Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8279, Description: The video driver in Huawei Mate S smartphones with software CRR-TL00 before CRR-TL00C01B362, CRR-UL20 before CRR-UL20C00B362, CRR-CL00 before CRR-CL00C92B362, and CRR-CL20 before CRR-CL20C92B362; P8 smartphones with software GRA-TL00 before GRA-TL00C01B366, GRA-UL00 before GRA-UL00C00B366, GRA-UL10 before GRA-UL10C00B366, and GRA-CL00 before GRA-CL00C92B366; and Honor 6 and Honor 6 Plus smartphones with software before 6.9.16 allows attackers to cause a denial of service (device reboot) via a crafted application., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2015-8678, Description: The ION driver in Huawei P8 smartphones with software GRA-TL00 before GRA-TL00C01B230, GRA-CL00 before GRA-CL00C92B230, GRA-CL10 before GRA-CL10C92B230, GRA-UL00 before GRA-UL00C00B230, and GRA-UL10 before GRA-UL10C00B230 and Mate S smartphones with software CRR-TL00 before CRR-TL00C01B160SP01, CRR-UL00 before CRR-UL00C00B160, and CRR-CL00 before CRR-CL00C92B161 allows remote attackers to cause a denial of service (crash) via a crafted application., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8756, Description: ION memory management module in Huawei Mate 8 phones with software NXT-AL10C00B197 and earlier versions, NXT-DL10C00B197 and earlier versions, NXT-TL10C00B197 and earlier versions, NXT-CL10C00B197 and earlier versions allows attackers to cause a denial of service (restart)., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8758, Description: ION memory management module in Huawei Mate8 phones with software NXT-AL10C00B561 and earlier versions, NXT-CL10C00B561 and earlier versions, NXT-DL10C00B561 and earlier versions,

NXT-TL10C00B561 and earlier versions allows attackers to cause a denial of service (restart)., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8774, Description: The HIFI driver in Huawei Mate 8 phones with software versions before NXT-AL10C00B386, versions before NXT-CL00C92B386, versions before NXT-DL00C17B386, versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; P8 phones with software Versions before GRA-TL00C01B366, Versions before GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366; and P9 phones with software Versions before EVA-AL10C00B190, Versions before EVA-DL10C00B190, Versions before EVA-TL10C00B190, Versions before EVA-CL10C00B190 allows attackers to get root privilege or crash the system or execute arbitrary code, related to a buffer overflow., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2016-8791, Description: Huawei Mate 8 phones with software Versions before NXT-AL10C00B386, Versions before NXT-CL00C92B386, Versions before NXT-DL00C17B386, Versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; and P8 phones with software Versions before GRA-TL00C01B366, Versions before GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366 allow attackers with graphic or Camera privilege to crash the system or escalate privilege., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.2, Base Severity: MEDIUM CVE ID:

CVE-2016-8792, Description: Huawei Mate 8 phones with software Versions before NXT-AL10C00B386, Versions before NXT-CL00C92B386, Versions before NXT-DL00C17B386, Versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; and P8 phones with software Versions before GRA-TL00C01B366, Versions before GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366 allow attackers with graphic or Camera privilege to crash the system or escalate privilege., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.2, Base Severity: MEDIUM CVE ID: CVE-2016-8793, Description: Huawei Mate 8 phones with software Versions before NXT-AL10C00B386, Versions before NXT-CL00C92B386, Versions before NXT-DL00C17B386, Versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; and P8 phones with software Versions before GRA-TL00C01B366, Versions before GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366 allow attackers with graphic or Camera privilege to crash the system or escalate privilege., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.2, Base Severity: MEDIUM CVE ID: CVE-2016-8794, Description: Huawei Mate 8 phones with software Versions before NXT-AL10C00B386, Versions before NXT-CL00C92B386, Versions before NXT-DL00C17B386, Versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; and P8 phones with software Versions before GRA-TL00C01B366, Versions before

GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366 allow attackers with graphic or Camera privilege to crash the system or escalate privilege., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.2, Base Severity: MEDIUM CVE ID: CVE-2015-4421, Description: The tzdriver module in Huawei Mate 7 (Mate7-TL10) smartphones before V100R001CHNC00B126SP03 allows local users to gain privileges or cause a denial of service (memory corruption) via an unspecified input., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.6, Base Severity: HIGH CVE ID: CVE-2015-4422, Description: The TEEOS module in Huawei Mate 7 (Mate7-TL10) smartphones before V100R001CHNC00B126SP03 allows local users with root permissions to gain privileges or cause a denial of service (memory corruption) via a crafted application., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.6, Base Severity: HIGH CVE ID: CVE-2017-15311, Description: The baseband modules of Mate 10, Mate 10 Pro, Mate 9, Mate 9 Pro Huawei smart phones with software before ALP-AL00 8.0.0.120(SP2C00), before BLA-AL00 8.0.0.120(SP2C00), before MHA-AL00B 8.0.0.334(C00), and before LON-AL00B 8.0.0.334(C00) have a stack overflow vulnerability due to the lack of parameter validation. An attacker could send malicious packets to the smart phones within radio range by special wireless device, which leads stack overflow when the baseband module handles these packets. The attacker could exploit this vulnerability to perform a denial of service attack or remote code execution in baseband module., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2017-15316, Description: The GPU driver of Mate 9 Huawei smart phones with software before MHA-AL00B 8.0.0.334(C00) and Mate 9 Pro Huawei smart phones with software before LON-AL00B 8.0.0.334(C00) has a memory double free vulnerability. An attacker tricks a user into

installing a malicious application, and the application can call special API, which triggers double free and causes a system crash or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-15347, Description: Huawei Mate 9 Pro mobile phones with software of versions earlier than LON-AL00BC00B235 have a use after free (UAF) vulnerability. An attacker tricks a user into installing a malicious application, and the application can riggers access memory after free it. A local attacker may exploit this vulnerability to cause the mobile phone to crash., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-17139, Description: Huawei Mate 9 and Mate 9 pro smart phones with software the versions before MHA-AL00B 8.0.0.334(C00); the versions before LON-AL00B 8.0.0.334(C00) have a information leak vulnerability in the date service proxy implementation. An attacker may trick a user into installing a malicious application and application can exploit the vulnerability to get kernel date which may cause sensitive information leak., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-8165, Description: Mate 9 Huawei smart phones with versions earlier than MHA-AL00BC00B233 have a sensitive information leak vulnerability. An attacker can trick a user to install a malicious application to exploit this vulnerability. Successful exploitation may cause sensitive information leak., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-17225, Description: The Near Field Communication (NFC) module in Huawei Mate 9 Pro mobile phones with the versions before LON-AL00B 8.0.0.340a(C00) has a buffer overflow vulnerability due to the lack of input validation. An attacker may use an NFC card reader or another device to inject malicious data into a target mobile phone. Successful exploit could lead to system restart or arbitrary code execution., Access

Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 8.3, Base Severity: HIGH CVE ID: CVE-2017-17227, Description: GPU driver in Huawei Mate 10 smart phones with the versions before ALP-L09 8.0.0.120(C212); The versions before ALP-L09 8.0.0.127(C900); The versions before ALP-L09 8.0.0.128(402/C02/C109/C346/C432/C652) has a out-of-bounds memory access vulnerability due to the input parameters validation. An attacker tricks a user into installing a malicious application on the smart phone, and the application can call the driver with special parameter and cause accessing out-of-bounds memory. Successful exploit may result in phone crash or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-17279, Description: The soundtrigger module in Huawei Mate 9 Pro smart phones with software of the versions before LON-AL00B 8.0.0.343(C00) has an authentication bypass vulnerability due to the improper design of the module. An attacker tricks a user into installing a malicious application, and the application can exploit the vulnerability and make attacker bypass the authentication, the attacker can control the phone to sent short messages and make call within audio range to the phone., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2017-17324, Description: Huawei Mate 9 Pro smartphones with software LON-AL00BC00B139D; LON-AL00BC00B229 have an integer overflow vulnerability. The camera driver does not validate the external input parameters and causes an integer overflow, which in the after processing results in a buffer overflow. An attacker tricks the user to install a crafted application, successful exploit could cause malicious code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2017-17326, Description: Huawei Mate 9 Pro Smartphones with software of LON-AL00BC00B139D; LON-AL00BC00B229 have an activation lock bypass vulnerability. The

smartphone is supposed to be activated by the former account after reset if find my phone function is on. The software does not have a sufficient protection of activation lock. Successful exploit could allow an attacker to bypass the activation lock and activate the smartphone by a new account after a series of operation., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW

CVE ID: CVE-2017-17320, Description: Huawei Mate 9 Pro smartphones with software of LON-AL00BC00B139D, LON-AL00BC00B229, LON-L29DC721B188 have a memory double free vulnerability. The system does not manage the memory properly, that frees on the same memory address twice. An attacker tricks the user who has root privilege to install a crafted application, successful exploit could result in malicious code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH

CVE ID: CVE-2018-7930, Description: The Near Field Communication (NFC) module in Mate 9 Huawei mobile phones with the versions before MHA-L29B 8.0.0.366(C567) has an information leak vulnerability due to insufficient validation on data transfer requests. When an affected mobile phone sends files to an attacker's mobile phone using the NFC function, the attacker can obtain arbitrary files from the mobile phone, causing information leaks., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.9, Base Severity: LOW

CVE ID: CVE-2018-7940, Description: Huawei smart phones Mate 10 and Mate 10 Pro with earlier versions than 8.0.0.129(SP2C00) and earlier versions than 8.0.0.129(SP2C01) have an authentication bypass vulnerability. An attacker with high privilege obtains the smart phone and bypass the activation function by some specific operations., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

CVE ID: CVE-2017-17173, Description: Due to insufficient parameters verification GPU driver of Mate 9 Pro Huawei smart phones with the versions before LON-AL00B 8.0.0.356(C00) has an arbitrary memory

free vulnerability. An attacker can tricks a user into installing a malicious application on the smart phone, and send given parameter to driver to release special kernel memory resource. Successful exploit may result in phone crash or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-17175, Description: Short Message Service (SMS) module of Mate 9 Pro Huawei smart phones with the versions before LON-AL00B 8.0.0.354(C00) has a Denial of Service (DoS) vulnerability. An unauthenticated attacker may set up a pseudo base station, and send special malware text message to the phone, causing the mobile phone to fail to make calls and send and receive text messages., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2018-7992, Description: Mdapt Driver of Huawei MediaPad M3 BTV-W09C128B353CUSTC128D001; Mate 9 Pro versions earlier than 8.0.0.356(C00); P10 Plus versions earlier than 8.0.0.357(C00) has a buffer overflow vulnerability. The driver does not sufficiently validate the input, an attacker could trick the user to install a malicious application which would send crafted parameters to the driver. Successful exploit could cause a denial of service condition., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2018-7993, Description: HUAWEI Mate 10 smartphones with versions earlier than ALP-AL00 8.1.0.311 have a use after free vulnerability on mediaserver component. An attacker tricks the user install a malicious application, which make the software to reference memory after it has been freed. Successful exploit could cause execution of arbitrary code., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2018-7936, Description: Mate 10 Pro Huawei smart phones with the versions before BLA-L29 8.0.0.148(C432) have a Factory Reset Protection (FRP) bypass security vulnerability. When

re-configuring the mobile phone using the factory reset protection (FRP) function, an attacker can connect the phone with PC and send special instructions to install third party desktop and disable the boot wizard. As a result, the FRP function is bypassed., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 4.9, Base Severity: MEDIUM CVE ID: CVE-2018-7990, Description: Mate10 Pro Huawei smart phones with the versions before 8.1.0.326(C00) have a FRP bypass vulnerability. During the mobile phone resetting process, an attacker could bypass "Find My Phone" protect after a series of voice and keyboard operations. Successful exploit could allow an attacker to bypass FRP., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 4.9, Base Severity: MEDIUM CVE ID: CVE-2018-7929, Description: Huawei Mate RS smartphones with the versions before NEO-AL00D 8.1.0.167(C786) have a lock-screen bypass vulnerability. An attacker could unlock and use the phone through certain operations., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2018-7991, Description: Huawei smartphones Mate10 with versions earlier before ALP-AL00B 8.0.0.110(C00) have a Factory Reset Protection (FRP) bypass vulnerability. The system does not sufficiently verify the permission, an attacker uses a data cable to connect the smartphone to the computer and then perform some specific operations. Successful exploit could allow the attacker bypass the FRP protection to access the system setting page., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2017-17176, Description: The hardware security module of Mate 9 and Mate 9 Pro Huawei smart phones with the versions earlier before MHA-AL00BC00B156, versions earlier before MHA-CL00BC00B156, versions earlier before MHA-DL00BC00B156, versions earlier before MHA-TL00BC00B156, versions earlier before LON-AL00BC00B156, versions earlier before LON-CL00BC00B156, versions earlier before LON-DL00BC00B156, versions earlier before

LON-TL00BC00B156 has a arbitrary memory read/write vulnerability due to the input parameters validation. An attacker with the root privilege of the Android system could exploit this vulnerability to read and write memory data anywhere or execute arbitrary code in the TrustZone., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2018-7989, Description: Huawei Mate 10 pro smartphones with the versions before BLA-AL00B 8.1.0.326(C00) have an improper authentication vulnerability. App Lock is a function to prevent unauthorized use of apps on smartphones, an attacker could directly change the lock password after a series of operations. Successful exploit could allow the attacker to use the application which is locked., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2018-7956, Description: Huawei VIP App is a mobile app for Malaysia customers that purchased P20 Series, Nova 3/3i and Mate 20. There is a vulnerability in versions before 4.0.5 that attackers can conduct bruteforce to the VIP App Web Services to get user information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2019-5244, Description: Mate 9 Pro Huawei smartphones earlier than LON-L29C 8.0.0.361(C636) versions have an information leak vulnerability due to the lack of input validation. An attacker tricks the user who has root privilege to install an application on the smart phone, and the application can read some process information, which may cause sensitive information leak., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2019-5296, Description: Mate20 Huawei smartphones versions earlier than HMA-AL00C00B175 have an out-of-bounds read vulnerability. An attacker with a high permission runs some specific commands on the smartphone. Due to insufficient input verification, successful exploit may cause out-of-bounds read of the memory and the system abnormal., Access Vector:

LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 1.7, Base Severity: LOW CVE ID: CVE-2019-5217, Description: There is an information disclosure vulnerability on Mate 9 Pro Huawei smartphones versions earlier than LON-AL00B9.0.1.150 (C00E61R1P8T8). An attacker could view the photos after a series of operations without unlocking the screen lock. Successful exploit could cause an information disclosure condition., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2019-5214, Description: There is a use after free vulnerability on certain driver component in Huawei Mate10 smartphones versions earlier than ALP-AL00B9.0.0.167(C00E85R2P20T8). An attacker tricks the user into installing a malicious application, which make the software to reference memory after it has been freed. Successful exploit could cause a denial of service condition., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-5219, Description: There is a double free vulnerability on certain drivers of Huawei Mate10 smartphones versions earlier than ALP-AL00B9.0.0.181(C00E87R2P20T8). An attacker tricks the user into installing a malicious application, which makes multiple processes operate the same resource at the same time. Successful exploit could cause a denial of service condition., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2019-5305, Description: The image processing module of some Huawei Mate 10 smartphones versions before ALP-L29 9.0.0.159(C185) has a memory double free vulnerability. An attacker tricks a user into installing a malicious application, and the application can call special API, which could trigger double free and cause a system crash., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-5221, Description: There is a path traversal vulnerability on Huawei Share. The software

does not properly validate the path, an attacker could crafted a file path when transporting file through Huawei Share, successful exploit could allow the attacker to transport a file to arbitrary path on the phone. Affected products: Mate 20 X versions earlier than Ever-L29B 9.1.0.300(C432E3R1P12), versions earlier than Ever-L29B 9.1.0.300(C636E3R2P1), and versions earlier than Ever-L29B 9.1.0.300(C185E3R3P1)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2020-1787, Description: HUAWEI Mate 20 smartphones versions earlier than 9.1.0.139(C00E133R3P1) have an improper authentication vulnerability. The system has a logic error under certain scenario, successful exploit could allow the attacker who gains the privilege of guest user to access to the host user's desktop in an instant, without unlocking the screen lock of the host user., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.6, Base Severity: MEDIUM CVE ID: CVE-2020-1786, Description: HUAWEI Mate 20 Pro smartphones versions earlier than 10.0.0.175(C00E69R3P8) have an improper authentication vulnerability. The software does not sufficiently validate the name of apk file in a special condition which could allow an attacker to forge a crafted application as a normal one. Successful exploit could allow the attacker to bypass digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1840, Description: HUAWEI Mate 20 smart phones with versions earlier than 10.0.0.175(C00E70R3P8) have an insufficient authentication vulnerability. A local attacker with high privilege can execute a specific command to exploit this vulnerability. Successful exploitation may cause information leak and compromise the availability of the smart phones.Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.0.0.175(C00E70R3P8), Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2020-1882, Description: Huawei mobile phones Ever-L29B

versions earlier than 10.0.0.180(C185E6R3P3), earlier than 10.0.0.180(C432E6R1P7), earlier than 10.0.0.180(C636E5R2P3); HUAWEI Mate 20 RS versions earlier than 10.0.0.175(C786E70R3P8); HUAWEI Mate 20 X versions earlier than 10.0.0.176(C00E70R2P8); and Honor Magic2 versions earlier than 10.0.0.175(C00E59R2P11) have an improper authorization vulnerability. Due to improper authorization of some function, attackers can bypass the authorization to perform some operations., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1791, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system has a logic judging error under certain scenario, successful exploit could allow the attacker to switch to third desktop after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1807, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.188(C00E74R3P8) have an improper authorization vulnerability. The software does not properly restrict certain user's modification of certain configuration file, successful exploit could allow the attacker to bypass app lock after a series of operation in ADB mode., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.5, Base Severity: LOW CVE ID: CVE-2019-5302, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 1 out of 2 vulnerabilities. Different than CVE-2020-5303. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8)

Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than

9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22: earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2019-5303, Description: There are two denial of service vulnerabilities on some Huawei smartphones. An attacker may send specially crafted TD-SCDMA messages from a rogue base station to the affected devices. Due to insufficient input validation of two values when parsing the messages, successful exploit may cause device abnormal. This is 2 out of 2 vulnerabilities. Different than CVE-2020-5302. Affected products are: ALP-AL00B: earlier than 9.1.0.333(C00E333R2P1T8) ALP-L09: earlier than 9.1.0.300(C432E4R1P9T8) ALP-L29: earlier than 9.1.0.315(C636E5R1P13T8) BLA-L29C: earlier than 9.1.0.321(C636E4R1P14T8), earlier than 9.1.0.330(C432E6R1P12T8), earlier than 9.1.0.302(C635E4R1P13T8) Berkeley-AL20: earlier than 9.1.0.333(C00E333R2P1T8) Berkeley-L09: earlier than 9.1.0.350(C10E3R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8), earlier than 9.1.0.350(C636E4R1P13T8) Charlotte-L09C: earlier than 9.1.0.311(C185E4R1P11T8), earlier than 9.1.0.345(C432E8R1P11T8) Charlotte-L29C: earlier than 9.1.0.325(C185E4R1P11T8), earlier than 9.1.0.335(C636E3R1P13T8), earlier than 9.1.0.345(C432E8R1P11T8), earlier than 9.1.0.336(C605E3R1P12T8) Columbia-AL10B: earlier than 9.1.0.333(C00E333R1P1T8) Columbia-L29D: earlier than 9.1.0.350(C461E3R1P11T8), earlier

than 9.1.0.350(C185E3R1P12T8), earlier than 9.1.0.350(C10E5R1P14T8), earlier than 9.1.0.351(C432E5R1P13T8) Cornell-AL00A: earlier than 9.1.0.333(C00E333R1P1T8) Cornell-L29A: earlier than 9.1.0.328(C185E1R1P9T8), earlier than 9.1.0.328(C432E1R1P9T8), earlier than 9.1.0.330(C461E1R1P9T8), earlier than 9.1.0.328(C636E2R1P12T8) Emily-L09C: earlier than 9.1.0.336(C605E4R1P12T8), earlier than 9.1.0.311(C185E2R1P12T8), earlier than 9.1.0.345(C432E10R1P12T8) Emily-L29C: earlier than 9.1.0.311(C605E2R1P12T8), earlier than 9.1.0.311(C636E7R1P13T8), earlier than 9.1.0.311(C432E7R1P11T8) Ever-L29B: earlier than 9.1.0.311(C185E3R3P1), earlier than 9.1.0.310(C636E3R2P1), earlier than 9.1.0.310(C432E3R1P12) HUAWEI Mate 20: earlier than 9.1.0.131(C00E131R3P1) HUAWEI Mate 20 Pro: earlier than 9.1.0.310(C185E10R2P1) HUAWEI Mate 20 RS: earlier than 9.1.0.135(C786E133R3P1) HUAWEI Mate 20 X: earlier than 9.1.0.135(C00E133R2P1) HUAWEI P20: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P20 Pro: earlier than 9.1.0.333(C00E333R1P1T8) HUAWEI P30: earlier than 9.1.0.193 HUAWEI P30 Pro: earlier than 9.1.0.186(C00E180R2P1) HUAWEI Y9 2019: earlier than 9.1.0.220(C605E3R1P1T8) HUAWEI nova lite 3: earlier than 9.1.0.305(C635E8R2P2) Honor 10 Lite: earlier than 9.1.0.283(C605E8R2P2) Honor 8X: earlier than 9.1.0.221(C461E2R1P1T8) Honor View 20: earlier than 9.1.0.238(C432E1R3P1) Jackman-L22: earlier than 9.1.0.247(C636E2R4P1T8) Paris-L21B: earlier than 9.1.0.331(C432E1R1P2T8) Paris-L21MEB: earlier than 9.1.0.331(C185E4R1P3T8) Paris-L29B: earlier than 9.1.0.331(C636E1R1P3T8) Sydney-AL00: earlier than 9.1.0.212(C00E62R1P7T8) Sydney-L21: earlier than 9.1.0.215(C432E1R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8) Sydney-L21BR: earlier than 9.1.0.213(C185E1R1P2T8) Sydney-L22: earlier than 9.1.0.258(C636E1R1P1T8) Sydney-L22BR: earlier than 9.1.0.258(C636E1R1P1T8) SydneyM-AL00: earlier than 9.1.0.228(C00E78R1P7T8) SydneyM-L01: earlier than 9.1.0.215(C782E2R1P1T8), earlier than 9.1.0.213(C185E1R1P1T8), earlier than 9.1.0.270(C432E3R1P1T8) SydneyM-L03: earlier than 9.1.0.217(C605E1R1P1T8) SydneyM-L21: earlier than 9.1.0.221(C461E1R1P1T8), earlier than 9.1.0.215(C432E4R1P1T8) SydneyM-L22:

earlier than 9.1.0.259(C185E1R1P2T8), earlier than 9.1.0.220(C635E1R1P2T8), earlier than 9.1.0.216(C569E1R1P1T8) SydneyM-L23: earlier than 9.1.0.226(C605E2R1P1T8) Yale-L21A: earlier than 9.1.0.154(C432E2R3P2), earlier than 9.1.0.154(C461E2R2P1), earlier than 9.1.0.154(C636E2R2P1) Honor 20: earlier than 9.1.0.152(C00E150R5P1) Honor Magic2: earlier than 10.0.0.187 Honor V20: earlier than 9.1.0.234(C00E234R4P3), Access Vector: ADJACENT_NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2020-1797, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.185(C00E74R3P8) have an improper authorization vulnerability. The system does not properly restrict certain operation in ADB mode, successful exploit could allow certain user break the limit of digital balance function., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1809, Description: HUAWEI Mate 10 smartphones with versions earlier than 10.0.0.143(C00E143R2P4) have an information disclosure vulnerability. The attacker could wake up voice assistant then do a series of crafted voice operation, successful exploit could allow the attacker read certain files without unlock the phone leading to information disclosure., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-1831, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.0.0.195(SP31C00E74R3P8) have an improper authorization vulnerability. The digital balance function does not sufficiently restrict the using time of certain user, successful exploit could allow the user break the limit of digital balance function after a series of operations with a PC., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-1835, Description: HUAWEI Mate 30 with versions earlier than 10.1.0.126(C00E125R5P3) have an information disclosure vulnerability. A logic judgment error occurs when the system handling

Bluetooth connections, an attacker could craft as an authenticated Bluetooth peer to launch the attack. Successful exploit could cause information disclosure., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2020-1838, Description: HUAWEI Mate 30 Pro with versions earlier than 10.1.0.150(C00E136R5P3) have is an improper authentication vulnerability. The device does not sufficiently validate certain credential of user's face, an attacker could craft the credential of the user, successful exploit could allow the attacker to pass the authentication with the crafted credential., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-1839, Description: HUAWEI Mate 30 with versions earlier than 10.1.0.150(C00E136R5P3) have a race condition vulnerability. There is a timing window exists in which certain pointer members can be modified by another process that is operating concurrently, an attacker should trick the user into running a crafted application with high privilege, successful exploit could cause code execution., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.3, Base Severity: MEDIUM CVE ID: CVE-2020-9261, Description: HUAWEI Mate 30 with versions earlier than 10.1.0.150(C00E136R5P3) have a type confusion vulnerability. The system does not properly check and transform the type of certain variable, the attacker tricks the user into installing then running a crafted application, successful exploit could cause code execution., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2020-9262, Description: HUAWEI Mate 30 with versions earlier than 10.1.0.150(C00E136R5P3) have a use after free vulnerability. There is a condition exists that the system would reference memory after it has been freed, the attacker should trick the user into running a crafted application with high privilege, successful exploit could cause code execution., Access Vector: LOCAL, Attack Complexity: LOW,

Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2020-9252, Description: HUAWEI Mate 20 versions earlier than 10.1.0.160(C00E160R3P8), HUAWEI Mate 20 X versions earlier than 10.1.0.135(C00E135R2P8), HUAWEI Mate 20 RS versions earlier than 10.1.0.160(C786E160R3P8), and Honor Magic2 smartphones versions earlier than 10.1.0.160(C00E160R2P11) have a path traversal vulnerability. The system does not sufficiently validate certain pathname from certain process, successful exploit could allow the attacker write files to a crafted path., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.3, Base Severity: LOW CVE ID: CVE-2020-9256, Description: Huawei Mate 30 Pro smartphones with versions earlier than 10.1.0.150(C00E136R5P3) have an improper authorization vulnerability. The system does not properly restrict the use of system service by applications, the attacker should trick the user into installing a malicious application, successful exploit could cause a denial of audio service., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2020-9251, Description: HUAWEI Mate 20 smartphones with versions earlier than 10.1.0.160(C00E160R2P11) have an improper authorization vulnerability. The software does not properly restrict certain operation in certain scenario, the attacker should do certain configuration before the user turns on student mode function. Successful exploit could allow the attacker to bypass the limit of student mode function. Affected product versions include: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9243, Description: HUAWEI Mate 30 with versions earlier than 10.1.0.150(C00E136R5P3) have a denial of service vulnerability. The system does not properly limit the depth of recursion, an attacker should trick the user installing and execute a malicious application. Successful exploit could cause a denial of service condition., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability

Impact: HIGH, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-9244, Description: HUAWEI Mate 20 versions Versions earlier than 10.1.0.160(C00E160R3P8);HUAWEI Mate 20 Pro versions Versions earlier than 10.1.0.270(C431E7R1P5),Versions earlier than 10.1.0.270(C635E3R1P5),Versions earlier than 10.1.0.273(C636E7R2P4);HUAWEI Mate 20 X versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI P30 versions Versions earlier than 10.1.0.160(C00E160R2P11);HUAWEI P30 Pro versions Versions earlier than 10.1.0.160(C00E160R2P8);HUAWEI Mate 20 RS versions Versions earlier than 10.1.0.160(C786E160R3P8);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);Honor20 versions Versions earlier than 10.0.0.175(C00E58R4P11);Honor20 PRO versions Versions earlier than 10.0.0.194(C00E62R8P12);HonorMagic2 versions Versions earlier than 10.0.0.187(C00E61R2P11);HonorV20 versions Versions earlier than 10.0.0.188(C00E62R2P11) have an improper authentication vulnerability. The system does not properly sign certain encrypted file, the attacker should gain the key used to encrypt the file, successful exploit could cause certain file be forged, Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-9103, Description: HUAWEI Mate 20 smartphones with 9.0.0.205(C00E205R2P1) have a logic error vulnerability. In a special scenario, the system does not properly process. As a result, attackers can perform a series of operations to successfully establish P2P connections that are rejected by the peer end. As a result, the availability of the device is affected., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9083, Description: HUAWEI Mate 20 smart phones with Versions earlier than 10.1.0.163(C00E160R3P8) have a denial of service (DoS) vulnerability. The attacker can enter a large amount of text on the phone. Due to insufficient verification of the parameter, successful exploitation can impact the service., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE,

Integrity Impact: NONE, Availability Impact: LOW, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2020-9092, Description: HUAWEI Mate 20 versions earlier than 10.1.0.163(C00E160R3P8) have a JavaScript injection vulnerability. A module does not verify a specific input. This could allow attackers to bypass filter mechanism to launch JavaScript injection. This could compromise normal service of the affected module., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-9113, Description: HUAWEI Mate 20 versions earlier than 10.0.0.188(C00E74R3P8) have a buffer overflow vulnerability in the Bluetooth module. Due to insufficient input validation, an unauthenticated attacker may craft Bluetooth messages after successful pairing, causing buffer overflow. Successful exploit may cause code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH CVE ID: CVE-2020-9263, Description: HUAWEI Mate 30 versions earlier than 10.1.0.150(C00E136R5P3) and HUAWEI P30 version earlier than 10.1.0.160(C00E160R2P11) have a use after free vulnerability. There is a condition exists that the system would reference memory after it has been freed, the attacker should trick the user into running a crafted application with common privilege, successful exploit could cause code execution., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2020-9129, Description: HUAWEI Mate 30 versions earlier than 10.1.0.159(C00E159R7P2) have a vulnerability of improper buffer operation. Due to improper restrictions, local attackers with high privileges can exploit the vulnerability to cause system heap overflow., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2020-9247, Description: There is a buffer overflow vulnerability in several Huawei products. The system does not sufficiently validate certain configuration parameter which is passed from user that would cause buffer overflow. The attacker should trick the user into installing and running a

malicious application with a high privilege, successful exploit may cause code execution. Affected product include Huawei HONOR 20 PRO, Mate 20, Mate 20 Pro, Mate 20 X, P30, P30 Pro, Hima-L29C, Laya-AL00EP, Princeton-AL10B, Tony-AL00B, Yale-L61A, Yale-TL00B and YaleP-AL10B., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2020-9125, Description: There is an out-of-bound read vulnerability in huawei smartphone Mate 30 versions earlier than 10.1.0.156 (C00E155R7P2). An attacker with specific permission can exploit this vulnerability by sending crafted packet with specific parameter to the target device. Due to insufficient validation of the parameter, successful exploit can cause the device to behave abnormally., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2021-22364, Description: There is a denial of service vulnerability in the versions 10.1.0.126(C00E125R5P3) of HUAWEI Mate 30 and 10.1.0.152(C00E136R7P2) of HUAWEI Mate 30 (5G) . A module does not verify certain parameters sufficiently and it leads to some exceptions. Successful exploit could cause a denial of service condition., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2021-22440, Description: There is a path traversal vulnerability in some Huawei products. The vulnerability is due to that the software uses external input to construct a pathname that is intended to identify a file or directory that is located underneath a restricted parent directory, but the software does not properly validate the pathname. Successful exploit could allow the attacker to access a location that is outside of the restricted directory by a crafted filename. Affected product versions include:HUAWEI Mate 20 9.0.0.195(C01E195R2P1), 9.1.0.139(C00E133R3P1);HUAWEI Mate 20 Pro 9.0.0.187(C432E10R1P16), 9.0.0.188(C185E10R2P1), 9.0.0.245(C10E10R2P1), 9.0.0.266(C432E10R1P16), 9.0.0.267(C636E10R2P1), 9.0.0.268(C635E12R1P16), 9.0.0.278(C185E10R2P1); Hima-L29C 9.0.0.105(C10E9R1P16), 9.0.0.105(C185E9R1P16),

9.0.0.105(C636E9R1P16); Laya-AL00EP 9.1.0.139(C786E133R3P1); OxfordS-AN00A
 10.1.0.223(C00E210R5P1); Tony-AL00B 9.1.0.257(C00E222R2P1)., Access Vector: PHYSICAL,
 Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact:
 NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2023-52547, Description: Huawei
 Matebook D16(Model: CREM-WXX9, BIOS: v2.26. Memory Corruption in SMI Handler of
 HddPassword SMM Module. This can be leveraged by a malicious OS attacker to corrupt data
 structures stored at the beginning of SMRAM and can potentially lead to code execution in SMM.,
 Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact:
 HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2023-52548,
 Description: Huawei Matebook D16(Model: CREM-WXX9, BIOS: v2.26) Arbitrary Memory
 Corruption in SMI Handler of ThisServicesSmm SMM module. This can be leveraged by a malicious
 OS attacker to corrupt arbitrary SMRAM memory and, in turn, lead to code execution in SMM,
 Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact:
 HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2023-52710,
 Description: Huawei Matebook D16(Model: CREM-WXX9, BIOS: v2.26), As the communication
 buffer size hasn't been properly validated to be of the expected size, it can partially overlap with the
 beginning SMRAM.This can be leveraged by a malicious OS attacker to corrupt data structures
 stored at the beginning of SMRAM and can potentially lead to code execution in SMM., Access
 Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH,
 Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Huawei P10: CVE ID: CVE-2017-8149, Description: The
 boot loaders of P10 and P10 Plus Huawei mobile phones with software the versions before
 Victoria-L09AC605B162, the versions before Victoria-L29AC605B162, the versions before
 Vicky-L29AC605B162 have an out-of-bounds memory access vulnerability due to the lack of
 parameter validation. An attacker with the root privilege of an Android system may trick a user into

installing a malicious APP. the APP can modify specific data to cause buffer overflow in the next system reboot, causing out-of-bounds memory read which can continuous system reboot., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-8150, Description: The boot loaders of P10 and P10 Plus Huawei mobile phones with software the versions before Victoria-L09AC605B162, the versions before Victoria-L29AC605B162, the versions before Vicky-L29AC605B162 have an arbitrary memory write vulnerability due to the lack of parameter validation. An attacker with the root privilege of an Android system may trick a user into installing a malicious APP. The APP can modify specific data to cause arbitrary memory writing in the next system reboot, causing continuous system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2018-7992, Description: Mdapt Driver of Huawei MediaPad M3 BTV-W09C128B353CUSTC128D001; Mate 9 Pro versions earlier than 8.0.0.356(C00); P10 Plus versions earlier than 8.0.0.357(C00) has a buffer overflow vulnerability. The driver does not sufficiently validate the input, an attacker could trick the user to install a malicious application which would send crafted parameters to the driver. Successful exploit could cause a denial of service condition., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2018-7938, Description: P10 Huawei smartphones with the versions before Victoria-AL00AC00B217 have an information leak vulnerability due to the lack of permission validation. An attacker tricks a user into installing a malicious application on the smart phone, and the application can read some hardware serial number, which may cause sensitive information leak., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2020-1872, Description: Huawei smart phones P10 Plus with versions earlier than

9.1.0.201(C01E75R1P12T8), earlier than 9.1.0.252(C185E2R1P9T8), earlier than 9.1.0.252(C432E4R1P9T8), and earlier than 9.1.0.255(C576E6R1P8T8) have a digital balance bypass vulnerability. When re-configuring the mobile phone at the digital balance mode, an attacker can perform some operations to bypass the startup wizard, and then open some switch. As a result, the digital balance function is bypassed., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei P10 Plus: CVE ID: CVE-2017-8149, Description: The boot loaders of P10 and P10 Plus Huawei mobile phones with software the versions before Victoria-L09AC605B162, the versions before Victoria-L29AC605B162, the versions before Vicky-L29AC605B162 have an out-of-bounds memory access vulnerability due to the lack of parameter validation. An attacker with the root privilege of an Android system may trick a user into installing a malicious APP. the APP can modify specific data to cause buffer overflow in the next system reboot, causing out-of-bounds memory read which can continuous system reboot., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-8150, Description: The boot loaders of P10 and P10 Plus Huawei mobile phones with software the versions before Victoria-L09AC605B162, the versions before Victoria-L29AC605B162, the versions before Vicky-L29AC605B162 have an arbitrary memory write vulnerability due to the lack of parameter validation. An attacker with the root privilege of an Android system may trick a user into installing a malicious APP. The APP can modify specific data to cause arbitrary memory writing in the next system reboot, causing continuous system reboot or arbitrary code execution., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2018-7992, Description: Mdapt Driver of Huawei MediaPad M3

BTV-W09C128B353CUSTC128D001; Mate 9 Pro versions earlier than 8.0.0.356(C00); P10 Plus versions earlier than 8.0.0.357(C00) has a buffer overflow vulnerability. The driver does not sufficiently validate the input, an attacker could trick the user to install a malicious application which would send crafted parameters to the driver. Successful exploit could cause a denial of service condition., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2020-1872, Description: Huawei smart phones P10 Plus with versions earlier than 9.1.0.201(C01E75R1P12T8), earlier than 9.1.0.252(C185E2R1P9T8), earlier than 9.1.0.252(C432E4R1P9T8), and earlier than 9.1.0.255(C576E6R1P8T8) have a digital balance bypass vulnerability. When re-configuring the mobile phone at the digital balance mode, an attacker can perform some operations to bypass the startup wizard, and then open some switch. As a result, the digital balance function is bypassed., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for Huawei P9: CVE ID: CVE-2016-8757, Description: ION memory management module in Huawei P9 phones with software EVA-AL10C00B192 and earlier versions, EVA-DL10C00B192 and earlier versions, EVA-TL10C00B192 and earlier versions, EVA-CL10C00B192 and earlier versions allows attackers to obtain sensitive information from uninitialized memory., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2016-8759, Description: Video driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a stack overflow vulnerability, which allows attackers to crash the system or escalate user privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE,

Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8760, Description: Touchscreen driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a heap overflow vulnerability, which allows attackers to crash the system or escalate user privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8761, Description: Video driver in Huawei P9 phones with software versions before EVA-AL10C00B192 and Huawei Honor 6 phones with software versions before H60-L02_6.10.1 has a stack overflow vulnerability, which allows attackers to crash the system or escalate user privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8762, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an input validation vulnerability, which allows attackers to cause the system to restart., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2016-8763, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an improper resource release vulnerability, which allows attackers to cause a system restart or privilege elevation., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8764, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an input validation vulnerability, which

allows attackers to read and write user-mode memory data anywhere in the TrustZone driver., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.1, Base Severity: MEDIUM CVE ID: CVE-2016-8774, Description: The HIFI driver in Huawei Mate 8 phones with software versions before NXT-AL10C00B386, versions before NXT-CL00C92B386, versions before NXT-DL00C17B386, versions before NXT-TL00C01B386; Mate S phones with software Versions before CRR-CL00C92B368, Versions before CRR-CL20C92B368, Versions before CRR-TL00C01B368, Versions before CRR-UL00C00B368, Versions before CRR-UL20C00B368; P8 phones with software Versions before GRA-TL00C01B366, Versions before GRA-CL00C92B366, Versions before GRA-CL10C92B366, Versions before GRA-UL00C00B366, Versions before GRA-UL10C00B366; and P9 phones with software Versions before EVA-AL10C00B190, Versions before EVA-DL10C00B190, Versions before EVA-TL10C00B190, Versions before EVA-CL10C00B190 allows attackers to get root privilege or crash the system or execute arbitrary code, related to a buffer overflow., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2016-8776, Description: Huawei P9 phones with software EVA-AL10C00,EVA-CL10C00,EVA-DL10C00,EVA-TL10C00 and P9 Lite phones with software VNS-L21C185 allow attackers to bypass the factory reset protection (FRP) to enter some functional modules without authorization and perform operations to update the Google account., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2017-2691, Description: Huawei P9 versions earlier before EVA-AL10C00B373, versions earlier before EVA-CL00C92B373, versions earlier before EVA-DL00C17B373, versions earlier before EVA-TL00C01B373 have a lock-screen bypass vulnerability. An unauthenticated attacker could force the phone to the fastboot mode and delete the user's password file during the reboot process, then login the phone without screen lock password after reboot., Access Vector: LOCAL,

Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2017-2705, Description: Huawei P9 smartphones with software versions earlier before EVA-AL10C00B365, versions earlier before EVA-AL00C00B365, versions earlier before EVA-CL00C92B365, versions earlier before EVA-DL00C17B365, versions earlier before EVA-TL00C01B365 have a phone activation bypass vulnerability. Successful exploit could allow an unauthenticated attacker to bypass phone activation to settings page of the phone., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2017-2713, Description: HUAWEI P9 smartphones with software versions earlier before EVA-L09C432B383, versions earlier before EVA-L09C636B380, versions earlier before VIE-L09C432B370, versions earlier before VIE-L29C636B370 have an insufficient input validation vulnerability. An attacker could exploit this vulnerability to tamper with air interface signaling messages and obtain some communication information., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.8, Base Severity: MEDIUM CVE ID: CVE-2017-2727, Description: Huawei P9 smart phones with software versions earlier before EVA-AL00C00B365, versions earlier before EVA-AL10C00B365, Versions earlier before EVA-CL00C92B365, versions earlier before EVA-DL00C17B365, versions earlier before EVA-TL00C01B365 have a privilege escalation vulnerability. An unauthenticated attacker can bypass phone activation to user management page of the phone and create a new user. Successful exploit could allow the attacker operate part function of the phone., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2017-8143, Description: Wi-Fi driver of Honor 5C and P9 Lite Huawei smart phones with software versions earlier than NEM-L21C432B351 and versions earlier than VNS-L21C10B381 has a DoS vulnerability. An attacker may trick a user into installing a malicious application and the application can access invalid

address of driver to crash the system., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2016-8783, Description: Touchscreen drive in Huawei H60 (Honor 6) Versions earlier than H60-L02_6.12.16 and P9 Plus Versions earlier than VIE-AL10BC00B356 has a stack overflow vulnerabilities. An attacker tricks a user into installing a malicious application on the smart phone, and send given parameter to touchscreen drive to crash the system or escalate privilege., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2017-17319, Description: Huawei P9 smartphones with the versions before EVA-AL10C00B399SP02 have an information disclosure vulnerability. The software does not properly protect certain resource which can be accessed by multithreading. An attacker tricks the user who has root privilege to install a crafted application, successful exploit could result in kernel information disclosure., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-17313, Description: The inputhub driver of HUAWEI P9 Lite mobile phones with Versions earlier than VNS-L21C02B341, Versions earlier than VNS-L21C22B380, Versions earlier than VNS-L31C02B341, Versions earlier than VNS-L31C440B390, Versions earlier than VNS-L31C636B396 has a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP and the APP may sends specific data to the inputhub driver to exploit this vulnerability, successful exploit could cause the system reboot., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH

These are the vulnerabilities known for Huawei P9 Lite: CVE ID: CVE-2016-8762, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and

P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an input validation vulnerability, which allows attackers to cause the system to restart., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2016-8763, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an improper resource release vulnerability, which allows attackers to cause a system restart or privilege elevation., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-8764, Description: The TrustZone driver in Huawei P9 phones with software Versions earlier than EVA-AL10C00B352 and P9 Lite with software VNS-L21C185B130 and earlier versions and P8 Lite with software ALE-L02C636B150 and earlier versions has an input validation vulnerability, which allows attackers to read and write user-mode memory data anywhere in the TrustZone driver., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.1, Base Severity: MEDIUM CVE ID: CVE-2016-8776, Description: Huawei P9 phones with software EVA-AL10C00,EVA-CL10C00,EVA-DL10C00,EVA-TL10C00 and P9 Lite phones with software VNS-L21C185 allow attackers to bypass the factory reset protection (FRP) to enter some functional modules without authorization and perform operations to update the Google account., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2017-8143, Description: Wi-Fi driver of Honor 5C and P9 Lite Huawei smart phones with software versions earlier than NEM-L21C432B351 and versions earlier than VNS-L21C10B381 has a DoS vulnerability. An attacker may trick a user into installing a malicious application and the application can access invalid address of driver to crash the system., Access Vector: NETWORK,

Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2017-17313, Description: The inpuhub driver of HUAWEI P9 Lite mobile phones with Versions earlier than VNS-L21C02B341, Versions earlier than VNS-L21C22B380, Versions earlier than VNS-L31C02B341, Versions earlier than VNS-L31C440B390, Versions earlier than VNS-L31C636B396 has a buffer overflow vulnerability due to the lack of parameter validation. An attacker tricks a user into installing a malicious APP and the APP may sends specific data to the inpuhub driver to exploit this vulnerability, successful exploit could cause the system reboot., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH

These are the vulnerabilities known for Innominate mGuard Smart HW: CVE ID: CVE-2012-3006, Description: The Innominate mGuard Smart HW before HW-101130 and BD before BD-101030, mGuard industrial RS, mGuard delta HW before HW-103060 and BD before BD-211010, mGuard PCI, mGuard blade, and EAGLE mGuard appliances with software before 7.5.0 do not use a sufficient source of entropy for private keys, which makes it easier for man-in-the-middle attackers to spoof (1) HTTPS or (2) SSH servers by predicting a key value., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH

These are the vulnerabilities known for Intelbras NPLUG: CVE ID: CVE-2018-12455, Description: Intelbras NPLUG 1.0.0.14 wireless repeater devices have a critical vulnerability that allows an attacker to authenticate in the web interface just by using "admin:" as the name of a cookie., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2018-12456, Description: Intelbras NPLUG 1.0.0.14 wireless repeater devices have no

CSRF token protection in the web interface, allowing attackers to perform actions such as changing the wireless SSID, rebooting the device, editing access control lists, or activating remote access., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2018-17337, Description: Intelbras NPLUG 1.0.0.14 devices have XSS via a crafted SSID that is received via a network broadcast., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for Iphone 10: CVE ID: CVE-2007-2399, Description: WebKit in Apple Mac OS X 10.3.9, 10.4.9 and later, and iPhone before 1.0.1 performs an "invalid type conversion", which allows remote attackers to execute arbitrary code via unspecified frame sets that trigger memory corruption., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2007-2401, Description: CRLF injection vulnerability in WebCore in Apple Mac OS X 10.3.9, 10.4.9 and later, and iPhone before 1.0.1, allows remote attackers to inject arbitrary HTTP headers via LF characters in an XMLHttpRequest request, which are not filtered when serializing headers via the setRequestHeader function. NOTE: this issue can be leveraged for cross-site scripting (XSS) attacks., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2007-3756, Description: Safari in Apple iPhone 1.1.1, and Safari 3 before Beta Update 3.0.4 on Windows and Mac OS X 10.4 through 10.4.10, allows remote attackers to obtain sensitive information via a crafted web page that identifies the URL of the parent window, even when the parent window is in a different domain., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID:

CVE-2007-3758, Description: Safari in Apple iPhone 1.1.1, and Safari 3 before Beta Update 3.0.4 on Windows and in Mac OS X 10.4 through 10.4.10, allows remote attackers to set Javascript window properties for web pages that are in a different domain, which can be leveraged to conduct cross-site scripting (XSS) attacks., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2007-3760, Description: Cross-site scripting (XSS) vulnerability in Safari in Apple iPhone 1.1.1, and Safari 3 before Beta Update 3.0.4 on Windows and Mac OS X 10.4 through 10.4.10, allows remote attackers to inject arbitrary web script or HTML via frame tags., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2007-4671, Description: Unspecified vulnerability in Safari in Apple iPhone 1.1.1, and Safari 3 before Beta Update 3.0.4 on Windows and Mac OS X 10.4 through 10.4.10, allows remote attackers to "alter or access" HTTPS content via an HTTP session with a crafted web page that causes Javascript to be applied to HTTPS pages from the same domain., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2007-5858, Description: WebKit in Safari in Apple Mac OS X 10.4.11 and 10.5.1, iPhone 1.0 through 1.1.2, and iPod touch 1.1 through 1.1.2 allows remote attackers to "navigate the subframes of any other page," which can be leveraged to conduct cross-site scripting (XSS) attacks and obtain sensitive information., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2008-0035, Description: Unspecified vulnerability in Foundation, as used in Apple iPhone 1.0 through 1.1.2, iPod touch 1.1 through 1.1.2, and Mac OS X 10.5 through 10.5.1, allows remote attackers to cause a denial of service (application termination) or execute arbitrary code via a crafted URL that triggers memory corruption in Safari., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact:

PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2008-2320, Description: Stack-based buffer overflow in CarbonCore in Apple Mac OS X 10.4.11 and 10.5.4, iPhone OS 1.0 through 2.2.1, and iPhone OS for iPod touch 1.1 through 2.2.1 allows context-dependent attackers to execute arbitrary code or cause a denial of service (application crash) via a long filename to the file management API., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2008-4211, Description: Integer signedness error in (1) QuickLook in Apple Mac OS X 10.5.5 and (2) Office Viewer in Apple iPhone OS 1.0 through 2.1 and iPhone OS for iPod touch 1.1 through 2.1 allows remote attackers to cause a denial of service (application termination) and execute arbitrary code via a crafted Microsoft Excel file that triggers an out-of-bounds memory access, related to "handling of columns.", Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2009-0145, Description: CoreGraphics in Apple Mac OS X 10.4.11 and 10.5 before 10.5.7, iPhone OS 1.0 through 2.2.1, and iPhone OS for iPod touch 1.1 through 2.2.1 allows remote attackers to execute arbitrary code or cause a denial of service (application crash) via a crafted PDF file that triggers memory corruption., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2009-0153, Description: International Components for Unicode (ICU) 4.0, 3.6, and other 3.x versions, as used in Apple Mac OS X 10.5 before 10.5.7, iPhone OS 1.0 through 2.2.1, iPhone OS for iPod touch 1.1 through 2.2.1, Fedora 9 and 10, and possibly other operating systems, does not properly handle invalid byte sequences during Unicode conversion, which might allow remote attackers to conduct cross-site scripting (XSS) attacks., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2009-0155, Description: Integer

underflow in CoreGraphics in Apple Mac OS X 10.5 before 10.5.7, iPhone OS 1.0 through 2.2.1, and iPhone OS for iPod touch 1.1 through 2.2.1 allows remote attackers to execute arbitrary code or cause a denial of service (application crash) via a crafted PDF file that triggers a heap-based buffer overflow., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2010-1119, Description: Use-after-free vulnerability in WebKit in Apple Safari before 5.0 on Mac OS X 10.5 through 10.6 and Windows, Safari before 4.1 on Mac OS X 10.4, and Safari on Apple iPhone OS allows remote attackers to execute arbitrary code or cause a denial of service (application crash), or read the SMS database or other data, via vectors related to "attribute manipulation," as demonstrated by Vincenzo Iozzo and Ralf Philipp Weinmann during a Pwn2Own competition at CanSecWest 2010., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2011-1417, Description: Integer overflow in QuickLook, as used in Apple Mac OS X before 10.6.7 and MobileSafari in Apple iOS before 4.2.7 and 4.3.x before 4.3.2, allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption and application crash) via a Microsoft Office document with a crafted size field in the OfficeArtMetafileHeader, related to OfficeArtBlip, as demonstrated on the iPhone by Charlie Miller and Dion Blazakis during a Pwn2Own competition at CanSecWest 2011., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2016-7638, Description: An issue was discovered in certain Apple products. iOS before 10.2 is affected. The issue involves the "Find My iPhone" component, which allows physically proximate attackers to disable this component by bypassing authentication., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2017-2352, Description: An issue was discovered in certain Apple products. iOS before 10.2.1 is affected. watchOS before 3.1.3 is

affected. The issue involves the "Unlock with iPhone" component, which allows attackers to bypass the wrist-presence protection mechanism and unlock a Watch device via unspecified vectors., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW

These are the vulnerabilities known for Iphone 11: CVE ID: CVE-2009-3936, Description: Unspecified vulnerability in Citrix Online Plug-in for Windows 11.0.x before 11.0.150 and 11.x before 11.2, Online Plug-in for Mac before 11.0, Receiver for iPhone before 1.0.3, and ICA Java, Mac, UNIX, and Windows Clients for XenApp and XenDesktop allows remote attackers to impersonate the SSL/TLS server and bypass authentication via a crafted certificate, a different vulnerability than CVE-2009-3555., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2018-4172, Description: An issue was discovered in certain Apple products. iOS before 11.3 is affected. The issue involves the "Find My iPhone" component. It allows physically proximate attackers to bypass the iCloud password requirement for disabling the "Find My iPhone" feature via vectors involving a backup restore., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW

These are the vulnerabilities known for Iphone 5: CVE ID: CVE-2008-4593, Description: Apple iPhone 2.1 with firmware 5F136, when Require Passcode is enabled and Show SMS Preview is disabled, allows physically proximate attackers to obtain sensitive information by performing an Emergency Call tap and then reading SMS messages on the device screen, aka Apple bug number 6267416., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.2, Base Severity: LOW CVE ID: CVE-2009-1688, Description: Cross-site scripting (XSS) vulnerability in WebKit in Apple Safari

before 4.0, iPhone OS 1.0 through 2.2.1, and iPhone OS for iPod touch 1.1 through 2.2.1 allows remote attackers to inject arbitrary web script or HTML via vectors related to determining a security context through an approach that is not the "HTML 5 standard method.", Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2010-1119, Description: Use-after-free vulnerability in WebKit in Apple Safari before 5.0 on Mac OS X 10.5 through 10.6 and Windows, Safari before 4.1 on Mac OS X 10.4, and Safari on Apple iPhone OS allows remote attackers to execute arbitrary code or cause a denial of service (application crash), or read the SMS database or other data, via vectors related to "attribute manipulation," as demonstrated by Vincenzo Iozzo and Ralf Philipp Weinmann during a Pwn2Own competition at CanSecWest 2010., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2011-1344, Description: Use-after-free vulnerability in WebKit, as used in Apple Safari before 5.0.5; iOS before 4.3.2 for iPhone, iPod, and iPad; iOS before 4.2.7 for iPhone 4 (CDMA); and possibly other products allows remote attackers to execute arbitrary code by adding children to a WBR tag and then removing the tag, related to text nodes, as demonstrated by Chaouki Bekrar during a Pwn2Own competition at CanSecWest 2011., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2012-1327, Description: dot11t/t_if_dot11_hal_ath.c in Cisco IOS 12.3, 12.4, 15.0, and 15.1 allows remote attackers to cause a denial of service (assertion failure and reboot) via 802.11 wireless traffic, as demonstrated by a video call from Apple iOS 5.0 on an iPhone 4S, aka Bug ID CSCtt94391., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 6.1, Base Severity: MEDIUM CVE ID: CVE-2017-8248, Description: A buffer overflow may occur in the processing of a downlink NAS message in Qualcomm Telephony as used in Apple iPhone 5 and

later, iPad 4th generation and later, iPod touch 6th generation., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-2730, Description: HUAWEI HiLink APP (for IOS) versions earlier before 5.0.25.306 and HUAWEI Tech Support APP (for IOS) versions earlier before 5.0.0 have an information leak vulnerability. When an iPhone with these APPs installed access the Wi-Fi hotspot built by attacker, the attacker can collect the information of iPhone mode and firmware version., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.9, Base Severity: LOW CVE ID: CVE-2021-34409, Description: It was discovered that the installation packages of the Zoom Client for Meetings for MacOS (Standard and for IT Admin) installation before version 5.2.0, Zoom Client Plugin for Sharing iPhone/iPad before version 5.2.0, and Zoom Rooms for Conference before version 5.1.0, copy pre- and post- installation shell scripts to a user-writable directory. In the affected products listed below, a malicious actor with local access to a user's machine could use this flaw to potentially run arbitrary system commands in a higher privileged context during the installation process., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Iphone 7: CVE ID: CVE-2013-5160, Description: Passcode Lock in Apple iOS before 7.0.2 on iPhone devices allows physically proximate attackers to bypass an intended passcode requirement, and dial arbitrary telephone numbers, by making a series of taps of the emergency-call button to trigger a NULL pointer dereference., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2013-5144, Description: Passcode Lock in Apple iOS before 7.0.3 on iPhone devices allows physically proximate attackers to bypass an intended passcode requirement, and dial arbitrary telephone

numbers, by tapping the emergency-call button during a certain notification and camera-pane state to trigger a NULL pointer dereference., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2013-5162, Description: Passcode Lock in Apple iOS before 7.0.3 on iPhone devices allows physically proximate attackers to bypass the passcode-failure disabled state by leveraging certain incorrect visibility of the passcode-entry view after use of the Phone app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2014-2019, Description: The iCloud subsystem in Apple iOS before 7.1 allows physically proximate attackers to bypass an intended password requirement, and turn off the Find My iPhone service or complete a Delete Account action and then associate this service with a different Apple ID account, by entering an arbitrary iCloud Account Password value and a blank iCloud Account Description value., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2014-1350, Description: Settings in Apple iOS before 7.1.2 allows physically proximate attackers to bypass an intended iCloud password requirement, and turn off the Find My iPhone service, by leveraging incorrect state management., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2020-6812, Description: The first time AirPods are connected to an iPhone, they become named after the user's name by default (e.g. Jane Doe's AirPods.) Websites with camera or microphone permission are able to enumerate device names, disclosing the user's name. To resolve this issue, Firefox added a special case that renames devices containing the substring 'AirPods' to simply 'AirPods'. This vulnerability affects Thunderbird < 68.6, Firefox < 74, Firefox < ESR68.6, and Firefox ESR < 68.6., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.3, Base Severity: MEDIUM

These are the vulnerabilities known for Iphone 8: CVE ID: CVE-2010-4548, Description: IBM Lotus Notes Traveler before 8.5.1.2 allows remote authenticated users to cause a denial of service (daemon crash) by accepting a meeting invitation with an iNotes client and then accepting this meeting invitation with an iPhone client., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2010-4552, Description: Memory leak in IBM Lotus Notes Traveler before 8.5.1.1 allows remote attackers to cause a denial of service (memory consumption and daemon outage) by sending many embedded objects in e-mail messages for iPhone clients., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2012-1327, Description: dot11/t_if_dot11_hal_ath.c in Cisco IOS 12.3, 12.4, 15.0, and 15.1 allows remote attackers to cause a denial of service (assertion failure and reboot) via 802.11 wireless traffic, as demonstrated by a video call from Apple iOS 5.0 on an iPhone 4S, aka Bug ID CSCtt94391., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 6.1, Base Severity: MEDIUM

These are the vulnerabilities known for Iphone 9: CVE ID: CVE-2009-0153, Description: International Components for Unicode (ICU) 4.0, 3.6, and other 3.x versions, as used in Apple Mac OS X 10.5 before 10.5.7, iPhone OS 1.0 through 2.2.1, iPhone OS for iPod touch 1.1 through 2.2.1, Fedora 9 and 10, and possibly other operating systems, does not properly handle invalid byte sequences during Unicode conversion, which might allow remote attackers to conduct cross-site scripting (XSS) attacks., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2010-1387, Description: Use-after-free vulnerability in

JavaScriptCore in WebKit in Apple iTunes before 9.2 on Windows, and Apple iOS before 4 on the iPhone and iPod touch, allows remote attackers to execute arbitrary code or cause a denial of service (application crash) via vectors related to page transitions, a different vulnerability than CVE-2010-1763 and CVE-2010-1769., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2010-1769, Description: WebKit in Apple iTunes before 9.2 on Windows, and Apple iOS before 4 on the iPhone and iPod touch, accesses out-of-bounds memory during the handling of tables, which allows remote attackers to execute arbitrary code or cause a denial of service (application crash) via a crafted HTML document, a different vulnerability than CVE-2010-1387 and CVE-2010-1763., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2010-1768, Description: Unspecified vulnerability in Apple iTunes before 9.1 allows local users to gain console privileges via vectors related to log files, "insecure file operation," and syncing an iPhone, iPad, or iPod touch., Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.9, Base Severity: MEDIUM

These are the vulnerabilities known for JBL Go 2: CVE ID: CVE-2021-38548, Description: JBL Go 2 devices through 2021-08-09 allow remote attackers to recover speech signals from an LED on the device, via a telescope and an electro-optical sensor, aka a "Glowworm" attack. The power indicator LED of the speakers is connected directly to the power line, as a result, the intensity of a device's power indicator LED is correlative to the power consumption. The sound played by the speakers affects their power consumption and as a result is also correlative to the light intensity of the LEDs. By analyzing measurements obtained from an electro-optical sensor directed at the power indicator LEDs of the speakers, we can recover the sound played by them., Access Vector: NETWORK,

Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.9, Base Severity: MEDIUM

These are the vulnerabilities known for JBL TUNE500BT: CVE ID: CVE-2021-28155, Description: The Bluetooth Classic implementation on JBL TUNE500BT devices does not properly handle the reception of continuous unsolicited LMP responses, allowing attackers in radio range to trigger a denial of service and shutdown a device by flooding the target device with LMP Feature Response data., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM

These are the vulnerabilities known for Jisiwei i3: CVE ID: CVE-2019-12820, Description: A vulnerability was found in the app 2.0 of the Shenzhen Jisiwei i3 robot vacuum cleaner. Actions performed on the app such as changing a password, and personal information it communicates with the server, use unencrypted HTTP. As an example, while logging in through the app to a Jisiwei account, the login request is being sent in cleartext. The vulnerability exists in both the Android and iOS version of the app. An attacker could exploit this by using an MiTM attack on the local network to obtain someone's login credentials, which gives them full access to the robot vacuum cleaner., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2019-12821, Description: A vulnerability was found in the app 2.0 of the Shenzhen Jisiwei i3 robot vacuum cleaner, while adding a device to the account using a QR-code. The QR-code follows an easily predictable pattern that depends only on the specific device ID of the robot vacuum cleaner. By generating a QR-code containing information about the device ID, it is possible to connect an arbitrary device and gain full access to it. The device ID has an initial "JSW" substring followed by a six digit number that depends on the specific device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability

Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo Flex: CVE ID: CVE-2016-8227, Description: Privilege escalation vulnerability in Lenovo Transition application used in Lenovo Yoga, Flex and Miix systems running Windows allows local users to execute code with elevated privileges., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for Lenovo Miix: CVE ID: CVE-2016-8227, Description: Privilege escalation vulnerability in Lenovo Transition application used in Lenovo Yoga, Flex and Miix systems running Windows allows local users to execute code with elevated privileges., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for Lenovo ThinkPad A275: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo ThinkPad A285: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-8335, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad A285,

BIOS versions up to r0xuj70w; A485, BIOS versions up to r0wuj65w; T495 BIOS versions up to r12uj55w; T495s/X395, BIOS versions up to r13uj47w, while the emergency-reset button is pressed which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo ThinkPad A475: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo ThinkPad A485: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-8335, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad A285, BIOS versions up to r0xuj70w; A485, BIOS versions up to r0wuj65w; T495 BIOS versions up to r12uj55w; T495s/X395, BIOS versions up to r13uj47w, while the emergency-reset button is pressed which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo ThinkPad T440s: CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and

ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops

with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW

These are the vulnerabilities known for Lenovo ThinkPad T460p: CVE ID: CVE-2019-6188, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T460p, BIOS versions up to R07ET90W, and T470p, BIOS versions up to R0FET50W, which may allow for unauthorized access., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for Lenovo ThinkPad T495: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-8335, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad A285, BIOS versions up to r0xuj70w; A485, BIOS versions up to r0wuj65w; T495 BIOS versions up to r12uj55w; T495s/X395, BIOS versions up to r13uj47w, while the emergency-reset button is pressed which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8,

Base Severity: MEDIUM CVE ID: CVE-2020-8335, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad A285, BIOS versions up to r0xuj70w; A485, BIOS versions up to r0wuj65w; T495 BIOS versions up to r12uj55w; T495s/X395, BIOS versions up to r13uj47w, while the emergency-reset button is pressed which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo ThinkPad W541: CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7269, Description: Seagate ST500LT015 hard disk drives, when operating in eDrive mode on Lenovo ThinkPad W541 laptops with BIOS 2.21, allow physically proximate attackers to bypass self-encrypting drive (SED)

protection by attaching a second SATA connector to exposed pins, maintaining an alternate power source, and attaching the data cable to another machine, aka a "Hot Unplug Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW

These are the vulnerabilities known for Lenovo ThinkPad X395: CVE ID: CVE-2020-8334, Description: The BIOS tamper detection mechanism was not triggered in Lenovo ThinkPad T495s, X395, T495, A485, A285, A475, A275 which may allow for unauthorized access., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Lenovo Yoga: CVE ID: CVE-2016-8227, Description: Privilege escalation vulnerability in Lenovo Transition application used in Lenovo Yoga, Flex and Miix systems running Windows allows local users to execute code with elevated privileges., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for Microsoft Xbox 360: CVE ID: CVE-2007-1220, Description: The Hypervisor in Microsoft Xbox 360 kernel 4532 and 4548 does not properly verify the parameters passed to the syscall dispatcher, which allows attackers with physical access to bypass code-signing requirements and execute arbitrary code., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 6.2, Base Severity: MEDIUM CVE ID: CVE-2007-1221, Description: The Hypervisor in Microsoft Xbox 360 kernel 4532 and 4548 allows attackers with physical access to force execution of the hypervisor syscall with a certain register set, which bypasses intended code protection., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: COMPLETE,

Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH

These are the vulnerabilities known for Nokelock Smart padlock O1: CVE ID: CVE-2022-36228, Description: Nokelock Smart padlock O1 Version 5.3.0 is vulnerable to Insecure Permissions. By sending a request, you can add any device and set the device password in the Nokelock app., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM

These are the vulnerabilities known for Pebble Smartwatch: CVE ID: CVE-2016-10702, Description: Pebble Smartwatch devices through 4.3 mishandle UUID storage, which allows attackers to read an arbitrary application's flash storage, and access an arbitrary application's JavaScript instance, by modifying a UUID value within the header of a crafted application binary., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 5.8, Base Severity: MEDIUM

These are the vulnerabilities known for Philips Smart Wi-Fi Wiz Connected: CVE ID: CVE-2019-18980, Description: On Signify Philips Taolight Smart Wi-Fi Wiz Connected LED Bulb 9290022656 devices, an unprotected API lets remote users control the bulb's operation. Anyone can turn the bulb on or off, or change its color or brightness remotely. There is no authentication or encryption to use the control API. The only requirement is that the attacker have network access to the bulb., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for Playstation 3: CVE ID: CVE-2007-1728, Description: The Remote Play feature in Sony Playstation 3 (PS3) 1.60 and Playstation Portable (PSP) 3.10 OE-A

allows remote attackers to cause a denial of service via a flood of UDP packets., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2009-2541, Description: The web browser on the Sony PLAYSTATION 3 (PS3) allows remote attackers to cause a denial of service (memory consumption and console hang) via a large integer value for the length property of a Select object, a related issue to CVE-2009-1692., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2017-17010, Description: Untrusted search path vulnerability in Content Manager Assistant for PlayStation version 3.55.7671.0901 and earlier allows an attacker to gain privileges via a Trojan horse DLL in an unspecified directory., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Radio Thermostat CT50: CVE ID: CVE-2013-4860, Description: Radio Thermostat CT80 And CT50 with firmware 1.4.64 and earlier does not restrict access to the API, which allows remote attackers to change the operation mode, wifi connection settings, temperature thresholds, and other settings via unspecified vectors., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 8.3, Base Severity: HIGH CVE ID: CVE-2018-11315, Description: The Local HTTP API in Radio Thermostat CT50 and CT80 1.04.84 and below products allows unauthorized access via a DNS rebinding attack. This can result in remote device temperature control, as demonstrated by a tstat t_heat request that accesses a device purchased in the Spring of 2018, and sets a home's target temperature to 95 degrees Fahrenheit. This vulnerability might be described as an addendum to CVE-2013-4860., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity

Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW

These are the vulnerabilities known for Radio Thermostat CT80: CVE ID: CVE-2013-4860, Description: Radio Thermostat CT80 And CT50 with firmware 1.4.64 and earlier does not restrict access to the API, which allows remote attackers to change the operation mode, wifi connection settings, temperature thresholds, and other settings via unspecified vectors., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 8.3, Base Severity: HIGH CVE ID: CVE-2018-11315, Description: The Local HTTP API in Radio Thermostat CT50 and CT80 1.04.84 and below products allows unauthorized access via a DNS rebinding attack. This can result in remote device temperature control, as demonstrated by a tstat t_heat request that accesses a device purchased in the Spring of 2018, and sets a home's target temperature to 95 degrees Fahrenheit. This vulnerability might be described as an addendum to CVE-2013-4860., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW

These are the vulnerabilities known for Rittal Chiller SK 3232-Series: CVE ID: CVE-2019-13549, Description: Rittal Chiller SK 3232-Series web interface as built upon Carel pCOWeb firmware A1.5.3 ? B1.2.4. The authentication mechanism on affected systems does not provide a sufficient level of protection against unauthorized configuration changes. Primary operations, namely turning the cooling unit on and off and setting the temperature set point, can be modified without authentication., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2019-13553, Description: Rittal Chiller SK 3232-Series web interface as built upon Carel pCOWeb firmware A1.5.3 ? B1.2.4. The authentication mechanism on affected systems is configured using hard-coded credentials. These credentials could allow attackers to influence the

primary operations of the affected systems, namely turning the cooling unit on and off and setting the temperature set point., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for SONY Wireless Headphones WF-1000X: CVE ID: CVE-2020-5589, Description: SONY Wireless Headphones WF-1000X, WF-SP700N, WH-1000XM2, WH-1000XM3, WH-CH700N, WH-H900N, WH-XB700, WH-XB900N, WI-1000X, WI-C600N and WI-SP600N with firmware versions prior to 4.5.2 have vulnerability that someone within the Bluetooth range can make the Bluetooth pairing and operate such as changing volume of the product., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung 850 Pro: CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops

with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2023-36481, Description: An issue was discovered in Samsung Exynos Mobile Processor and Wearable Processor 9810, 9610, 9820, 980, 850, 1080, 2100, 2200, 1280, 1380, 1330, 9110, and W920. Improper handling of PPP length parameter inconsistency can cause an infinite loop., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-37367, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor, and Modem (Exynos 9820, Exynos 980, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123). In the NAS Task, an improperly implemented security check for standard can disallow desired services for a while via consecutive NAS messages., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2023-37368, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor, and Modem (Exynos Mobile Processor, Automotive Processor, and Modem - Exynos 9810, Exynos 9610, Exynos 9820, Exynos 980, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123). In the Shannon MM Task, Missing validation of a NULL pointer can cause abnormal termination via a malformed NR MM packet., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-37377, Description: An issue was discovered in Samsung Exynos Mobile Processor and Wearable Processor (Exynos 980, Exynos 850, Exynos 2100, and Exynos W920).

Improper handling of length parameter inconsistency can cause incorrect packet filtering., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-41111, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, Automotive Processor, and Modem (Exynos 9810, 9610, 9820, 980, 850, 1080, 2100, 2200, 1280, 1380, 1330, 9110, W920, Modem 5123, Modem 5300, and Auto T5123). Improper handling of a length parameter inconsistency can cause abnormal termination of a mobile phone. This occurs in the RLC task and RLC module., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-41112, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, Automotive Processor, and Modem (Exynos 9810, 9610, 9820, 980, 850, 1080, 2100, 2200, 1280, 1380, 1330, 9110, W920, Modem 5123, Modem 5300, and Auto T5123). A buffer copy, without checking the size of the input, can cause abnormal termination of a mobile phone. This occurs in the RLC task and RLC module., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-43122, Description: Samsung Mobile Processor and Wearable Processor (Exynos 980, 850, 1080, 2100, 2200, 1280, 1380, 1330, and W920) allow Information Disclosure in the Bootloader., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM CVE ID: CVE-2023-49927, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check format types specified by the RRC. This can lead to a lack of encryption., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.3, Base Severity: MEDIUM CVE

ID: CVE-2023-49928, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check states specified by the RRC. This can lead to disclosure of sensitive information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-50803, Description: An issue was discovered in Samsung Mobile Processor, and Modem Exynos 9820, Exynos 9825, Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check replay protection specified by the NAS (Non-Access-Stratum) module. This can lead to denial of service., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2023-50804, Description: An issue was discovered in Samsung Mobile Processor, and Modem Exynos 9820, Exynos 9825, Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check format types specified by the NAS (Non-Access-Stratum) module. This can lead to bypass of authentication., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.7, Base Severity: LOW CVE ID: CVE-2024-27370, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `hal_req->num_config_discovery_attr` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID:

CVE-2024-27371, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_followup_get_nl_params()`, there is no input validation check on `hal_req->service_specific_info_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27372, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `disc_attr->infrastructure_ssid_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27373, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `disc_attr->mesh_id_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27374, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_publish_get_nl_params()`, there is no input validation check on `hal_req->service_specific_info_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27375, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_followup_get_nl_params()`, there is no input validation check on

hal_req->sdea_service_specific_info_len coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27376, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function slsi_nan_subscribe_get_nl_params(), there is no input validation check on hal_req->rx_match_filter_len coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27377, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function slsi_nan_get_security_info_nl(), there is no input validation check on sec_info->key_info.body.pmk_info.pmk_len coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27378, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function slsi_send_action_frame_cert(), there is no input validation check on len coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27379, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function slsi_nan_subscribe_get_nl_params(), there is no input validation check on hal_req->num_intf_addr_present coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27380, Description: An issue was discovered in Samsung Mobile Processor Exynos 980,

Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_set_delayed_wakeup_type()`, there is no input validation check on a length of `ioctl_args->args[i]` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27381, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_send_action_frame_ut()`, there is no input validation check on `len` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27382, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_send_action_frame()`, there is no input validation check on `len` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-32503, Description: An issue was discovered in Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100, Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper memory deallocation checking, which can result in a UAF (Use-After-Free) vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-32502, Description: An issue was discovered in Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100, Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper reference count checking, which can result in a UAF (Use-After-Free) vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-32504, Description: An issue was discovered in

Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100, Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper length checking, which can result in an OOB (Out-of-Bounds) Write vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH

These are the vulnerabilities known for Samsung A3: CVE ID: CVE-2019-15433, Description: The Samsung A3 Android device with a build fingerprint of samsung/a3y17ltedx/a3y17lte:8.0.0/R16NW/A320YDXU4CSB3:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2020-35693, Description: On some Samsung phones and tablets running Android through 7.1.1, it is possible for an attacker-controlled Bluetooth Low Energy (BLE) device to pair silently with a vulnerable target device, without any user interaction, when the target device's Bluetooth is on, and it is running an app that offers a connectable BLE advertisement. An example of such an app could be a Bluetooth-based contact tracing app, such as Australia's COVIDSafe app, Singapore's TraceTogether app, or France's TousAntiCovid (formerly StopCovid). As part of the pairing process, two pieces (among others) of personally identifiable information are exchanged: the Identity Address of the Bluetooth adapter of the target device, and its associated Identity Resolving Key (IRK). Either one of these identifiers can be used to perform re-identification of the target device for long term tracking. The list of affected devices includes (but is not limited to): Galaxy Note 5, Galaxy S6 Edge, Galaxy A3, Tab A (2017),

J2 Pro (2018), Galaxy Note 4, and Galaxy S5., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung A5: CVE ID: CVE-2019-15434, Description: The Samsung A5 Android device with a build fingerprint of samsung/a5y17ltexx/a5y17lte:8.0.0/R16NW/A520FXXS8CSC5:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung A7: CVE ID: CVE-2019-15435, Description: The Samsung A7 Android device with a build fingerprint of samsung/a7y17ltexx/a7y17lte:8.0.0/R16NW/A720FXXU7CSC2:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung A8+: CVE ID: CVE-2019-15436, Description: The Samsung A8+ Android device with a build fingerprint of samsung/jackpot2ltexx/jackpot2lte:8.0.0/R16NW/A730FXXS4BSC2:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung D6000 TV: CVE ID: CVE-2012-4329, Description: The Samsung D6000 TV and possibly other products allow remote attackers to cause a denial of service (continuous restart) via a crafted controller name., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2012-4330, Description: The Samsung D6000 TV and possibly other products allows remote attackers to cause a denial of service (crash) via a long string in certain fields, as demonstrated by the MAC address field, possibly a buffer overflow., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Exynos: CVE ID: CVE-2012-6422, Description: The kernel in Samsung Galaxy S2, Galaxy Note 2, MEIZU MX, and possibly other Android devices, when running an Exynos 4210 or 4412 processor, uses weak permissions (0666) for /dev/exynos-mem, which allows attackers to read or write arbitrary physical memory and gain

privileges via a crafted application, as demonstrated by ExynosAbuse., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2016-9278, Description: The Samsung Exynos fimg2d driver for Android with Exynos 5433, 54xx, or 7420 chipsets allows local users to cause a denial of service (kernel panic) via a crafted ioctl command.

The Samsung ID is SVE-2016-6736., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 4.9, Base Severity: MEDIUM CVE ID: CVE-2016-9279, Description: Use-after-free vulnerability in the Samsung Exynos fimg2d driver for Android with Exynos 5433, 54xx, or 7420 chipsets allows attackers to obtain sensitive information via unspecified vectors. The Samsung ID is SVE-2016-6853., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2016-6604, Description: NULL pointer dereference in Samsung Exynos fimg2d driver for Android L(5.0/5.1) and M(6.0) allows attackers to have unspecified impact via unknown vectors. The Samsung ID is SVE-2016-6382., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-5538, Description: The kbase_dispatch function in arm/t7xx/r5p0/mali_kbase_core_linux.c in the GPU driver on Samsung devices with M(6.0) and N(7.0) software and Exynos AP chipsets allows attackers to have unspecified impact via unknown vectors, which trigger an out-of-bounds read, aka SVE-2016-6362., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2017-18020, Description: On Samsung mobile devices with L(5.x), M(6.x), and N(7.x) software and Exynos chipsets, attackers can execute arbitrary code in the bootloader because S Boot omits a size check during a copy of ramfs data to memory. The Samsung ID is SVE-2017-10598., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact:

COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.2, Base Severity: HIGH CVE ID: CVE-2018-5210, Description: On Samsung mobile devices with N(7.x) software and Exynos chipsets, attackers can conduct a Trustlet stack overflow attack for arbitrary TEE code execution, in conjunction with a brute-force attack to discover unlock information (PIN, password, or pattern). The Samsung ID is SVE-2017-10733., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2019-16400, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow attackers to send AT commands over Bluetooth, resulting in several Denial of Service (DoS) attacks., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2019-16401, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow injection of AT+CIMI and AT+CGSN over Bluetooth, leaking sensitive information such as IMSI, IMEI, call status, call setup stage, internet service status, signal strength, current roaming status, battery level, and call held status., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5,

Base Severity: MEDIUM CVE ID: CVE-2019-19273, Description: On Samsung mobile devices with O(8.0) and P(9.0) software and an Exynos 8895 chipset, RKP (aka the Samsung Hypervisor EL2 implementation) allows arbitrary memory write operations. The Samsung ID is SVE-2019-16265., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2015-7890, Description: Multiple buffer overflows in the esa_write function in /dev/seiren in the Exynos Seiren Audio driver, as used in Samsung S6 Edge, allow local users to cause a denial of service (memory corruption) via a large (1) buffer or (2) size parameter., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2020-8860, Description: This vulnerability allows remote attackers to execute arbitrary code on affected installations of Samsung Galaxy S10 Firmware G973FXXS3ASJA, O(8.x), P(9.0), Q(10.0) devices with Exynos chipsets. User interaction is required to exploit this vulnerability in that the target must answer a phone call. The specific flaw exists within the Call Control Setup messages. The issue results from the lack of proper validation of the length of user-supplied data prior to copying it to a fixed-length, stack-based buffer. An attacker can leverage this vulnerability to execute code in the context of the baseband processor. Was ZDI-CAN-9658., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH CVE ID: CVE-2020-10835, Description: An issue was discovered on Samsung mobile devices with any (before February 2020 for Exynos modem chipsets) software. There is a buffer overflow in baseband CP message decoding. The Samsung IDs are SVE-2019-15816 and SVE-2019-15817 (February 2020)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-10849, Description: An issue was discovered on Samsung mobile devices with O(8.x), P(9.0), and Q(10.0) (Exynos7885, Exynos8895, and Exynos9810 chipsets) software. The Gatekeeper trustlet allows a brute-force attack on the screen lock password. The Samsung ID is

SVE-2019-14575 (January 2020)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2019-20553, Description: An issue was discovered on Samsung mobile devices with P(9.0) (SM6150, SM8150, SM8150_FUSION, exynos7885, exynos9610, and exynos9820 chipsets) software. Arbitrary memory read and write operations can occur in RKP. The Samsung ID is SVE-2019-15143 (October 2019)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2019-20556, Description: An issue was discovered on Samsung mobile devices with P(9.0) (SM6150, SM8150, SM8150_FUSION, exynos7885, exynos9610, and exynos9820 chipsets) software. RKP memory corruption allows attackers to control the effective address in EL2. The Samsung ID is SVE-2019-15221 (October 2019)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2019-20566, Description: An issue was discovered on Samsung mobile devices with any (before September 2019 for SMP1300 Exynos modem chipsets) software. Attackers can trigger stack corruption in the Shannon modem via a crafted RP-Originator/Destination address. The Samsung ID is SVE-2019-14858 (September 2019)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2019-20607, Description: An issue was discovered on Samsung mobile devices with N(7.x), O(8.x), and P(9.0) (MSM8996, MSM8998, Exynos7420, Exynos7870, Exynos8890, and Exynos8895 chipsets) software. A heap overflow in the keymaster Trustlet allows attackers to write to TEE memory, and achieve arbitrary code execution. The Samsung ID is SVE-2019-14126 (May 2019)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2017-18692, Description: An issue was discovered on Samsung mobile devices with M(6.0) and N(7.0) (MSM8939, MSM8996, MSM8998,

Exynos7580, Exynos8890, or Exynos8895 chipsets) software. There is a race condition, with a resultant buffer overflow, in the sec_ts touchscreen sysfs interface. The Samsung ID is SVE-2016-7501 (January 2017)., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.1, Base Severity: HIGH CVE ID: CVE-2017-18696, Description: An issue was discovered on Samsung mobile devices with M(6.0) and N(7.0) (Exynos7420, Exynos8890, or MSM8996 chipsets) software. RKP allows memory corruption. The Samsung ID is SVE-2016-7897 (January 2017)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2017-18689, Description: An issue was discovered on Samsung mobile devices with M(6.0) and N(7.0) (Exynos5433, Exynos7420, or Exynos7870 chipsets) software. An attacker can bypass a ko (aka Kernel Module) signature by modifying the count of kernel modules. The Samsung ID is SVE-2016-7466 (January 2017)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2017-18690, Description: An issue was discovered on Samsung mobile devices with KK(4.4), L(5.0/5.1), M(6.0), and N(7.0) (Exynos54xx, Exynos7420, Exynos8890, or Exynos8895 chipsets) software. There is a buffer overflow in the sensor hub. The Samsung ID is SVE-2016-7484 (January 2017)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2018-21090, Description: An issue was discovered on Samsung mobile devices with software through 2017-11-03 (S.LSI modem chipsets). The Exynos modem chipset has a baseband buffer overflow. The Samsung ID is SVE-2017-10745 (January 2018)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2018-21054, Description: An issue was discovered on Samsung mobile devices with M(6.0), N(7.x) and O(8.x) except exynos9610/9820 in all Platforms, M(6.0) except MSM8909 SC77xx/9830

exynos3470/5420, N(7.0) except MSM8939, N(7.1) except MSM8996 SDM6xx/M6737T software. There is an integer underflow with a resultant buffer overflow in eCryptFS. The Samsung ID is SVE-2017-11857 (September 2018)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2018-21058, Description: An issue was discovered on Samsung mobile devices with N(7.0), O(8.0) (exynos7420 or Exynos 8890/8996 chipsets) software. Cache attacks can occur against the Keymaster AES-GCM implementation because T-Tables are used; the Cryptography Extension (CE) is not used. The Samsung ID is SVE-2018-12761 (September 2018)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-12747, Description: An issue was discovered on Samsung mobile devices with Q(10.0) (Exynos980 9630 and Exynos990 9830 chipsets) software. The Bootloader has a heap-based buffer overflow because of the mishandling of specific commands. The Samsung IDs are SVE-2020-16981, SVE-2020-16991 (May 2020)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-13832, Description: An issue was discovered on Samsung mobile devices with Q(10.0) (with TEEGRIS on Exynos chipsets) software. The Widevine Trustlet allows arbitrary code execution because of memory disclosure, The Samsung IDs are SVE-2020-17117, SVE-2020-17118, SVE-2020-17119, and SVE-2020-17161 (June 2020)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26075, Description: An issue was discovered in Samsung Mobile Chipset and Baseband Modem Chipset for Exynos 850, Exynos 980, Exynos 1080, Exynos 1280, Exynos 2200, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123. An intra-object overflow in the 5G MM message codec can occur due to insufficient parameter validation when decoding the Service Area List., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity

Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-24033, Description: The Samsung Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, and Exynos Auto T512 baseband modem chipsets do not properly check format types specified by the Session Description Protocol (SDP) module, which can lead to a denial of service., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26072, Description: An issue was discovered in Samsung Mobile Chipset and Baseband Modem Chipset for Exynos 850, Exynos 980, Exynos 1080, Exynos 1280, Exynos 2200, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123. A heap-based buffer overflow in the 5G MM message codec can occur due to insufficient parameter validation when decoding the Emergency number list., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26074, Description: An issue was discovered in Samsung Mobile Chipset and Baseband Modem Chipset for Exynos 850, Exynos 980, Exynos 1080, Exynos 1280, Exynos 2200, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123.. A heap-based buffer overflow in the 5G MM message codec can occur due to insufficient parameter validation when decoding operator-defined access category definitions., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26073, Description: An issue was discovered in Samsung Mobile Chipset and Baseband Modem Chipset for Exynos 850, Exynos 980, Exynos 1080, Exynos 1280, Exynos 2200, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123. A heap-based buffer overflow in the 5G MM message codec can occur due to insufficient parameter validation when decoding the extended emergency number list., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26076, Description: An issue was discovered in Samsung Mobile Chipset and Baseband Modem Chipset

for Exynos 1280, Exynos 2200, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123. An intra-object overflow in the 5G SM message codec can occur due to insufficient parameter validation when decoding reserved options., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26497, Description: An issue was discovered in Samsung Baseband Modem Chipset for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, and Exynos Auto T5125. Memory corruption can occur when processing Session Description Negotiation for Video Configuration Attribute., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26498, Description: An issue was discovered in Samsung Baseband Modem Chipset for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos Auto T5126. Memory corruption can occur due to improper checking of the number of properties while parsing the chatroom attribute in the SDP (Session Description Protocol) module., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-26496, Description: An issue was discovered in Samsung Baseband Modem Chipset for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, and Exynos Auto T5124. Memory corruption can occur due to improper checking of the parameter length while parsing the fntp attribute in the SDP (Session Description Protocol) module., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-28613, Description: An issue was discovered in Samsung Exynos Mobile Processor and Baseband Modem Processor for Exynos 1280, Exynos 2200, and Exynos Modem 5300. An integer overflow in IPv4 fragment handling can occur due to insufficient parameter validation when reassembling these fragments., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8,

Base Severity: CRITICAL CVE ID: CVE-2023-29085, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP status line., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29086, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP Min-SE header., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29087, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP Retry-After header., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29088, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP Session-Expires header., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29089, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation

while decoding SIP multipart messages., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29090, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP Via header., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-29091, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor and Modem for Exynos Modem 5123, Exynos Modem 5300, Exynos 980, Exynos 1080, Exynos 9110, and Exynos Auto T5123. Memory corruption can occur due to insufficient parameter validation while decoding an SIP URI., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-31114, Description: An issue was discovered in the Shannon RCS component in Samsung Exynos Modem 5123 and 5300. Incorrect resource transfer between spheres can cause unintended querying of the SIM status via a crafted application., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 9.1, Base Severity: CRITICAL CVE ID: CVE-2023-31115, Description: An issue was discovered in the Shannon RCS component in Samsung Exynos Modem 5123 and 5300. Incorrect resource transfer between spheres can cause changes to the activation mode of RCS via a crafted application., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-31116, Description: An issue was discovered in the Shannon RCS component in Samsung Exynos Modem 5123 and 5300. An incorrect default permission can cause unintended querying of RCS capability via a crafted application., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH,

Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2023-36481, Description: An issue was discovered in Samsung Exynos Mobile Processor and Wearable Processor 9810, 9610, 9820, 980, 850, 1080, 2100, 2200, 1280, 1380, 1330, 9110, and W920. Improper handling of PPP length parameter inconsistency can cause an infinite loop., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-37367, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor, and Modem (Exynos 9820, Exynos 980, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123. In the NAS Task, an improperly implemented security check for standard can disallow desired services for a while via consecutive NAS messages., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2023-37368, Description: An issue was discovered in Samsung Exynos Mobile Processor, Automotive Processor, and Modem (Exynos Mobile Processor, Automotive Processor, and Modem - Exynos 9810, Exynos 9610, Exynos 9820, Exynos 980, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300, and Exynos Auto T5123). In the Shannon MM Task, Missing validation of a NULL pointer can cause abnormal termination via a malformed NR MM packet., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-37377, Description: An issue was discovered in Samsung Exynos Mobile Processor and Wearable Processor (Exynos 980, Exynos 850, Exynos 2100, and Exynos W920). Improper handling of length parameter inconsistency can cause incorrect packet filtering., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-40218,

Description: An issue was discovered in the NPU kernel driver in Samsung Exynos Mobile Processor 9820, 980, 2100, 2200, 1280, and 1380. An integer overflow can bypass detection of error cases via a crafted application., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2023-42482, Description: Samsung Mobile Processor Exynos 2200 allows a GPU Use After Free., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-41911, Description: Samsung Mobile Processor Exynos 2200 allows a GPU Double Free (issue 1 of 2)., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 5.5, Base Severity: MEDIUM CVE ID: CVE-2023-42483, Description: A TOCTOU race condition in Samsung Mobile Processor Exynos 9820, Exynos 980, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, and Exynos 1380 can cause unexpected termination of a system., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 4.7, Base Severity: MEDIUM CVE ID: CVE-2023-45864, Description: A race condition issue discovered in Samsung Mobile Processor Exynos 9820, 980, 1080, 2100, 2200, 1280, and 1380 allows unintended modifications of values within certain areas., Access Vector: LOCAL, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.7, Base Severity: MEDIUM CVE ID: CVE-2024-29152, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 2400, Exynos Modem 5123, and Exynos Modem 5300. The baseband software does not properly check states specified by the RRC (Radio Resource Control) Reconfiguration message. This can lead to disclosure of sensitive information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID:

CVE-2023-49927, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check format types specified by the RRC. This can lead to a lack of encryption., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2023-49928, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 9110, Exynos W920, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check states specified by the RRC. This can lead to disclosure of sensitive information., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-50803, Description: An issue was discovered in Samsung Mobile Processor, and Modem Exynos 9820, Exynos 9825, Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check replay protection specified by the NAS (Non-Access-Stratum) module. This can lead to denial of service., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: LOW, Base Score: 5.3, Base Severity: MEDIUM CVE ID: CVE-2023-50804, Description: An issue was discovered in Samsung Mobile Processor, and Modem Exynos 9820, Exynos 9825, Exynos 980, Exynos 990, Exynos 850, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check format types specified by the NAS (Non-Access-Stratum) module. This can lead to bypass of authentication., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 3.7, Base Severity:

LOW CVE ID: CVE-2024-27370, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `hal_req->num_config_discovery_attr` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27371, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_followup_get_nl_params()`, there is no input validation check on `hal_req->service_specific_info_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27372, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `disc_attr->infrastructure_ssid_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27373, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_config_get_nl_params()`, there is no input validation check on `disc_attr->mesh_id_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27374, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_publish_get_nl_params()`, there is no input validation

check on `hal_req->service_specific_info_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27375, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_followup_get_nl_params()`, there is no input validation check on `hal_req->sdea_service_specific_info_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27376, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_subscribe_get_nl_params()`, there is no input validation check on `hal_req->rx_match_filter_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27377, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_get_security_info_nl()`, there is no input validation check on `sec_info->key_info.body.pmk_info.pmk_len` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27378, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_send_action_frame_cert()`, there is no input validation check on `len` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27379, Description: An issue was discovered in

Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_nan_subscribe_get_nl_params()`, there is no input validation check on `hal_req->num_intf_addr_present` coming from userspace, which can lead to a heap overwrite., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2024-27380, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_set_delayed_wakeup_type()`, there is no input validation check on a length of `ioctl_args->args[i]` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27381, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_send_action_frame_ut()`, there is no input validation check on `len` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-27382, Description: An issue was discovered in Samsung Mobile Processor Exynos 980, Exynos 850, Exynos 1280, Exynos 1380, and Exynos 1330. In the function `slsi_send_action_frame()`, there is no input validation check on `len` coming from userspace, which can lead to a heap over-read., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.0, Base Severity: MEDIUM CVE ID: CVE-2024-28818, Description: An issue was discovered in Samsung Mobile Processor, Wearable Processor, and Modem Exynos 980, Exynos 990, Exynos 1080, Exynos 2100, Exynos 2200, Exynos 1280, Exynos 1380, Exynos 1330, Exynos 2400, Exynos Modem 5123, Exynos Modem 5300. The baseband software does not properly check states specified by the RRC (Radio Resource Control) module. This can lead to disclosure of sensitive information., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact:

HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.9, Base Severity: MEDIUM CVE ID: CVE-2024-32503, Description: An issue was discovered in Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100, Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper memory deallocation checking, which can result in a UAF (Use-After-Free) vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-31958, Description: An issue was discovered in Samsung Mobile Processor Exynos 2200, Exynos 1480, Exynos 2400. It lacks a check for the validation of native handles, which can result in an Out-of-Bounds Write., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2024-31959, Description: An issue was discovered in Samsung Mobile Processor Exynos 2200, Exynos 1480, Exynos 2400. It lacks a check for the validation of native handles, which can result in code execution., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-32502, Description: An issue was discovered in Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100, Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper reference count checking, which can result in a UAF (Use-After-Free) vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-31956, Description: An issue was discovered in Samsung Mobile Processor Exynos 2200, Exynos 1480, Exynos 2400. It lacks proper buffer length checking, which can result in an Out-of-Bounds Write., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2024-32504, Description: An issue was discovered in Samsung Mobile Processor and Wearable Processor Exynos 850, Exynos 1080, Exynos 2100,

Exynos 1280, Exynos 1380, Exynos 1330, Exynos W920, Exynos W930. The mobile processor lacks proper length checking, which can result in an OOB (Out-of-Bounds) Write vulnerability., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.4, Base Severity: HIGH CVE ID: CVE-2023-52884, Description: In the Linux kernel, the following vulnerability has been resolved:

Input: cyapa - add missing input core locking to suspend/resume functions

Grab input->mutex during suspend/resume functions like it is done in other input drivers. This fixes the following warning during system suspend/resume cycle on Samsung Exynos5250-based Snow Chromebook:

-----[cut here]-----

WARNING: CPU: 1 PID: 1680 at drivers/input/input.c:2291 input_device_enabled+0x68/0x6c

Modules linked in: ...

CPU: 1 PID: 1680 Comm: kworker/u4:12 Tainted: G W 6.6.0-rc5-next-20231009 #14109

Hardware name: Samsung Exynos (Flattened Device Tree)

Workqueue: events_unbound async_run_entry_fn

unwind_backtrace from show_stack+0x10/0x14

show_stack from dump_stack_lvl+0x58/0x70

dump_stack_lvl from __warn+0x1a8/0x1cc

__warn from warn_slowpath_fmt+0x18c/0x1b4

warn_slowpath_fmt from input_device_enabled+0x68/0x6c

input_device_enabled from cyapa_gen3_set_power_mode+0x13c/0x1dc

cyapa_gen3_set_power_mode from cyapa_reinitialize+0x10c/0x15c

cyapa_reinitialize from cyapa_resume+0x48/0x98

cyapa_resume from dpm_run_callback+0x90/0x298

dpm_run_callback from device_resume+0xb4/0x258

device_resume from async_resume+0x20/0x64

async_resume from async_run_entry_fn+0x40/0x15c

async_run_entry_fn from process_scheduled_works+0xbc/0x6a8

process_scheduled_works from worker_thread+0x188/0x454

worker_thread from kthread+0x108/0x140

kthread from ret_from_fork+0x14/0x28

Exception stack(0xf1625fb0 to 0xf1625ff8)

...

---[end trace 0000000000000000]---

...

-----[cut here]-----

WARNING: CPU: 1 PID: 1680 at drivers/input/input.c:2291 input_device_enabled+0x68/0x6c

Modules linked in: ...

CPU: 1 PID: 1680 Comm: kworker/u4:12 Tainted: G W 6.6.0-rc5-next-20231009 #14109

Hardware name: Samsung Exynos (Flattened Device Tree)

Workqueue: events_unbound async_run_entry_fn

unwind_backtrace from show_stack+0x10/0x14

show_stack from dump_stack_lvl+0x58/0x70

dump_stack_lvl from __warn+0x1a8/0x1cc

__warn from warn_slowpath_fmt+0x18c/0x1b4

warn_slowpath_fmt from input_device_enabled+0x68/0x6c

input_device_enabled from cyapa_gen3_set_power_mode+0x13c/0x1dc

cyapa_gen3_set_power_mode from cyapa_reinitialize+0x10c/0x15c

cyapa_reinitialize from cyapa_resume+0x48/0x98

cyapa_resume from dpm_run_callback+0x90/0x298
dpm_run_callback from device_resume+0xb4/0x258
device_resume from async_resume+0x20/0x64
async_resume from async_run_entry_fn+0x40/0x15c
async_run_entry_fn from process_scheduled_works+0xbc/0x6a8
process_scheduled_works from worker_thread+0x188/0x454
worker_thread from kthread+0x108/0x140
kthread from ret_from_fork+0x14/0x28
Exception stack(0xf1625fb0 to 0xf1625ff8)

...
---[end trace 0000000000000000]---, Access Vector: nan, Attack Complexity: nan, Confidentiality Impact: nan, Integrity Impact: nan, Availability Impact: nan, Base Score: nan, Base Severity: nan

These are the vulnerabilities known for Samsung Galaxy Note 2: CVE ID: CVE-2012-6422, Description: The kernel in Samsung Galaxy S2, Galaxy Note 2, MEIZU MX, and possibly other Android devices, when running an Exynos 4210 or 4412 processor, uses weak permissions (0666) for /dev/exynos-mem, which allows attackers to read or write arbitrary physical memory and gain privileges via a crafted application, as demonstrated by ExynosAbuse., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2019-16400, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow attackers to

send AT commands over Bluetooth, resulting in several Denial of Service (DoS) attacks., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2019-16401, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow injection of AT+CIMI and AT+CGSN over Bluetooth, leaking sensitive information such as IMSI, IMEI, call status, call setup stage, internet service status, signal strength, current roaming status, battery level, and call held status., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2018-21073, Description: An issue was discovered on Samsung mobile devices with N(7.x) and O(8.0) (Galaxy S9+, Galaxy S9, Galaxy S8+, Galaxy S8, Note 8). There is access to Clipboard content in the locked state via the Edge panel. The Samsung ID is SVE-2017-10748 (May 2018)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2015-8546, Description: An issue was discovered on Samsung mobile devices with software through 2015-11-12, affecting the Galaxy S6/S6 Edge, Galaxy S6 Edge+, and Galaxy Note5 with the Shannon333 chipset. There is a stack-based buffer overflow in the baseband process that is exploitable for remote code execution via a fake base station. The Samsung ID is SVE-2015-5123 (December 2015)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-6616, Description: Some Broadcom chips mishandle Bluetooth random-number generation because a low-entropy Pseudo Random Number

Generator (PRNG) is used in situations where a Hardware Random Number Generator (HRNG) should have been used to prevent spoofing. This affects, for example, Samsung Galaxy S8, S8+, and Note8 devices with the BCM4361 chipset. The Samsung ID is SVE-2020-16882 (May 2020)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2012-6422, Description: The kernel in Samsung Galaxy S2, Galaxy Note 2, MEIZU MX, and possibly other Android devices, when running an Exynos 4210 or 4412 processor, uses weak permissions (0666) for /dev/exynos-mem, which allows attackers to read or write arbitrary physical memory and gain privileges via a crafted application, as demonstrated by ExynosAbuse., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2019-16400, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow attackers to send AT commands over Bluetooth, resulting in several Denial of Service (DoS) attacks., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2019-16401, Description: Samsung Galaxy S8 plus (Android version: 8.0.0, Build Number: R16NW.G955USQU5CRG3, Baseband Vendor: Qualcomm Snapdragon 835, Baseband: G955USQU5CRG3), Samsung Galaxy S3 (Android version: 4.3, Build Number: JSS15J.I9300XXUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: I9300XXUGNA8), and Samsung Galaxy Note 2 (Android version: 4.3, Build Number: JSS15J.I9300XUGND5, Baseband Vendor: Samsung Exynos 4412, Baseband: N7100DDUFND1) devices allow injection of

AT+CIMI and AT+CGSN over Bluetooth, leaking sensitive information such as IMSI, IMEI, call status, call setup stage, internet service status, signal strength, current roaming status, battery level, and call held status., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2018-21073, Description: An issue was discovered on Samsung mobile devices with N(7.x) and O(8.0) (Galaxy S9+, Galaxy S9, Galaxy S8+, Galaxy S8, Note 8). There is access to Clipboard content in the locked state via the Edge panel. The Samsung ID is SVE-2017-10748 (May 2018)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW CVE ID: CVE-2015-8546, Description: An issue was discovered on Samsung mobile devices with software through 2015-11-12, affecting the Galaxy S6/S6 Edge, Galaxy S6 Edge+, and Galaxy Note5 with the Shannon333 chipset. There is a stack-based buffer overflow in the baseband process that is exploitable for remote code execution via a fake base station. The Samsung ID is SVE-2015-5123 (December 2015)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-6616, Description: Some Broadcom chips mishandle Bluetooth random-number generation because a low-entropy Pseudo Random Number Generator (PRNG) is used in situations where a Hardware Random Number Generator (HRNG) should have been used to prevent spoofing. This affects, for example, Samsung Galaxy S8, S8+, and Note8 devices with the BCM4361 chipset. The Samsung ID is SVE-2020-16882 (May 2020)., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Galaxy S10: CVE ID: CVE-2019-17668, Description: Samsung Galaxy S10 and Note10 devices allow unlock operations via unregistered fingerprints in certain situations involving a third-party screen protector., Access Vector: PHYSICAL,

Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2020-8860, Description: This vulnerability allows remote attackers to execute arbitrary code on affected installations of Samsung Galaxy S10 Firmware G973FXXS3ASJA, O(8.x), P(9.0), Q(10.0) devices with Exynos chipsets. User interaction is required to exploit this vulnerability in that the target must answer a phone call. The specific flaw exists within the Call Control Setup messages. The issue results from the lack of proper validation of the length of user-supplied data prior to copying it to a fixed-length, stack-based buffer. An attacker can leverage this vulnerability to execute code in the context of the baseband processor. Was ZDI-CAN-9658., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH

These are the vulnerabilities known for Samsung Galaxy S4: CVE ID: CVE-2015-4640, Description: The SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices relies on an HTTP connection to the skslm.swiftkey.net server, which allows man-in-the-middle attackers to write to language-pack files by modifying an HTTP response. NOTE: CVE-2015-4640 exploitation can be combined with CVE-2015-4641 exploitation for man-in-the-middle code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.9, Base Severity: LOW CVE ID: CVE-2015-4641, Description: Directory traversal vulnerability in the SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices allows remote web servers to write to arbitrary files, and consequently execute arbitrary code in a privileged context, by leveraging control of the skslm.swiftkey.net domain name and providing a .. (dot dot) in an entry in a ZIP archive, as demonstrated by a traversal to the /data/dalvik-cache directory., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.4, Base

Severity: MEDIUM CVE ID: CVE-2016-7988, Description: On Samsung Galaxy S4 through S7 devices, absence of permissions on the BroadcastReceiver responsible for handling the com.[Samsung].android.intent.action.SET_WIFI intent leads to unsolicited configuration messages being handled by wifi-service.jar within the Android Framework, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2016-7989, Description: On Samsung Galaxy S4 through S7 devices, a malformed OTA WAP PUSH SMS containing an OMACP message sent remotely triggers an unhandled ArrayIndexOutOfBoundsException in Samsung's implementation of the WifiServiceImpl class within wifi-service.jar. This causes the Android runtime to continually crash, rendering the device unusable until a factory reset is performed, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2016-7990, Description: On Samsung Galaxy S4 through S7 devices, an integer overflow condition exists within libomacp.so when parsing OMACP messages (within WAP Push SMS messages) leading to a heap corruption that can result in Denial of Service and potentially remote code execution, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2016-7991, Description: On Samsung Galaxy S4 through S7 devices, the "omacp" app ignores security information embedded in the OMACP messages resulting in remote unsolicited WAP Push SMS messages being accepted, parsed, and handled by the device, leading to unauthorized configuration changes, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Galaxy S5: CVE ID: CVE-2015-4640, Description:

The SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices relies on an HTTP connection to the `skslm.swiftkey.net` server, which allows man-in-the-middle attackers to write to language-pack files by modifying an HTTP response. NOTE: CVE-2015-4640 exploitation can be combined with CVE-2015-4641 exploitation for man-in-the-middle code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.9, Base Severity: LOW CVE ID: CVE-2015-4641, Description: Directory traversal vulnerability in the SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices allows remote web servers to write to arbitrary files, and consequently execute arbitrary code in a privileged context, by leveraging control of the `skslm.swiftkey.net` domain name and providing a `..` (dot dot) in an entry in a ZIP archive, as demonstrated by a traversal to the `/data/dalvik-cache` directory., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.4, Base Severity: MEDIUM CVE ID: CVE-2015-4034, Description: The `createFromParcel` method in the `com.absolute.android.persistence.MethodSpec` class in Samsung Galaxy S5s allows remote attackers to execute arbitrary files via a crafted `Parcelable` object in a serialized `MethodSpec` object., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 7.9, Base Severity: HIGH CVE ID: CVE-2017-18681, Description: An issue was discovered on Samsung Galaxy S5 mobile devices with software through 2016-12-20 (Qualcomm AP chipsets). There are multiple buffer overflows in the bootloader. The Samsung ID is SVE-2016-7930 (March 2017)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-35693, Description: On some Samsung phones and tablets running Android through 7.1.1, it is possible for an attacker-controlled Bluetooth Low Energy (BLE) device to pair silently with a vulnerable target device, without any user interaction, when the target device's Bluetooth is on,

and it is running an app that offers a connectable BLE advertisement. An example of such an app could be a Bluetooth-based contact tracing app, such as Australia's COVIDSafe app, Singapore's TraceTogether app, or France's TousAntiCovid (formerly StopCovid). As part of the pairing process, two pieces (among others) of personally identifiable information are exchanged: the Identity Address of the Bluetooth adapter of the target device, and its associated Identity Resolving Key (IRK). Either one of these identifiers can be used to perform re-identification of the target device for long term tracking. The list of affected devices includes (but is not limited to): Galaxy Note 5, Galaxy S6 Edge, Galaxy A3, Tab A (2017), J2 Pro (2018), Galaxy Note 4, and Galaxy S5., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Galaxy S6: CVE ID: CVE-2015-4640, Description: The SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices relies on an HTTP connection to the skslm.swiftkey.net server, which allows man-in-the-middle attackers to write to language-pack files by modifying an HTTP response. NOTE: CVE-2015-4640 exploitation can be combined with CVE-2015-4641 exploitation for man-in-the-middle code execution., Access Vector: ADJACENT_NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 2.9, Base Severity: LOW CVE ID: CVE-2015-4641, Description: Directory traversal vulnerability in the SwiftKey language-pack update implementation on Samsung Galaxy S4, S4 Mini, S5, and S6 devices allows remote web servers to write to arbitrary files, and consequently execute arbitrary code in a privileged context, by leveraging control of the skslm.swiftkey.net domain name and providing a .. (dot dot) in an entry in a ZIP archive, as demonstrated by a traversal to the /data/dalvik-cache directory., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.4, Base Severity: MEDIUM CVE ID: CVE-2015-7897, Description: The media scanning functionality in the

face recognition library in android.media.process in Samsung Galaxy S6 Edge before G925VVRU4B0G9 allows remote attackers to gain privileges or cause a denial of service (memory corruption) via a crafted BMP image file., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2016-6910, Description: The non-existent notification listener vulnerability was introduced in the initial Android 5.0.2 builds for the Samsung Galaxy S6 Edge devices, but the vulnerability can persist on the device even after the device has been upgraded to an Android 5.1.1 or 6.0.1 build. The vulnerable system app gives a non-existent app the ability to read the notifications from the device, which a third-party app can utilize if it uses a package name of com.samsung.android.app.portalservicewidget. This vulnerability allows an unprivileged third-party app to obtain the text of the user's notifications, which tend to contain personal data., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2015-7893, Description: SecEmailUI in Samsung Galaxy S6 does not sanitize HTML email content, allows remote attackers to execute arbitrary JavaScript., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2015-7895, Description: Samsung Gallery on the Samsung Galaxy S6 allows local users to cause a denial of service (process crash)., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2015-7898, Description: Samsung Gallery in the Samsung Galaxy S6 allows local users to cause a denial of service (process crash)., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 2.1, Base Severity: LOW CVE ID: CVE-2015-7896, Description: LibQJpeg in the Samsung Galaxy S6 before the October 2015 MR allows remote attackers to cause a denial of service (memory corruption and SIGSEGV) via a crafted image file., Access Vector: NETWORK,

Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2018-14852, Description: Out-of-bounds array access in dhd_rx_frame in drivers/net/wireless/bcmdhd4358/dhd_linux.c in the bcmdhd4358 Wi-Fi driver on the Samsung Galaxy S6 SM-G920F G920FXXU5EQH7 allows an attacker (who has obtained code execution on the Wi-Fi chip) to cause invalid accesses to operating system memory due to improper validation of the network interface index provided by the Wi-Fi chip's firmware., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2018-14853, Description: A NULL pointer dereference in dhd_prot_txdata_write_flush in drivers/net/wireless/bcmdhd4358/dhd_msgbuf.c in the bcmdhd4358 Wi-Fi driver on the Samsung Galaxy S6 SM-G920F G920FXXU5EQH7 allows an attacker (who has obtained code execution on the Wi-Fi chip) to cause the device to reboot. The Samsung ID is SVE-2018-11783., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: PARTIAL, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2018-14854, Description: Buffer overflow in dhd_bus_flow_ring_delete_response in drivers/net/wireless/bcmdhd4358/dhd_pcie.c in the bcmdhd4358 Wi-Fi driver on the Samsung Galaxy S6 SM-G920F G920FXXU5EQH7 allow an attacker (who has obtained code execution on the Wi-Fi chip) to cause the device driver to perform invalid memory accesses. The Samsung ID is SVE-2018-11785., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2018-14855, Description: Buffer overflow in dhd_bus_flow_ring_flush_response in drivers/net/wireless/bcmdhd4358/dhd_pcie.c in the bcmdhd4358 Wi-Fi driver on the Samsung Galaxy S6 allow an attacker (who has obtained code execution on the Wi-Fi chip) to cause the device driver to perform invalid memory accesses. The Samsung ID is SVE-2018-11785., Access Vector: ADJACENT_NETWORK, Attack Complexity:

LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2018-14856, Description: Buffer overflow in `dhd_bus_flow_ring_create_response` in `drivers/net/wireless/bcmdhd4358/dhd_pcie.c` in the `bcmdhd4358` Wi-Fi driver on the Samsung Galaxy S6 SM-G920F G920FXXU5EQH7 allow an attacker (who has obtained code execution on the Wi-Fi) chip to cause the device driver to perform invalid memory accesses. The Samsung ID is SVE-2018-11785., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2018-14745, Description: Buffer overflow in `prot_get_ring_space` in the `bcmdhd4358` Wi-Fi driver on the Samsung Galaxy S6 SM-G920F G920FXXU5EQH7 allows an attacker (who has obtained code execution on the Wi-Fi chip) to overwrite kernel memory due to improper validation of the ring buffer read pointer. The Samsung ID is SVE-2018-12029., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 5.8, Base Severity: MEDIUM CVE ID: CVE-2015-8546, Description: An issue was discovered on Samsung mobile devices with software through 2015-11-12, affecting the Galaxy S6/S6 Edge, Galaxy S6 Edge+, and Galaxy Note5 with the Shannon333 chipset. There is a stack-based buffer overflow in the baseband process that is exploitable for remote code execution via a fake base station. The Samsung ID is SVE-2015-5123 (December 2015)., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2020-35693, Description: On some Samsung phones and tablets running Android through 7.1.1, it is possible for an attacker-controlled Bluetooth Low Energy (BLE) device to pair silently with a vulnerable target device, without any user interaction, when the target device's Bluetooth is on, and it is running an app that offers a connectable BLE advertisement. An example of such an app could be a Bluetooth-based contact tracing app, such as Australia's COVIDSafe app, Singapore's TraceTogether app, or France's TousAntiCovid (formerly StopCovid). As part of the

pairing process, two pieces (among others) of personally identifiable information are exchanged: the Identity Address of the Bluetooth adapter of the target device, and its associated Identity Resolving Key (IRK). Either one of these identifiers can be used to perform re-identification of the target device for long term tracking. The list of affected devices includes (but is not limited to): Galaxy Note 5, Galaxy S6 Edge, Galaxy A3, Tab A (2017), J2 Pro (2018), Galaxy Note 4, and Galaxy S5., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Galaxy S7: CVE ID: CVE-2016-7988, Description: On Samsung Galaxy S4 through S7 devices, absence of permissions on the BroadcastReceiver responsible for handling the com.[Samsung].android.intent.action.SET_WIFI intent leads to unsolicited configuration messages being handled by wifi-service.jar within the Android Framework, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2016-7989, Description: On Samsung Galaxy S4 through S7 devices, a malformed OTA WAP PUSH SMS containing an OMACP message sent remotely triggers an unhandled ArrayIndexOutOfBoundsException in Samsung's implementation of the WifiServiceImpl class within wifi-service.jar. This causes the Android runtime to continually crash, rendering the device unusable until a factory reset is performed, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2016-7990, Description: On Samsung Galaxy S4 through S7 devices, an integer overflow condition exists within libomacp.so when parsing OMACP messages (within WAP Push SMS messages) leading to a heap corruption that can result in Denial of Service and potentially remote code execution, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0,

Base Severity: HIGH CVE ID: CVE-2016-7991, Description: On Samsung Galaxy S4 through S7 devices, the "omacp" app ignores security information embedded in the OMACP messages resulting in remote unsolicited WAP Push SMS messages being accepted, parsed, and handled by the device, leading to unauthorized configuration changes, a subset of SVE-2016-6542., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: COMPLETE, Availability Impact: NONE, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Galaxy S9: CVE ID: CVE-2019-6740, Description: This vulnerability allows remote attackers to execute arbitrary code on vulnerable installations of Samsung Galaxy S9 prior to January 2019 Security Update (SMR-JAN-2019 - SVE-2018-13467). User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists within the ASN.1 parser. When parsing ASN.1 strings, the process does not properly validate the length of user-supplied data prior to copying it to a fixed-length heap-based buffer. An attacker can leverage this vulnerability to execute code in the context of the current process. Was ZDI-CAN-7472., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH CVE ID: CVE-2019-6741, Description: This vulnerability allows remote attackers to execute arbitrary code on vulnerable installations of Samsung Galaxy S9 prior to January 2019 Security Update (SMR-JAN-2019 - SVE-2018-13467). User interaction is required to exploit this vulnerability in that the target must connect to a wireless network. The specific flaw exists within the captive portal. By manipulating HTML, an attacker can force a page redirection. An attacker can leverage this vulnerability to execute code in the context of the current process. Was ZDI-CAN-7476., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 9.3, Base Severity: CRITICAL CVE ID: CVE-2019-6742, Description: This vulnerability allows remote attackers to execute arbitrary code on vulnerable installations of Samsung Galaxy S9 prior to 1.4.20.2. Authentication is not required to

exploit this vulnerability. The specific flaw exists within the handling of the GameServiceReceiver update mechanism. An attacker can leverage this vulnerability to execute code in the context of the current process. Was ZDI-CAN-7477., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2019-6744, Description: This vulnerability allows local attackers to disclose sensitive information on affected installations of Samsung Knox 1.2.02.39 on Samsung Galaxy S9 build G9600ZHS3ARL1 Secure Folder. An attacker must first obtain physical access to the device in order to exploit this vulnerability. The specific flaws exists within the the handling of the lock screen for Secure Folder. The issue results from the lack of proper validation that a user has correctly authenticated. An attacker can leverage this vulnerability to disclose the contents of the secure container. Was ZDI-CAN-7381., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2018-21073, Description: An issue was discovered on Samsung mobile devices with N(7.x) and O(8.0) (Galaxy S9+, Galaxy S9, Galaxy S8+, Galaxy S8, Note 8). There is access to Clipboard content in the locked state via the Edge panel. The Samsung ID is SVE-2017-10748 (May 2018)., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 2.4, Base Severity: LOW

These are the vulnerabilities known for Samsung J5: CVE ID: CVE-2019-15440, Description: The Samsung J5 Android device with a build fingerprint of samsung/on5xeltedx/on5xelte:8.0.0/R16NW/G570YDXU2CRL1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=6010000, versionName=6.1.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other

pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15455, Description: The Samsung J5 Android device with a build fingerprint of samsung/j5y17ltexx/j5y17lte:8.1.0/M1AJQ/J530FXXU3BRL1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung J7 Neo: CVE ID: CVE-2019-15458, Description: The Samsung J7 Neo Android device with a build fingerprint of samsung/j7veltedx/j7velte:8.1.0/M1AJQ/J701FXXS6BSC1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15459, Description: The Samsung J7 Neo Android device with a build fingerprint of samsung/j7velteub/j7velte:8.1.0/M1AJQ/J701MUBS6BSB3:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app

(versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15460, Description: The Samsung J7 Neo Android device with a build fingerprint of samsung/j7velledx/j7velte:8.1.0/M1AJQ/J701FXVS6BSC1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15461, Description: The Samsung J7 Neo Android device with a build fingerprint of samsung/j7velteub/j7velte:8.1.0/M1AJQ/J701MUBS6BSB4:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung Note10: CVE ID: CVE-2019-17668, Description:

Samsung Galaxy S10 and Note10 devices allow unlock operations via unregistered fingerprints in certain situations involving a third-party screen protector., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung PS50C7700: CVE ID: CVE-2013-4890, Description: The DMCRUIS/0.1 web server on the Samsung PS50C7700 TV allows remote attackers to cause a denial of service (daemon crash) via a long URI to TCP port 5600., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung S2 Galaxy: CVE ID: CVE-2012-6422, Description: The kernel in Samsung Galaxy S2, Galaxy Note 2, MEIZU MX, and possibly other Android devices, when running an Exynos 4210 or 4412 processor, uses weak permissions (0666) for /dev/exynos-mem, which allows attackers to read or write arbitrary physical memory and gain privileges via a crafted application, as demonstrated by ExynosAbuse., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2022-1230, Description: This vulnerability allows local attackers to execute arbitrary code on affected installations of Samsung Galaxy S21 prior to 4.5.40.5 phones. An attacker must first obtain the ability to execute low-privileged code on the target system in order to exploit this vulnerability. The specific flaw exists within the handling of redirections. An attacker can force a redirection to a site that serves malicious content. An attacker can leverage this in conjunction with other vulnerabilities to escalate privileges and execute arbitrary code in the context of the current user. Was ZDI-CAN-15918., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: LOW, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.9, Base Severity: LOW

These are the vulnerabilities known for Samsung S7 Edge: CVE ID: CVE-2018-10751, Description: A malformed OMACP WAP push message can cause memory corruption on a Samsung S7 Edge device when processing the String Extension portion of the WbXml payload. This is due to an integer overflow in memory allocation for this string. The Samsung ID is SVE-2018-11463., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 5.4, Base Severity: MEDIUM CVE ID: CVE-2019-15447, Description: The Samsung S7 Edge Android device with a build fingerprint of samsung/hero2ltexx/hero2lte:8.0.0/R16NW/G935FXXS4ESC3:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15448, Description: The Samsung S7 Edge Android device with a build fingerprint of samsung/hero2ltexx/hero2lte:8.0.0/R16NW/G935FXXS4ESC3:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15449, Description: The Samsung S7 Edge Android device with a build fingerprint of

samsung/hero2ltexx/hero2lte:8.0.0/R16NW/G935FXXS4ESC3:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000000, versionName=7.0.0.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Samsung SHR-5162: CVE ID: CVE-2013-3964, Description: Cross-site scripting (XSS) vulnerability in Samsung SHR-5162, SHR-5082, and possibly other models, allows remote attackers to inject arbitrary web script or HTML via the PATH_INFO., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Smart TV NT14U: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Smart TV X10P: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force

attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Smart TV X12: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Smart TV X14H: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung Smart TV X14J: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Samsung XCover4: CVE ID: CVE-2019-15437, Description: The Samsung XCover4 Android device with a build fingerprint of

samsung/xcover4ltexx/xcover4lte:8.1.0/M1AJQ/G390FXXU3BSA2:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15438, Description: The Samsung XCover4 Android device with a build fingerprint of samsung/xcover4ltdo/xcover4lte:8.1.0/M1AJQ/G390YDXU2BSA1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH CVE ID: CVE-2019-15439, Description: The Samsung XCover4 Android device with a build fingerprint of samsung/xcover4ltdo/xcover4lte:8.1.0/M1AJQ/G390YDXU2BSA1:user/release-keys contains a pre-installed app with a package name of com.samsung.android.themecenter app (versionCode=7000100, versionName=7.0.1.0) that allows other pre-installed apps to perform app installation via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that exported their capabilities to other pre-installed app., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for Seagate ST500LT015: CVE ID: CVE-2015-7267, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7269, Description: Seagate ST500LT015 hard disk drives, when operating in eDrive mode on Lenovo ThinkPad W541 laptops with BIOS 2.21, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by attaching a second SATA connector to exposed pins, maintaining an alternate power source, and attaching the data cable to another machine, aka a "Hot Unplug Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW

These are the vulnerabilities known for Seagate ST500LT025: CVE ID: CVE-2015-7267,

Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when in sleep mode and operating in Opal or eDrive mode on Lenovo ThinkPad T440s laptops with BIOS 2.32; ThinkPad W541 laptops with BIOS 2.21; Dell Latitude E6410 laptops with BIOS A16; or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by leveraging failure to detect when SATA drives are unplugged in Sleep Mode, aka a "Hot Plug attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW CVE ID: CVE-2015-7268, Description: Samsung 850 Pro and PM851 solid-state drives and Seagate ST500LT015 and ST500LT025 hard disk drives, when used on Windows and operating in Opal mode on Lenovo ThinkPad T440s laptops with BIOS 2.32 or ThinkPad W541 laptops with BIOS 2.21, or in Opal or eDrive mode on Dell Latitude E6410 laptops with BIOS A16 or Latitude E6430 laptops with BIOS A16, allow physically proximate attackers to bypass self-encrypting drive (SED) protection by triggering a soft reset and booting from an alternative OS, aka a "Forced Restart Attack.", Access Vector: LOCAL, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 1.9, Base Severity: LOW

These are the vulnerabilities known for Smart TV Box H96: CVE ID: CVE-2020-21405, Description: An issue was discovered in H96 Smart TV Box H96 Pro Plus allows attackers to corrupt files via calls to the saveDeepColorAttr service.unk, Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for Sophos Cyberoam: CVE ID: CVE-2014-5501, Description: Stack-based buffer overflow in the diagnose service in the Sophos Cyberoam appliances with CyberoamOS before 10.6.1 GA allows remote attackers to execute arbitrary code via a crafted

webpage or file., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.3, Base Severity: HIGH CVE ID: CVE-2014-5502, Description: The Sophos Cyberoam appliances with CyberoamOS before 10.6.1 GA allows remote authenticated users to inject arbitrary commands via a (1) checkcert_key, (2) webclient_portal_settings, (3) sslvpn_liveuser_delete, or (4) ccc_flush_sql_file opcode., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.0, Base Severity: HIGH CVE ID: CVE-2014-5503, Description: SQL injection vulnerability in the Guest Login Portal in the Sophos Cyberoam appliances with CyberoamOS before 10.6.1 GA allows remote attackers to execute arbitrary SQL commands via the add_guest_user opcode., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 10.0, Base Severity: HIGH CVE ID: CVE-2015-6811, Description: SQL injection vulnerability in the Sophos Cyberoam CR500iNG-XP firewall appliance with CyberoamOS 10.6.2 MR-1 and earlier allows remote attackers to execute arbitrary SQL commands via the username parameter to login.xml., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2016-3968, Description: Multiple cross-site scripting (XSS) vulnerabilities in Sophos Cyberoam CR100iNG UTM appliance with firmware 10.6.3 MR-1 build 503, CR35iNG UTM appliance with firmware 10.6.2 MR-1 build 383, and CR35iNG UTM appliance with firmware 10.6.2 Build 378 allow remote attackers to inject arbitrary web script or HTML via the (1) ipFamily parameter to corporate/webpages/trafficdiscovery/LiveConnections.jsp; the (2) ipFamily, (3) applicationname, or (4) username parameter to corporate/webpages/trafficdiscovery/LiveConnectionDetail.jsp; or the (5) X-Forwarded-For HTTP header., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2016-7786, Description: Sophos Cyberoam UTM

CR25iNG 10.6.3 MR-5 allows remote authenticated users to bypass intended access restrictions via direct object reference, as demonstrated by a request for Licenseinformation.jsp. This is fixed in 10.6.5., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.0, Base Severity: HIGH CVE ID: CVE-2016-9834, Description: An XSS vulnerability allows remote attackers to execute arbitrary client side script on vulnerable installations of Sophos Cyberoam firewall devices with firmware through 10.6.4. User interaction is required to exploit this vulnerability in that the target must visit a malicious page or open a malicious file. The specific flaw exists within the handling of a request to the "LiveConnectionDetail.jsp" application. GET parameters "applicationname" and "username" are improperly sanitized allowing an attacker to inject arbitrary JavaScript into the page. This can be abused by an attacker to perform a cross-site scripting attack on the user. A vulnerable URI is /corporate/webpages/trafficdiscovery/LiveConnectionDetail.jsp., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM CVE ID: CVE-2019-17059, Description: A shell injection vulnerability on the Sophos Cyberoam firewall appliance with CyberoamOS before 10.6.6 MR-6 allows remote attackers to execute arbitrary commands via the Web Admin and SSL VPN consoles., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for TCL Android Smart TV V8-R851T02-LF1: CVE ID: CVE-2020-27403, Description: A vulnerability in the TCL Android Smart TV series V8-R851T02-LF1 V295 and below and V8-T658T01-LF1 V373 and below by TCL Technology Group Corporation allows an attacker on the adjacent network to arbitrarily browse and download sensitive files over an insecure web server running on port 7989 that lists all files & directories. An unprivileged remote attacker on the adjacent network, can download most system files, leading to serious critical information disclosure. Also, some TV models and/or FW versions may expose the webserver with

the entire filesystem accessible on another port. For example, nmap scan for all ports run directly from the TV model U43P6046 (Android 8.0) showed port 7983 not mentioned in the original CVE description, but containing the same directory listing of the entire filesystem. This webserver is bound (at least) to localhost interface and accessible freely to all unprivileged installed apps on the Android such as a regular web browser. Any app can therefore read any files of any other apps including Android system settings including sensitive data such as saved passwords, private keys etc., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2020-28055, Description: A vulnerability in the TCL Android Smart TV series V8-R851T02-LF1 V295 and below and V8-T658T01-LF1 V373 and below by TCL Technology Group Corporation allows a local unprivileged attacker, such as a malicious App, to read & write to the /data/vendor/tcl, /data/vendor/upgrade, and /var/TerminalManager directories within the TV file system. An attacker, such as a malicious APK or local unprivileged user could perform fake system upgrades by writing to the /data/vendor/upgrage folder., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 7.8, Base Severity: HIGH

These are the vulnerabilities known for TP-LINK ARCHER C50: CVE ID: CVE-2020-9375, Description: TP-Link Archer C50 V3 devices before Build 200318 Rel. 62209 allows remote attackers to cause a denial of service via a crafted HTTP Header containing an unexpected Referer field., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2022-33087, Description: A stack overflow in the function DM_ In fillobjbystr() of TP-Link Archer C50&A5(US)_V5_200407 allows attackers to cause a Denial of Service (DoS) via a crafted HTTP request., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID:

CVE-2023-0936, Description: A vulnerability was found in TP-Link Archer C50 V2_160801. It has been rated as problematic. Affected by this issue is some unknown functionality of the component Web Management Interface. The manipulation leads to denial of service. The attack can only be initiated within the local network. The exploit has been disclosed to the public and may be used. The identifier of this vulnerability is VDB-221552., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2023-30383, Description: TP-LINK Archer C50v2 Archer C50(US)_V2_160801, TP-LINK Archer C20v1 Archer_C20_V1_150707, and TP-LINK Archer C2v1 Archer_C2_US__V1_170228 were discovered to contain a buffer overflow which may lead to a Denial of Service (DoS) when parsing crafted data., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: HIGH, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2023-31188, Description: Multiple TP-LINK products allow a network-adjacent authenticated attacker to execute arbitrary OS commands. Affected products/versions are as follows: Archer C50 firmware versions prior to 'Archer C50(JP)_V3_230505', Archer C55 firmware versions prior to 'Archer C55(JP)_V1_230506', and Archer C20 firmware versions prior to 'Archer C20(JP)_V1_230616'. Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.0, Base Severity: HIGH

These are the vulnerabilities known for TP-Link Tapo C200: CVE ID: CVE-2021-4045, Description: TP-Link Tapo C200 IP camera, on its 1.1.15 firmware version and below, is affected by an unauthenticated RCE vulnerability, present in the uhttpd binary running by default as root. The exploitation of this vulnerability allows an attacker to take full control of the camera., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL CVE ID: CVE-2022-41505, Description: An access control issue on TP-Link Tapo C200 V1 devices allows physically proximate

attackers to obtain root access by connecting to the UART pins, interrupting the boot process, and setting an init=/bin/sh value., Access Vector: PHYSICAL, Attack Complexity: HIGH, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.4, Base Severity: MEDIUM CVE ID: CVE-2023-27126, Description: The AES Key-IV pair used by the TP-Link TAPO C200 camera V3 (EU) on firmware version 1.1.22 Build 220725 is reused across all cameras. An attacker with physical access to a camera is able to extract and decrypt sensitive data containing the Wifi password and the TP-LINK account credential of the victim., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 4.6, Base Severity: MEDIUM

These are the vulnerabilities known for TPLink Tapo L530: CVE ID: CVE-2023-38906, Description: An issue in TPLink Smart Bulb Tapo series L530 1.1.9, L510E 1.0.8, L630 1.0.3, P100 1.4.9, Smart Camera Tapo series C200 1.1.18, and Tapo Application 2.8.14 allows a remote attacker to obtain sensitive information via the authentication code for the UDP message., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2023-38908, Description: An issue in TPLink Smart Bulb Tapo series L530 before 1.2.4, L510E before 1.1.0, L630 before 1.0.4, P100 before 1.5.0, and Tapo Application 2.8.14 allows a remote attacker to obtain sensitive information via the TSKEP authentication function., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE ID: CVE-2023-38909, Description: An issue in TPLink Smart Bulb Tapo series L530 before 1.2.4, L510E before 1.1.0, L630 before 1.0.4, P100 before 1.5.0, and Tapo Application 2.8.14 allows a remote attacker to obtain sensitive information via the IV component in the AES128-CBC function., Access Vector: ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 6.5, Base Severity: MEDIUM CVE

ID: CVE-2023-38907, Description: An issue in TPLink Smart Bulb Tapo series L530 before 1.2.4, L510E before 1.1.0, L630 before 1.0.4, P100 before 1.5.0, and Tapo Application 2.8.14 allows a remote attacker to replay old messages encrypted with a still valid session key., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH

These are the vulnerabilities known for TV Vizio E50x: CVE ID: CVE-2021-27943, Description: The pairing procedure used by the Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs and mobile application is vulnerable to a brute-force attack (against only 10000 possibilities), allowing a threat actor to forcefully pair the device, leading to remote control of the TV settings and configurations., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2021-27942, Description: Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs allow a threat actor to execute arbitrary code from a USB drive via the Smart Cast functionality, because files on the USB drive are effectively under the web root and can be executed., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2021-27944, Description: Several high privileged APIs on the Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs do not enforce access controls, allowing an unauthenticated threat actor to access privileged functionality, leading to OS command execution. The specific attack methodology is a file upload., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for TV Vizio P65: CVE ID: CVE-2021-27943, Description: The pairing procedure used by the Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs and mobile application is vulnerable to a brute-force attack (against only 10000 possibilities), allowing a

threat actor to forcefully pair the device, leading to remote control of the TV settings and configurations., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 7.5, Base Severity: HIGH CVE ID: CVE-2021-27942, Description: Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs allow a threat actor to execute arbitrary code from a USB drive via the Smart Cast functionality, because files on the USB drive are effectively under the web root and can be executed., Access Vector: PHYSICAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2021-27944, Description: Several high privileged APIs on the Vizio P65-F1 6.0.31.4-2 and E50x-E1 10.0.31.4-2 Smart TVs do not enforce access controls, allowing an unauthenticated threat actor to access privileged functionality, leading to OS command execution. The specific attack methodology is a file upload., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 9.8, Base Severity: CRITICAL

These are the vulnerabilities known for Thinkpad X1 Fold Gen 1: CVE ID: CVE-2022-1108, Description: A potential vulnerability due to improper buffer validation in the SMI handler LenovoFlashDeviceInterface in Thinkpad X1 Fold Gen 1 could be exploited by an attacker with local access and elevated privileges to execute arbitrary code., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM CVE ID: CVE-2022-4573, Description:

An SMI handler input validation vulnerability in the ThinkPad X1 Fold Gen 1 could allow an attacker with local access and elevated privileges to execute arbitrary code.

, Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 6.7, Base Severity: MEDIUM

These are the vulnerabilities known for Tinxy Door Lock: CVE ID: CVE-2020-9438, Description: Tinxy Door Lock with firmware before 3.2 allow attackers to unlock a door by replaying an Unlock request that occurred when the attacker was previously authorized. In other words, door-access revocation is mishandled., Access Vector: NETWORK, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 5.9, Base Severity: MEDIUM

These are the vulnerabilities known for Tollgrade SmartGrid LightHouse Sensor: CVE ID: CVE-2016-0863, Description: Cross-site request forgery (CSRF) vulnerability in Tollgrade SmartGrid LightHouse Sensor Management System (SMS) Software EMS before 5.1, and 4.1.0 Build 16, allows remote attackers to hijack the authentication of arbitrary users., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: PARTIAL, Integrity Impact: PARTIAL, Availability Impact: PARTIAL, Base Score: 6.8, Base Severity: MEDIUM CVE ID: CVE-2016-0864, Description: Tollgrade SmartGrid LightHouse Sensor Management System (SMS) Software EMS before 5.1, and 4.1.0 Build 16, allows remote attackers to obtain sensitive report and username information via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM CVE ID: CVE-2016-0865, Description: Tollgrade SmartGrid LightHouse Sensor Management System (SMS) Software EMS before 5.1, and 4.1.0 Build 16, allows remote authenticated users to change arbitrary passwords via unspecified vectors., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: COMPLETE, Integrity Impact: COMPLETE, Availability Impact: COMPLETE, Base Score: 9.0, Base Severity: HIGH CVE ID: CVE-2016-0866, Description: Cross-site scripting (XSS) vulnerability in Tollgrade SmartGrid LightHouse Sensor Management System (SMS) Software EMS before 5.1, and 4.1.0 Build 16, allows remote attackers to inject arbitrary web script or HTML via unspecified vectors., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact:

PARTIAL, Availability Impact: NONE, Base Score: 4.3, Base Severity: MEDIUM

These are the vulnerabilities known for Xiaomi 5S Plus: CVE ID: CVE-2019-12762, Description: Xiaomi Mi 5s Plus devices allow attackers to trigger touchscreen anomalies via a radio signal between 198 kHz and 203 kHz, as demonstrated by a transmitter and antenna hidden just beneath the surface of a coffee-shop table, aka Ghost Touch., Access Vector: PHYSICAL, Attack Complexity: HIGH, Confidentiality Impact: NONE, Integrity Impact: HIGH, Availability Impact: NONE, Base Score: 4.2, Base Severity: MEDIUM CVE ID: CVE-2019-15426, Description: The Xiaomi 5S Plus Android device with a build fingerprint of Xiaomi/natrium/natrium:6.0.1/MXB48T/7.1.5:user/release-keys contains a pre-installed app with a package name of com.miui.powerkeeper app (versionCode=40000, versionName=4.0.00) that allows unauthorized wireless settings modification via a confused deputy attack. This capability can be accessed by any app co-located on the device., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW

These are the vulnerabilities known for Xiaomi MIX 2: CVE ID: CVE-2019-8413, Description: On Xiaomi MIX 2 devices with the 4.4.78 kernel, a NULL pointer dereference in the ioctl interface of the device file /dev/elliptic1 or /dev/elliptic0 causes a system crash via IOCTL 0x4008c575 (aka decimal 1074316661)., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 4.9, Base Severity: MEDIUM CVE ID: CVE-2018-20787, Description: The ft5x46 touchscreen driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the size argument in tpdbg_write in drivers/input/touchscreen/ft5x46/ft5x46_ts.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM,

Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-9111, Description: The msm gpu driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the count argument in sde_evtlog_filter_write in drivers/gpu/drm/msm/sde_dbg.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-9112, Description: The msm gpu driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the count argument in _sde_debugfs_conn_cmd_tx_write in drivers/gpu/drm/msm/sde/sde_connector.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-15467, Description: The Xiaomi Mi Mix 2S Android device with a build fingerprint of Xiaomi/polaris/polaris:8.0.0/OPR1.170623.032/V9.5.19.0.ODGMIFA:user/release-keys contains a pre-installed app with a package name of com.huaqin.factory app (versionCode=1, versionName=A2060_201801032053) that allows unauthorized wireless settings modification via a confused deputy attack. This capability can be accessed by any app co-located on the device., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2019-15471, Description: The Xiaomi Mi Mix 2S Android device with a build fingerprint of Xiaomi/polaris/polaris:8.0.0/OPR1.170623.032/V9.5.19.0.ODGMIFA:user/release-keys contains a pre-installed app with a package name of com.qualcomm.qti.callenhancement app (versionCode=27, versionName=8.1.0) that allows other pre-installed apps to perform microphone audio recording via an accessible app component. This capability can be accessed by any

pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that export their capabilities to other pre-installed app. This app allows a third-party app to use its open interface to record telephone calls to external storage., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Xiaomi MIX 3: CVE ID: CVE-2018-20787, Description: The ft5x46 touchscreen driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the size argument in tpdbg_write in drivers/input/touchscreen/ft5x46/ft5x46_ts.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-9111, Description: The msm gpu driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the count argument in sde_evtlog_filter_write in drivers/gpu/drm/msm/sde_dbg.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH CVE ID: CVE-2019-9112, Description: The msm gpu driver for custom Linux kernels on the Xiaomi perseus-p-oss MIX 3 device through 2018-11-26 has an integer overflow and OOPS because of missing checks of the count argument in _sde_debugfs_conn_cmd_tx_write in drivers/gpu/drm/msm/sde/sde_connector.c. This is exploitable for a device crash via a syscall by a crafted application on a rooted device., Access Vector: NETWORK, Attack Complexity: MEDIUM, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 7.1, Base Severity: HIGH

These are the vulnerabilities known for Xiaomi Mi A1: CVE ID: CVE-2018-18698, Description: An issue was discovered on Xiaomi Mi A1 tissot_sprout:8.1.0/OPM1.171019.026/V9.6.4.0.ODHMIFE devices. They store cleartext Wi-Fi passwords in logcat during the process of setting up the phone as a hotspot., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for Xiaomi Mi Note 2: CVE ID: CVE-2019-15428, Description: The Xiaomi Mi Note 2 Android device with a build fingerprint of Xiaomi/scorpio/scorpio:6.0.1/MXB48T/7.1.5:user/release-keys contains a pre-installed app with a package name of com.miui.powerkeeper app (versionCode=40000, versionName=4.0.00) that allows unauthorized wireless settings modification via a confused deputy attack. This capability can be accessed by any app co-located on the device., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW

These are the vulnerabilities known for Xiaomi Mi Pad 4: CVE ID: CVE-2019-15469, Description: The Xiaomi Mi Pad 4 Android device with a build fingerprint of Xiaomi/clover/clover:8.1.0/OPM1.171019.019/V9.6.26.0.ODJCNFD:user/release-keys contains a pre-installed app with a package name of com.qualcomm.qti.callenhancement app (versionCode=27, versionName=8.1.0) that allows other pre-installed apps to perform microphone audio recording via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that export their capabilities to other pre-installed app. This app allows a third-party app to use its open interface to record telephone calls to external storage., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact:

NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Xiaomi Redmi 6 Pro: CVE ID: CVE-2019-15340, Description:

The Xiaomi Redmi 6 Pro Android device with a build fingerprint of xiaomi/sakura_india/sakura_india:8.1.0/OPM1.171019.019/V9.6.4.0.ODMMIFD:user/release-keys contains a pre-installed app with a package name of com.huaqin.factory app (versionCode=1, versionName=QL1715_201805292006) that allows any app co-located on the device to programmatically disable and enable Wi-Fi, Bluetooth, and GPS without the corresponding access permission through an exported interface., Access Vector: LOCAL, Attack Complexity: LOW,

Confidentiality Impact: NONE, Integrity Impact: LOW, Availability Impact: NONE, Base Score: 3.3,

Base Severity: LOW CVE ID: CVE-2019-15466, Description: The Xiaomi Redmi 6 Pro Android device with a build fingerprint of

xiaomi/sakura_india/sakura_india:8.1.0/OPM1.171019.019/V10.2.6.0.ODMMIXM:user/release-keys contains a pre-installed app with a package name of com.huaqin.factory app (versionCode=1, versionName=QL1715_201812191721) that allows unauthorized wireless settings modification via a confused deputy attack. This capability can be accessed by any app co-located on the device., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact:

LOW, Availability Impact: NONE, Base Score: 3.3, Base Severity: LOW CVE ID: CVE-2019-15470,

Description: The Xiaomi Redmi Note 6 Pro Android device with a build fingerprint of xiaomi/tulip/tulip:8.1.0/OPM1.171019.011/V10.2.2.0.OEKMIXM:user/release-keys contains a

pre-installed app with a package name of com.qualcomm.qti.callenhancement app (versionCode=27, versionName=8.1.0) that allows other pre-installed apps to perform microphone audio recording via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that export their capabilities to other pre-installed app. This app allows a third-party app to use its open interface to record telephone calls to external storage.,

Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Xiaomi Redmi Note 6 Pro: CVE ID: CVE-2019-15470, Description: The Xiaomi Redmi Note 6 Pro Android device with a build fingerprint of xiaomi/tulip/tulip:8.1.0/OPM1.171019.011/V10.2.2.0.OEKMIXM:user/release-keys contains a pre-installed app with a package name of com.qualcomm.qti.callenhancement app (versionCode=27, versionName=8.1.0) that allows other pre-installed apps to perform microphone audio recording via an accessible app component. This capability can be accessed by any pre-installed app on the device which can obtain signatureOrSystem permissions that are required by other other pre-installed apps that export their capabilities to other pre-installed app. This app allows a third-party app to use its open interface to record telephone calls to external storage., Access Vector: LOCAL, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.5, Base Severity: MEDIUM

These are the vulnerabilities known for Xpress M288OFW: CVE ID: CVE-2015-5729, Description: The Soft Access Point (AP) feature in Samsung Smart TVs X10P, X12, X14H, X14J, and NT14U and Xpress M288OFW printers generate weak WPA2 PSK keys, which makes it easier for remote attackers to obtain sensitive information or bypass authentication via a brute-force attack., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: PARTIAL, Integrity Impact: NONE, Availability Impact: NONE, Base Score: 5.0, Base Severity: MEDIUM

These are the vulnerabilities known for iPhone 12: CVE ID: CVE-2012-1327, Description: dot11t/t_if_dot11_hal_ath.c in Cisco IOS 12.3, 12.4, 15.0, and 15.1 allows remote attackers to cause a denial of service (assertion failure and reboot) via 802.11 wireless traffic, as demonstrated by a video call from Apple iOS 5.0 on an iPhone 4S, aka Bug ID CSCtt94391., Access Vector:

ADJACENT_NETWORK, Attack Complexity: LOW, Confidentiality Impact: NONE, Integrity Impact: NONE, Availability Impact: COMPLETE, Base Score: 6.1, Base Severity: MEDIUM CVE ID: CVE-2019-25071, Description: A vulnerability was found in Apple iPhone up to 12.4.1. It has been declared as critical. Affected by this vulnerability is Siri. Playing an audio or video file might be able to initiate Siri on the same device which makes it possible to execute commands remotely. Exploit details have been disclosed to the public. The existence and implications of this vulnerability are doubted by Apple even though multiple public videos demonstrating the attack exist. Upgrading to version 13.0 might be able to address this issue. It is recommended to upgrade affected devices. NOTE: Apple claims, that after examining the report they do not see any actual security implications., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH

These are the vulnerabilities known for iPhone 13: CVE ID: CVE-2019-25071, Description: A vulnerability was found in Apple iPhone up to 12.4.1. It has been declared as critical. Affected by this vulnerability is Siri. Playing an audio or video file might be able to initiate Siri on the same device which makes it possible to execute commands remotely. Exploit details have been disclosed to the public. The existence and implications of this vulnerability are doubted by Apple even though multiple public videos demonstrating the attack exist. Upgrading to version 13.0 might be able to address this issue. It is recommended to upgrade affected devices. NOTE: Apple claims, that after examining the report they do not see any actual security implications., Access Vector: NETWORK, Attack Complexity: LOW, Confidentiality Impact: HIGH, Integrity Impact: HIGH, Availability Impact: HIGH, Base Score: 8.8, Base Severity: HIGH