

Anisotropic equivalent fluid identification

Arthur TERROIR

June 12, 2018

1 Introduction

2 Description of the configuration

The presented identification method is based on a propagation problem through an anisotropic equivalent fluid. The densities of the fluid are supposed to be complex and constitute a density matrix, as the anisotropic fluid is supposed to be out of its principal direction. As an equivalent fluid, the complex bulk modulus and densities are dependent of the frequencies. The density matrix of the fluid is written as :

$$\bar{\bar{\rho}} = \begin{pmatrix} \rho_1 & \rho_{12} & \rho_{13} \\ \rho_{12} & \rho_2 & \rho_{23} \\ \rho_{13} & \rho_{23} & \rho_3 \end{pmatrix}. \quad (1)$$

The propagation problem is described on the figure (1) with a right-hand direct basis, the medium is excited with an incident harmonic plane wave on the interface $x_3 = L$. The fluid layer is supposed to be infinite along the plan x_1x_2 and with a depth L along x_3 . The incident wave is oriented with two angles, elevation θ and azimuthal ϕ , the three projected wave numbers are :

$$k_1 = -k_0 \sin(\theta) \cos(\phi), \quad (2)$$

$$k_2 = -k_0 \sin(\theta) \sin(\phi), \quad (3)$$

$$k_3 = -k_0 \cos(\theta), \quad (4)$$

where $k^{(0)}$ is the incident wave number at the radial frequency ω .




Figure 1: un premier titre

Considering the propagation problem, the boundary condition are defined using the reflection and transmission coefficient, the incident and reflected wave are observed on the interface at $x_3 = L$ and the transmitted wave at $x_3 = 0$, the boundary condition can be write as :

$$\bar{S}_{(L)} = \begin{pmatrix} p \\ v_3 \end{pmatrix}_{(L)} = \begin{pmatrix} 1 + R \\ -\frac{k_3}{\rho\omega}(1 - R) \end{pmatrix}, \quad (5)$$

$$\bar{S}_{(0)} = \begin{pmatrix} p \\ v_3 \end{pmatrix}_{(0)} = \begin{pmatrix} Te^{ik_3L} \\ -\frac{k_3}{\rho\omega}Te^{ik_3L} \end{pmatrix}, \quad (6)$$

with \bar{S} the state vector (pressure and particle velocity) of the wave propagating, and R and T, the reflection and transmission coefficient at $x_3 = L$ and the transmission coefficient at $x_3 = 0$.

Notice here that both of the reflected and transmitted without any phase, the phase is considered in R and T as well as the transmitted and reflected amplitude.

3 Parameters identification

3.1 Transfer Matrix

To achieve the parameters identification, the transfer matrix of the fluid should be known to describe the propagation of the wave between the two interface. It's here proposed to derive the transfer matrix using the following Euler's equation :

$$\rho \frac{\partial}{\partial t} v = -\nabla p, \quad (7)$$

$$\frac{\partial}{\partial t} p = -K \nabla v, \quad (8)$$

The solutions in the medium are supposed to be harmonic plane wave, of angular frequency ω , write as, with the time convention $e^{-i\omega t}$:

$$\xi = \tilde{\xi} e^{i(k_1 x_1 + k_2 x_2)} e^{-i\omega t} \quad (9)$$

Introducing the density matrix $\bar{\rho}$ (eq. (1)), the Euler's expressions become :

$$ik_i p = \sum_{j=1}^3 i\omega \rho_{ij} v_j, \quad i = 1, 2 \quad (10)$$

$$\frac{\partial}{\partial x_3} p = \sum_{j=1}^3 i\omega \rho_{3j} v_j \quad (11)$$

$$i\omega p = iK(k_1 v_1 + k_2 v_2 + \frac{\partial}{\partial x_3} v_3). \quad (12)$$

Using the expressions (10), the particle velocity v_1 and v_2 can be express a function of the state vector \bar{S} , and introducing this function in the expressions (11) and (12), the propagation matrix \bar{A} can be derive as :

$$\frac{\partial}{\partial x_3} \bar{S} = \bar{A} \bar{S}, \quad (13)$$

with :

$$\bar{A} = \begin{pmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{pmatrix}, \quad (14)$$

$$A_{11} = A_{22} = i \left[\frac{\rho_2 \rho_{13} - \rho_{12} \rho_{23}}{\rho_1 \rho_2 - \rho_{12}^2} k_1 + \frac{\rho_1 \rho_{23} - \rho_{12} \rho_{13}}{\rho_1 \rho_2 - \rho_{12}^2} k_2 \right], \quad (15)$$

$$A_{12} = i\omega \rho_3 \left[1 - \frac{\rho_{13}}{\rho_1 \rho_2 - \rho_{12}^2} \left(\frac{k_1^{(i)}}{k_3^{(i)}} \right)^2 (\rho_2 - \rho_{12} \left(\frac{k_2^{(i)}}{k_1^{(i)}} \right)^2) - \frac{\rho_{23}}{\rho_1 \rho_2 - \rho_{12}^2} \left(\frac{k_2^{(i)}}{k_3^{(i)}} \right)^2 (\rho_1 - \rho_{12} \left(\frac{k_1^{(i)}}{k_2^{(i)}} \right)^2) \right], \quad (16)$$

$$A_{21} = \frac{i\omega}{K} \left[1 - \frac{\rho_3}{\rho_1 \rho_2 - \rho_{12}^2} \left(\frac{k_1^{(i)}}{k_3^{(i)}} \right)^2 (\rho_2 - \rho_{12} \frac{k_2}{k_1}) - \frac{\rho_3}{\rho_1 \rho_2 - \rho_{12}^2} \left(\frac{k_2^{(i)}}{k_3^{(i)}} \right)^2 (\rho_1 - \rho_{12} \frac{k_1}{k_2}) \right], \quad (17)$$

where $k_m^{(i)}$ is a effective wave number along the direction m, independent of the frequency, such as $k_m^{(i)} = \frac{\omega}{\sqrt{\frac{K}{\rho_{m3}}}}$.

The exhaustive calculus is present on the annex A (6).

The propagation matrix can be express with new terms, consider as the effective parameters of the anisotropic fluid. Using the four terms of the equation (14), 4 parameters can be identified, the effective bulk modulus \tilde{K} , the effective density $\tilde{\rho}_3$ along the propagation direction and two phase-shift terms q_1 and q_2 link to the non-planar anisotropy.

$$\tilde{K} = \frac{K}{\left[1 - \frac{\rho_3}{\rho_1\rho_2 - \rho_{12}^2} \left(\frac{k_1^{(i)}}{k_3^{(i)}}\right)^2 (\rho_2 - \rho_{12}\frac{k_2}{k_1}) - \frac{\rho_3}{\rho_1\rho_2 - \rho_{12}^2} \left(\frac{k_2^{(i)}}{k_3^{(i)}}\right)^2 (\rho_1 - \rho_{12}\frac{k_1}{k_2})\right]}, \quad (18)$$

$$\tilde{\rho}_3 = \rho_3 \left[1 - \frac{\rho_{13}}{\rho_1\rho_2 - \rho_{12}^2} \left(\frac{k_1^{(i)}}{k_3^{(i)}}\right)^2 (\rho_2 - \rho_{12}\frac{k_2^{(i)}}{k_1^{(i)}}) - \frac{\rho_{23}}{\rho_1\rho_2 - \rho_{12}^2} \left(\frac{k_2^{(i)}}{k_3^{(i)}}\right)^2 (\rho_1 - \rho_{12}\frac{k_1^{(i)}}{k_2^{(i)}})\right], \quad (19)$$

$$q_1 = \frac{\rho_2\rho_{13} - \rho_{12}\rho_{23}}{\rho_1\rho_2 - \rho_{12}^2} k_1, \quad (20)$$

$$q_2 = \frac{\rho_1\rho_{23} - \rho_{12}\rho_{13}}{\rho_1\rho_2 - \rho_{12}^2} k_2. \quad (21)$$

Some observation can be done on the new parameters of the propagation matrix $\bar{\bar{A}}$, On the effective density $\tilde{\rho}_3$ along the direction of propagation, it can show that $\tilde{\rho}_3$ is only dependant to frequency trough the densities, plus if the fluid considered is isotropic we have $\tilde{\rho}_3 = \rho_3$. On the bulk modulus, the first comment is that he depend on the frequency, and of the angle of incidence as well. Moreover two peculiar case can be distinguish, with a isotropic equivalent fluid and for any anisotropy in normal incident, the effective bulk modulus show $\tilde{K} = K$.

The transfer matrix can be obtain knowing the propagation matrix, resolving the equation (13), so :

$$\bar{S}_{(l)} = e^{\bar{\bar{A}}L} \bar{S}_{(0)}. \quad (22)$$

In this case, $e^{\bar{\bar{A}}L}$ is the transfer matrix allowing the characterization of the propagation between the two interfaces of the medium. To know the analytic expression of the transfer matrix Tr , the propagation matrix $\bar{\bar{A}}$ should be diagonalize, so the matrix exponential can be derive. With the diagonalization, the propagation matrix can be express as :

$$\bar{\bar{A}} = \bar{\bar{U}} \begin{pmatrix} -ik_{33} + i\tilde{q} & 0 \\ 0 & ik_{33} + i\tilde{q} \end{pmatrix} \bar{\bar{U}}^{-1}, \quad (23)$$

where $\bar{\bar{U}}$ is the eigen vector $\bar{\bar{U}} = \frac{1}{\sqrt{2}} \begin{pmatrix} Z_3 & Z_3 \\ -1 & 1 \end{pmatrix}$, k_{33} the effective wave number along x_3 as $k_{33} = \frac{\omega}{c_{33}} = \frac{\omega}{\frac{K}{\rho_3}}$, c_{33} the effective celerity, Z_3 the effective impedance as $Z_3 = \rho_3 \tilde{c}_{33}$, and \tilde{q} is the global phase-shift terms $q_1 + q_2$.

Then it come the following transfer matrix Tr :

$$Tr = \bar{\bar{U}} \begin{pmatrix} e^{-ik_{33}L} & 0 \\ 0 & e^{-ik_{33}L} \end{pmatrix} e^{i\tilde{q}L} \bar{\bar{U}}^{-1} \quad (24)$$

Notice that using using the boundary condition (5) and (6), and introducing the expression (24) in the equation (22), it can be show that the reflection and transmission coefficients can be write as :

$$T = \frac{e^{-i\tilde{q}L}}{\cos(k_{33}L) - \frac{i}{2} \left(\frac{Z}{Z_3} + \frac{Z_3}{Z} \right) \sin(k_{33}L)}, \quad (25)$$

$$R = \frac{i}{2} \frac{\left(\frac{Z}{Z_3} - \frac{Z_3}{Z} \right) \sin(k_{33}L)}{\cos(k_{33}L) - \frac{i}{2} \left(\frac{Z}{Z_3} + \frac{Z_3}{Z} \right) \sin(k_{33}L)}. \quad (26)$$

3.2 Identification

The propagation between the two interfaces of the layer is now known with the transfer matrix (24), an identification can be develop based on a inverse method. If the reflection and transmission are supposed to be the known parameters of the problem, the parameter to determine are the complex densities and the bulk modulus. Notice that the length of the layer L is supposed to be previously determine.

To achieve the inverse propagation method, it's proposed here to take information from 6 angle of incidence, at first a view, using 6 angle of incidence for R and T induce 12 information to determine 7 parameters (6 density and

the bulk modulus), so the method seems oversized. The excess of information come from the redundant information of the bulk modulus, in fact for all the angle of incidence, the information of the bulk modulus is present.

The first step of the inverse method is to obtain an information about the propagation between the 2 interface of the layer using R and T, so it's proposed here to rewrite the propagation equation so parameters containing the propagation information can be express.

Introducing the analytic expression of the transfer matrix Tr (24) in the differential equation (22), the propagation equation become :

$$U^{-1}\bar{S}_{(L)} = \begin{pmatrix} e^{-ik_{33}L} & 0 \\ 0 & e^{ik_{33}L} \end{pmatrix} e^{i\tilde{q}} U^{-1}\bar{S}_{(0)}, \quad (27)$$

Developing, it come 2 expressions :

$$e^{ik_{33}L} = \frac{(1+R) - \frac{Z_3}{Z}(1-R)}{(1 - \frac{Z_3}{Z})T} e^{-i\tilde{q}L}, \quad (28)$$

$$e^{-ik_{33}L} = \frac{(1+R) + \frac{Z_3}{Z}(1-R)}{(1 + \frac{Z_3}{Z})T} e^{-i\tilde{q}L}. \quad (29)$$

At this point, there's 2 possibility of using the new equation of propagation, the first and the one that will be use for the resolution is to make the product of the (28) and (29) to cancel the k_{33} terms and obtain the effective impedance Z_3 as a function of R,T and the characteristic impedance Z . Note that Z is defined by the medium of the incident wave as $Z = \frac{\rho\omega}{k_3}$. The impedance Z_3 can express as, with the product (28).(29) :

$$Z_3^2 = \frac{T^2 e^{2i\tilde{q}L} - (1+R)^2}{T^2 e^{2i\tilde{q}L} - (1-R)^2} Z^2. \quad (30)$$

A function $F(R, T, \tilde{q})$ is defined, so it can be write :

$$Z_3 = F(R, T, \tilde{q}), \quad (31)$$

$$F(R, T, \tilde{q}) = \sqrt{\frac{T^2 e^{2i\tilde{q}L} - (1+R)^2}{T^2 e^{2i\tilde{q}L} - (1-R)^2}} Z. \quad (32)$$

Another way of extracting the propagation information is to know the effective wave number k_{33} using one of the two equation (28) and (29). In the current state of the problem, the phase-shift term \tilde{q} is not known yet, so both of k_{33} and Z_3 are unknown. It's know from the expression (20) and (21) that \tilde{q} is null in normal incidence, then both of k_{33} and Z_3 can be determined in this case.

Using this 2 parameters, the bulk modulus and the effective density $\tilde{\rho}_3$ can be derive. It possible to show that the effective bulk modulus \tilde{K} can be write as $\tilde{K} = K$ with the expression (18) in normal incidence, and we remind that $k_{33} = \frac{\omega}{c_{33}} = \omega \frac{\tilde{\rho}_3}{\tilde{K}}$. Then it come, with the definition of the effective impedance $Z_3 = \tilde{\rho}_3 \tilde{K}$:

$$K = \frac{Z_3}{k_{33}} \omega \Big|_{\phi=0}^{\theta=0}, \quad (33)$$

$$\tilde{\rho}_3 = \frac{Z_3 k_{33}}{\omega} \Big|_{\phi=0}^{\theta=0}. \quad (34)$$

Some information still unknown to identify the complex density, the density can be solved when the impedance Z_3 , and so the propagation between the two interface, is determined for all the angle of incidence. To do that, the phase-shift term \tilde{q} , then q_1 and q_2 , should be derive.

The two phase-shift terms can be identified independently by looking a their own contribution on the direction x_1 or x_2 . Each terms correspond to a phase-shift along one of the direction of the plane, it can see as a phase-shift induce by a rotation of the plan $x_1 x_2$ of the anisotropic layer, so by a physic meaning, it can be express a simple formulation. The reflection coefficient shouldn't change between 2 opposite angle incidence ($\theta = \frac{\pi}{6}$ and $\theta = -\frac{\pi}{6}$ for example), the reflected wave only seeing a surface impedance. On the other hand, the transmission characterizing the propagation trough the layer, a phase-shift should be observe between two opposite angle of incidence. Mathematically, this can be showed regarding the transmission and reflection coefficient expression (25) and (26), for a fix azimuthal angle of incidence ϕ and two opposite polar angle of incidence $\pm\theta$. In the wave number k_{33} and the impedance Z_3 , the only term depending of the angle incidence is the effective bulk modulus \tilde{K} , term that still the same for the two opposite polar angle θ by his expression (18). Plus the impedance Z depending of a pair function of θ , it come that the only change in R and T come from the phase-term \tilde{q} . Then selecting the right

azimuthal angle ϕ , q_1 and q_2 can be identified with a simple ratio of transmission coefficient for two opposite polar angle of incidence θ . The next choose of polar angle θ is make, to simplify the identification of density in the next step. Two terms are defined here, the phase-shift term $q_1^{(0)}$ and $q_2^{(0)}$, corresponding to q_1 and q_2 without projection of the incident wavenumber $k^{(0)}$, so :

$$q_1^{(0)} = \frac{\rho_2 \rho_{13} - \rho_{12} \rho_{23}}{\rho_1 \rho_2 - \rho_{12}^2} k^{(0)}, \quad (35)$$

$$q_2^{(0)} = \frac{\rho_1 \rho_{23} - \rho_{12} \rho_{13}}{\rho_1 \rho_2 - \rho_{12}^2} k^{(0)}. \quad (36)$$

Then using the expression (25), it come :

$$e^{iq_1^{(0)}L} = \frac{T_{\phi=0}^{\theta=\frac{-\pi}{6}}}{T_{\phi=0}^{\theta=\frac{-\pi}{6}}}, \quad e^{iq_1^{(0)}L} = \frac{T_{\phi=\frac{-\pi}{2}}^{\theta=\frac{\pi}{6}}}{T_{\phi=\frac{-\pi}{2}}^{\theta=\frac{-\pi}{6}}}. \quad (37)$$

Now that \tilde{q} is known, the impedance can be determined for any angle of incidence, the complex density can be identify, it first proposed here to rewrite the expression of the effective impedance Z_3 as a explicit function of the densities ρ_1 , ρ_2 and ρ_{12} . Considering that the effective bulk modulus can be express as $\tilde{K} = \frac{K}{\alpha}$ from the expression (18), so Z_3 can write as :

$$Z_3 = \sqrt{\tilde{\rho}_3 \tilde{K}} = \sqrt{\frac{\tilde{\rho}_3 K}{\alpha}}, \quad (38)$$

$$\alpha = 1 - \frac{K}{\omega^2} \frac{\rho_2 k_1^2 + \rho_1 k_2^2 - 2\rho_{12} k_1 k_2}{\rho_1 \rho_2 - \rho_{12}^2}. \quad (39)$$

A new system of equation can be express as :

$$\frac{K}{\omega^2} \frac{\rho_2 k_1^2 + \rho_1 k_2^2 - 2\rho_{12} k_1 k_2}{\rho_1 \rho_2 - \rho_{12}^2} = 1 - \frac{\tilde{\rho}_3 K}{Z_3^2} \quad (40)$$

The next notation is made to simplify the resolution method :

$$\gamma = 1 - \frac{\tilde{\rho}_3 K}{Z_3^2}, \quad (41)$$

$$X_{(x)}^{(y)} = X|_{\phi=x}^{\theta=y}. \quad (42)$$

Here it's proposed to use the equation (40), for different angle of incidence, to determine the tree planar density ρ_1 , ρ_2 and ρ_{12} . Using the projection of the incident wave number $k^{(0)}$ (2) and (3), it's possible to choose the right angle of incidence, so the projected wave number can be equal for all angle of incidence. The angle choose here are the following : $\theta = \frac{\pi}{6}$ and $\phi = 0$ along x_1 , $\theta = \frac{\pi}{6}$ and $\phi = \frac{\pi}{2}$ along x_2 , and $\theta = \frac{\pi}{4}$ and $\phi = \frac{\pi}{4}$ in oblique incident, so it can be write $-k_1 = k_2 = k = \frac{1}{2}k^{(0)}$. The equation (40) can be write the different angle of incidence :

$$\frac{K}{\omega^2} \frac{\rho_2}{\rho_1 \rho_2 - \rho_{12}^2} k^2 = \gamma_{(0)}^{(\frac{\pi}{6})}, \quad (43)$$

$$\frac{K}{\omega^2} \frac{\rho_1}{\rho_1 \rho_2 - \rho_{12}^2} k^2 = \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})}, \quad (44)$$

$$\frac{K}{\omega^2} \frac{\rho_1 + \rho_2 - 2\rho_{12}}{\rho_1 \rho_2 - \rho_{12}^2} k^2 = \gamma_{(\frac{\pi}{4})}^{(\frac{\pi}{4})}. \quad (45)$$

Resolving the system it come :

$$\rho_1 = \frac{\gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})}}{\gamma_{(0)}^{(\frac{\pi}{6})} \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \frac{1}{4}(\gamma_{(0)}^{(\frac{\pi}{6})} + \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \gamma_{(\frac{\pi}{4})}^{(\frac{\pi}{4})})^2}, \quad (46)$$

$$\rho_2 = \frac{\gamma_{(0)}^{(\frac{\pi}{6})}}{\gamma_{(0)}^{(\frac{\pi}{6})} \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \frac{1}{4}(\gamma_{(0)}^{(\frac{\pi}{6})} + \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \gamma_{(\frac{\pi}{4})}^{(\frac{\pi}{4})})^2}, \quad (47)$$

$$\rho_{12} = \frac{\gamma_{(0)}^{(\frac{\pi}{6})} + \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \gamma_{(\frac{\pi}{4})}^{(\frac{\pi}{4})}}{\gamma_{(0)}^{(\frac{\pi}{6})} \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \frac{1}{4}(\gamma_{(0)}^{(\frac{\pi}{6})} + \gamma_{(\frac{\pi}{2})}^{(\frac{\pi}{6})} - \gamma_{(\frac{\pi}{4})}^{(\frac{\pi}{4})})^2}. \quad (48)$$

Three parameters still have to be determined, the density ρ_{13} , ρ_{23} and ρ_3 , using the expression (20) and (21) of the phase-shift term q_1 and q_2 , it's possible to have a system of 2 equation, which give :

$$\rho_{13} = \frac{\rho_1 q_1^{(0)} + \rho_{12} q_2^{(0)}}{k^{(0)}}, \quad (49)$$

$$\rho_{23} = \frac{\rho_2 q_2^{(0)} + \rho_{12} q_1^{(0)}}{k^{(0)}}. \quad (50)$$

and finally using the expression of $\tilde{\rho}_3$ (19), it come :

$$\rho_3 = \tilde{\rho}_3 + \frac{\rho_{13}(\rho_2 \rho_{13} - \rho_{12} \rho_{23}) + \rho_{23}(\rho_1 \rho_{23} - \rho_{12} \rho_{13})}{\rho_1 \rho_2 - \rho_{12}^2}. \quad (51)$$

4 Results

The developed method is now apply to a numerical problem with a anisotropic porous material, three unit cell are use to valid the method as show on the figure (2), one isotropic, one orthotropic, and one anisotropic. The porous layer is homogenized as an anisotropic equivalent fluid using the JCAL model(citation), the transmission and reflection coefficients are obtain using a propagation model in a anisotropic equivalent fluid, with the temporal convention $e^{i\omega t}$. The porous layer is of length L and considered rotated so the principal direction are unknown. The euler angle of the rotation are described for each cell on the figure (2). The same complex bulk modulus is use for the three case containing the three different unit cells.




Figure 2: azerty

The first parameter retrieve by the inverse method is the complex bulk modulus, as the three case of porous show the same bulk modulus and the method show very similar result for his identification, only the anisotropic case is represented on the figure (3) as a global result for the three case.

As expect of a numerical validation, with no noise introduce in the model, the inverse method recover perfectly the bulk modulus value with a mean deviation of order $10^{-16}\%$ for the real part of K and $10^{-6}\%$ for the imaginary part. The 10-digit difference between the two part, is due to

Then the density are reconstruct base on the identified bulk modulus, for the 3 case the obtained density are present on the figure (4).

As the bulk modulus , the 6 complex density for the 3 case are well reconstruct and it's possible to recover the density of the porous material in his principal direction with a simple diagonalization of the density matrix (made by the eig function of matlab©). One problem of this method is the arrangement of the eigen value, that need




Figure 3: azerty




Figure 4: azerty

to be made, and can be different from the initial density in the principal direction. This unknown arrangement prevent from deriving the rotation of the principal direction.

A convention is need to fix the arrangement of the eigen value, and to determine the rotation of the medium. The rotation is describe here by the three Euler angle, around successively x_3 , x_2 and x_1 , in configuration "ZYX". The fixed convention here is that both of the rotation angle θ_I around x_1 and θ_{II} around x_2 should be contain between 0 and $\frac{\pi}{2}$. After checking if the rotated base is direct, base who correspond to the eigen vector, successive permutation are operated until the condition on θ_I and θ_{II} are satisfied, then the permuted eigen vector is convert to euler angle (using the function `rotm2eul` of matlab©).

The figure (5) present density and angle of rotation obtained.

Three case are distinguish here, the first is the isotropic porous layer, it's easy too see that the reconstruct density matrix is the one of a isotropic material who correspond to the expect one, plus the homogeneization is done before rotating the layer, so here the roation is not observe whenever the egein value aren't arrange as the theroitcal result expected. For the second case, the orthotropic density are recover with an symmetry on the x_1x_3 plan instead of the theoritcal symmetry on x_1x_2 . This permutation of axis explain that the first two rotation angle θ_I and θ_{II} are recover perfectly but the third θ_{III} is shift of 90° , remind that a plan is π periodic. The last case show anisotropic density, that identified the right density with the good arrangement. In this case the rotation angle are recover.




Figure 5: azerty

5 Conclusion

6 Annex

Annex A :Propagation matrix \bar{A}

From the expression (10), v_1 and v_2 can be express as a function of p and v_3 , so :

$$v_1 = \frac{1}{\rho_1 - \frac{\rho_{12}^2}{\rho_2}} \left(\left[\frac{k_1}{\omega} - \frac{\rho_{12}}{\rho_2} \frac{k_2}{\omega} \right] p + \left[\frac{\rho_{12}}{\rho_2} \rho_{23} - \rho_{13} \right] v_3 \right),$$

$$v_2 = \frac{1}{\rho_2 - \frac{\rho_{12}^2}{\rho_1}} \left(\left[\frac{k_2}{\omega} - \frac{\rho_{12}}{\rho_1} \frac{k_1}{\omega} \right] p + \left[\frac{\rho_{12}}{\rho_1} \rho_{13} - \rho_{23} \right] v_3 \right).$$

Introducing this expression in (11) and (12), can be write $\frac{\partial}{\partial x_3} \bar{S}$ as $\frac{\partial}{\partial x_3} \bar{S}(p, v_3)$:

$$\begin{aligned} \frac{\partial}{\partial x_3} v_3 = & \left[\frac{i\omega}{K} - \frac{ik_1}{\rho_1 - \frac{\rho_{12}^2}{\rho_2}} \left(\frac{k_1}{\omega} - \frac{\rho_{12}}{\rho_2} \frac{k_2}{\omega} \right) - \frac{ik_2}{\rho_2 - \frac{\rho_{12}^2}{\rho_1}} \left(\frac{k_2}{\omega} - \frac{\rho_{12}}{\rho_1} \frac{k_1}{\omega} \right) \right] p \\ & - \left[\frac{ik_1}{\rho_1 - \frac{\rho_{12}^2}{\rho_2}} \left(\frac{\rho_{12}}{\rho_2} \rho_{23} - \rho_{13} \right) + \frac{ik_2}{\rho_2 - \frac{\rho_{12}^2}{\rho_1}} \left(\frac{\rho_{12}}{\rho_1} \rho_{13} - \rho_{23} \right) \right] v_3, \end{aligned}$$

and

$$\begin{aligned} \frac{\partial}{\partial x_3} p = & \left[\frac{i\omega\rho_{13}}{\rho_1 - \frac{\rho_{12}^2}{\rho_2}} \left(\frac{k_1}{\omega} - \frac{\rho_{12}}{\rho_2} \frac{k_2}{\omega} \right) + \frac{i\omega\rho_{23}}{\rho_2 - \frac{\rho_{12}^2}{\rho_1}} \left(\frac{k_2}{\omega} - \frac{\rho_{12}}{\rho_1} \frac{k_1}{\omega} \right) \right] p \\ & + \left[\frac{i\omega\rho_{13}}{\rho_1 - \frac{\rho_{12}^2}{\rho_2}} \left(\frac{\rho_{12}}{\rho_2} \rho_{23} - \rho_{13} \right) + \frac{i\omega\rho_{23}}{\rho_2 - \frac{\rho_{12}^2}{\rho_1}} \left(\frac{\rho_{12}}{\rho_1} \rho_{13} - \rho_{23} \right) \right] v_3. \end{aligned}$$

Writing this two equation in matrix form, the expression (14) can be obtain.

Annex B : Reflection and transmission coefficients

To obtain the reflection and transmission coefficient, the transfer matrix Tr and the boundary condition (5) and (6) are required. The expression of Tr (24) can be develop as :

$$\begin{aligned}
 Tr &= \bar{U} \begin{pmatrix} e^{-ik_{33}L} & 0 \\ 0 & e^{ik_{33}L} \end{pmatrix} U^{-1} \\
 &= \frac{1}{2} \begin{pmatrix} Z_3 & Z_3 \\ -1 & 1 \end{pmatrix} \begin{pmatrix} e^{-ik_{33}L} & 0 \\ 0 & e^{ik_{33}L} \end{pmatrix} \begin{pmatrix} \frac{1}{Z_3} & -1 \\ \frac{1}{Z_3} & 1 \end{pmatrix} \\
 &= \frac{1}{2} \begin{bmatrix} e^{ik_{33}L} + e^{-ik_{33}L} & Z_3(e^{ik_{33}L} - e^{-ik_{33}L}) \\ \frac{e^{ik_{33}L} - e^{-ik_{33}L}}{Z_3} & e^{ik_{33}L} + e^{-ik_{33}L} \end{bmatrix} \\
 &= \begin{bmatrix} \cos(k_{33}L) & iZ_3 \sin(k_{33}L) \\ i \frac{\sin(k_{33}L)}{Z_3} & \cos(k_{33}L) \end{bmatrix}.
 \end{aligned}$$

Introducing the new transfer matrix in the equation (22), the two next equation come :

$$(1 + R) = [\cos(k_{33}L) - i \frac{Z_3}{Z} \sin(k_{33}L)]T, \quad (52)$$

$$-\frac{(1 - R)}{Z} = [-\frac{\cos(k_{33}L)}{Z} + i \frac{\sin(k_{33}L)}{Z_3}]. \quad (53)$$

And resolving the system of 2 equation with 2 unknown, the reflection and transmission coefficient (25) and (26) can be obtain.

Annex C : ρ_1 , ρ_2 and ρ_{12} determination

To determine the three densities ρ_1 , ρ_2 and ρ_{12} , it's proposed to resolve the system of 3 equation with 3 unknown [(43):(45)], three ratio of densities can be defined as :

$$\frac{(44)}{(43)} : \frac{\rho_1}{\rho_2} = \frac{\gamma'|_{(\frac{\pi}{6})}}{\gamma'|_{(\frac{\pi}{2})}} = X_1, \quad (54)$$

$$\frac{(43) + (44) - (45)}{(44)} : \frac{\rho_{12}}{\rho_1} = \frac{1}{2} \frac{\gamma'|_{(\frac{\pi}{6})} + \gamma'|_{(\frac{\pi}{2})} - \gamma'|_{(\frac{\pi}{4})}}{\gamma'|_{(\frac{\pi}{2})}} = X_2, \quad (55)$$

$$\frac{(43) + (44) - (45)}{(43)} : \frac{\rho_{12}}{\rho_2} = \frac{1}{2} \frac{\gamma'|_{(\frac{\pi}{6})} + \gamma'|_{(\frac{\pi}{2})} - \gamma'|_{(\frac{\pi}{4})}}{\gamma'|_{(\frac{\pi}{6})}} = X_3. \quad (56)$$

And by introducing the expression [(54):(56)] in (43), the equation can be express in function of ρ_2 , so :

$$\rho_2 = \frac{X_1}{(X_1 - X_3^2) \gamma'|_{(\frac{\pi}{2})}}. \quad (57)$$

Developed, it come the expression (47) Considering $\rho_1 = X_1 \rho_2$ and $\rho_{12} = X_3 \rho_2$, the expression (46) and (48) can be obtain.