

MMR Region	0x40000000	Cluster-0 Machine-level Interrupt File	0x40000000	Core-0 Machine-level Interrupt File	0x40000000	seteipnum_fe_M[cluster:0][core:0]	0x40000000
							0x40000007
						Internal	0x40000BC0
					0x4003FFFF		0x40000BC7
				Core-1~7 Machine-level Interrupt File	0x40040000		
			0x401FFFFF		0x401FFFFF		
		Cluster-1~15 Machine-level Interrupt File	0x40200000				
			0x41FFFFFF				
		Cluster-0 M-level MMR Region	0x42000000	Core-0 MMR	0x42000000	Internal	0x42000000
							0x4200000F
						Internal	0x42000020
							0x4200003F
						trTeControl[cluster:0][core:0]	0x42001000
							0x42001003
						Internal	0x42001004
							0x42001007
						trTeInstFeatures[cluster:0][core:0]	0x42001008
							0x4200100B
						trTeInstFilters[cluster:0][core:0]	0x4200100C
							0x4200100F
						trTeFilter0Control[cluster:0][core:0]	0x42001400
							0x42001403
						trTeFilter0MatchInst[cluster:0][core:0]	0x42001404
							0x42001407
						Internal	0x42002000
							0x4200200B
						Internal	0x42002010
							0x4200201F
						Internal	0x42002100
							0x420022D7
						Internal	0x42002400
							0x4200240F
						Internal	0x42002FF8
							0x4200301F
						Internal	0x42004000
							0x42004017
						Internal	0x42005000
							0x42005007
						Internal	0x42005040
							0x42005047
						Internal	0x42005078
							0x4200509F
						Internal	0x42005100
							0x4200511F
						Internal	0x42005200
							0x4200524F
						c_ResetVector[cluster:0][core:0]	0x42005300
							0x42005307
						c_fe_error_header_vendor[cluster:0][core:0]	0x42008000
							0x42008007
						c_fe_error_header_bank_info[cluster:0][core:0]	0x42008008
							0x4200800F
						c_fe_error_header_valid_summary[cluster:0][core:0]	0x42008010
							0x42008017
						c_fe_error_header_reserved_0[cluster:0][core:0]	0x42008018
							0x4200801F
						c_fe_error_header_reserved_1[cluster:0][core:0]	0x42008020
							0x42008027
						c_fe_error_header_reserved_2[cluster:0][core:0]	0x42008028
							0x4200802F
						c_fe_error_header_reserved_3[cluster:0][core:0]	0x42008030
							0x42008037
						c_fe_error_header_custom_0[cluster:0][core:0]	0x42008038
							0x4200803F
						c_fe_error_record_0_control[cluster:0][core:0]	0x42008040
							0x42008047
						c_fe_error_record_0_status[cluster:0][core:0]	0x42008048
							0x4200804F
						c_fe_error_record_0_addr[cluster:0][core:0]	0x42008050
							0x42008057

					c_fe_error_record_0_info[cluster:0][core:0]	0x42008058
						0x4200805F
					c_fe_error_record_0_suppl_info[cluster:0][core:0]	0x42008060
						0x42008067
					c_fe_error_record_0_timestamp[cluster:0][core:0]	0x42008068
						0x4200806F
					c_fe_error_record_0_locator[cluster:0][core:0]	0x42008070
						0x42008077
					c_fe_error_record_0_reserved_8[cluster:0][core:0]	0x42008078
						0x4200807F
					c_fe_error_record_1_control[cluster:0][core:0]	0x42008080
						0x42008087
					c_fe_error_record_1_status[cluster:0][core:0]	0x42008088
						0x4200808F
					c_fe_error_record_1_addr[cluster:0][core:0]	0x42008090
						0x42008097
					c_fe_error_record_1_info[cluster:0][core:0]	0x42008098
						0x4200809F
					c_fe_error_record_1_suppl_info[cluster:0][core:0]	0x420080A0
						0x420080A7
					c_fe_error_record_1_timestamp[cluster:0][core:0]	0x420080A8
						0x420080AF
					c_fe_error_record_1_locator[cluster:0][core:0]	0x420080B0
						0x420080B7
					c_fe_error_record_1_reserved_8[cluster:0][core:0]	0x420080B8
						0x420080BF
					c_ls_error_header_vendor[cluster:0][core:0]	0x42008100
						0x42008107
					c_ls_error_header_bank_info[cluster:0][core:0]	0x42008108
						0x4200810F
					c_ls_error_header_valid_summary[cluster:0][core:0]	0x42008110
						0x42008117
					c_ls_error_header_reserved_0[cluster:0][core:0]	0x42008118
						0x4200811F
					c_ls_error_header_reserved_1[cluster:0][core:0]	0x42008120
						0x42008127
					c_ls_error_header_reserved_2[cluster:0][core:0]	0x42008128
						0x4200812F
					c_ls_error_header_reserved_3[cluster:0][core:0]	0x42008130
						0x42008137
					c_ls_error_header_custom_0[cluster:0][core:0]	0x42008138
						0x4200813F
					c_ls_error_record_0_control[cluster:0][core:0]	0x42008140
						0x42008147
					c_ls_error_record_0_status[cluster:0][core:0]	0x42008148
						0x4200814F
					c_ls_error_record_0_addr[cluster:0][core:0]	0x42008150
						0x42008157
					c_ls_error_record_0_info[cluster:0][core:0]	0x42008158
						0x4200815F
					c_ls_error_record_0_suppl_info[cluster:0][core:0]	0x42008160
						0x42008167
					c_ls_error_record_0_timestamp[cluster:0][core:0]	0x42008168
						0x4200816F
					c_ls_error_record_0_locator[cluster:0][core:0]	0x42008170
						0x42008177
					c_ls_error_record_0_reserved_8[cluster:0][core:0]	0x42008178
						0x4200817F
					c_ls_error_record_1_control[cluster:0][core:0]	0x42008180
						0x42008187
					c_ls_error_record_1_status[cluster:0][core:0]	0x42008188
						0x4200818F
					c_ls_error_record_1_addr[cluster:0][core:0]	0x42008190
						0x42008197
					c_ls_error_record_1_info[cluster:0][core:0]	0x42008198
						0x4200819F
					c_ls_error_record_1_suppl_info[cluster:0][core:0]	0x420081A0
						0x420081A7
					c_ls_error_record_1_timestamp[cluster:0][core:0]	0x420081A8
						0x420081AF

						c_ls_error_record_1_locator[cluster:0][core:0]	0x420081B0
							0x420081B7
						c_ls_error_record_1_reserved_8[cluster:0][core:0]	0x420081B8
							0x420081BF
						c_ls_error_record_2_control[cluster:0][core:0]	0x420081C0
							0x420081C7
						c_ls_error_record_2_status[cluster:0][core:0]	0x420081C8
							0x420081CF
						c_ls_error_record_2_addr[cluster:0][core:0]	0x420081D0
							0x420081D7
						c_ls_error_record_2_info[cluster:0][core:0]	0x420081D8
							0x420081DF
						c_ls_error_record_2_suppl_info[cluster:0][core:0]	0x420081E0
							0x420081E7
						c_ls_error_record_2_timestamp[cluster:0][core:0]	0x420081E8
							0x420081EF
						c_ls_error_record_2_locator[cluster:0][core:0]	0x420081F0
							0x420081F7
						c_ls_error_record_2_reserved_8[cluster:0][core:0]	0x420081F8
							0x420081FF
						Internal	0x4200FFFF
					0x4200FFFF		0x4200FFFF
				Core-1~7 MMR	0x42010000		
					0x4207FFFF		
				Trace Funnel, Trace Sink	0x42080000	trRamControl[cluster:0]	0x42080000
							0x42080003
						Internal	0x42080004
							0x42080007
						trRamStartLow[cluster:0]	0x42080010
							0x42080013
						trRamStartHigh[cluster:0]	0x42080014
							0x42080017
						trRamLimitLow[cluster:0]	0x42080018
							0x4208001B
						trRamLimitHigh[cluster:0]	0x4208001C
							0x4208001F
						trRamWPLow[cluster:0]	0x42080020
							0x42080023
						trRamWPHigh[cluster:0]	0x42080024
							0x42080027
						trRamRPLow[cluster:0]	0x42080028
							0x4208002B
						trRamRPHigh[cluster:0]	0x4208002C
							0x4208002F
						trRamData[cluster:0]	0x42080040
							0x42080043
						Internal	0x42080E00
							0x42080E03
						trFunnelControl[cluster:0]	0x42081000
							0x42081003
						trFunnelImp[cluster:0]	0x42081004
							0x42081007
						trFunnelDisInput[cluster:0]	0x42081008
							0x4208100B
						Internal	0x42082000
							0x42082007
						Internal	0x42082010
							0x4208202F
						Internal	0x42082040
							0x42082043
						Internal	0x4208FFE8
					0x420FFFFF		0x4208FFFF
				CPL	0x42100000	rstctl_ip_ver_reg[cluster:0]	0x42102000
							0x42102003
						rstctl_cpl_cl_cold_reset_reg[cluster:0]	0x42102004
							0x42102007
						rstctl_cpl_cl_warm_reset_reg[cluster:0]	0x42102008
							0x4210200B
						rstctl_cpl_cl_no_fetch_reg[cluster:0]	0x4210200C
							0x4210200F

						rstctl_wait_event_ctrl_reg[cluster:0]	0x42102010
							0x42102013
						rc_scratchpad32[cluster:0]	0x42102014
							0x42102017
						pll_ip_ver_reg[cluster:0]	0x42103000
							0x42103003
						pll_control_reg[cluster:0]	0x42103004
							0x42103007
						pll_status_reg[cluster:0]	0x42103008
							0x4210300B
						pll_interrupts_reg[cluster:0]	0x4210300C
							0x4210300F
						pll_wait_event_ctrl_reg[cluster:0]	0x42103010
							0x42103013
						pll_parameters0_reg[cluster:0]	0x42103014
							0x42103017
						pll_parameters1_reg[cluster:0]	0x42103018
							0x4210301B
						pll_parameters2_reg[cluster:0]	0x4210301C
							0x4210301F
						pll_parameters3_reg[cluster:0]	0x42103020
							0x42103023
						pll_ext_control_reg[cluster:0]	0x42103024
							0x42103027
						cc_scratchpad32[cluster:0]	0x42103028
							0x4210302B
						cpl2fb_wake_and_shutdown_req[cluster:0]	0x42107000
							0x42107003
						Internal	0x42107004
							0x42107007
						cpl2fb_wake_and_shutdown_rsp_w2c[cluster:0]	0x42107008
							0x4210700B
						cpl2cc_wake_and_shutdown_req[cluster:0]	0x4210700C
							0x4210700F
						cpl2cc_wake_and_shutdown_rsp[cluster:0]	0x42107010
							0x42107013
						cpl2cc_wake_and_shutdown_rsp_w2c[cluster:0]	0x42107014
							0x42107017
						ws_interrupt_source[cluster:0]	0x42107018
							0x4210701B
						Infw_config_0[cluster:0]	0x4210D000
							0x4210D003
						Infw_config_1[cluster:0]	0x4210D004
							0x4210D007
						Infw_config_2[cluster:0]	0x4210D008
							0x4210D00B
						Infw_config_3[cluster:0]	0x4210D00C
							0x4210D00F
						Infw_config_4[cluster:0]	0x4210D010
							0x4210D013
						Infw_config_5[cluster:0]	0x4210D014
							0x4210D017
						Infw_config_6[cluster:0]	0x4210D018
							0x4210D01B
						Infw_config_7[cluster:0]	0x4210D01C
							0x4210D01F
						Infw_config_8[cluster:0]	0x4210D020
							0x4210D023
						Infw_config_9[cluster:0]	0x4210D024
							0x4210D027
						Infw_config_10[cluster:0]	0x4210D028
							0x4210D02B
						Infw_config_11[cluster:0]	0x4210D02C
							0x4210D02F
						Infw_config_12[cluster:0]	0x4210D030
							0x4210D033
						Infw_config_13[cluster:0]	0x4210D034
							0x4210D037
						Infw_config_14[cluster:0]	0x4210D038
							0x4210D03B

						Infw_config_15[cluster:0]	0x4210D03C
							0x4210D03F
						Infw_addr_l_0[cluster:0]	0x4210D040
							0x4210D043
						Infw_addr_h_0[cluster:0]	0x4210D044
							0x4210D047
						Infw_addr_l_1[cluster:0]	0x4210D048
							0x4210D04B
						Infw_addr_h_1[cluster:0]	0x4210D04C
							0x4210D04F
						Infw_addr_l_2[cluster:0]	0x4210D050
							0x4210D053
						Infw_addr_h_2[cluster:0]	0x4210D054
							0x4210D057
						Infw_addr_l_3[cluster:0]	0x4210D058
							0x4210D05B
						Infw_addr_h_3[cluster:0]	0x4210D05C
							0x4210D05F
						Infw_addr_l_4[cluster:0]	0x4210D060
							0x4210D063
						Infw_addr_h_4[cluster:0]	0x4210D064
							0x4210D067
						Infw_addr_l_5[cluster:0]	0x4210D068
							0x4210D06B
						Infw_addr_h_5[cluster:0]	0x4210D06C
							0x4210D06F
						Infw_addr_l_6[cluster:0]	0x4210D070
							0x4210D073
						Infw_addr_h_6[cluster:0]	0x4210D074
							0x4210D077
						Infw_addr_l_7[cluster:0]	0x4210D078
							0x4210D07B
						Infw_addr_h_7[cluster:0]	0x4210D07C
							0x4210D07F
						Infw_addr_l_8[cluster:0]	0x4210D080
							0x4210D083
						Infw_addr_h_8[cluster:0]	0x4210D084
							0x4210D087
						Infw_addr_l_9[cluster:0]	0x4210D088
							0x4210D08B
						Infw_addr_h_9[cluster:0]	0x4210D08C
							0x4210D08F
						Infw_addr_l_10[cluster:0]	0x4210D090
							0x4210D093
						Infw_addr_h_10[cluster:0]	0x4210D094
							0x4210D097
						Infw_addr_l_11[cluster:0]	0x4210D098
							0x4210D09B
						Infw_addr_h_11[cluster:0]	0x4210D09C
							0x4210D09F
						Infw_addr_l_12[cluster:0]	0x4210D0A0
							0x4210D0A3
						Infw_addr_h_12[cluster:0]	0x4210D0A4
							0x4210D0A7
						Infw_addr_l_13[cluster:0]	0x4210D0A8
							0x4210D0AB
						Infw_addr_h_13[cluster:0]	0x4210D0AC
							0x4210D0AF
						Infw_addr_l_14[cluster:0]	0x4210D0B0
							0x4210D0B3
						Infw_addr_h_14[cluster:0]	0x4210D0B4
							0x4210D0B7
						Infw_addr_l_15[cluster:0]	0x4210D0B8
							0x4210D0BB
						Infw_addr_h_15[cluster:0]	0x4210D0BC
							0x4210D0BF
						Outfw_config_0[cluster:0]	0x4210E000
							0x4210E003
						Outfw_config_1[cluster:0]	0x4210E004
							0x4210E007

						Outfw_config_2[cluster:0]	0x4210E008
							0x4210E00B
						Outfw_config_3[cluster:0]	0x4210E00C
							0x4210E00F
						Outfw_config_4[cluster:0]	0x4210E010
							0x4210E013
						Outfw_config_5[cluster:0]	0x4210E014
							0x4210E017
						Outfw_config_6[cluster:0]	0x4210E018
							0x4210E01B
						Outfw_config_7[cluster:0]	0x4210E01C
							0x4210E01F
						Outfw_config_8[cluster:0]	0x4210E020
							0x4210E023
						Outfw_config_9[cluster:0]	0x4210E024
							0x4210E027
						Outfw_config_10[cluster:0]	0x4210E028
							0x4210E02B
						Outfw_config_11[cluster:0]	0x4210E02C
							0x4210E02F
						Outfw_config_12[cluster:0]	0x4210E030
							0x4210E033
						Outfw_config_13[cluster:0]	0x4210E034
							0x4210E037
						Outfw_config_14[cluster:0]	0x4210E038
							0x4210E03B
						Outfw_config_15[cluster:0]	0x4210E03C
							0x4210E03F
						Outfw_addr1_0[cluster:0]	0x4210E040
							0x4210E043
						Outfw_addrh_0[cluster:0]	0x4210E044
							0x4210E047
						Outfw_addr1_1[cluster:0]	0x4210E048
							0x4210E04B
						Outfw_addrh_1[cluster:0]	0x4210E04C
							0x4210E04F
						Outfw_addr1_2[cluster:0]	0x4210E050
							0x4210E053
						Outfw_addrh_2[cluster:0]	0x4210E054
							0x4210E057
						Outfw_addr1_3[cluster:0]	0x4210E058
							0x4210E05B
						Outfw_addrh_3[cluster:0]	0x4210E05C
							0x4210E05F
						Outfw_addr1_4[cluster:0]	0x4210E060
							0x4210E063
						Outfw_addrh_4[cluster:0]	0x4210E064
							0x4210E067
						Outfw_addr1_5[cluster:0]	0x4210E068
							0x4210E06B
						Outfw_addrh_5[cluster:0]	0x4210E06C
							0x4210E06F
						Outfw_addr1_6[cluster:0]	0x4210E070
							0x4210E073
						Outfw_addrh_6[cluster:0]	0x4210E074
							0x4210E077
						Outfw_addr1_7[cluster:0]	0x4210E078
							0x4210E07B
						Outfw_addrh_7[cluster:0]	0x4210E07C
							0x4210E07F
						Outfw_addr1_8[cluster:0]	0x4210E080
							0x4210E083
						Outfw_addrh_8[cluster:0]	0x4210E084
							0x4210E087
						Outfw_addr1_9[cluster:0]	0x4210E088
							0x4210E08B
						Outfw_addrh_9[cluster:0]	0x4210E08C
							0x4210E08F
						Outfw_addr1_10[cluster:0]	0x4210E090
							0x4210E093

					Outfw_addrh_10[cluster:0]	0x4210E094
						0x4210E097
					Outfw_addrh_11[cluster:0]	0x4210E098
						0x4210E09B
					Outfw_addrh_11[cluster:0]	0x4210E09C
						0x4210E09F
					Outfw_addrh_12[cluster:0]	0x4210E0A0
						0x4210E0A3
					Outfw_addrh_12[cluster:0]	0x4210E0A4
						0x4210E0A7
					Outfw_addrh_13[cluster:0]	0x4210E0A8
						0x4210E0AB
					Outfw_addrh_13[cluster:0]	0x4210E0AC
						0x4210E0AF
					Outfw_addrh_14[cluster:0]	0x4210E0B0
						0x4210E0B3
					Outfw_addrh_14[cluster:0]	0x4210E0B4
						0x4210E0B7
					Outfw_addrh_15[cluster:0]	0x4210E0B8
						0x4210E0BB
					Outfw_addrh_15[cluster:0]	0x4210E0BC
				0x4210FFFF		0x4210E0BF
			CPL	0x42110000		
				0x4211FFFF		
			CPL	0x42120000		
				0x4212FFFF		
			CPL	0x42130000		
				0x4213FFFF		
			CPL	0x42140000		
				0x4214FFFF		
			CPL	0x42150000		
				0x4215FFFF		
			CPL	0x42160000		
				0x4216FFFF		
			CPL (Power Management Network)	0x42170000	mbox_doorbell_capability_reg[cluster:0]	0x42170000
						0x42170007
					msg_reg[cluster:0]	0x42170008
						0x4217000F
					msg_reg_data[cluster:0]	0x42170010
						0x42170017
					msg_type_sts_reg[cluster:0]	0x42170018
						0x4217001F
					mbox_sts_type1_type0_reg[cluster:0]	0x42170020
						0x42170027
					mbox_sts_type3_type2_reg[cluster:0]	0x42170028
						0x4217002F
					mbox_sts_type1_type0_reg_w2c[cluster:0]	0x42170030
						0x42170037
					mbox_sts_type3_type2_reg_w2c[cluster:0]	0x42170038
						0x4217003F
					mbx_cfg_type1_type0_reg[cluster:0]	0x42170040
						0x42170047
					mbx_cfg_type3_type2_reg[cluster:0]	0x42170048
						0x4217004F
					mbx_query[cluster:0]	0x42170060
						0x42170067
					mbx_query_reply[cluster:0]	0x42170068
						0x4217006F
					mbx_query_reply_1[cluster:0]	0x42170070
						0x42170077
					db_cfg_reg[cluster:0]	0x42170078
						0x4217007F
					db_sts_reg[cluster:0]	0x42170080
						0x42170087
					db_value_event0_reg[cluster:0]	0x42170088
						0x4217008F
					db_value_event1_reg[cluster:0]	0x42170090
						0x42170097
					db_value_event2_reg[cluster:0]	0x42170098
						0x4217009F

						db_value_event3_reg[cluster:0]	0x421700A0
							0x421700A7
						db_value_event4_reg[cluster:0]	0x421700B0
							0x421700B7
						db_value_event5_reg[cluster:0]	0x421700B8
							0x421700BF
						db_value_event6_reg[cluster:0]	0x421700C0
							0x421700C7
						db_value_event7_reg[cluster:0]	0x421700C8
							0x421700CF
						db_sts_reg_w2c[cluster:0]	0x421700D0
							0x421700D7
						temperature_data_base_address[cluster:0]	0x421700D8
							0x421700DF
						mbox_reload_parameters[cluster:0]	0x421700E0
							0x421700E7
						mb_scratchpad64[cluster:0]	0x421700E8
							0x421700EF
						pmnw_cfg[cluster:0]	0x421700F0
					0x4217FFFF		0x421700F7
				ACLINT	0x42180000	mtime[cluster:0]	0x42180000
							0x42180007
						Internal	0x42180018
							0x4218001F
						mtimecmp0[cluster:0]	0x42188000
							0x42188007
						mtimecmp1[cluster:0]	0x42188008
							0x4218800F
						mtimecmp2[cluster:0]	0x42188010
							0x42188017
						mtimecmp3[cluster:0]	0x42188018
							0x4218801F
						mtimecmp4[cluster:0]	0x42188020
							0x42188027
						mtimecmp5[cluster:0]	0x42188028
							0x4218802F
						mtimecmp6[cluster:0]	0x42188030
							0x42188037
						mtimecmp7[cluster:0]	0x42188038
							0x4218803F
						mtimecmp8[cluster:0]	0x42188040
							0x42188047
						CrGenModeKey[cluster:0]	0x42188050
							0x42188057
						sidech_spec_pred_ctrl[cluster:0]	0x42188058
							0x4218805F
						KeyGenRandLo[cluster:0]	0x42188060
							0x42188067
						KeyGenRandHi[cluster:0]	0x42188068
							0x4218806F
						keygen_debug[cluster:0]	0x42188070
							0x42188077
						Internal	0x4218FFF0
					0x4218FFFF		0x4218FFF7
				Debug Module	0x42190000	Internal	0x4219FFE8
					0x4219FFFF		0x4219FFF7
				Shared Cache MMR Slice-0	0x421A0000	sc_ctrl[cluster:0][slice:0]	0x421A0000
							0x421A0007
						sc_status[cluster:0][slice:0]	0x421A0008
							0x421A000F
						sc_sp[cluster:0][slice:0]	0x421A0010
							0x421A0017
						sc_reserved_3[cluster:0][slice:0]	0x421A0018
							0x421A001F
						sc_reserved_4[cluster:0][slice:0]	0x421A0020
							0x421A0027
						sc_reserved_5[cluster:0][slice:0]	0x421A0028
							0x421A002F
						sc_reserved_6[cluster:0][slice:0]	0x421A0030
							0x421A0037

					sc_dft_scratch[cluster:0][slice:0]	0x421A0038
						0x421A003F
					sc_chicken_bits[cluster:0][slice:0]	0x421A0040
						0x421A0047
					sc_cc_capabilities[cluster:0][slice:0]	0x421A00C0
						0x421A00C7
					sc_cc_mon_ctl[cluster:0][slice:0]	0x421A00C8
						0x421A00CF
					sc_cc_mon_ctr_val[cluster:0][slice:0]	0x421A00D0
						0x421A00D7
					sc_cc_alloc_ctl[cluster:0][slice:0]	0x421A00D8
						0x421A00DF
					sc_cc_block_mask[cluster:0][slice:0]	0x421A00E0
						0x421A00E7
					sc_cc_cunits[cluster:0][slice:0]	0x421A00E8
						0x421A00EF
					sc_pmu_select_0[cluster:0][slice:0]	0x421A0140
						0x421A0147
					sc_pmu_select_1[cluster:0][slice:0]	0x421A0148
						0x421A014F
					sc_pmu_select_2[cluster:0][slice:0]	0x421A0150
						0x421A0157
					sc_pmu_select_3[cluster:0][slice:0]	0x421A0158
						0x421A015F
					sc_pmu_select_4[cluster:0][slice:0]	0x421A0160
						0x421A0167
					sc_pmu_select_5[cluster:0][slice:0]	0x421A0168
						0x421A016F
					sc_pmu_select_6[cluster:0][slice:0]	0x421A0170
						0x421A0177
					sc_pmu_select_7[cluster:0][slice:0]	0x421A0178
						0x421A017F
					sc_pmu_counter_0[cluster:0][slice:0]	0x421A01C0
						0x421A01C7
					sc_pmu_counter_1[cluster:0][slice:0]	0x421A01C8
						0x421A01CF
					sc_pmu_counter_2[cluster:0][slice:0]	0x421A01D0
						0x421A01D7
					sc_pmu_counter_3[cluster:0][slice:0]	0x421A01D8
						0x421A01DF
					sc_pmu_counter_4[cluster:0][slice:0]	0x421A01E0
						0x421A01E7
					sc_pmu_counter_5[cluster:0][slice:0]	0x421A01E8
						0x421A01EF
					sc_pmu_counter_6[cluster:0][slice:0]	0x421A01F0
						0x421A01F7
					sc_pmu_counter_7[cluster:0][slice:0]	0x421A01F8
						0x421A01FF
					sc_dbg_cla_counter0_cfg[cluster:0][slice:0]	0x421A0280
						0x421A0287
					sc_dbg_cla_counter1_cfg[cluster:0][slice:0]	0x421A0288
						0x421A028F
					sc_dbg_cla_counter2_cfg[cluster:0][slice:0]	0x421A0290
						0x421A0297
					sc_dbg_cla_counter3_cfg[cluster:0][slice:0]	0x421A0298
						0x421A029F
					sc_dbg_node0_eap0[cluster:0][slice:0]	0x421A02A0
						0x421A02A7
					sc_dbg_node0_eap1[cluster:0][slice:0]	0x421A02A8
						0x421A02AF
					sc_dbg_node0_eap2[cluster:0][slice:0]	0x421A02B0
						0x421A02B7
					sc_dbg_node0_eap3[cluster:0][slice:0]	0x421A02B8
						0x421A02BF
					sc_dbg_node1_eap0[cluster:0][slice:0]	0x421A02C0
						0x421A02C7
					sc_dbg_node1_eap1[cluster:0][slice:0]	0x421A02C8
						0x421A02CF
					sc_dbg_node1_eap2[cluster:0][slice:0]	0x421A02D0
						0x421A02D7

					sc_dbg_node1_eap3[cluster:0][slice:0]	0x421A02D8
						0x421A02DF
					sc_dbg_node2_eap0[cluster:0][slice:0]	0x421A02E0
						0x421A02E7
					sc_dbg_node2_eap1[cluster:0][slice:0]	0x421A02E8
						0x421A02EF
					sc_dbg_node2_eap2[cluster:0][slice:0]	0x421A02F0
						0x421A02F7
					sc_dbg_node2_eap3[cluster:0][slice:0]	0x421A02F8
						0x421A02FF
					sc_dbg_node3_eap0[cluster:0][slice:0]	0x421A0300
						0x421A0307
					sc_dbg_node3_eap1[cluster:0][slice:0]	0x421A0308
						0x421A030F
					sc_dbg_node3_eap2[cluster:0][slice:0]	0x421A0310
						0x421A0317
					sc_dbg_node3_eap3[cluster:0][slice:0]	0x421A0318
						0x421A031F
					sc_dbg_signal_mask0[cluster:0][slice:0]	0x421A0320
						0x421A0327
					sc_dbg_signal_match0[cluster:0][slice:0]	0x421A0328
						0x421A032F
					sc_dbg_signal_mask1[cluster:0][slice:0]	0x421A0330
						0x421A0337
					sc_dbg_signal_match1[cluster:0][slice:0]	0x421A0338
						0x421A033F
					sc_dbg_signal_edge_detect_cfg[cluster:0][slice:0]	0x421A0340
						0x421A0347
					sc_dbg_eap_status[cluster:0][slice:0]	0x421A0348
						0x421A034F
					sc_dbg_cla_ctrl_status[cluster:0][slice:0]	0x421A0350
						0x421A0357
					sc_dbg_transition_mask[cluster:0][slice:0]	0x421A0358
						0x421A035F
					sc_dbg_transition_from_value[cluster:0][slice:0]	0x421A0360
						0x421A0367
					sc_dbg_transition_to_value[cluster:0][slice:0]	0x421A0368
						0x421A036F
					sc_dbg_ones_count_mask[cluster:0][slice:0]	0x421A0370
						0x421A0377
					sc_dbg_ones_count_value[cluster:0][slice:0]	0x421A0378
						0x421A037F
					sc_dbg_any_change[cluster:0][slice:0]	0x421A0380
						0x421A0387
					sc_dbg_signal_snapshot_node0_eap0[cluster:0][slice:0]	0x421A0388
						0x421A038F
					sc_dbg_signal_snapshot_node0_eap1[cluster:0][slice:0]	0x421A0390
						0x421A0397
					sc_dbg_signal_snapshot_node0_eap2[cluster:0][slice:0]	0x421A0398
						0x421A039F
					sc_dbg_signal_snapshot_node0_eap3[cluster:0][slice:0]	0x421A03A0
						0x421A03A7
					sc_dbg_signal_snapshot_node1_eap0[cluster:0][slice:0]	0x421A03A8
						0x421A03AF
					sc_dbg_signal_snapshot_node1_eap1[cluster:0][slice:0]	0x421A03B0
						0x421A03B7
					sc_dbg_signal_snapshot_node1_eap2[cluster:0][slice:0]	0x421A03B8
						0x421A03BF
					sc_dbg_signal_snapshot_node1_eap3[cluster:0][slice:0]	0x421A03C0
						0x421A03C7
					sc_dbg_signal_snapshot_node2_eap0[cluster:0][slice:0]	0x421A03C8
						0x421A03CF
					sc_dbg_signal_snapshot_node2_eap1[cluster:0][slice:0]	0x421A03D0
						0x421A03D7

					sc_dbg_signal_snapshot_node2_eap2[cluster:0][slice:0]	0x421A03D8
						0x421A03DF
					sc_dbg_signal_snapshot_node2_eap3[cluster:0][slice:0]	0x421A03E0
						0x421A03E7
					sc_dbg_signal_snapshot_node3_eap0[cluster:0][slice:0]	0x421A03E8
						0x421A03EF
					sc_dbg_signal_snapshot_node3_eap1[cluster:0][slice:0]	0x421A03F0
						0x421A03F7
					sc_dbg_signal_snapshot_node3_eap2[cluster:0][slice:0]	0x421A03F8
						0x421A03FF
					sc_dbg_signal_snapshot_node3_eap3[cluster:0][slice:0]	0x421A0400
						0x421A0407
					sc_dbg_mux_control_A[cluster:0][slice:0]	0x421A0408
						0x421A040F
					sc_dbg_mux_control_B[cluster:0][slice:0]	0x421A0410
						0x421A0417
					sc_dbg_signal_mask2[cluster:0][slice:0]	0x421A0418
						0x421A041F
					sc_dbg_signal_match2[cluster:0][slice:0]	0x421A0420
						0x421A0427
					sc_dbg_signal_mask3[cluster:0][slice:0]	0x421A0428
						0x421A042F
					sc_dbg_signal_match3[cluster:0][slice:0]	0x421A0430
						0x421A0437
					sc_dbg_signal_delay_mux_sel[cluster:0][slice:0]	0x421A0438
						0x421A043F
					sc_dbg_cla_timestampsync[cluster:0][slice:0]	0x421A0440
						0x421A0447
					sc_error_header_vendor[cluster:0][slice:0]	0x421A0480
						0x421A0487
					sc_error_header_bank_info[cluster:0][slice:0]	0x421A0488
						0x421A048F
					sc_error_header_valid_summary[cluster:0][slice:0]	0x421A0490
						0x421A0497
					sc_error_header_reserved_0[cluster:0][slice:0]	0x421A0498
						0x421A049F
					sc_error_header_reserved_1[cluster:0][slice:0]	0x421A04A0
						0x421A04A7
					sc_error_header_reserved_2[cluster:0][slice:0]	0x421A04A8
						0x421A04AF
					sc_error_header_reserved_3[cluster:0][slice:0]	0x421A04B0
						0x421A04B7
					sc_error_header_custom_0[cluster:0][slice:0]	0x421A04B8
						0x421A04BF
					sc_error_record_0_control[cluster:0][slice:0]	0x421A04C0
						0x421A04C7
					sc_error_record_0_status[cluster:0][slice:0]	0x421A04C8
						0x421A04CF
					sc_error_record_0_addr[cluster:0][slice:0]	0x421A04D0
						0x421A04D7
					sc_error_record_0_info[cluster:0][slice:0]	0x421A04D8
						0x421A04DF
					sc_error_record_0_suppl_info[cluster:0][slice:0]	0x421A04E0
						0x421A04E7
					sc_error_record_0_timestamp[cluster:0][slice:0]	0x421A04E8
						0x421A04EF
					sc_error_record_0_locator[cluster:0][slice:0]	0x421A04F0
						0x421A04F7
					sc_error_record_0_reserved_8[cluster:0][slice:0]	0x421A04F8
						0x421A04FF
					sc_error_record_1_control[cluster:0][slice:0]	0x421A0500
						0x421A0507
					sc_error_record_1_status[cluster:0][slice:0]	0x421A0508
						0x421A050F
					sc_error_record_1_addr[cluster:0][slice:0]	0x421A0510
						0x421A0517
					sc_error_record_1_info[cluster:0][slice:0]	0x421A0518

							0x421A051F
						sc_error_record_1_suppl_info[cluster:0][slice:0]	0x421A0520
							0x421A0527
						sc_error_record_1_timestamp[cluster:0][slice:0]	0x421A0528
							0x421A052F
						sc_error_record_1_locator[cluster:0][slice:0]	0x421A0530
							0x421A0537
						sc_error_record_1_reserved_8[cluster:0][slice:0]	0x421A0538
							0x421A053F
						sc_error_record_2_control[cluster:0][slice:0]	0x421A0540
							0x421A0547
						sc_error_record_2_status[cluster:0][slice:0]	0x421A0548
							0x421A054F
						sc_error_record_2_addr[cluster:0][slice:0]	0x421A0550
							0x421A0557
						sc_error_record_2_info[cluster:0][slice:0]	0x421A0558
							0x421A055F
						sc_error_record_2_suppl_info[cluster:0][slice:0]	0x421A0560
							0x421A0567
						sc_error_record_2_timestamp[cluster:0][slice:0]	0x421A0568
							0x421A056F
						sc_error_record_2_locator[cluster:0][slice:0]	0x421A0570
							0x421A0577
						sc_error_record_2_reserved_8[cluster:0][slice:0]	0x421A0578
							0x421A057F
						sc_hardware_assertion[cluster:0][slice:0]	0x421A0580
							0x421A0587
						sc_ras_inj_hdr[cluster:0][slice:0]	0x421A05C0
							0x421A05C7
						sc_ras_inj_init[cluster:0][slice:0]	0x421A05C8
							0x421A05CF
						sc_ras_inj_data_match_0[cluster:0][slice:0]	0x421A05D0
							0x421A05D7
						sc_ras_inj_data_mask_0[cluster:0][slice:0]	0x421A05D8
							0x421A05DF
						sc_ras_inj_data_match_1[cluster:0][slice:0]	0x421A05E0
							0x421A05E7
						sc_ras_inj_data_mask_1[cluster:0][slice:0]	0x421A05E8
							0x421A05EF
						sc_ras_inj_data_match_2[cluster:0][slice:0]	0x421A05F0
							0x421A05F7
						sc_ras_inj_data_mask_2[cluster:0][slice:0]	0x421A05F8
							0x421A05FF
						sc_ras_inj_0_1_cfg[cluster:0][slice:0]	0x421A0600
							0x421A0607
						sc_ras_tpm_pre_proc_cfg_0[cluster:0][slice:0]	0x421A0640
							0x421A0647
						sc_ras_tpm_pre_proc_cfg_1[cluster:0][slice:0]	0x421A0648
							0x421A064F
						sc_ras_tpm_main_proc_cfg_0[cluster:0][slice:0]	0x421A0650
							0x421A0657
						sc_ras_tpm_main_proc_cfg_1[cluster:0][slice:0]	0x421A0658
							0x421A065F
						sc_ras_tpm_main_proc_cfg_2[cluster:0][slice:0]	0x421A0660
							0x421A0667
						sc_ras_tpm_main_proc_cfg_3[cluster:0][slice:0]	0x421A0668
							0x421A066F
						sc_ras_tpm_post_proc_cfg_0[cluster:0][slice:0]	0x421A0670
							0x421A0677
						sc_ras_tpm_post_proc_cfg_1[cluster:0][slice:0]	0x421A0678
							0x421A067F
						sc_ras_tpm_main_proc_capability_0[cluster:0][slice:0]	0x421A0680
							0x421A0687
						sc_ras_tpm_main_proc_capability_1[cluster:0][slice:0]	0x421A0688
							0x421A068F
						sc_ras_tpm_pre_proc_sts[cluster:0][slice:0]	0x421A0690
							0x421A0697
						sc_ras_tpm_main_proc_sts_0[cluster:0][slice:0]	0x421A0698
							0x421A069F

					sc_ras_tpm_main_proc_sts_1[cluster:0][slice:0]	0x421A06A0
						0x421A06A7
					sc_ras_tpm_post_proc_sts[cluster:0][slice:0]	0x421A06A8
						0x421A06AF
					sc_ras_tpm_main_proc_values_0[cluster:0][slice:0]	0x421A06B0
						0x421A06B7
					scb_ras_inj_hdr[cluster:0][slice:0]	0x421A0DC0
						0x421A0DC7
					scb_ras_inj_init[cluster:0][slice:0]	0x421A0DC8
						0x421A0DCF
					scb_ras_inj_data_match_0[cluster:0][slice:0]	0x421A0DD0
						0x421A0DD7
					scb_ras_inj_data_mask_0[cluster:0][slice:0]	0x421A0DD8
						0x421A0DDF
					scb_ras_inj_data_match_1[cluster:0][slice:0]	0x421A0DE0
						0x421A0DE7
					scb_ras_inj_data_mask_1[cluster:0][slice:0]	0x421A0DE8
						0x421A0DEF
					scb_ras_inj_data_match_2[cluster:0][slice:0]	0x421A0DF0
						0x421A0DF7
					scb_ras_inj_data_mask_2[cluster:0][slice:0]	0x421A0DF8
						0x421A0DFF
					scb_ras_inj_0_1_cfg[cluster:0][slice:0]	0x421A0E00
						0x421A0E07
					scb_ras_tpm_pre_proc_cfg_0[cluster:0][slice:0]	0x421A0E40
						0x421A0E47
					scb_ras_tpm_pre_proc_cfg_1[cluster:0][slice:0]	0x421A0E48
						0x421A0E4F
					scb_ras_tpm_main_proc_cfg_0[cluster:0][slice:0]	0x421A0E50
						0x421A0E57
					scb_ras_tpm_main_proc_cfg_1[cluster:0][slice:0]	0x421A0E58
						0x421A0E5F
					scb_ras_tpm_main_proc_cfg_2[cluster:0][slice:0]	0x421A0E60
						0x421A0E67
					scb_ras_tpm_main_proc_cfg_3[cluster:0][slice:0]	0x421A0E68
						0x421A0E6F
					scb_ras_tpm_post_proc_cfg_0[cluster:0][slice:0]	0x421A0E70
						0x421A0E77
					scb_ras_tpm_post_proc_cfg_1[cluster:0][slice:0]	0x421A0E78
						0x421A0E7F
					scb_ras_tpm_main_proc_capability_0[cluster:0][slice:0]	0x421A0E80
						0x421A0E87
					scb_ras_tpm_main_proc_capability_1[cluster:0][slice:0]	0x421A0E88
						0x421A0E8F
					scb_ras_tpm_pre_proc_sts[cluster:0][slice:0]	0x421A0E90
						0x421A0E97
					scb_ras_tpm_main_proc_sts_0[cluster:0][slice:0]	0x421A0E98
						0x421A0E9F
					scb_ras_tpm_main_proc_sts_1[cluster:0][slice:0]	0x421A0EA0
						0x421A0EA7
					scb_ras_tpm_post_proc_sts[cluster:0][slice:0]	0x421A0EA8
						0x421A0EAF
					scb_ras_tpm_main_proc_values_0[cluster:0][slice:0]	0x421A0EB0
						0x421A0EB7
					scb_hardware_assertion[cluster:0][slice:0]	0x421A0EC0
						0x421A0EC7
					scb_error_header_vendor[cluster:0][slice:0]	0x421A0F00
						0x421A0F07
					scb_error_header_bank_info[cluster:0][slice:0]	0x421A0F08
						0x421A0F0F
					scb_error_header_valid_summary[cluster:0][slice:0]	0x421A0F10
						0x421A0F17
					scb_error_header_reserved_0[cluster:0][slice:0]	0x421A0F18
						0x421A0F1F
					scb_error_header_reserved_1[cluster:0][slice:0]	0x421A0F20
						0x421A0F27
					scb_error_header_reserved_2[cluster:0][slice:0]	0x421A0F28
						0x421A0F2F
					scb_error_header_reserved_3[cluster:0][slice:0]	0x421A0F30

							0x421A0F37
						scb_error_header_custom_0[cluster:0][slice:0]	0x421A0F38
							0x421A0F3F
						scb_error_record_0_control[cluster:0][slice:0]	0x421A0F40
							0x421A0F47
						scb_error_record_0_status[cluster:0][slice:0]	0x421A0F48
							0x421A0F4F
						scb_error_record_0_addr[cluster:0][slice:0]	0x421A0F50
							0x421A0F57
						scb_error_record_0_info[cluster:0][slice:0]	0x421A0F58
							0x421A0F5F
						scb_error_record_0_suppl_info[cluster:0][slice:0]	0x421A0F60
							0x421A0F67
						scb_error_record_0_timestamp[cluster:0][slice:0]	0x421A0F68
							0x421A0F6F
						scb_error_record_0_locator[cluster:0][slice:0]	0x421A0F70
							0x421A0F77
						scb_error_record_0_reserved_8[cluster:0][slice:0]	0x421A0F78
							0x421A0F7F
						scb_error_record_1_control[cluster:0][slice:0]	0x421A0F80
							0x421A0F87
						scb_error_record_1_status[cluster:0][slice:0]	0x421A0F88
							0x421A0F8F
						scb_error_record_1_addr[cluster:0][slice:0]	0x421A0F90
							0x421A0F97
						scb_error_record_1_info[cluster:0][slice:0]	0x421A0F98
							0x421A0F9F
						scb_error_record_1_suppl_info[cluster:0][slice:0]	0x421A0FA0
							0x421A0FA7
						scb_error_record_1_timestamp[cluster:0][slice:0]	0x421A0FA8
							0x421A0FAF
						scb_error_record_1_locator[cluster:0][slice:0]	0x421A0FB0
							0x421A0FB7
						scb_error_record_1_reserved_8[cluster:0][slice:0]	0x421A0FB8
							0x421A0FBF
						scb_acb_cfg[cluster:0][slice:0]	0x421A0FC0
							0x421A0FC7
						scb_cab_chicken[cluster:0][slice:0]	0x421A0FC8
							0x421A0FCF
						scb_acb_chicken[cluster:0][slice:0]	0x421A0FD0
							0x421A0FD7
						scb_fuse[cluster:0][slice:0]	0x421A0FD8
							0x421A0FDF
						scb_unused_4[cluster:0][slice:0]	0x421A0FE0
							0x421A0FE7
						scb_unused_5[cluster:0][slice:0]	0x421A0FE8
							0x421A0FEF
						scb_unused_6[cluster:0][slice:0]	0x421A0FF0
							0x421A0FF7
						scb_unused_7[cluster:0][slice:0]	0x421A0FF8
							0x421A0FFF
					0x421A0FFF		
				Shared Cache MMR Slice-1~15	0x421A1000		
					0x421AFFFF		
				AXI Switch	0x421B0000	Internal	0x421B1000
							0x421B1007
						Internal	0x421BFFE8
					0x421BFFFF		0x421BFFFF
				Reserved	0x421C0000		
			0x421FFFFF		0x421FFFFF		
		Cluster-1~15 M-level MMR Region	0x42200000				
			0x43FFFFFF				
		Cluster-0 Supervisor-level Interrupt File	0x44000000	Core-0 Supervisor-level Interrupt File	0x44000000	seteipnum_le_S[cluster:0][core:0]	0x44000000
							0x44000007
						seteipnum_le_G0[cluster:0][core:0]	0x44001000
							0x44001007
						seteipnum_le_G1[cluster:0][core:0]	0x44002000
							0x44002007
						seteipnum_le_G2[cluster:0][core:0]	0x44003000
							0x44003007
						seteipnum_le_G3[cluster:0][core:0]	0x44004000

							0x44004007
						seteipnum_le_G4[cluster:0][core:0]	0x44005000
					0x4403FFFF		0x44005007
				Core-1~7 Supervisor-level Interrupt File	0x44040000		
			0x441FFFFF		0x441FFFFF		
		Cluster-1~15 Supervisor-level Interrupt File	0x44200000				
			0x45FFFFFF				
		Cluster-0 Supervisor-level MMR Region	0x46000000				
			0x461FFFFF				
		Cluster-1~15 Supervisor-level MMR Region	0x46200000				
	0x47FFFFFF		0x47FFFFFF				

TENSTORRENT CONFIDENTIAL
FOR CORELAB