

V-Control Pro					
Midi Mode makes surfaces operate as MIDI controllers.					
This document enumerates all the midi messages used for V-Control Pro Midi Mode.					
Faders, buttons, and encoders send and receive continuous controller messages.					
Meters receive continuous controller messages.					
Text displays receive system exclusive messages.					
A sysex text message is a sequence of byte values, comprising several parts.					
The first byte is always 240 (0xF0).					
A set of bytes called the 'header.' The header specifies what surface the message is for.					
A set of bytes called the 'address.' The address specifies which scribble the message isfor.					
A set of bytes called the 'value.' The bytes are ASCII values that are the text to bedisplayed.					
The last byte is always 247 (0xF7).					
D-COMMAND MAIN EXAMPLE					
Here is an example of a message for the first D-Command Main Soft Key scribble to display 'Hello':					
240,19,64,64,0,4,5,21,72,101,108,108,111,247					
First sysex byte 240					
D-Command Main header 19,64,64,0,4					
Scribble address 5,21					
'Hello' ASCII values 72,101,108,108,111					
Last sysex byte 247					

v 3.0.12		Number	Channel
dcommand/main/mixer/strips/0/track/meter/0	cc	60	1
dcommand/main/mixer/strips/0/track/meter/1	cc	61	1
dcommand/main/mixer/strips/0/track/encoder/0/knob	cc	5	1
dcommand/main/mixer/strips/0/track/encoder/0/select	cc	8	1
dcommand/main/mixer/strips/0/track/encoder/0/bmp	cc	9	1
dcommand/main/mixer/strips/0/track/encoder/1/knob	cc	6	1
dcommand/main/mixer/strips/0/track/encoder/1/select	cc	10	1
dcommand/main/mixer/strips/0/track/encoder/1/bmp	cc	11	1
dcommand/main/mixer/strips/0/track/pagedn	cc	12	1
dcommand/main/mixer/strips/0/track/pageup	cc	13	1
dcommand/main/mixer/strips/0/track/insert	cc	14	1
dcommand/main/mixer/strips/0/track/pan	cc	15	1
dcommand/main/mixer/strips/0/track/bypmute	cc	16	1
dcommand/main/mixer/strips/0/track/send	cc	17	1
dcommand/main/mixer/strips/0/track/input	cc	4	1
dcommand/main/mixer/strips/0/track/record	cc	2	1
dcommand/main/mixer/strips/0/track/select	cc	3	1
dcommand/main/mixer/strips/0/track/solo	cc	1	1
dcommand/main/mixer/strips/0/track/mute	cc	0	1
dcommand/main/mixer/strips/0/track/fader	cc	7	1
dcommand/main/mixer/strips/0/track/autoselect	cc	18	1
dcommand/main/mixer/strips/0/track/autotrim	cc	19	1
dcommand/main/mixer/strips/1/track/meter/0	cc	60	2
dcommand/main/mixer/strips/1/track/meter/1	cc	61	2
dcommand/main/mixer/strips/1/track/encoder/0/knob	cc	5	2
dcommand/main/mixer/strips/1/track/encoder/0/select	cc	8	2
dcommand/main/mixer/strips/1/track/encoder/0/bmp	cc	9	2
dcommand/main/mixer/strips/1/track/encoder/1/knob	cc	6	2
dcommand/main/mixer/strips/1/track/encoder/1/select	cc	10	2
dcommand/main/mixer/strips/1/track/encoder/1/bmp	cc	11	2
dcommand/main/mixer/strips/1/track/pagedn	cc	12	2

dcommand/main/mixer/strips/1/track/pageup	cc	13	2
dcommand/main/mixer/strips/1/track/insert	cc	14	2
dcommand/main/mixer/strips/1/track/pan	cc	15	2
dcommand/main/mixer/strips/1/track/bypmute	cc	16	2
dcommand/main/mixer/strips/1/track/send	cc	17	2
dcommand/main/mixer/strips/1/track/input	cc	4	2
dcommand/main/mixer/strips/1/track/record	cc	2	2
dcommand/main/mixer/strips/1/track/select	cc	3	2
dcommand/main/mixer/strips/1/track/solo	cc	1	2
dcommand/main/mixer/strips/1/track/mute	cc	0	2
dcommand/main/mixer/strips/1/track/fader	cc	7	2
dcommand/main/mixer/strips/1/track/autoselect	cc	18	2
dcommand/main/mixer/strips/1/track/autotrim	cc	19	2
dcommand/main/mixer/strips/2/track/meter/0	cc	60	3
dcommand/main/mixer/strips/2/track/meter/1	cc	61	3
dcommand/main/mixer/strips/2/track/encoder/0/knob	cc	5	3
dcommand/main/mixer/strips/2/track/encoder/0/select	cc	8	3
dcommand/main/mixer/strips/2/track/encoder/0/bmp	cc	9	3
dcommand/main/mixer/strips/2/track/encoder/1/knob	cc	6	3
dcommand/main/mixer/strips/2/track/encoder/1/select	cc	10	3
dcommand/main/mixer/strips/2/track/encoder/1/bmp	cc	11	3
dcommand/main/mixer/strips/2/track/pagedn	cc	12	3
dcommand/main/mixer/strips/2/track/pageup	cc	13	3
dcommand/main/mixer/strips/2/track/insert	cc	14	3
dcommand/main/mixer/strips/2/track/pan	cc	15	3
dcommand/main/mixer/strips/2/track/bypmute	cc	16	3
dcommand/main/mixer/strips/2/track/send	cc	17	3
dcommand/main/mixer/strips/2/track/input	cc	4	3
dcommand/main/mixer/strips/2/track/record	cc	2	3
dcommand/main/mixer/strips/2/track/select	cc	3	3
dcommand/main/mixer/strips/2/track/solo	cc	1	3

dcommand/main/mixer/strips/2/track/mute	cc	0	3
dcommand/main/mixer/strips/2/track/fader	cc	7	3
dcommand/main/mixer/strips/2/track/autoselect	cc	18	3
dcommand/main/mixer/strips/2/track/autotrim	cc	19	3
dcommand/main/mixer/strips/3/track/meter/0	cc	60	4
dcommand/main/mixer/strips/3/track/meter/1	cc	61	4
dcommand/main/mixer/strips/3/track/encoder/0/knob	cc	5	4
dcommand/main/mixer/strips/3/track/encoder/0/select	cc	8	4
dcommand/main/mixer/strips/3/track/encoder/0/bmp	cc	9	4
dcommand/main/mixer/strips/3/track/encoder/1/knob	cc	6	4
dcommand/main/mixer/strips/3/track/encoder/1/select	cc	10	4
dcommand/main/mixer/strips/3/track/encoder/1/bmp	cc	11	4
dcommand/main/mixer/strips/3/track/pagedn	cc	12	4
dcommand/main/mixer/strips/3/track/pageup	cc	13	4
dcommand/main/mixer/strips/3/track/insert	cc	14	4
dcommand/main/mixer/strips/3/track/pan	cc	15	4
dcommand/main/mixer/strips/3/track/bypmute	cc	16	4
dcommand/main/mixer/strips/3/track/send	cc	17	4
dcommand/main/mixer/strips/3/track/input	cc	4	4
dcommand/main/mixer/strips/3/track/record	cc	2	4
dcommand/main/mixer/strips/3/track/select	cc	3	4
dcommand/main/mixer/strips/3/track/solo	cc	1	4
dcommand/main/mixer/strips/3/track/mute	cc	0	4
dcommand/main/mixer/strips/3/track/fader	cc	7	4
dcommand/main/mixer/strips/3/track/autoselect	cc	18	4
dcommand/main/mixer/strips/3/track/autotrim	cc	19	4
dcommand/main/mixer/strips/4/track/meter/0	cc	60	5
dcommand/main/mixer/strips/4/track/meter/1	cc	61	5
dcommand/main/mixer/strips/4/track/encoder/0/knob	cc	5	5
dcommand/main/mixer/strips/4/track/encoder/0/select	cc	8	5
dcommand/main/mixer/strips/4/track/encoder/0/bmp	cc	9	5

dcommand/main/mixer/strips/4/track/encoder/1/knob	cc	6	5
dcommand/main/mixer/strips/4/track/encoder/1/select	cc	10	5
dcommand/main/mixer/strips/4/track/encoder/1/bmp	cc	11	5
dcommand/main/mixer/strips/4/track/pagedn	cc	12	5
dcommand/main/mixer/strips/4/track/pageup	cc	13	5
dcommand/main/mixer/strips/4/track/insert	cc	14	5
dcommand/main/mixer/strips/4/track/pan	cc	15	5
dcommand/main/mixer/strips/4/track/bypmute	cc	16	5
dcommand/main/mixer/strips/4/track/send	cc	17	5
dcommand/main/mixer/strips/4/track/input	cc	4	5
dcommand/main/mixer/strips/4/track/record	cc	2	5
dcommand/main/mixer/strips/4/track/select	cc	3	5
dcommand/main/mixer/strips/4/track/solo	cc	1	5
dcommand/main/mixer/strips/4/track/mute	cc	0	5
dcommand/main/mixer/strips/4/track/fader	cc	7	5
dcommand/main/mixer/strips/4/track/autoselect	cc	18	5
dcommand/main/mixer/strips/4/track/autotrim	cc	19	5
dcommand/main/mixer/strips/5/track/meter/0	cc	60	6
dcommand/main/mixer/strips/5/track/meter/1	cc	61	6
dcommand/main/mixer/strips/5/track/encoder/0/knob	cc	5	6
dcommand/main/mixer/strips/5/track/encoder/0/select	cc	8	6
dcommand/main/mixer/strips/5/track/encoder/0/bmp	cc	9	6
dcommand/main/mixer/strips/5/track/encoder/1/knob	cc	6	6
dcommand/main/mixer/strips/5/track/encoder/1/select	cc	10	6
dcommand/main/mixer/strips/5/track/encoder/1/bmp	cc	11	6
dcommand/main/mixer/strips/5/track/pagedn	cc	12	6
dcommand/main/mixer/strips/5/track/pageup	cc	13	6
dcommand/main/mixer/strips/5/track/insert	cc	14	6
dcommand/main/mixer/strips/5/track/pan	cc	15	6
dcommand/main/mixer/strips/5/track/bypmute	cc	16	6
dcommand/main/mixer/strips/5/track/send	cc	17	6

dcommand/main/mixer/strips/5/track/input	cc	4	6
dcommand/main/mixer/strips/5/track/record	cc	2	6
dcommand/main/mixer/strips/5/track/select	cc	3	6
dcommand/main/mixer/strips/5/track/solo	cc	1	6
dcommand/main/mixer/strips/5/track/mute	cc	0	6
dcommand/main/mixer/strips/5/track/fader	cc	7	6
dcommand/main/mixer/strips/5/track/autoselect	cc	18	6
dcommand/main/mixer/strips/5/track/autotrim	cc	19	6
dcommand/main/mixer/strips/6/track/meter/0	cc	60	7
dcommand/main/mixer/strips/6/track/meter/1	cc	61	7
dcommand/main/mixer/strips/6/track/encoder/0/knob	cc	5	7
dcommand/main/mixer/strips/6/track/encoder/0/select	cc	8	7
dcommand/main/mixer/strips/6/track/encoder/0/bmp	cc	9	7
dcommand/main/mixer/strips/6/track/encoder/1/knob	cc	6	7
dcommand/main/mixer/strips/6/track/encoder/1/select	cc	10	7
dcommand/main/mixer/strips/6/track/encoder/1/bmp	cc	11	7
dcommand/main/mixer/strips/6/track/pagedn	cc	12	7
dcommand/main/mixer/strips/6/track/pageup	cc	13	7
dcommand/main/mixer/strips/6/track/insert	cc	14	7
dcommand/main/mixer/strips/6/track/pan	cc	15	7
dcommand/main/mixer/strips/6/track/bypmute	cc	16	7
dcommand/main/mixer/strips/6/track/send	cc	17	7
dcommand/main/mixer/strips/6/track/input	cc	4	7
dcommand/main/mixer/strips/6/track/record	cc	2	7
dcommand/main/mixer/strips/6/track/select	cc	3	7
dcommand/main/mixer/strips/6/track/solo	cc	1	7
dcommand/main/mixer/strips/6/track/mute	cc	0	7
dcommand/main/mixer/strips/6/track/fader	cc	7	7
dcommand/main/mixer/strips/6/track/autoselect	cc	18	7
dcommand/main/mixer/strips/6/track/autotrim	cc	19	7
dcommand/main/mixer/strips/7/track/meter/0	cc	60	8

dcommand/main/mixer/strips/7/track/meter/1	cc	61	8
dcommand/main/mixer/strips/7/track/encoder/0/knob	cc	5	8
dcommand/main/mixer/strips/7/track/encoder/0/select	cc	8	8
dcommand/main/mixer/strips/7/track/encoder/0/bmp	cc	9	8
dcommand/main/mixer/strips/7/track/encoder/1/knob	cc	6	8
dcommand/main/mixer/strips/7/track/encoder/1/select	cc	10	8
dcommand/main/mixer/strips/7/track/encoder/1/bmp	cc	11	8
dcommand/main/mixer/strips/7/track/pagedn	cc	12	8
dcommand/main/mixer/strips/7/track/pageup	cc	13	8
dcommand/main/mixer/strips/7/track/insert	cc	14	8
dcommand/main/mixer/strips/7/track/pan	cc	15	8
dcommand/main/mixer/strips/7/track/bypmute	cc	16	8
dcommand/main/mixer/strips/7/track/send	cc	17	8
dcommand/main/mixer/strips/7/track/input	cc	4	8
dcommand/main/mixer/strips/7/track/record	cc	2	8
dcommand/main/mixer/strips/7/track/select	cc	3	8
dcommand/main/mixer/strips/7/track/solo	cc	1	8
dcommand/main/mixer/strips/7/track/mute	cc	0	8
dcommand/main/mixer/strips/7/track/fader	cc	7	8
dcommand/main/mixer/strips/7/track/autoselect	cc	18	8
dcommand/main/mixer/strips/7/track/autotrim	cc	19	8
dcommand/main/global/flip/0	cc	21	4
dcommand/main/global/flip/1	cc	22	4
dcommand/main/global/showval	cc	23	4
dcommand/main/global/escape	cc	24	4
dcommand/main/global/mode	cc	25	4
dcommand/main/global/soloclear	cc	25	4
dcommand/main/global/dotoselected	cc	26	4
dcommand/main/global/dotoall	cc	27	4
dcommand/main/global/default	cc	28	4
dcommand/main/global/dispmode	cc	29	4

dcommand/main/global/autosusp	cc	30	4
dcommand/main/global/suspgrps	cc	31	4
dcommand/main/autoenable/volume	cc	32	4
dcommand/main/autoenable/pan	cc	33	4
dcommand/main/autoenable/sendpan	cc	34	4
dcommand/main/autoenable/mute	cc	35	4
dcommand/main/autoenable/sendlevel	cc	36	4
dcommand/main/autoenable/sendmute	cc	37	4
dcommand/main/autoenable/plugin	cc	38	4
dcommand/main/customfaders/groups	cc	40	4
dcommand/main/customfaders/map	cc	41	4
dcommand/main/customfaders/tracks	cc	42	4
dcommand/main/customfaders/lock	cc	43	4
dcommand/main/customfaders/plugin	cc	44	4
dcommand/main/customfaders/window	cc	45	4
dcommand/main/customfaders/bankcycle	cc	46	4
dcommand/main/automode/write	cc	47	4
dcommand/main/automode/read	cc	48	4
dcommand/main/automode/touch	cc	49	4
dcommand/main/automode/off	cc	50	4
dcommand/main/automode/latch	cc	51	4
dcommand/main/automode/trim	cc	52	4
dcommand/main/output/meter/0	cc	62	1
dcommand/main/output/meter/1	cc	62	2
dcommand/main/output/meter/2	cc	62	3
dcommand/main/output/meter/3	cc	62	4
dcommand/main/output/meter/4	cc	62	5
dcommand/main/output/meter/5	cc	62	6
dcommand/main/output/meter/6	cc	62	7
dcommand/main/output/meter/7	cc	62	8
dcommand/main/dynamics/dyn1	cc	21	1

dcommand/main/dynamics/dyn2	cc	22	1
dcommand/main/dynamics/dyn3	cc	23	1
dcommand/main/dynamics/dyn4	cc	24	1
dcommand/main/dynamics/dyn5	cc	25	1
dcommand/main/dynamics/dyn6	cc	26	1
dcommand/main/dynamics/cycle	cc	39	1
dcommand/main/dynamics/compare	cc	40	1
dcommand/main/dynamics/window	cc	41	1
dcommand/main/dynamics/auto	cc	42	1
dcommand/main/dynamics/safe	cc	43	1
dcommand/main/dynamics/extkey	cc	44	1
dcommand/main/dynamics/listen	cc	45	1
dcommand/main/dynamics/page	cc	37	1
dcommand/main/dynamics/bypass	cc	38	1
dcommand/main/eq/in1	cc	33	2
dcommand/main/eq/in2	cc	34	2
dcommand/main/eq/in3	cc	35	2
dcommand/main/eq/in4	cc	36	2
dcommand/main/eq/q1	cc	21	2
dcommand/main/eq/q2	cc	22	2
dcommand/main/eq/q3	cc	23	2
dcommand/main/eq/q4	cc	24	2
dcommand/main/eq/freq1	cc	25	2
dcommand/main/eq/freq2	cc	26	2
dcommand/main/eq/freq3	cc	27	2
dcommand/main/eq/freq4	cc	28	2
dcommand/main/eq/gain1	cc	29	2
dcommand/main/eq/gain2	cc	30	2
dcommand/main/eq/gain3	cc	31	2
dcommand/main/eq/gain4	cc	32	2
dcommand/main/eq/cycle	cc	39	2

dcommand/main/eq/compare	cc	40	2
dcommand/main/eq/window	cc	41	2
dcommand/main/eq/auto	cc	42	2
dcommand/main/eq/safe	cc	43	2
dcommand/main/eq/lftype	cc	44	2
dcommand/main/eq/hftype	cc	45	2
dcommand/main/eq/page	cc	37	2
dcommand/main/eq/bypass	cc	38	2
dcommand/main/transport/play	cc	21	3
dcommand/main/transport/stop	cc	22	3
dcommand/main/transport/record	cc	23	3
dcommand/main/transport/rewind	cc	24	3
dcommand/main/transport/fastforward	cc	25	3
dcommand/main/transport/rtz	cc	26	3
dcommand/main/transport/gte	cc	27	3
dcommand/main/transport/back	cc	28	3
dcommand/main/transport/backandplay	cc	29	3
dcommand/main/transport/instantplay	cc	30	3
dcommand/main/transport/scrub	cc	31	3
dcommand/main/transport/shuttle	cc	32	3
dcommand/main/transport/trim	cc	33	3
dcommand/main/transport/wheel	cc	34	3
dcommand/main/transport/audition	cc	35	3
dcommand/main/transport/preroll	cc	36	3
dcommand/main/transport/markin	cc	37	3
dcommand/main/transport/markout	cc	38	3
dcommand/main/transport/postroll	cc	39	3
dcommand/main/transport/ponline	cc	40	3
dcommand/main/transport/9pinremote	cc	41	3
dcommand/main/transport/machineonline	cc	42	3
dcommand/main/transport/loopplay	cc	43	3

dcommand/main/transport/trackpunch	cc	44	3
dcommand/main/transport/quickpunch	cc	45	3
dcommand/main/transport/countermode/hmsms	cc	46	3
dcommand/main/transport/countermode/hmsf	cc	47	3
dcommand/main/transport/countermode/feetfrms	cc	48	3
dcommand/main/transport/countermode/barsbeats	cc	49	3
dcommand/main/transport/masterrec	cc	50	3
dcommand/main/monitor/input/sum	cc	21	7
dcommand/main/monitor/input/altsurr	cc	22	7
dcommand/main/monitor/input/main	cc	23	7
dcommand/main/monitor/input/stereo1	cc	24	7
dcommand/main/monitor/input/stereo2	cc	25	7
dcommand/main/monitor/input/stereo3	cc	26	7
dcommand/main/monitor/input/alt	cc	27	7
dcommand/main/monitor/input/mini	cc	28	7
dcommand/main/monitor/input/main2	cc	29	7
dcommand/main/monitor/cues/phones	cc	30	7
dcommand/main/monitor/cues/cue1	cc	31	7
dcommand/main/monitor/cues/cue2	cc	32	7
dcommand/main/monitor/cues/studiols	cc	33	7
dcommand/main/monitor/cues/afl	cc	34	7
dcommand/main/monitor/cues/setsource	cc	35	7
dcommand/main/monitor/cues/tb	cc	36	7
dcommand/main/monitor/cues/on	cc	37	7
dcommand/main/monitor/output/setup	cc	38	7
dcommand/main/monitor/output/l	cc	39	7
dcommand/main/monitor/output/ls	cc	40	7
dcommand/main/monitor/output/c	cc	41	7
dcommand/main/monitor/output/lfe	cc	42	7
dcommand/main/monitor/output/r	cc	43	7
dcommand/main/monitor/output/rs	cc	44	7

dcommand/main/monitor/output/afl	cc	45	7
dcommand/main/monitor/output/pfl	cc	46	7
dcommand/main/monitor/output/solomute	cc	47	7
dcommand/main/monitor/output/calibrated	cc	48	7
dcommand/main/monitor/output/mono	cc	49	7
dcommand/main/monitor/mode/dim	cc	50	7
dcommand/main/monitor/mode/mute	cc	51	7
dcommand/main/monitor/talkback/mic1	cc	52	7
dcommand/main/monitor/talkback/mic2	cc	53	7
dcommand/main/monitor/talkback/internal	cc	54	7
dcommand/main/monitor/talkback/external	cc	55	7
dcommand/main/monitor/talkback/auto	cc	56	7
dcommand/main/monitor/input/knob	cc	57	7
dcommand/main/monitor/cues/knob	cc	58	7
dcommand/main/monitor/talkback/knob	cc	59	7
dcommand/main/softkeys/key/0	cc	21	5
dcommand/main/softkeys/key/1	cc	22	5
dcommand/main/softkeys/key/2	cc	23	5
dcommand/main/softkeys/key/3	cc	24	5
dcommand/main/softkeys/key/4	cc	25	5
dcommand/main/softkeys/key/5	cc	26	5
dcommand/main/softkeys/snapshot	cc	27	5
dcommand/main/softkeys/group	cc	28	5
dcommand/main/softkeys/track	cc	29	5
dcommand/main/softkeys/playlist	cc	30	5
dcommand/main/softkeys/window	cc	31	5
dcommand/main/softkeys/func1	cc	32	5
dcommand/main/softkeys/func2	cc	33	5
dcommand/main/softkeys/func3	cc	34	5
dcommand/main/softkeys/editmodes	cc	35	5
dcommand/main/softkeys/tools	cc	36	5

dcommand/main/softkeys/memmidi/memloc	cc	37	5
dcommand/main/softkeys/memmidi/midi	cc	38	5
dcommand/main/softkeys/user	cc	39	5
dcommand/main/softkeys/operation	cc	40	5
dcommand/main/softkeys/meter	cc	41	5
dcommand/main/softkeys/automatch	cc	42	5
dcommand/main/softkeys/join	cc	43	5
dcommand/main/softkeys/actions	cc	44	5
dcommand/main/softkeys/automodes	cc	45	5
dcommand/main/softkeys/utility	cc	46	5
dcommand/main/softkeys/audiofiles	cc	47	5
dcommand/main/softkeys/showhide	cc	48	5
dcommand/main/softkeys/tracksizeup	cc	49	5
dcommand/main/softkeys/tracksizeup	cc	50	5
dcommand/main/navigation/zoompreset/1	cc	21	6
dcommand/main/navigation/zoompreset/2	cc	22	6
dcommand/main/navigation/zoompreset/3	cc	23	6
dcommand/main/navigation/zoompreset/4	cc	24	6
dcommand/main/navigation/zoompreset/5	cc	25	6
dcommand/main/navigation/zoom	cc	26	6
dcommand/main/navigation/navigate	cc	27	6
dcommand/main/navigation/up	cc	28	6
dcommand/main/navigation/down	cc	29	6
dcommand/main/navigation/left	cc	30	6
dcommand/main/navigation/right	cc	31	6
dcommand/main/navigation/bank/left	cc	32	6
dcommand/main/navigation/bank/right	cc	33	6
dcommand/main/navigation/nudge/left	cc	34	6
dcommand/main/navigation/nudge/right	cc	35	6
dcommand/main/windows/mix	cc	36	6
dcommand/main/windows/edit	cc	37	6

dcommand/main/windows/transport	cc	38	6
dcommand/main/windows/plugin	cc	39	6
dcommand/main/windows/memloc	cc	40	6
dcommand/main/windows/pan	cc	41	6
dcommand/main/windows/workspace	cc	42	6
dcommand/main/windows/midieventlist	cc	43	6
dcommand/main/windows/micpre	cc	44	6
dcommand/main/edit/publish	cc	45	6
dcommand/main/edit/save	cc	46	6
dcommand/main/edit/undo	cc	47	6
dcommand/main/edit/redo	cc	48	6
dcommand/main/modifiers/shift	cc	49	6
dcommand/main/modifiers/control	cc	50	6
dcommand/main/modifiers/option	cc	51	6
dcommand/main/modifiers/command	cc	52	6
		Decimal	Hex
sysex header		19,64,64,0,4	13,40,40,0,4
sysex address			
dcommand/main/mixer/strips/0/track/encoder/0/scrabble	sysex	5 1	05 01
dcommand/main/mixer/strips/0/track/encoder/1/scrabble	sysex	6 1	06 01
dcommand/main/mixer/strips/0/track/name	sysex	7 1	07 01
dcommand/main/mixer/strips/1/track/encoder/0/scrabble	sysex	5 2	05 02
dcommand/main/mixer/strips/1/track/encoder/1/scrabble	sysex	6 2	06 02
dcommand/main/mixer/strips/1/track/name	sysex	7 2	07 02
dcommand/main/mixer/strips/2/track/encoder/0/scrabble	sysex	5 3	05 03
dcommand/main/mixer/strips/2/track/encoder/1/scrabble	sysex	6 3	06 03
dcommand/main/mixer/strips/2/track/name	sysex	7 3	07 03
dcommand/main/mixer/strips/3/track/encoder/0/scrabble	sysex	5 4	05 04
dcommand/main/mixer/strips/3/track/encoder/1/scrabble	sysex	6 4	06 04

dcommand/main/mixer/strips/3/track/name	sysex	7 4	07 04
dcommand/main/mixer/strips/4/track/encoder/0/scrabble	sysex	5 5	05 05
dcommand/main/mixer/strips/4/track/encoder/1/scrabble	sysex	6 5	06 05
dcommand/main/mixer/strips/4/track/name	sysex	7 5	07 05
dcommand/main/mixer/strips/5/track/encoder/0/scrabble	sysex	5 6	05 06
dcommand/main/mixer/strips/5/track/encoder/1/scrabble	sysex	6 6	06 06
dcommand/main/mixer/strips/5/track/name	sysex	7 6	07 06
dcommand/main/mixer/strips/6/track/encoder/0/scrabble	sysex	5 7	05 07
dcommand/main/mixer/strips/6/track/encoder/1/scrabble	sysex	6 7	06 07
dcommand/main/mixer/strips/6/track/name	sysex	7 7	07 07
dcommand/main/mixer/strips/7/track/encoder/0/scrabble	sysex	5 8	05 08
dcommand/main/mixer/strips/7/track/encoder/1/scrabble	sysex	6 8	06 08
dcommand/main/mixer/strips/7/track/name	sysex	7 8	07 08
dcommand/main/customfaders/focuschannel	sysex	4 39	04 27
dcommand/main/dynamics/scrabble	sysex	1 38	01 26
dcommand/main/eq/scrabble	sysex	2 38	02 26
dcommand/main/softkeys/scrabble/0	sysex	5 21	05 15
dcommand/main/softkeys/scrabble/1	sysex	5 22	05 16
dcommand/main/softkeys/scrabble/2	sysex	5 23	05 17
dcommand/main/softkeys/scrabble/3	sysex	5 24	05 18
dcommand/main/softkeys/scrabble/4	sysex	5 25	05 19
dcommand/main/softkeys/scrabble/5	sysex	5 26	05 1a
dcommand/main/softkeys/scrabble/6	sysex	5 27	05 1b
dcommand/main/softkeys/scrabble/7	sysex	5 28	05 1c
dcommand/main/softkeys/scrabble/8	sysex	5 29	05 1d
dcommand/main/softkeys/scrabble/9	sysex	5 30	05 1e
dcommand/main/softkeys/scrabble/10	sysex	5 31	05 1f
dcommand/main/softkeys/scrabble/11	sysex	5 32	05 20

v 3.0.12		Number	Channel
dcommand/fadermodule/mixer/strips/0/track/meter/0	cc	64	1
dcommand/fadermodule/mixer/strips/0/track/meter/1	cc	65	1
dcommand/fadermodule/mixer/strips/0/track/encoder/0/knob	cc	105	1
dcommand/fadermodule/mixer/strips/0/track/encoder/0/select	cc	108	1
dcommand/fadermodule/mixer/strips/0/track/encoder/0/bmp	cc	109	1
dcommand/fadermodule/mixer/strips/0/track/encoder/1/knob	cc	106	1
dcommand/fadermodule/mixer/strips/0/track/encoder/1/select	cc	110	1
dcommand/fadermodule/mixer/strips/0/track/encoder/1/bmp	cc	111	1
dcommand/fadermodule/mixer/strips/0/track/pagedn	cc	112	1
dcommand/fadermodule/mixer/strips/0/track/pageup	cc	113	1
dcommand/fadermodule/mixer/strips/0/track/insert	cc	114	1
dcommand/fadermodule/mixer/strips/0/track/pan	cc	115	1
dcommand/fadermodule/mixer/strips/0/track/bypmute	cc	116	1
dcommand/fadermodule/mixer/strips/0/track/send	cc	117	1
dcommand/fadermodule/mixer/strips/0/track/input	cc	104	1
dcommand/fadermodule/mixer/strips/0/track/record	cc	102	1
dcommand/fadermodule/mixer/strips/0/track/select	cc	103	1
dcommand/fadermodule/mixer/strips/0/track/solo	cc	101	1
dcommand/fadermodule/mixer/strips/0/track/mute	cc	100	1
dcommand/fadermodule/mixer/strips/0/track/fader	cc	107	1
dcommand/fadermodule/mixer/strips/0/track/autoselect	cc	118	1
dcommand/fadermodule/mixer/strips/0/track/autotrim	cc	119	1
dcommand/fadermodule/mixer/strips/1/track/meter/0	cc	64	2
dcommand/fadermodule/mixer/strips/1/track/meter/1	cc	65	2
dcommand/fadermodule/mixer/strips/1/track/encoder/0/knob	cc	105	2
dcommand/fadermodule/mixer/strips/1/track/encoder/0/select	cc	108	2
dcommand/fadermodule/mixer/strips/1/track/encoder/0/bmp	cc	109	2
dcommand/fadermodule/mixer/strips/1/track/encoder/1/knob	cc	106	2
dcommand/fadermodule/mixer/strips/1/track/encoder/1/select	cc	110	2
dcommand/fadermodule/mixer/strips/1/track/encoder/1/bmp	cc	111	2
dcommand/fadermodule/mixer/strips/1/track/pagedn	cc	112	2

dcommand/fadermodule/mixer/strips/1/track/pageup	cc	113	2
dcommand/fadermodule/mixer/strips/1/track/insert	cc	114	2
dcommand/fadermodule/mixer/strips/1/track/pan	cc	115	2
dcommand/fadermodule/mixer/strips/1/track/bypmute	cc	116	2
dcommand/fadermodule/mixer/strips/1/track/send	cc	117	2
dcommand/fadermodule/mixer/strips/1/track/input	cc	104	2
dcommand/fadermodule/mixer/strips/1/track/record	cc	102	2
dcommand/fadermodule/mixer/strips/1/track/select	cc	103	2
dcommand/fadermodule/mixer/strips/1/track/solo	cc	101	2
dcommand/fadermodule/mixer/strips/1/track/mute	cc	100	2
dcommand/fadermodule/mixer/strips/1/track/fader	cc	107	2
dcommand/fadermodule/mixer/strips/1/track/autoselect	cc	118	2
dcommand/fadermodule/mixer/strips/1/track/autotrim	cc	119	2
dcommand/fadermodule/mixer/strips/2/track/meter/0	cc	64	3
dcommand/fadermodule/mixer/strips/2/track/meter/1	cc	65	3
dcommand/fadermodule/mixer/strips/2/track/encoder/0/knob	cc	105	3
dcommand/fadermodule/mixer/strips/2/track/encoder/0/select	cc	108	3
dcommand/fadermodule/mixer/strips/2/track/encoder/0/bmp	cc	109	3
dcommand/fadermodule/mixer/strips/2/track/encoder/1/knob	cc	106	3
dcommand/fadermodule/mixer/strips/2/track/encoder/1/select	cc	110	3
dcommand/fadermodule/mixer/strips/2/track/encoder/1/bmp	cc	111	3
dcommand/fadermodule/mixer/strips/2/track/pagedn	cc	112	3
dcommand/fadermodule/mixer/strips/2/track/pageup	cc	113	3
dcommand/fadermodule/mixer/strips/2/track/insert	cc	114	3
dcommand/fadermodule/mixer/strips/2/track/pan	cc	115	3
dcommand/fadermodule/mixer/strips/2/track/bypmute	cc	116	3
dcommand/fadermodule/mixer/strips/2/track/send	cc	117	3
dcommand/fadermodule/mixer/strips/2/track/input	cc	104	3
dcommand/fadermodule/mixer/strips/2/track/record	cc	102	3
dcommand/fadermodule/mixer/strips/2/track/select	cc	103	3
dcommand/fadermodule/mixer/strips/2/track/solo	cc	101	3

dcommand/fadermodule/mixer/strips/2/track/mute	cc	100	3
dcommand/fadermodule/mixer/strips/2/track/fader	cc	107	3
dcommand/fadermodule/mixer/strips/2/track/autoselect	cc	118	3
dcommand/fadermodule/mixer/strips/2/track/autotrim	cc	119	3
dcommand/fadermodule/mixer/strips/3/track/meter/0	cc	64	4
dcommand/fadermodule/mixer/strips/3/track/meter/1	cc	65	4
dcommand/fadermodule/mixer/strips/3/track/encoder/0/knob	cc	105	4
dcommand/fadermodule/mixer/strips/3/track/encoder/0/select	cc	108	4
dcommand/fadermodule/mixer/strips/3/track/encoder/0/bmp	cc	109	4
dcommand/fadermodule/mixer/strips/3/track/encoder/1/knob	cc	106	4
dcommand/fadermodule/mixer/strips/3/track/encoder/1/select	cc	110	4
dcommand/fadermodule/mixer/strips/3/track/encoder/1/bmp	cc	111	4
dcommand/fadermodule/mixer/strips/3/track/pagedn	cc	112	4
dcommand/fadermodule/mixer/strips/3/track/pageup	cc	113	4
dcommand/fadermodule/mixer/strips/3/track/insert	cc	114	4
dcommand/fadermodule/mixer/strips/3/track/pan	cc	115	4
dcommand/fadermodule/mixer/strips/3/track/bypmute	cc	116	4
dcommand/fadermodule/mixer/strips/3/track/send	cc	117	4
dcommand/fadermodule/mixer/strips/3/track/input	cc	104	4
dcommand/fadermodule/mixer/strips/3/track/record	cc	102	4
dcommand/fadermodule/mixer/strips/3/track/select	cc	103	4
dcommand/fadermodule/mixer/strips/3/track/solo	cc	101	4
dcommand/fadermodule/mixer/strips/3/track/mute	cc	100	4
dcommand/fadermodule/mixer/strips/3/track/fader	cc	107	4
dcommand/fadermodule/mixer/strips/3/track/autoselect	cc	118	4
dcommand/fadermodule/mixer/strips/3/track/autotrim	cc	119	4
dcommand/fadermodule/mixer/strips/4/track/meter/0	cc	64	5
dcommand/fadermodule/mixer/strips/4/track/meter/1	cc	65	5
dcommand/fadermodule/mixer/strips/4/track/encoder/0/knob	cc	105	5
dcommand/fadermodule/mixer/strips/4/track/encoder/0/select	cc	108	5
dcommand/fadermodule/mixer/strips/4/track/encoder/0/bmp	cc	109	5

dcommand/fadermodule/mixer/strips/4/track/encoder/1/knob	cc	106	5
dcommand/fadermodule/mixer/strips/4/track/encoder/1/select	cc	110	5
dcommand/fadermodule/mixer/strips/4/track/encoder/1/bmp	cc	111	5
dcommand/fadermodule/mixer/strips/4/track/pagedn	cc	112	5
dcommand/fadermodule/mixer/strips/4/track/pageup	cc	113	5
dcommand/fadermodule/mixer/strips/4/track/insert	cc	114	5
dcommand/fadermodule/mixer/strips/4/track/pan	cc	115	5
dcommand/fadermodule/mixer/strips/4/track/bypmute	cc	116	5
dcommand/fadermodule/mixer/strips/4/track/send	cc	117	5
dcommand/fadermodule/mixer/strips/4/track/input	cc	104	5
dcommand/fadermodule/mixer/strips/4/track/record	cc	102	5
dcommand/fadermodule/mixer/strips/4/track/select	cc	103	5
dcommand/fadermodule/mixer/strips/4/track/solo	cc	101	5
dcommand/fadermodule/mixer/strips/4/track/mute	cc	100	5
dcommand/fadermodule/mixer/strips/4/track/fader	cc	107	5
dcommand/fadermodule/mixer/strips/4/track/autoselect	cc	118	5
dcommand/fadermodule/mixer/strips/4/track/autotrim	cc	119	5
dcommand/fadermodule/mixer/strips/5/track/meter/0	cc	64	6
dcommand/fadermodule/mixer/strips/5/track/meter/1	cc	65	6
dcommand/fadermodule/mixer/strips/5/track/encoder/0/knob	cc	105	6
dcommand/fadermodule/mixer/strips/5/track/encoder/0/select	cc	108	6
dcommand/fadermodule/mixer/strips/5/track/encoder/0/bmp	cc	109	6
dcommand/fadermodule/mixer/strips/5/track/encoder/1/knob	cc	106	6
dcommand/fadermodule/mixer/strips/5/track/encoder/1/select	cc	110	6
dcommand/fadermodule/mixer/strips/5/track/encoder/1/bmp	cc	111	6
dcommand/fadermodule/mixer/strips/5/track/pagedn	cc	112	6
dcommand/fadermodule/mixer/strips/5/track/pageup	cc	113	6
dcommand/fadermodule/mixer/strips/5/track/insert	cc	114	6
dcommand/fadermodule/mixer/strips/5/track/pan	cc	115	6
dcommand/fadermodule/mixer/strips/5/track/bypmute	cc	116	6
dcommand/fadermodule/mixer/strips/5/track/send	cc	117	6

dcommand/fadermodule/mixer/strips/5/track/input	cc	104	6
dcommand/fadermodule/mixer/strips/5/track/record	cc	102	6
dcommand/fadermodule/mixer/strips/5/track/select	cc	103	6
dcommand/fadermodule/mixer/strips/5/track/solo	cc	101	6
dcommand/fadermodule/mixer/strips/5/track/mute	cc	100	6
dcommand/fadermodule/mixer/strips/5/track/fader	cc	107	6
dcommand/fadermodule/mixer/strips/5/track/autoselect	cc	118	6
dcommand/fadermodule/mixer/strips/5/track/autotrim	cc	119	6
dcommand/fadermodule/mixer/strips/6/track/meter/0	cc	64	7
dcommand/fadermodule/mixer/strips/6/track/meter/1	cc	65	7
dcommand/fadermodule/mixer/strips/6/track/encoder/0/knob	cc	105	7
dcommand/fadermodule/mixer/strips/6/track/encoder/0/select	cc	108	7
dcommand/fadermodule/mixer/strips/6/track/encoder/0/bmp	cc	109	7
dcommand/fadermodule/mixer/strips/6/track/encoder/1/knob	cc	106	7
dcommand/fadermodule/mixer/strips/6/track/encoder/1/select	cc	110	7
dcommand/fadermodule/mixer/strips/6/track/encoder/1/bmp	cc	111	7
dcommand/fadermodule/mixer/strips/6/track/pagedn	cc	112	7
dcommand/fadermodule/mixer/strips/6/track/pageup	cc	113	7
dcommand/fadermodule/mixer/strips/6/track/insert	cc	114	7
dcommand/fadermodule/mixer/strips/6/track/pan	cc	115	7
dcommand/fadermodule/mixer/strips/6/track/hypmute	cc	116	7
dcommand/fadermodule/mixer/strips/6/track/send	cc	117	7
dcommand/fadermodule/mixer/strips/6/track/input	cc	104	7
dcommand/fadermodule/mixer/strips/6/track/record	cc	102	7
dcommand/fadermodule/mixer/strips/6/track/select	cc	103	7
dcommand/fadermodule/mixer/strips/6/track/solo	cc	101	7
dcommand/fadermodule/mixer/strips/6/track/mute	cc	100	7
dcommand/fadermodule/mixer/strips/6/track/fader	cc	107	7
dcommand/fadermodule/mixer/strips/6/track/autoselect	cc	118	7
dcommand/fadermodule/mixer/strips/6/track/autotrim	cc	119	7
dcommand/fadermodule/mixer/strips/7/track/meter/0	cc	64	8

dcommand/fadermodule/mixer/strips/7/track/meter/1	cc	65	8
dcommand/fadermodule/mixer/strips/7/track/encoder/0/knob	cc	105	8
dcommand/fadermodule/mixer/strips/7/track/encoder/0/select	cc	108	8
dcommand/fadermodule/mixer/strips/7/track/encoder/0/bmp	cc	109	8
dcommand/fadermodule/mixer/strips/7/track/encoder/1/knob	cc	106	8
dcommand/fadermodule/mixer/strips/7/track/encoder/1/select	cc	110	8
dcommand/fadermodule/mixer/strips/7/track/encoder/1/bmp	cc	111	8
dcommand/fadermodule/mixer/strips/7/track/pagedn	cc	112	8
dcommand/fadermodule/mixer/strips/7/track/pageup	cc	113	8
dcommand/fadermodule/mixer/strips/7/track/insert	cc	114	8
dcommand/fadermodule/mixer/strips/7/track/pan	cc	115	8
dcommand/fadermodule/mixer/strips/7/track/bypmute	cc	116	8
dcommand/fadermodule/mixer/strips/7/track/send	cc	117	8
dcommand/fadermodule/mixer/strips/7/track/input	cc	104	8
dcommand/fadermodule/mixer/strips/7/track/record	cc	102	8
dcommand/fadermodule/mixer/strips/7/track/select	cc	103	8
dcommand/fadermodule/mixer/strips/7/track/solo	cc	101	8
dcommand/fadermodule/mixer/strips/7/track/mute	cc	100	8
dcommand/fadermodule/mixer/strips/7/track/fader	cc	107	8
dcommand/fadermodule/mixer/strips/7/track/autoselect	cc	118	8
dcommand/fadermodule/mixer/strips/7/track/autotrim	cc	119	8
dcommand/fadermodule/mixer/strips/8/track/meter/0	cc	60	9
dcommand/fadermodule/mixer/strips/8/track/meter/1	cc	61	9
dcommand/fadermodule/mixer/strips/8/track/encoder/0/knob	cc	5	9
dcommand/fadermodule/mixer/strips/8/track/encoder/0/select	cc	8	9
dcommand/fadermodule/mixer/strips/8/track/encoder/0/bmp	cc	9	9
dcommand/fadermodule/mixer/strips/8/track/encoder/1/knob	cc	6	9
dcommand/fadermodule/mixer/strips/8/track/encoder/1/select	cc	10	9
dcommand/fadermodule/mixer/strips/8/track/encoder/1/bmp	cc	11	9
dcommand/fadermodule/mixer/strips/8/track/pagedn	cc	12	9
dcommand/fadermodule/mixer/strips/8/track/pageup	cc	13	9

dcommand/fadermodule/mixer/strips/8/track/insert	cc	14	9
dcommand/fadermodule/mixer/strips/8/track/pan	cc	15	9
dcommand/fadermodule/mixer/strips/8/track/bypmute	cc	16	9
dcommand/fadermodule/mixer/strips/8/track/send	cc	17	9
dcommand/fadermodule/mixer/strips/8/track/input	cc	4	9
dcommand/fadermodule/mixer/strips/8/track/record	cc	2	9
dcommand/fadermodule/mixer/strips/8/track/select	cc	3	9
dcommand/fadermodule/mixer/strips/8/track/solo	cc	1	9
dcommand/fadermodule/mixer/strips/8/track/mute	cc	0	9
dcommand/fadermodule/mixer/strips/8/track/fader	cc	7	9
dcommand/fadermodule/mixer/strips/8/track/autoselect	cc	18	9
dcommand/fadermodule/mixer/strips/8/track/autotrim	cc	19	9
dcommand/fadermodule/mixer/strips/9/track/meter/0	cc	60	10
dcommand/fadermodule/mixer/strips/9/track/meter/1	cc	61	10
dcommand/fadermodule/mixer/strips/9/track/encoder/0/knob	cc	5	10
dcommand/fadermodule/mixer/strips/9/track/encoder/0/select	cc	8	10
dcommand/fadermodule/mixer/strips/9/track/encoder/0/bmp	cc	9	10
dcommand/fadermodule/mixer/strips/9/track/encoder/1/knob	cc	6	10
dcommand/fadermodule/mixer/strips/9/track/encoder/1/select	cc	10	10
dcommand/fadermodule/mixer/strips/9/track/encoder/1/bmp	cc	11	10
dcommand/fadermodule/mixer/strips/9/track/pagedn	cc	12	10
dcommand/fadermodule/mixer/strips/9/track/pageup	cc	13	10
dcommand/fadermodule/mixer/strips/9/track/insert	cc	14	10
dcommand/fadermodule/mixer/strips/9/track/pan	cc	15	10
dcommand/fadermodule/mixer/strips/9/track/bypmute	cc	16	10
dcommand/fadermodule/mixer/strips/9/track/send	cc	17	10
dcommand/fadermodule/mixer/strips/9/track/input	cc	4	10
dcommand/fadermodule/mixer/strips/9/track/record	cc	2	10
dcommand/fadermodule/mixer/strips/9/track/select	cc	3	10
dcommand/fadermodule/mixer/strips/9/track/solo	cc	1	10
dcommand/fadermodule/mixer/strips/9/track/mute	cc	0	10

dcommand/fadermodule/mixer/strips/9/track/fader	cc	7	10
dcommand/fadermodule/mixer/strips/9/track/autoselect	cc	18	10
dcommand/fadermodule/mixer/strips/9/track/autotrim	cc	19	10
dcommand/fadermodule/mixer/strips/10/track/meter/0	cc	60	11
dcommand/fadermodule/mixer/strips/10/track/meter/1	cc	61	11
dcommand/fadermodule/mixer/strips/10/track/encoder/0/knob	cc	5	11
dcommand/fadermodule/mixer/strips/10/track/encoder/0/select	cc	8	11
dcommand/fadermodule/mixer/strips/10/track/encoder/0/bmp	cc	9	11
dcommand/fadermodule/mixer/strips/10/track/encoder/1/knob	cc	6	11
dcommand/fadermodule/mixer/strips/10/track/encoder/1/select	cc	10	11
dcommand/fadermodule/mixer/strips/10/track/encoder/1/bmp	cc	11	11
dcommand/fadermodule/mixer/strips/10/track/pagedn	cc	12	11
dcommand/fadermodule/mixer/strips/10/track/pageup	cc	13	11
dcommand/fadermodule/mixer/strips/10/track/insert	cc	14	11
dcommand/fadermodule/mixer/strips/10/track/pan	cc	15	11
dcommand/fadermodule/mixer/strips/10/track/bypmute	cc	16	11
dcommand/fadermodule/mixer/strips/10/track/send	cc	17	11
dcommand/fadermodule/mixer/strips/10/track/input	cc	4	11
dcommand/fadermodule/mixer/strips/10/track/record	cc	2	11
dcommand/fadermodule/mixer/strips/10/track/select	cc	3	11
dcommand/fadermodule/mixer/strips/10/track/solo	cc	1	11
dcommand/fadermodule/mixer/strips/10/track/mute	cc	0	11
dcommand/fadermodule/mixer/strips/10/track/fader	cc	7	11
dcommand/fadermodule/mixer/strips/10/track/autoselect	cc	18	11
dcommand/fadermodule/mixer/strips/10/track/autotrim	cc	19	11
dcommand/fadermodule/mixer/strips/11/track/meter/0	cc	60	12
dcommand/fadermodule/mixer/strips/11/track/meter/1	cc	61	12
dcommand/fadermodule/mixer/strips/11/track/encoder/0/knob	cc	5	12
dcommand/fadermodule/mixer/strips/11/track/encoder/0/select	cc	8	12
dcommand/fadermodule/mixer/strips/11/track/encoder/0/bmp	cc	9	12
dcommand/fadermodule/mixer/strips/11/track/encoder/1/knob	cc	6	12

dcommand/fadermodule/mixer/strips/11/track/encoder/1/select	cc	10	12
dcommand/fadermodule/mixer/strips/11/track/encoder/1/bmp	cc	11	12
dcommand/fadermodule/mixer/strips/11/track/pagedn	cc	12	12
dcommand/fadermodule/mixer/strips/11/track/pageup	cc	13	12
dcommand/fadermodule/mixer/strips/11/track/insert	cc	14	12
dcommand/fadermodule/mixer/strips/11/track/pan	cc	15	12
dcommand/fadermodule/mixer/strips/11/track/bypmute	cc	16	12
dcommand/fadermodule/mixer/strips/11/track/send	cc	17	12
dcommand/fadermodule/mixer/strips/11/track/input	cc	4	12
dcommand/fadermodule/mixer/strips/11/track/record	cc	2	12
dcommand/fadermodule/mixer/strips/11/track/select	cc	3	12
dcommand/fadermodule/mixer/strips/11/track/solo	cc	1	12
dcommand/fadermodule/mixer/strips/11/track/mute	cc	0	12
dcommand/fadermodule/mixer/strips/11/track/fader	cc	7	12
dcommand/fadermodule/mixer/strips/11/track/autoselect	cc	18	12
dcommand/fadermodule/mixer/strips/11/track/autotrim	cc	19	12
dcommand/fadermodule/mixer/strips/12/track/meter/0	cc	60	13
dcommand/fadermodule/mixer/strips/12/track/meter/1	cc	61	13
dcommand/fadermodule/mixer/strips/12/track/encoder/0/knob	cc	5	13
dcommand/fadermodule/mixer/strips/12/track/encoder/0/select	cc	8	13
dcommand/fadermodule/mixer/strips/12/track/encoder/0/bmp	cc	9	13
dcommand/fadermodule/mixer/strips/12/track/encoder/1/knob	cc	6	13
dcommand/fadermodule/mixer/strips/12/track/encoder/1/select	cc	10	13
dcommand/fadermodule/mixer/strips/12/track/encoder/1/bmp	cc	11	13
dcommand/fadermodule/mixer/strips/12/track/pagedn	cc	12	13
dcommand/fadermodule/mixer/strips/12/track/pageup	cc	13	13
dcommand/fadermodule/mixer/strips/12/track/insert	cc	14	13
dcommand/fadermodule/mixer/strips/12/track/pan	cc	15	13
dcommand/fadermodule/mixer/strips/12/track/bypmute	cc	16	13
dcommand/fadermodule/mixer/strips/12/track/send	cc	17	13
dcommand/fadermodule/mixer/strips/12/track/input	cc	4	13

dcommand/fadermodule/mixer/strips/12/track/record	cc	2	13
dcommand/fadermodule/mixer/strips/12/track/select	cc	3	13
dcommand/fadermodule/mixer/strips/12/track/solo	cc	1	13
dcommand/fadermodule/mixer/strips/12/track/mute	cc	0	13
dcommand/fadermodule/mixer/strips/12/track/fader	cc	7	13
dcommand/fadermodule/mixer/strips/12/track/autoselect	cc	18	13
dcommand/fadermodule/mixer/strips/12/track/autotrim	cc	19	13
dcommand/fadermodule/mixer/strips/13/track/meter/0	cc	60	14
dcommand/fadermodule/mixer/strips/13/track/meter/1	cc	61	14
dcommand/fadermodule/mixer/strips/13/track/encoder/0/knob	cc	5	14
dcommand/fadermodule/mixer/strips/13/track/encoder/0/select	cc	8	14
dcommand/fadermodule/mixer/strips/13/track/encoder/0/bmp	cc	9	14
dcommand/fadermodule/mixer/strips/13/track/encoder/1/knob	cc	6	14
dcommand/fadermodule/mixer/strips/13/track/encoder/1/select	cc	10	14
dcommand/fadermodule/mixer/strips/13/track/encoder/1/bmp	cc	11	14
dcommand/fadermodule/mixer/strips/13/track/pagedn	cc	12	14
dcommand/fadermodule/mixer/strips/13/track/pageup	cc	13	14
dcommand/fadermodule/mixer/strips/13/track/insert	cc	14	14
dcommand/fadermodule/mixer/strips/13/track/pan	cc	15	14
dcommand/fadermodule/mixer/strips/13/track/bypmute	cc	16	14
dcommand/fadermodule/mixer/strips/13/track/send	cc	17	14
dcommand/fadermodule/mixer/strips/13/track/input	cc	4	14
dcommand/fadermodule/mixer/strips/13/track/record	cc	2	14
dcommand/fadermodule/mixer/strips/13/track/select	cc	3	14
dcommand/fadermodule/mixer/strips/13/track/solo	cc	1	14
dcommand/fadermodule/mixer/strips/13/track/mute	cc	0	14
dcommand/fadermodule/mixer/strips/13/track/fader	cc	7	14
dcommand/fadermodule/mixer/strips/13/track/autoselect	cc	18	14
dcommand/fadermodule/mixer/strips/13/track/autotrim	cc	19	14
dcommand/fadermodule/mixer/strips/14/track/meter/0	cc	60	15
dcommand/fadermodule/mixer/strips/14/track/meter/1	cc	61	15

dcommand/fadermodule/mixer/strips/14/track/encoder/0/knob	cc	5	15
dcommand/fadermodule/mixer/strips/14/track/encoder/0/select	cc	8	15
dcommand/fadermodule/mixer/strips/14/track/encoder/0/bmp	cc	9	15
dcommand/fadermodule/mixer/strips/14/track/encoder/1/knob	cc	6	15
dcommand/fadermodule/mixer/strips/14/track/encoder/1/select	cc	10	15
dcommand/fadermodule/mixer/strips/14/track/encoder/1/bmp	cc	11	15
dcommand/fadermodule/mixer/strips/14/track/pagedn	cc	12	15
dcommand/fadermodule/mixer/strips/14/track/pageup	cc	13	15
dcommand/fadermodule/mixer/strips/14/track/insert	cc	14	15
dcommand/fadermodule/mixer/strips/14/track/pan	cc	15	15
dcommand/fadermodule/mixer/strips/14/track/bypmute	cc	16	15
dcommand/fadermodule/mixer/strips/14/track/send	cc	17	15
dcommand/fadermodule/mixer/strips/14/track/input	cc	4	15
dcommand/fadermodule/mixer/strips/14/track/record	cc	2	15
dcommand/fadermodule/mixer/strips/14/track/select	cc	3	15
dcommand/fadermodule/mixer/strips/14/track/solo	cc	1	15
dcommand/fadermodule/mixer/strips/14/track/mute	cc	0	15
dcommand/fadermodule/mixer/strips/14/track/fader	cc	7	15
dcommand/fadermodule/mixer/strips/14/track/autoselect	cc	18	15
dcommand/fadermodule/mixer/strips/14/track/autotrim	cc	19	15
dcommand/fadermodule/mixer/strips/15/track/meter/0	cc	60	16
dcommand/fadermodule/mixer/strips/15/track/meter/1	cc	61	16
dcommand/fadermodule/mixer/strips/15/track/encoder/0/knob	cc	5	16
dcommand/fadermodule/mixer/strips/15/track/encoder/0/select	cc	8	16
dcommand/fadermodule/mixer/strips/15/track/encoder/0/bmp	cc	9	16
dcommand/fadermodule/mixer/strips/15/track/encoder/1/knob	cc	6	16
dcommand/fadermodule/mixer/strips/15/track/encoder/1/select	cc	10	16
dcommand/fadermodule/mixer/strips/15/track/encoder/1/bmp	cc	11	16
dcommand/fadermodule/mixer/strips/15/track/pagedn	cc	12	16
dcommand/fadermodule/mixer/strips/15/track/pageup	cc	13	16
dcommand/fadermodule/mixer/strips/15/track/insert	cc	14	16

dcommand/fadermodule/mixer/strips/15/track/pan	cc	15	16
dcommand/fadermodule/mixer/strips/15/track/bypmute	cc	16	16
dcommand/fadermodule/mixer/strips/15/track/send	cc	17	16
dcommand/fadermodule/mixer/strips/15/track/input	cc	4	16
dcommand/fadermodule/mixer/strips/15/track/record	cc	2	16
dcommand/fadermodule/mixer/strips/15/track/select	cc	3	16
dcommand/fadermodule/mixer/strips/15/track/solo	cc	1	16
dcommand/fadermodule/mixer/strips/15/track/mute	cc	0	16
dcommand/fadermodule/mixer/strips/15/track/fader	cc	7	16
dcommand/fadermodule/mixer/strips/15/track/autoselect	cc	18	16
dcommand/fadermodule/mixer/strips/15/track/autotrim	cc	19	16
		Decimal	Hex
sysex header		19,64,64,0,4	13,40,40,0,4
sysex address			
dcommand/fadermodule/mixer/strips/0/track/encoder/0/scribble	sysex	105,1	69,01
dcommand/fadermodule/mixer/strips/0/track/encoder/1/scribble	sysex	106,1	6a,01
dcommand/fadermodule/mixer/strips/0/track/name	sysex	107,1	6b,01
dcommand/fadermodule/mixer/strips/1/track/encoder/0/scribble	sysex	105,2	69,02
dcommand/fadermodule/mixer/strips/1/track/encoder/1/scribble	sysex	106,2	6a,02
dcommand/fadermodule/mixer/strips/1/track/name	sysex	107,2	6b,02
dcommand/fadermodule/mixer/strips/2/track/encoder/0/scribble	sysex	105,3	69,03
dcommand/fadermodule/mixer/strips/2/track/encoder/1/scribble	sysex	106,3	6a,03
dcommand/fadermodule/mixer/strips/2/track/name	sysex	107,3	6b,03
dcommand/fadermodule/mixer/strips/3/track/encoder/0/scribble	sysex	105,4	69,04
dcommand/fadermodule/mixer/strips/3/track/encoder/1/scribble	sysex	106,4	6a,04
dcommand/fadermodule/mixer/strips/3/track/name	sysex	107,4	6b,04
dcommand/fadermodule/mixer/strips/4/track/encoder/0/scribble	sysex	105,5	69,05
dcommand/fadermodule/mixer/strips/4/track/encoder/1/scribble	sysex	106,5	6a,05
dcommand/fadermodule/mixer/strips/4/track/name	sysex	107,5	6b,05

dcommand/fadermodule/mixer/strips/5/track/encoder/0/scribble	sysex	105,6	69,06
dcommand/fadermodule/mixer/strips/5/track/encoder/1/scribble	sysex	106,6	6a,06
dcommand/fadermodule/mixer/strips/5/track/name	sysex	107,6	6b,06
dcommand/fadermodule/mixer/strips/6/track/encoder/0/scribble	sysex	105,7	69,07
dcommand/fadermodule/mixer/strips/6/track/encoder/1/scribble	sysex	106,7	6a,07
dcommand/fadermodule/mixer/strips/6/track/name	sysex	107,7	6b,07
dcommand/fadermodule/mixer/strips/7/track/encoder/0/scribble	sysex	105,8	69,08
dcommand/fadermodule/mixer/strips/7/track/encoder/1/scribble	sysex	106,8	6a,08
dcommand/fadermodule/mixer/strips/7/track/name	sysex	107,8	6b,08
dcommand/fadermodule/mixer/strips/8/track/encoder/0/scribble	sysex	5,9	05,09
dcommand/fadermodule/mixer/strips/8/track/encoder/1/scribble	sysex	6,9	06,09
dcommand/fadermodule/mixer/strips/8/track/name	sysex	7,9	07,09
dcommand/fadermodule/mixer/strips/9/track/encoder/0/scribble	sysex	5,10	05,0a
dcommand/fadermodule/mixer/strips/9/track/encoder/1/scribble	sysex	6,10	06,0a
dcommand/fadermodule/mixer/strips/9/track/name	sysex	7,10	07,0a
dcommand/fadermodule/mixer/strips/10/track/encoder/0/scribble	sysex	5,11	05,0b
dcommand/fadermodule/mixer/strips/10/track/encoder/1/scribble	sysex	6,11	06,0b
dcommand/fadermodule/mixer/strips/10/track/name	sysex	7,11	07,0b
dcommand/fadermodule/mixer/strips/11/track/encoder/0/scribble	sysex	5,12	05,0c
dcommand/fadermodule/mixer/strips/11/track/encoder/1/scribble	sysex	6,12	06,0c
dcommand/fadermodule/mixer/strips/11/track/name	sysex	7,12	07,0c
dcommand/fadermodule/mixer/strips/12/track/encoder/0/scribble	sysex	5,13	05,0d
dcommand/fadermodule/mixer/strips/12/track/encoder/1/scribble	sysex	6,13	06,0d
dcommand/fadermodule/mixer/strips/12/track/name	sysex	7,13	07,0d
dcommand/fadermodule/mixer/strips/13/track/encoder/0/scribble	sysex	5,14	05,0e
dcommand/fadermodule/mixer/strips/13/track/encoder/1/scribble	sysex	6,14	06,0e
dcommand/fadermodule/mixer/strips/13/track/name	sysex	7,14	07,0e
dcommand/fadermodule/mixer/strips/14/track/encoder/0/scribble	sysex	5,15	05,0f
dcommand/fadermodule/mixer/strips/14/track/encoder/1/scribble	sysex	6,15	06,0f
dcommand/fadermodule/mixer/strips/14/track/name	sysex	7,15	07,0f
dcommand/fadermodule/mixer/strips/15/track/encoder/0/scribble	sysex	5,16	05,10

dcommand/fadermodule/mixer/strips/15/track/encoder/1/scribble	sysex	6,16	06,10
dcommand/fadermodule/mixer/strips/15/track/name	sysex	7,16	07,10

v 3.0.12		Number	Channel
procontrol/main/output/meter/0	cc	63	1
procontrol/main/output/meter/1	cc	63	2
procontrol/main/output/meter/2	cc	63	3
procontrol/main/output/meter/3	cc	63	4
procontrol/main/output/meter/4	cc	63	5
procontrol/main/output/meter/5	cc	63	6
procontrol/main/mixer/strips/0/track/meter/0	cc	61	1
procontrol/main/mixer/strips/0/track/meter/1	cc	62	1
procontrol/main/mixer/strips/0/track/record	cc	2	1
procontrol/main/mixer/strips/0/track/insert	cc	13	1
procontrol/main/mixer/strips/0/track/eq	cc	11	1
procontrol/main/mixer/strips/0/track/dyn	cc	12	1
procontrol/main/mixer/strips/0/track/autoselect	cc	15	1
procontrol/main/mixer/strips/0/track/knob	cc	10	1
procontrol/main/mixer/strips/0/track/assign	cc	4	1
procontrol/main/mixer/strips/0/track/select	cc	3	1
procontrol/main/mixer/strips/0/track/mute	cc	0	1
procontrol/main/mixer/strips/0/track/solo	cc	1	1
procontrol/main/mixer/strips/0/track/fader	cc	7	1
procontrol/main/mixer/strips/1/track/meter/0	cc	61	2
procontrol/main/mixer/strips/1/track/meter/1	cc	62	2
procontrol/main/mixer/strips/1/track/record	cc	2	2
procontrol/main/mixer/strips/1/track/insert	cc	13	2
procontrol/main/mixer/strips/1/track/eq	cc	11	2
procontrol/main/mixer/strips/1/track/dyn	cc	12	2
procontrol/main/mixer/strips/1/track/autoselect	cc	15	2
procontrol/main/mixer/strips/1/track/knob	cc	10	2
procontrol/main/mixer/strips/1/track/assign	cc	4	2
procontrol/main/mixer/strips/1/track/select	cc	3	2
procontrol/main/mixer/strips/1/track/mute	cc	0	2
procontrol/main/mixer/strips/1/track/solo	cc	1	2

procontrol/main/mixer/strips/1/track/fader	cc	7	2
procontrol/main/mixer/strips/2/track/meter/0	cc	61	3
procontrol/main/mixer/strips/2/track/meter/1	cc	62	3
procontrol/main/mixer/strips/2/track/record	cc	2	3
procontrol/main/mixer/strips/2/track/insert	cc	13	3
procontrol/main/mixer/strips/2/track/eq	cc	11	3
procontrol/main/mixer/strips/2/track/dyn	cc	12	3
procontrol/main/mixer/strips/2/track/autoselect	cc	15	3
procontrol/main/mixer/strips/2/track/knob	cc	10	3
procontrol/main/mixer/strips/2/track/assign	cc	4	3
procontrol/main/mixer/strips/2/track/select	cc	3	3
procontrol/main/mixer/strips/2/track/mute	cc	0	3
procontrol/main/mixer/strips/2/track/solo	cc	1	3
procontrol/main/mixer/strips/2/track/fader	cc	7	3
procontrol/main/mixer/strips/3/track/meter/0	cc	61	4
procontrol/main/mixer/strips/3/track/meter/1	cc	62	4
procontrol/main/mixer/strips/3/track/record	cc	2	4
procontrol/main/mixer/strips/3/track/insert	cc	13	4
procontrol/main/mixer/strips/3/track/eq	cc	11	4
procontrol/main/mixer/strips/3/track/dyn	cc	12	4
procontrol/main/mixer/strips/3/track/autoselect	cc	15	4
procontrol/main/mixer/strips/3/track/knob	cc	10	4
procontrol/main/mixer/strips/3/track/assign	cc	4	4
procontrol/main/mixer/strips/3/track/select	cc	3	4
procontrol/main/mixer/strips/3/track/mute	cc	0	4
procontrol/main/mixer/strips/3/track/solo	cc	1	4
procontrol/main/mixer/strips/3/track/fader	cc	7	4
procontrol/main/mixer/strips/4/track/meter/0	cc	61	5
procontrol/main/mixer/strips/4/track/meter/1	cc	62	5
procontrol/main/mixer/strips/4/track/record	cc	2	5
procontrol/main/mixer/strips/4/track/insert	cc	13	5

procontrol/main/mixer/strips/4/track/eq	cc	11	5
procontrol/main/mixer/strips/4/track/dyn	cc	12	5
procontrol/main/mixer/strips/4/track/autoselect	cc	15	5
procontrol/main/mixer/strips/4/track/knob	cc	10	5
procontrol/main/mixer/strips/4/track/assign	cc	4	5
procontrol/main/mixer/strips/4/track/select	cc	3	5
procontrol/main/mixer/strips/4/track/mute	cc	0	5
procontrol/main/mixer/strips/4/track/solo	cc	1	5
procontrol/main/mixer/strips/4/track/fader	cc	7	5
procontrol/main/mixer/strips/5/track/meter/0	cc	61	6
procontrol/main/mixer/strips/5/track/meter/1	cc	62	6
procontrol/main/mixer/strips/5/track/record	cc	2	6
procontrol/main/mixer/strips/5/track/insert	cc	13	6
procontrol/main/mixer/strips/5/track/eq	cc	11	6
procontrol/main/mixer/strips/5/track/dyn	cc	12	6
procontrol/main/mixer/strips/5/track/autoselect	cc	15	6
procontrol/main/mixer/strips/5/track/knob	cc	10	6
procontrol/main/mixer/strips/5/track/assign	cc	4	6
procontrol/main/mixer/strips/5/track/select	cc	3	6
procontrol/main/mixer/strips/5/track/mute	cc	0	6
procontrol/main/mixer/strips/5/track/solo	cc	1	6
procontrol/main/mixer/strips/5/track/fader	cc	7	6
procontrol/main/mixer/strips/6/track/meter/0	cc	61	7
procontrol/main/mixer/strips/6/track/meter/1	cc	62	7
procontrol/main/mixer/strips/6/track/record	cc	2	7
procontrol/main/mixer/strips/6/track/insert	cc	13	7
procontrol/main/mixer/strips/6/track/eq	cc	11	7
procontrol/main/mixer/strips/6/track/dyn	cc	12	7
procontrol/main/mixer/strips/6/track/autoselect	cc	15	7
procontrol/main/mixer/strips/6/track/knob	cc	10	7
procontrol/main/mixer/strips/6/track/assign	cc	4	7

procontrol/main/mixer/strips/6/track/select	cc	3	7
procontrol/main/mixer/strips/6/track/mute	cc	0	7
procontrol/main/mixer/strips/6/track/solo	cc	1	7
procontrol/main/mixer/strips/6/track/fader	cc	7	7
procontrol/main/mixer/strips/7/track/meter/0	cc	61	8
procontrol/main/mixer/strips/7/track/meter/1	cc	62	8
procontrol/main/mixer/strips/7/track/record	cc	2	8
procontrol/main/mixer/strips/7/track/insert	cc	13	8
procontrol/main/mixer/strips/7/track/eq	cc	11	8
procontrol/main/mixer/strips/7/track/dyn	cc	12	8
procontrol/main/mixer/strips/7/track/autoselect	cc	15	8
procontrol/main/mixer/strips/7/track/knob	cc	10	8
procontrol/main/mixer/strips/7/track/assign	cc	4	8
procontrol/main/mixer/strips/7/track/select	cc	3	8
procontrol/main/mixer/strips/7/track/mute	cc	0	8
procontrol/main/mixer/strips/7/track/solo	cc	1	8
procontrol/main/mixer/strips/7/track/fader	cc	7	8
procontrol/main/matrix/switch/0	cc	21	5
procontrol/main/matrix/switch/1	cc	22	5
procontrol/main/matrix/switch/2	cc	23	5
procontrol/main/matrix/switch/3	cc	24	5
procontrol/main/matrix/switch/4	cc	25	5
procontrol/main/matrix/switch/5	cc	26	5
procontrol/main/matrix/switch/6	cc	27	5
procontrol/main/matrix/switch/7	cc	28	5
procontrol/main/matrix/switch/8	cc	29	5
procontrol/main/matrix/switch/9	cc	30	5
procontrol/main/matrix/switch/10	cc	31	5
procontrol/main/matrix/switch/11	cc	32	5
procontrol/main/matrix/switch/12	cc	33	5
procontrol/main/matrix/switch/13	cc	34	5

procontrol/main/matrix/switch/14	cc	35	5
procontrol/main/matrix/switch/15	cc	36	5
procontrol/main/matrix/switch/16	cc	37	5
procontrol/main/matrix/switch/17	cc	38	5
procontrol/main/matrix/switch/18	cc	39	5
procontrol/main/matrix/switch/19	cc	40	5
procontrol/main/matrix/switch/20	cc	41	5
procontrol/main/matrix/switch/21	cc	42	5
procontrol/main/matrix/switch/22	cc	43	5
procontrol/main/matrix/switch/23	cc	44	5
procontrol/main/matrix/switch/24	cc	45	5
procontrol/main/matrix/switch/25	cc	46	5
procontrol/main/matrix/switch/26	cc	47	5
procontrol/main/matrix/switch/27	cc	48	5
procontrol/main/matrix/switch/28	cc	49	5
procontrol/main/matrix/switch/29	cc	50	5
procontrol/main/matrix/switch/30	cc	51	5
procontrol/main/matrix/switch/31	cc	52	5
procontrol/main/matrix/bank/a	cc	53	5
procontrol/main/matrix/bank/b	cc	53	5
procontrol/main/matrix/bank/c	cc	53	5
procontrol/main/matrix/bank/d	cc	53	5
procontrol/main/matrix/status/select	cc	53	5
procontrol/main/matrix/status/mute	cc	53	5
procontrol/main/matrix/status/solo	cc	53	5
procontrol/main/matrix/status/recrdy	cc	53	5
procontrol/main/matrix/status/snapshot	cc	53	5
procontrol/main/matrix/status/clrall	cc	53	5
procontrol/main/matrix/status/pages	cc	53	5
procontrol/main/matrix/goto	cc	53	5
procontrol/main/matrix/view	cc	53	5

procontrol/main/trackedit/select/0	cc	29	1
procontrol/main/trackedit/select/1	cc	30	1
procontrol/main/trackedit/select/2	cc	31	1
procontrol/main/trackedit/select/3	cc	32	1
procontrol/main/trackedit/select/4	cc	33	1
procontrol/main/trackedit/select/5	cc	34	1
procontrol/main/trackedit/select/6	cc	35	1
procontrol/main/trackedit/select/7	cc	36	1
procontrol/main/trackedit/assign/0	cc	45	1
procontrol/main/trackedit/assign/1	cc	46	1
procontrol/main/trackedit/assign/2	cc	47	1
procontrol/main/trackedit/assign/3	cc	48	1
procontrol/main/trackedit/assign/4	cc	49	1
procontrol/main/trackedit/assign/5	cc	50	1
procontrol/main/trackedit/assign/6	cc	51	1
procontrol/main/trackedit/assign/7	cc	52	1
procontrol/main/trackedit/knob/0	cc	21	1
procontrol/main/trackedit/knob/1	cc	22	1
procontrol/main/trackedit/knob/2	cc	23	1
procontrol/main/trackedit/knob/3	cc	24	1
procontrol/main/trackedit/knob/4	cc	25	1
procontrol/main/trackedit/knob/5	cc	26	1
procontrol/main/trackedit/knob/6	cc	27	1
procontrol/main/trackedit/knob/7	cc	28	1
procontrol/main/trackedit/bypass/0	cc	53	1
procontrol/main/trackedit/bypass/1	cc	54	1
procontrol/main/trackedit/bypass/2	cc	55	1
procontrol/main/trackedit/bypass/3	cc	56	1
procontrol/main/trackedit/bypass/4	cc	57	1
procontrol/main/trackedit/bypass/5	cc	58	1
procontrol/main/trackedit/bypass/6	cc	59	1

procontrol/main/trackedit/bypass/7	cc	60	1
procontrol/main/trackedit/params	cc	37	1
procontrol/main/trackedit/sends	cc	38	1
procontrol/main/trackedit/info	cc	39	1
procontrol/main/trackedit/compare	cc	40	1
procontrol/main/trackedit/masterbypass	cc	41	1
		Decimal	Hex
sysex header		19,64,64,0,3	13,40,40,0,3
sysex address			
procontrol/main/trackedit/text/0	sysex	29,1	1d,01
procontrol/main/trackedit/text/1	sysex	30,1	1e,01
procontrol/main/trackedit/text/2	sysex	31,1	1f,01
procontrol/main/trackedit/text/3	sysex	32,1	20,01
procontrol/main/trackedit/text/4	sysex	33,1	21,01
procontrol/main/trackedit/text/5	sysex	34,1	22,01
procontrol/main/trackedit/text/6	sysex	35,1	23,01
procontrol/main/trackedit/text/7	sysex	36,1	24,01
procontrol/main/trackedit/pluginled	sysex	1,1	01,01

v 3.0.12		Number	Channel
procontrol/faderpack/mixer/strips/0/track/meter/0	cc	61	9
procontrol/faderpack/mixer/strips/0/track/meter/1	cc	62	9
procontrol/faderpack/mixer/strips/0/track/record	cc	2	9
procontrol/faderpack/mixer/strips/0/track/insert	cc	13	9
procontrol/faderpack/mixer/strips/0/track/eq	cc	11	9
procontrol/faderpack/mixer/strips/0/track/dyn	cc	12	9
procontrol/faderpack/mixer/strips/0/track/autoselect	cc	15	9
procontrol/faderpack/mixer/strips/0/track/knob	cc	10	9
procontrol/faderpack/mixer/strips/0/track/assign	cc	4	9
procontrol/faderpack/mixer/strips/0/track/select	cc	3	9
procontrol/faderpack/mixer/strips/0/track/mute	cc	0	9
procontrol/faderpack/mixer/strips/0/track/solo	cc	1	9
procontrol/faderpack/mixer/strips/0/track/fader	cc	7	9
procontrol/faderpack/mixer/strips/1/track/meter/0	cc	61	10
procontrol/faderpack/mixer/strips/1/track/meter/1	cc	62	10
procontrol/faderpack/mixer/strips/1/track/record	cc	2	10
procontrol/faderpack/mixer/strips/1/track/insert	cc	13	10
procontrol/faderpack/mixer/strips/1/track/eq	cc	11	10
procontrol/faderpack/mixer/strips/1/track/dyn	cc	12	10
procontrol/faderpack/mixer/strips/1/track/autoselect	cc	15	10
procontrol/faderpack/mixer/strips/1/track/knob	cc	10	10
procontrol/faderpack/mixer/strips/1/track/assign	cc	4	10
procontrol/faderpack/mixer/strips/1/track/select	cc	3	10
procontrol/faderpack/mixer/strips/1/track/mute	cc	0	10
procontrol/faderpack/mixer/strips/1/track/solo	cc	1	10
procontrol/faderpack/mixer/strips/1/track/fader	cc	7	10
procontrol/faderpack/mixer/strips/2/track/meter/0	cc	61	11
procontrol/faderpack/mixer/strips/2/track/meter/1	cc	62	11
procontrol/faderpack/mixer/strips/2/track/record	cc	2	11
procontrol/faderpack/mixer/strips/2/track/insert	cc	13	11
procontrol/faderpack/mixer/strips/2/track/eq	cc	11	11

procontrol/faderpack/mixer/strips/2/track/dyn	cc	12	11
procontrol/faderpack/mixer/strips/2/track/autoselect	cc	15	11
procontrol/faderpack/mixer/strips/2/track/knob	cc	10	11
procontrol/faderpack/mixer/strips/2/track/assign	cc	4	11
procontrol/faderpack/mixer/strips/2/track/select	cc	3	11
procontrol/faderpack/mixer/strips/2/track/mute	cc	0	11
procontrol/faderpack/mixer/strips/2/track/solo	cc	1	11
procontrol/faderpack/mixer/strips/2/track/fader	cc	7	11
procontrol/faderpack/mixer/strips/3/track/meter/0	cc	61	12
procontrol/faderpack/mixer/strips/3/track/meter/1	cc	62	12
procontrol/faderpack/mixer/strips/3/track/record	cc	2	12
procontrol/faderpack/mixer/strips/3/track/insert	cc	13	12
procontrol/faderpack/mixer/strips/3/track/eq	cc	11	12
procontrol/faderpack/mixer/strips/3/track/dyn	cc	12	12
procontrol/faderpack/mixer/strips/3/track/autoselect	cc	15	12
procontrol/faderpack/mixer/strips/3/track/knob	cc	10	12
procontrol/faderpack/mixer/strips/3/track/assign	cc	4	12
procontrol/faderpack/mixer/strips/3/track/select	cc	3	12
procontrol/faderpack/mixer/strips/3/track/mute	cc	0	12
procontrol/faderpack/mixer/strips/3/track/solo	cc	1	12
procontrol/faderpack/mixer/strips/3/track/fader	cc	7	12
procontrol/faderpack/mixer/strips/4/track/meter/0	cc	61	13
procontrol/faderpack/mixer/strips/4/track/meter/1	cc	62	13
procontrol/faderpack/mixer/strips/4/track/record	cc	2	13
procontrol/faderpack/mixer/strips/4/track/insert	cc	13	13
procontrol/faderpack/mixer/strips/4/track/eq	cc	11	13
procontrol/faderpack/mixer/strips/4/track/dyn	cc	12	13
procontrol/faderpack/mixer/strips/4/track/autoselect	cc	15	13
procontrol/faderpack/mixer/strips/4/track/knob	cc	10	13
procontrol/faderpack/mixer/strips/4/track/assign	cc	4	13
procontrol/faderpack/mixer/strips/4/track/select	cc	3	13

procontrol/faderpack/mixer/strips/4/track/mute	cc	0	13
procontrol/faderpack/mixer/strips/4/track/solo	cc	1	13
procontrol/faderpack/mixer/strips/4/track/fader	cc	7	13
procontrol/faderpack/mixer/strips/5/track/meter/0	cc	61	14
procontrol/faderpack/mixer/strips/5/track/meter/1	cc	62	14
procontrol/faderpack/mixer/strips/5/track/record	cc	2	14
procontrol/faderpack/mixer/strips/5/track/insert	cc	13	14
procontrol/faderpack/mixer/strips/5/track/eq	cc	11	14
procontrol/faderpack/mixer/strips/5/track/dyn	cc	12	14
procontrol/faderpack/mixer/strips/5/track/autoselect	cc	15	14
procontrol/faderpack/mixer/strips/5/track/knob	cc	10	14
procontrol/faderpack/mixer/strips/5/track/assign	cc	4	14
procontrol/faderpack/mixer/strips/5/track/select	cc	3	14
procontrol/faderpack/mixer/strips/5/track/mute	cc	0	14
procontrol/faderpack/mixer/strips/5/track/solo	cc	1	14
procontrol/faderpack/mixer/strips/5/track/fader	cc	7	14
procontrol/faderpack/mixer/strips/6/track/meter/0	cc	61	15
procontrol/faderpack/mixer/strips/6/track/meter/1	cc	62	15
procontrol/faderpack/mixer/strips/6/track/record	cc	2	15
procontrol/faderpack/mixer/strips/6/track/insert	cc	13	15
procontrol/faderpack/mixer/strips/6/track/eq	cc	11	15
procontrol/faderpack/mixer/strips/6/track/dyn	cc	12	15
procontrol/faderpack/mixer/strips/6/track/autoselect	cc	15	15
procontrol/faderpack/mixer/strips/6/track/knob	cc	10	15
procontrol/faderpack/mixer/strips/6/track/assign	cc	4	15
procontrol/faderpack/mixer/strips/6/track/select	cc	3	15
procontrol/faderpack/mixer/strips/6/track/mute	cc	0	15
procontrol/faderpack/mixer/strips/6/track/solo	cc	1	15
procontrol/faderpack/mixer/strips/6/track/fader	cc	7	15
procontrol/faderpack/mixer/strips/7/track/meter/0	cc	61	16
procontrol/faderpack/mixer/strips/7/track/meter/1	cc	62	16

procontrol/faderpack/mixer/strips/7/track/record	cc	2	16
procontrol/faderpack/mixer/strips/7/track/insert	cc	13	16
procontrol/faderpack/mixer/strips/7/track/eq	cc	11	16
procontrol/faderpack/mixer/strips/7/track/dyn	cc	12	16
procontrol/faderpack/mixer/strips/7/track/autoselect	cc	15	16
procontrol/faderpack/mixer/strips/7/track/knob	cc	10	16
procontrol/faderpack/mixer/strips/7/track/assign	cc	4	16
procontrol/faderpack/mixer/strips/7/track/select	cc	3	16
procontrol/faderpack/mixer/strips/7/track/mute	cc	0	16
procontrol/faderpack/mixer/strips/7/track/solo	cc	1	16
procontrol/faderpack/mixer/strips/7/track/fader	cc	7	16
		Decimal	Hex
sysex header		19,64,64,0,3	13,40,40,0,3
sysex address			
procontrol/faderpack/mixer/strips/0/track/knobtext	sysex	10,9	0a,09
procontrol/faderpack/mixer/strips/0/track/name	sysex	7,9	07,09
procontrol/faderpack/mixer/strips/1/track/knobtext	sysex	10,10	0a,0a
procontrol/faderpack/mixer/strips/1/track/name	sysex	7,10	07,0a
procontrol/faderpack/mixer/strips/2/track/knobtext	sysex	10,11	0a,0b
procontrol/faderpack/mixer/strips/2/track/name	sysex	7,11	07,0b
procontrol/faderpack/mixer/strips/3/track/knobtext	sysex	10,12	0a,0c
procontrol/faderpack/mixer/strips/3/track/name	sysex	7,12	07,0c
procontrol/faderpack/mixer/strips/4/track/knobtext	sysex	10,13	0a,0d
procontrol/faderpack/mixer/strips/4/track/name	sysex	7,13	07,0d
procontrol/faderpack/mixer/strips/5/track/knobtext	sysex	10,14	0a,0e
procontrol/faderpack/mixer/strips/5/track/name	sysex	7,14	07,0e
procontrol/faderpack/mixer/strips/6/track/knobtext	sysex	10,15	0a,0f
procontrol/faderpack/mixer/strips/6/track/name	sysex	7,15	07,0f
procontrol/faderpack/mixer/strips/7/track/knobtext	sysex	10,16	0a,10
procontrol/faderpack/mixer/strips/7/track/name	sysex	7,16	07,10

procontrol/main/mixer/strips/0/track/knobtext	sysex	10,1	0a,01
procontrol/main/mixer/strips/0/track/name	sysex	7,1	07,01
procontrol/main/mixer/strips/1/track/knobtext	sysex	10,2	0a,02
procontrol/main/mixer/strips/1/track/name	sysex	7,2	07,02
procontrol/main/mixer/strips/2/track/knobtext	sysex	10,3	0a,03
procontrol/main/mixer/strips/2/track/name	sysex	7,3	07,03
procontrol/main/mixer/strips/3/track/knobtext	sysex	10,4	0a,04
procontrol/main/mixer/strips/3/track/name	sysex	7,4	07,04
procontrol/main/mixer/strips/4/track/knobtext	sysex	10,5	0a,05
procontrol/main/mixer/strips/4/track/name	sysex	7,5	07,05
procontrol/main/mixer/strips/5/track/knobtext	sysex	10,6	0a,06
procontrol/main/mixer/strips/5/track/name	sysex	7,6	07,06
procontrol/main/mixer/strips/6/track/knobtext	sysex	10,7	0a,07
procontrol/main/mixer/strips/6/track/name	sysex	7,7	07,07
procontrol/main/mixer/strips/7/track/knobtext	sysex	10,8	0a,08
procontrol/main/mixer/strips/7/track/name	sysex	7,8	07,08

v 3.0.12		Number	Channel
c24/mixer/strips/0/track/autoselect	cc	15	1
c24/mixer/strips/0/track/eq	cc	11	1
c24/mixer/strips/0/track/dyn	cc	12	1
c24/mixer/strips/0/track/insert	cc	13	1
c24/mixer/strips/0/track/send	cc	14	1
c24/mixer/strips/0/track/knob	cc	10	1
c24/mixer/strips/0/track/knobswitch	cc	5	1
c24/mixer/strips/0/track/input	cc	4	1
c24/mixer/strips/0/track/record	cc	2	1
c24/mixer/strips/0/track/select	cc	3	1
c24/mixer/strips/0/track/solo	cc	1	1
c24/mixer/strips/0/track/mute	cc	0	1
c24/mixer/strips/0/track/fader	cc	7	1
c24/mixer/strips/1/track/autoselect	cc	15	2
c24/mixer/strips/1/track/eq	cc	11	2
c24/mixer/strips/1/track/dyn	cc	12	2
c24/mixer/strips/1/track/insert	cc	13	2
c24/mixer/strips/1/track/send	cc	14	2
c24/mixer/strips/1/track/knob	cc	10	2
c24/mixer/strips/1/track/knobswitch	cc	5	2
c24/mixer/strips/1/track/input	cc	4	2
c24/mixer/strips/1/track/record	cc	2	2
c24/mixer/strips/1/track/select	cc	3	2
c24/mixer/strips/1/track/solo	cc	1	2
c24/mixer/strips/1/track/mute	cc	0	2
c24/mixer/strips/1/track/fader	cc	7	2
c24/mixer/strips/2/track/autoselect	cc	15	3
c24/mixer/strips/2/track/eq	cc	11	3
c24/mixer/strips/2/track/dyn	cc	12	3
c24/mixer/strips/2/track/insert	cc	13	3
c24/mixer/strips/2/track/send	cc	14	3

c24/mixer/strips/2/track/knob	cc	10	3
c24/mixer/strips/2/track/knobswitch	cc	5	3
c24/mixer/strips/2/track/input	cc	4	3
c24/mixer/strips/2/track/record	cc	2	3
c24/mixer/strips/2/track/select	cc	3	3
c24/mixer/strips/2/track/solo	cc	1	3
c24/mixer/strips/2/track/mute	cc	0	3
c24/mixer/strips/2/track/fader	cc	7	3
c24/mixer/strips/3/track/autoselect	cc	15	4
c24/mixer/strips/3/track/eq	cc	11	4
c24/mixer/strips/3/track/dyn	cc	12	4
c24/mixer/strips/3/track/insert	cc	13	4
c24/mixer/strips/3/track/send	cc	14	4
c24/mixer/strips/3/track/knob	cc	10	4
c24/mixer/strips/3/track/knobswitch	cc	5	4
c24/mixer/strips/3/track/input	cc	4	4
c24/mixer/strips/3/track/record	cc	2	4
c24/mixer/strips/3/track/select	cc	3	4
c24/mixer/strips/3/track/solo	cc	1	4
c24/mixer/strips/3/track/mute	cc	0	4
c24/mixer/strips/3/track/fader	cc	7	4
c24/mixer/strips/4/track/autoselect	cc	15	5
c24/mixer/strips/4/track/eq	cc	11	5
c24/mixer/strips/4/track/dyn	cc	12	5
c24/mixer/strips/4/track/insert	cc	13	5
c24/mixer/strips/4/track/send	cc	14	5
c24/mixer/strips/4/track/knob	cc	10	5
c24/mixer/strips/4/track/knobswitch	cc	5	5
c24/mixer/strips/4/track/input	cc	4	5
c24/mixer/strips/4/track/record	cc	2	5
c24/mixer/strips/4/track/select	cc	3	5

c24/mixer/strips/4/track/solo	cc	1	5
c24/mixer/strips/4/track/mute	cc	0	5
c24/mixer/strips/4/track/fader	cc	7	5
c24/mixer/strips/5/track/autoselect	cc	15	6
c24/mixer/strips/5/track/eq	cc	11	6
c24/mixer/strips/5/track/dyn	cc	12	6
c24/mixer/strips/5/track/insert	cc	13	6
c24/mixer/strips/5/track/send	cc	14	6
c24/mixer/strips/5/track/knob	cc	10	6
c24/mixer/strips/5/track/knobswitch	cc	5	6
c24/mixer/strips/5/track/input	cc	4	6
c24/mixer/strips/5/track/record	cc	2	6
c24/mixer/strips/5/track/select	cc	3	6
c24/mixer/strips/5/track/solo	cc	1	6
c24/mixer/strips/5/track/mute	cc	0	6
c24/mixer/strips/5/track/fader	cc	7	6
c24/mixer/strips/6/track/autoselect	cc	15	7
c24/mixer/strips/6/track/eq	cc	11	7
c24/mixer/strips/6/track/dyn	cc	12	7
c24/mixer/strips/6/track/insert	cc	13	7
c24/mixer/strips/6/track/send	cc	14	7
c24/mixer/strips/6/track/knob	cc	10	7
c24/mixer/strips/6/track/knobswitch	cc	5	7
c24/mixer/strips/6/track/input	cc	4	7
c24/mixer/strips/6/track/record	cc	2	7
c24/mixer/strips/6/track/select	cc	3	7
c24/mixer/strips/6/track/solo	cc	1	7
c24/mixer/strips/6/track/mute	cc	0	7
c24/mixer/strips/6/track/fader	cc	7	7
c24/mixer/strips/7/track/autoselect	cc	15	8
c24/mixer/strips/7/track/eq	cc	11	8

c24/mixer/strips/7/track/dyn	cc	12	8
c24/mixer/strips/7/track/insert	cc	13	8
c24/mixer/strips/7/track/send	cc	14	8
c24/mixer/strips/7/track/knob	cc	10	8
c24/mixer/strips/7/track/knobswitch	cc	5	8
c24/mixer/strips/7/track/input	cc	4	8
c24/mixer/strips/7/track/record	cc	2	8
c24/mixer/strips/7/track/select	cc	3	8
c24/mixer/strips/7/track/solo	cc	1	8
c24/mixer/strips/7/track/mute	cc	0	8
c24/mixer/strips/7/track/fader	cc	7	8
c24/mixer/strips/8/track/autoselect	cc	15	9
c24/mixer/strips/8/track/eq	cc	11	9
c24/mixer/strips/8/track/dyn	cc	12	9
c24/mixer/strips/8/track/insert	cc	13	9
c24/mixer/strips/8/track/send	cc	14	9
c24/mixer/strips/8/track/knob	cc	10	9
c24/mixer/strips/8/track/knobswitch	cc	5	9
c24/mixer/strips/8/track/input	cc	4	9
c24/mixer/strips/8/track/record	cc	2	9
c24/mixer/strips/8/track/select	cc	3	9
c24/mixer/strips/8/track/solo	cc	1	9
c24/mixer/strips/8/track/mute	cc	0	9
c24/mixer/strips/8/track/fader	cc	7	9
c24/mixer/strips/9/track/autoselect	cc	15	10
c24/mixer/strips/9/track/eq	cc	11	10
c24/mixer/strips/9/track/dyn	cc	12	10
c24/mixer/strips/9/track/insert	cc	13	10
c24/mixer/strips/9/track/send	cc	14	10
c24/mixer/strips/9/track/knob	cc	10	10
c24/mixer/strips/9/track/knobswitch	cc	5	10

c24/mixer/strips/9/track/input	cc	4	10
c24/mixer/strips/9/track/record	cc	2	10
c24/mixer/strips/9/track/select	cc	3	10
c24/mixer/strips/9/track/solo	cc	1	10
c24/mixer/strips/9/track/mute	cc	0	10
c24/mixer/strips/9/track/fader	cc	7	10
c24/mixer/strips/10/track/autoselect	cc	15	11
c24/mixer/strips/10/track/eq	cc	11	11
c24/mixer/strips/10/track/dyn	cc	12	11
c24/mixer/strips/10/track/insert	cc	13	11
c24/mixer/strips/10/track/send	cc	14	11
c24/mixer/strips/10/track/knob	cc	10	11
c24/mixer/strips/10/track/knobswitch	cc	5	11
c24/mixer/strips/10/track/input	cc	4	11
c24/mixer/strips/10/track/record	cc	2	11
c24/mixer/strips/10/track/select	cc	3	11
c24/mixer/strips/10/track/solo	cc	1	11
c24/mixer/strips/10/track/mute	cc	0	11
c24/mixer/strips/10/track/fader	cc	7	11
c24/mixer/strips/11/track/autoselect	cc	15	12
c24/mixer/strips/11/track/eq	cc	11	12
c24/mixer/strips/11/track/dyn	cc	12	12
c24/mixer/strips/11/track/insert	cc	13	12
c24/mixer/strips/11/track/send	cc	14	12
c24/mixer/strips/11/track/knob	cc	10	12
c24/mixer/strips/11/track/knobswitch	cc	5	12
c24/mixer/strips/11/track/input	cc	4	12
c24/mixer/strips/11/track/record	cc	2	12
c24/mixer/strips/11/track/select	cc	3	12
c24/mixer/strips/11/track/solo	cc	1	12
c24/mixer/strips/11/track/mute	cc	0	12

c24/mixer/strips/11/track/fader	cc	7	12
c24/mixer/strips/12/track/autoselect	cc	15	13
c24/mixer/strips/12/track/eq	cc	11	13
c24/mixer/strips/12/track/dyn	cc	12	13
c24/mixer/strips/12/track/insert	cc	13	13
c24/mixer/strips/12/track/send	cc	14	13
c24/mixer/strips/12/track/knob	cc	10	13
c24/mixer/strips/12/track/knobswitch	cc	5	13
c24/mixer/strips/12/track/input	cc	4	13
c24/mixer/strips/12/track/record	cc	2	13
c24/mixer/strips/12/track/select	cc	3	13
c24/mixer/strips/12/track/solo	cc	1	13
c24/mixer/strips/12/track/mute	cc	0	13
c24/mixer/strips/12/track/fader	cc	7	13
c24/mixer/strips/13/track/autoselect	cc	15	14
c24/mixer/strips/13/track/eq	cc	11	14
c24/mixer/strips/13/track/dyn	cc	12	14
c24/mixer/strips/13/track/insert	cc	13	14
c24/mixer/strips/13/track/send	cc	14	14
c24/mixer/strips/13/track/knob	cc	10	14
c24/mixer/strips/13/track/knobswitch	cc	5	14
c24/mixer/strips/13/track/input	cc	4	14
c24/mixer/strips/13/track/record	cc	2	14
c24/mixer/strips/13/track/select	cc	3	14
c24/mixer/strips/13/track/solo	cc	1	14
c24/mixer/strips/13/track/mute	cc	0	14
c24/mixer/strips/13/track/fader	cc	7	14
c24/mixer/strips/14/track/autoselect	cc	15	15
c24/mixer/strips/14/track/eq	cc	11	15
c24/mixer/strips/14/track/dyn	cc	12	15
c24/mixer/strips/14/track/insert	cc	13	15

c24/mixer/strips/14/track/send	cc	14	15
c24/mixer/strips/14/track/knob	cc	10	15
c24/mixer/strips/14/track/knobswitch	cc	5	15
c24/mixer/strips/14/track/input	cc	4	15
c24/mixer/strips/14/track/record	cc	2	15
c24/mixer/strips/14/track/select	cc	3	15
c24/mixer/strips/14/track/solo	cc	1	15
c24/mixer/strips/14/track/mute	cc	0	15
c24/mixer/strips/14/track/fader	cc	7	15
c24/mixer/strips/15/track/autoselect	cc	15	16
c24/mixer/strips/15/track/eq	cc	11	16
c24/mixer/strips/15/track/dyn	cc	12	16
c24/mixer/strips/15/track/insert	cc	13	16
c24/mixer/strips/15/track/send	cc	14	16
c24/mixer/strips/15/track/knob	cc	10	16
c24/mixer/strips/15/track/knobswitch	cc	5	16
c24/mixer/strips/15/track/input	cc	4	16
c24/mixer/strips/15/track/record	cc	2	16
c24/mixer/strips/15/track/select	cc	3	16
c24/mixer/strips/15/track/solo	cc	1	16
c24/mixer/strips/15/track/mute	cc	0	16
c24/mixer/strips/15/track/fader	cc	7	16
c24/mixer/strips/16/track/autoselect	cc	115	1
c24/mixer/strips/16/track/eq	cc	111	1
c24/mixer/strips/16/track/dyn	cc	112	1
c24/mixer/strips/16/track/insert	cc	113	1
c24/mixer/strips/16/track/send	cc	114	1
c24/mixer/strips/16/track/knob	cc	110	1
c24/mixer/strips/16/track/knobswitch	cc	105	1
c24/mixer/strips/16/track/input	cc	104	1
c24/mixer/strips/16/track/record	cc	102	1

c24/mixer/strips/16/track/select	cc	103	1
c24/mixer/strips/16/track/solo	cc	101	1
c24/mixer/strips/16/track/mute	cc	100	1
c24/mixer/strips/16/track/fader	cc	107	1
c24/mixer/strips/17/track/autoselect	cc	115	2
c24/mixer/strips/17/track/eq	cc	111	2
c24/mixer/strips/17/track/dyn	cc	112	2
c24/mixer/strips/17/track/insert	cc	113	2
c24/mixer/strips/17/track/send	cc	114	2
c24/mixer/strips/17/track/knob	cc	110	2
c24/mixer/strips/17/track/knobswitch	cc	105	2
c24/mixer/strips/17/track/input	cc	104	2
c24/mixer/strips/17/track/record	cc	102	2
c24/mixer/strips/17/track/select	cc	103	2
c24/mixer/strips/17/track/solo	cc	101	2
c24/mixer/strips/17/track/mute	cc	100	2
c24/mixer/strips/17/track/fader	cc	107	2
c24/mixer/strips/18/track/autoselect	cc	115	3
c24/mixer/strips/18/track/eq	cc	111	3
c24/mixer/strips/18/track/dyn	cc	112	3
c24/mixer/strips/18/track/insert	cc	113	3
c24/mixer/strips/18/track/send	cc	114	3
c24/mixer/strips/18/track/knob	cc	110	3
c24/mixer/strips/18/track/knobswitch	cc	105	3
c24/mixer/strips/18/track/input	cc	104	3
c24/mixer/strips/18/track/record	cc	102	3
c24/mixer/strips/18/track/select	cc	103	3
c24/mixer/strips/18/track/solo	cc	101	3
c24/mixer/strips/18/track/mute	cc	100	3
c24/mixer/strips/18/track/fader	cc	107	3
c24/mixer/strips/19/track/autoselect	cc	115	4

c24/mixer/strips/19/track/eq	cc	111	4
c24/mixer/strips/19/track/dyn	cc	112	4
c24/mixer/strips/19/track/insert	cc	113	4
c24/mixer/strips/19/track/send	cc	114	4
c24/mixer/strips/19/track/knob	cc	110	4
c24/mixer/strips/19/track/knobswitch	cc	105	4
c24/mixer/strips/19/track/input	cc	104	4
c24/mixer/strips/19/track/record	cc	102	4
c24/mixer/strips/19/track/select	cc	103	4
c24/mixer/strips/19/track/solo	cc	101	4
c24/mixer/strips/19/track/mute	cc	100	4
c24/mixer/strips/19/track/fader	cc	107	4
c24/mixer/strips/20/track/autoselect	cc	115	5
c24/mixer/strips/20/track/eq	cc	111	5
c24/mixer/strips/20/track/dyn	cc	112	5
c24/mixer/strips/20/track/insert	cc	113	5
c24/mixer/strips/20/track/send	cc	114	5
c24/mixer/strips/20/track/knob	cc	110	5
c24/mixer/strips/20/track/knobswitch	cc	105	5
c24/mixer/strips/20/track/input	cc	104	5
c24/mixer/strips/20/track/record	cc	102	5
c24/mixer/strips/20/track/select	cc	103	5
c24/mixer/strips/20/track/solo	cc	101	5
c24/mixer/strips/20/track/mute	cc	100	5
c24/mixer/strips/20/track/fader	cc	107	5
c24/mixer/strips/21/track/autoselect	cc	115	6
c24/mixer/strips/21/track/eq	cc	111	6
c24/mixer/strips/21/track/dyn	cc	112	6
c24/mixer/strips/21/track/insert	cc	113	6
c24/mixer/strips/21/track/send	cc	114	6
c24/mixer/strips/21/track/knob	cc	110	6

c24/mixer/strips/21/track/knobswitch	cc	105	6
c24/mixer/strips/21/track/input	cc	104	6
c24/mixer/strips/21/track/record	cc	102	6
c24/mixer/strips/21/track/select	cc	103	6
c24/mixer/strips/21/track/solo	cc	101	6
c24/mixer/strips/21/track/mute	cc	100	6
c24/mixer/strips/21/track/fader	cc	107	6
c24/mixer/strips/22/track/autoselect	cc	115	7
c24/mixer/strips/22/track/eq	cc	111	7
c24/mixer/strips/22/track/dyn	cc	112	7
c24/mixer/strips/22/track/insert	cc	113	7
c24/mixer/strips/22/track/send	cc	114	7
c24/mixer/strips/22/track/knob	cc	110	7
c24/mixer/strips/22/track/knobswitch	cc	105	7
c24/mixer/strips/22/track/input	cc	104	7
c24/mixer/strips/22/track/record	cc	102	7
c24/mixer/strips/22/track/select	cc	103	7
c24/mixer/strips/22/track/solo	cc	101	7
c24/mixer/strips/22/track/mute	cc	100	7
c24/mixer/strips/22/track/fader	cc	107	7
c24/mixer/strips/23/track/autoselect	cc	115	8
c24/mixer/strips/23/track/eq	cc	111	8
c24/mixer/strips/23/track/dyn	cc	112	8
c24/mixer/strips/23/track/insert	cc	113	8
c24/mixer/strips/23/track/send	cc	114	8
c24/mixer/strips/23/track/knob	cc	110	8
c24/mixer/strips/23/track/knobswitch	cc	105	8
c24/mixer/strips/23/track/input	cc	104	8
c24/mixer/strips/23/track/record	cc	102	8
c24/mixer/strips/23/track/select	cc	103	8
c24/mixer/strips/23/track/solo	cc	101	8

c24/mixer/strips/23/track/mute	cc	100	8
c24/mixer/strips/23/track/fader	cc	107	8
c24/transport/play	cc	21	4
c24/transport/stop	cc	22	4
c24/transport/record	cc	23	4
c24/transport/rewind	cc	24	4
c24/transport/fastforward	cc	25	4
c24/transport/scrub	cc	26	4
c24/transport/shuttle	cc	27	4
c24/transport/trim	cc	28	4
c24/transport/wheel	cc	29	4
c24/transport/audition	cc	30	4
c24/transport/rtz	cc	31	4
c24/transport/transequals	cc	32	4
c24/transport/online	cc	33	4
c24/transport/preroll	cc	34	4
c24/transport/markin	cc	35	4
c24/transport/markout	cc	36	4
c24/transport/postroll	cc	37	4
c24/transport/talkback	cc	38	4
c24/transport/dyntrans	cc	39	4
c24/transport/loop	cc	40	4
c24/transport/looprecord	cc	41	4
c24/transport/quickpunch	cc	42	4
c24/transport/countermodeselect	cc	43	4
c24/transport/countermode/hmsms	cc	44	4
c24/transport/countermode/hmsf	cc	45	4
c24/transport/countermode/feetfrms	cc	46	4
c24/transport/countermode/barsbeats	cc	47	4
		Decimal	Hex

sysex header		19,64,64,0,2	13,40,40,0,2
sysex address			
c24/mixer/strips/0/track/scribble_lower	sysex	5,1	05,01
c24/mixer/strips/0/track/scribble_upper	sysex	6,1	06,01
c24/mixer/strips/1/track/scribble_lower	sysex	5,2	05,02
c24/mixer/strips/1/track/scribble_upper	sysex	6,2	06,02
c24/mixer/strips/2/track/scribble_lower	sysex	5,3	05,03
c24/mixer/strips/2/track/scribble_upper	sysex	6,3	06,03
c24/mixer/strips/3/track/scribble_lower	sysex	5,4	05,04
c24/mixer/strips/3/track/scribble_upper	sysex	6,4	06,04
c24/mixer/strips/4/track/scribble_lower	sysex	5,5	05,05
c24/mixer/strips/4/track/scribble_upper	sysex	6,5	06,05
c24/mixer/strips/5/track/scribble_lower	sysex	5,6	05,06
c24/mixer/strips/5/track/scribble_upper	sysex	6,6	06,06
c24/mixer/strips/6/track/scribble_lower	sysex	5,7	05,07
c24/mixer/strips/6/track/scribble_upper	sysex	6,7	06,07
c24/mixer/strips/7/track/scribble_lower	sysex	5,8	05,08
c24/mixer/strips/7/track/scribble_upper	sysex	6,8	06,08
c24/mixer/strips/8/track/scribble_lower	sysex	5,9	05,09
c24/mixer/strips/8/track/scribble_upper	sysex	6,9	06,09
c24/mixer/strips/9/track/scribble_lower	sysex	5,10	05,0a
c24/mixer/strips/9/track/scribble_upper	sysex	6,10	06,0a
c24/mixer/strips/10/track/scribble_lower	sysex	5,11	05,0b
c24/mixer/strips/10/track/scribble_upper	sysex	6,11	06,0b
c24/mixer/strips/11/track/scribble_lower	sysex	5,12	05,0c
c24/mixer/strips/11/track/scribble_upper	sysex	6,12	06,0c
c24/mixer/strips/12/track/scribble_lower	sysex	5,13	05,0d
c24/mixer/strips/12/track/scribble_upper	sysex	6,13	06,0d
c24/mixer/strips/13/track/scribble_lower	sysex	5,14	05,0e
c24/mixer/strips/13/track/scribble_upper	sysex	6,14	06,0e
c24/mixer/strips/14/track/scribble_lower	sysex	5,15	05,0f

c24/mixer/strips/14/track/scribble_upper	sysex	6,15	06,0f
c24/mixer/strips/15/track/scribble_lower	sysex	5,16	05,10
c24/mixer/strips/15/track/scribble_upper	sysex	6,16	06,10
c24/mixer/strips/16/track/scribble_lower	sysex	105,1	69,01
c24/mixer/strips/16/track/scribble_upper	sysex	106,1	6a,01
c24/mixer/strips/17/track/scribble_lower	sysex	105,2	69,02
c24/mixer/strips/17/track/scribble_upper	sysex	106,2	6a,02
c24/mixer/strips/18/track/scribble_lower	sysex	105,3	69,03
c24/mixer/strips/18/track/scribble_upper	sysex	106,3	6a,03
c24/mixer/strips/19/track/scribble_lower	sysex	105,4	69,04
c24/mixer/strips/19/track/scribble_upper	sysex	106,4	6a,04
c24/mixer/strips/20/track/scribble_lower	sysex	105,5	69,05
c24/mixer/strips/20/track/scribble_upper	sysex	106,5	6a,05
c24/mixer/strips/21/track/scribble_lower	sysex	105,6	69,06
c24/mixer/strips/21/track/scribble_upper	sysex	106,6	6a,06
c24/mixer/strips/22/track/scribble_lower	sysex	105,7	69,07
c24/mixer/strips/22/track/scribble_upper	sysex	106,7	6a,07
c24/mixer/strips/23/track/scribble_lower	sysex	105,8	69,08
c24/mixer/strips/23/track/scribble_upper	sysex	106,8	6a,08

v 3.0.12		Number	Channel
control24/automation/autowrite	cc	21	1
control24/automation/autoread	cc	22	1
control24/automation/autotouch	cc	23	1
control24/automation/autolatch	cc	24	1
control24/automation/autotrim	cc	25	1
control24/automation/autooff	cc	26	1
control24/automation/autovolume	cc	27	1
control24/automation/autopan	cc	28	1
control24/automation/automute	cc	29	1
control24/automation/autosend	cc	30	1
control24/automation/autosendmute	cc	31	1
control24/automation/autoplugin	cc	32	1
control24/automation/autosuspend	cc	33	1
control24/automation/writetostart	cc	34	1
control24/automation/writetoall	cc	35	1
control24/automation/writetoend	cc	36	1
control24/edit/cut	cc	21	2
control24/edit/copy	cc	22	2
control24/edit/paste	cc	23	2
control24/edit/delete	cc	24	2
control24/edit/separate	cc	25	2
control24/edit/capture	cc	26	2
control24/edit/trim	cc	27	2
control24/edit/select	cc	28	2
control24/edit/grab	cc	29	2
control24/edit/pencil	cc	30	2
control24/edit/miditools	cc	31	2
control24/edit/smarttool	cc	32	2
control24/edit/link	cc	33	2
control24/edit/autotocur	cc	34	2
control24/edit/autotoall	cc	35	2

control24/edit/shuffle	cc	36	2
control24/edit/slip	cc	37	2
control24/edit/spot	cc	38	2
control24/edit/grid	cc	39	2
control24/edit/cursor/up	cc	40	2
control24/edit/cursor/down	cc	41	2
control24/edit/cursor/left	cc	42	2
control24/edit/cursor/right	cc	43	2
control24/edit/cursor/zoom	cc	44	2
control24/edit/cursor/nav	cc	45	2
control24/edit/cursor/seladj	cc	46	2
control24/edit/window/mix	cc	47	2
control24/edit/window/edit	cc	48	2
control24/edit/window/status	cc	49	2
control24/edit/window/trans	cc	50	2
control24/edit/window/plugin	cc	51	2
control24/edit/window/memloc	cc	52	2
control24/edit/duplicate	cc	53	2
control24/edit/repeat	cc	54	2
control24/edit/window/pan	cc	55	2
control24/edit/window/alt	cc	56	2
control24/edit/zoompreset/1	cc	57	2
control24/edit/zoompreset/2	cc	58	2
control24/edit/zoompreset/3	cc	59	2
control24/edit/zoompreset/4	cc	60	2
control24/edit/zoompreset/5	cc	61	2
control24/global/save	cc	21	3
control24/global/undo	cc	22	3
control24/global/escape	cc	23	3
control24/global/enter	cc	24	3
control24/global/bankleft	cc	25	3

control24/global/bankright	cc	26	3
control24/global/nudgemode	cc	27	3
control24/global/bankmode/senda	cc	28	3
control24/global/bankmode/sendb	cc	29	3
control24/global/bankmode/sendc	cc	30	3
control24/global/bankmode/senddd	cc	31	3
control24/global/bankmode/sende	cc	32	3
control24/global/bankmode/panslcr	cc	33	3
control24/global/bankmode/pansrear	cc	34	3
control24/global/bankmode/pansfr	cc	35	3
control24/global/bankmode/panscent	cc	36	3
control24/global/bankmode/panslfe	cc	37	3
control24/global/bankmode/pan	cc	38	3
control24/global/bankmode/input	cc	39	3
control24/global/bankmode/output	cc	40	3
control24/global/bankmode/assignesc	cc	41	3
control24/global/bankmode/mon0	cc	42	3
control24/global/bankmode/remotemicpre	cc	43	3
control24/global/group/suspend	cc	44	3
control24/global/group/create	cc	45	3
control24/global/group/edit	cc	46	3
control24/global/group/delete	cc	47	3
control24/global/group/enable	cc	48	3
control24/global/flip	cc	49	3
control24/global/assign	cc	50	3
control24/global/sendmute	cc	51	3
control24/global/masterrec	cc	52	3
control24/global/recsafe	cc	53	3
control24/global/showvalues	cc	54	3
control24/global/pastesettings	cc	55	3
control24/global/specifysettings	cc	56	3

control24/global/copysettings	cc	57	3
control24/global/velsensencoders	cc	58	3
control24/global/showgroup	cc	59	3
control24/global/showinfo	cc	60	3
control24/global/soloclear	cc	61	3
control24/global/solosafe	cc	62	3
control24/global/metersclear	cc	63	3
control24/global/default	cc	64	3
control24/global/alert	cc	65	3
control24/global/insertbypass	cc	66	3
control24/global/editbypass	cc	67	3
control24/global/input	cc	68	3
control24/global/prefader	cc	69	3
control24/global/postfader	cc	70	3
control24/global/channel	cc	71	3
control24/global/clearpeaks	cc	72	3
control24/global/function/1	cc	73	3
control24/global/function/2	cc	74	3
control24/global/function/3	cc	75	3
control24/global/function/4	cc	76	3
control24/global/function/5	cc	77	3
control24/global/function/6	cc	78	3
control24/global/function/7	cc	79	3
control24/global/function/8	cc	80	3
control24/global/function/9	cc	81	3
control24/global/function/10	cc	82	3
control24/global/displaymode	cc	83	3
control24/global/masterfaders	cc	84	3
control24/global/prepost	cc	85	3
control24/global/showchannelnames	cc	88	3
control24/global/applyall	cc	89	3

control24/global/applyselected	cc	90	3
control24/global/channelbarscrollleft	cc	91	3
control24/global/channelbarscrollright	cc	92	3
control24/global/compare	cc	93	3
control24/global/masterbypass	cc	94	3
control24/global/params	cc	95	3
control24/global/pluginsafe	cc	96	3
control24/global/option	cc	97	3
control24/global/shift	cc	98	3
control24/global/control	cc	99	3
control24/global/command	cc	100	3
control24/transport/play	cc	21	4
control24/transport/stop	cc	22	4
control24/transport/record	cc	23	4
control24/transport/rewind	cc	24	4
control24/transport/fastforward	cc	25	4
control24/transport/pause	cc	26	4
control24/transport/rtz	cc	27	4
control24/transport/gte	cc	28	4
control24/transport/talkback	cc	29	4
control24/transport/exttrans	cc	30	4
control24/transport/loop	cc	31	4
control24/transport/looprecord	cc	32	4
control24/transport/auditionenable	cc	33	4
control24/transport/auditionin	cc	34	4
control24/transport/auditionout	cc	35	4
control24/transport/preroll	cc	36	4
control24/transport/postroll	cc	37	4
control24/transport/online	cc	38	4
control24/transport/scrub	cc	39	4
control24/transport/punch	cc	40	4

control24/transport/shuttle	cc	41	4
control24/transport/wheel	cc	42	4
control24/transport/countermodeselect	cc	43	4
control24/transport/countermodeindicate	cc	44	4
control24/transport/counter	cc	45	4
control24/keypad/0	cc	21	5
control24/keypad/1	cc	22	5
control24/keypad/2	cc	23	5
control24/keypad/3	cc	24	5
control24/keypad/4	cc	25	5
control24/keypad/5	cc	26	5
control24/keypad/6	cc	27	5
control24/keypad/7	cc	28	5
control24/keypad/8	cc	29	5
control24/keypad/9	cc	30	5
control24/keypad/clr	cc	31	5
control24/keypad/add	cc	32	5
control24/keypad/equals	cc	33	5
control24/keypad/minus	cc	34	5
control24/keypad/divide	cc	35	5
control24/keypad/asterisk	cc	36	5
control24/keypad/decimalpoint	cc	37	5
control24/mixer/strips/0/track/fader	cc	7	1
control24/mixer/strips/0/track/mute	cc	0	1
control24/mixer/strips/0/track/solo	cc	1	1
control24/mixer/strips/0/track/record	cc	2	1
control24/mixer/strips/0/track/autoselect	cc	14	1
control24/mixer/strips/0/track/knob	cc	10	1
control24/mixer/strips/0/track/assign	cc	5	1
control24/mixer/strips/0/track/select	cc	3	1
control24/mixer/strips/0/track/eq	cc	11	1

control24/mixer/strips/0/track/dyn	cc	12	1
control24/mixer/strips/0/track/insert	cc	13	1
control24/mixer/strips/1/track/fader	cc	7	2
control24/mixer/strips/1/track/mute	cc	0	2
control24/mixer/strips/1/track/solo	cc	1	2
control24/mixer/strips/1/track/record	cc	2	2
control24/mixer/strips/1/track/autoselect	cc	14	2
control24/mixer/strips/1/track/knob	cc	10	2
control24/mixer/strips/1/track/assign	cc	5	2
control24/mixer/strips/1/track/select	cc	3	2
control24/mixer/strips/1/track/eq	cc	11	2
control24/mixer/strips/1/track/dyn	cc	12	2
control24/mixer/strips/1/track/insert	cc	13	2
control24/mixer/strips/2/track/fader	cc	7	3
control24/mixer/strips/2/track/mute	cc	0	3
control24/mixer/strips/2/track/solo	cc	1	3
control24/mixer/strips/2/track/record	cc	2	3
control24/mixer/strips/2/track/autoselect	cc	14	3
control24/mixer/strips/2/track/knob	cc	10	3
control24/mixer/strips/2/track/assign	cc	5	3
control24/mixer/strips/2/track/select	cc	3	3
control24/mixer/strips/2/track/eq	cc	11	3
control24/mixer/strips/2/track/dyn	cc	12	3
control24/mixer/strips/2/track/insert	cc	13	3
control24/mixer/strips/3/track/fader	cc	7	4
control24/mixer/strips/3/track/mute	cc	0	4
control24/mixer/strips/3/track/solo	cc	1	4
control24/mixer/strips/3/track/record	cc	2	4
control24/mixer/strips/3/track/autoselect	cc	14	4
control24/mixer/strips/3/track/knob	cc	10	4
control24/mixer/strips/3/track/assign	cc	5	4

control24/mixer/strips/3/track/select	cc	3	4
control24/mixer/strips/3/track/eq	cc	11	4
control24/mixer/strips/3/track/dyn	cc	12	4
control24/mixer/strips/3/track/insert	cc	13	4
control24/mixer/strips/4/track/fader	cc	7	5
control24/mixer/strips/4/track/mute	cc	0	5
control24/mixer/strips/4/track/solo	cc	1	5
control24/mixer/strips/4/track/record	cc	2	5
control24/mixer/strips/4/track/autoselect	cc	14	5
control24/mixer/strips/4/track/knob	cc	10	5
control24/mixer/strips/4/track/assign	cc	5	5
control24/mixer/strips/4/track/select	cc	3	5
control24/mixer/strips/4/track/eq	cc	11	5
control24/mixer/strips/4/track/dyn	cc	12	5
control24/mixer/strips/4/track/insert	cc	13	5
control24/mixer/strips/5/track/fader	cc	7	6
control24/mixer/strips/5/track/mute	cc	0	6
control24/mixer/strips/5/track/solo	cc	1	6
control24/mixer/strips/5/track/record	cc	2	6
control24/mixer/strips/5/track/autoselect	cc	14	6
control24/mixer/strips/5/track/knob	cc	10	6
control24/mixer/strips/5/track/assign	cc	5	6
control24/mixer/strips/5/track/select	cc	3	6
control24/mixer/strips/5/track/eq	cc	11	6
control24/mixer/strips/5/track/dyn	cc	12	6
control24/mixer/strips/5/track/insert	cc	13	6
control24/mixer/strips/6/track/fader	cc	7	7
control24/mixer/strips/6/track/mute	cc	0	7
control24/mixer/strips/6/track/solo	cc	1	7
control24/mixer/strips/6/track/record	cc	2	7
control24/mixer/strips/6/track/autoselect	cc	14	7

control24/mixer/strips/6/track/knob	cc	10	7
control24/mixer/strips/6/track/assign	cc	5	7
control24/mixer/strips/6/track/select	cc	3	7
control24/mixer/strips/6/track/eq	cc	11	7
control24/mixer/strips/6/track/dyn	cc	12	7
control24/mixer/strips/6/track/insert	cc	13	7
control24/mixer/strips/7/track/fader	cc	7	8
control24/mixer/strips/7/track/mute	cc	0	8
control24/mixer/strips/7/track/solo	cc	1	8
control24/mixer/strips/7/track/record	cc	2	8
control24/mixer/strips/7/track/autoselect	cc	14	8
control24/mixer/strips/7/track/knob	cc	10	8
control24/mixer/strips/7/track/assign	cc	5	8
control24/mixer/strips/7/track/select	cc	3	8
control24/mixer/strips/7/track/eq	cc	11	8
control24/mixer/strips/7/track/dyn	cc	12	8
control24/mixer/strips/7/track/insert	cc	13	8
control24/mixer/strips/8/track/fader	cc	7	9
control24/mixer/strips/8/track/mute	cc	0	9
control24/mixer/strips/8/track/solo	cc	1	9
control24/mixer/strips/8/track/record	cc	2	9
control24/mixer/strips/8/track/autoselect	cc	14	9
control24/mixer/strips/8/track/knob	cc	10	9
control24/mixer/strips/8/track/assign	cc	5	9
control24/mixer/strips/8/track/select	cc	3	9
control24/mixer/strips/8/track/eq	cc	11	9
control24/mixer/strips/8/track/dyn	cc	12	9
control24/mixer/strips/8/track/insert	cc	13	9
control24/mixer/strips/9/track/fader	cc	7	10
control24/mixer/strips/9/track/mute	cc	0	10
control24/mixer/strips/9/track/solo	cc	1	10

control24/mixer/strips/9/track/record	cc	2	10
control24/mixer/strips/9/track/autoselect	cc	14	10
control24/mixer/strips/9/track/knob	cc	10	10
control24/mixer/strips/9/track/assign	cc	5	10
control24/mixer/strips/9/track/select	cc	3	10
control24/mixer/strips/9/track/eq	cc	11	10
control24/mixer/strips/9/track/dyn	cc	12	10
control24/mixer/strips/9/track/insert	cc	13	10
control24/mixer/strips/10/track/fader	cc	7	11
control24/mixer/strips/10/track/mute	cc	0	11
control24/mixer/strips/10/track/solo	cc	1	11
control24/mixer/strips/10/track/record	cc	2	11
control24/mixer/strips/10/track/autoselect	cc	14	11
control24/mixer/strips/10/track/knob	cc	10	11
control24/mixer/strips/10/track/assign	cc	5	11
control24/mixer/strips/10/track/select	cc	3	11
control24/mixer/strips/10/track/eq	cc	11	11
control24/mixer/strips/10/track/dyn	cc	12	11
control24/mixer/strips/10/track/insert	cc	13	11
control24/mixer/strips/11/track/fader	cc	7	12
control24/mixer/strips/11/track/mute	cc	0	12
control24/mixer/strips/11/track/solo	cc	1	12
control24/mixer/strips/11/track/record	cc	2	12
control24/mixer/strips/11/track/autoselect	cc	14	12
control24/mixer/strips/11/track/knob	cc	10	12
control24/mixer/strips/11/track/assign	cc	5	12
control24/mixer/strips/11/track/select	cc	3	12
control24/mixer/strips/11/track/eq	cc	11	12
control24/mixer/strips/11/track/dyn	cc	12	12
control24/mixer/strips/11/track/insert	cc	13	12
control24/mixer/strips/12/track/fader	cc	7	13

control24/mixer/strips/12/track/mute	cc	0	13
control24/mixer/strips/12/track/solo	cc	1	13
control24/mixer/strips/12/track/record	cc	2	13
control24/mixer/strips/12/track/autoselect	cc	14	13
control24/mixer/strips/12/track/knob	cc	10	13
control24/mixer/strips/12/track/assign	cc	5	13
control24/mixer/strips/12/track/select	cc	3	13
control24/mixer/strips/12/track/eq	cc	11	13
control24/mixer/strips/12/track/dyn	cc	12	13
control24/mixer/strips/12/track/insert	cc	13	13
control24/mixer/strips/13/track/fader	cc	7	14
control24/mixer/strips/13/track/mute	cc	0	14
control24/mixer/strips/13/track/solo	cc	1	14
control24/mixer/strips/13/track/record	cc	2	14
control24/mixer/strips/13/track/autoselect	cc	14	14
control24/mixer/strips/13/track/knob	cc	10	14
control24/mixer/strips/13/track/assign	cc	5	14
control24/mixer/strips/13/track/select	cc	3	14
control24/mixer/strips/13/track/eq	cc	11	14
control24/mixer/strips/13/track/dyn	cc	12	14
control24/mixer/strips/13/track/insert	cc	13	14
control24/mixer/strips/14/track/fader	cc	7	15
control24/mixer/strips/14/track/mute	cc	0	15
control24/mixer/strips/14/track/solo	cc	1	15
control24/mixer/strips/14/track/record	cc	2	15
control24/mixer/strips/14/track/autoselect	cc	14	15
control24/mixer/strips/14/track/knob	cc	10	15
control24/mixer/strips/14/track/assign	cc	5	15
control24/mixer/strips/14/track/select	cc	3	15
control24/mixer/strips/14/track/eq	cc	11	15
control24/mixer/strips/14/track/dyn	cc	12	15

control24/mixer/strips/14/track/insert	cc	13	15
control24/mixer/strips/15/track/fader	cc	7	16
control24/mixer/strips/15/track/mute	cc	0	16
control24/mixer/strips/15/track/solo	cc	1	16
control24/mixer/strips/15/track/record	cc	2	16
control24/mixer/strips/15/track/autoselect	cc	14	16
control24/mixer/strips/15/track/knob	cc	10	16
control24/mixer/strips/15/track/assign	cc	5	16
control24/mixer/strips/15/track/select	cc	3	16
control24/mixer/strips/15/track/eq	cc	11	16
control24/mixer/strips/15/track/dyn	cc	12	16
control24/mixer/strips/15/track/insert	cc	13	16
control24/mixer/strips/16/track/fader	cc	107	1
control24/mixer/strips/16/track/mute	cc	100	1
control24/mixer/strips/16/track/solo	cc	101	1
control24/mixer/strips/16/track/record	cc	102	1
control24/mixer/strips/16/track/autoselect	cc	114	1
control24/mixer/strips/16/track/knob	cc	110	1
control24/mixer/strips/16/track/assign	cc	105	1
control24/mixer/strips/16/track/select	cc	103	1
control24/mixer/strips/16/track/eq	cc	111	1
control24/mixer/strips/16/track/dyn	cc	112	1
control24/mixer/strips/16/track/insert	cc	113	1
control24/mixer/strips/17/track/fader	cc	107	2
control24/mixer/strips/17/track/mute	cc	100	2
control24/mixer/strips/17/track/solo	cc	101	2
control24/mixer/strips/17/track/record	cc	102	2
control24/mixer/strips/17/track/autoselect	cc	114	2
control24/mixer/strips/17/track/knob	cc	110	2
control24/mixer/strips/17/track/assign	cc	105	2
control24/mixer/strips/17/track/select	cc	103	2

control24/mixer/strips/17/track/eq	cc	111	2
control24/mixer/strips/17/track/dyn	cc	112	2
control24/mixer/strips/17/track/insert	cc	113	2
control24/mixer/strips/18/track/fader	cc	107	3
control24/mixer/strips/18/track/mute	cc	100	3
control24/mixer/strips/18/track/solo	cc	101	3
control24/mixer/strips/18/track/record	cc	102	3
control24/mixer/strips/18/track/autoselect	cc	114	3
control24/mixer/strips/18/track/knob	cc	110	3
control24/mixer/strips/18/track/assign	cc	105	3
control24/mixer/strips/18/track/select	cc	103	3
control24/mixer/strips/18/track/eq	cc	111	3
control24/mixer/strips/18/track/dyn	cc	112	3
control24/mixer/strips/18/track/insert	cc	113	3
control24/mixer/strips/19/track/fader	cc	107	4
control24/mixer/strips/19/track/mute	cc	100	4
control24/mixer/strips/19/track/solo	cc	101	4
control24/mixer/strips/19/track/record	cc	102	4
control24/mixer/strips/19/track/autoselect	cc	114	4
control24/mixer/strips/19/track/knob	cc	110	4
control24/mixer/strips/19/track/assign	cc	105	4
control24/mixer/strips/19/track/select	cc	103	4
control24/mixer/strips/19/track/eq	cc	111	4
control24/mixer/strips/19/track/dyn	cc	112	4
control24/mixer/strips/19/track/insert	cc	113	4
control24/mixer/strips/20/track/fader	cc	107	5
control24/mixer/strips/20/track/mute	cc	100	5
control24/mixer/strips/20/track/solo	cc	101	5
control24/mixer/strips/20/track/record	cc	102	5
control24/mixer/strips/20/track/autoselect	cc	114	5
control24/mixer/strips/20/track/knob	cc	110	5

control24/mixer/strips/20/track/assign	cc	105	5
control24/mixer/strips/20/track/select	cc	103	5
control24/mixer/strips/20/track/eq	cc	111	5
control24/mixer/strips/20/track/dyn	cc	112	5
control24/mixer/strips/20/track/insert	cc	113	5
control24/mixer/strips/21/track/fader	cc	107	6
control24/mixer/strips/21/track/mute	cc	100	6
control24/mixer/strips/21/track/solo	cc	101	6
control24/mixer/strips/21/track/record	cc	102	6
control24/mixer/strips/21/track/autoselect	cc	114	6
control24/mixer/strips/21/track/knob	cc	110	6
control24/mixer/strips/21/track/assign	cc	105	6
control24/mixer/strips/21/track/select	cc	103	6
control24/mixer/strips/21/track/eq	cc	111	6
control24/mixer/strips/21/track/dyn	cc	112	6
control24/mixer/strips/21/track/insert	cc	113	6
control24/mixer/strips/22/track/fader	cc	107	7
control24/mixer/strips/22/track/mute	cc	100	7
control24/mixer/strips/22/track/solo	cc	101	7
control24/mixer/strips/22/track/record	cc	102	7
control24/mixer/strips/22/track/autoselect	cc	114	7
control24/mixer/strips/22/track/knob	cc	110	7
control24/mixer/strips/22/track/assign	cc	105	7
control24/mixer/strips/22/track/select	cc	103	7
control24/mixer/strips/22/track/eq	cc	111	7
control24/mixer/strips/22/track/dyn	cc	112	7
control24/mixer/strips/22/track/insert	cc	113	7
control24/mixer/strips/23/track/fader	cc	107	8
control24/mixer/strips/23/track/mute	cc	100	8
control24/mixer/strips/23/track/solo	cc	101	8
control24/mixer/strips/23/track/record	cc	102	8

control24/mixer/strips/23/track/autoselect	cc	114	8
control24/mixer/strips/23/track/knob	cc	110	8
control24/mixer/strips/23/track/assign	cc	105	8
control24/mixer/strips/23/track/select	cc	103	8
control24/mixer/strips/23/track/eq	cc	111	8
control24/mixer/strips/23/track/dyn	cc	112	8
control24/mixer/strips/23/track/insert	cc	113	8
		Decimal	Hex
sysex header		19,64,64,0,1	13,40,40,0,1
sysex address			
control24/global/channelbardisplay/0	sysex	86,3	56,03
control24/global/channelbardisplay/1	sysex	87,3	57,03
control24/mixer/strips/0/track/knobtext	sysex	5,1	05,01
control24/mixer/strips/1/track/knobtext	sysex	5,2	05,02
control24/mixer/strips/2/track/knobtext	sysex	5,3	05,03
control24/mixer/strips/3/track/knobtext	sysex	5,4	05,04
control24/mixer/strips/4/track/knobtext	sysex	5,5	05,05
control24/mixer/strips/5/track/knobtext	sysex	5,6	05,06
control24/mixer/strips/6/track/knobtext	sysex	5,7	05,07
control24/mixer/strips/7/track/knobtext	sysex	5,8	05,08
control24/mixer/strips/8/track/knobtext	sysex	5,9	05,09
control24/mixer/strips/9/track/knobtext	sysex	5,10	05,0a
control24/mixer/strips/10/track/knobtext	sysex	5,11	05,0b
control24/mixer/strips/11/track/knobtext	sysex	5,12	05,0c
control24/mixer/strips/12/track/knobtext	sysex	5,13	05,0d
control24/mixer/strips/13/track/knobtext	sysex	5,14	05,0e
control24/mixer/strips/14/track/knobtext	sysex	5,15	05,0f
control24/mixer/strips/15/track/knobtext	sysex	5,16	05,10
control24/mixer/strips/16/track/knobtext	sysex	105,1	69,01
control24/mixer/strips/17/track/knobtext	sysex	105,2	69,02

control24/mixer/strips/18/track/knobtext	sysex	105,3	69,03
control24/mixer/strips/19/track/knobtext	sysex	105,4	69,04
control24/mixer/strips/20/track/knobtext	sysex	105,5	69,05
control24/mixer/strips/21/track/knobtext	sysex	105,6	69,06
control24/mixer/strips/22/track/knobtext	sysex	105,7	69,07
control24/mixer/strips/23/track/knobtext	sysex	105,8	69,08