

产品规格书

SPECIFICATION

产	品	名	称	石英晶体谐振器 QUARTZ CRYSTAL UNITS
型			号	HC-49SMD
料			号	X49SM8MSD2SC
标	称	频	率	8MHZ-20PF- 20 PPM
页			次	共 7 页

深圳扬兴科技有限公司

批 准 审 核 拟 制 Kevin Sandy **ANDY**

YangXing Technology Co.,Ltd.of Shenzhen

地址:广东省深圳市福田区中航路鼎诚国际大厦2013-2014室 ADDRESS: Futian District, Shenzhen, Guangdong Proince, route Ding Cheng International Building Room 2013-2014

TEL: 0755-28444777 POSTCODE: 518031

FAX: 0755-28444777-812

确认签章

APPROVAL SIGNATURE

客户		
客户物料号		
机种/型号		
批准	审核	检 验

产品规格书/	SPECIFICATION	型号	HC-49SMD		
I-1 晶振电性能	能 Electrical Characterist	tics			
1. 标称频率	荃	8	MHZ		
Nominal	Frequency				
2. 振动模式	!	AT 基	<u>频</u>		
Mode of	vibration				
3. 工作温度	度范围	_ <u>20</u> _°C ∩	~+ <u>70</u> °C		
Operatin	g Temperature Range				
4. 保存温度	度范围	$-40^{\circ}\text{C}\!\sim\!+8$	5℃		
Storage	Temperature Range				
5. 频率偏差	É	± <u>20</u> _ppn	n Max		
Adjustm	ent Tolerance				
6. 温度偏差	É	±30ppn	n Max		
Toleranc	e over the Temperature F	Range			
7. 等效电图	A	$\underline{}$ 50 Ω N	Max. at 25°C		
Equivale	ent Series Resistance				
8. 静电容		<u>≤ 5.0</u> pl	F Max		
Shunt Ca	apacitance				
9. 绝缘电图	且	$500M \Omega$ Min	. $/DC100V \pm 15V$		
	n resistance				
10. 老化率		± 3 ppm Max	/Y		
Aging					
11. 标字					
Marking					
1. V		2. VVC -	YANGXING Logo		
	AC)	IAC			
0.8)SDX /	<u> 8.0</u> ŞDX	Operating Temperature Code		
			Production Line		
	Freque	ency Code \	PPM Code		
II. 测试条件	Test Condition	PF Code	e		
	1.负载电容				
Load Capacitance					
2.激励功率100µ W					
Level of I					
3.测试仪表		250B Crystal Impe	dance Meter		
Equipment					
RK-0867	YangXing Technology Co	o.,Ltd.of Shenzhen			

-----(签字)

产品规格书/ SPECIFICATION

型号

HC-49SMD

III. 包装 PACKING

包装方式应符合运输和装卸要求,特殊包装须经双方认可。

Packing must prevent damage during transportation and handing. Specific method will be settled by mutual agreement.

Ⅳ. 对环境影响 INFLUENCE TO ENVIRONMENT

本产品在生产过程中不使用 ODS I, 对臭氧层无破坏。

This product doesn't use the class I ODS at any of production process.

V. 生产厂家 MANUFACTURE

公司名称:深圳扬兴科技有限公司

YangXing Technology Co.,Ltd.of Shenzhen

地址:广东省深圳市福田区中航路鼎诚国际大厦2013-2014室

ADDRESS: Futian District, Shenzhen, Guangdong Proince, route Ding Cheng

International Building Room 2013-2014

TEL: 0755-28444777 POSTCODE: 518031

FAX: 0755-28444777-812 E-MAIL: sales@yangxing.hk

VI.其它 OTHERS

1、如果您对本公司产品规格书有疑问或书中未列出,请与我方联系,协商解 决及改进。

If you have some doubt or unknowing about this specification, Please contact us for settlement or development.

2. 我们按照产品规格书要求保证晶体品质,若客户要求具体数据,我们可提供。

We guarantee that quartz crystal unit satisfies this specification, If you need the data, we will provide it.

3.变更与联络(MODIFY AND CONTACT)

本产品在设计、工艺、材料、生产厂所、关键设备、操作人员等影响产品 质量的因素有变更时,应事先提供更改后的产品并经过质量认可后,方可大批量 供货。

When the quality is changed due to the changes of the design, technology, material, manufacture place, main equipment and workers, we will first supply the modified products and obtain approval from you, then start to supply mass production.

4.售后服务 (AFTER SALE SERVICE)

若在生产过程中遇到不良品,本公司负责调换,并及时提交不良品的分析 及改进措施报告经认可。

If the defection product was found in the production process, we will exchange and provide the improving measures in time.

RK-0867

产品规格书/SPECIFICATION HC-49SMD 型号 HC-49US-SMD 晶体外型尺寸 Dimensions UNIT: mm 11.4 ± 0.05 4.35 ± 0.5 10.6 MAX 3.8 ± 0.5 h (BODY HIGH) TYPE H (SMD HIGH) 0.3 ± 0.1 3.8 ± 0.3 3.3 ± 0.3 모 2.3 ± 0.3 3.0 ± 0.3 Side View 1.0 MAX 0.5 ± 0.2 0.5 ± 0.2 0.8 ± 0.2 2.0 5.5 4.0 4.88 MAX 12.7 ± 0.5 **Bottom View** Top View Suggested Layout Units: mm

包装 PACKING

每 200 只晶体放入塑料袋,每 2 万只晶体放入一包装盒内。同时,包装形式也依赖于具体数量而更改。

Deposit 200 pieces of the quartz crystal units in a polyethylene bag, and pack enough bags in a packing case to make a 20,000 pieces package. The packing format may be subject to change by quantity.


产品规格书/ SPECIFICATION

型号

HC-49SMD

HC-49US-SMD 石英晶体谐振器内部结构图:

Construction fig of quartz resonator:



序号	部件名称	材料	数量	 表面处理方法	
NO	COMPONENT	MATERIALS	OTY	SURFACE	
1	晶体白片	Y/Z 棒	1	抛光/腐蚀	
	CRYSTAL BLANK	Y/Z BAR	1	POLISH/ETCHED	
2	支 架	铜 合 金	2		
	SUPPORTER	COPPER	2		
3	基座	碳钢镍合金	1	镀镍	
	BASE	Fe-NI	1	NI PLATED	
4)	外 壳	镍铜合金	1		
4)	CAN	NICKEL-COPPER	1		
	引 线	可 伐 丝		镀镍+浸锡	
(5)	LEAD	KOVAR	2	NI PLATED+SOLDER	
				DIPPED	
	玻璃子	可伐玻璃子	2		
6	GLASS	KOVER-GLASS	2		
(7)	导 电 胶	银胶树脂	2		
	ADHESIVE GENT	Ag-URETHANE	2		
	垫片	聚四氟乙烯	1		
8	CUSHION FLAKE	PLOYTETRAFLUOROETHYLENE	1		

RK-0867

产品规格书/ SPECIFICATION

型号

HC-49SMD

Ⅷ. 可靠性试验项目

Reliability Test Items

1. 机械性能试验 Mechanical Performance Tests

1.	小小双工用的	Wiedianical Ferrormance Tests	
试 验	立项 目	试 验 方 法	规格 No.
Test	Item	Test Method	Spec. No
1-1	耐冲击 shock	从 75 厘米高, 3 次, 自由落在 3 厘米的硬木板上 Orient the sample in any attitude and drop it three times from a height of 75 cm onto a hardwood board with a thickness of 3 cm	A
1-2	耐振性 Vibration	振动频率 10~55Hz,振幅 1.5mm 时间 1.5 分钟循环,在 X、Y、Z 轴方向各 2 小时,总计 6 小时。 Subject the sample to 1.5-minute cycles of frequencies of 10 to 55 Hz and amplitudes of 1.5mm for two hours in each of the X,Y, and Z directions, or 6 hours in total.	A
1-3	引出端强度 Tensile strength of terminal	每端子加 1.5Kg 负荷,保持 30±5 秒 Apply a 1.5Kg tensile load to each terminal and sustain it for 30±5 seconds.	A. C
1-4	引线弯曲度 Bending strength of terminal	每端子加 0.5Kg 负荷并弯曲成 90°,恢复原状后,再反方向弯曲成 90°。 Apply a 0.5 Kg load to one of the terminals, and after tilting the main unit for 90°, restore to its original attitude. Then, tilt it in an opposite direction for 90°, and restore to its original attitude.	A. C
1-5	可焊性 Solder ability	槽焊法,浸锡温度 230 ± 5 °C 时间 5 ± 0.5 秒,端子浸助焊剂时间 5 ± 0.5 秒,浸锡高度 2 mm。 Dip terminals in RMA flux for 5 ± 0.5 seconds. Under room temperature. Dip terminals in a 230 ± 5 °C solder bath for 5 ± 0.5 seconds. The solder shall leave an undipped terminal length of 2 mm at their base .	D
1-6	耐焊接热 Resistance to Soldering Heat	槽焊法,温度 260 ± 5 \mathbb{C} 时间 10 ± 0.5 秒,锡面离基座高度 2mm 以上。 Dip terminals in a 260 ± 5 \mathbb{C} solder bath for 10 ± 0.5 seconds. The solder shall leave an undipped terminal length of 2 mm at their base.	A
1-7	气密性 Leaking Test	用氦质谱仪测试或加压测绝缘电阻 Take measurements with a helium leakage detector, or measure insulation resistance under pressure.	Е

RK-0867

产品规格书/ SPECIFICATION

型号

HC-49SMD

2. 环境测试 Environmental Tests

试 验	顶 目	试 验 方 法	规格 No.
Test	Item	Test Method	Spec. No.
2-1	耐寒性 Cold	在-40℃环境中非工作状态放置 500 小时 Expose the sample in an inoperative mode to 500 hours in a -40 ℃	A
2-2	耐温性 Dry heat	在+85℃环境中非工作状态放置 500 小时 Expose the sample in an inoperative mode to 500 hours in a 85℃	В
2-3	耐湿性 Damp heat	在温度+65℃,湿度 95%环境中非工作状态放置 500 小时 Expose the sample in an inoperative mode to 500 hours in a 65 ℃,and 95%RH	В
2-4	热冲击 Thermal shock	在-40℃保持 30 分钟,100℃保持 30 分钟,循环 5 次。 Subject the sample to 5 temperature variation cycles at -40℃ for 30 minutes and +100℃ for the next 30 minutes in each cycles.	A

SPECIFICATIONS 规格

规格 No.	规 格		
Spec No.	Specification		
	试验前后,频率变化在±5ppm 以内,等效电阻变化在要求范围内。		
A	Any variation between the pre- and post-test frequencies shall remain within \pm 5ppm.		
	The post-test equivalent series resistance shall remain within its specified tolerance range.		
	试验前后,频率变化在±10ppm 以内,等效电阻变化在要求范围内。		
В	Any variation between the pre- and post-test frequencies shall remain within \pm 10ppm.		
	The post-test equivalent series resistance shall remain within its specified tolerance range.		
	试验前后,外观未见明显损伤,气密性末破坏。		
C	After each test, no visible damage shall be manifested, nor shall the hermetic seal break		
	down.		
	上锡量至少在 90%以上.		
D	At least 90% of each dipped area shall be covered by fresh solder		
Е	1×10^{-2} μ Pa. m ³ /s Max or IR≥500M Ω		

- ※测试在室温 25 ± 2 ℃环境中进行,每次试验后,样品必须在 25 ± 2 ℃环境中恢复 2 小时以上。