



Technical Data Sheet for TG12-6

Single-Stage Thermoelectric Generator



NOMINAL PERFORMANCE IN NITROGEN

Cold Side Temperature (°C) 27 ± 2 AC Resistance (ohms): 1.95 - 2.38 Device ZT 0.73

PRODUCT FEATURES

- RoHS EU Compliant
- Rated operating temperature of 200°C.
- Ceramic Material: Aluminum Oxide
- Porch configuration for high strength leadwire connection.
- Superior nickel diffusion barriers on elements.
- High strength for rugged environment.
- RTV sealing option available.
- Lapped option available for multiple module applications.

ORDERING OPTIONS

Model Number	Description
TG12-6-01	Leadwires
TG12-6-01L	Leadwires, Lapped
TG12-6-01S	Leadwires, Sealed
TG12-6-01LS	Leadwires, Lapped, Sealed
TG12-6-01LSG	Leadwires, Lapped, Sealed,
	Graphite Pads

OPERATION CAUTIONS

For maximum reliability, continuous operation below 200°C (cold side and hot side) is recommended. Intermittent operation up to 230°C on the hot side of the TG is permissible.

INSTALLATION

Recommended mounting methods: Clamp with uniform pressure to a flat surface with thermal interface material. Recommend 1.4 MPa (200 psi) with thermal grease or flexible graphite pads. For additional information, please contact an applications engineer.

II-VI Marlow – Dallas, TX USA 214-340-4900 877-627-5691 marlow.sales@ii-vi.com Marlow Industries Europe GmbH - Germany +49 (0) 6150 5439 - 403 info@marlow-europe.eu II-VI Japan Inc. 81 43 297 2693 (tel) center@ii-vi.co.jp www.ii-vi.co.jp II-VI Singapore Pte., Ltd. (65) 6481 8215 (tel) info@ii-vi.com.sg Marlow Industries China, II-VI Technologies Beijing 86-10-643 98226 info@iivibj.com

ECHANICAL CHARACTERISTICS

0.1

0

0


2 3 5

Load Resistance Ratio



POWER GENERATION PERFORMANCE CURVES

ENVIRONMENT: ONE ATMOSPHERE DRY NITROGEN




For performance information in a vacuum or with cold side temperatures other than 50°C or 100°C, contact one of our Applications Engineers at 877-627-5691.

0.1

Voltage

8

9 10



Thermal Resistance (°C/W)

For customer support or general questions please contact a local office or visit our website at www.marlow.com. Marlow reserves the right to make product changes without notice.

2.59

1.47

1.54

1.14

1.58