

IntelliQ - RAG corpus reference

This document lists all 81 tickets and knowledge articles indexed in the IntelliQ RAG corpus (ChromaDB + keyword retrieval). Each entry includes issue title, description, routing metadata, resolution steps, and citation references.

1. KB knowledge article (KB-ACCESS-001)

ID: KB-ACCESS-001 | Source: KB seed | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

Forgot password cannot login MFA locked out access account Windows login active directory corporate password reset locked out

Resolution steps

- 1. Open the company password portal.
- 2. Choose Forgot password and verify your identity.
- 3. Follow the email link to set a new password (12+ characters).
- 4. Sign in again; if MFA fails, contact Identity from this ticket.

References / citations

KB-ACCESS-001, TICKET-1042

2. KB knowledge article (KB-NET-007)

ID: KB-NET-007 | Source: KB seed | Category: Network | Department: Network | Hand 1 (Self-help)

Description

VPN wifi network connection dns internet cannot connect

Resolution steps

- 1. Restart VPN client and re-authenticate.
- 2. Forget and rejoin Wi-Fi using corporate credentials.
- 3. Run built-in network diagnostics and note error codes.

References / citations

KB-NET-007

3. KB knowledge article (KB-HW-014)

ID: KB-HW-014 | Source: KB seed | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

Printer print toner paper jam hardware

Resolution steps

- 1. Confirm the printer is online and has paper/toner.
- 2. Remove jammed paper following the panel guide.
- 3. Reinstall the driver from the internal software catalog.

References / citations

KB-HW-014

4. KB knowledge article (KB-APP-020)

ID: KB-APP-020 | Source: KB seed | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Software application crash bug install update excel macro

Resolution steps

- 1. Confirm the application version and recent updates.
- 2. Clear cache and restart the application.
- 3. Reinstall from the internal software catalog if crashes persist.

References / citations

KB-APP-020

5. KB knowledge article (KB-DB-011)

ID: KB-DB-011 | Source: KB seed | Category: Database | Department: DBA | Hand 1 (Self-help)

Description

Database query slow replication sql deadlock report

Resolution steps

1. Identify long-running queries on the affected database.
2. Check replication lag and blocking sessions.
3. Apply standard DBA runbook for query tuning or failover.

References / citations

KB-DB-011

6. KB knowledge article (KB-STORAGE-009)

ID: KB-STORAGE-009 | Source: KB seed | Category: Storage | Department: Storage | Hand 1 (Self-help)

Description

Storage backup disk share quota file nas archive

Resolution steps

1. Verify storage capacity and quota on the affected share.
2. Clear stale files or expand quota per policy.
3. Retry backup job after confirming NAS connectivity.

References / citations

KB-STORAGE-009

7. Forgot portal password

ID: RAG-H1-01 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

I forgot my password and cannot login to the company portal. Windows login password reset for active directory account. Locked out and need the link to reset corporate password. MFA prompt keeps failing after reset.

Resolution steps

1. Open the company password portal.
2. Choose Forgot password and verify your identity.
3. Follow the email link to set a new password (12+ characters).
4. Sign in again; if MFA fails, contact Identity from this ticket.

References / citations

KB-ACCESS-001, RAG-H1-01

8. Locked out after password change

ID: RAG-H1-02 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

Cannot login to my account - locked out after password change. Need access restored.

Resolution steps

1. Confirm the account is not disabled in the identity admin console.
2. Trigger a fresh password reset from the self-service portal.
3. Clear browser saved passwords and retry login in a private window.
4. Re-enroll MFA if the device was replaced during the lockout.

References / citations

KB-ACCESS-002, RAG-H1-02

9. MFA not working on login

ID: RAG-H1-03 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

MFA locked out - authenticator app codes not working when I try to sign in.

Resolution steps

1. Verify the device time is synced automatically.
2. Use a backup MFA method or one-time recovery code if available.
3. Remove and re-add the authenticator enrollment for the account.
4. Contact Identity if codes still fail after re-enrollment.

References / citations

KB-ACCESS-003, RAG-H1-03

10. VPN will not connect

ID: RAG-H1-04 | Source: RAG demo | Category: Network | Department: Network | Hand 1 (Self-help)

Description

Cannot connect to VPN - getting Error 807 when I try to start VPN. Wi-Fi works but VPN client fails to authenticate.

Resolution steps

1. Restart VPN client and re-authenticate.
2. Forget and rejoin Wi-Fi using corporate credentials.
3. Run built-in network diagnostics and note error codes.

References / citations

KB-NET-007, RAG-H1-04

11. Wi-Fi connected no internet

ID: RAG-H1-05 | Source: RAG demo | Category: Network | Department: Network | Hand 1 (Self-help)

Description

Corporate Wi-Fi connects but no internet access. DNS seems broken on my laptop.

Resolution steps

1. Flush DNS cache and renew DHCP lease on the device.
2. Switch to an alternate corporate DNS server from the internal KB.
3. Test with ethernet to isolate Wi-Fi vs DNS issues.

References / citations

KB-NET-008, RAG-H1-05

12. Network connection dropped

ID: RAG-H1-06 | Source: RAG demo | Category: Network | Department: Network | Hand 1 (Self-help)

Description

Network connection keeps dropping during video calls. Cannot connect to internal apps remotely.

Resolution steps

1. Update VPN and Wi-Fi drivers to the approved corporate versions.
2. Disable power-saving on the network adapter.
3. Collect VPN client logs and retry from a stable network.

References / citations

KB-NET-009, RAG-H1-06

13. Printer paper jam

ID: RAG-H1-07 | Source: RAG demo | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

Printer on floor 3 has a paper jam - print jobs stuck in queue. Toner level looks OK.

Resolution steps

1. Confirm the printer is online and has paper/toner.
2. Remove jammed paper following the panel guide.
3. Reinstall the driver from the internal software catalog.

References / citations

KB-HW-014, RAG-H1-07

14. Printer not printing

ID: RAG-H1-08 | Source: RAG demo | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

Hardware printer not printing - shows offline. Need to print reports today.

Resolution steps

1. Power-cycle the printer and clear the local print spooler.
2. Set the correct default printer in system settings.
3. Re-add the printer from the corporate print server.

References / citations

KB-HW-015, RAG-H1-08

15. Excel keeps crashing

ID: RAG-H1-09 | Source: RAG demo | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Excel application crash every time I open a macro-enabled workbook. Software bug after last update.

Resolution steps

1. Confirm the application version and recent updates.
2. Clear cache and restart the application.
3. Reinstall from the internal software catalog if crashes persist.

References / citations

KB-APP-020, RAG-H1-09

16. App install failing

ID: RAG-H1-10 | Source: RAG demo | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Cannot install update for internal CRM app - install fails at 90%. Need software catalog reinstall steps.

Resolution steps

1. Remove the partial install using the software center cleanup tool.
2. Download a fresh package from the internal software catalog.
3. Reboot and reinstall with admin elevation if prompted.

References / citations

KB-APP-021, RAG-H1-10

17. Database query very slow

ID: RAG-H1-11 | Source: RAG demo | Category: Database | Department: DBA | Hand 1 (Self-help)

Description

Database query slow on reporting DB - SQL report takes 20 minutes. Possible deadlock during month-end.

Resolution steps

1. Identify long-running queries on the affected database.
2. Check replication lag and blocking sessions.
3. Apply standard DBA runbook for query tuning or failover.

References / citations

KB-DB-011, RAG-H1-11

18. Replication lag on prod DB

ID: RAG-H1-12 | Source: RAG demo | Category: Database | Department: DBA | Hand 1 (Self-help)

Description

SQL replication lag on production database - dashboards stale. Need DBA runbook steps.

Resolution steps

1. Check replication agent status and last sync timestamp.
2. Review blocking transactions on the publisher.
3. Follow DBA failover/lag remediation runbook if lag exceeds SLA.

References / citations

KB-DB-012, RAG-H1-12

19. Backup job failed

ID: RAG-H1-13 | Source: RAG demo | Category: Storage | Department: Storage | Hand 1 (Self-help)

Description

Storage backup failed last night - NAS share quota may be full. Disk archive job error.

Resolution steps

1. Verify storage capacity and quota on the affected share.
2. Clear stale files or expand quota per policy.
3. Retry backup job after confirming NAS connectivity.

References / citations

KB-STORAGE-009, RAG-H1-13

20. Share quota exceeded

ID: RAG-H1-14 | Source: RAG demo | Category: Storage | Department: Storage | Hand 1 (Self-help)

Description

Cannot save files to network share - storage quota exceeded on team drive.

Resolution steps

1. Review folder usage and archive files older than retention policy.
2. Request quota increase if still within entitlement limits.
3. Retry save after space is freed or quota is raised.

References / citations

KB-STORAGE-010, RAG-H1-14

21. Password reset email missing

ID: RAG-H1-15 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

Forgot password flow - reset email never arrived. Cannot login to SSO portal.

Resolution steps

1. Check spam/quarantine for messages from the identity mailer.
2. Confirm the registered email address in the directory.
3. Resend reset link and verify SMTP logs with Identity if still missing.

References / citations

KB-ACCESS-004, RAG-H1-15

22. Page not found 401 error

ID: RAG-H2-01 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

I am unable to access this page - getting page not found and 401 unauthorized in browser.

Resolution steps

1. Collect the full URL, timestamp, and screenshot of the 401/page-not-found response.
2. Confirm the user session is valid - log out and back in.
3. Clear browser cache or test in a private window and alternate browser.
4. Verify app health dashboards and recent deployments with Software team.

References / citations

KB-APP-HTTP-401, RAG-H2-01

23. Internal wiki 403 forbidden

ID: RAG-H2-02 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

HR wiki returns 403 forbidden for my account. I could access it last week.

Resolution steps

1. Verify group membership for the wiki space in the access management tool.
2. Compare with a known-good user on the same team.
3. Request permission restore or reprovision SSO app assignment.

References / citations

KB-APP-403, RAG-H2-02

24. SSO redirect loop

ID: RAG-H2-03 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 2 (Team assist)

Description

SSO login redirect loop on benefits portal - never lands on homepage.

Resolution steps

1. Capture HAR trace during the redirect loop.
2. Validate SAML/OIDC callback URLs and clock skew on the device.
3. Coordinate with Identity to refresh federation metadata if needed.

References / citations

KB-ACCESS-SSO, RAG-H2-03

25. API timeout in staging

ID: RAG-H2-04 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Staging API returns timeout after 30s when submitting expense form. No clear error code.

Resolution steps

1. Reproduce with request ID and payload in staging logs.
2. Check upstream dependency latency and connection pool limits.
3. Escalate to app owner if timeout persists after cache warm-up.

References / citations

KB-APP-API, RAG-H2-04

26. Mobile app sync issue

ID: RAG-H2-05 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Mobile app not syncing approvals since yesterday. Desktop web works fine.

Resolution steps

1. Confirm app version against minimum supported release.
2. Force logout, clear app cache, and re-authenticate.
3. Review mobile push/sync service status with Software team.

References / citations

KB-APP-MOBILE, RAG-H2-05

27. Report export corrupt

ID: RAG-H2-06 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Exported CSV from analytics tool opens with garbled characters. Excel import fails.

Resolution steps

1. Re-export using UTF-8 encoding option if available.
2. Open with approved import template from the software catalog.
3. Log defect if corruption reproduces on multiple machines.

References / citations

KB-APP-EXPORT, RAG-H2-06

28. Calendar not syncing

ID: RAG-H2-07 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Outlook calendar not syncing meetings from room booking system.

Resolution steps

1. Remove and re-add the calendar connector profile.
2. Verify Exchange/Graph permissions for the mailbox.
3. Check connector service health with Software support.

References / citations

KB-APP-CAL, RAG-H2-07

29. License activation error

ID: RAG-H2-08 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Adobe license activation error on new laptop - serial accepted but app stays in trial mode.

Resolution steps

1. Confirm license assignment in the enterprise portal.
2. Sign out of Creative Cloud and sign in with corporate SSO.
3. Open ticket with vendor portal if seat count is correct but activation fails.

References / citations

KB-APP-LIC, RAG-H2-08

30. VPN slow not disconnected

ID: RAG-H2-09 | Source: RAG demo | Category: Network | Department: Network | Hand 2 (Team assist)

Description

VPN connects but internal apps very slow - not a full disconnect, just high latency.

Resolution steps

1. Run traceroute over VPN to the affected application subnet.
2. Switch VPN egress region if split-tunnel policy allows.
3. Engage Network team if latency exceeds baseline on multiple users.

References / citations

KB-NET-LATENCY, RAG-H2-09

31. Intermittent Wi-Fi drop

ID: RAG-H2-10 | Source: RAG demo | Category: Network | Department: Network | Hand 2 (Team assist)

Description

Wi-Fi drops only in conference room B - other floors fine. Connection comes back after 2 min.

Resolution steps

1. Identify AP name and signal strength in the affected room.
2. Check recent WLAN controller changes for that floor.
3. Schedule site survey if drops reproduce on multiple devices.

References / citations

KB-NET-WIFI, RAG-H2-10

32. Custom dashboard blank

ID: RAG-H2-11 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Power BI dashboard blank for finance team - data source shows healthy in admin console.

Resolution steps

1. Refresh dataset credentials and manual refresh in the workspace.
2. Validate gateway connectivity for on-prem sources.
3. Review recent RLS changes with report owner.

References / citations

KB-APP-BI, RAG-H2-11

33. Batch job partial failure

ID: RAG-H2-12 | Source: RAG demo | Category: Database | Department: DBA | Hand 2 (Team assist)

Description

Nightly ETL batch completed with warnings - 3% of rows skipped, no duplicate key error shown.

Resolution steps

1. Inspect batch logs for skipped row reasons and source file checksum.
2. Re-run failed partitions after fixing upstream schema drift.
3. Coordinate with DBA if constraint violations appear in staging tables.

References / citations

KB-DB-ETL, RAG-H2-12

34. Whitelist IP for SQL database

ID: RAG-H2-13 | Source: RAG demo | Category: Network | Department: Network | Hand 2 (Team assist)

Description

I need someone to whitelist my IP so I can reach the SQL database from home. Remote connection blocked by firewall.

Resolution steps

1. Collect the user's current public IP and target database hostname.
2. Verify manager approval for remote database access.
3. Submit firewall rule change to allow the IP on the database security group.
4. Confirm connectivity after the rule propagates.

References / citations

KB-NET-WHITELIST, RAG-H2-13

35. File upload size limit

ID: RAG-H2-14 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Cannot upload 80MB design file to project tool - unclear if limit or network issue.

Resolution steps

1. Confirm application upload limit in admin settings.
2. Test smaller file to isolate size vs network failure.
3. Use approved large-file transfer share if over app limit.

References / citations

KB-APP-UPLOAD, RAG-H2-14

36. Chrome extension conflict

ID: RAG-H2-15 | Source: RAG demo | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Internal web app buttons unclickable after Chrome extension update. Works in Safari.

Resolution steps

1. Disable third-party extensions and retest the workflow.
2. Add site to enterprise extension allow list if internal plugin required.
3. Document conflicting extension for Software standards team.

References / citations

KB-APP-BROWSER, RAG-H2-15

37. Possible VPN breach

ID: RAG-H3-01 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Possible security breach on VPN - unauthorized access detected from unknown IP overnight.

Resolution steps

1. Isolate affected accounts and force password reset.
2. Preserve VPN and authentication logs for SecOps review.
3. Open incident channel per security response playbook.

References / citations

KB-SEC-001, RAG-H3-01

38. Phishing email clicked

ID: RAG-H3-02 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

I clicked a phishing email link - security incident. Account may be compromised.

Resolution steps

1. Revoke active sessions for the affected user.
2. Run endpoint scan and mailbox rule audit.
3. Complete SecOps phishing intake checklist.

References / citations

KB-SEC-002, RAG-H3-02

39. Malware detected on laptop

ID: RAG-H3-03 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Antivirus flagged malware on my laptop. Need SecOps to investigate immediately.

Resolution steps

1. Disconnect device from corporate network.
2. Collect EDR timeline and quarantine artifacts.
3. Follow malware containment runbook with SecOps.

References / citations

KB-SEC-003, RAG-H3-03

40. Ransomware popup

ID: RAG-H3-04 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Ransomware popup on shared PC - files encrypted message on screen.

Resolution steps

1. Power off device and isolate from network immediately.
2. Do not pay ransom - notify SecOps incident commander.
3. Begin backup integrity check on affected shares.

References / citations

KB-SEC-004, RAG-H3-04

41. Unauthorized admin login

ID: RAG-H3-05 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Alert: unauthorized login to admin console from foreign country. Security issue.

Resolution steps

1. Disable compromised admin credentials pending review.
2. Enable enhanced logging on admin consoles.
3. SecOps to validate geo-impossible travel alerts.

References / citations

KB-SEC-005, RAG-H3-05

42. Data exfiltration concern

ID: RAG-H3-06 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Suspect data exfiltration - large download from finance share outside business hours.

Resolution steps

1. Preserve DLP and file-share audit logs.
2. Restrict access to affected dataset pending investigation.
3. Engage SecOps and legal per data-loss procedure.

References / citations

KB-SEC-006, RAG-H3-06

43. Security certificate expired

ID: RAG-H3-07 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Production TLS certificate expired - customers see security warning on portal.

Resolution steps

1. Validate cert expiry on load balancers and origin servers.
2. Deploy renewed cert from approved PKI store.
3. Confirm external monitor clears after propagation.

References / citations

KB-SEC-007, RAG-H3-07

44. Suspicious USB device

ID: RAG-H3-08 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Found unknown USB device inserted in lobby kiosk - possible hack attempt.

Resolution steps

1. Remove USB and secure kiosk offline.
2. Image disk per forensic SOP before reboot.
3. Review physical access logs with facilities and SecOps.

References / citations

KB-SEC-008, RAG-H3-08

45. Duplicate issues in Data

ID: RAG-H3-09 | Source: RAG demo | Category: Database | Department: DBA | Hand 3 (Specialist)

Description

I am getting duplicate issues from upstream data - quality problem, no error codes.

Resolution steps

1. Identify duplicate keys in staging and production tables.
2. Trace upstream feed for repeated batch submissions.
3. Apply DBA deduplication runbook after root-cause confirmation.

References / citations

KB-DB-DEDUP, RAG-H3-09

46. Upstream data mismatch

ID: RAG-H3-10 | Source: RAG demo | Category: Database | Department: DBA | Hand 3 (Specialist)

Description

Upstream data mismatch in pipeline - not sure which system owns the issue.

Resolution steps

1. Compare record counts and checksums between source and landing zone.
2. Engage upstream system owner with sample mismatched rows.
3. Pause downstream consumers until data integrity is restored.

References / citations

KB-DB-MISMATCH, RAG-H3-10

47. Something broken

ID: RAG-H3-11 | Source: RAG demo | Category: Application | Department: Software | Hand 3 (Specialist)

Description

Something is broken. Please help.

Resolution steps

1. Contact requester for device, application, and error details.
2. Classify once symptoms are confirmed.
3. Assign to appropriate queue after triage interview.

References / citations

KB-TRIAGE-001, RAG-H3-11

48. IT help needed

ID: RAG-H3-12 | Source: RAG demo | Category: Application | Department: Software | Hand 3 (Specialist)

Description

Need IT help asap - computer not working. No other details.

Resolution steps

1. Schedule live triage with requester.
2. Gather minimum viable symptoms before routing.
3. Escalate to specialist if hardware or security indicators appear.

References / citations

KB-TRIAGE-002, RAG-H3-12

49. General access problem

ID: RAG-H3-13 | Source: RAG demo | Category: Access Management | Department: Access Management | Hand 3 (Specialist)

Description

Cannot access stuff for my job. Happened recently.

Resolution steps

1. Interview user to identify which systems are affected.
2. Check recent entitlement changes and MFA status.
3. Route to Identity or app team after scope is defined.

References / citations

KB-TRIAGE-003, RAG-H3-13

50. Weird error on screen

ID: RAG-H3-14 | Source: RAG demo | Category: Application | Department: Software | Hand 3 (Specialist)

Description

Weird error on screen - did not write it down. Intermittent.

Resolution steps

1. Ask for screenshot or photo at next occurrence.
2. Enable verbose client logging if supported.
3. Reproduce with specialist on live session if possible.

References / citations

KB-TRIAGE-004, RAG-H3-14

51. VPN access security policy block

ID: RAG-H3-15 | Source: RAG demo | Category: Security | Department: SecOps | Hand 3 (Specialist)

Description

Not able to access VPN - may be security policy block after international travel.

Resolution steps

1. Verify travel geo-fence policy triggered on account.
2. Collect user location and device compliance status.
3. SecOps to approve temporary VPN exception if policy allows.

References / citations

KB-SEC-VPN, RAG-H3-15

52. Web pages not loading in Chrome

ID: ENT-H1-01 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Google Chrome spins forever on any website. Other apps have internet. Started after a Windows update this morning.

Resolution steps

1. Close all Chrome windows completely.
2. Reopen Chrome and press Ctrl+Shift+Delete (Cmd+Shift+Delete on Mac).
3. Clear cached images and files for the last 24 hours only.
4. Try one website in a private/incognito window.

References / citations

ENT-H1-01, ent-h1-01

53. Forgot my login password

ID: ENT-H1-02 | Source: Enterprise RAG | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

I forgot my company portal password and cannot sign in on my laptop. I have internet access on my phone.

Resolution steps

1. On your phone browser, open the company password self-service portal.
2. Click Forgot password and verify with your work email MFA.
3. Set a new password following the on-screen rules.
4. Sign in on the laptop with the new password.

References / citations

ENT-H1-02, ent-h1-02

54. Wi-Fi connected but no internet

ID: ENT-H1-03 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 1 (Self-help)

Description

Laptop shows connected to office Wi-Fi but browsers say no internet. Colleagues nearby are fine.

Resolution steps

1. Turn Wi-Fi off, wait 10 seconds, turn it back on.
2. Forget the corporate Wi-Fi network and reconnect with your work password.
3. Open a new private browser window and visit a public site to test.
4. Restart the laptop if the issue continues.

References / citations

ENT-H1-03, ent-h1-03

55. Teams desktop notifications missing

ID: ENT-H1-04 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Microsoft Teams messages arrive on my phone but I get no pop-up banners on my Windows laptop.

Resolution steps

1. Open Windows Settings ? System ? Notifications and ensure notifications are On.
2. In Teams ? Settings ? Notifications, enable banner and taskbar flash.
3. Quit Teams from the system tray and open it again.
4. Turn off Focus assist / Do Not Disturb during work hours.

References / citations

ENT-H1-04, ent-h1-04

56. Laptop running very slow

ID: ENT-H1-05 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

My laptop is sluggish with only Outlook and a browser open. Fan is loud but I only need basic fixes I can do myself.

Resolution steps

1. Close browser tabs and apps you are not using.
2. Restart the laptop from the Start menu.
3. Plug in power - low battery can throttle speed.
4. If still slow after restart, note the time and apps open for IT follow-up.

References / citations

ENT-H1-05, ent-h1-05

57. Zoom video laggy on calls

ID: ENT-H1-06 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Video freezes in Zoom but audio is fine. I am on home Wi-Fi with no admin access to the router.

Resolution steps

1. In Zoom ? Settings ? Video, turn off HD video.
2. Close other video streaming tabs and apps.
3. Leave and rejoin the meeting.
4. Switch to phone audio only if video still freezes.

References / citations

ENT-H1-06, ent-h1-06

58. No sound in Teams meeting

ID: ENT-H1-07 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

I cannot hear anyone in Teams. Microphone works when I test it. Volume icon shows sound is on.

Resolution steps

1. Click the speaker icon in the Teams meeting and raise volume to 100%.
2. Open Windows sound settings and pick the correct output device (headphones vs speakers).
3. Unplug and replug headset USB if you use a USB headset.
4. Leave the meeting and rejoin once.

References / citations

ENT-H1-07, ent-h1-07

59. Work email not syncing on phone

ID: ENT-H1-08 | Source: Enterprise RAG | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

iPhone mail app stopped showing new work emails. Webmail in Safari on the phone works fine.

Resolution steps

1. Open Settings ? Mail ? Accounts and open your work account.
2. Toggle Mail off, wait 5 seconds, toggle back on.
3. Force quit the Mail app and reopen it.
4. If prompted, re-enter your work password on the phone.

References / citations

ENT-H1-08, ent-h1-08

60. Printer shows offline on my PC

ID: ENT-H1-09 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

Office printer on floor 2 says Offline in Windows. I printed successfully yesterday. I only need to print one document today.

Resolution steps

1. Check the printer is powered on and not showing an error light.
2. Open Printers & scanners and set the correct printer as default.
3. Click the printer and choose Open queue - cancel stuck jobs.
4. Try printing a one-page test from Notepad.

References / citations

ENT-H1-09, ent-h1-09

61. Excel attachment will not open from Outlook

ID: ENT-H1-10 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

Double-clicking an .xlsx attachment in Outlook does nothing. I can save files to Downloads.

Resolution steps

1. Save the attachment to your Downloads folder first.
2. Open Excel manually, then File ? Open ? pick the saved file.
3. If Excel asks about Protected View, click Enable Editing only if you trust the sender.
4. Restart Outlook if attachments still fail to open.

References / citations

ENT-H1-10, ent-h1-10

62. Internal website certificate warning

ID: ENT-H1-11 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 1 (Self-help)

Description

Browser warns the internal HR site is not secure. Clock on laptop looks correct. I am working from home with VPN.

Resolution steps

1. Confirm VPN is connected using the company VPN app.
2. Sign out of VPN, reconnect, and retry the site.
3. Try the same site in a private browser window.
4. Do not bypass certificate warnings - stop and report if warning persists.

References / citations

ENT-H1-11, ent-h1-11

63. Authenticator codes not accepted

ID: ENT-H1-12 | Source: Enterprise RAG | Category: Access Management | Department: Access Management | Hand 1 (Self-help)

Description

Microsoft Authenticator codes fail when I log in. Phone shows the right account. No admin rights on laptop.

Resolution steps

1. On your phone, enable Set time automatically in date/time settings.
2. Wait for the next code cycle and type it immediately.
3. Try signing in on phone browser to confirm account works.
4. Use backup MFA method if your company provided one.

References / citations

ENT-H1-12, ent-h1-12

64. VPN error 807 on startup

ID: ENT-H1-13 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 1 (Self-help)

Description

I'm getting an Error 807 when I try to start my VPN client. Wi-Fi works but VPN will not connect.

Resolution steps

1. Quit the VPN client completely from the system tray.
2. Reconnect to Wi-Fi and reopen the VPN client.
3. Sign out and sign back in with your corporate credentials.
4. Note the exact error code and time if the issue continues.

References / citations

ENT-H1-13, ent-h1-13

65. PDF opens in browser and is blank

ID: ENT-H1-14 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 1 (Self-help)

Description

PDF from email opens in Chrome as a blank page. File size looks normal in Downloads.

Resolution steps

1. Download the PDF fully - wait until download completes.
2. Right-click the file ? Open with ? Adobe Acrobat Reader or Preview.
3. If still blank, download again without opening from the browser preview.
4. Try opening on phone to confirm the file is not corrupted.

References / citations

ENT-H1-14, ent-h1-14

66. Wrong keyboard language typing

ID: ENT-H1-15 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 1 (Self-help)

Description

Keyboard types symbols instead of letters after I bumped a key combo. I need to fix input language myself.

Resolution steps

1. Press Windows+Space (or Ctrl+Space on some laptops) to switch input language.
2. Click the language icon on the taskbar and select English.
3. Open Settings ? Time & language ? Typing and confirm the default keyboard.
4. Restart the app where typing was wrong.

References / citations

ENT-H1-15, ent-h1-15

67. PostgreSQL replica lag critical

ID: ENT-H2-01 | Source: Enterprise RAG | Category: Database | Department: DBA | Hand 2 (Team assist)

Description

Production reporting replica lag spiked to 4 hours. ETL jobs failing with FATAL: terminating connection due to administrator command. pg_stat_replication shows wal_sender_timeout on standby db-rep-03.

Resolution steps

1. Capture pg_stat_replication, pg_locks, and last 500 lines of postgresql.log from primary and standby.
2. Check network latency between db-prd-01 and db-rep-03.
3. Identify long-running transactions on primary blocking WAL flush.
4. Rebuild standby from base backup per DBA runbook BR-DB-17 if corruption confirmed.

References / citations

ENT-H2-01, ent-h2-01

68. Kubernetes pod OOM crashloop

ID: ENT-H2-02 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 2 (Team assist)

Description

payments-api pods crashlooping in prod namespace. Logs: OOMKilled exit 137, memory limit 512Mi. HPA at max replicas, error rate 18%.

Resolution steps

1. kubectl describe pod and collect last 200 lines from crashed container.
2. Review memory profiling and deployment image tag diff for v2.14.0.
3. Raise memory limit under change approval and watch GC metrics.
4. Roll back deployment if regression correlates with latest release.

References / citations

ENT-H2-02, ent-h2-02

69. SQL Server blocking chain month-end

ID: ENT-H2-03 | Source: Enterprise RAG | Category: Database | Department: DBA | Hand 2 (Team assist)

Description

ERP database blocking during month-end close. SPID 214 waits on LCK_M_IX held by SPID 88. Users see timeout expired in SSMS.

Resolution steps

1. Run sp_whoisactive and save blocking tree snapshot.
2. Identify head blocker and owning application login.
3. Coordinate with finance before KILL on head blocker.
4. Schedule index maintenance on GL_Posting per DBA change ticket.

References / citations

ENT-H2-03, ent-h2-03

70. AD replication failure DC01 DC02

ID: ENT-H2-04 | Source: Enterprise RAG | Category: Access Management | Department: Access Management | Hand 2 (Team assist)

Description

Active Directory replication failing between DC01 and DC02. Event ID 1864. dcdiag reports latency over failure threshold.

Resolution steps

1. Run repadmin /showrepl and dcdiag /v on both domain controllers.
2. Verify DNS SRV records and w32tm time sync status.
3. Check firewall RPC rules between DC subnets.
4. Force replication only under Identity incident playbook.

References / citations

ENT-H2-04, ent-h2-04

71. Load balancer health check 502

ID: ENT-H2-05 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 2 (Team assist)

Description

F5 pool api.internal.corp health checks failing HTTP 502 on /healthz. Three of six nodes down after TLS cert rotation.

Resolution steps

1. Validate backend TLS chain on each node.
2. Curl /healthz from LB subnet with correct SNI hostname.
3. Compare cipher suite against F5 SSL profile.
4. Re-enable nodes one at a time after manual probe succeeds.

References / citations

ENT-H2-05, ent-h2-05

72. Redis cluster MOVED errors

ID: ENT-H2-06 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 2 (Team assist)

Description

Cart service intermittent MOVED errors. redis-cli cluster info shows 2 fail flags. p99 latency 340ms vs baseline 12ms.

Resolution steps

1. Export cluster nodes, slots, and recent failover events.
2. Inspect network between AZ-a and AZ-b Redis hosts.
3. Review maxmemory policy and evicted keys during peak.
4. Controlled failover per platform runbook after sign-off.

IntelliQ - RAG corpus reference

References / citations

ENT-H2-06, ent-h2-06

73. SAP batch ABAP dump tempdb full

ID: ENT-H2-07 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 2 (Team assist)

Description

SAP batch RDDIMPDP CANCELED. ST22 dump DBIF_RSQL_SQL_ERROR on ZFIN_ACCT. SQL tempdb full reported by DBA.

Resolution steps

1. Attach ST22 dump and SM21 system log excerpts.
2. Coordinate DBA tempdb expansion and sort cleanup.
3. Restart batch instance only after Basis approval.
4. Replay job variant after root cause in change record.

References / citations

ENT-H2-07, ent-h2-07

74. Veeam backup snapshot quiesce timeout

ID: ENT-H2-08 | Source: Enterprise RAG | Category: Storage | Department: Storage | Hand 2 (Team assist)

Description

Veeam backup failed on VM SQL-PROD-04. Guest VSS writer hung 45 minutes. Processing finished with errors.

Resolution steps

1. Review Veeam job log and VMware VSS events on guest.
2. Confirm backup repository free space and proxy mode.
3. Test backup with app-aware processing disabled once.
4. Engage DBA for manual log backup if RPO at risk.

References / citations

ENT-H2-08, ent-h2-08

75. GraphQL gateway 503 upstream timeout

ID: ENT-H2-09 | Source: Enterprise RAG | Category: Application | Department: Software | Hand 2 (Team assist)

Description

Internal GraphQL gateway 503. Envoy logs upstream connect timeout to orders-service:8080. Circuit breaker open 30% of requests.

Resolution steps

1. Correlate Envoy and orders-service logs by request ID.
2. Check mesh mTLS cert expiry and readiness probes.
3. Scale orders-service and verify DB pool limits.
4. Tune circuit breaker after stability returns.

References / citations

ENT-H2-09, ent-h2-09

76. MongoDB shard migration stalled

ID: ENT-H2-10 | Source: Enterprise RAG | Category: Database | Department: DBA | Hand 2 (Team assist)

Description

MongoDB sh-prod chunk migration aborted: cannot find shard. Config server CPU 92%. Balancer reports stalled moves.

Resolution steps

1. Capture sh.status(), balancer status, config server mongod.log.
2. Verify shard hostnames in DNS after DR test.
3. Pause balancer and diagnose orphaned chunks per DBA playbook.
4. Resume migration in approved maintenance window.

IntelliQ - RAG corpus reference

References / citations

ENT-H2-10, ent-h2-10

77. DFS-R conflict storm engineering share

ID: ENT-H2-11 | Source: Enterprise RAG | Category: Storage | Department: Storage | Hand 2 (Team assist)

Description

DFS-R conflict folder on \\corp\engineering has 12,000 files. Event 4412 repeating on file server FS-ENG-02.

Resolution steps

1. Identify top conflict files and source workstations from DFSR debug log.
2. Pause replication group per storage change policy.
3. Authoritative restore on primary after backup check.
4. Communicate sync moratorium to engineering leads.

References / citations

ENT-H2-11, ent-h2-11

78. VPN tunnel flapping AWS

ID: ENT-H2-12 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 2 (Team assist)

Description

Cisco ASA VPN to AWS VGW flapping. Syslog IKE type 240 deleted SA. ISP circuit packet loss 8%.

Resolution steps

1. Collect show crypto isa sa detail and phase2 stats.
2. Failover to alternate ISP if available.
3. Verify PSK expiry and IKE proposals match AWS config.
4. Rekey tunnel under Network CAB maintenance.

References / citations

ENT-H2-12, ent-h2-12

79. Jenkins Harbor robot token denied

ID: ENT-H2-13 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 2 (Team assist)

Description

CI pipeline fails docker push: access denied. Harbor robot account rotated yesterday. Build agents on k8s-ci namespace.

Resolution steps

1. Validate harbor-robot-prod credential in Jenkins store.
2. Test docker login from build agent shell.
3. Update Kubernetes secret in helm values for CI.
4. Re-run pipeline with buildKit cache disabled to isolate auth.

References / citations

ENT-H2-13, ent-h2-13

80. Elasticsearch disk watermark yellow

ID: ENT-H2-14 | Source: Enterprise RAG | Category: Infrastructure | Department: Hardware | Hand 2 (Team assist)

Description

logging-prod ES cluster yellow. 47 unassigned shards. CLUSTER_BLOCK_EXCEPTION disk watermark exceeded on data-07.

Resolution steps

1. Check disk on all data nodes; find index growth spike.
2. Curator-archive indices past retention policy.
3. Raise flood stage only with observability manager approval.
4. Rebalance shards after disk below high watermark.

References / citations

ENT-H2-14, ent-h2-14

81. Whitelist IP for SQL database access

ID: ENT-H2-15 | Source: Enterprise RAG | Category: Network | Department: Network | Hand 2 (Team assist)

Description

I need someone to whitelist my IP so I can reach the SQL database from home. Remote connection is blocked by the firewall.

Resolution steps

1. Collect the user's current public IP and target database hostname.
2. Verify manager approval for remote database access.
3. Submit firewall rule change to allow the IP on the database security group.
4. Confirm connectivity after the rule propagates and document in the ticket.

References / citations

ENT-H2-15, ent-h2-15
