



1 Sampling and RVE data




2 Learnable paired directional features




conditioned input $\mathbf{y}(z)$

3 Monotone convex core

ICNN
learned nonnegative weights, fixed softplus on nodes



ICKAN
learned convex, nondecreasing functions on edges



$$H(\mathbf{z}) = \hat{H}(\mathbf{y}(\mathbf{z}))$$

learned contribution

4 Complete stored energy

$$W(\mathbf{F}) = \underbrace{H(\mathbf{z})}_{W_{\text{learn}}} - \underbrace{H(\mathbf{z}^0)}_{W_{\text{corr}}} - r(J - 1)$$

$$+ \underbrace{\alpha(J - 1 - \log J) + \frac{\beta}{2}(J - 1)^2}_{W_{\text{vol}}} + \underbrace{\varepsilon \left(\frac{\text{tr } \mathbf{C}}{2} - 1 - \log J \right)}_{W_{\text{dist}}}$$

reference state: $W(\mathbf{I}) = 0$, $s(0) = 0$

5 Constitutive output

$$\underbrace{s = \nabla_e W}_{\text{stress}}$$

$$\underbrace{D = \nabla_e^2 W}_{\text{tangent}}$$

Criteria satisfied by construction

(C1) potential structure

(C2) objectivity

(C3) stress symmetry and anisotropy

(C4) reference normalization

(C5) 2D polyconvexity

(C6) growth