OAVS TGT Computer Teacher Examination

Visual Basic 6.0 Controls from Toolbox

Exam-Focused MCQ Question Bank

208 unique questions · Answer strips · Short explanations · Quick answer key

SYLLABUS COVERED

1. Properties
2. Methods
3. Events
4. Microsoft Windows Common Controls (6.0)
5. Microsoft Windows Common Controls-3 (6.0)
6. Control Arrays (adding controls at design time & at run time)

CONTENTS

#	Section	Questions	Count
01	Properties of Visual Basic Controls	Q1 – Q30	30
02	Methods of Visual Basic Controls	Q31 – Q48	18
03	Events of Visual Basic Controls	Q49 – Q67	19
04	Microsoft Windows Common Controls (6.0)	Q68 – Q94	27
05	Microsoft Windows Common Controls-3 (6.0)	Q95 – Q106	12
06	Control Arrays: Concepts and Applications	Q107 – Q122	16
07	Design-Time Control Arrays	Q123 – Q132	10
08	Runtime Control Arrays	Q133 – Q147	15
09	Code-Based and Scenario-Based Questions	Q148 – Q167	20
10	Important and Tricky Questions	Q168 – Q187	20
11	Mixed OAVS TGT Practice Set	Q188 – Q208	21
	Total		**208**

HOW TO USE

- Question types: Concept, Property, Method, Event, Control, Code, Scenario, Statement, Match, Assertion-Reason and Tricky.
- Cover each question's options first, decide, then check the green answer strip and read the explanation.
- In VB 6.0, control array **Index** usually starts at 0, while Common Controls collections (Panels, Nodes, ListItems, Buttons) are **1-based**.
- Assertion-Reason options: A = both true & R explains A, B = both true but R does not explain A, C = A true & R false, D = A false & R true.

01 · Properties of Visual Basic Controls

Q1 - Q30

Q1 | Concept | VB 6.0 Controls

In Visual Basic 6.0, a *property* of a control is best described as:

A. A built-in procedure that makes the control carry out a particular action at run time

B. A response of the control to a user action such as a click or key press, handled by code

C. An attribute that defines the appearance, behaviour or state of the control

D. A group of controls of one type that share a single name and a common set of event code

Ans: C

Explanation: Property = attribute (data), Method = action, Event = response. Properties are set in the Properties window or in code as `Object.Property = value`.

Q2 | Property | VB 6.0 Controls

Which property sets the text displayed on a CommandButton or a Label?

A. `Name`

B. `Caption`

C. `Text`

D. `Value`

Ans: B

Explanation: `Caption` is used by Label, CommandButton, Frame, CheckBox and OptionButton. TextBox and ComboBox use `Text`.

Q3 | Property | VB 6.0 Controls

What name does VB 6.0 assign by default to the first CommandButton drawn on a form?

A. `Cmd1`

B. `Button1`

C. `CommandButton1`

D. `Command1`

Ans: D

Explanation: VB uses the control class name plus a sequence number (Command1, Text1, Label1, List1, Timer1 ...).

Q4 | Property | VB 6.0 Controls

Which property hides a control at run time while keeping it loaded in memory?

A. `Visible`

B. `Appearance`

C. `Locked`

D. `Enabled`

Ans: A

Explanation: `Visible = False` hides the control. `Enabled = False` only disables it (it stays visible but dimmed).

Q5 | Property | VB 6.0 Controls

Setting `Enabled = False` for a CommandButton at run time will:

A. Remove the button from memory until the form is reloaded

B. Dim the button and stop it responding to user events

C. Hide the button completely so the user cannot see it on the form

D. Clear the button's caption but leave it clickable

Ans: B

Explanation: A disabled control remains visible but cannot receive focus or respond to the user.

Q6 | Property | VB 6.0 Controls

For a TextBox, setting `Locked = True` allows the user to:

A. Type numeric characters only

B. Neither see nor select the text

C. Edit the text but not copy it

D. View and copy the text but not edit it

Ans: D

Explanation: `Locked` makes the box read-only for the user; code can still change `Text`. A disabled box cannot even take focus.

Q7 | Property | VB 6.0 Controls

The `ScrollBars` property of a TextBox has an effect only when:

A. `MaxLength` is set to 0

B. `MultiLine` is set to True

C. `Locked` is set to True

D. `Enabled` is set to False

Ans: B

Explanation: `MultiLine` (and `ScrollBars`) can be set only at design time; they are read-only at run time.

Q8 | Property | VB 6.0 Controls

Which setting makes a TextBox display an asterisk for every character the user types?

A. `Tag = "*"`

B. `MaxLength = "*"`

C. `PasswordChar = "*"`

D. `Alignment = "*"`

Ans: C

Explanation: `PasswordChar` masks the typed characters while `Text` still holds the real input.

Q9 | Property | VB 6.0 Controls

Setting the `MaxLength` property of a TextBox to 0 means:

A. There is no fixed limit on the number of characters

B. No character at all can be typed into the TextBox by the user

C. The TextBox switches to read-only mode for the user

D. Only a single character can be typed into the TextBox at a time

Ans: A

Explanation: A non-zero `MaxLength` restricts the number of characters the user can enter; 0 allows up to the system limit.

Q10 | Property | VB 6.0 Controls

Which ListBox property is available only at run time and is read-only?

A. `Style`

B. `Columns`

C. `Sorted`

D. `ListCount`

Ans: D

Explanation: `ListCount`, `ListIndex`, `SelCount`, `NewIndex` and `ItemData` are run-time properties. `Sorted`, `Columns` and `Style` are design-time only.

Q11 | Property | VB 6.0 Controls

Which `Value` of a CheckBox represents the *Grayed* state?

A. 0

B. 2

C. 3

D. 1

Ans: B

Explanation: CheckBox Value: 0 = Unchecked, 1 = Checked, 2 = Grayed (constants vbUnchecked, vbChecked, vbGrayed).

Q12 | Property | VB 6.0 Controls

Which setting makes a ComboBox accept only the items present in its list (no free typing)?

A. `Sorted = True`

B. `Style = 0` (Dropdown Combo)

C. `Style = 2` (Dropdown List)

D. `Style = 1` (Simple Combo)

Ans: C

Explanation: ComboBox Style: 0 Dropdown Combo (type + select), 1 Simple Combo, 2 Dropdown List (select only).

Q13 | Property | VB 6.0 Controls

The `Interval` property of a Timer control is measured in:

A. Milliseconds

B. Minutes

C. Microseconds

D. Seconds

Ans: A

Explanation: Interval = 1000 means one second. Interval = 0 disables the timer; the maximum is 65,535 ms.

Q14 | Property | VB 6.0 Controls

Which CommandButton property, when True, lets the Enter key trigger the button even when another control has focus?

A. `Style`

B. `TabStop`

C. `Default`

D. `Cancel`

Ans: C

Explanation: `Default = True` -> Enter key; `Cancel = True` -> Esc key. Only one button per form can be Default or Cancel.

Q15 | Property | VB 6.0 Controls

Which property of an Image control resizes the picture to fit the control's size?

A. `Align`

B. `Appearance`

C. `AutoSize`

D. `Stretch`

Ans: D

Explanation: Image has `Stretch`; PictureBox has `AutoSize` (the control resizes to the picture).

Q16 | Property | VB 6.0 Controls

Which property displays a small yellow hint when the mouse pointer rests on a control?

A. `ToolTipText`

B. `HelpContextID`

C. `Caption`

D. `Tag`

Ans: A

Explanation: `ToolTipText` holds the hint string shown on hovering.

Q17 | Property | VB 6.0 Controls

For a horizontal scroll bar, the `LargeChange` property sets how much `Value` changes when:

A. The user drags the scroll box along the bar to a new position

B. The user clicks in the area between the scroll box and an arrow

C. The user clicks one of the two arrow buttons at either end of the bar

D. The Timer control triggers a scroll after each Interval period

Ans: B

Explanation: `SmallChange` applies to the arrow buttons; `LargeChange` to clicks in the shaft area.

Q18 | Property | VB 6.0 Controls

The `Tag` property of a control is mainly used to:

A. Display a short hint when the mouse pointer rests over the control

B. Store extra user-defined data without affecting appearance or behaviour

C. Identify the control uniquely in code, in place of its Name property

D. Decide the order in which the control receives focus on pressing Tab

Ans: B

Explanation: `Tag` is a free string slot for programmer's use (flags, notes, validation hints).

Q19 | Property | VB 6.0 Controls

Which property of a DirListBox holds the path of the folder currently selected?

A. `Pattern`

B. `Drive`

C. `FileName`

D. `Path`

Ans: D

Explanation: `Dir1.Path` = current folder; `Drive1.Drive` = selected drive; `File1.Pattern` = file filter; `File1.FileName` = selected file.

Q20 | Property | VB 6.0 Controls

Which FileListBox property filters the displayed files, for example `*.txt`?

A. `Mask`

B. `Filter`

C. `Pattern`

D. `Wildcard`

Ans: C

Explanation: `File1.Pattern = "*.txt"` shows only text files. `Filter` belongs to the CommonDialog control, not to FileListBox.

Q21 | Property | VB 6.0 Controls

Which property decides the order in which controls receive focus when the user presses the Tab key?

A. `TabIndex`

B. `ZOrder`

C. `Index`

D. `TabStop`

Ans: A

Explanation: `TabIndex` gives the position in the tab order; `TabStop = False` removes a control from it. `ZOrder` is a method for stacking.

Q22 | Property | VB 6.0 Controls

A CommandButton shows its `Picture` only when its `Style` property is set to:

A. 3 - Picture

B. 1 - Graphical

C. 0 - Standard

D. 2 - Flat

Ans: B

Explanation: CommandButton, CheckBox and OptionButton accept a Picture only with `Style = 1` (Graphical).

Q23 | Property | VB 6.0 Controls

Which ListBox property keeps the items in alphabetical order automatically?

A. `Arrange`

B. `Columns`

C. `Sorted`

D. `SortOrder`

Ans: C

Explanation: `Sorted = True` is set at design time only and cannot be changed at run time.

Q24 | Property | VB 6.0 Controls

Which `MousePointer` value displays the hourglass (`vbHourglass`)?

A. 13

B. 2

C. 1

D. 11

Ans: D

Explanation: 1 = Arrow, 2 = Cross, 3 = I-Beam, 11 = Hourglass, 13 = Arrow and Hourglass.

Q25 | Property | VB 6.0 Controls

Which `DragMode` setting lets the user start dragging a control without any code?

A. 1 - Automatic

B. 0 - Manual

C. 3 - Inherit

D. 2 - Auto-Drop

Ans: A

Explanation: With `DragMode = 0` (Manual, the default) dragging begins only when the `Drag` method is called.

Q26 | Property | VB 6.0 Controls

Which properties define the two end points of a Line control?

A. `Start`, `Finish`, `Length`, `Angle`

B. `X1`, `Y1`, `X2`, `Y2`

C. `Left`, `Top`, `Width`, `Height`

D. `Point1`, `Point2`, `Slope`, `Weight`

Ans: B

Explanation: A Line control has no Left, Top, Width or Height; its position is set by X1, Y1, X2, Y2.

Q27 | Property | VB 6.0 Controls

For a Shape control, `Shape = 3` draws a:

A. Square

B. Oval

C. Circle

D. Rounded rectangle

Ans: C

Explanation: Shape values: 0 Rectangle, 1 Square, 2 Oval, 3 Circle, 4 Rounded Rectangle, 5 Rounded Square.

Q28 | Property | VB 6.0 Controls

Which statement makes the text of `Label1` bold at run time?

A. `Label1.FontStyle = vbBold`

B. `Label1.Font.Bold = True`

C. `Label1.Style = Bold`

D. `Label1.Bold = True`

Ans: B

Explanation: Use `Font.Bold` (or the short form `FontBold`); other font settings are `Font.Italic`, `Font.Size` and `Font.Name`.

Q29 | Property | VB 6.0 Controls

Which property sets the colour of the text displayed in a TextBox?

A. `FillColor`

B. `BorderColor`

C. `ForeColor`

D. `BackColor`

Ans: C

Explanation: `ForeColor` = text colour, `BackColor` = background colour. `FillColor` is used for shapes and drawn graphics.

Q30 | Code | VB 6.0 Controls

Which statements select the first five characters of the text in `Text1`?

A. `Text1.SelStart = 1: Text1.SelLength = 5`

B. `Text1.SelStart = 5: Text1.SelLength = 0`

C. `Text1.SelStart = 0: Text1.SelLength = 5`

D. `Text1.SelText = 5`

Ans: C

Explanation: `SelStart` is zero-based, so 0 is the first character; `SelLength` gives the number of characters selected.

02 · Methods of Visual Basic Controls

Q31 – Q48

Q31 | Concept | VB 6.0 Controls

A *method* of a control is:

A. A built-in procedure that makes the control perform an action

B. An event procedure written by the programmer in the code window

C. A named attribute that stores the appearance or state of the control

D. A user-defined constant declared for use with the control

Ans: A

Explanation: Methods are called as `Object.Method arguments`, e.g. `Text1.SetFocus`, `List1.AddItem "A"`.

Q32 | Method | VB 6.0 Controls

Which method moves the input focus to a specified control?

A. `Refresh`

B. `Move`

C. `ZOrder`

D. `SetFocus`

Ans: D

Explanation: `Text1.SetFocus` gives the focus to Text1; it fails if the control is disabled or invisible.

Q33 | Method | VB 6.0 Controls

What does the statement `Command1.Move 100, 200, 1500` do?

A. Sets Top = 100, Left = 200 and Height = 1500

B. Sets Left = 100, Top = 200 and Height = 1500

C. Sets Left = 100, Top = 200 and Width = 1500

D. Shifts the button 100 twips right and 200 twips down from its present position

Ans: C

Explanation: Syntax: `object.Move left, top, width, height`. Only `left` is mandatory; the values are absolute, not relative.

Q34 | Method | VB 6.0 Controls

Which method adds a new entry to a ListBox or a ComboBox?

A. `Insert`

B. `Append`

C. `Add`

D. `AddItem`

Ans: D

Explanation: Syntax: `List1.AddItem item [, index]`. `Add` belongs to collections such as Nodes and Panels.

Q35 | Method | VB 6.0 Controls

Which statement deletes the first item of `List1`?

A. `List1.Delete 0`

B. `List1.RemoveItem 0`

C. `List1.Clear 0`

D. `List1.RemoveItem 1`

Ans: B

Explanation: `RemoveItem` needs the index of the item; ListBox indexes start at 0.

Q36 | Method | VB 6.0 Controls

Which method removes all items from a ListBox in a single call?

A. `Clear`

B. `Cls`

C. `RemoveItem`

D. `Reset`

Ans: A

Explanation: `List1.Clear` empties the list. `Cls` is for graphics/text drawn on a Form or PictureBox.

Q37 | Method | VB 6.0 Controls

Which method erases the text and graphics drawn at run time on a PictureBox?

A. `Refresh`

B. `Cls`

C. `Clear`

D. `Drag`

Ans: B

Explanation: `Picture1.Cls` clears output produced by Print, Line, Circle and PSet (not the Picture property).

Q38 | Method | VB 6.0 Controls

What does the `Print` method of a PictureBox do?

A. Shows the text in a message box dialog on the screen

B. Sends the text to the default printer attached to the system

C. Displays the given text on the PictureBox surface

D. Saves the text into a disk file chosen by the user

Ans: C

Explanation: `Picture1.Print "VB6"` writes text on the control itself; printer output needs the `Printer` object.

Q39 | Method | VB 6.0 Controls

Which method forces a complete immediate repaint of a control?

A. `Refresh`

B. `Drag`

C. `ZOrder`

D. `SetFocus`

Ans: A

Explanation: `Refresh` redraws the object right away instead of waiting for the system to repaint.

Q40 | Method | VB 6.0 Controls

What is the effect of `Command1.ZOrder 1`?

A. Changes the button's Index property to 1 in the control array

B. Brings the button in front of all other controls at its level

C. Moves the button to the first position in the tab order

D. Sends the button behind the other controls at its z-order level

Ans: D

Explanation: `ZOrder 0` (default) = front; `ZOrder 1` = back. It changes stacking, not `TabIndex`.

Q41 | Method | VB 6.0 Controls

Which PictureBox method draws a circle when the centre and radius are given?

A. `Circle`

B. `Oval`

C. `Arc`

D. `Ellipse`

Ans: A

Explanation: VB 6.0 graphics methods: `Line`, `Circle`, `PSet`, `Point`, `Scale`, `Cls`, `Print`.

Q42 | Method | VB 6.0 Controls

What happens when `Text1.AddItem "Delhi"` is written for a TextBox named Text1?

A. Delhi is added as a new line inside the TextBox when run

B. Run-time error 6 (Overflow) occurs when the line executes

C. The statement runs silently without any effect on Text1

D. Compile error: Method or data member not found

Ans: D

Explanation: `AddItem` is not a TextBox method. Early binding flags it at compile time (error 438 appears only with late-bound objects).

Q43 | Method | VB 6.0 Controls

If `DragMode` is 0 (Manual), which statement starts dragging `Command1`?

A. `Command1.Drag 0`

B. `Command1.Drag 1`

C. `Command1.DragMode = 2`

D. `Command1.Move 1`

Ans: B

Explanation: `Drag` arguments: 0 cancels the drag, 1 begins it, 2 ends it (drop).

Q44 | Method | VB 6.0 Controls

Which method returns the colour of a pixel at a given point in a PictureBox?

A. `Scale`

B. `Cls`

C. `PSet`

D. `Point`

Ans: D

Explanation: `PSet` plots a point; `Point` reads the colour value of a pixel.

Q45 | Method | VB 6.0 Controls

In `Picture1.Line (0, 0)-(500, 300), , B`, what does the `B` option do?

A. Draws the line in bold

B. Draws a broken (dashed) line

C. Draws a border around the PictureBox

D. Draws a rectangle (box) with the two points as opposite corners

Ans: D

Explanation: `B` draws a box; `BF` draws a filled box.

Q46 | Method | VB 6.0 Controls

Which method gives the width a string will take up on a Form or PictureBox in the current font?

A. `StringWidth`

B. `TextWidth`

C. `TextLength`

D. `Measure`

Ans: B

Explanation: `TextWidth` and `TextHeight` return the size of the text in the object's current scale units.

Q47 | Method | VB 6.0 Controls

Which function loads a picture file into the `Picture` property at run time?

A. `LoadImage`

B. `GetPicture`

C. `LoadPicture`

D. `OpenPicture`

Ans: C

Explanation: `Picture1.Picture = LoadPicture("c:\a.bmp");` `LoadPicture("")` clears the picture.

Q48 | Method | VB 6.0 Controls

Which statement deletes the currently selected item of `List1`?

A. `List1.RemoveItem List1.Text`

B. `List1.Remove List1.Text`

C. `List1.Clear List1.ListIndex`

D. `List1.RemoveItem List1.ListIndex`

Ans: D

Explanation: `RemoveItem` takes the index of the item. If nothing is selected (`ListIndex = -1`) it raises run-time error 5.

03 · Events of Visual Basic Controls

Q49 – Q67

Q49 | Concept | VB 6.0 Controls

An *event* in Visual Basic 6.0 is:

A. A property that stores the last value entered by the user

B. An action recognised by a control (such as Click or KeyPress) that can trigger code

C. A built-in procedure called by the programmer to make a control act

D. A control that responds only to keyboard input from the user

Ans: B

Explanation: Events are triggered by the user, the system or code; the code written for one is an event procedure.

Q50 | Event | VB 6.0 Controls

Which is the correct event procedure header for clicking a CommandButton named `cmdSave`?

A. `Private Function cmdSave_Click()`

B. `Private Sub Click_cmdSave()`

C. `Private Sub cmdSave_Click()`

D. `Private Sub cmdSave.Click()`

Ans: C

Explanation: Event procedures are named `ControlName_EventName`.

Q51 | Event | VB 6.0 Controls

The `Change` event of a TextBox occurs when:

A. The `Text` property changes, whether by typing or by code

B. The user presses the Enter key while the TextBox has focus

C. The TextBox loses focus after the user finishes entering text

D. The TextBox is moved to a new position on the form

Ans: A

Explanation: Change fires for every modification of Text. LostFocus is the event for leaving the control.

Q52 | Event | VB 6.0 Controls

In the `KeyPress` event, the argument `KeyAscii` contains:

A. The number of times the key has been pressed

B. The ASCII code of the character typed

C. The state of the Shift, Ctrl and Alt keys

D. The scan code of the physical key irrespective of case

Ans: B

Explanation: KeyPress receives ASCII; KeyDown/KeyUp receive `KeyCode` and `Shift`.

Q53 | Event | VB 6.0 Controls

Which event can detect arrow keys and function keys such as F5?

A. `GotFocus`

B. `Change`

C. `KeyPress`

D. `KeyDown`

Ans: D

Explanation: KeyPress reacts only to ASCII-producing keys; KeyDown/KeyUp report every physical key via `KeyCode`.

Q54 | Event | VB 6.0 Controls

When a key is pressed and released in a TextBox, the events occur in the order:

A. KeyDown, KeyPress, KeyUp

B. KeyDown, KeyUp, KeyPress

C. KeyPress, KeyDown, KeyUp

D. KeyUp, KeyPress, KeyDown

Ans: A

Explanation: KeyDown -> KeyPress -> (Change) -> KeyUp.

Q55 | Event | VB 6.0 Controls

Which scroll bar event fires continuously while the user drags the scroll box?

A. `Scroll`

B. `Click`

C. `Change`

D. `DragDrop`

Ans: A

Explanation: `Scroll` occurs during dragging; `Change` occurs after Value has changed (e.g. on release or arrow click).

Q56 | Event | VB 6.0 Controls

In the `MouseDown` event, the `Button` argument is 2 when:

A. The left mouse button is pressed

B. No button is pressed

C. The right mouse button is pressed

D. The middle mouse button is pressed

Ans: C

Explanation: Button: 1 = left, 2 = right, 4 = middle (vbLeftButton, vbRightButton, vbMiddleButton).

Q57 | Event | VB 6.0 Controls

The Timer control supports only one event. Which one?

A. `Elapsed`

B. `Interval`

C. `Tick`

D. `Timer`

Ans: D

Explanation: `Timer1_Timer` runs every Interval milliseconds while Enabled is True. (Tick/Elapsed belong to other platforms.)

Q58 | Event | VB 6.0 Controls

Which event is commonly used to validate TextBox data when the user moves to another control?

A. `Change`

B. `LostFocus`

C. `Click`

D. `GotFocus`

Ans: B

Explanation: LostFocus fires when the control loses focus; the `Validate` event is the modern alternative.

Q59 | Event | VB 6.0 Controls

The `Validate` event of a control fires when focus is about to move to another control whose:

A. `Visible` property of that control is False

B. `TabStop` property of that control is False

C. `CausesValidation` property is True

D. `Enabled` property of that control is False

Ans: C

Explanation: Validate lets you cancel the focus change (`Cancel = True`) if the data is invalid.

Q60 | Event | VB 6.0 Controls

Which event is NOT supported by a CommandButton?

A. `MouseDown`

B. `GotFocus`

C. `DblClick`

D. `Click`

Ans: C

Explanation: A CommandButton has no DblClick event; a quick double-click simply raises Click twice.

Q61 | Event | VB 6.0 Controls

Which ListBox event occurs when a check box item is ticked or cleared (`Style = 1`)?

A. `Scroll`

B. `DblClick`

C. `Validate`

D. `ItemCheck`

Ans: D

Explanation: ItemCheck gets the `Item` argument (index of the affected entry).

Q62 | Event | VB 6.0 Controls

Which event occurs repeatedly while the mouse pointer moves over a control?

A. `MouseMove`

B. `MouseUp`

C. `DragOver`

D. `MouseDown`

Ans: A

Explanation: MouseMove(Button, Shift, X, Y) gives the pointer position; MouseDown/MouseUp occur once per button action.

Q63 | Event | VB 6.0 Controls

When a Label is double-clicked, the events occur in which order?

A. MouseDown, MouseUp, Click, DblClick, MouseUp

B. MouseDown, Click, MouseUp, DblClick, MouseUp

C. Click, MouseDown, MouseUp, DblClick, MouseUp

D. MouseDown, MouseUp, DblClick, Click, MouseUp

Ans: A

Explanation: Standard sequence: MouseDown, MouseUp, Click, DblClick, MouseUp.

Q64 | Event | VB 6.0 Controls

Which event of the target control occurs when a dragged control is released on it?

A. `Drop`

B. `DragDrop`

C. `DragOver`

D. `MouseUp`

Ans: B

Explanation: `DragOver` fires while the dragged object is moving over the target; `DragDrop` fires when it is dropped.

Q65 | Event | VB 6.0 Controls

Which PictureBox event is used to redraw graphics when part of the control is uncovered (with `AutoRedraw = False`)?

A. `Refresh`

B. `Redraw`

C. `Change`

D. `Paint`

Ans: D

Explanation: `Refresh` is a method; `Paint` is the event. With `AutoRedraw = True` VB redraws automatically.

Q66 | Event | VB 6.0 Controls

What happens when `Option1.Value = True` is executed in code?

A. The `Option1_Click` event is also triggered

B. Nothing, because Click fires only for mouse clicks

C. A run-time error occurs

D. The OptionButton is disabled

Ans: A

Explanation: Changing an OptionButton's Value to True in code raises its Click event.

Q67 | Event | VB 6.0 Controls

When the focus moves from `Text1` to `Text2`, which events occur in order?

A. Text1_LostFocus, then Text2_GotFocus

B. Text2_GotFocus, then Text1_LostFocus

C. Text1_Change, then Text2_Click

D. Text2_Click, then Text1_LostFocus

Ans: A

Explanation: The old control loses focus first; Validate (if used) occurs before LostFocus.

04 · Microsoft Windows Common Controls (6.0) Q68 – Q94

Q68 | Concept | VB 6.0 Controls

Microsoft Windows Common Controls 6.0 are stored in which file?

A. `COMDLG32.OCX`

B. `COMCT332.OCX`

C. `MSCOMCTL.OCX`

D. `MSFLXGRD.OCX`

Ans: C

Explanation: MSCOMCTL.OCX holds TabStrip, Toolbar, StatusBar, ProgressBar, TreeView, ListView, ImageList, Slider and ImageCombo.

Q69 | Concept | VB 6.0 Controls

Which list contains only controls of Microsoft Windows Common Controls 6.0?

A. CoolBar, Toolbar, StatusBar, TreeView, ListView, ImageList

B. TabStrip, Toolbar, StatusBar, ProgressBar, TreeView, ListView

C. CommandButton, Label, TextBox, Frame, PictureBox, Timer

D. TextBox, TreeView, ListView, Slider, StatusBar, Toolbar

Ans: B

Explanation: CoolBar is in Common Controls-3; CommandButton, Label, TextBox, Frame, PictureBox and Timer are intrinsic toolbox controls.

Q70 | Concept | VB 6.0 Controls

How do you add the Windows Common Controls to the Toolbox?

A. Tools -> Add-Ins -> Add-In Manager -> Common Controls

B. Project -> References -> tick "Microsoft Windows Common Controls 6.0"

C. View -> Toolbox -> right-click -> Add Standard Controls

D. Project -> Components -> tick "Microsoft Windows Common Controls 6.0"

Ans: D

Explanation: ActiveX controls are added from the Components dialog; References is for type libraries.

Q71 | Control | VB 6.0 Controls

The ImageList control is used to:

A. Show a timed slide show of pictures on the form

B. Store a collection of images that other controls can use

C. Display a user-resizable picture window on the form at run time

D. Draw lines, circles and other shapes using graphics methods

Ans: B

Explanation: ImageList is invisible at run time; it supplies pictures to TreeView, ListView, Toolbar, TabStrip and ImageCombo.

Q72 | Control | VB 6.0 Controls

Images inside an ImageList are held in which collection?

A. `ListImages`

B. `Nodes`

C. `Images`

D. `Pictures`

Ans: A

Explanation: Use `ImageList1.ListImages.Add` to add a picture; items are referred by Index or Key.

Q73 | Control | VB 6.0 Controls

The TreeView control displays information as:

A. A hierarchy of Node objects

B. Rows and columns of cells

C. A set of bands hosting other controls

D. A set of tabbed pages

Ans: A

Explanation: TreeView shows parent-child items (like Windows Explorer folders).

Q74 | Control | VB 6.0 Controls

Which statement adds an item to a TreeView?

A. `TreeView1.Buttons.Add ...`

B. `TreeView1.ListItems.Add ...`

C. `TreeView1.Nodes.Add ...`

D. `TreeView1.Panels.Add ...`

Ans: C

Explanation: Each Common Control has its own collection: Nodes (TreeView), ListItems (ListView), Panels (StatusBar), Buttons (Toolbar).

Q75 | Control | VB 6.0 Controls

Which event of a TreeView occurs when the user clicks a node?

A. `ButtonClick`

B. `ItemClick`

C. `NodeClick`

D. `PanelClick`

Ans: C

Explanation: ItemClick -> ListView, ButtonClick -> Toolbar, PanelClick -> StatusBar.

Q76 | Control | VB 6.0 Controls

Which `View` setting makes a ListView show items in columns with headers (report/detail view)?

A. `lvwList` (2)

B. `lvwIcon` (0)

C. `lvwSmallIcon` (1)

D. `lvwReport` (3)

Ans: D

Explanation: ListView View: 0 Icon, 1 SmallIcon, 2 List, 3 Report.

Q77 | Control | VB 6.0 Controls

Which collection stores the items displayed in a ListView?

A. `Buttons`

B. `Tabs`

C. `ListItems`

D. `Nodes`

Ans: C

Explanation: ListItems holds ListItem objects; extra columns are held in `SubItems` and `ColumnHeaders`.

Q78 | Control | VB 6.0 Controls

In Report view, the column titles of a ListView are created with:

A. `ListItems.Add`

B. `Headers.Add`

C. `Columns.Add`

D. `ColumnHeaders.Add`

Ans: D

Explanation: ColumnHeaders is the collection of ColumnHeader objects.

Q79 | Control | VB 6.0 Controls

A StatusBar displays information in sections called:

A. Bands

B. Tabs

C. Panels

D. Nodes

Ans: C

Explanation: Panels collection (1-based); `Style = sbrSimple` shows a single simple text panel.

Q80 | Control | VB 6.0 Controls

Which StatusBar panel style shows the current system date automatically?

A. `sbrNum`

B. `sbrDate`

C. `sbrTime`

D. `sbrText`

Ans: B

Explanation: Panel styles: sbrText, sbrCaps, sbrNum, sbrIns, sbrScrl, sbrTime, sbrDate, sbrKana.

Q81 | Control | VB 6.0 Controls

Which pair of properties defines the range of a ProgressBar?

A. `Min` and `Max`

B. `Left` and `Width`

C. `LargeChange` and `SmallChange`

D. `Value` and `Interval`

Ans: A

Explanation: `Value` (the current position) must lie between Min and Max.

Q82 | Control | VB 6.0 Controls

Which property of a Slider controls the spacing of its tick marks?

A. `TickFrequency`

B. `LargeChange`

C. `TickStyle`

D. `SmallChange`

Ans: A

Explanation: `TickStyle` selects the type/position of ticks; `TickFrequency` sets how many units between ticks.

Q83 | Control | VB 6.0 Controls

The buttons of a Toolbar belong to which collection, and which event handles their clicks?

A. `Tools` collection; `ToolClick` event

B. `Panels` collection; `PanelClick` event

C. `Buttons` collection; `ButtonClick` event

D. `Items` collection; `ItemClick` event

Ans: C

Explanation: `Toolbar1_ButtonClick(ByVal Button As MSComctlLib.Button)` identifies the clicked button.

Q84 | Control | VB 6.0 Controls

Which statement about the TabStrip control is correct?

A. Child controls can be drawn directly onto each of its tabs at design time

B. It is not a container; controls for each tab must be placed in Frames or PictureBoxes and shown/hidden by code

C. It acts only as an invisible store of pictures for other controls to use

D. It automatically shows or hides the controls placed on each tab when tabs change

Ans: B

Explanation: TabStrip only supplies the tabs (Tabs collection, Click event).

Q85 | Control | VB 6.0 Controls

How does an ImageCombo differ from an ordinary ComboBox?

A. It can display an icon beside each item using a linked ImageList

B. It is an intrinsic control that already exists in the default toolbox

C. It stores only numeric items from an attached database

D. It cannot accept any typed text and only lists pictures

Ans: A

Explanation: ImageCombo items are ComboItem objects in the `ComboItems` collection.

Q86 | Control | VB 6.0 Controls

Which Slider property enables highlighting of a range of values?

A. `SelectRange`

B. `TickStyle`

C. `Orientation`

D. `LargeChange`

Ans: A

Explanation: When `SelectRange = True`, `SelStart` and `SelLength` define the highlighted range.

Q87 | Control | VB 6.0 Controls

Which ProgressBar property makes the bar continuous instead of segmented blocks?

A. `Style`

B. `BorderStyle`

C. `Appearance`

D. `Scrolling`

Ans: D

Explanation: `Scrolling = ccScrollingSmooth (1)`; the default is ccScrollingStandard (0).

Q88 | Control | VB 6.0 Controls

Which TabStrip property returns the tab currently selected?

A. `Selected`

B. `CurrentTab`

C. `ActiveTab`

D. `SelectedItem`

Ans: D

Explanation: `TabStrip1.SelectedItem.Index` is commonly used in the TabStrip `Click` event to show the matching Frame.

Q89 | Control | VB 6.0 Controls

The `Expanded` property of a TreeView Node indicates whether:

A. The node is visible on the form

B. The node is checked

C. The node's child nodes are currently displayed

D. The node is selected

Ans: C

Explanation: `Checked`, `Selected` and `Visible` are separate Node properties, so don't confuse them with `Expanded`.

Q90 | Control | VB 6.0 Controls

What does the `Children` property of a TreeView Node return?

A. The first child Node object

B. The number of child nodes of that node

C. The key of the first child node

D. The parent Node object

Ans: B

Explanation: `Children` is a count; the parent is returned by `Parent` and the first child by `Child`.

Q91 | Control | VB 6.0 Controls

Which ListView event is commonly used to sort the list when the user clicks a column header?

A. `Click`

B. `HeaderClick`

C. `ColumnClick`

D. `ItemClick`

Ans: C

Explanation: `ColumnClick(ColumnHeader)` gives the clicked header; set `SortKey` and `Sorted` in it.

Q92 | Control | VB 6.0 Controls

In Report view, the text for the extra columns of a ListItem is stored in:

A. `Text`

B. `Tag`

C. `Columns`

D. `SubItems`

Ans: D

Explanation: `ListItems(1).SubItems(1)` is the text of the second column; the item's own text is the first column.

Q93 | Control | VB 6.0 Controls

The picture size of an ImageList can be chosen:

A. Only after the ListImages collection is cleared by the user

B. Only before the first image has been added

C. At any time, even after images are added

D. Only at run time

Ans: B

Explanation: `ImageHeight` and `ImageWidth` become fixed once the first image is inserted.

Q94 | Control | VB 6.0 Controls

Which StatusBar Panel property aligns the text left, centre or right inside the panel?

A. `Style`

B. `AutoSize`

C. `Alignment`

D. `Bevel`

Ans: C

Explanation: Alignment constants: sbrLeft, sbrCenter, sbrRight.

05 · Microsoft Windows Common Controls-3 (6.0) Q95 – Q106

Q95 | Concept | VB 6.0 Controls

The only control supplied by Microsoft Windows Common Controls-3 6.0 (`COMCT332.OCX`) is:

A. CoolBar

B. TreeView

C. StatusBar

D. Slider

Ans: A

Explanation: Common Controls-3 contains just the CoolBar control; TreeView, StatusBar and Slider are in MSCOMCTL.OCX.

Q96 | Control | VB 6.0 Controls

The CoolBar control is mainly used to create:

A. Status messages displayed in panels at the bottom of the form

B. User-configurable, resizable toolbar bands like those of Internet Explorer

C. A hierarchical tree of nodes showing folders and sub-folders

D. A progress indicator that shows how much of a task is complete

Ans: B

Explanation: CoolBar lets the user drag, resize and re-arrange bands holding toolbars and other controls.

Q97 | Control | VB 6.0 Controls

A CoolBar is made up of:

A. Nodes arranged in a parent-child hierarchy in the `Nodes` collection

B. Tabs for switching between pages held in the `Tabs` collection

C. One or more resizable bands held in the `Bands` collection

D. Panels of fixed width held in the `Panels` collection of the control

Ans: C

Explanation: Each Band object represents one resizable region.

Q98 | Control | VB 6.0 Controls

How many child controls can a single band of a CoolBar host?

A. One

B. Two

C. None; bands can show only a caption and picture

D. Any number

Ans: A

Explanation: To place several controls in one band, put them inside a PictureBox and make that PictureBox the band's child.

Q99 | Control | VB 6.0 Controls

Which kind of control cannot be used as a child of a CoolBar band?

A. TextBox and ComboBox controls placed inside a band

B. A PictureBox holding several other controls

C. A flat Toolbar control placed inside a band

D. Lightweight (windowless) controls such as Label

Ans: D

Explanation: TextBox, ComboBox and flat Toolbar controls are typical children; Label and other windowless controls are not allowed.

Q100 | Concept | VB 6.0 Controls

The CoolBar is best classified as a:

A. Container control

B. Data-bound control

C. Windowless control

D. Non-visual control

Ans: A

Explanation: Being a container, it can host child controls inside its bands.

Q101 | Event | VB 6.0 Controls

Which CoolBar event fires when the height of a horizontal CoolBar changes, helping you reposition other controls?

A. `NodeClick`
B. `BandClick`
C. `ButtonClick`
D. `HeightChanged`

Ans: D

Explanation: Use HeightChanged to move or resize controls that would otherwise be covered when the CoolBar grows.

Q102 | Property | VB 6.0 Controls

The `Orientation` property of a CoolBar allows its bands to be arranged:

A. Only horizontally
B. Horizontally or vertically
C. Only in tree form
D. Only vertically

Ans: B

Explanation: Orientation = horizontal (default) or vertical.

Q103 | Control | VB 6.0 Controls

Which statement adds a new band to a CoolBar at run time?

A. `CoolBar1.Buttons.Add`
B. `CoolBar1.Bands.Add`
C. `CoolBar1.Panels.Add`
D. `CoolBar1.Nodes.Add`

Ans: B

Explanation: Each Common Control uses its own collection; for the CoolBar it is `Bands`.

Q104 | Control | VB 6.0 Controls

Which Band property assigns the control that a band hosts?

A. `Container`
B. `Parent`
C. `Child`
D. `Control`

Ans: C

Explanation: `CoolBar1.Bands(1).Child = Picture1` makes Picture1 the band's child control.

Q105 | Control | VB 6.0 Controls

Which Band property forces the band onto a new row in the CoolBar?

A. `Row`

B. `NewRow`

C. `Break`

D. `Position`

Ans: B

Explanation: `NewRow = True` starts a new row; `Position` gives the band's order.

Q106 | Property | VB 6.0 Controls

Which property docks a CoolBar to the top of the form?

A. `Position`

B. `Align`

C. `Dock`

D. `Anchor`

Ans: B

Explanation: `Align = 1 (vbAlignTop)`; the CoolBar then resizes with the form width.

06 · Control Arrays: Concepts and Applications Q107 – Q122

Q107 | Concept | VB 6.0 Controls

Which property is commonly used to distinguish individual controls belonging to the same control array?

A. `Caption`

B. `Visible`

C. `Index`

D. `Name`

Ans: C

Explanation: The `Index` property identifies individual elements of a control array, allowing them to share a common control name.

Q108 | Concept | VB 6.0 Controls

A *control array* is:

A. A set of controls that share the same `Tag` property value in one form

B. A set of controls of different types stored together under one collection name

C. An ordinary array variable declared with `Dim` that stores control values

D. A group of controls of the same type sharing one name and event procedures, distinguished by Index

Ans: D

Explanation: Elements share Name, type and event code; each has a unique `Index`.

Q109 | Concept | VB 6.0 Controls

Which is a key advantage of using a control array?

A. Event procedures never receive an `Index` argument

B. Elements can be of different control types within the same array

C. The `Name` property is no longer required for any control

D. Elements share one set of event procedures, reducing code

Ans: D

Explanation: Other benefits: new elements can be created at run time, and fewer resources are used than with many separate controls.

Q110 | Concept | VB 6.0 Controls

All elements of a control array must be:

A. Of the same control type, e.g. all TextBoxes

B. Placed inside the same Frame on a form

C. Of different types, so long as they have equal Captions

D. Assigned the same `Tag` value at design time

Ans: A

Explanation: A control array cannot mix a TextBox with a Label.

Q111 | Property | VB 6.0 Controls

The first element of a control array created at design time normally has `Index`:

A. 32767

B. 0

C. 1

D. -1

Ans: B

Explanation: Index values are non-negative integers; the original control becomes element 0.

Q112 | Property | VB 6.0 Controls

The maximum valid `Index` value of a control array element is:

A. 65535

B. 255

C. 32767

D. 32768

Ans: C

Explanation: Valid Index range: 0 to 32,767.

Q113 | Event | VB 6.0 Controls

A CommandButton control array is named `cmdOp`. Its Click event procedure is written as:

A. `Private Sub cmdOp_Click(Index As String)`

B. `Private Sub cmdOp(Index)_Click()`

C. `Private Sub cmdOp_Click()`

D. `Private Sub cmdOp_Click(Index As Integer)`

Ans: D

Explanation: Index is passed automatically so the code can tell which element was clicked.

Q114 | Property | VB 6.0 Controls

Index values of the elements of a control array:

A. Need not be consecutive

B. Must be negative for run-time elements

C. Must start from 1

D. Must be consecutive starting from 0

Ans: A

Explanation: Gaps are allowed, e.g. elements 0, 3 and 7.

Q115 | Property | VB 6.0 Controls

A control array `Text1` has elements 0 to 4. Which expression returns the number of elements (5)?

A. `Text1.Items`

B. `Text1.Count`

C. `Text1.Length`

D. `Text1.UBound`

Ans: B

Explanation: `Count` = number of elements; `UBound` = highest index (4) and `LBound` = lowest index (0).

Q116 | Concept | VB 6.0 Controls

Which statement correctly assigns a caption to the third element of control array `Label1`?

A. `Label1(3).Caption = "X"`

B. `Label1.2.Caption = "X"`

C. `Label1(2).Caption = "X"`

D. `Label1[2].Caption = "X"`

Ans: C

Explanation: Elements are referred to as `Name(Index)`; if indexes start at 0, the third element has Index 2.

Q117 | Property | VB 6.0 Controls

At run time, the `Index` property of a control array element is:

A. Always equal to the `TabIndex` value

B. Freely changeable to reorder elements

C. Write-only

D. Read-only

Ans: D

Explanation: `Index` is assigned at design time or by `Load`; code cannot change it later.

Q118 | Code | VB 6.0 Controls

Which code clears all the elements of the `Text1` control array?

A. `Dim t As Object: For Each t In Text1: t.Text = "": Next t`

B. `For i = 0 To Text1.Count: Text1(i).Text = "": Next i`

C. `For Each t In Text1.Items: t.Text = "": Next t`

D. `For i = 1 To Text1.Count: Text1(i).Text = "": Next i`

Ans: A

Explanation: With indexes 0 to 4, `Count` = 5. Looping to `Count` or from 1 misses element 0 or goes past the last element. `For Each` is the safest.

Q119 | Concept | VB 6.0 Controls

Which error occurs when `Text1(9).Text = "A"` is executed but no element with Index 9 exists?

A. Run-time error 91: Object variable not set

B. Compile error: Index out of bounds

C. Run-time error 340: Control array element doesn't exist

D. Run-time error 9: Subscript out of range

Ans: C

Explanation: A missing array element raises error 340 (not error 9, which is for ordinary arrays).

Q120 | Concept | VB 6.0 Controls

How do you create a menu control array in the Menu Editor?

A. Tick the Checked box for every menu item

B. Set the same Caption for the menu items

C. Set the `Tag` property of every menu item to the same value

D. Give two menu items the same Name and different Index values

Ans: D

Explanation: Menu control arrays are used for lists such as recent files, with one shared Click procedure.

Q121 | Concept | VB 6.0 Controls

The elements of a control array must all be on:

A. The same Frame

B. The same form

C. The same row of the form

D. Different forms

Ans: B

Explanation: A control array belongs to one form; its elements can still lie in different containers of that form.

Q122 | Code | VB 6.0 Controls

`Option1` is a control array of three OptionButtons (Index 0 to 2). Which statement tests whether the second one is selected?

A. `If Option1(1).Value = True Then`

B. `If Option1(2).Value = True Then`

C. `If Option1.Index = 1 Then`

D. `If Option1.Value = 2 Then`

Ans: A

Explanation: The second element has Index 1. `Index` identifies the element, not its selection state.

07 · Design-Time Control Arrays Q123 – Q132

Q123 | Concept | VB 6.0 Controls

Which design-time action creates a control array?

A. Declare `Dim Cmd(5) As CommandButton` in the General Declarations section

B. Copy a control, paste it, and click Yes at the "create a control array?" prompt

C. Draw two controls on the form and give them the same `Tag` value at design time

D. Use the `Load` statement in `Form_Load` before any control is drawn

Ans: B

Explanation: Other methods: give two controls the same Name, or set the Index property of a control.

Q124 | Concept | VB 6.0 Controls

If a second TextBox is given the same Name as an existing one at design time, VB:

A. Asks whether you want to create a control array

B. Renames the second control automatically to Text2

C. Merges both into a single control with combined text

D. Raises a run-time error when the project is started

Ans: A

Explanation: The dialog reads "You already have a control named 'Text1'. Do you want to create a control array?"

Q125 | Property | VB 6.0 Controls

Setting the `Index` property of a single control to 0 at design time:

A. Makes the control first in the tab order of the form

B. Turns it into a control array with one element

C. Hides the control until the form is reloaded

D. Makes the control the Default button of the form

Ans: B

Explanation: This is the quickest way to start an array that can later grow with Load at run time.

Q126 | Concept | VB 6.0 Controls

After copying `Text1`, pasting it and answering Yes to the prompt, the controls have:

A. Name Text1 for both, with Index 0 (original) and Index 1 (pasted)

B. Names Text1 and Text2, both with Index 0, because each is a separate control

C. Names Text1 and Text1_1, with Index 1 for both controls

D. Name Text1 for both controls, with Index 0 for both of them

Ans: A

Explanation: The original becomes element 0; the pasted copy becomes element 1.

Q127 | Event | VB 6.0 Controls

A design-time array contains four CommandButtons. How many Click event procedures does VB create?

A. One, shared by all four

B. None, because event code cannot be written for control arrays

C. Two, one for the first and one for the remaining elements

D. Four, one for each element of the array

Ans: A

Explanation: A single `cmd_Click(Index As Integer)` handles all elements; use `Select Case Index` inside.

Q128 | Concept | VB 6.0 Controls

Which statement about control array elements created at design time is true?

A. They cannot respond to any event procedures

B. Their Visible property is always set to False

C. They cannot be removed with the Unload statement at run time

D. They can be removed with Unload at any time

Ans: C

Explanation: Only elements added with Load can be unloaded; unloading a design-time element gives an error.

Q129 | Scenario | VB 6.0 Controls

A calculator form needs ten digit buttons that behave alike. Which design needs the least code?

A. Ten buttons with different names that all share a single Timer event

B. One button reloaded ten times with Load, with no design-time button at all

C. A control array of ten buttons with one Click procedure using Index

D. Ten separately named buttons, each with its own Click procedure

Ans: C

Explanation: Index tells which digit was pressed, so one procedure serves all.

Q130 | Property | VB 6.0 Controls

In the Properties window, the `Index` property of a control that is NOT part of a control array is:

A. 0

B. -1

C. Equal to TabIndex

D. Blank (not set)

Ans: D

Explanation: Index appears only for control array elements; an empty value means an ordinary control.

Q131 | Concept | VB 6.0 Controls

If you answer No to "Do you want to create a control array?" after pasting a control named `Text1`, VB:

A. Overwrites the original control

B. Pastes the control with a new default name such as `Text2`

C. Pastes it with Index 0

D. Cancels the paste

Ans: B

Explanation: Only Yes creates the array; No gives an ordinary new control.

Q132 | Concept | VB 6.0 Controls

Can the elements of a control array be placed in different containers (e.g. a Frame and the form)?

A. Yes, even on different forms

B. No, all must be directly on the form

C. Yes, so long as they are on the same form

D. No, all must be in the same Frame

Ans: C

Explanation: Array elements share a Name and one set of events, not one container.

08 · Runtime Control Arrays

Q133 – Q147

Q133 | Statement | VB 6.0 Controls

Which statement adds a new element to the existing control array `Text1` at run time?

A. `Add Text1(1)`

B. `Text1.Add 1`

C. `Create Text1(1)`

D. `Load Text1(1)`

Ans: D

Explanation: Load creates a new array element; Unload removes it.

Q134 | Concept | VB 6.0 Controls

To add elements with `Load`, the control array must already have:

A. At least one element created at design time, usually Index 0

B. Been created entirely at run time with no design-time element

C. Its `Name` property changed at run time

D. Its `Style` property set to Graphical

Ans: A

Explanation: A control array cannot start from nothing at run time; the first element comes from the form design.

Q135 | Property | VB 6.0 Controls

The `Visible` property of a newly loaded array element is initially:

A. True

B. False

C. Same as the first element

D. Null

Ans: B

Explanation: Set `Visible = True` after Load or the new element will not be seen.

Q136 | Concept | VB 6.0 Controls

A newly loaded control array element first appears at:

A. The centre of the form, whatever the first element's position

B. The top-left corner of the form until moved

C. The same position as the first element, until Left/Top are changed

D. Just below the last existing element, placed automatically

Ans: C

Explanation: Set `Left` and `Top` in code to place the new element.

Q137 | Statement | VB 6.0 Controls

Which statement removes the run-time created element `Text1(3)`?

A. `Delete Text1(3)`

B. `Text1(3).Unload`

C. `Remove Text1(3)`

D. `Unload Text1(3)`

Ans: D

Explanation: `Unload` removes an element that was created with `Load`.

Q138 | Statement | VB 6.0 Controls

Executing `Load Text1(2)` when `Text1(2)` already exists produces:

A. Run-time error 91: Object variable not set

B. Compile error: Duplicate declaration

C. Run-time error 360: Object already loaded

D. No error; the element is refreshed

Ans: C

Explanation: Each Index may be loaded only once.

Q139 | Property | VB 6.0 Controls

A control created by `Load` copies most of its property settings from:

A. The first element (lowest Index) of the array

B. The last element of the array that was loaded

C. The properties of the form that contains the array

D. The default property values of that control type

Ans: A

Explanation: So the new element has the same size, font, colour and caption as element 0.

Q140 | Event | VB 6.0 Controls

Which argument of a control array event procedure tells which element raised the event?

A. `Shift`

B. `KeyCode`

C. `Button`

D. `Index`

Ans: D

Explanation: `Button`, `Shift` and `KeyCode` belong to mouse/keyboard events, not to array identification.

Q141 | Code | VB 6.0 Controls

Which loop unloads every run-time created element of `Text1`, leaving only `Text1(0)`?

A. `For i = Text1.UBound To 1 Step -1: Unload Text1(i): Next i`

B. `For i = 1 To Text1.Count: Unload Text1(i): Next i`

C. `Text1.Clear` with no loop

D. `For i = 0 To Text1.UBound: Unload Text1(i): Next i`

Ans: A

Explanation: Element 0 (design-time) cannot be unloaded, and index `Count` does not exist when indexes run 0 to Count-1.

Q142 | Code | VB 6.0 Controls

`Load Text1(Text1.UBound + 1)` **does what?**

A. Replaces the element that has the highest index

B. Adds a new element at index 0 of the array

C. Always raises run-time error 9 (Subscript out of range)

D. Adds a new element after the one with the highest index

Ans: D

Explanation: A common idiom for adding the next element when indexes are consecutive.

Q143 | Event | VB 6.0 Controls

Do elements loaded at run time use the array's existing event procedures?

A. Only if Visible is set to True before Load

B. No, each new element needs its own separate procedure

C. Only the Click event is shared with the new elements

D. Yes, they automatically share the same event procedures

Ans: D

Explanation: That is why run-time arrays need little extra code.

Q144 | Scenario | VB 6.0 Controls

A form must let the user add any number of TextBoxes while it runs. The best approach is:

A. Draw 100 hidden TextBoxes with different names at design time

B. Create `Text1(0)` at design time and use `Load Text1(n)` at run time

C. Use a Timer control to draw new TextBoxes onto the form

D. Declare `Dim t(10) As TextBox` and set each of them visible

Ans: B

Explanation: Declaring TextBox variables does not create controls; run-time arrays are the standard solution.

Q145 | Code | VB 6.0 Controls

`Command1(0)` **exists at design time. After** `Load Command1(5)`**, what are** `Command1.Count` **and** `Command1.UBound`**?**

A. 6 and 5

B. 2 and 2

C. 6 and 6

D. 2 and 5

Ans: D

Explanation: Indexes need not be consecutive: the array holds elements 0 and 5, so Count = 2 and UBound = 5.

Q146 | Code | VB 6.0 Controls

`Text1(0)` **exists. A loop runs** `Load Text1(i)` **for i = 1 to 5, then** `Unload Text1(5)`**. How many elements remain?**

A. 4

B. 5

C. 6

D. 1

Ans: B

Explanation: Elements 0 to 5 make 6; unloading Text1(5) leaves 0 to 4, which is 5.

Q147 | Statement | VB 6.0 Controls

`Text1` **is an ordinary TextBox (no Index property set). What does** `Load Text1` **cause?**

A. Run-time error 361: Can't load or unload this object

B. Run-time error 360: Object already loaded

C. A new TextBox with Index 1 is created

D. Nothing; the statement is ignored

Ans: A

Explanation: Load and Unload work only on control array elements.

09 · Code-Based and Scenario-Based Questions

Q148 – Q167

Q148 | Code | VB 6.0 Controls

`Text1(0)` exists at design time. After `Command1_Click` runs once, how many text boxes does the array contain?

```
Private Sub Command1_Click()
    Dim i As Integer
    For i = 1 To 3
        Load Text1(i)
        Text1(i).Left = Text1(i - 1).Left + Text1(i - 1).Width + 100
        Text1(i).Visible = True
    Next i
End Sub
```

A. 3

B. 4

C. 5

D. Run-time error

Ans: B

Explanation: Element 0 plus loaded elements 1, 2 and 3 = 4.

Q149 | Code | VB 6.0 Controls

What does this display when the third button created in order (Index 2) is clicked?

```
Private Sub cmdKey_Click(Index As Integer)
    MsgBox "Pressed: " & Index
End Sub
```

A. Pressed: cmdKey

B. Pressed: 1

C. Pressed: 2

D. Pressed: 3

Ans: C

Explanation: Indexes start at 0, so the third element has Index 2.

Q150 | Code | VB 6.0 Controls

Array `Text1` has elements 0 to 4. What does this print?

```
Print Text1.Count & " " & Text1.UBound
```

A. 5 4

B. 5 5

C. 4 4

D. 4 5

Ans: A

Explanation: Count = number of elements = 5; UBound = highest index = 4.

Q151 | Code | VB 6.0 Controls

What is printed?

```
List1.AddItem "A"
List1.AddItem "B"
List1.AddItem "C", 0
Print List1.List(0) & List1.ListCount
```

A. A3

B. C3

C. A2

D. C2

Ans: B

Explanation: `AddItem "C", 0` inserts C at the top, so the list is C, A, B and ListCount = 3.

Q152 | Code | VB 6.0 Controls

What does this event procedure do?

```
Private Sub Text1_KeyPress(KeyAscii As Integer)
    If KeyAscii < 48 Or KeyAscii > 57 Then KeyAscii = 0
End Sub
```

A. Accepts only digits 0-9; every other key, including Backspace, is blocked

B. Blocks only the Enter key and accepts everything else

C. Accepts digits 0-9 and still allows the Backspace key to work

D. Accepts only alphabetic characters and blocks all digits

Ans: A

Explanation: ASCII 48-57 are the digits; Backspace is ASCII 8, so it is cancelled too.

Q153 | Code | VB 6.0 Controls

Timer1 has Interval = 1000 and Enabled = True. What happens at run time?

```
Private Sub Timer1_Timer()
    Label1.Caption = Time
End Sub
```

A. The time is shown once when the form loads and never again

B. Compile error because Time is a reserved word in VB 6.0

C. The label shows the system time and refreshes every second

D. The label updates every 1000 seconds, not every second

Ans: C

Explanation: Interval is in milliseconds; `Time` returns the current system time.

Q154 | Code | VB 6.0 Controls

What happens when this code runs?

```
ProgressBar1.Max = 100
ProgressBar1.Value = 150
```

A. The bar fills completely and no error is raised

B. Value is silently reset to 100 by the control

C. Compile error: Value is a read-only property

D. Run-time error 380: Invalid property value

Ans: D

Explanation: Value must lie between Min and Max.

Q155 | Code | VB 6.0 Controls

What is printed?

```
Combo1.AddItem "Red"
Combo1.AddItem "Green"
Combo1.ListIndex = 1
Print Combo1.Text
```

A. 1

B. Green

C. Nothing is printed

D. Red

Ans: B

Explanation: ListIndex = 1 selects the second item (index starts at 0) and Text shows it.

Q156 | Code | VB 6.0 Controls

The statement `If List1.ListIndex = -1 Then MsgBox "Select an item first"` **checks whether:**

A. No item is currently selected in List1

B. The last item in List1 is selected

C. List1 contains no items at all

D. The first item in List1 is selected

Ans: A

Explanation: ListIndex is -1 when nothing is selected (an empty list also gives -1, but that is not what is being tested).

Q157 | Code | VB 6.0 Controls

What does `Command1.Move Command1.Left + 100, Command1.Top` **do each time it executes?**

A. Moves the button to the absolute position Left = 100

B. Moves the button 100 twips down and leaves Left unchanged

C. Resizes the button's width by 100 twips each time

D. Shifts the button 100 twips to the right; Top and size are unchanged

Ans: D

Explanation: Move's first argument is the new Left; supplying Left + 100 moves it right.

Q158 | Code | VB 6.0 Controls

What does this statement do?

```
Dim n As Node
Set n = TreeView1.Nodes.Add(, , "root", "India")
```

A. Raises an error because the Relative argument is mandatory

B. Adds an item named India to a ListView control instead

C. Adds a root-level node with key "root" and text "India"

D. Adds a child node named India under an existing node called root

Ans: C

Explanation: Syntax: `Nodes.Add(Relative, Relationship, Key, Text, ...)`; leaving Relative blank creates a root node.

Q159 | Code | VB 6.0 Controls

What happens when the user types one character in Text1?

```
Private Sub Text1_Change()
    Text1.Text = Text1.Text & "x"
End Sub
```

A. Change fires repeatedly until Run-time error 28 (Out of stack space)

B. Nothing happens because Change does not fire for code changes

C. Exactly one "x" is appended and the event then stops firing

D. Compile error because the procedure is recursive

Ans: A

Explanation: Setting Text inside Change raises Change again and again.

Q160 | Scenario | VB 6.0 Controls

A form has 4 OptionButtons placed directly on the form and 4 inside Frame1. How many can be selected at the same time?

A. Only one option from all eight buttons

B. Two: one from the form group and one from the Frame

C. None, since OptionButtons need a Timer to be selected

D. All four from the form group and all four from the Frame

Ans: B

Explanation: OptionButtons are mutually exclusive within the same container only.

Q161 | Code | VB 6.0 Controls

A button array `cmdDigit(0..9)` has the caption equal to its Index. What is in `txtDisplay` after buttons 7 and 3 are clicked in this order?

```
Private Sub cmdDigit_Click(Index As Integer)
    txtDisplay.Text = txtDisplay.Text & Index
End Sub
```

A. 37

B. 10

C. 73

D. 7

Ans: C

Explanation: & joins text, so "7" then "3" gives "73"; it is not added numerically.

Q162 | Code | VB 6.0 Controls

`txtA.Text = "8"` and `txtB.Text = "3"`. What does `lblR` show after `cmdOp(1)` is clicked?

```
Private Sub cmdOp_Click(Index As Integer)
    Select Case Index
        Case 0: lblR.Caption = Val(txtA) + Val(txtB)
        Case 1: lblR.Caption = Val(txtA) - Val(txtB)
    End Select
End Sub
```

A. 5

B. 83

C. -5

D. 11

Ans: A

Explanation: Index 1 selects the subtraction branch: 8 - 3 = 5.

Q163 | Code | VB 6.0 Controls

`Label1(0)` exists at design time. What is printed?

```
For i = 1 To 4
    Load Label1(i)
    Label1(i).Caption = "Item" & i
Next i
Print Label1(3).Caption & " " & Label1.Count
```

A. Item3 3

B. Item4 5

C. Item3 5

D. Item3 4

Ans: C

Explanation: Elements 0 to 4 exist (Count = 5); element 3 has caption "Item3".

Q164 | Code | VB 6.0 Controls

What is the effect of this event procedure?

```
Private Sub Text1_KeyPress(KeyAscii As Integer)
    KeyAscii = Asc(UCase(Chr(KeyAscii)))
End Sub
```

A. Only digits are accepted

B. The TextBox is locked after the first key

C. Every letter typed is ignored

D. Every letter typed appears in capitals

Ans: D

Explanation: `Chr` converts the code to a character, `UCase` capitalises it, `Asc` converts it back to the code.

Q165 | Code | VB 6.0 Controls

Timer1 has Interval = 1000 and Enabled = True. What happens?

```
Private Sub Timer1_Timer()
    Static n As Integer
    n = n + 1
    Label1.Caption = n
    If n = 5 Then Timer1.Enabled = False
End Sub
```

A. The label counts 1 to 5, then the timer stops

B. Compile error because Static is used in an event

C. The label shows 5 immediately and the timer keeps running

D. The label counts upwards without stopping

Ans: A

Explanation: `Static` keeps `n` between calls. After the fifth second the timer is disabled, so the label stays at 5.

Q166 | Code | VB 6.0 Controls

ProgressBar1 has Min = 0 and Max = 100. A Timer adds 10 to `Value` on each event. What happens at the 11th event?

```
ProgressBar1.Value = ProgressBar1.Value + 10
```

A. Run-time error 6 (Overflow)

B. Run-time error 380: Invalid property value

C. The bar resets to 0 automatically

D. The value stays at 100 with no error

Ans: B

Explanation: After 10 events Value = 100; the next assignment is 110, which exceeds Max.

Q167 | Code | VB 6.0 Controls

`Text1.Text = "10"` **and** `Text2.Text = "20"`**. What is printed?**

```
Print Text1.Text + Text2.Text
```

A. 30

B. 1020

C. 10 + 20

D. Type mismatch error

Ans: B

Explanation: Text returns a String, so + joins the two strings. `Val(Text1.Text) + Val(Text2.Text)` would give 30.

10 · Important and Tricky Questions

Q168 – Q187

Q168 | Match | VB 6.0 Controls

Match the control (List I) with its collection (List II):
1. TreeView 2. ListView 3. StatusBar 4. Toolbar
a. Nodes b. ListItems c. Panels d. Buttons

A. 1-a, 2-b, 3-d, 4-c

B. 1-b, 2-a, 3-c, 4-d

C. 1-c, 2-d, 3-a, 4-b

D. 1-a, 2-b, 3-c, 4-d

Ans: D

Explanation: TreeView-Nodes, ListView-ListItems, StatusBar-Panels, Toolbar-Buttons.

Q169 | Match | VB 6.0 Controls

Match the property (List I) with the control it belongs to (List II):
1. Interval 2. PasswordChar 3. Stretch 4. Default
a. Timer b. TextBox c. Image d. CommandButton

A. 1-a, 2-c, 3-b, 4-d

B. 1-d, 2-b, 3-c, 4-a

C. 1-a, 2-b, 3-c, 4-d

D. 1-b, 2-a, 3-c, 4-d

Ans: C

Explanation: Interval-Timer, PasswordChar-TextBox, Stretch-Image, Default-CommandButton.

Q170 | Statement | VB 6.0 Controls

Consider the statements:
I. Index values of a control array need not be consecutive.
II. Load can create a new array element even when no element exists.
III. A newly loaded element is invisible by default.
Which are correct?

A. I and II only
B. II and III only
C. I and III only
D. I, II and III

Ans: C

Explanation: II is false: at least one element must be created at design time.

Q171 | Statement | VB 6.0 Controls

Consider the statements:
I. TabStrip is a container control.
II. Each CoolBar band hosts a single child control.
III. ImageList is invisible at run time.
Which are correct?

A. I and II only
B. II and III only
C. I, II and III
D. I and III only

Ans: B

Explanation: TabStrip is not a container, so I is false.

Q172 | Statement | VB 6.0 Controls

Consider the statements:
I. The Change event of a TextBox also fires when Text is set by code.
II. KeyPress can detect function keys.
III. A CommandButton supports DblClick.
Which is/are correct?

A. Only III
B. II and III only
C. I and II only
D. Only I

Ans: D

Explanation: KeyPress cannot detect function keys (use KeyDown) and CommandButton has no DblClick event.

Q173 | Assertion-Reason | VB 6.0 Controls

Assertion (A): The elements of a control array share one event procedure.
Reason (R): Each element has a unique Index value passed to the event procedure as an argument.

A. Both A and R are true, and R is the correct explanation of A
B. Both A and R are true, but R is not the correct explanation of A
C. A is true, but R is false
D. A is false, but R is true

Ans: A

Explanation: The Index argument lets the shared procedure identify the element, so R explains A.

Q174 | Assertion-Reason | VB 6.0 Controls

Assertion (A): A CoolBar band can directly host a Label control.
Reason (R): CoolBar is a container control.

A. Both A and R are true, and R is the correct explanation of A
B. Both A and R are true, but R is not the correct explanation of A
C. A is true, but R is false
D. A is false, but R is true

Ans: D

Explanation: A is false: lightweight controls such as Label cannot be children of a band. R is true.

Q175 | Assertion-Reason | VB 6.0 Controls

Assertion (A): The Timer control has no visible interface at run time.
Reason (R): The Timer event occurs after every Interval milliseconds.

A. Both A and R are true, and R is the correct explanation of A
B. Both A and R are true, but R is not the correct explanation of A
C. A is true, but R is false
D. A is false, but R is true

Ans: B

Explanation: Both are true, but the Timer event does not explain why the control is invisible.

Q176 | Assertion-Reason | VB 6.0 Controls

Assertion (A): Setting Enabled = False dims a CommandButton.
Reason (R): Enabled = False unloads the control from memory.

A. Both A and R are true, and R is the correct explanation of A
B. Both A and R are true, but R is not the correct explanation of A
C. A is true, but R is false
D. A is false, but R is true

Ans: C

Explanation: A is true; R is false because the control stays loaded and merely stops responding.

Q177 | Tricky | VB 6.0 Controls

Which control and default-property pair is WRONG?

A. CommandButton - `Value`

B. TextBox - `Text`

C. Label - `Text`

D. CheckBox - `Value`

Ans: C

Explanation: The default property of a Label is `Caption`.

Q178 | Tricky | VB 6.0 Controls

Which statement about indexing is correct?

A. Control arrays are 1-based whereas Panels and Nodes are 0-based

B. Control array indexes may start at 0, whereas Common Controls collections such as Panels and Nodes are 1-based

C. Both control arrays and Common Controls collections are always 1-based

D. Control array indexes and Common Controls collections are both always 0-based

Ans: B

Explanation: `Text1(0)` is the usual first element but `StatusBar1.Panels(1)` is the first panel.

Q179 | Tricky | VB 6.0 Controls

Setting `KeyAscii = 0` inside the KeyPress event:

A. Cancels the keystroke so the character is not entered

B. Stops the application at once with an error

C. Clears the entire contents of the TextBox

D. Generates only the KeyUp event for that key

Ans: A

Explanation: A very common technique for restricting input.

Q180 | Tricky | VB 6.0 Controls

Which property is read-only at run time for every control?

A. `Name`

B. `Visible`

C. `Caption`

D. `Tag`

Ans: A

Explanation: The Name of a control cannot be changed at run time.

Q181 | Tricky | VB 6.0 Controls

A Timer has Interval = 3000 and Enabled = True. Approximately how many Timer events occur in 15 seconds?

A. 15

B. 3

C. 50

D. 5

Ans: D

Explanation: 3000 ms = 3 s, so 15 / 3 = 5.

Q182 | Assertion-Reason | VB 6.0 Controls

Assertion (A): Selecting a new drive in a DriveListBox automatically updates the DirListBox and FileListBox.
Reason (R): The `Drive`, `Path` and `Pattern` properties must be linked by code in the Change events.

A. Both A and R are true, and R is the correct explanation of A

B. Both A and R are true, but R is not the correct explanation of A

C. A is true, but R is false

D. A is false, but R is true

Ans: D

Explanation: A is false: the three controls do not synchronise by themselves. R is true, which is why code such as `Dir1.Path = Drive1.Drive` is needed.

Q183 | Match | VB 6.0 Controls

Match the control (List I) with its key property (List II):
1. DriveListBox 2. DirListBox 3. FileListBox
a. Pattern b. Drive c. Path

A. 1-b, 2-a, 3-c

B. 1-b, 2-c, 3-a

C. 1-a, 2-c, 3-b

D. 1-c, 2-b, 3-a

Ans: B

Explanation: `Drive1.Drive`, `Dir1.Path`, `File1.Pattern`.

Q184 | Statement | VB 6.0 Controls

Consider the statements:
I. The Image control has no window handle.
II. A PictureBox can contain other controls.
III. An Image control can contain other controls.
Which are correct?

A. II and III only

B. I, II and III

C. I and II only

D. I and III only

Ans: C

Explanation: Image is a lightweight control and cannot be a container.

Q185 | Tricky | VB 6.0 Controls

What does the `&` character do in `Command1.Caption = "&Save"`?

A. Joins the caption to the Name property

B. Makes the caption bold

C. Creates the access key Alt+S, shown with an underline

D. Shows the caption in capital letters

Ans: C

Explanation: To display a real ampersand, type `&&`.

Q186 | Tricky | VB 6.0 Controls

If `Frame1.Enabled = False`, the controls placed inside the Frame:

A. Are unloaded from memory

B. Are hidden from the form

C. Remain enabled

D. Are all disabled

Ans: D

Explanation: Disabling a container disables its children, and they can no longer take focus.

Q187 | Tricky | VB 6.0 Controls

Which statement about the Timer control is correct?

A. Setting `Interval = 0` stops the Timer events, like `Enabled = False`

B. A Timer needs a Click event procedure to run

C. Setting `Interval = 0` makes the Timer fire as fast as possible

D. A Timer can fire only once and must be re-enabled

Ans: A

Explanation: A zero Interval disables the timer; the largest Interval is 65,535 ms.

11 · Mixed OAVS TGT Practice Set — Q188 – Q208

Q188 | Control | VB 6.0 Controls

To make OptionButtons mutually exclusive in separate groups, each group is placed inside a:

A. ImageList

B. Frame

C. Timer

D. Label

Ans: B

Explanation: Each container (Frame) forms its own option group.

Q189 | Property | VB 6.0 Controls

Which `MultiSelect` setting of a ListBox allows range selection with Shift and Ctrl?

A. 2 - Extended

B. 1 - Simple

C. 0 - None

D. 3 - Sorted

Ans: A

Explanation: MultiSelect: 0 None, 1 Simple (click toggles), 2 Extended (Shift/Ctrl).

Q190 | Control | VB 6.0 Controls

Which control is lightweight, uses fewer resources and cannot act as a container?

A. PictureBox

B. CommandButton

C. Frame

D. Image

Ans: D

Explanation: Image has no window handle; PictureBox and Frame are containers.

Q191 | Property | VB 6.0 Controls

Which Shape control property selects rectangle, oval, circle or rounded shapes?

A. `BorderStyle`

B. `FillStyle`

C. `Shape`

D. `Style`

Ans: C

Explanation: FillStyle only controls the fill pattern, not the geometry.

Q192 | Property | VB 6.0 Controls

What is the default range of the `Min` and `Max` properties of a VScrollBar?

A. 1 to 100

B. 0 to 255

C. 0 to 100

D. 0 to 32767

Ans: D

Explanation: Default Min = 0 and Max = 32767.

Q193 | Property | VB 6.0 Controls

Which TextBox property gives the starting position of the selected text?

A. `SelText`

B. `SelStart`

C. `SelLength`

D. `Text`

Ans: B

Explanation: SelStart = start position, SelLength = number of selected characters, SelText = the selected text.

Q194 | Control | VB 6.0 Controls

Which Toolbar button property selects an icon from the associated ImageList?

A. `Image`

B. `Picture`

C. `Icon`

D. `Caption`

Ans: A

Explanation: Set the Toolbar's `ImageList` first, then each button's `Image` index or key.

Q195 | Property | VB 6.0 Controls

Setting a StatusBar's `Style` to `sbrSimple` shows:

A. A tabbed set of panels

B. A single panel displaying SimpleText

C. Multiple panels including date and time

D. No panels, only a progress bar

Ans: B

Explanation: sbrNormal uses the Panels collection; sbrSimple uses the SimpleText property.

Q196 | Property | VB 6.0 Controls

Which TreeView property displays a check box beside every node?

A. `Sorted`

B. `Style`

C. `LineStyle`

D. `Checkboxes`

Ans: D

Explanation: `Style` affects the combination of text, pictures and lines; `LineStyle` affects root lines.

Q197 | Property | VB 6.0 Controls

Which ListView property allows the user to edit item labels in place?

A. `AllowEdit`

B. `Locked`

C. `LabelEdit`

D. `Editable`

Ans: C

Explanation: LabelEdit = lvwAutomatic lets the user edit labels; lvwManual requires code.

Q198 | Event | VB 6.0 Controls

Which control cannot receive focus and therefore has no GotFocus event?

A. ListBox

B. Label

C. CommandButton

D. TextBox

Ans: B

Explanation: Label is for display only.

Q199 | Concept | VB 6.0 Controls

Which pair of controls has no visible interface at run time?

A. Timer and StatusBar

B. Timer and CoolBar

C. ImageList and Toolbar

D. Timer and ImageList

Ans: D

Explanation: Both are non-visual helper controls, visible only at design time.

Q200 | Method | VB 6.0 Controls

What happens when `Text1.SetFocus` is executed while `Text1.Enabled = False`?

A. Run-time error 91: Object variable or With block variable not set

B. Run-time error 13: Type mismatch at the statement

C. Focus moves to the control anyway and no error occurs

D. Run-time error 5: Invalid procedure call or argument

Ans: D

Explanation: A disabled or invisible control cannot receive focus.

Q201 | Property | VB 6.0 Controls

Which ListBox property is a Boolean array showing which items are selected?

A. `Selected`

B. `ItemData`

C. `List`

D. `ListIndex`

Ans: A

Explanation: `List1.Selected(i)` is True if item i is selected.

Q202 | Property | VB 6.0 Controls

Which ListBox property stores a numeric value (such as an ID) associated with each item?

A. `Index`

B. `NewIndex`

C. `ItemData`

D. `Tag`

Ans: C

Explanation: `ItemData(i)` is a Long integer linked to item i; it is available at run time.

Q203 | Property | VB 6.0 Controls

Which ListBox/ComboBox property returns the text of the currently selected item?

A. `Text`

B. `ListCount`

C. `Selected`

D. `ListIndex`

Ans: A

Explanation: `ListIndex` returns the index; `Text` returns the selected string.

Q204 | Control | VB 6.0 Controls

In a CheckBox group, a user may select:

A. Only one box at a time, as with option buttons

B. At most two boxes at a time

C. Any number of boxes independently

D. Only boxes that lie inside the same Frame

Ans: C

Explanation: Unlike OptionButtons, CheckBoxes are independent.

Q205 | Code | VB 6.0 Controls

Which statement belongs in `Drive1_Change` to keep the directory list in step with the selected drive?

A. `Drive1.Drive = Dir1.Path`

B. `Dir1.Drive = Drive1.Path`

C. `Dir1.Path = Drive1.Drive`

D. `File1.Drive = Dir1.Path`

Ans: C

Explanation: Dir1 takes its `Path` from the drive; similarly `File1.Path = Dir1.Path` goes in `Dir1_Change`.

Q206 | Property | VB 6.0 Controls

Setting `Picture1.AutoRedraw = True` makes the PictureBox:

A. Keep its graphics even when the window is covered and uncovered

B. Clear the picture automatically on every Timer event

C. Redraw only when `Refresh` is called

D. Resize to fit the picture

Ans: A

Explanation: With AutoRedraw, output from `Print`, `Line` and `Circle` is stored in memory and restored automatically.

Q207 | Property | VB 6.0 Controls

Setting `Columns` of a ListBox to 2 or more:

A. Sorts the items in two groups

B. Shows column headers like a ListView

C. Arranges the items in columns with a horizontal scroll bar

D. Allows several items to be selected

Ans: C

Explanation: `Columns` is set at design time; 0 gives a single column with a vertical scroll bar.

Q208 | Property | VB 6.0 Controls

Which FileListBox property returns the name of the selected file?

A. `FileName`

B. `Text`

C. `Pattern`

D. `Path`

Ans: A

Explanation: `File1.FileName` returns the file name only; combine it with `File1.Path` to get the full path.

QUICK ANSWER KEY

1 – C	2 – B	3 – D	4 – A	5 – B	6 – D	7 – B	8 – C	9 – A	10 – D
11 – B	12 – C	13 – A	14 – C	15 – D	16 – A	17 – B	18 – B	19 – D	20 – C
21 – A	22 – B	23 – C	24 – D	25 – A	26 – B	27 – C	28 – B	29 – C	30 – C
31 – A	32 – D	33 – C	34 – D	35 – B	36 – A	37 – B	38 – C	39 – A	40 – D
41 – A	42 – D	43 – B	44 – D	45 – D	46 – B	47 – C	48 – D	49 – B	50 – C
51 – A	52 – B	53 – D	54 – A	55 – A	56 – C	57 – D	58 – B	59 – C	60 – C
61 – D	62 – A	63 – A	64 – B	65 – D	66 – A	67 – A	68 – C	69 – B	70 – D
71 – B	72 – A	73 – A	74 – C	75 – C	76 – D	77 – C	78 – D	79 – C	80 – B
81 – A	82 – A	83 – C	84 – B	85 – A	86 – A	87 – D	88 – D	89 – C	90 – B
91 – C	92 – D	93 – B	94 – C	95 – A	96 – B	97 – C	98 – A	99 – D	100 – A
101 – D	102 – B	103 – B	104 – C	105 – B	106 – B	107 – C	108 – D	109 – D	110 – A
111 – B	112 – C	113 – D	114 – A	115 – B	116 – C	117 – D	118 – A	119 – C	120 – D
121 – B	122 – A	123 – B	124 – A	125 – B	126 – A	127 – A	128 – C	129 – C	130 – D
131 – B	132 – C	133 – D	134 – A	135 – B	136 – C	137 – D	138 – C	139 – A	140 – D
141 – A	142 – D	143 – D	144 – B	145 – D	146 – B	147 – A	148 – B	149 – C	150 – A
151 – B	152 – A	153 – C	154 – D	155 – B	156 – A	157 – D	158 – C	159 – A	160 – B
161 – C	162 – A	163 – C	164 – D	165 – A	166 – B	167 – B	168 – D	169 – C	170 – C
171 – B	172 – D	173 – A	174 – D	175 – B	176 – C	177 – C	178 – B	179 – A	180 – A
181 – D	182 – D	183 – B	184 – C	185 – C	186 – D	187 – A	188 – B	189 – A	190 – D
191 – C	192 – D	193 – B	194 – A	195 – B	196 – D	197 – C	198 – B	199 – D	200 – D
201 – A	202 – C	203 – A	204 – C	205 – C	206 – A	207 – C	208 – A		