CHEMISTRY

9th class Date : 24-09-2021

Dr. K. Ananthanarayanan

Associate Professor (Research)

Department of Chemistry

Room No 319, 3rd Floor, Raman Research Park

Email : ananthak@srmist.edu.in

Phone : +91-9840154665

Last class…

❑ CFT – Octahedral complexes

❑ Spectrochemical series

❑ Charge on the central metal ion

In this class…

❑ Crystal Field Theory – continuation

$[Co(NH_3)_6]Cl_3$ CFSE and magnetic moment ?

- ❑ Cobalt must be Co^{3+} because the charges ($X+6(0)+3(-1)$) must add up to the overall 0

- ❑ d electron count : Co : electronic configuration is $3d^7 4s^2$

- ❑ d electron count Co^{3+} : $3d^6$

Element	Symbol	Z	Electronic configuration
Scandium	Sc	21	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^1 4s^2$
Titanium	Ti	22	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^2 4s^2$
Vanadium	V	23	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^3 4s^2$
Chromium	Cr	24	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^1$
Manganese	Mn	25	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^5 4s^2$
Iron	Fe	26	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^6 4s^2$
Cobalt	Co	27	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^7 4s^2$
Nickel	Ni	28	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^8 4s^2$
Copper	Cu	29	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^1$
Zinc	Zn	30	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2$

$[Co(NH_3)_6]^{3+}$ magnetic moment ?

Co(III) ion $3d^6$ - system
Geometry: Octahedral

Energy

$\uparrow\downarrow$ $\uparrow$ $\uparrow$ $\uparrow$ $\uparrow$

Five degenerate d-orbitals

$10\ Dq_o$ > Pairing energy

No unpaired electrons.

$E = + 6\ Dq_o$

e_g

$10\ Dq_o$

$\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$

$E = - 4\ Dq_o$

t_{2g}

Low spin complex

- ❑ 6 electrons are present in t_{2g} level and 0 electrons are present in e_g level.
- ❑ The crystal field stabilization energy of $[Co(NH_3)_6]Cl_3$ is
  CFSE = $6 \times (-0.4\Delta_0) + 0 \times (0.6\Delta_o) = -2.4\Delta_0$

Summary, Octahedral, 3d elements, CFT

CFT as applied to tetrahedral complexes

$$[CuCl_4]^{2-}$$

Tetrahedral complex in a cube.
Ligands are on alternate corners
of the cube.

❑ In case of free metal ion, all the five d-orbitals are degenerate, i.e., these have the same energy.

❑ In $[ML_4]^{n+}$, the central metal cation is surrounded tetrahedrally by four ligands. A tetrahedron may be supposed to have been formed from a cube.

❑ The **center of the cube** is the central of tetrahedron at which is **placed the central metal ion**. **Four alternate corners of the cube** are **the four corners of the tetrahedron** at which the **four ligands are placed**.

The d_{yz} orbital in tetrahedral coordination. Electrons in this orbital can approach within a distance of $a/2$ to ligand electrons.

The d_{z2} orbital in tetrahedral coordination: electrons in d_{z2} are further from the ligands than electrons in d_{yz}.

where a is the cube edge length

❑ Four ligands are **lying between the three axes viz., x, y and z axes** which pass through the center of the six faces of the cube and thus go through the center of the cube.

❑ Since the lobes of the $\underline{t_2}$ *orbitals (d_{xy}, d_{yz} and d_{xz}) are lying between the axes, ie., are lying closely in the path of the ligands*, these orbitals experience **greater force of repulsion** than those in *e orbitals ($d_z{}^2$ and $d_{x{}^2-y{}^2}$) whose lobes are lying along the axes, ie., are lying between the ligands.*

❑ Thus the t_2 orbitals are **nearer to the direction of approach of the ligands than the e orbitals**. Hence, t_2 orbitals have higher energy compared to e-orbitals. So **the energy of t_2 orbitals is increased while that of e is decreased**.

❑ The d-orbitals are now split into two levels viz., **higher energy t_2 level and lower energy e level** which **is the reverse that seen for t_{2g} and e_g sets in octahedral complexes.**

Energy

$$d_{xy}, d_{yz}, d_{xz}$$

$]t_2$

$+0.4\ \Delta_t$

Δ_t

$-0.6\ \Delta_t$

$]e$

$$d_{x^2-y^2}\ d_{z^2}$$

| d orbitals free ion	Average energy of the d orbitals in spherical crystal field	Splitting of d orbitals in tetrahedral crystal field

□ The energy gap between t_2 and e sets is denoted by Δ_t. It has been shown that $\Delta_t < \Delta_o$, t_2 orbitals are now closest to the ligands and not point directly at the ligands. ***In octahedral complex, there is a ligand along the axis and in tetrahedral complex no ligand lies directly along any axis.***

❑ There are only **4 ligands** in the tetrahedral complex while in an octahedral complex there are **6 ligands**, **So $\Delta_t < \Delta_o$.** **Hence the ligand field is roughly 2/3 of the octahedral field**

❑ The **direction of ligand approach in tetrahedral complex does not coincide with the d-orbitals**. **This reduces the field by a factor of 2/3**. **Therefore $\triangle t$ is roughly 2/3 x 2/3 = 4/9 of $\triangle o$.**

❑ *$\triangle_t$ = 4/9 $\triangle o$ = 0.44 $\triangle o$ (approx. 0.45 $\triangle o$)*

Tetrahedral   Octahedral

e_g

Δ_{tet} Δ_{oct}

t_2

e

t_{2g}

Free-ion

❑ The energy of t_2 orbitals is raised 0.4 Δ_t while the energy of e orbitals is lowered 0.6 Δ_t

❑ *In case of tetrahedral complex, since Δ_t < P, the electrons tend to remain unpaired and hence only high spin tetrahedral complexes are known.*

# Filling up t_2 and e orbitals with electrons in high spin tetrahedral complexes

❑ The filling of t_2 and e orbitals **takes place according to Hund's rule,** i.e., electrons pair up only when each of the five d-orbitals is at least singly filled.

❑ The pairing of electrons will start from e orbitals, since these orbitals have less energy than t_2 orbitals.

- Let's calculate the crystal field stabilization energy for a tetrahedral cobalt(II) complex. Cobalt(II) is a d^7 ion.

- The electronic configurations of the free ion and the tetrahedral complex are shown below.

$$\underline{\uparrow}\ \underline{\uparrow}\ \underline{\uparrow}\ \ +2/5\ \Delta_t$$

$$\underline{\uparrow\downarrow}\ \underline{\uparrow\downarrow}\ \underline{\uparrow}\ \underline{\uparrow}\ \underline{\uparrow}$$

$$Co^{2+}\ \text{free ion}$$

$$\underline{\uparrow\downarrow}\ \underline{\uparrow\downarrow}\ \ -3/5\ \Delta_t$$

$$\text{tetrahedral } Co^{II}L_4$$

$$CFSE = (4\ \text{electrons})(-3/5\ \Delta_t) + (3\ \text{electrons})(2/5\ \Delta_t)$$
$$= -1.2\ \Delta_t$$

$[Ni(Br)_4]^{2-}$, CFSE, spin & magnetism?

↑↓	↑	↑
dxy	dyz	dxz

↑↓	↑↓
dz²	dx²-y²

- $e^4 t_2^4$

- $-4/5 \ \Delta t$

- Unpaired electrons : 2

$$\mu_{so} = \sqrt{n(n+2)}$$

$$\mu_{so} = \sqrt{4S(S+1)}$$

- Paramagnetic

- Magnetic moment : 2.83 BM

Crystal Field Theory: Summary, Tetrahedral Complexes

$\Delta_t = 4/9 \Delta_o = 0.44 \Delta_o$

(t_2) d_{xy}, d_{xz}, d_{yz}

Average energy of d orbitals in a tetrahedral field of ligands

$\Delta_t = 0.44 \Delta_o$

(e) $d_{z^2}, d_{x^2-y^2}$

❑ Imagine a tetrahedral molecule inside a cube with **metal ions in the center** of the cube. The **ligands occupy the four alternate corners of the cube** leaving the rest four corners empty.

❑ The **two 'e' (d_{x2-y2} and d_{z}^2) orbitals point to the center of the face of the cube** while the **three 't$_2$' (d_{xy}, d_{yz} and d_{zx}) orbitals point to the center of the edges of the cube.**

❑ Thus, **the t$_2$ orbitals are nearer to the direction of approach of the ligands** than the e orbitals. **(The ligands do not directly approach any of the metal d orbitals)**

Thank you all for your attention

Information presented here were collected from various sources – textbooks, articles, manuscripts, internet and newsletters. All the researchers and authors of the above mentioned sources are greatly acknowledged.