

TABLA DE TEMPLADO DEL CONDUCTOR

SECCION	:	35 mm ² AAC	VANO DE REGULACION	:	56 m
PESO DEL CONDUCTOR	:	0.92214 N/m	CONDICION EDS	:	16 %
COEF. EXPANSION TERMICA	:	2.3 x10 ⁻⁶ 1/°C			
MODULO ELASTICIDAD FINAL	:	60760 N/mm ²			
ESFUERZO DE ROTURA	:	294 N/mm ²			

VANO (m)	TEMPERATURA (°C) →	-10	-5	0	5	10	15	20	25	30	35	45	50
-19	FLECHA (m)	0.024	0.024	0.025	0.025	0.025	0.026	0.026	0.026	0.027	0.027	0.028	0.028
-14	FLECHA (m)	0.013	0.013	0.013	0.014	0.014	0.014	0.014	0.014	0.014	0.015	0.015	0.015
-9	FLECHA (m)	0.005	0.005	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006
-4	FLECHA (m)	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
1	FLECHA (m)	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6	FLECHA (m)	0.002	0.002	0.002	0.002	0.003	0.003	0.003	0.003	0.003	0.003	0.003	0.003
11	FLECHA (m)	0.008	0.008	0.008	0.008	0.008	0.009	0.009	0.009	0.009	0.009	0.009	0.009
16	FLECHA (m)	0.017	0.017	0.017	0.018	0.018	0.018	0.018	0.019	0.019	0.019	0.020	0.020
21	FLECHA (m)	0.029	0.030	0.030	0.030	0.031	0.031	0.032	0.032	0.033	0.033	0.034	0.035
26	FLECHA (m)	0.045	0.045	0.046	0.047	0.047	0.048	0.049	0.049	0.050	0.051	0.052	0.053
31	FLECHA (m)	0.064	0.065	0.066	0.066	0.067	0.068	0.069	0.070	0.071	0.072	0.074	0.075
36	FLECHA (m)	0.086	0.087	0.088	0.090	0.091	0.092	0.093	0.095	0.096	0.097	0.100	0.101
41	FLECHA (m)	0.112	0.113	0.115	0.116	0.118	0.119	0.121	0.123	0.124	0.126	0.130	0.132
46	FLECHA (m)	0.141	0.142	0.144	0.146	0.148	0.150	0.152	0.154	0.156	0.159	0.163	0.166
51	FLECHA (m)	0.173	0.175	0.177	0.180	0.182	0.185	0.187	0.190	0.192	0.195	0.201	0.204
56	FLECHA (m)	0.208	0.211	0.214	0.217	0.220	0.223	0.226	0.229	0.232	0.235	0.242	0.245
61	FLECHA (m)	0.247	0.250	0.254	0.254	0.261	0.264	0.268	0.271	0.275	0.279	0.287	0.291
66	FLECHA (m)	0.289	0.293	0.297	0.297	0.305	0.309	0.313	0.318	0.322	0.327	0.336	0.341
71	FLECHA (m)	0.335	0.339	0.344	0.344	0.353	0.358	0.363	0.368	0.373	0.378	0.389	0.395
76	FLECHA (m)	0.384	0.389	0.394	0.394	0.404	0.410	0.416	0.421	0.427	0.433	0.446	0.452
81	FLECHA (m)	0.436	0.441	0.447	0.447	0.459	0.466	0.472	0.479	0.485	0.492	0.506	0.514
86	FLECHA (m)	0.491	0.498	0.504	0.504	0.518	0.525	0.532	0.539	0.547	0.555	0.571	0.579
91	FLECHA (m)	0.550	0.557	0.565	0.565	0.580	0.588	0.596	0.604	0.612	0.621	0.639	0.648
96	FLECHA (m)	0.612	0.620	0.628	0.628	0.645	0.654	0.663	0.672	0.682	0.691	0.711	0.721
101	FLECHA (m)	0.678	0.686	0.695	0.695	0.714	0.724	0.734	0.744	0.754	0.765	0.787	0.799
106	FLECHA (m)	0.746	0.756	0.766	0.766	0.787	0.797	0.808	0.819	0.831	0.843	0.867	0.880
111	FLECHA (m)	0.818	0.829	0.840	0.840	0.863	0.874	0.886	0.899	0.911	0.924	0.951	0.964
116	FLECHA (m)	0.894	0.905	0.917	0.917	0.942	0.955	0.968	0.981	0.995	1.009	1.038	1.053
121	FLECHA (m)	0.972	0.985	0.998	0.998	1.025	1.039	1.053	1.068	1.083	1.098	1.130	1.146
126	FLECHA (m)	1.054	1.068	1.082	1.082	1.112	1.127	1.142	1.158	1.174	1.191	1.225	1.243
131	FLECHA (m)	1.140	1.155	1.170	1.170	1.201	1.218	1.235	1.252	1.269	1.287	1.324	1.343
136	FLECHA (m)	1.228	1.245	1.261	1.261	1.295	1.313	1.331	1.349	1.368	1.387	1.427	1.448