

Nexivarin 10 mg Tablets — eCTD Submission
Module 3 — Quality

Submission Type	NDA — 505(b)(1)	Sequence Number	0000
Submission Date	2021-03-15	Section	3.2.S.7
Prepared by	PharmaCorp Inc.	Confidentiality	Proprietary and Confidential

Table of Contents — [3.2.S.7](#) Drug Substance — Stability

Section	Title	Description
3.2.S.7	Stability — Drug Substance	ICH Q1A(R2) stability program for nexivarin hydrochloride
3.2.S.7.1	Stability Summary and Conclusions	Long-term (36 mo), intermediate, accelerated, and stress data summary
3.2.S.7.2	Post-Approval Stability Protocol	Commitment for continued long-term and accelerated stability monitoring
3.2.S.7.3	Stability Data	Complete tabulated stability results with trend analysis

This Table of Contents covers the content of this document only. File: 3.2.S.7-stability.pdf | NDA 123456 | Sequence 0000 | PharmaCorp Inc.

PharmaCorp Inc.
NDA 123456

Nexivarin 10 mg Tablets

Section 3.2.S.7
Drug Substance — Stability

Submission Type	NDA — 505(b)(1)
Sequence Number	0000
Submission Date	2021-03-15
Prepared by	PharmaCorp Inc.
Confidentiality	Proprietary and Confidential

3.2.S.7 Stability — Drug Substance

3.2.S.7.1 Stability Summary and Conclusions

Stability studies on nexivarin hydrochloride were conducted in accordance with ICH Q1A(R2) and Q1E guidelines. Studies were performed under the following conditions:

Study	Condition	Container	Duration
Long-term	25°C ± 2°C / 60% RH ± 5% RH	HDPE bottle, 60 cc, with desiccant & induction seal	36 months
Intermediate	30°C ± 2°C / 65% RH ± 5% RH	Same as above	12 months
Accelerated	40°C ± 2°C / 75% RH ± 5% RH	Same as above	6 months
Photostability	ICH Q1B Option 1	Clear glass dish	1.2 million lux·h; 200 W·h/m ²
Stress — Acid	0.1N HCl, 60°C, 24h	Glass flask	24 h
Stress — Base	0.1N NaOH, 60°C, 24h	Glass flask	24 h
Stress — Oxidation	3% H ₂ O ₂ , 25°C, 24h	Glass flask	24 h
Stress — Thermal	100°C, dry heat, 14 days	Glass vial	14 days

3.2.S.7.2 Post-Approval Stability Protocol

Stability testing will continue per the long-term protocol. Annual commitment batches will be placed on stability. Any out-of-specification or out-of-trend result will be reported to regulatory authorities within applicable timelines.

3.2.S.7.3 Stability Data

Time Point	Assay (%)	Total Imp (%)	Water (%)	Appearance	Polymorphic Form
T=0 (Initial)	100.1	0.18	0.30	Complies	Form I
T=3M (25°C/60%RH)	99.9	0.19	0.31	Complies	Form I
T=6M (25°C/60%RH)	99.7	0.21	0.32	Complies	Form I
T=12M (25°C/60%RH)	99.5	0.23	0.33	Complies	Form I
T=18M (25°C/60%RH)	99.4	0.25	0.34	Complies	Form I
T=24M (25°C/60%RH)	99.2	0.27	0.34	Complies	Form I
T=36M (25°C/60%RH)	99.0	0.29	0.35	Complies	Form I
T=3M (40°C/75%RH)	99.1	0.28	0.43	Complies	Form I
T=6M (40°C/75%RH)	98.5	0.38	0.48	Complies	Form I

Conclusion: All stability samples tested to date meet the established specifications. The data support a proposed re-test period of 36 months when the drug substance is stored at or below 25°C in the approved HDPE container closure system.