# 

## 王石嵘

## February 1, 2020

## Contents

<b>3</b>	$\mathbf{The}$	Hartı	ee-Fock Approximation	2
	3.1	The H	F Equations	2
		3.1.1	The Coulomb and Exchange Operators	2
		3.1.2	The Fock Operator	2
			Ex 3.1	2
	3.2	Deriva		2
		3.2.1	Functional Variation	2
		3.2.2	Minimization of the Energy of a Single Determinant	2
			Ex 3.2	2
			Ex 3.3	
		3.2.3	The Canonical HF Equations	
	3.3	Interp	retation of Solutions to the HF Equations	
		3.3.1	Orbital Energies and Koopmans' Theorem	
		0.0	Ex 3.4	
			Ex 3.5	
			Ex 3.6	
		3.3.2	Brillouin's Theorem	
		3.3.3	The HF Hamiltonian	
		3.3.3	Ex 3.7	
			Ex 3.8	
	3.4	Restri	cted Closed-shell HF: The Roothaan Equations	
	0.1	3.4.1	Closed-shell HF: Restricted Spin Orbitals	
		0.1.1	Ex 3.9	
		3.4.2	Introduction of a Basis: The Roothaan Equations	
		0.1.2	Ex 3.10	
		3.4.3	The Charge Density	
		0.1.0	Ex 3.11	
				5
			Ex 3.13	
		3.4.4	Expression for the Fock Matrix	
		0.1.1	Ex 3.14	
		3.4.5	Orthogonalization of the Basis	
		3.1.3		7
				7
		3.4.6	The SCF Procedure	
		3.4.7	Expectation Values and Population Analysis	
		0.1.1	Ex 3.17	
			Ex 3.18	
	3.5	Model	Calculations on $H_2$ and $HeH^+$	
	5.0	3.5.1	The 1s Minimal STO-3G Basis Set	-
		3.0.1	Ex 3.19	
			D 000	, ^

## 3 The Hartree-Fock Approximation

#### 3.1 The HF Equations

#### 3.1.1 The Coulomb and Exchange Operators

#### 3.1.2 The Fock Operator

Ex 3.1

$$\left\langle \chi_{i} \left| \hat{f} \left| \chi_{j} \right\rangle = \left\langle \chi_{i}(1) \left| h(1) + \sum_{b} \left[ \mathscr{J}_{b}(1) - \mathscr{K}_{b}(1) \right] \right| \chi_{j}(1) \right\rangle$$

$$= \left[ i |h| j \right] + \sum_{b \neq j} \left[ \left\langle \chi_{i}(1) \chi_{b}(2) \left| \frac{1}{r_{12}} \left| \chi_{b}(2) \chi_{j}(1) \right\rangle - \left\langle \chi_{i}(1) \chi_{b}(2) \left| \frac{1}{r_{12}} \left| \chi_{b}(1) \chi_{j}(2) \right\rangle \right] \right]$$

$$= \left[ i |h| j \right] + \sum_{b \neq j} \left( \left[ i j |bb \right] - \left[ i b |bj \right] \right)$$

$$(3.1.1)$$

Since

$$[ij|jj] - [ij|jj] = 0 (3.1.2)$$

we have

$$\left\langle \chi_{i} \middle| \hat{f} \middle| \chi_{j} \right\rangle = \left\langle i \middle| h \middle| j \right\rangle + \sum_{b} \left( \left\langle ib \middle| jb \right\rangle - \left\langle ib \middle| bj \right\rangle \right)$$
$$= \left\langle i \middle| h \middle| j \right\rangle + \sum_{b} \left\langle ib \middle\| jb \right\rangle \tag{3.1.3}$$

#### 3.2 Derivation of the HF Equations

#### 3.2.1 Functional Variation

#### 3.2.2 Minimization of the Energy of a Single Determinant

Ex 3.2 Take the complex conjugate of

$$\mathscr{L}[\{\chi_{\alpha}\}] = E_0[\{\chi_{\alpha}\}] - \sum_{a}^{N} \sum_{b}^{N} \varepsilon_{ba}([a|b] - \delta_{ab})$$
(3.2.1)

we have

$$\mathscr{L}[\{\chi_{\alpha}\}]^* = E_0[\{\chi_{\alpha}\}]^* - \sum_{a}^{N} \sum_{b}^{N} \varepsilon_{ba}^*([a|b]^* - \delta_{ab}^*)$$
(3.2.2)

i.e.

$$\mathcal{L}[\{\chi_{\alpha}\}] = E_0[\{\chi_{\alpha}\}] - \sum_{a}^{N} \sum_{b}^{N} \varepsilon_{ba}^*([b|a] - \delta_{ab})$$
(3.2.3)

thus

$$\sum_{a}^{N} \sum_{b}^{N} \varepsilon_{ba}([a|b] - \delta_{ab}) = \sum_{a}^{N} \sum_{b}^{N} \varepsilon_{ba}^{*}([b|a] - \delta_{ab}) = \sum_{b}^{N} \sum_{a}^{N} \varepsilon_{ab}^{*}([a|b] - \delta_{ba})$$
(3.2.4)

٠.

$$\varepsilon_{ba} = \varepsilon_{ab}^* \tag{3.2.5}$$

Ex 3.3 :

$$[\delta \chi_a | h | \chi_a] = [\chi_a | h | \delta \chi_a]^* \tag{3.2.6}$$

$$[\chi_a \delta \chi_a | \chi_b \chi_b] = [\delta \chi_a \chi_a | \chi_b \chi_b]^*$$
(3.2.7)

$$[\chi_a \chi_a | \chi_b \delta \chi_b] = [\chi_a \chi_a | \delta \chi_b \chi_b]^* \tag{3.2.8}$$

$$[\chi_a \chi_b | \chi_b \delta \chi_a] = [\chi_b \delta \chi_a | \chi_a \chi_b] = [\delta \chi_a \chi_b | \chi_b \chi_a]^*$$
(3.2.9)

$$[\chi_a \chi_b | \delta \chi_b \chi_a] = [\delta \chi_b \chi_a | \chi_a \chi_b] = [\chi_a \delta \chi_b | \chi_b \chi_a]^*$$
(3.2.10)

٠.

$$\delta E_0 = \sum_{a}^{N} [\delta \chi_a | h | \chi_a] + \frac{1}{2} \sum_{a}^{N} \sum_{b}^{N} ([\delta \chi_a \chi_a | \chi_b \chi_b] + [\chi_a \chi_a | \delta \chi_b \chi_b])$$

$$- \frac{1}{2} \sum_{a}^{N} \sum_{b}^{N} ([\delta \chi_a \chi_b | \chi_b \chi_a] + [\chi_a \chi_b | \delta \chi_b \chi_a]) + \text{complex conjugates}$$
(3.2.11)

while

$$\sum_{a}^{N} \sum_{b}^{N} [\chi_a \chi_a | \delta \chi_b \chi_b] = \sum_{b}^{N} \sum_{a}^{N} [\chi_b \chi_b | \delta \chi_a \chi_a] = \sum_{a}^{N} \sum_{b}^{N} [\delta \chi_a \chi_a | \chi_b \chi_b]$$
(3.2.12)

$$\sum_{a}^{N} \sum_{b}^{N} [\chi_a \chi_b | \delta \chi_b \chi_a] = \sum_{b}^{N} \sum_{a}^{N} [\chi_b \chi_a | \delta \chi_a \chi_b] = \sum_{a}^{N} \sum_{b}^{N} [\delta \chi_a \chi_b | \chi_b \chi_a]$$
(3.2.13)

thus

$$\delta E_0 = \sum_{a}^{N} [\delta \chi_a | h | \chi_a] + \sum_{a}^{N} \sum_{b}^{N} ([\delta \chi_a \chi_a | \chi_b \chi_b] - [\delta \chi_a \chi_b | \chi_b \chi_a]) + \text{complex conjugates}$$
(3.2.14)

#### 3.2.3 The Canonical HF Equations

#### 3.3 Interpretation of Solutions to the HF Equations

#### 3.3.1 Orbital Energies and Koopmans' Theorem

#### Ex 3.4

$$f_{ij} = \langle \chi_i | f | \chi_j \rangle = \langle i | h | j \rangle + \sum_b \langle ib | jb \rangle$$
 (3.3.1)

$$f_{ji}^* = \langle \chi_j | f | \chi_i \rangle^* = \langle j | h | i \rangle^* + \sum_b \langle jb \| ib \rangle^*$$

$$= \langle i | h | j \rangle + \sum_b \langle ib \| jb \rangle$$

$$= f_{ij}$$
(3.3.2)

thus the Fock operator is Hermitian.

#### Ex 3.5

$$\begin{split} & \operatorname{IP} = ^{N-2} E - E_{0} \\ & = \sum_{a \neq c,d} \langle a \mid h \mid a \rangle + \frac{1}{2} \sum_{a \neq c,d} \sum_{b \neq c,d} \langle ab \parallel ab \rangle - \left[ \sum_{a} \langle a \mid h \mid a \rangle + \frac{1}{2} \sum_{a} \sum_{b} \langle ab \parallel ab \rangle \right] \\ & = - \langle c \mid h \mid c \rangle - \langle d \mid h \mid d \rangle - \frac{1}{2} \sum_{a \neq c,d} \langle ac \parallel ac \rangle - \frac{1}{2} \sum_{a \neq c,d} \langle ad \parallel ad \rangle - \frac{1}{2} \sum_{b \neq c,d} \langle cb \parallel cb \rangle - \frac{1}{2} \sum_{b \neq c,d} \langle db \parallel db \rangle - \langle cd \parallel cd \rangle \\ & = - \langle c \mid h \mid c \rangle - \langle d \mid h \mid d \rangle - \sum_{a \neq c,d} \langle ac \parallel ac \rangle - \sum_{a \neq c,d} \langle ad \parallel ad \rangle - \langle cd \parallel cd \rangle \\ & = - \langle c \mid h \mid c \rangle - \langle d \mid h \mid d \rangle - \left( \sum_{a \neq c} \langle ac \parallel ac \rangle - \langle dc \parallel dc \rangle \right) - \left( \sum_{a \neq d} \langle ad \parallel ad \rangle - \langle cd \parallel cd \rangle \right) - \langle cd \parallel cd \rangle \\ & = - \varepsilon_{c} - \varepsilon_{d} + \langle cd \mid cd \rangle - \langle cd \mid dc \rangle \end{split}$$

Ex 3.6

$${}^{N}E_{0} - {}^{N+1}E^{r} = \sum_{a} \langle a \mid h \mid a \rangle + \frac{1}{2} \sum_{a} \sum_{b} \langle ab \parallel ab \rangle$$

$$- \left[ \sum_{a} \langle a \mid h \mid a \rangle + \langle r \mid h \mid r \rangle + \frac{1}{2} \sum_{a} \sum_{b} \langle ab \parallel ab \rangle + \frac{1}{2} \sum_{b} \langle rb \parallel rb \rangle + \frac{1}{2} \sum_{a} \langle ar \parallel ar \rangle \right]$$

$$= - \langle r \mid h \mid r \rangle - \frac{1}{2} \sum_{b} \langle rb \parallel rb \rangle - \frac{1}{2} \sum_{b} \langle br \parallel br \rangle$$

$$= - \langle r \mid h \mid r \rangle - \sum_{b} \langle rb \parallel rb \rangle$$

$$(3.3.4)$$

#### 3.3.2 Brillouin's Theorem

#### 3.3.3 The HF Hamiltonian

**Ex 3.7** Suppose  $\mathcal{H}_0$  commutes with  $\mathcal{P}_n$ ,

$$\mathcal{H}_{0} |\Psi_{0}\rangle = \mathcal{H}_{0} \frac{1}{\sqrt{N!}} \sum_{n}^{N!} (-1)^{p_{n}} \mathcal{P}_{n} \left\{ \sum_{i}^{N} f(i) \chi_{j}(1) \cdots \chi_{k}(N) \right\}$$

$$= \frac{1}{\sqrt{N!}} \sum_{n}^{N!} (-1)^{p_{n}} \mathcal{P}_{n} \left\{ (\varepsilon_{j} + \cdots + \varepsilon_{k}) \chi_{j}(1) \cdots \chi_{k}(N) \right\}$$

$$= \sum_{n} \varepsilon_{n}$$
(3.3.5)

Now we show  $\mathcal{H}_0$  commutes with  $\mathcal{P}_n$ , for example,  $\mathcal{P}_{ab}$ 

$$\mathscr{P}_{ab}\mathscr{H}_0 = \mathscr{P}_{ab}(\dots + f(a) + \dots + f(b) + \dots) = (\dots + f(b) + \dots + f(a) + \dots) \mathscr{P}_{ab} = \mathscr{H}_0\mathscr{P}_{ab} \quad (3.3.6)$$

Ex 3.8

$$\mathcal{V} = \sum_{i}^{N} \sum_{j>i}^{N} \mathcal{O}_2 - \sum_{i}^{N} \sum_{b}^{N} [\mathcal{G}_b(i) - \mathcal{K}_b(i)]$$
(3.3.7)

thus

$$\langle \Psi_{0} \mid \mathcal{V} \mid \Psi_{0} \rangle = \sum_{i}^{N} \sum_{j>i}^{N} \langle \Psi_{0} \mid \mathscr{O}_{2} \mid \Psi_{0} \rangle - \sum_{i}^{N} \sum_{b}^{N} [\langle \Psi_{0} \mid \mathscr{G}_{b}(i) - \mathscr{K}_{b}(i) \mid \Psi_{0} \rangle]$$

$$= \frac{1}{2} \sum_{a}^{N} \sum_{b}^{N} \langle ab \parallel ab \rangle - \sum_{i}^{N} \sum_{b}^{N} [\langle ib \mid ib \rangle - \langle ib \mid bi \rangle]$$

$$= -\frac{1}{2} \sum_{a}^{N} \sum_{b}^{N} \langle ab \parallel ab \rangle$$
(3.3.8)

#### 3.4 Restricted Closed-shell HF: The Roothaan Equations

#### 3.4.1 Closed-shell HF: Restricted Spin Orbitals

Ex 3.9

$$\varepsilon_{i} = (i|h|i) + \sum_{b}^{N} (\langle ib | ib \rangle - \langle ib | bi \rangle) 
= (i|h|i) + \sum_{c}^{N/2} (\langle ic | ic \rangle - \langle ic | ci \rangle) + \sum_{\bar{c}}^{N/2} (\langle i\bar{c} | i\bar{c} \rangle - \langle i\bar{c} | \bar{c}i \rangle)$$
(3.4.1)

Assume  $\chi_j$  has  $\alpha$  spin, since assuming  $\alpha$  or  $\beta$  is identical

$$\varepsilon_{i} = (i|h|i) + \sum_{c}^{N/2} \left[ (ic|ic) \langle \alpha | \alpha \rangle \langle \alpha | \alpha \rangle - (ic|ci) \langle \alpha | \alpha \rangle \langle \alpha | \alpha \rangle \right] + \sum_{c}^{N/2} \left[ (ic|ic) \langle \alpha | \alpha \rangle \langle \beta | \beta \rangle - (ic|ci) \langle \alpha | \beta \rangle \langle \beta | \alpha \rangle \right] \\
= (i|h|i) + \sum_{c}^{N/2} \left[ 2(ic|ic) - (ic|ci) \right] \\
= (i|h|i) + \sum_{c}^{N/2} (2J_{ib} - K_{ib}) \tag{3.4.2}$$

#### 3.4.2 Introduction of a Basis: The Roothaan Equations

#### Ex 3.10

$$(\mathbf{C}^{\dagger}\mathbf{S}\mathbf{C})_{\mu\nu} = \sum_{i} \sum_{j} C_{\mu i}^{\dagger} S_{ij} C_{j\nu}$$

$$= \sum_{i} \sum_{j} C_{i\mu}^{*} \langle \phi_{i} | \phi_{j} \rangle C_{j\nu}$$

$$= \langle \phi_{\mu} | \phi_{\nu} \rangle$$

$$= \delta_{\mu\nu}$$
(3.4.3)

thus

$$\mathbf{C}^{\dagger}\mathbf{S}\mathbf{C} = \mathbf{1} \tag{3.4.4}$$

#### 3.4.3 The Charge Density

#### Ex 3.11

$$\rho(\mathbf{r}) = \langle \Psi_0 \mid \hat{\rho}(\mathbf{r}) \mid \Psi_0 \rangle 
= \sum_{i}^{N} \frac{1}{N!} \sum_{I}^{N!} \sum_{J}^{N!} (-1)^{p_I} (-1)^{p_J} \int d\mathbf{x}_1 \cdots d\mathbf{x}_N \hat{\mathcal{P}}_I \{ \chi_1(1) \cdots \chi_N(N) \}^* \delta(\mathbf{r}_i - \mathbf{r}) \hat{\mathcal{P}}_J \{ \chi_1(1) \cdots \chi_N(N) \} 
(3.4.5)$$

Since  $\{\chi_m\}$  are orthogonal,

$$\rho(\mathbf{r}) = \sum_{i}^{N} \frac{1}{N!} \sum_{I}^{N!} \int d\mathbf{x}_{1} \cdots d\mathbf{x}_{N} \hat{\mathscr{P}}_{I} \{\chi_{1}(1) \cdots \chi_{N}(N)\}^{*} \delta(\mathbf{r}_{i} - \mathbf{r}) \hat{\mathscr{P}}_{I} \{\chi_{1}(1) \cdots \chi_{N}(N)\} 
= \sum_{i}^{N} \frac{1}{N!} (N - 1)! \sum_{s}^{N} \int d\mathbf{x}_{i} \chi_{s}^{*}(\mathbf{x}_{i}) \delta(\mathbf{r}_{i} - \mathbf{r}) \chi_{s}(\mathbf{x}_{i}) 
= \sum_{i}^{N} \frac{1}{N} \cdot 2 \sum_{s}^{N/2} \int d\mathbf{r}_{i} \phi_{s}(\mathbf{r}_{i}) \delta(\mathbf{r}_{i} - \mathbf{r}) \phi_{s}(\mathbf{r}_{i}) 
= \sum_{i}^{N} \frac{2}{N} \sum_{s}^{N/2} \phi_{s}(\mathbf{r}) \phi_{s}(\mathbf{r}) 
= N \frac{2}{N} \sum_{s}^{N/2} \phi_{s}(\mathbf{r}) \phi_{s}(\mathbf{r}) 
= 2 \sum_{s}^{N/2} \phi_{s}(\mathbf{r}) \phi_{s}(\mathbf{r})$$
(3.4.6)

 $\mathbf{Ex} \ \mathbf{3.12}$  From Ex 3.10, we have

$$\mathbf{C}^{\dagger}\mathbf{S}\mathbf{C} = \mathbf{1} \tag{3.4.7}$$

i.e.

$$\sum_{i}^{K} \sum_{j}^{K} C_{i\mu}^{*} S_{ij} C_{j\nu} = \delta_{\mu\nu}$$
 (3.4.8)

thus

$$(\mathbf{PSP})_{\mu\sigma} = \sum_{\nu}^{K} \sum_{\lambda}^{K} P_{\mu\nu} S_{\nu\lambda} P_{\lambda\sigma}$$

$$= 4 \sum_{\nu}^{K} \sum_{\lambda}^{K} \sum_{a}^{N/2} C_{\mu a} C_{\nu a}^{*} S_{\nu\lambda} \sum_{b}^{N/2} C_{\lambda b} C_{\sigma b}^{*}$$

$$= 4 \sum_{a}^{N/2} \sum_{b}^{N/2} C_{\mu a} \left( \sum_{\nu}^{K} \sum_{\lambda}^{K} C_{\nu a}^{*} S_{\nu\lambda} C_{\lambda b} \right) C_{\sigma b}^{*}$$

$$= 4 \sum_{a}^{N/2} \sum_{b}^{N/2} C_{\mu a} \delta_{ab} C_{\sigma b}^{*}$$

$$= 4 \sum_{a}^{N/2} C_{\mu a} C_{\sigma a}^{*}$$

$$= 2 P_{\mu\sigma}$$
(3.4.9)

thus

$$\mathbf{PSP} = 2\mathbf{P} \tag{3.4.10}$$

**Ex 3.13** Eq. 3.122 shows

$$f(\mathbf{r}_1) = h(\mathbf{r}_1) + \sum_{a}^{N/2} \int d\mathbf{r}_2 \psi_a^*(\mathbf{r}_2) (2 - \hat{\mathscr{P}}_{12}) r_{12}^{-1} \psi_a(\mathbf{r}_2)$$
(3.4.11)

thus

$$f(\mathbf{r}_{1}) = h(\mathbf{r}_{1}) + \sum_{a}^{N/2} \int d\mathbf{r}_{2} \sum_{\sigma} C_{\sigma a}^{*} \phi_{\sigma}^{*}(\mathbf{r}_{2}) (2 - \hat{\mathscr{P}}_{12}) r_{12}^{-1} \sum_{\lambda} C_{\lambda a} \phi_{\lambda}(\mathbf{r}_{2})$$

$$= h(\mathbf{r}_{1}) + \sum_{\sigma} \sum_{\lambda} \left( \sum_{a}^{N/2} C_{\sigma a}^{*} C_{\lambda a} \right) \int d\mathbf{r}_{2} \phi_{\sigma}^{*}(\mathbf{r}_{2}) (2 - \hat{\mathscr{P}}_{12}) r_{12}^{-1} \phi_{\lambda}(\mathbf{r}_{2})$$

$$= h(\mathbf{r}_{1}) + \frac{1}{2} \sum_{\sigma,\lambda} P_{\lambda \sigma} \int d\mathbf{r}_{2} \phi_{\sigma}^{*}(\mathbf{r}_{2}) (2 - \hat{\mathscr{P}}_{12}) r_{12}^{-1} \phi_{\lambda}(\mathbf{r}_{2})$$

$$(3.4.12)$$

#### 3.4.4 Expression for the Fock Matrix

**Ex 3.14** In expression  $(\mu\nu|\lambda\sigma)$ , there are three interchangeable pairs, i.e.  $\mu \leftrightarrow \nu$ ,  $\lambda \leftrightarrow \sigma$ , and  $\mu\nu \leftrightarrow \lambda\sigma$ . Thus  $(\mu\nu|\lambda\sigma)$  has an 8-fold symmetry. Similarly,  $(\mu\mu|\lambda\sigma)$ ,  $(\mu\nu|\mu\nu)$ ,  $(\mu\mu|\sigma\sigma)$  has 2-fold symmetry, and  $(\mu\mu|\mu\nu)$ ,  $(\mu\mu|\mu\mu)$  has 1-fold symmetry.

Therefore, the number of unique 2e integrals is

expression	number	K = 100
$\mu\nu \lambda\sigma)$	K(K-1)(K-2)(K-3)/8	11763675
$(\mu\mu \lambda\sigma)$	K(K-1)(K-2)/2	485100
$(\mu\nu \mu\lambda)$	K(K-1)(K-2)/2	485100
$(\mu  u   \mu  u)$	K(K-1)/2	4950
$(\mu\mu \sigma\sigma)$	K(K-1)/2	4950
$(\mu\mu \mu\nu)$	K(K-1)	9900
$(\mu\mu \mu\mu)$	K	100

thus the total number is 12753775.

#### 3.4.5 Orthogonalization of the Basis

Ex 3.15 ∵

$$\mathbf{U}^{\dagger}\mathbf{S}\mathbf{U} = \mathbf{s} \tag{3.4.13}$$

*:* .

$$\mathbf{SU} = \mathbf{Us} \tag{3.4.14}$$

i.e.

$$\sum_{\nu} S_{\mu\nu} U_{\nu i} = U_{\mu i} s_i \tag{3.4.15}$$

thus

$$\sum_{\mu} U_{\mu i}^* \sum_{\nu} S_{\mu \nu} U_{\nu i} = \sum_{\mu} U_{\mu i}^* U_{\mu i} s_i \tag{3.4.16}$$

$$\sum_{\mu} \sum_{\nu} U_{\mu i}^* \langle \phi_{\mu} | \phi_{\nu} \rangle U_{\nu i} = s_i \sum_{\mu} |U_{\mu i}|^2$$
(3.4.17)

Suppose

$$\phi_i' = \sum_{\nu} U_{\nu i} \phi_{\nu} \tag{3.4.18}$$

thus

$$\langle \phi_i' | \phi_i' \rangle = s_i \sum_{\mu} |U_{\mu i}|^2 \tag{3.4.19}$$

. .

$$\langle \phi_i' | \phi_i' \rangle > 0 \qquad |U_{\mu i}|^2 > 0$$
 (3.4.20)

*:* .

$$s_i > 0 \tag{3.4.21}$$

#### Ex 3.16

• (3.174)

Since  $(\phi, \phi', \psi)$  are row vectors)

$$\psi = \phi \mathbf{C} \tag{3.4.22}$$

$$\psi = \phi' \mathbf{C}' = \phi \mathbf{X} \mathbf{C}' \tag{3.4.23}$$

we have

$$\mathbf{C} = \mathbf{XC'} \tag{3.4.24}$$

i.e.

$$\mathbf{C}' = \mathbf{X}^{-1}\mathbf{C} \tag{3.4.25}$$

• (3.177)

$$F'_{\mu\nu} = \langle \phi'_{\mu} \mid f \mid \phi'_{\nu} \rangle$$

$$= \left\langle \sum_{i} \phi_{i} X_{i\mu} \mid f \mid \sum_{j} \phi_{j} X_{j\nu} \right\rangle$$

$$= \sum_{i} \sum_{j} X_{i\mu}^{*} X_{j\nu} \langle \phi_{i} \mid f \mid \phi_{j} \rangle$$

$$= \sum_{i} \sum_{j} X_{i\mu}^{*} F_{ij} X_{j\nu}$$
(3.4.26)

i.e.

$$\mathbf{F}' = \mathbf{X}^{\dagger} \mathbf{F} \mathbf{X} \tag{3.4.27}$$

#### 3.4.6 The SCF Procedure

#### 3.4.7 Expectation Values and Population Analysis

Ex 3.17 From (3.148) in the textbook, we get

$$F_{\mu\nu} = H_{\mu\nu}^{\text{core}} + G_{\mu\nu} = H_{\mu\nu}^{\text{core}} + \sum_{a}^{N/2} [2(\mu\nu|aa) - (\mu a|a\nu)]$$
 (3.4.28)

thus

$$E_{0} = \sum_{a}^{N/2} [2h_{aa} + \sum_{b}^{N/2} (2J_{ab} - K_{ab})]$$

$$= 2 \sum_{a}^{N/2} (a|h|a) + \sum_{a}^{N/2} \sum_{b}^{N/2} [2(aa|bb) - (ab|ba)]$$

$$= 2 \sum_{a}^{N/2} \sum_{\mu} \sum_{\nu} C_{\mu a}^{*} C_{\nu a} (\mu|h|\nu) + \sum_{a}^{N/2} \sum_{b}^{N/2} \left[ 2 \sum_{\mu} \sum_{\nu} C_{\mu a}^{*} C_{\nu a} (\mu\nu|bb) - \sum_{\mu} \sum_{\nu} C_{\mu a}^{*} C_{\nu a} (\mu b|b\nu) \right]$$

$$= 2 \sum_{\mu} \sum_{\nu} P_{\mu \nu} H_{\mu \nu}^{\text{core}} + \sum_{b}^{N/2} \sum_{\mu} \sum_{\nu} [2P_{\mu \nu} (\mu\nu|bb) - P_{\mu \nu} (\mu b|b\nu)]$$

$$= \sum_{\mu} \sum_{\nu} P_{\mu \nu} [2H_{\mu \nu}^{\text{core}} + G_{\mu \nu}]$$

$$= \sum_{\mu} \sum_{\nu} P_{\mu \nu} [H_{\mu \nu}^{\text{core}} + F_{\mu \nu}]$$

$$(3.4.29)$$

Ex 3.18 For symmetrically orthogonalized basis,

$$\mathbf{C}' = \mathbf{S}^{1/2}\mathbf{C} \tag{3.4.30}$$

thus

$$P'_{\mu\nu} = 2\sum_{a}^{N/2} C'_{\mu a} C'^*_{\nu a}$$

$$= 2\sum_{a}^{N/2} \sum_{i} S^{1/2}_{\mu i} C_{ia} \sum_{j} S^{1/2*}_{\nu j} C^*_{ja}$$

$$= \sum_{i} \sum_{j} S^{1/2}_{\mu i} \left( 2\sum_{a}^{N/2} C_{ia} C^*_{ja} \right) S^{1/2*}_{\nu j}$$

$$= \sum_{i} \sum_{j} S^{1/2}_{\mu i} P_{ij} S^{1/2*}_{\nu j}$$

$$= \sum_{i} \sum_{j} S^{1/2}_{\mu i} P_{ij} S^{1/2}_{j\nu}$$
(3.4.31)

i.e.

$$\mathbf{P}' = \mathbf{S}^{1/2} \mathbf{P} \mathbf{S}^{1/2} \tag{3.4.32}$$

thus

$$\sum_{\mu} (\mathbf{S}^{1/2} \mathbf{P} \mathbf{S}^{1/2})_{\mu\mu} = \sum_{\mu} \mathbf{P}'_{\mu\mu}$$
 (3.4.33)

### 3.5 Model Calculations on $H_2$ and $HeH^+$

#### 3.5.1 The 1s Minimal STO-3G Basis Set

#### Ex 3.19

$$\begin{split} \phi_{1s}^{\mathrm{GF}}(\alpha,\mathbf{r}-\mathbf{R}_{A})\phi_{1s}^{\mathrm{GF}}(\alpha,\mathbf{r}-\mathbf{R}_{B}) &= \left(\frac{2\alpha}{\pi}\right)^{3/4}\mathrm{e}^{-\alpha|\mathbf{r}-\mathbf{R}_{A}|^{2}}\left(\frac{2\beta}{\pi}\right)^{3/4}\mathrm{e}^{-\beta|\mathbf{r}-\mathbf{R}_{B}|^{2}} \\ &= \left(\frac{2\alpha}{\pi}\right)^{3/4}\left(\frac{2\beta}{\pi}\right)^{3/4}\mathrm{e}^{-\alpha|\mathbf{r}-\mathbf{R}_{A}|^{2}-\beta|\mathbf{r}-\mathbf{R}_{B}|^{2}} \\ &= \left(\frac{2\alpha}{\pi}\right)^{3/4}\left(\frac{2\beta}{\pi}\right)^{3/4}\exp\left(-\left[(\alpha+\beta)|\mathbf{r}|^{2}-2\mathbf{r}\cdot(\alpha\mathbf{R}_{A}+\beta\mathbf{R}_{B})+\alpha|\mathbf{R}_{A}|^{2}+\beta|\mathbf{R}_{B}|^{2}\right]\right) \end{split}$$

$$(3.5.1)$$

Let

$$p = \alpha + \beta$$
  $\mathbf{R}_P = \frac{\alpha \mathbf{R}_A + \beta \mathbf{R}_B}{\alpha + \beta}$  (3.5.2)

we have

$$\phi_{1s}^{GF}(\alpha, \mathbf{r} - \mathbf{R}_A)\phi_{1s}^{GF}(\alpha, \mathbf{r} - \mathbf{R}_B) = \left(\frac{2\alpha}{\pi}\frac{\beta}{\pi}\right)^{3/4} \exp\left(-\left[p|\mathbf{r}|^2 - 2\mathbf{r}\cdot(p\mathbf{R}_P) + \alpha|\mathbf{R}_A|^2 + \beta|\mathbf{R}_B|^2\right]\right)$$

$$= \left(\frac{2\alpha}{\pi}\frac{2\beta}{\pi}\right)^{3/4} \exp\left(-\left[p|\mathbf{r} - \mathbf{R}_P|^2 - p|\mathbf{R}_P|^2 + \alpha|\mathbf{R}_A|^2 + \beta|\mathbf{R}_B|^2\right]\right)$$

$$= \left(\frac{2\alpha\beta/p}{\pi}\right)^{3/4} \left(\frac{2p}{\pi}\right)^{3/4} e^{-p|\mathbf{r} - \mathbf{R}_P|^2} \exp\left(p|\mathbf{R}_P|^2 - \alpha|\mathbf{R}_A|^2 - \beta|\mathbf{R}_B|^2\right)$$
(3.5.3)

Let

$$\phi_{1s}^{GF}(\alpha, \mathbf{r} - \mathbf{R}_A)\phi_{1s}^{GF}(\alpha, \mathbf{r} - \mathbf{R}_B) = K_{AB} \left(\frac{2p}{\pi}\right)^{3/4} e^{-p|\mathbf{r} - \mathbf{R}_P|^2}$$
(3.5.4)

thus

$$K_{AB} = \left(\frac{2\alpha\beta/p}{\pi}\right)^{3/4} \exp\left(p|\mathbf{R}_{P}|^{2} - \alpha|\mathbf{R}_{A}|^{2} - \beta|\mathbf{R}_{B}|^{2}\right)$$

$$= \left(\frac{2\alpha\beta/p}{\pi}\right)^{3/4} \exp\left(\frac{1}{p}(\alpha^{2}|\mathbf{R}_{A}|^{2} + \beta^{2}|\mathbf{R}_{B}|^{2} + 2\alpha\beta\mathbf{R}_{A} \cdot \mathbf{R}_{B}) - \alpha|\mathbf{R}_{A}|^{2} - \beta|\mathbf{R}_{B}|^{2}\right)$$

$$= \left(\frac{2\alpha\beta/p}{\pi}\right)^{3/4} \exp\left(\frac{1}{p}(\alpha^{2}|\mathbf{R}_{A}|^{2} + \beta^{2}|\mathbf{R}_{B}|^{2} + 2\alpha\beta\mathbf{R}_{A} \cdot \mathbf{R}_{B} - p\alpha|\mathbf{R}_{A}|^{2} - p\beta|\mathbf{R}_{B}|^{2}\right)$$

$$= \left(\frac{2\alpha\beta/p}{\pi}\right)^{3/4} \exp\left(\frac{1}{p}(-\alpha\beta|\mathbf{R}_{A}|^{2} - \alpha\beta|\mathbf{R}_{B}|^{2} + 2\alpha\beta\mathbf{R}_{A} \cdot \mathbf{R}_{B}\right)$$

$$= \left(\frac{2\alpha\beta}{p\pi}\right)^{3/4} \exp\left(-\frac{\alpha\beta}{p}|\mathbf{R}_{A} - \mathbf{R}_{B}|^{2}\right)$$
(3.5.5)

**Ex 3.20** At r = 0,

$$\phi_{1s}^{\text{CGF}}(\zeta = 1.0, \text{STO-1G}) = 0.267656$$
 (3.5.6)

$$\phi_{1s}^{\text{CGF}}(\zeta = 1.0, \text{STO-2G}) = 0.389383$$
 (3.5.7)

$$\phi_{1s}^{\text{CGF}}(\zeta = 1.0, \text{STO-3G}) = 0.454\,986$$
 (3.5.8)

while

$$\phi_{1s}^{\rm SF}(\zeta = 1.0) = \frac{1}{\sqrt{\pi}} = 0.56419 \tag{3.5.9}$$

#### 3.5.2 STO-3G $H_2$

Ex 3.21