

Date: 30/08/2025	Fabric Quality and Standards	Brand: Swanky	Swanky By JC & CO
Season: Fall 25		Size Range: S-XL	
Collection: JC & CO		Total order quantity:	
Style Name: JCC-S-FA25-DRS		Sample Size 1st-Approval: S	
Description: Women's Asymmetrical Dress		Sample Size Pre-Production:	
		Womenswear	Sample Size Production Sample:

FABRICS

	Description, Construction, Composition, Weight, Finishing, Washing	Color (Pantone)	Position
1.	Shell Fabric, 90% Cotton / 10% Spandex, 220–260 GSM, 2-way stretch, Matte surface	Black	Outer body and one sleeve
2.			
3.			

QUALITY STANDARDS

Test	Method (ISO Standards)	Requirements	Comments
Dimensional Stability	ISO 5077	Max Shrinkage: ±2%	Ensures consistent sizing after garment is washed or dry cleaned
Color Fastness to Washing	ISO 105-C06	≥ Grade 4	Color does not bleed or fade
Color Fastness to Rubbing	ISO 105-X12	Dry: ≥ 4, Wet: ≥ 3.5	Critical for deep colors like 1815 C, prevents staining or color transfer
Flammability (optional)	ISO 15025 (Procedure A)	Edge ignition test	If exporting to regulated markets, not always required
Tensile Strength	ISO 13934-1	Min. 150 N (warp & weft)	Fabric must not tear under tension
Seam Slippage	ISO 13936-2	Max. 5 mm @ 60 N	Important for satin which can fray or pull under tension
Tear Strength	ISO 13937-2	Min. 10 N (warp & weft)	Ensures fabric holds up under stress