

T, °C	6KOH + 2NF _{3(g)} = 6KF + N _{2(g)} + 3H ₂ O _(g) + 1.5O _{2(g)}			KOH + HF _(g) = KF + H ₂ O _(g)		
	ΔH	ΔS	ΔG	ΔH	ΔS	ΔG
	kJ/mol F	J/K/mol F	kJ/mol F	kJ/mol F	J/K/mol F	kJ/mol F
100	-220.6	73.5	-248.1	-112.5	-3.4	-111.3
200	-222.2	69.7	-255.2	-114.5	-7.9	-110.7
300	-229.8	55.2	-261.4	-122.1	-22.7	-109.1
400	-231.6	52.2	-266.8	-123.9	-25.6	-106.7
500	-241.4	37.9	-270.7	-133.6	-39.7	-102.9
600	-243.2	35.8	-274.4	-135.1	-41.6	-98.8
700	-244.7	34.1	-277.9	-136.4	-42.9	-94.6
800	-246.0	32.9	-281.2	-137.3	-43.8	-90.3
900	-219.7	56.1	-285.5	-110.7	-20.3	-86.9
1000	-220.4	55.5	-291.1	-111.0	-20.5	-84.8