## Top Glove, Top Quality & Top Efficiency, Good Health, Safety First & Be Honest QA Department

## Powder & Protein Content

		Examination Glove		Surgical Glove	il Glove
POWDER CONTENT	Powder Free (Chlorinated) Powder	Powder Free (Polymer)	Powdered	Powder Free	Powdered
Term to use	Powder Free Residue	Powder Free Residue	Powder Amount	Powder Free Residue	Powder Amount
ASTM	Max 2 mg / gloves	Max 2 mg / gloves	$Max 10 mg / dm^2$	Max 2 mg / gloves	Max 15 mg / dm <sup>2</sup>
EN	Max 2 mg / gloves	Max 2 mg / gloves	More than 2 mg / gloves	Max 2 mg / gloves	More than 2 mg / gloves
Sampling	N = 5	N = 5	N=2	N = 5	N = 2

		Examination Glove		Surgical Glove	l Glove
PROTEIN CONTENT	Powder Free (Chlorinated) Powder	Powder Free (Polymer)	Powdered	Powder Free	Powdered
Term to use			Protein Content		
ASTM	Max 50 µg / dm²	Max 100 μg / dm²	Max 200 µg / dm²	Max 100 μg / dm²	Max 200 µg / dm²
EN	Max 50 µg / g	Max 100 µg / g	Max 200 µg / g	Max 100 µg / g	Max 200 µg / g
Sampling	<b>ε</b> ≡ Ζ	N = 3	N = 3	N = 3	N = 3

Prepared by, Alfadilah / Hamizah QA Exe. II / Chemist

Verified by, Noorul Shamsidah QA Exe. II

Rev. 2 (22/08/2011)