

# 4 Financial time series

4.1 Fundamentals of time series analysis

4.2 GARCH models for changing volatility

# 4.1 Fundamentals of time series analysis

## 4.1.1 Basic definitions

A *stochastic process* is a family of rvs  $(X_t)_{t \in I}$ ,  $I \subseteq \mathbb{R}$ , defined on a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$ . A *time series* is a discrete-time ( $I \subseteq \mathbb{Z}$ ) stochastic process.

### Definition 4.1 (Mean function, autocovariance function)

Assuming they exist, the *mean function*  $\mu(t)$  and the *autocovariance function*  $\gamma(t, s)$  of  $(X_t)_{t \in \mathbb{Z}}$  are defined by

$$\mu(t) = \mathbb{E}(X_t), \quad t \in \mathbb{Z},$$

$$\gamma(t, s) = \text{cov}(X_t, X_s) = \mathbb{E}((X_t - \mathbb{E}X_t)(X_s - \mathbb{E}X_s)), \quad t, s \in \mathbb{Z}.$$

## Definition 4.2 ((Weak/strict) stationarity)

- 1)  $(X_t)_{t \in \mathbb{Z}}$  is *(weakly/covariance) stationary* if  $\mathbb{E}(X_t^2) < \infty$ ,  
 $\mu(t) = \mu \in \mathbb{R}$  and  $\gamma(t, s) = \gamma(t + h, s + h)$  for all  $t, s, h \in \mathbb{Z}$ .
- 2)  $(X_t)_{t \in \mathbb{Z}}$  is *strictly stationary* if  $(X_{t_1}, \dots, X_{t_n}) \stackrel{d}{=} (X_{t_1+h}, \dots, X_{t_n+h})$  for all  $t_1, \dots, t_n, h \in \mathbb{Z}, n \in \mathbb{N}$ .

## Remark 4.3

- 1) Both types of stationarity formalize the idea that  $(X_t)_{t \in \mathbb{Z}}$  behaves similarly in any time period.
- 2)
  - *Strict stationarity*  $\nRightarrow$  *stationarity* (unless also  $\mathbb{E}(X_t^2)$  exists).
  - *Stationarity*  $\nRightarrow$  *strict stationarity* ( $\mathbb{E}(|X_t|^p), p > 2$ , could change).
- 3) If  $(X_t)_{t \in \mathbb{Z}}$  is stationary,  $\gamma(0, t - s) = \gamma(s, t) = \gamma(t, s) = \gamma(0, s - t)$ , so  $\gamma(t, s)$  only depends on the lag  $h = |t - s|$ . We can thus define  $\gamma(h) := \gamma(0, |h|), h \in \mathbb{Z}$ .

# Autocorrelation in stationary time series


## Definition 4.4 (ACF)

The *autocorrelation function (ACF)* (or *serial correlation*) of a stationary time series  $(X_t)_{t \in \mathbb{Z}}$  is defined by


$$\rho(h) := \text{corr}(X_0, X_h) = \gamma(h)/\gamma(0), \quad h \in \mathbb{Z}.$$

## Stationary?

Mauna Loa: Monthly Carbon Dioxide Concentration



Simulated AR(1) Process



The study of autocorrelation is known as *analysis in the time domain*.

Another important quantity is the *partial autocorrelation function (PACF)*  $\phi$ , defined by

$$\phi(h) := \text{corr}(X_0 - P_{\mathcal{H}_{h-1}}X_0, X_h - P_{\mathcal{H}_{h-1}}X_h),$$

where  $P_{\mathcal{H}_{h-1}}X_t$  denotes the best approximation/prediction of  $X_t$  from an element of  $\mathcal{H}_{h-1} = \{\sum_{k=1}^{h-1} \alpha_k X_{h-k} : \alpha_1, \dots, \alpha_{h-1} \in \mathbb{R}\}$ . Note that  $\phi(1) = \phi_{1,1} = \gamma(1)/\gamma(0) = \rho(1)$ .

- The PACF is the corr between  $X_0$  and  $X_h$  with the linear dependence of  $X_1, \dots, X_{h-1}$  removed.
- It can be used for model identification of  $\text{AR}(p)$  processes similarly to how the ACF is used for  $\text{MA}(q)$  processes (see later).
- It can be computed with the *Durbin-Levinson algorithm*; see the appendix.

## White noise processes

### Definition 4.5 ((Strict) white noise)

- 1)  $(X_t)_{t \in \mathbb{Z}}$  is a *white noise* process if  $(X_t)_{t \in \mathbb{Z}}$  is *stationary* with  $\rho(h) = I_{\{h=0\}}$  (no serial correlation). If  $\mu(t) = 0$ ,  $\gamma(0) = \text{var}(X_t) = \sigma^2$ ,  $(X_t)_{t \in \mathbb{Z}}$  is denoted by  $(\varepsilon_t)_{t \in \mathbb{Z}} \sim \text{WN}(0, \sigma^2)$ .
- 2)  $(X_t)_{t \in \mathbb{Z}}$  is a *strict white noise* process if  $(X_t)_{t \in \mathbb{Z}}$  is an *iid* sequence of rvs with  $\gamma(0) = \text{var}(X_t) = \sigma^2 < \infty$ . If  $\mu(t) = 0$ , we write  $(Z_t)_{t \in \mathbb{Z}} \sim \text{SWN}(0, \sigma^2)$ .

For GARCH processes (see later), we need another notion of noise.

Let  $(X_t)_{t \in \mathbb{Z}}$  be a stochastic process on  $(\Omega, \mathcal{F}, \mathbb{P})$ . A sequence  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$  of  $\sigma$ -algebras is called *filtration* if  $\mathcal{F}_t \subseteq \mathcal{F}_{t+1} \subseteq \mathcal{F}$ ,  $t \in \mathbb{Z}$ . If  $\mathcal{F}_t = \sigma(\{X_s : s \leq t\})$ , we call  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$  the *natural filtration* of  $(X_t)_{t \in \mathbb{Z}}$ .  $(X_t)_{t \in \mathbb{Z}}$  is *adapted* to  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$  if  $X_t \in \mathcal{F}_t$ ,  $t \in \mathbb{Z}$  ( $X_t$  is  $\mathcal{F}_t$ -measurable).

## Definition 4.6 (MGDS)

$(X_t)_{t \in \mathbb{Z}}$  is a *martingale-difference sequence (MGDS)* w.r.t.  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$  (typically the natural filtration  $\mathcal{F}_t = \sigma(\{X_s : s \leq t\})$ ) if  $\mathbb{E}|X_t| < \infty$ ,  $t \in \mathbb{Z}$ ,  $(X_t)_{t \in \mathbb{Z}}$  is adapted to  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$ ; and  $\mathbb{E}(X_{t+1} | \mathcal{F}_t) = 0$  for all  $t \in \mathbb{Z}$ .

- If  $\mathbb{E}(X_{t+1} | \mathcal{F}_t) = X_t$  a.s., then  $(X_t)$  is a (discrete-time) *martingale* and  $\varepsilon_t = X_t - X_{t-1}$  is a MGDS (winnings in rounds of a *fair game*).
- One can show that a MGDS  $(\varepsilon_t)_{t \in \mathbb{Z}}$  with  $\sigma^2 = \mathbb{E}(\varepsilon_t^2) < \infty$  satisfies
  - ▶  $\rho(h) = 0$ ,  $h \neq 0$ , so  $(\varepsilon_t)_{t \in \mathbb{Z}} \sim \text{WN}(0, \sigma^2)$ ;
  - ▶  $\mathbb{E}(\varepsilon_{t+1+k} | \mathcal{F}_t) = \mathbb{E}(\mathbb{E}(\varepsilon_{t+1+k} | \mathcal{F}_{t+k}) | \mathcal{F}_t) = 0$ ,  $k \in \mathbb{N}$ .

## 4.1.2 ARMA processes

### Definition 4.7 (ARMA( $p, q$ ))

Let  $(\varepsilon_t)_{t \in \mathbb{Z}} \sim \text{WN}(0, \sigma^2)$ .  $(X_t)_{t \in \mathbb{Z}}$  is a *zero-mean ARMA( $p, q$ ) process* if it is stationary and satisfies, for all  $t \in \mathbb{Z}$ ,

$$X_t - \phi_1 X_{t-1} - \cdots - \phi_p X_{t-p} = \varepsilon_t + \theta_1 \varepsilon_{t-1} + \cdots + \theta_q \varepsilon_{t-q}. \quad (7)$$

$(X_t)_{t \in \mathbb{Z}}$  is ARMA( $p, q$ ) with *mean  $\mu$*  if  $(X_t - \mu)_{t \in \mathbb{Z}}$  is a zero-mean ARMA( $p, q$ ).

### Remark 4.8

- If the *innovations*  $(\varepsilon_t)_{t \in \mathbb{Z}}$  are  $\text{SWN}(0, \sigma^2)$ , then  $(X_t)_{t \in \mathbb{Z}}$  is strictly stationary (follows from the representation as a linear process below).
- The defining equation (7) can be written as  $\phi(B)X_t = \theta(B)\varepsilon_t$ ,  $t \in \mathbb{Z}$ , where  $B$  denotes the *backshift operator* (such that  $B^k X_t = X_{t-k}$ ) and  $\phi(z) = 1 - \phi_1 z - \cdots - \phi_p z^p$  and  $\theta(z) = 1 + \theta_1 z + \cdots + \theta_q z^q$ .



## Causal processes

For practical purposes, it suffices to consider *causal ARMA processes*  $(X_t)_{t \in \mathbb{Z}}$  satisfying

$$X_t = \sum_{k=0}^{\infty} \psi_k \varepsilon_{t-k} \quad (\text{depends on the past/present, not the future})$$

for  $\sum_{k=0}^{\infty} |\psi_k| < \infty$  (*absolute summability condition*; guarantees  $\mathbb{E}|X_t| < \infty$ ).

### Proposition 4.9 (ACF for causal processes)

Let  $X_t = \sum_{k=0}^{\infty} \psi_k \varepsilon_{t-k}$  with  $\sum_{k=0}^{\infty} |\psi_k| < \infty$ . This process is *stationary with* ACF given by

$$\rho(h) = \frac{\sum_{k=0}^{\infty} \psi_k \psi_{k+|h|}}{\sum_{k=0}^{\infty} \psi_k^2}, \quad h \in \mathbb{Z}.$$

## Theorem 4.10 (Stationary and causal ARMA solutions)

Let  $(X_t)_{t \in \mathbb{Z}}$  be an ARMA( $p, q$ ) process for which  $\phi(z), \theta(z)$  have no roots in common. Then (see the appendix for an idea of the proof)

$$(X_t)_{t \in \mathbb{Z}} \text{ is stationary and causal} \quad \Leftrightarrow \quad \phi(z) \neq 0 \quad \forall z \in \mathbb{C} : |z| \leq 1.$$

In this case,  $X_t = \sum_{k=0}^{\infty} \psi_k \varepsilon_{t-k}$  for  $\sum_{k=0}^{\infty} \psi_k z^k = \theta(z)/\phi(z)$ ,  $|z| \leq 1$ .

- If  $\theta(z) \neq 0$ ,  $|z| \leq 1$  (known as *invertibility condition*),  $(X_t)_{t \in \mathbb{Z}}$  is invertible, i.e. we can recover  $\varepsilon_t$  from  $(X_s)_{s \leq t}$  (via  $\varepsilon_t = \phi(B)X_t/\theta(B)$ ), so  $\varepsilon_t \in \mathcal{F}_t = \sigma(\{X_s : s \leq t\})$ .
- An ARMA( $p, q$ ) process with mean  $\mu$  can be written as  $X_t = \mu_t + \varepsilon_t$  for  $\mu_t = \mu + \sum_{k=1}^p \phi_k (X_{t-k} - \mu) + \sum_{k=1}^q \theta_k \varepsilon_{t-k}$ . If  $(X_t)_{t \in \mathbb{Z}}$  is invertible,  $\mu_t \in \mathcal{F}_{t-1}$ . If  $(\varepsilon_t)_{t \in \mathbb{Z}}$  is a MGDS w.r.t.  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$ , then  $\mu_t = \mathbb{E}(X_t | \mathcal{F}_{t-1})$ . Therefore, ARMA processes put structure on the conditional mean  $\mu_t$  given the past. We will see that GARCH processes put structure on  $\sigma_t^2 = \text{var}(X_t | \mathcal{F}_{t-1})$  (helpful for modeling volatility clustering).

## Example 4.11

- 1) **MA**( $q$ ) = ARMA(0,  $q$ ):  $X_t = \varepsilon_t + \sum_{k=1}^q \theta_k \varepsilon_{t-k} \stackrel{\theta_0:=1}{=} \sum_{k=0}^q \theta_k \varepsilon_{t-k}$   
 $\Rightarrow$  causal, absolute summability condition fulfilled.
- **ACF**: Proposition 4.9  $\Rightarrow \rho(h) = \frac{\sum_{k=0}^{q-|h|} \theta_k \theta_{k+|h|}}{\sum_{k=0}^q \theta_k^2}$ ,  $|h| \in \{1, \dots, q\}$ ,  
and  $\rho(h) = 0$  for all  $|h| > q \Rightarrow$  **ACF cuts off after lag  $q$** .
  - **PACF**: One can show that for an MA( $q$ ),  $\phi(h)$  does not cut off but  $|\phi(h)|$  is bounded by an **exponentially decreasing function in  $h$** .
- 2) **AR**( $p$ ) = ARMA( $p$ , 0):  $X_t - \sum_{k=1}^p \phi_k X_{t-k} = \varepsilon_t$ . **ACF**: As for general ARMA processes, the ACF can be computed in several ways; see Brockwell and Davis (1991, Section 3.3), e.g. **via  $X_t = \theta(B)\varepsilon_t / \phi(B) = \psi(B)\varepsilon_t$  from  $\rho(h)$  as in Proposition 4.9**.  
Example: By Theorem 4.10, an **AR(1)** has a stationary and causal solution if and only if  $1 - \phi_1 z \neq 0$  for all  $z \in \mathbb{C} : |z| \leq 1$ , so  $|\phi_1| < 1$ .  
In this case,  $X_t = \phi_1 X_{t-1} + \varepsilon_t = \phi_1(\phi_1 X_{t-2} + \varepsilon_{t-1}) + \varepsilon_t = \dots$   
 $= \phi_1^n X_{t-n} + \sum_{k=0}^{n-1} \phi_1^k \varepsilon_{t-k} \rightarrow \sum_{k=0}^{\infty} \phi_1^k \varepsilon_{t-k}$ , so  $\psi_k = \phi_1^k$ ,  $k \in \mathbb{N}_0$ . By

Proposition 4.9,

$$\rho(h) = \frac{\sum_{k=0}^{\infty} \phi_1^{2k+|h|}}{\sum_{k=0}^{\infty} \phi_1^{2k}} = \phi_1^{|h|}, \quad h \in \mathbb{Z},$$

which decreases exponentially.

For  $\text{AR}(p)$ , one can show this from a general form of  $\psi_k$  (see Brockwell and Davis (1991, p. 92)), possibly with damped sine waves. Furthermore, one can show that the PACF of an  $\text{AR}(p)$  cuts off after lag  $p$ ; it can be computed with the Durbin–Levinson algorithm; see the appendix.

- 3)  $\text{ARMA}(1, 1)$ :  $X_t - \phi_1 X_{t-1} = \varepsilon_t + \theta_1 \varepsilon_{t-1}$  for  $|\phi_1| < 1$  has a stationary and causal solution (by Theorem 4.10). For determining the ACF, we first write  $X_t = \psi(B)\varepsilon_t$ , where

$$\begin{aligned} \psi(z) &= \frac{\theta(z)}{\phi(z)} = \frac{1 + \theta_1 z}{1 - \phi_1 z} = (1 + \theta_1 z) \sum_{k=0}^{\infty} (\phi_1 z)^k \\ &= \sum_{k=0}^{\infty} \phi_1^k z^k + \sum_{k=1}^{\infty} \theta_1 \phi_1^{k-1} z^k = 1 + \sum_{k=1}^{\infty} \phi_1^{k-1} (\phi_1 + \theta_1) z^k, \end{aligned}$$

hence  $\psi_0 = 1$  and  $\psi_k = \phi_1^{k-1}(\phi_1 + \theta_1)$ ,  $k \geq 1$ . It follows that

$$\begin{aligned} \sum_{k=0}^{\infty} \psi_k \psi_{k+h} & \underset{h \geq 1}{=} \underbrace{\psi_0 \psi_h}_{= \phi_1^{h-1}(\phi_1 + \theta_1)} + \underbrace{\sum_{k=1}^{\infty} \phi_1^{k-1+k+h-1}(\phi_1 + \theta_1)^2}_{= (\phi_1 + \theta_1)^2 \phi_1^h \sum_{k=0}^{\infty} \phi_1^{2k}} \\ & = \phi_1^{h-1}(\phi_1 + \theta_1)(1 + (\phi_1 + \theta_1)\phi_1/(1 - \phi_1^2)) \\ & = \frac{\phi_1^{h-1}}{1 - \phi_1^2}(\phi_1 + \theta_1)(1 + \phi_1\theta_1). \end{aligned}$$

Proposition 4.9 then implies that

$$\rho(h) = \phi_1^{h-1} \frac{(\phi_1 + \theta_1)(1 + \phi_1\theta_1)}{1 + 2\phi_1\theta_1 + \theta_1^2} = \phi_1^{h-1} \rho(1) \searrow_{(h \rightarrow \infty)} 0,$$

so that  $\rho(h) = \phi_1^{|h|-1} \rho(1)$  for all  $h \in \mathbb{Z} \setminus \{0\}$ . The PACF can be computed from the Durbin–Levinson algorithm.

## Remark 4.12

$(X_t)_{t \in \mathbb{Z}}$  is an ARIMA( $p, d, q$ ) (Integrated) process if

$$\underbrace{\phi(B)}_{\text{order } p} \underbrace{(1-B)^d}_{\substack{\text{integrated part} \\ \text{order } d}} X_t = \underbrace{\theta(B)}_{\text{order } q} \varepsilon_t, \quad t \in \mathbb{Z}.$$

We see that this is also an ARMA( $d+p, q$ ) process. Extensions to SARIMA (Seasonal) models are available; see the appendix.

## 4.1.3 Analysis in the time domain

### Correlogram

A *correlogram* is a plot of  $(h, \hat{\rho}(h))_{h \geq 0}$  for the sample ACF

$$\hat{\rho}(h) = \frac{\sum_{t=1}^n (X_{t+h} - \bar{X}_n)(X_t - \bar{X}_n)}{\sum_{t=1}^n (X_t - \bar{X}_n)^2}, \quad h \in \{0, \dots, n\}.$$

The sample PACF can be computed from  $\hat{\rho}(h)$  via the DL algorithm.

### Theorem 4.13

Let  $X_t - \mu = \sum_{k=0}^{\infty} \psi_k Z_{t-k}$  and  $(Z_t) \sim \text{SWN}(0, \sigma^2)$ . Under suitable conditions,

$$\sqrt{n} \left( \begin{pmatrix} \hat{\rho}(1) \\ \vdots \\ \hat{\rho}(h) \end{pmatrix} - \begin{pmatrix} \rho(1) \\ \vdots \\ \rho(h) \end{pmatrix} \right) \xrightarrow[(n \rightarrow \infty)]{d} N_h(\mathbf{0}, W), \quad h \in \mathbb{N},$$

for a matrix  $W$  depending on  $\rho$ ; see MFE (2015, Theorem 4.13).

If the ARMA process is SWN itself,  $\sqrt{n} \begin{pmatrix} \hat{\rho}(1) \\ \vdots \\ \hat{\rho}(h) \end{pmatrix} \xrightarrow[(n \rightarrow \infty)]{d} N_h(\mathbf{0}, I_h)$ , so that with probability  $1 - \alpha$ ,

$$\hat{\rho}(k) \underset{(n \text{ large})}{\in} \left[ -\frac{q_{1-\alpha/2}}{\sqrt{n}}, \frac{q_{1-\alpha/2}}{\sqrt{n}} \right], \quad k \in \{1, \dots, h\},$$

where  $q_{1-\alpha/2} = \Phi^{-1}(1-\alpha/2)$ . This interval is usually shown in correlogram. If more than 5% of  $\hat{\rho}(k)$ ,  $k \in \{1, \dots, h\}$ , lie outside, this is evidence against the (iid) hypothesis of SWN  $\Rightarrow$  serial correlation.

## Portmanteau tests

- As a formal test of the SWN hypothesis, one can use the Ljung–Box test with test statistic

$$T = n(n+2) \sum_{k=1}^h \frac{\hat{\rho}(k)^2}{n-k} \underset{n \text{ large}}{\sim} \chi_h^2; \quad \text{reject if } T > \chi_h^{2-1}(1-\alpha).$$

- If  $(X_t)_{t \in \mathbb{Z}}$  is SWN, so is  $(X_t^2)_{t \in \mathbb{Z}}$ . It is a good idea to also apply the correlogram and Ljung–Box tests to  $(|X_t|)_{t \in \mathbb{Z}}$  or  $(X_t^2)_{t \in \mathbb{Z}}$ .

### 4.1.4 Statistical analysis of time series

#### The Box–Jenkins approach

Approach for the statistical analysis of  $(X_t)_{t \in \mathbb{Z}}$ :

##### 1) Preliminary analysis

- i) Plot the time series  $\Rightarrow$  Does it look stationary?
- ii) If necessary, clean the (e.g. high-frequency) data and plot it again.



- iii) Make it stationary by removing trend and seasonality (regime switches etc.). A typical decomposition is

$$X_t = \underbrace{\mu_t}_{\text{trend}} + \underbrace{s_t}_{\text{seasonal component}} + \underbrace{\varepsilon_t}_{\text{residual process}}.$$

- A trend  $\mu_t$  can be estimated via smoothing with local averages:

$$\begin{aligned}\tilde{X}_t &= \frac{1}{2h+1} \sum_{k=-h}^h X_{t+k} \\ &= \underbrace{\sum_{k=-h}^h \frac{\mu_{t+k}}{2h+1}}_{\approx \mu_t} + \underbrace{\sum_{k=-h}^h \frac{s_{t+k}}{2h+1}}_{\approx 0} + \underbrace{\sum_{k=-h}^h \frac{\varepsilon_{t+k}}{2h+1}}_{=\tilde{\varepsilon}_t}\end{aligned}$$

or exponentially weighted moving averages.

- A seasonal component  $s_t$  can be estimated by considering  $(\tilde{X}_s)_{s=1}^S$  (e.g. for monthly data,  $S = 12$ ) with

$$\tilde{X}_s = \frac{1}{N} \sum_{k=0}^{N-1} X_{s+kS}, \quad s \in \{1, \dots, S\}, \quad N = \left\lfloor \frac{n}{S} \right\rfloor.$$

Overall, removing  $\mu_t, s_t$  can be done non-parametrically, via regression, or by taking differences.

## 2) Analysis in the time domain

- i) Plot ACF, PACF and use the Ljung–Box test for  $(X_t)_{t \in \mathbb{Z}}$  (hints at an ARMA) and  $(X_t^2)_{t \in \mathbb{Z}}$  (hints at an GARCH). If the SWN hypothesis cannot be rejected, fit a static distribution.
- ii) Do ACF (MA) or PACF (AR) cut off? (determines the order(s))

## 3) Model fitting

- i) If possible, identify the order and fit the corresponding model; or
- ii) Fit various (low-order) ARMA models (various ways; often (conditional) MLE);
- iii) Model-selection criterion (e.g. minimal AIC, BIC)  $\Rightarrow$  select “best” model; see also the automatic procedure by Tsay and Tiao (1984).

## 4) Residual analysis

i) Consider the **residuals**

$$\hat{\varepsilon}_t = X_t - \hat{\mu}_t, \quad \hat{\mu}_t = \hat{\mu} + \sum_{k=1}^p \hat{\phi}_k (X_{t-k} - \hat{\mu}) + \sum_{k=1}^q \hat{\theta}_k \hat{\varepsilon}_{t-k},$$

typically recursively computed (e.g. by letting the first  $q$   $\hat{\varepsilon}$ 's be 0 and the first  $p$   $X$ 's be  $\bar{X}_n$ ).

ii) **Check the model assumptions** via plots, ACF, Ljung–Box, etc.

### 4.1.5 Prediction

Let  $X_{t-n+1}, \dots, X_t$  denote the available **data at time  $t$**  and suppose we **want to compute  $P_t X_{t+1}$** . Assume we have the history  $\mathcal{F}_t = \sigma(\{X_s : s \leq t\})$  of the underlying ARMA model **available** (including today  $t$ ). Two approaches are possible.

**Conditional expectation** ( $\mathbb{E}(X_{t+h} | \mathcal{F}_t)$  is best  $L^2$  approx. to  $X_{t+h}$ )

Let the ARMA  $(X_t)_{t \in \mathbb{Z}}$  be invertible and  $(\varepsilon_t)_{t \in \mathbb{Z}}$  be a MGDS w.r.t.  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$ .

Since  $\mathbb{E}(X_{t+h} | \mathcal{F}_t)$  minimizes  $\mathbb{E}((X_{t+h} - \cdot)^2)$ ,  $P_t X_{t+h} = \mathbb{E}(X_{t+h} | \mathcal{F}_t)$

$\Rightarrow$  Compute  $\mathbb{E}(X_{t+h} | \mathcal{F}_t)$  recursively in terms of  $\mathbb{E}(X_{t+h-1} | \mathcal{F}_t)$ . Use that  $\mathbb{E}(\varepsilon_{t+h} | \mathcal{F}_t) = 0$  and that  $(X_s)_{s \leq t}$ ,  $(\varepsilon_s)_{s \leq t}$  are “known” at time  $t$  (invertibility insures that  $\varepsilon_t$  can be written as a function of  $(X_s)_{s \leq t}$ ).

**Example 4.14 (Prediction in the ARMA(1, 1) model)**

**ARMA(1, 1):**  $X_t - \mu = \phi_1(X_{t-1} - \mu) + \varepsilon_t + \theta_1 \varepsilon_{t-1}$ . Then

$$\mathbb{E}(X_{t+1} | \mathcal{F}_t) = \mu + \phi_1(X_t - \mu) + \theta_1 \varepsilon_t + \underbrace{\mathbb{E}(\varepsilon_{t+1} | \mathcal{F}_t)}_{=0};$$

$$\begin{aligned} \mathbb{E}(X_{t+2} | \mathcal{F}_t) &= \mu + \phi_1 \mathbb{E}(X_{t+1} | \mathcal{F}_t) - \phi_1 \mu \stackrel{\text{MGDS}}{=} \mu \\ &\quad + \theta_1 \underbrace{\mathbb{E}(\varepsilon_{t+1} | \mathcal{F}_t)}_{=0} + \underbrace{\mathbb{E}(\varepsilon_{t+2} | \mathcal{F}_t)}_{=0} \end{aligned}$$

$$= \mu + \phi_1(\mathbb{E}(X_{t+1} | \mathcal{F}_t) - \mu) = \mu + \phi_1^2(X_t - \mu) + \phi_1 \theta_1 \varepsilon_t;$$

$$\mathbb{E}(X_{t+h} | \mathcal{F}_t) = \dots = \mu + \phi_1^h(X_t - \mu) + \phi_1^{h-1} \theta_1 \varepsilon_t \xrightarrow{(h \rightarrow \infty)} \mu.$$

## Exponentially weighted moving averages

- Typically directly applied to price series;
- Used for trend estimation and prediction;
- Assume there is no deterministic seasonal component;
- Prediction

$$P_t X_{t+1} = \alpha X_t + (1 - \alpha) P_{t-1} X_t = \sum_{k=0}^{n-1} \alpha (1 - \alpha)^k X_{t-k}.$$

Increasing  $\alpha \in (0, 1)$  puts more weight on the last observation.

## 4.2 GARCH models for changing volatility

- (G)ARCH = (generalized) autoregressive conditionally heteroscedastic
- They are the most important models for daily risk-factor returns.

### 4.2.1 ARCH processes

#### Definition 4.15 (ARCH( $p$ ))

Let  $(Z_t)_{t \in \mathbb{Z}} \sim \text{SWN}(0, 1)$ .  $(X_t)_{t \in \mathbb{Z}}$  is an ARCH( $p$ ) process if it is strictly stationary and satisfies

$$X_t = \sigma_t Z_t,$$
$$\sigma_t^2 = \alpha_0 + \sum_{k=1}^p \alpha_k X_{t-k}^2,$$

where  $\alpha_0 > 0$ ,  $\alpha_k \geq 0$ ,  $k \in \{1, \dots, p\}$ .

Typical examples:  $Z_t \stackrel{\text{ind.}}{\sim} \text{N}(0, 1)$  or  $Z_t \stackrel{\text{ind.}}{\sim} t_\nu(0, (\nu - 2)/\nu)$ .

## Remark 4.16

- 1)  $\sigma_{t+1}$  is  $\mathcal{F}_t$ -measurable  $\Rightarrow \mathbb{E}(X_{t+1} | \mathcal{F}_t) = \sigma_{t+1} \mathbb{E}(Z_{t+1} | \mathcal{F}_t) = \sigma_{t+1} \mathbb{E}(Z_{t+1}) = 0$ . Thus, ARCH( $p$ ) processes are MGDs w.r.t. the natural filtration  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$ . If they are stationary, they are white noise since

$$\begin{aligned}\gamma(h) &= \mathbb{E}(X_t X_{t+h}) \stackrel{\text{tower property}}{=} \mathbb{E}(\mathbb{E}(X_t X_{t+h} | \mathcal{F}_{t+h-1})) \\ &= \mathbb{E}(X_t \mathbb{E}(X_{t+h} | \mathcal{F}_{t+h-1})) = 0, \quad h \in \mathbb{N}.\end{aligned}$$

This also applies to GARCH processes; see below.

- 2) If  $(X_t)_{t \in \mathbb{Z}}$  is stationary, then  $\text{var}(X_t | \mathcal{F}_{t-1}) = \mathbb{E}((\sigma_t Z_t)^2 | \mathcal{F}_{t-1}) = \sigma_t^2 \mathbb{E}(Z_t^2 | \mathcal{F}_{t-1}) = \sigma_t^2 \mathbb{E}(Z_t^2) = \sigma_t^2$ .  
 $\Rightarrow$  Volatility  $\sigma_t$  (conditional standard deviation) is changing in time, depending on past values of the process. ARCH models can thus capture volatility clustering (if one of  $|X_{t-1}|, \dots, |X_{t-p}|$  is large,  $X_t$  is drawn from a distribution with large variance). This is where “autoregressive conditionally heteroscedastic” comes from.

### Example 4.17 (ARCH(1))



- One can show that an ARCH(1) process  $(X_t)_{t \in \mathbb{Z}}$  is strictly stationary  $\Leftrightarrow \mathbb{E}(\log(\alpha_1 Z_t^2)) < 0$ . In this case,  $X_t^2 = \alpha_0 \sum_{k=0}^{\infty} \alpha_1^k \prod_{j=0}^k Z_{t-j}^2$ .
- $(X_t)_{t \in \mathbb{Z}}$  is stationary  $\Leftrightarrow \alpha_1 < 1$ . In this case,  $\text{var}(X_t) = \alpha_0 / (1 - \alpha_1)$ .

*Proof of necessity.*  $X_t^2 = \sigma_t^2 Z_t^2 = (\alpha_0 + \alpha_1 X_{t-1}^2) Z_t^2 \Rightarrow \sigma_X^2 = \mathbb{E}(X_t^2) = \alpha_0 + \alpha_1 \mathbb{E}(X_{t-1}^2 Z_t^2) = \alpha_0 + \alpha_1 \sigma_X^2 \Rightarrow \sigma_X^2 = \frac{\alpha_0}{1 - \alpha_1}, \alpha_1 < 1. \quad \square$

For sufficiency, see MFE (2015, Proposition 4.18).

- Provided that  $\mathbb{E}(Z_t^4) < \infty$  and  $\alpha_1 < (\mathbb{E}(Z_t^4))^{-1/2}$ , one can show that  $\kappa(X_t) = \frac{\mathbb{E}(X_t^4)}{\mathbb{E}(X_t^2)^2} = \frac{\kappa(Z_t)(1 - \alpha_1^2)}{(1 - \alpha_1^2 \kappa(Z_t))}$ . If  $\kappa(Z_t) > 1$ ,  $\kappa(X_t) > \kappa(Z_t)$ . For Gaussian or  $t$  innovations,  $\kappa(X_t) > 3$  (leptokurtic).
- Parallels with the AR(1) process: If  $\mathbb{E}(X_t^4) < \infty$ ,  $\alpha_1 < 1$  and  $\varepsilon_t = \sigma_t^2(Z_t^2 - 1)$ , one can show that  $(X_t^2)_{t \in \mathbb{Z}}$  is an AR(1) of the form  $X_t^2 - \frac{\alpha_0}{1 - \alpha_1} = \alpha_1(X_{t-1}^2 - \frac{\alpha_0}{1 - \alpha_1}) + \varepsilon_t$ .





- $n = 1000$  realizations of an ARCH(1) process with  $\alpha_0 = 0.5$ ,  $\alpha_1 = 0.5$  and Gaussian innovations;
- Realization of the volatility  $(\sigma_t)_{t \in \mathbb{Z}}$ ;
- Correlogram of  $(X_t)_{t \in \mathbb{Z}}$ , compare with Remark 4.16 1);
- Correlogram of  $(X_t^2)_{t \in \mathbb{Z}}$  (AR(1)); dashed line = true ACF

## 4.2.2 GARCH processes

### Definition 4.18 (GARCH( $p, q$ ))

Let  $(Z_t)_{t \in \mathbb{Z}} \sim \text{SWN}(0, 1)$ .  $(X_t)_{t \in \mathbb{Z}}$  is a **GARCH( $p, q$ ) process** if it is strictly stationary and satisfies

$$X_t = \sigma_t Z_t,$$


$$\sigma_t^2 = \alpha_0 + \sum_{k=1}^p \alpha_k X_{t-k}^2 + \sum_{k=1}^q \beta_k \sigma_{t-k}^2,$$

where  $\alpha_0 > 0$ ,  $\alpha_k \geq 0$ ,  $k \in \{1, \dots, p\}$ ,  $\beta_k \geq 0$ ,  $k \in \{1, \dots, q\}$ .

If one of  $|X_{t-1}|, \dots, |X_{t-p}|$  or  $\sigma_{t-1}, \dots, \sigma_{t-q}$  is large,  $X_t$  is drawn from a distribution with (persistently) large variance. Periods of high volatility tend to be more persistent.

### Example 4.19 (GARCH(1,1))

- One can show (via stoch. recurrence relations) that a GARCH(1,1) process  $(X_t)_{t \in \mathbb{Z}}$  is strictly stationary if  $\mathbb{E}(\log(\alpha_1 Z_t^2 + \beta_1)) < \infty$ . In this case,  $X_t = Z_t \sqrt{\alpha_0 (1 + \sum_{k=1}^{\infty} \prod_{j=1}^k (\alpha_1 Z_{t-j}^2 + \beta_1))}$ .
- $(X_t)_{t \in \mathbb{Z}}$  is stationary  $\Leftrightarrow \alpha_1 + \beta_1 < 1$ . In this case,  $\text{var}(X_t) = \frac{\alpha_0}{1 - \alpha_1 - \beta_1}$ .
- GARCH(1,1) is typically leptokurtic:  
Provided that  $\mathbb{E}((\alpha_1 Z_t^2 + \beta_1)^2) < 1$  (or  $(\alpha_1 + \beta_1)^2 < 1 - (\kappa(Z_t) - 1)\alpha_1^2$ ), one can show that  $\kappa(X_t) = \frac{\kappa(Z_t)(1 - (\alpha_1 + \beta_1)^2)}{1 - (\alpha_1 + \beta_1)^2 - (\kappa(Z_t) - 1)\alpha_1^2}$ .  
If  $\kappa(Z_t) > 1$  (Gaussian, scaled  $t$  innovations),  $\kappa(X_t) > \kappa(Z_t)$ .
- Parallels with the ARMA(1,1) process:  
If  $\mathbb{E}(X_t^4) < \infty$ ,  $\alpha_1 + \beta_1 < 1$  and  $\varepsilon_t = \sigma_t^2(Z_t^2 - 1)$ , one can show that  $(X_t^2)_{t \in \mathbb{Z}}$  is an ARMA(1,1) of the form  $X_t^2 - \frac{\alpha_0}{1 - \alpha_1 - \beta_1} = (\alpha_1 + \beta_1)(X_{t-1}^2 - \frac{\alpha_0}{1 - \alpha_1 - \beta_1}) + \varepsilon_t - \beta_1 \varepsilon_{t-1}$ .



- a)  $n = 1000$  realization of a GARCH(1,1) process with  $\alpha_0 = 0.5$ ,  $\alpha_1 = 0.1$ ,  $\beta_1 = 0.85$  and Gaussian innovations;
- b) Realization of the volatility  $(\sigma_t)_{t \in \mathbb{Z}}$ ;
- c) Correlogram of  $(X_t)_{t \in \mathbb{Z}}$ , compare with Remark 4.16 1);
- d) Correlogram of  $(X_t^2)_{t \in \mathbb{Z}}$  (ARMA(1,1)); dashed line = true ACF

## Prediction of GARCH(1,1)

Assume  $(X_t)_{t \in \mathbb{Z}}$  is a stationary GARCH(1,1) with  $\mathbb{E}(X_t^4) < \infty$ .

- $X_t = \sigma_t Z_t \Rightarrow \mathbb{E}(X_t | \mathcal{F}_{t-1}) = \sigma_t \mathbb{E}(Z_t) = 0$ , so  $(X_t)_{t \in \mathbb{Z}}$  is MGDS and thus, by the tower property,  $\mathbb{E}(X_{t+h} | \mathcal{F}_t) = 0$ ,  $h \in \mathbb{N}$ .
- $\mathbb{E}(X_{t+1}^2 | \mathcal{F}_t) = \sigma_{t+1}^2 \mathbb{E}(Z_{t+1}^2) = \alpha_0 + \alpha_1 X_t^2 + \beta_1 \sigma_t^2$ .

For  $h \geq 2$ ,  $X_{t+h}^2$  and  $\sigma_{t+h}^2$  are rvs, and

$$\begin{aligned}\mathbb{E}(X_{t+h}^2 | \mathcal{F}_t) &\stackrel{(*)}{=} \mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) \mathbb{E}(Z_t^2) = \alpha_0 + \alpha_1 \mathbb{E}(X_{t+h-1}^2 | \mathcal{F}_t) \\ &\quad + \underbrace{\beta_1 \mathbb{E}(\sigma_{t+h-1}^2 | \mathcal{F}_t)}_{\stackrel{(*)}{=} \mathbb{E}(X_{t+h-1}^2 | \mathcal{F}_t)} = \alpha_0 + (\alpha_1 + \beta_1) \mathbb{E}(X_{t+h-1}^2 | \mathcal{F}_t) \\ &= \dots = \alpha_0 \sum_{k=0}^{h-1} (\alpha_1 + \beta_1)^k + (\alpha_1 + \beta_1)^{h-1} (\alpha_1 X_t^2 + \beta_1 \sigma_t^2).\end{aligned}$$

$$\Rightarrow \mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) \stackrel{\substack{\text{a.s.} \\ (h \rightarrow \infty)}}{=} \frac{\alpha_0}{1 - \alpha_1 - \beta_1} = \text{var}(X_t).$$

## The GARCH(p,q) model

- Higher-order GARCH models have the same general behaviour as ARCH(1) and GARCH(1,1) models, but their mathematical analysis becomes more tedious.
- One can show that  $(X_t)_{t \in \mathbb{Z}}$  is stationary  $\Leftrightarrow \sum_{k=1}^p \alpha_k + \sum_{k=1}^q \beta_k < 1$ .
- A squared GARCH(p,q) process has the structure

$$X_t^2 = \alpha_0 + \sum_{k=1}^{\max(p,q)} (\alpha_k + \beta_k) X_{t-k}^2 + \varepsilon_t - \sum_{k=1}^q \beta_k \varepsilon_{t-k},$$

where  $\varepsilon_t = \sigma_t^2(Z_t^2 - 1)$ ,  $\alpha_k = 0$ ,  $k \in \{p+1, \dots, q\}$  if  $q > p$ , or  $\beta_k = 0$  for  $k \in \{q+1, \dots, p\}$  if  $p > q$ . This resembles the ARMA(max(p,q), q) process and is formally such a process provided  $\mathbb{E}(X_t^4) < \infty$ .

- There are also IGARCH models (i.e. non-stationary GARCH(p,q) models with  $\sum_{k=1}^p \alpha_k + \sum_{k=1}^q \beta_k = 1$ ; infinite variance).

## 4.2.3 Simple extensions of the GARCH model

Consider stationary GARCH processes as white noise for ARMA processes.

### Definition 4.20 (ARMA( $p_1, q_1$ ) with GARCH( $p_2, q_2$ ) errors)

Let  $(Z_t)_{t \in \mathbb{Z}} \sim \text{SWN}(0, 1)$ .  $(X_t)_{t \in \mathbb{Z}}$  is an **ARMA( $p_1, q_1$ ) process with GARCH( $p_2, q_2$ ) errors** if it is stationary and satisfies

$$X_t = \mu_t + \varepsilon_t \quad \text{for} \quad \varepsilon_t = \sigma_t Z_t \quad (\text{so } X_t = \mu_t + \sigma_t Z_t),$$

$$\mu_t = \mu + \sum_{k=1}^{p_1} \phi_k (X_{t-k} - \mu) + \sum_{k=1}^{q_1} \theta_k \underbrace{(X_{t-k} - \mu_{t-k})}_{= \varepsilon_{t-k}},$$

$$\sigma_t^2 = \alpha_0 + \sum_{k=1}^{p_2} \alpha_k (X_{t-k} - \mu_{t-k})^2 + \sum_{k=1}^{q_2} \beta_k \sigma_{t-k}^2,$$

where  $\alpha_0 > 0$ ,  $\alpha_k \geq 0$ ,  $k \in \{1, \dots, p_2\}$ ,  $\beta_k \geq 0$ ,  $k \in \{1, \dots, q_2\}$ ,  
 $\sum_{k=1}^{p_2} \alpha_k + \sum_{k=1}^{q_2} \beta_k < 1$ .

- ARMA models with GARCH errors are quite flexible models. It is easy to see that the conditional mean of  $(X_t)_{t \in \mathbb{Z}}$  is  $\mu_t = \mathbb{E}(X_t | \mathcal{F}_{t-1})$  and that the conditional variance of  $(X_t)_{t \in \mathbb{Z}}$  is  $\sigma_t^2 = \text{var}(X_t | \mathcal{F}_{t-1})$ .
- Other extensions not further discussed here:
  - ▶ *GJR-GARCH*. These models introduce a parameter in the volatility equation in order for the volatility to react asymmetrically to recent returns (bad news leading to a fall in the equity value of a company tends to increase volatility, the so-called *leverage effect*).
  - ▶ *Threshold GARCH (TGARCH)*. More general models (than GJR-GARCH) in which the dynamics at time  $t$  depend on whether  $X_{t-1}$  (or  $Z_{t-1}$ ; sometimes even a coefficient) was below/above a threshold.
  - ▶ Note that one could also use an asymmetric innovation distribution with mean 0 and variance 1, e.g. from the generalized hyperbolic family or skewed  $t$  distribution.



## 4.2.4 Fitting GARCH models to data

### Building the likelihood

- The most widely used approach is **maximum likelihood**. We first **consider ARCH(1) and GARCH(1, 1) models, the general case easily follows.**
- **ARCH(1).** Suppose we have data  $X_0, X_1, \dots, X_n$ . The **joint density** can be written as

$$\begin{aligned} f_{X_0, \dots, X_n}(X_0, \dots, X_n) &= f_{X_0}(X_0) \prod_{t=1}^n f_{X_t|X_{t-1}, \dots, X_0}(X_t | X_{t-1}, \dots, X_0) \\ &= f_{X_0}(X_0) \prod_{t=1}^n f_{X_t|X_{t-1}}(X_t | X_{t-1}) \\ &= f_{X_0}(X_0) \prod_{t=1}^n \frac{1}{\sigma_t} f_Z\left(\frac{X_t}{\sigma_t}\right), \end{aligned}$$

where  $\sigma_t = \sqrt{\alpha_0 + \alpha_1 X_{t-1}^2}$  and  $f_Z$  denotes the density of the innovations  $(Z_t)_{t \in \mathbb{Z}}$  (mean 0, variance 1; typically  $N(0, 1)$  or  $t_\nu(0, \frac{\nu-2}{\nu})$ ). The

problem is that  $f_{X_0}$  is not known in tractable form. One thus typically considers the conditional likelihood given  $X_0$

$$\begin{aligned} L(\alpha_0, \alpha_1; X_0, \dots, X_n) &= f_{X_1, \dots, X_n | X_0}(X_1, \dots, X_n | X_0) \\ &= \frac{f_{X_0, \dots, X_n}(X_0, \dots, X_n)}{f_{X_0}(X_0)} = \prod_{t=1}^n \frac{1}{\sigma_t} f_Z\left(\frac{X_t}{\sigma_t}\right). \end{aligned}$$

Similarly for ARCH( $p$ ) models, one considers the likelihood conditional the first  $p$  values.

- GARCH(1,1). Here we construct the joint density of  $X_1, \dots, X_n$  conditional on both  $X_0$  and  $\sigma_0$ , so

$$\begin{aligned} L(\alpha_0, \alpha_1, \beta_1; X_0, \dots, X_n) &= f_{X_1, \dots, X_n | X_0, \sigma_0}(X_1, \dots, X_n | X_0, \sigma_0) \\ &= \prod_{t=1}^n f_{X_t | X_{t-1}, \dots, X_0, \sigma_0}(X_t | X_{t-1}, \dots, X_0, \sigma_0) = \prod_{t=1}^n f_{X_t | \sigma_t}(X_t | \sigma_t) \\ &= \prod_{t=1}^n \frac{1}{\sigma_t} f_Z\left(\frac{X_t}{\sigma_t}\right), \quad \text{where } \sigma_t = \sqrt{\alpha_0 + \alpha_1 X_{t-1}^2 + \beta_1 \sigma_{t-1}^2}. \end{aligned}$$

Note that  $\sigma_0^2$  is not observed. One typically chooses the sample variance of  $X_1, \dots, X_n$  (or 0) as starting values.

- Similarly for ARMA models with GARCH errors. In this case,

$$L(\boldsymbol{\theta}; X_0, \dots, X_n) = \prod_{t=1}^n \frac{1}{\sigma_t} f_Z\left(\frac{X_t - \mu_t}{\sigma_t}\right)$$

for the ARMA specification for  $\mu_t$  and the GARCH specification for  $\sigma_t$ ; all parameters are collected in  $\boldsymbol{\theta}$ , including unknown parameters of the innovation distribution. The log-likelihood is thus given by

$$\ell(\boldsymbol{\theta}; X_0, \dots, X_n) = \sum_{t=1}^n \ell_t(\boldsymbol{\theta}) = \sum_{t=1}^n \log\left(\frac{1}{\sigma_t} f_Z\left(\frac{X_t - \mu_t}{\sigma_t}\right)\right).$$

- Extensions to models with leverage or threshold effects are also possible.
- The log-likelihood  $\ell$  is typically maximized numerically to obtain  $\hat{\boldsymbol{\theta}}_n$ .

## Model checking

- After model fitting, we check residuals. Consider an ARMA model with GARCH errors  $X_t = \mu_t + \varepsilon_t = \mu_t + \sigma_t Z_t$ ; see Definition 4.20.
- We distinguish two kinds of residuals:
  - 1) *Unstandardized residuals*. These are the residuals  $\hat{\varepsilon}_1, \dots, \hat{\varepsilon}_n$  and should behave like a realization of a GARCH process.
  - 2) *Standardized residuals*. These are reconstructed realizations of the SWN which drives the GARCH process. They are calculated from the unstandardized residuals via

$$\hat{Z}_t = \hat{\varepsilon}_t / \hat{\sigma}_t, \quad \hat{\sigma}_t^2 = \hat{\alpha}_0 + \sum_{k=1}^{p_2} \hat{\alpha}_k \hat{\varepsilon}_{t-k}^2 + \sum_{k=1}^{q_2} \hat{\beta}_k \hat{\sigma}_{t-k}^2; \quad (8)$$

starting values for  $\hat{\varepsilon}_t$  are taken as 0 and starting values for  $\hat{\sigma}_t$  are taken as the sample variance (or 0); ignore the first few values then.

- The standardized residuals should behave like SWN. Check this via correlograms of  $(\hat{Z}_t)$  and  $(|\hat{Z}_t|)$  and by applying the Ljung–Box test

of strict white noise. In case of no rejection (the dynamics have been satisfactorily captured), the **validity of the innovation distribution** can also be assessed (e.g. **via Q-Q plots or goodness-of-fit tests**).

⇒ **Two-stage analysis possible**: First estimate the dynamics via QMLE (known as **pre-whitening** of the data), then model the **innovation distribution** using the standardized residuals.

Advantages:


- ▶ More **transparency in model building**;
- ▶ **Separating of volatility modelling and modelling of shocks** that drive the process;
- ▶ **Practical in higher dimensions**.

Drawbacks: **ARMA fitting errors propagate through to the fitting of innovations** (overall error hard to quantify).

### Example 4.21 (GARCH model for Microsoft log-returns)

- Consider Microsoft daily log-returns from 1997–2000 (1009 values). The raw returns show no evidence of serial correlation, the absolute values do (Ljung–Box test based on the first 10 estimated correlations fails at the 5% level).
- Various models with  $t$  innovations are fitted via MLE: GARCH(1, 1), AR(1)–GARCH(1, 1), MA(1)–GARCH(1, 1), ARMA(1, 1)–GARCH(1, 1). The basic GARCH(1, 1) is favored according to Akaike's information criterion.
- A model GRJ model further improves the fit (both raw and absolute standardized residuals show no serial correlation; Ljung–Box does not reject).

Microsoft log-returns 1997–2000: Data (top) and estimated volatility (bottom) from a GJR-GARCH(1,1).





Correlograms of a)  $(X_t)$ ; b)  $(|X_t|)$ ; c)  $(\hat{Z}_t)$ ; and d)  $(|\hat{Z}_t|)$





Q-Q plot of the standardized residuals (left); Estimated and predicted volatility (right) for the first 10 days of 2001 for a GARCH(1, 1) model.



## 4.2.5 Volatility forecasting and risk measure estimation

- Consider a weakly and strictly stationary time series  $(X_t)_{t \in \mathbb{Z}}$  of the form

$$X_t = \mu_t + \sigma_t Z_t$$

adapted to a filtration  $(\mathcal{F}_t)_{t \in \mathbb{Z}}$ , where  $\mu_t, \sigma_t \in \mathcal{F}_{t-1}$  and  $\mathbb{E}Z_t = 0$ ,  $\text{var } Z_t = 1$ , independent of  $\mathcal{F}_{t-1}$  (e.g.  $(X_t)_{t \in \mathbb{Z}}$  could be a GARCH model or ARMA model with GARCH errors).

- Assume we know  $X_{t-n+1}, \dots, X_t$  and want to compute  $P_t \sigma_{t+h}$ ,  $h \geq 1$ , a forecast of volatility based on these data.
- Since  $\mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) = \mathbb{E}((X_{t+h} - \mu_{t+h})^2 | \mathcal{F}_t)$  our forecasting problem is related to the problem of predicting  $(X_{t+h} - \mu_{t+h})^2$ .
- We consider two approaches: (1) calculating conditional expectations (optimal squared error forecasts) using model of GARCH type; (2) the more ad hoc exponentially weighted moving average (EWMA) approach.

## Conditional expectation

The general procedure becomes clear from examples.

### Example 4.22 (Prediction in the GARCH(1,1) model)

- A GARCH(1,1) model is of type  $X_t = \mu_t + \sigma_t Z_t$  for  $\mu_t = 0$ . Since  $\mathbb{E}(X_{t+h} | \mathcal{F}_t) = 0$ ,  $\hat{\mu}_{t+h} = P_t X_{t+h} = 0$  for all  $h \in \mathbb{N}$ .
- A natural prediction of  $X_{t+1}^2$  based on  $\mathcal{F}_t$  is its conditional mean

$$\mathbb{E}(X_{t+1}^2 | \mathcal{F}_t) = \sigma_{t+1}^2 = \alpha_0 + \alpha_1 X_t^2 + \beta_1 \sigma_t^2.$$

If  $\mathbb{E}(X_t^4) < \infty$ , this is the optimal squared error prediction.

- We thus obtain the one-step-ahead forecast

$$\hat{\sigma}_{t+1}^2 = \widehat{\mathbb{E}(X_{t+1}^2 | \mathcal{F}_t)} = \alpha_0 + \alpha_1 X_t^2 + \beta_1 \hat{\sigma}_t^2.$$

- If  $h > 1$ ,  $\sigma_{t+h}^2$  and  $X_{t+h}^2$  are rvs. Their predictions (coincide and) are

$$\begin{aligned}\mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) &= \alpha_0 + \alpha_1 \mathbb{E}(X_{t+h-1}^2 | \mathcal{F}_t) + \beta_1 \mathbb{E}(\sigma_{t+h-1}^2 | \mathcal{F}_t) \\ &= \alpha_0 + (\alpha_1 + \beta_1) \mathbb{E}(\sigma_{t+h-1}^2 | \mathcal{F}_t)\end{aligned}$$

so that a **general formula** is

$$\mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) = \alpha_0 \sum_{k=0}^{h-1} (\alpha_1 + \beta_1)^k + (\alpha_1 + \beta_1)^{h-1} (\alpha_1 X_t^2 + \beta_1 \sigma_t^2).$$

Note that for  $h \rightarrow \infty$ ,  $\mathbb{E}(\sigma_{t+h}^2 | \mathcal{F}_t) \xrightarrow{\text{a.s.}} \frac{\alpha_0}{1-\alpha_1-\beta_1}$ , so the prediction of squared volatility converges to the unconditional variance of the process.

#### **Example 4.23 (Prediction in the ARMA(1, 1)–GARCH(1, 1) model)**

Let  $X_t = \mu_t + \sigma_t Z_t = \mu_t + \varepsilon_t$  as before. It follows from Examples 4.14 and 4.22 that

$$\begin{aligned}\mathbb{E}(X_{t+h} | \mathcal{F}_t) &= \mu + \phi_1^h (X_t - \mu) + \phi_1^{h-1} \theta_1 \varepsilon_t, \\ \text{var}(X_{t+h} | \mathcal{F}_t) &= \alpha_0 \sum_{k=0}^{h-1} (\alpha_1 + \beta_1)^k + (\alpha_1 + \beta_1)^{h-1} (\alpha_1 \varepsilon_t^2 + \beta_1 \sigma_t^2).\end{aligned}$$

For  $\varepsilon_t, \sigma_t$ , substitute values obtained from (8).

## Exponentially weighted moving averages

- A **one-period ahead forecast**  $P_t Y_{t+1}$  of a generic  $Y_{t+1}$  based on  $\mathcal{F}_t$  is given by

$$P_0 Y_1 = 0, \quad P_t Y_{t+1} = \alpha Y_t + (1 - \alpha) P_{t-1} Y_t, \quad t \geq 1. \quad (9)$$

With  $Y_{t+1} = (X_{t+1} - \mu_{t+1})^2$  one obtains

$$P_t (X_{t+1} - \mu_{t+1})^2 = \alpha (X_t - \mu_t)^2 + (1 - \alpha) P_{t-1} (X_t - \mu_t)^2. \quad (10)$$

- Since  $\sigma_{t+1}^2 = \mathbb{E}((X_{t+1} - \mu_{t+1})^2 | \mathcal{F}_t)$ , we can **use (10) as exponential smoothing scheme** for the unobserved squared volatility  $\sigma_{t+1}^2$ . **This yields** a recursive scheme for the one-step-ahead volatility forecast given by

$$\hat{\sigma}_{t+1}^2 = \alpha (X_t - \hat{\mu}_t)^2 + (1 - \alpha) \hat{\sigma}_t^2,$$

which is then iterated.

- $\alpha$  is typically **small** (e.g. RiskMetrics:  $\alpha = 0.06$ );  $\hat{\mu}_t$  is usually set to **0** (see Chapter 3).

## Forecasting $\text{VaR}_\alpha$ and $\text{ES}_\alpha$

- Suppose we now want to forecast  $\text{VaR}_\alpha^{t+1}$ ,  $\text{ES}_\alpha^{t+1}$ , risk measures based on  $F_{X_{t+1}|\mathcal{F}_t}$ . If  $Z_t \stackrel{\text{ind.}}{\sim} F_Z$ , the  $\mathcal{F}_t$ -measurability of  $\mu_{t+1}$  and  $\sigma_{t+1}$ , and  $X_{t+1} = \mu_{t+1} + \sigma_{t+1}Z_{t+1}$  imply that

$$F_{X_{t+1}|\mathcal{F}_t}(x) = \mathbb{P}(\mu_{t+1} + \sigma_{t+1}Z_{t+1} \leq x | \mathcal{F}_t) = F_Z\left(\frac{x - \mu_{t+1}}{\sigma_{t+1}}\right).$$

- Then  $\text{VaR}_\alpha^{t+1} = \mu_{t+1} + \sigma_{t+1}F_Z^{\leftarrow}(\alpha)$  and  $\text{ES}_\alpha^{t+1} = \mu_{t+1} + \sigma_{t+1}\text{ES}_\alpha(Z)$ .
- If we have estimated  $\sigma_{t+1}$  (and  $\mu_{t+1}$ ; often taken as 0) it remains to estimate  $F_Z^{\leftarrow}(\alpha)$  and  $\text{ES}_\alpha(Z)$ .
  - For GARCH-type models it is easy to calculate  $F_Z^{\leftarrow}(\alpha)$  and  $\text{ES}_\alpha(Z)$ .
  - If we use exponential smoothing or QMLE to estimate  $\mu_{t+1}$ ,  $\sigma_{t+1}$ , we can use the residuals

$$\hat{Z}_s = (X_s - \hat{\mu}_s)/\hat{\sigma}_s, \quad s \in \{t - n + 1, \dots, n\},$$

to estimate  $F_Z^{\leftarrow}(\alpha)$  and  $\text{ES}_\alpha(Z)$ .

# References

- Brockwell, P. J. and Davis, R. A. (1991), Time Series: Theory and Methods, 2nd, New York: Springer.
- Tsay, R. S. and Tiao, G. C. (1984), Consistent estimates of autoregressive parameters and extended sample autocorrelation function for stationary and nonstationary ARMA models, *Journal of the American Statistical Association*, 79, 84–96.