

Block 11: runtime Solana signing and complete-block review remediation

1. Identity and finite scope

Reviewer: Codex /root in keepkey-vault-v11-agent-1, with parallel implementation and evidence review. Source checkout: /private/tmp/kk715-stack11-run3. Firmware PR: <https://github.com/BitHighlander/keepkey-firmware/pull/877>. Head branch: audit/715-stack11-agent1-20260927. Target: fork develop, fc1e93746132553ad98ed60f4847c8d770732bf9.

This report records the Block 11 candidate synchronized with Block 10 on 2026-09-28. The owner requires the entire cumulative block against develop; predecessor code is deliberately visible in the review. Block 10 final head 3a6f1cc2452c268908871958fe75abc5b3a2d54f is integrated by merge 355711281d98313823acbf99694fd470115cf45. Its three commits after bfe6cb207 change only the Block 10 audit source, PDF and handoff wording. The non-documentation diff against qualified Block 11 head 12f1047da347fec09a700de0154aa88d7352977f is empty, including all tests, build configuration and dependency pins. The containing head and its hosted status are bound in the PR receipt after report freeze.

Scope includes runtime schema v1/v2, eight v2 argument slots, signer-bound token metadata, exact instruction coverage, bounded plain-text raw message signing, AdvancedMode/session trust, ordinary consent, and every finding raised by the complete-block reviews. Certified roots, delegate certificates, LUT proofs and production publication remain outside runtime 7.15 scope. No release or physical-device acceptance is claimed.

The canonical main-worktree SOP and master template were read at intake. Their hashes, exact dependency identities and authorization are recorded in the adjacent review-control archive. Python remains aae89d378d889b3872696469fe363cf570e5ac4c (companion PR #122); it retains the Block 10 Python ancestry. Every direct and nested dependency was restored at its pin and checked clean before qualification.

The owner authorized three review rounds per block and recursive consecutive splits after three rounds requiring code changes. All three requests have been used: the first two required repairs; the third required no code change and was technically declined with evidence. The split trigger is not met. The latest owner instruction is to synchronize Block 11 fully with Block 10 and prepare the audited candidate for a final review. This report records preparation, not delivery of another Copilot review.

2. Source reconciliation and review coverage

Historical PR #841 is retained as provenance. Its live historical head/base differ in four files despite an earlier tree-empty retirement note; four core functions and relevant tests were already inherited from the accepted predecessor. This complete-block PR exposes that implementation against develop. The audit does not treat the retirement note or an old receipt-only review as code-review proof.

Behavior	Code-bearing paths	Property evidence
Schema v1/v2 parser, typed widths and exact data/account binding	solana.c, solana.h, native Solana tests	Canonical/v2 and all-prefix truncation tests, safe labels, coverage and account mismatch cases
Runtime trust and same-signer token mint metadata	fsm_msg_solana.h, signed_metadata.c, pinned Python	Runtime schema/attestation wire cases, valid token review, invalid signer/signature/mint controls
Malformed input rejected before schema consent	fsm_msg_solana.h, pinned Python	Original S11-01 baseline reaches consent; repaired trailing/truncated forms reject before buttons/signature
Plain-text message and session policy	solana.c, fsm_msg_solana.h, fsm_msg_common.h	Printable/control-byte and key-scan checks, policy/refusal, Initialize and ClearSession contracts
Newer-storage creation and persistent-setting refusal	fsm.c, fsm_msg_common.h, storage API comments, fsm.cpp	Actual USB handlers after real future-version flash load, creation/settings/authenticator guards, preserved wipe and continuation behavior
Trusted OTP entropy before boot continuation	keepkey_flash.c, hardware-branch board probe	RNG failure, failed/partial programming, readback and lock failure; existing locked entropy and healthy fresh boot controls

Behavior	Code-bearing paths	Property evidence
Identity/cipher secret cleanup before response	fsm_msg_crypto.h, crypto_cleanup.cpp	Real direct and USB handlers, independent signature/ciphertext vectors, signing/derivation failure and cancellation
Windows timer and host RNG portability	timer.c, rng.c, Windows DLL target	Boundary arithmetic controls and MinGW compilation of the supported shared-library target
Validator platform/headers and file I/O boundary	tools/erc7730-validate, CMake execution registration	Actual CLI valid/malformed/file-error/capacity tests; original-input negative control
Earlier review repairs	scanner policy, crypto/emulator/test CMake	Preserved tracked-dependency detection, full/BTC source boundary, libc fallback and 72-case Zcash coverage
Updated Block 10 predecessor	ethereum.c, fsm_msg_ethereum.h, stack10 wire module, report generator	Canonical total-length guard; padded-zero consistency; full/BTC required contract cases

The cumulative inventory includes inherited code, tests, dependency-pointer lines, workflows and evidence. Historical commit counts overlap and are not summed as a net diff. Added tests are registered in CMake or in the required xunit target; no predecessor test or assertion was removed. The hardware entropy probe explicitly compiles the real device branch while replacing only hardware side effects; it is not a physical-device execution.

3. Findings and dispositions

Original S11-01 remains fixed: malformed Solana transactions cannot enter runtime-schema consent. The initial five review findings (5333270562 on f388155ce0b8) remain dispositioned with their immutable evidence. The tracked-dependency secret exemption was removed, Pallas/Zcash units were gated by product, fallback libc source paths were corrected and a redundant test target removed while all 72 actual Zcash cases remained in the required full suite. The alleged total absence of those tests and duplicate compiled full objects were not reproduced; their precise outcomes remain recorded in the earlier archive.

Second review 5333740490 on 8cd5561a2 delivered eight inline comments, seven high and one medium, despite inconsistent overview prose. All inline comments and the complete body were read; no extra concrete body-only finding was identified.

Comment	Disposition and class analysis
4118361256 and 4118361320	Confirmed one storage root cause. Future-format flash resets the RAM shadow while storage_commit refuses writes. The shared guard now refuses creation, persistent settings and authenticator Ping before prompting or staging. Existing Bitcoin-only refusal codes and explicit WipeDevice remain. Tests use real flash loader plus USB decoder, not a forced lock flag.
4118361277	Confirmed failed first RNG draw could flow into erased OTP consumption. Boot now scrubs and halts before continuation. The adjacent class also verifies programming by readback before permanent locking, verifies the actual lock, and refuses read failures. OTP wrapper success alone is not trusted as proof of successful programming.
4118361337	Local handler cleanup was missing. Normal USB dispatch already cleared shared scratch afterward, so retention until an unrelated later request was overstated. SignIdentity now clears before success/failure output; CipherKeyValue in the same handler family clears on cancellation and after key use, including derived HMAC/AES material. Established signatures and ciphertext remain unchanged. Independent generic-Ed25519 verification exposed an uninitialized recovery-prefix byte in cryptoMessageSign; it now initializes to zero because Ed25519 does not supply an ECDSA recovery identifier.
4118361301	The baseline MinGW object compiled because unistd.h was still present; the precise undeclared-usleep claim did not reproduce. The Windows branch now uses explicit Sleep with overflow-safe rounding; POSIX declarations stay on POSIX. The complete DLL build exposed an undeclared BCryptGenRandom/PUCHAR/ULONG path; random32 now delegates to the existing Windows/POSIX host CSPRNG provider, preserving fail-closed behavior.
4118361360	Baseline native object compilation succeeded through the tracked include/trezor/crypto symlink. The target now also names its crypto include directory explicitly; the tracked symlink remains available. Actual CLI compilation and execution verify the resulting target.

Comment	Disposition and class analysis
4118361390	The validator linked the POSIX socket emulator on Windows. It is now excluded there, matching the supported socket-free Windows DLL build; native full firmware still builds and executes the validator.
4118361413	Confirmed fread/feof boundary error. One-byte lookahead distinguishes exact capacity from oversized input, and ferror is handled separately. Exact-capacity bytes now reach the firmware parser; this does not expand the parser's own program limit.

Security closure contracts and independent falsification results appear in the next section and adjacent evidence. Technical corrections to review wording do not erase the delivered Changes recommended verdict.

Third review 5344049267 on 12f1047da347fec09a700de0154aa88d7352977f reported Changes recommended with one P1 (comment 4126567194): Bitcoin-only allegedly compiles ethereum_tokens.c with TOKENS_COUNT=0. The premise is false: lib/firmware/CMakeLists.txt includes that source only inside if(NOT \${KK_BITCOIN_ONLY}); both product variants passed hosted qualification. Technical reply 4126576636 documents the source and build evidence. All 14 review threads are resolved. No body-only finding remains undispositioned. The review verdict is preserved; a required external checkpoint would need explicit owner acceptance of this technical decline or a new qualifying review.

4. Security contracts and falsification

Sensitive state/origin and observer	Allowed / forbidden behavior	Executed paths and counterexamples
Future-version stored wallet; host and user; both products at boot/setup	Preserve flash; no staged replacement, prompt or success implying persistence. Explicit confirmed wipe may clear it.	Normal future versions, 9999, incompatible BTC versions and UINT32_MAX; Load/Reset/Recovery, settings, authenticator prefixes, stale continuations, read-only calls, cancelled wipe, confirmed wipe and persistent restart. Original guard overlay must fail relevant refusal cases.
Hardware RNG and OTP bytes; boot/DRBG/storage; both product macros	Only verified fresh bytes or readable previously locked bytes reach initialization. Failure must halt without consuming erased/partial bytes.	Actual device branch with mocked registers/OTP/RNG/halt: RNG, write, partial write, read, lock failures and valid neighbors. Baseline source overlay must violate the failed-draw/readback contracts. Physical fault injection remains unexecuted.
Derived identity/cipher node and key schedule; host response and handler return; both products	Emit the requested valid signature/ciphertext only after consent; scrub confidential scratch before response and on all post-derivation exits.	Direct and USB entry, HTTPS/SSH/GPG vectors, invalid digest lengths, derivation error, cancellation, encryption/decryption and same-session continuation. Baseline handler overlay distinguishes local cleanup from the existing dispatch backstop.
Host program bytes/file errors; CLI consumer; native full	Correct file-boundary classification, explicit I/O error, actual firmware parser refusal for invalid programs.	Valid independent fixture, truncation, trailing bytes, bad magic, empty/missing files, directory read error, capacity minus/at/plus one and far oversized. Baseline exact-capacity test fails.
Windows delay input and host entropy; emulator process	No arithmetic overflow or unsupported POSIX RNG/socket dependency in the supported DLL.	Zero/submillisecond/millisecond/UINT32_MAX delays with intercepted Sleep; delay callbacks and actual cross compilation. This does not claim Windows scheduler timing or physical-device entropy equivalence.

Crypto runtime assertions inspect shared HDNode scratch at handler return and verify emitted values. Cleanup before response and HMAC/AES stack wiping are established by source-path review; those transient stack bytes and the instant before msg_write are not instrumented. The separate remediation review checks failure ordering, equivalent encodings, caller defaults, release variants and preservation of previous guards. Closure depends on asserted properties and baseline controls; totals and hashes alone do not prove them.

5. Verification and remaining gates

Check	Result and scope
Full native, clean runtime directory	706 firmware + 26 board + 18 crypto = 750 pass, zero failures/errors/skips; includes 30 future-storage cases, 7 crypto cleanup cases, 7 hardware-entropy cases and all 72 Zcash cases.
Bitcoin-only native, clean runtime directory	174 firmware + 26 board + 18 crypto = 218 pass, zero failures/errors/skips; includes 24 future-storage cases and the same 7 crypto/7 entropy cases.
Full focused host/wire	64 pass, 14 explicit feature skips; runtime Solana, identity/cipher and Block 9/10 contracts. All nine updated Block 10 cases pass.
Bitcoin-only focused host/wire	7 pass, 71 explicit product/feature skips; identity/cipher and authenticator remain available; Solana/EVM excluded.
Storage negative controls	Original guard overlay fails 9/30 full and 8/24 BTC cases; fixed/restored 30/30 and 24/24 pass. An initial stale-object attempt was rejected as evidence; effective controls force/recheck FSM recompilation.
Entropy negative controls	Seven fixed cases pass in each product macro; original source fails five of seven. Real device entropy branch, mocked peripheral/OTP/halt operations.
Crypto negative controls	Seven fixed cases pass; original handler overlay fails five cleanup cases; poisoned recovery identifier fails the independent generic-Ed25519 prefix assertion. Direct and USB output vectors are verified.
Validator file/CLI	12 actual-CLI tests pass via custom target and CTest; original main fails exact-capacity/read-error cases while ten neighboring cases pass.
Windows portability	Supported DLL cross-build passes; original validator target fails on BSD socket headers, original RNG branch fails declaration compilation. Timer boundaries and runnable/callback controls pass; original branch fails the Sleep expectation. No Windows runtime execution is claimed.
Report/preflight regression units	30 pass. Disposable test commit/tag signing disabled only in process environment to avoid local GPG side effects; actual candidate commits remain signed.

Local binaries were compiled from the material source content frozen as 36d9f32f0daac85d3baa68996e0c59112dffbf74. Build-time Git labels can name its f0977b81d generation predecessor; code/pin content and source snapshots are recorded separately. These local results are not labeled as hosted exact-head execution. Full raw results, skipped identities and baseline failures are preserved in the adjacent evidence archive.

Archive: 715-11-review2-controls-20260928.tgz; SHA256

43db28ac4e82946c80f89172e1268cfa971c833047866f7ad411ab5b572a3317. Every archived member is hash-verified.

Manual CI 36473918905 passed on 12f1047da347fec09a700de0154aa88d7352977f: full aggregate 1565 pass, 84 declared skips, zero failures/errors, with both native products, wire contracts and ARM/resource gates verified. Independent run metadata, source and Python pin, all eight contract inputs, JUnit/PDF, OLED and ARM receipts were checked; nine tampering controls rejected. That qualified head and the synchronized candidate have identical non-documentation content. These results are carried evidence, not a new execution on the containing report commit. The PR receipt records any later hosted run with its exact head. Earlier CI 36369783240 at 8cd5561a2 remains historical and is superseded for current material-source qualification.

The ordinary develop-based PR event has an incompatible absent capability ledger. The previously owner-approved manual authority remains accepted-7b authority commit 2483977523d9b6beab52a69429ace9aeefd00f76. Manual qualification uses that authority with publishing disabled and retains the negative control rejecting waiver expansion. No repository setting or candidate waiver was broadened in this round.

Physical buttons/OLED, actual power interruption, signed-device upgrade, assembled-release integration, merge and publication remain separate gates. Unit and emulator evidence is explicitly labeled. Later 7.16 certified Solana tests retain their named exclusions; runtime 7.15 owned behavior is executed rather than hidden by a later-capability skip.

6. Report and review checkpoint

The source/PDF inventory is generated from an immutable explicit range. Every final path and addition/deletion count is checked against Git; binary PDF/archive counts are shown as Git's dash. The PDF is rendered from this source and visually inspected. The adjacent archive preserves commands, source hashes, positive and negative results and review baseline, with a manifest verifying every member.

Final pre-push scripts/preflight.sh must pass after the last edit. Local native, host and report checks precede the hosted matrix. A report-only containing commit may carry code evidence forward only with a proven empty code/pin/configuration diff. Final source/CI status is reported independently from Copilot freshness.

Review snapshot at this preparation: three requests delivered (5333270562, 5333740490, 5344049267), two code-change failures, zero unresolved threads. The latest review covered the qualified source before this documentation synchronization; it is not a clean verdict. The final reviewer should assess the complete block with the preserved build-graph disposition and the consolidated property evidence. Balanced effort is recommended for firmware review; historical reviews used Lite, and no setting change is claimed. Current CI and review outcomes belong in the PR receipt and main audit ledger with exact SHAs.

Readiness audit signed off by Codex /root on 2026-09-28: Block 10 ancestry is complete; the merged document changes were read; source, test, build and pin preservation was proven by an empty non-documentation diff. The existing property audit and negative controls remain applicable. The storage, entropy, secret-cleanup, Solana malformed-input, platform and validator dispositions were rechecked against current source and assertions. No new actionable in-scope issue was identified. This sign-off carries forward the frozen code evidence and requires the final document render/inventory checks and pre-push preflight recorded in the receipt.

7. Complete cumulative Git inventory

Inventory base: fc1e93746132553ad98ed60f4847c8d770732bf9. Integration anchor:

355711281d98313823acbf99694fd470115cf45. Final material source: 36d9f32f0daac85d3baa68996e0c59112dffbf74.

This inventory describes the containing report tree, including its own final line count; the containing SHA is recorded in the PR receipt. Reproduce with `git diff --numstat fc1e93746132553ad98ed60f4847c8d770732bf9..FINAL_HEAD`. The non-documentation tree remains identical to qualified head 12f1047da347fec09a700de0154aa88d7352977f.

Added	Deleted	Path
1	2	.gitattributes
755	587	.github/workflows/ci.yml
8	8	.github/workflows/mirror-base-image.yml
275	69	.github/workflows/release.yml
6	0	.gitignore
20	0	.gitleaks.toml
9	0	.gitleaksignore
3	3	.gitmodules
65	4	CMakeLists.txt
1	0	cmake/caches/device.cmake
40	0	cmake/toolchains/mingw-w64-x86_64.cmake
13	0	deps/crypto/CMakeLists.txt
1	1	deps/crypto/trezor-firmware
1	1	deps/device-protocol
1	1	deps/python-keepkey
192	0	docs/DiceEntropy.md
154	0	docs/dice-vs-coldcard.md

Added	Deleted	Path
94	0	docs/firmware/reviews/7.15.0-review-round2-remediation.md
124	0	docs/release/7.14.3-COMBINED-CANDIDATE.md
230	0	docs/release/REHEARSAL-SOP.md
148	0	docs/release/RELEASE-PROGRAM.md
63	0	docs/release/audit-units/715-04-review-20260923.md
-	-	docs/release/audit-units/715-04-review-20260923.pdf
61	0	docs/release/audit-units/715-05-review-20260924.md
-	-	docs/release/audit-units/715-05-review-20260924.pdf
678	0	docs/release/audit-units/715-05-skips-20260924.tsv
20	0	docs/release/audit-units/715-06-evidence-sha256-20260924.txt
82	0	docs/release/audit-units/715-06-history-20260924.tsv
-	-	docs/release/audit-units/715-06-intake-evidence-20260924.tgz
140	0	docs/release/audit-units/715-06-reconciliation-20260924.md
185	0	docs/release/audit-units/715-06-review-20260924.md
-	-	docs/release/audit-units/715-06-review-20260924.pdf
663	0	docs/release/audit-units/715-06-skips-20260924.tsv
-	-	docs/release/audit-units/715-06-validation-20260924.tgz
1086	0	docs/release/audit-units/715-06-validation-sha256-20260924.txt
144	0	docs/release/audit-units/715-07-first-copilot-retrospective-20260924.md
-	-	docs/release/audit-units/715-07-first-copilot-retrospective-20260924.pdf
81	0	docs/release/audit-units/715-07-full-audit-remediation-20260924.md
-	-	docs/release/audit-units/715-07-full-audit-remediation-20260924.pdf
112	0	docs/release/audit-units/715-07-history-20260924.tsv
62	0	docs/release/audit-units/715-07-intake-20260924.md
141	0	docs/release/audit-units/715-07-review-20260924.md
-	-	docs/release/audit-units/715-07-review-20260924.pdf
577	0	docs/release/audit-units/715-07-skips-20260924.tsv
-	-	docs/release/audit-units/715-07-validation-20260924.tgz
112	0	docs/release/audit-units/715-07-validation-sha256-20260924.txt
42	0	docs/release/audit-units/715-07b-d-resplit-mapping-20260927.md
35	0	docs/release/audit-units/715-07b-resplit-checks-20260927.json
74	0	docs/release/audit-units/715-07b-resplit-receipt-20260927.md
128	0	docs/release/audit-units/715-07b1-formatters-audit-20260926.md
-	-	docs/release/audit-units/715-07b1-formatters-audit-20260926.pdf

AUDIT REPORT

Added	Deleted	Path
119	0	docs/release/audit-units/715-07b2a-groups-audit-20260927.md
-	-	docs/release/audit-units/715-07b2a-groups-audit-20260927.pdf
121	0	docs/release/audit-units/715-07b2b-iteration-audit-20260927.md
-	-	docs/release/audit-units/715-07b2b-iteration-audit-20260927.pdf
136	0	docs/release/audit-units/715-07b3r-embedded-audit-20260927.md
-	-	docs/release/audit-units/715-07b3r-embedded-audit-20260927.pdf
203	0	docs/release/audit-units/715-08-10-integration-20260927.md
-	-	docs/release/audit-units/715-08-10-integration-20260927.pdf
-	-	docs/release/audit-units/715-08-10-local-evidence-20260927.tgz
110	0	docs/release/audit-units/715-08-audit-20260927.md
-	-	docs/release/audit-units/715-08-audit-20260927.pdf
86	0	docs/release/audit-units/715-08-consolidated-audit-20260927.md
-	-	docs/release/audit-units/715-08-consolidated-audit-20260927.pdf
-	-	docs/release/audit-units/715-08-local-evidence-20260927.tgz
175	0	docs/release/audit-units/715-08-reconciliation-20260927.json
80	0	docs/release/audit-units/715-08B-audit-20260927.md
-	-	docs/release/audit-units/715-08B-audit-20260927.pdf
114	0	docs/release/audit-units/715-09-audit-20260927.md
-	-	docs/release/audit-units/715-09-audit-20260927.pdf
-	-	docs/release/audit-units/715-09-local-evidence-20260927.tgz
145	0	docs/release/audit-units/715-09-reconciliation-20260927.json
163	0	docs/release/audit-units/715-10-audit-20260927.md
-	-	docs/release/audit-units/715-10-audit-20260927.pdf
31	0	docs/release/audit-units/715-10-completion-plan-20260927.md
125	0	docs/release/audit-units/715-10-final-audit-20260928.md
-	-	docs/release/audit-units/715-10-final-audit-20260928.pdf
-	-	docs/release/audit-units/715-10-final-audit-20260928.tgz
-	-	docs/release/audit-units/715-10-final-readiness-evidence-20260927.tgz
73	0	docs/release/audit-units/715-10-intake-20260927.md
48	0	docs/release/audit-units/715-10-reconciliation-20260927.json
489	0	docs/release/audit-units/715-11-complete-block-audit-20260927.md
-	-	docs/release/audit-units/715-11-complete-block-audit-20260927.pdf
200	0	docs/release/audit-units/715-11-intake-20260927.json
36	0	docs/release/audit-units/715-11-intake-20260927.md
-	-	docs/release/audit-units/715-11-local-evidence-20260927.tgz

Added	Deleted	Path
82	0	docs/release/audit-units/715-11-malformed-schema.md
-	-	docs/release/audit-units/715-11-manual-ci-controls-20260927.tgz
-	-	docs/release/audit-units/715-11-review1-controls-20260927.tgz
-	-	docs/release/audit-units/715-11-review2-controls-20260928.tgz
26	0	docs/release/audit-units/P01-002-artifact-routing.md
27	0	docs/release/audit-units/P01-003-firmware-packaging.md
12	0	docs/release/audit-units/P01-004-report-inputs.md
16	0	docs/release/audit-units/P01-008-compose-variant.md
27	0	docs/release/audit-units/P02-001-tiny-lifetime.md
14	0	docs/release/audit-units/P02-003-packet-lifetime.md
18	0	docs/release/audit-units/P06-002-ripple-display-response.md
15	0	docs/release/audit-units/P06-003-ripple-display-test.md
21	0	docs/release/audit-units/P06-005-ripple-unsupported-memo.md
12	0	docs/release/audit-units/P06-006-ripple-memo-rejection-test.md
23	0	docs/release/audit-units/decode-boundaries.md
15	0	docs/release/audit-units/eos-authorization.md
87	0	docs/release/audit-units/full-diff-audit-20260912.md
14	0	docs/release/audit-units/passphrase-transition.md
32	0	docs/release/audit-units/scope-repair.md
14	0	docs/release/audit-units/source-storage-policy.md
21	0	docs/release/audit-units/storage-capacities.md
11	0	docs/release/audit-units/storage-cipher-cleanup.md
11	0	docs/release/audit-units/storage-revocation.md
6	0	docs/release/audit-units/token-build-dependencies.md
170	0	docs/security/7.14.3-bitcoin-only-dice-audit-sop.md
235	0	docs/security/HANDOFF-ERC7730-715-FORMATTERS.md
295	0	docs/security/HANDOFF-ERC7730-ALPHA.md
209	0	docs/security/HANDOFF-ERC7730-PHASE-E.md
-	-	docs/security/evidence/rom-printf-integer-percent/01-thorchain-withd raw-25.05pct.png
-	-	docs/security/evidence/rom-printf-integer-percent/02-thorchain-sendi ng-eth.png
17	0	docs/security/evidence/rom-printf-integer-percent/README.md
28	0	include/keepkey/board/bsd_compat.h
67	1	include/keepkey/board/confirm_sm.h
35	0	include/keepkey/board/draw.h

Added	Deleted	Path
16	0	include/keepkey/board/keepkey_display.h
21	0	include/keepkey/board/layout.h
57	24	include/keepkey/board/messages.h
5	0	include/keepkey/board/usb.h
61	17	include/keepkey/emulator/libkkemu.h
43	1	include/keepkey/firmware/app_confirm.h
9	1	include/keepkey/firmware/app_layout.h
11	1	include/keepkey/firmware/authenticator.h
12	0	include/keepkey/firmware/binance.h
22	0	include/keepkey/firmware/bip85.h
2	0	include/keepkey/firmware/coins.def
3	1	include/keepkey/firmware/coins.h
72	0	include/keepkey/firmware/dice_input.h
11	4	include/keepkey/firmware/eip712.h
227	0	include/keepkey/firmware/eip712_stream.h
4	0	include/keepkey/firmware/eos.h
80	0	include/keepkey/firmware/erc7730_abi.h
90	0	include/keepkey/firmware/erc7730_abi_stream.h
111	0	include/keepkey/firmware/erc7730_capabilities.h
241	0	include/keepkey/firmware/erc7730_catalog.h
20	0	include/keepkey/firmware/erc7730_condition.h
69	0	include/keepkey/firmware/erc7730_field.h
38	0	include/keepkey/firmware/erc7730_format.h
311	0	include/keepkey/firmware/erc7730_program.h
26	0	include/keepkey/firmware/erc7730_tx.h
277	0	include/keepkey/firmware/erc7730_workflow.h
20	2	include/keepkey/firmware/ethereum.h
34	0	include/keepkey/firmware/ethereum_contracts.h
3	0	include/keepkey/firmware/ethereum_contracts/saproxy.h
27	1	include/keepkey/firmware/ethereum_contracts/thortx.h
3	0	include/keepkey/firmware/ethereum_contracts/zxliquidtx.h
14	3	include/keepkey/firmware/ethereum_tokens.h
38	0	include/keepkey/firmware/fsm.h
98	0	include/keepkey/firmware/hive.h
2	0	include/keepkey/firmware/home_sm.h

Added	Deleted	Path
54	4	include/keepkey/firmware/mayachain.h
36	1	include/keepkey/firmware/osmosis.h
7	0	include/keepkey/firmware/pin_sm.h
9	0	include/keepkey/firmware/recovery_cipher.h
65	4	include/keepkey/firmware/reset.h
28	2	include/keepkey/firmware/ripple.h
242	0	include/keepkey/firmware/signed_metadata.h
21	1	include/keepkey/firmware/signing.h
16	3	include/keepkey/firmware/signtx_tendermint.h
148	0	include/keepkey/firmware/solana.h
46	1	include/keepkey/firmware/storage.h
30	0	include/keepkey/firmware/tendermint.h
50	5	include/keepkey/firmware/thorchain.h
4	1	include/keepkey/firmware/tiny-json.h
0	7	include/keepkey/firmware/tokens.def
10	1	include/keepkey/firmware/transaction.h
56	0	include/keepkey/firmware/tron.h
3	1	include/keepkey/firmware/txin_check.h
431	0	include/keepkey/firmware/zcash.h
19	0	include/keepkey/rand/rng.h
143	0	include/keepkey/rand/rng_health.h
2	0	include/keepkey/transport/interface.h
27	0	include/keepkey/transport/messages-ethereum.options
56	0	include/keepkey/transport/messages-hive.options
0	1	include/keepkey/transport/messages-osmosis.options
2	0	include/keepkey/transport/messages-ripple.options
12	0	include/keepkey/transport/messages-solana.options
1	0	include/keepkey/transport/messages-thorchain.options
54	0	include/keepkey/transport/messages-zcash.options
16	0	include/keepkey/transport/messages.options
222	113	include/pb.h
512	30	lib/board/confirm_sm.c
163	16	lib/board/draw.c
4	1	lib/board/font.c
13	10	lib/board/keepkey_board.c

Added	Deleted	Path
36	9	lib/board/keepkey_flash.c
152	9	lib/board/layout.c
162	68	lib/board/messages.c
39	9	lib/board/signatures.c
32	2	lib/board/timer.c
3	0	lib/board/udp.c
50	23	lib/board/usb.c
48	16	lib/board/util.c
11	4	lib/emulator/CMakeLists.txt
302	35	lib/emulator/libkkemu.c
45	5	lib/emulator/setup.c
8	2	lib/emulator/udp.c
56	27	lib/firmware/CMakeLists.txt
281	44	lib/firmware/app_confirm.c
117	4	lib/firmware/app_layout.c
240	131	lib/firmware/authenticator.c
141	14	lib/firmware/binance.c
105	0	lib/firmware/bip85.c
19	1	lib/firmware/coins.c
2	1	lib/firmware/crypto.c
448	0	lib/firmware/dice_input.c
460	255	lib/firmware/eip712.c
1456	0	lib/firmware/eip712_stream.c
21	8	lib/firmware/eos-contracts/eosio.system.c
117	13	lib/firmware/eos.c
472	0	lib/firmware/erc7730_abi.c
463	0	lib/firmware/erc7730_abi_stream.c
243	0	lib/firmware/erc7730_capabilities.c
1652	0	lib/firmware/erc7730_catalog.c
109	0	lib/firmware/erc7730_condition.c
297	0	lib/firmware/erc7730_field.c
233	0	lib/firmware/erc7730_format.c
877	0	lib/firmware/erc7730_program.c
46	0	lib/firmware/erc7730_tx.c
1097	0	lib/firmware/erc7730_workflow.c

Added	Deleted	Path
669	120	lib/firmware/ethereum.c
51	11	lib/firmware/ethereum_contracts.c
36	24	lib/firmware/ethereum_contracts/makerdao.c
52	13	lib/firmware/ethereum_contracts/saproxy.c
189	47	lib/firmware/ethereum_contracts/thortx.c
113	83	lib/firmware/ethereum_contracts/zxapliquid.c
154	111	lib/firmware/ethereum_contracts/zxliquidtx.c
201	36	lib/firmware/ethereum_contracts/zxswap.c
80	16	lib/firmware/ethereum_contracts/zxtransERC20.c
21	13	lib/firmware/ethereum_tokens.c
403	14	lib/firmware/fsm.c
58	17	lib/firmware/fsm_msg_binance.h
143	0	lib/firmware/fsm_msg_bip85.h
52	9	lib/firmware/fsm_msg_coin.h
145	35	lib/firmware/fsm_msg_common.h
118	23	lib/firmware/fsm_msg_cosmos.h
39	16	lib/firmware/fsm_msg_crypto.h
24	7	lib/firmware/fsm_msg_debug.h
22	3	lib/firmware/fsm_msg_eos.h
2244	142	lib/firmware/fsm_msg_ethereum.h
491	0	lib/firmware/fsm_msg_hive.h
162	30	lib/firmware/fsm_msg_mayachain.h
210	113	lib/firmware/fsm_msg_osmosis.h
81	9	lib/firmware/fsm_msg_ripple.h
814	153	lib/firmware/fsm_msg_solana.h
125	23	lib/firmware/fsm_msg_tendermint.h
136	29	lib/firmware/fsm_msg_thorchain.h
37	55	lib/firmware/fsm_msg_ton.h
111	15	lib/firmware/fsm_msg_tron.h
1699	0	lib/firmware/fsm_msg_zcash.h
439	0	lib/firmware/hive.c
46	8	lib/firmware/home_sm.c
389	97	lib/firmware/mayachain.c
54	0	lib/firmware/messagemap.def
5	2	lib/firmware/nano.c

Added	Deleted	Path
270	37	lib/firmware/osmosis.c
77	6	lib/firmware/passphrase_sm.c
47	21	lib/firmware/pin_sm.c
213	90	lib/firmware/recovery_cipher.c
482	96	lib/firmware/reset.c
65	10	lib/firmware/ripple.c
1046	0	lib/firmware/signed_metadata.c
549	59	lib/firmware/signing.c
193	65	lib/firmware/signtx_tendermint.c
538	41	lib/firmware/solana.c
306	42	lib/firmware/storage.c
8	0	lib/firmware/storage.h
180	4	lib/firmware/tendermint.c
318	46	lib/firmware/thorchain.c
5	3	lib/firmware/tiny-json.c
5	3	lib/firmware/ton.c
180	18	lib/firmware/transaction.c
364	1	lib/firmware/tron.c
14	7	lib/firmware/txin_check.c
11	2	lib/firmware/u2f.c
1237	0	lib/firmware/zcash.c
2	1	lib/rand/CMakeLists.txt
87	13	lib/rand/rng.c
348	0	lib/rand/rng_health.c
18	0	lib/transport/CMakeLists.txt
2	1	lib/transport/pb_decode.c
1	1	scripts/build/docker/device/debug.sh
7	2	scripts/build/docker/device/release.sh
1	1	scripts/build/docker/emulator/debug.sh
1	0	scripts/cppcheck-version
32	0	scripts/cppcheck.sh
10	2	scripts/emulator/Dockerfile
111	0	scripts/emulator/capture-dice-flow.py
99	0	scripts/emulator/capture-thor-percent.py
12	0	scripts/emulator/docker-compose.bitcoin-only.yml

Added	Deleted	Path
14	0	scripts/emulator/docker-compose.yml
19	1	scripts/emulator/firmware-unit.sh
87	65	scripts/emulator/python-keepkey-tests.sh
1	1	scripts/emulator/python-keepkey.Dockerfile
443	0	scripts/emulator/test_stack07_regressions.py
36	0	scripts/emulator/test_stack09_integration.py
201	0	scripts/emulator/test_stack10_regressions.py
648	68	scripts/generate-test-report.py
103	0	scripts/preflight.sh
92	0	scripts/preflight_checks.py
249	0	scripts/test_generate_test_report.py
124	0	scripts/test_preflight_checks.py
91	0	scripts/test_preflight_cppcheck.py
85	0	scripts/tests/test_usb_receive_callbacks.py
36	0	scripts/verify-token-def.py
1	0	tools/CMakeLists.txt
124	0	tools/check_sram_budget.py
33	11	tools/emulator/CMakeLists.txt
28	0	tools/erc7730-validate/CMakeLists.txt
82	0	tools/erc7730-validate/main.c
110	0	tools/erc7730-validate/test_cli.py
3	1	tools/firmware/CMakeLists.txt
10	0	tools/firmware/keepkey.ld
14	9	tools/firmware/keepkey_main.c
10	0	tools/sram-budgets.json
251	0	tools/verify_dice_seed.py
7	1	unittests/board/CMakeLists.txt
490	2	unittests/board/board.cpp
5	0	unittests/board/hardware_stubs/libopencm3/stm32/desig.h
9	0	unittests/board/hardware_stubs/libopencm3/stm32/flash.h
104	0	unittests/board/hw_entropy.cpp
154	0	unittests/board/hw_entropy_probe.c
25	0	unittests/board/hw_entropy_probe.h
6	2	unittests/crypto/CMakeLists.txt
500	0	unittests/crypto/bip340.cpp

Added	Deleted	Path
56	7	unittests/firmware/CMakeLists.txt
48	0	unittests/firmware/app_confirm.cpp
302	0	unittests/firmware/authenticator.cpp
151	0	unittests/firmware/binance.cpp
28	2	unittests/firmware/coins.cpp
189	0	unittests/firmware/confirm_test_utils.cpp
166	8	unittests/firmware/cosmos.cpp
339	0	unittests/firmware/crypto_cleanup.cpp
116	0	unittests/firmware/dice.cpp
194	0	unittests/firmware/eip712.cpp
1076	0	unittests/firmware/eip712_stream.cpp
90	3	unittests/firmware/eos.cpp
50	0	unittests/firmware/eos_authorization.cpp
16	0	unittests/firmware/eos_authorization_probe.c
174	0	unittests/firmware/erc7730_abi.cpp
371	0	unittests/firmware/erc7730_abi_stream.cpp
1901	0	unittests/firmware/erc7730_catalog.cpp
105	0	unittests/firmware/erc7730_condition.cpp
304	0	unittests/firmware/erc7730_field.cpp
224	0	unittests/firmware/erc7730_format.cpp
411	0	unittests/firmware/erc7730_program.cpp
74	0	unittests/firmware/erc7730_tx.cpp
207	0	unittests/firmware/erc7730_workflow.cpp
709	1	unittests/firmware/ethereum.cpp
1464	0	unittests/firmware/fsm.cpp
783	0	unittests/firmware/hive.cpp
20	0	unittests/firmware/kkconfirm_driver.h
54	0	unittests/firmware/liquidity_key_probe.c
390	7	unittests/firmware/mayachain.cpp
11	0	unittests/firmware/messages_probe.c
35	0	unittests/firmware/nanopb_bounds.cpp
153	0	unittests/firmware/osmosis.cpp
46	0	unittests/firmware/recovery.cpp
37	0	unittests/firmware/ripple.cpp
297	0	unittests/firmware/rng_health.cpp

Added	Deleted	Path
193	0	unittests/firmware/setup_ceremony.cpp
1804	0	unittests/firmware/signed_metadata.cpp
143	0	unittests/firmware/signing.cpp
969	15	unittests/firmware/solana.cpp
316	29	unittests/firmware/storage.cpp
129	0	unittests/firmware/storage_cipher_probe.c
24	0	unittests/firmware/storage_cipher_probe.h
140	0	unittests/firmware/storage_passphrase.cpp
28	0	unittests/firmware/test_board.cpp
350	21	unittests/firmware/thorchain.cpp
173	0	unittests/firmware/transaction.cpp
604	0	unittests/firmware/tron.cpp
169	0	unittests/firmware/usb_rx.cpp
2204	0	unittests/firmware/zcash.cpp