BUILD PLAN SKETCH, PLAN NOT YET BUILT

StillStack · github.com/BoujeeEnjinia1701/stillstack

REV	DESCRIPTION	DATE	BY
P1	Making sketch for the prototype build plan	2026-10-01	AC
P2	High-edge lip tabs, fluoropolymer coating after bending (SSK-DEC-001)	2026-10-02	AC



TOP VIEW

Scale 1:10; looking down (along -Z)

FRONT VIEW

Scale 1:10; looking at the front (along +Y)

RIGHT VIEW

Scale 1:10; looking at the right side (along -X)



WHERE IT GOES

This part in colour, its neighbours in grey

HOW TO MAKE IT AND HOW IT FITS

Cut from a 1.0 x 1.25 m sheet. The body is 996 x 996 mm; the low edge is a zigzag (see the low edge picture): tips at the six distillate tongues, roots 25 mm shorter at the strip centres.
Six distillate tongues 30 mm wide, 56.5 mm long from the tip line (drawn straight here). They stay straight until the manifold is on.
Lip: four tabs 7 mm wide on the high edge, centred on the rib lines (97.2 and 291.6 mm each side of the centre line), 5 mm of metal each; bend each 90 deg down to hang 4 mm below the plate.
Cut with aviation snips; file the edges smooth; no burrs on top.
Coat the top face (condensing face) with the fluoropolymer coating, tongues included, after the lip is bent and before the fins go on.
Fins: ten, bonded under it at 99.6 mm pitch with high-temperature silicone adhesive along each 20 mm flange (sketch SSK-DWG-108).
Later: bend each tongue down 90 deg 47 mm from the tip line.
Fit: its edges rest on the base ring's 13 mm ledge; the four lip tabs go down into the slots in the ring's high strip.
Check: flat within 2 mm on the bench; coating unbroken.

STILLSTACK

github.com/BoujeeEnjinia1701/stillstack

StillStack bottom plate (last condenser): making sketch

DRAWING NO.	REV	SHEET	SIZE
SSK-DWG-107	P2	1 of 1	ANSI B

SCALE	UNITS	PROJECTION	DATE	DRAWN
1:10	mm		2026-10-02	Amish Chadha

MATERIAL / NOTES

Aluminium sheet 0.5 mm, 3003 or 1050; food-contact coating on top face

Licensed CERN-OHL-S-2.0 · Design Molecule Lab · designmolecule.com

Generated from cad/src; do not edit by hand