


REV	DESCRIPTION	DATE	BY
P1	Making sketch for the prototype build plan	2026-10-01	AC
P2	High-edge lip tabs, wick clips in place of bonding (SSK-DEC-001)	2026-10-02	AC



TOP VIEW

Scale 1:10; looking down (along -Z)




FRONT VIEW

Scale 1:10; looking at the front (along +Y)



RIGHT VIEW

Scale 1:10; looking at the right side (along -X)



WHERE IT GOES

This part in colour, its neighbours in grey

HOW TO MAKE IT AND HOW IT FITS

Cut each from a 1.0 x 1.25 m sheet; body as the bottom plate:

996 x 996 mm with the same zigzag low edge (drawn: plate 2).

Six distillate tongues 30 mm wide at the tips and five brine

tongues 50 mm wide at the roots, all left straight. Lengths:

plate 3 (lowest): distillate 68, brine 175 mm

plate 2: distillate 80, brine 186 mm

plate 1 (highest): distillate 91, brine 198 mm

(distillate from the tip line, brine from the root line).

Lip: four 7 mm tabs on the high edge at the rib lines (97.2 and

291.6 mm each side), bent 90 deg down 4 mm, before coating.

Coat the top face; clip the five wick strips under it (SSK-DWG-111).

After it is in the frame: a chevron of silicone on the top face at

each brine tongue root (point up the slope, 3 mm high).

Later bends: distillate 51, 55, 59 mm from the tip line; brine

143, 147, 151 mm from the root line (plates 3, 2, 1).

STILLSTACK

github.com/BoujeeEnjinia1701/stillstack

StillStack condenser plates 1 to 3 (make 3): making sketch

DRAWING NO. SSK-DWG-110			REV P2	SHEET 1 of 1	SIZE ANSI B
SCALE 1:10	UNITS mm	PROJECTION 	DATE 2026-10-02		DRAWN Amish Chadha
MATERIAL / NOTES Aluminium sheet 0.5 mm, 3003 or 1050; food-contact coating on top face					
Licensed CERN-OHL-S-2.0 · Design Molecule Lab · designmolecule.com					Generated from cad/src; do not edit by hand