Table of Linear Feedback Shift Registers

Roy Ward, Tim Molteno*
October 26, 2007

Here is a table of maximum-cycle Linear Feedback Shift Register (LFSR) taps. The bit numbering starts from $n \dots 1$ with n being the input bit and 1 the output bit. Figure 1 shows an 8-stage maximum-cycle LFSR. LFSR-2 refers to two tap LFSRs, LFSR-4 to LFSRs. Blanks indicate no solution exists.




Figure 1: An 8-stage Galois LFSR with cycle size 255. This LFSR has taps at positions 8,6,5 and 4.

Table 1: Shift Registers with Cycle Size $2^n - 1$

n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4
2	2,1		24		24, 23, 21, 20	46		46, 40, 39, 38
3	3, 2		25	25, 22	25, 24, 23, 22	47	47,42	47, 46, 43, 42
4	4,3		26		26, 25, 24, 20	48		48, 44, 41, 39
5	5,3	5, 4, 3, 2	27		27, 26, 25, 22	49	49,40	49, 45, 44, 43
6	6, 5	6, 5, 3, 2	28	28, 25	28, 27, 24, 22	50		50, 48, 47, 46
7	7,6	7, 6, 5, 4	29	29,27	29, 28, 27, 25	51		51, 50, 48, 45
8		8, 6, 5, 4	30		30, 29, 26, 24	52	52,49	52, 51, 49, 46
9	9, 5	9, 8, 6, 5	31	31,28	31, 30, 29, 28	53		53, 52, 51, 47
10	10, 7	10, 9, 7, 6	32		32, 30, 26, 25	54		54, 51, 48, 46
11	11, 9	11, 10, 9, 7	33	33, 20	33, 32, 29, 27	55	55, 31	55, 54, 53, 49
12		12, 11, 8, 6	34		34, 31, 30, 26	56		56, 54, 52, 49
13		13, 12, 10, 9	35	35, 33	35, 34, 28, 27	57	57,50	57, 55, 54, 52
14		14, 13, 11, 9	36	36, 25	36, 35, 29, 28	58	58,39	58, 57, 53, 52
15	15, 14	15, 14, 13, 11	37		37, 36, 33, 31	59		59, 57, 55, 52
16		16, 14, 13, 11	38		38, 37, 33, 32	60	60, 59	60, 58, 56, 55
17	17, 14	17, 16, 15, 14	39	39, 35	39, 38, 35, 32	61		61, 60, 59, 56
18	18, 11	18, 17, 16, 13	40		40, 37, 36, 35	62		62, 59, 57, 56
19		19, 18, 17, 14	41	41,38	41, 40, 39, 38	63	63,62	63, 62, 59, 58
20	20, 17	20, 19, 16, 14	42		42, 40, 37, 35	64		64, 63, 61, 60
21	21, 19	21, 20, 19, 16	43		43, 42, 38, 37	65	65,47	65, 64, 62, 61
22	22, 21	22, 19, 18, 17	44		44, 42, 39, 38	66		66, 60, 58, 57
23	23, 18	23, 22, 20, 18	45		45, 44, 42, 41	67		67, 66, 65, 62

Continued \dots

^{*}Department of Physics, University of Otago, Box 56, Dunedin, New Zealand

	T DOD 0	I DOD 4	ı	T DOD 0	I DOD 4	ı	I DOD 0	T DOD 4
n	LFSR-2	LFSR-4	n	LFSR-2		n	LFSR-2	
68	68, 59	68, 67, 63, 61	120		120, 118, 114, 111	172	172, 165	
69		69, 67, 64, 63	121	121, 103		173		173, 171, 168, 165
70		70, 69, 67, 65	122		122, 121, 120, 116		174, 161	174, 169, 166, 165
71	71,65	71, 70, 68, 66	123		123, 122, 119, 115	175	175, 169	
72		72,69,63,62	124	124,87	124, 119, 118, 117	176		176, 167, 165, 164
73	73,48	73, 71, 70, 69	125		125, 120, 119, 118		177, 169	177, 175, 174, 172
74		74, 71, 70, 67	126		126, 124, 122, 119	178	178, 91	178, 176, 171, 170
75		75, 74, 72, 69	127	127, 126	, , ,	179		179, 178, 177, 175
76		76, 74, 72, 71	128		128, 127, 126, 121	180		180, 173, 170, 168
77		77, 75, 72, 71	129		129, 128, 125, 124	181		181, 180, 175, 174
78		78, 77, 76, 71	130	130, 127	130, 129, 128, 125	182		182, 181, 176, 174
79	79,70	79, 77, 76, 75	131		131, 129, 128, 123	183	183, 127	183, 179, 176, 175
80		80, 78, 76, 71	132	132, 103	132, 130, 127, 123	184		184, 177, 176, 175
81	81,77	81, 79, 78, 75	133		133, 131, 125, 124		185, 161	185, 184, 182, 177
82		82, 78, 76, 73	1	134,77	134, 133, 129, 127	186		186, 180, 178, 177
83		83, 81, 79, 76	135	135, 124	135, 132, 131, 129	187		187, 182, 181, 180
84	84,71	84, 83, 77, 75	136	105 335	136, 134, 133, 128	188		188, 186, 183, 182
85		85, 84, 83, 77	137	137, 116	137, 136, 133, 126	189		189, 187, 184, 183
86		86, 84, 81, 80	138		138, 137, 131, 130	190		190, 188, 184, 177
87	87,74	87, 86, 82, 80	139		139, 136, 134, 131	191	191, 182	191, 187, 185, 184
88		88, 80, 79, 77	140	140, 111	140, 139, 136, 132	192		192, 190, 178, 177
89	89,51	89, 86, 84, 83	141		141, 140, 135, 128		193, 178	
90		90, 88, 87, 85	142	142, 121	142, 141, 139, 132	!	194,107	
91		91, 90, 86, 83	143		143, 141, 140, 138	195		195, 193, 192, 187
92		92, 90, 87, 86	144		144, 142, 140, 137	196		196, 194, 187, 185
93	· /	93, 91, 90, 87	145	145,93	145, 144, 140, 139	197		197, 195, 193, 188
1	94,73	94, 93, 89, 88	146		146, 144, 143, 141	198	198, 133	198, 193, 190, 183
95	95,84	95, 94, 90, 88	147		147, 145, 143, 136	199	199, 165	
96	0	96, 90, 87, 86	148	148, 121	148, 145, 143, 141	200	201 10	200, 198, 197, 195
97	97, 91	97, 95, 93, 91	149		149, 142, 140, 139			201, 199, 198, 195
98	98,87	98, 97, 91, 90	150	150, 97	150, 148, 147, 142		202, 147	
99	100.00	99, 95, 94, 92	151	151, 148	151, 150, 149, 148	203		203, 202, 196, 195
100	100,63	100, 98, 93, 92	152	150 150	152, 150, 149, 146	204		204, 201, 200, 194
101		101, 100, 95, 94	153	153, 152	153, 149, 148, 145	205		205, 203, 200, 196
102	100.04	102, 99, 97, 96	154		154, 153, 149, 145	206	007 104	206, 201, 197, 196
103	103,94	103, 102, 99, 94	155		155, 151, 150, 148		207, 164	207, 206, 201, 198
104	105 00	104, 103, 94, 93	156		156, 153, 151, 147	208	200 202	208, 207, 205, 199
105	105, 89	105, 104, 99, 98	157		157, 155, 152, 151		209, 203	209, 207, 206, 204
1	106, 91		158	150 100	158, 153, 152, 150	210		210, 207, 206, 198
107	100 77	107, 105, 99, 98	1	159, 128	159, 156, 153, 148	211	010 107	211, 203, 201, 200
108	108,77	108, 103, 97, 96	160	161 149	160, 158, 157, 155		212, 107	212, 209, 208, 205
109		109, 107, 105, 104	161	101,143	161, 159, 158, 155	213		213, 211, 208, 207
110	111 101	110, 109, 106, 104	162		162, 158, 155, 154	214	015 100	214, 213, 211, 209
111	111, 101	111, 109, 107, 104	163		163, 160, 157, 156		215, 192	215, 212, 210, 209
112	119 104	112, 108, 106, 101	164		164, 159, 158, 152	216	917 179	216, 215, 213, 209
113	113, 104	113, 111, 110, 108	165		165, 162, 157, 156		217, 172	217, 213, 212, 211
114		114, 113, 112, 103	166	167 161	166, 164, 163, 156	218	218,207	
115		115, 110, 108, 107	167	167, 161	167, 165, 163, 161	219		219, 218, 215, 211
116		116, 114, 111, 110	168	160 195	168, 162, 159, 152	220		220, 211, 210, 208
117	110 05	117, 116, 115, 112 118, 116, 113, 112	169		169, 164, 163, 161 170, 169, 166, 161	221 222		221, 219, 215, 213 222, 220, 217, 214
118	118,85	119, 116, 111, 110	$\begin{vmatrix} 170 \\ 171 \end{vmatrix}$	170, 147			993 10A	
119	119,111	119,110,111,110	111		171, 169, 166, 165	223	223, 190	223, 221, 219, 210

Continued ...

	I ECD 0	LECD 4		I ECD 0	LECD 4		I ECD 0	LECD 4
n	LFSR-2	LFSR-4	n	LFSR-2		n	LFSR-2	
224	205 100	224, 222, 217, 212	276		276, 275, 273, 270	328	220 250	328, 323, 321, 319
225	225, 193	225, 224, 220, 215	277	2=0.2=0	277, 274, 271, 265	329	329,279	329, 326, 323, 321
226		226, 223, 219, 216	278	278, 273	278, 277, 274, 273	330		330, 328, 323, 322
227		227, 223, 218, 217	279	279, 274	279, 278, 275, 274	331		331, 329, 325, 321
228		228, 226, 217, 216	280		280, 278, 275, 271		332, 209	332, 325, 321, 320
229		229, 228, 225, 219	281		281, 280, 277, 272		333, 331	333, 331, 329, 325
230		230, 224, 223, 222	282	282,247		334		334, 333, 330, 327
231	231,205	231, 229, 227, 224	283		283, 278, 276, 271	335		335, 333, 328, 325
232		232, 228, 223, 221	284	284, 165	284, 279, 278, 276	336		336, 335, 332, 329
		233, 232, 229, 224	285		285, 280, 278, 275	!	337,282	337, 336, 331, 327
234	234,203	234, 232, 225, 223	1		286, 285, 276, 271	338		338, 336, 335, 332
235		235, 234, 229, 226	287	287, 216	287, 285, 282, 281	339		339, 332, 329, 323
236	236,231	236, 229, 228, 226	288		288, 287, 278, 277	340		340, 337, 336, 329
237		237, 236, 233, 230	289	289, 268	289, 286, 285, 277	341		341, 336, 330, 327
238		238, 237, 236, 233	290		290, 288, 287, 285		,	342, 341, 340, 331
239	239,203	239, 238, 232, 227	291		291, 286, 280, 279		343,268	343, 338, 335, 333
240		240, 237, 235, 232	292	292, 195	292, 291, 289, 285	344		344, 338, 334, 333
241	241,171	241, 237, 233, 232	293		293, 292, 287, 282		345,323	
242		242, 241, 236, 231	294	1 '	294, 292, 291, 285	346		346, 344, 339, 335
243		243, 242, 238, 235	295	295, 247	295, 293, 291, 290	347		347, 344, 337, 336
244		244, 243, 240, 235	296		296, 292, 287, 285	348		348, 344, 341, 340
245		245, 244, 241, 239	297	297, 292	297, 296, 293, 292	349		349, 347, 344, 343
246		246, 245, 244, 235	298		298, 294, 290, 287		350,297	350, 340, 337, 336
247	247, 165	247, 245, 243, 238	299		299, 295, 293, 288	351	351,317	351, 348, 345, 343
248		248, 238, 234, 233	300	300, 293	300, 290, 288, 287	352		352, 346, 341, 339
249		249, 248, 245, 242	301		301, 299, 296, 292		353,284	353, 349, 346, 344
250	250, 147	250, 247, 245, 240	302	302,261	302, 297, 293, 290	354		354, 349, 341, 340
251		251, 249, 247, 244	303		303, 297, 291, 290	355		355, 354, 350, 349
252	252, 185	252, 251, 247, 241	304		304, 303, 302, 293	356		356, 349, 347, 346
253		253, 252, 247, 246	305	305,203		357		357, 355, 347, 346
254		254, 253, 252, 247	306		306, 305, 303, 299	358		358, 351, 350, 344
255	255,203	255, 253, 252, 250	307		307, 305, 303, 299		359,291	359, 358, 352, 350
256		256, 254, 251, 246	308		308, 306, 299, 293	360		360, 359, 335, 334
1		257, 255, 251, 250	309		309, 307, 302, 299	361		361, 360, 357, 354
258	258,175	258, 254, 252, 249	310		310, 309, 305, 302		362,299	362, 360, 351, 344
259		259, 257, 253, 249	311		311, 308, 306, 304	363		363, 362, 356, 355
260		260, 253, 252, 250	312		312, 307, 302, 301		364,297	364, 363, 359, 352
261					313, 312, 310, 306	365	000 00=	365, 360, 359, 356
262	0.05 1=:	262, 258, 254, 253	1	314,299				366, 362, 359, 352
263	263, 170	, , ,	315	010 10:	315, 314, 306, 305		367,346	
264	205 225	264, 263, 255, 254		316, 181	316, 309, 305, 304	368	0.00 0.	368, 361, 359, 351
265		265, 263, 262, 260	317		317, 315, 313, 310	369	369, 278	369, 367, 359, 358
266	266,219	266, 265, 260, 259	318		318, 313, 312, 310	370	370,231	
267		267, 264, 261, 259	319	319,283		371		371, 369, 368, 363
268	268,243	268, 267, 264, 258	320		320, 319, 317, 316	372		372, 369, 365, 357
269	a=s - :	269, 268, 263, 262	321		321, 319, 316, 314	373		373, 371, 366, 365
270		270, 267, 263, 260	322	322, 255	322, 321, 320, 305	374		374, 369, 368, 366
271	271,213	271, 265, 264, 260	323		323, 322, 320, 313		375,359	375, 374, 368, 367
272		272, 270, 266, 263	324		324, 321, 320, 318	376		376, 371, 369, 368
		273, 272, 271, 266	325		325, 323, 320, 315		· ′	377, 376, 374, 369
274	274,207	274, 272, 267, 265	326		326, 325, 323, 316	378	378, 335	378, 374, 365, 363
275		275, 266, 265, 264	327	327, 293	327, 325, 322, 319	379		379, 375, 370, 369

Continued ...

n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4
380	380, 333	380, 377, 374, 366	432	Er ore 2	432, 429, 428, 419	484	484, 379	484, 483, 482, 470
381	300,333	381, 380, 379, 376	433	433, 400	433, 430, 428, 422	485	101,010	485, 479, 469, 468
382	382, 301	382, 379, 375, 364	434	455, 400	434, 429, 423, 422	486		486, 481, 478, 472
383	383, 293	383, 382, 378, 374	435		435, 430, 426, 423	487	487, 393	
384	303, 293		1	496 971		488	401, 393	
1	201 270	384, 378, 369, 368	1	436, 271	436, 432, 431, 430		100 106	488, 487, 485, 484
385	385,379	385, 383, 381, 379	437	490 979	437, 436, 435, 431	489	489, 406	
386	386,303	386, 381, 380, 376	438	438, 373	438, 436, 432, 421	490	490,271	490, 485, 483, 481
387		387, 385, 379, 378	439	439,390	439, 437, 436, 431	491		491, 488, 485, 480
388		388, 387, 385, 374	440	441 410	440, 439, 437, 436	492		492, 491, 485, 484
389	200 201	389, 384, 380, 379	441	441,410	441, 440, 433, 430	493	404 257	493, 490, 488, 483
390		390, 388, 380, 377	442		442, 440, 437, 435	494	,	494, 493, 489, 481
391	391,363	391, 390, 389, 385	443		443, 442, 437, 433	495	495,419	495, 494, 486, 480
392	000 000	392, 386, 382, 379	444		444, 435, 432, 431	496	407 410	496, 494, 491, 480
393		393, 392, 391, 386	445	440.041	445, 441, 439, 438	497	497,419	
394	394,259	394, 392, 387, 386		446, 341	446, 442, 439, 431	498		498, 495, 489, 487
395	200 251	395, 390, 389, 384	447	447,374	447, 446, 441, 438	499		499, 494, 493, 488
396	396,371	396, 392, 390, 389	448	440.015	448, 444, 442, 437	500		500, 499, 494, 490
397		397, 392, 387, 385	449	1 '	449, 446, 440, 438	501		501, 499, 497, 496
398		398, 393, 392, 384	450	450,371	450, 443, 438, 434	502		502, 498, 497, 494
399	399,313	399, 397, 390, 388	451		451, 450, 441, 435	503	503,500	503, 502, 501, 500
400	404 040	400, 398, 397, 395	452		452, 448, 447, 446	504		504, 502, 490, 483
401	401,249	401, 399, 392, 389	453		453, 449, 447, 438	505	505, 349	505, 500, 497, 493
402		402, 399, 398, 393	454		454, 449, 445, 444	506	506,411	506, 501, 494, 491
403		403, 398, 395, 394	455	455,417	455, 453, 449, 444	507		507, 504, 501, 494
404	404,215	, , , ,	456		456, 454, 445, 433	508	508,399	508, 505, 500, 495
405		405, 398, 397, 388	1		457, 454, 449, 446	509		509, 506, 502, 501
406	,	406, 402, 397, 393	458	458, 255	458, 453, 448, 445	510		510, 501, 500, 498
407	407, 336	407, 402, 400, 398	459		459, 457, 454, 447	511	511,501	511, 509, 503, 501
408		408, 407, 403, 401	460	460,399	460, 459, 455, 451	512		512, 510, 507, 504
409	409,322	409, 406, 404, 402	461		461, 460, 455, 454	513	513,428	513, 505, 503, 500
410		410, 407, 406, 400	462	462,389	462, 457, 451, 450	514		514, 511, 509, 507
411		411, 408, 401, 399	463	463,370	463, 456, 455, 452	515		515, 511, 508, 501
412	412,265	412, 409, 404, 401	464		464, 460, 455, 441	516		516, 514, 511, 509
413		413, 407, 406, 403	1	465,406	465, 463, 462, 457	517		517, 515, 507, 505
414		414, 405, 401, 398	466		466, 460, 455, 452	518	518, 485	518, 516, 515, 507
415	415,313	, , ,	467		467, 466, 461, 456	519	519,440	519, 517, 511, 507
416		416, 414, 411, 407	468		468, 464, 459, 453	520		520, 509, 507, 503
417	417,310	417, 416, 414, 407	469	450 001	469, 467, 464, 460	521	521,489	521, 519, 514, 512
418		418, 417, 415, 403	1		470, 468, 462, 461	522		522, 518, 509, 507
419		419, 415, 414, 404		471,470	471, 469, 468, 465	523	F04 05=	523, 521, 517, 510
420		420, 412, 410, 407	472		472, 470, 469, 461	524	524,357	524, 523, 519, 515
421	400 0==	421, 419, 417, 416	473	454 225	473, 470, 467, 465	525		525, 524, 521, 519
422			474	474,283	474, 465, 463, 456	526	FOF 10-	526, 525, 521, 517
423	423,398	423, 420, 418, 414	475	150 10:	475, 471, 467, 466	527	527,480	527, 526, 520, 518
424	405 413	424, 422, 417, 415		476,461	476, 475, 468, 466	528	F00 40=	528, 526, 522, 517
425	425,413	425, 422, 421, 418	477	450 055	477, 470, 462, 461	529	529,487	529, 528, 525, 522
426		426, 415, 414, 412	478	478, 357	478, 477, 474, 472	530		530, 527, 523, 520
427	400 000	427, 422, 421, 416	479	479, 375	479, 475, 472, 470	531	200 20 :	531, 529, 525, 519
428	428, 323	428, 426, 425, 417	480	404 045	480, 473, 467, 464	532	532,531	532, 529, 528, 522
429		429, 422, 421, 419	481	481,343	481, 480, 472, 471	533		533, 531, 530, 529
430	404 04 :	430, 419, 417, 415	482		482, 477, 476, 473	534		534, 533, 529, 527
431	431,311	431, 430, 428, 426	483		483,479,477,474	535		535, 533, 529, 527

Continued \dots

$ \overline{n} $	LFSR-2	LFSR-4	n	LFSR-2	LESR 4	n	LFSR-2	LFSR-4
536	DI 510-2	536, 533, 531, 529	588		588, 577, 572, 571	640	DI DICZ	640, 638, 637, 626
1	E97 449		1	300, 437			641 690	
537	537, 443	537, 536, 535, 527	589	500 407	589, 586, 585, 579	641	641,630	641, 640, 636, 622 642, 636, 633, 632
538 539		538, 537, 536, 533	590	590, 497	590, 588, 587, 578	642	042, 525	
	E40 261	539, 535, 534, 529	591		591, 587, 585, 582	643		643, 641, 640, 632
540	540, 361	540, 537, 534, 529	592	F02 F07	592, 591, 573, 568	644		644, 634, 633, 632
541		541, 537, 531, 528	593	593, 507	593, 588, 585, 584	645	C4C 907	645, 641, 637, 634
542	F 49 F 07	542, 540, 539, 533	594	594,575	594, 586, 584, 583	646	646, 397	646, 635, 634, 633
543	543,527	543, 538, 536, 532	595		595, 594, 593, 586	647	647,642	
544	F 4F 400	544, 538, 535, 531	596		596, 592, 591, 590	648	C40 C10	648, 647, 626, 625
545	545,423	545, 539, 537, 532	597		597, 588, 585, 583	649	649,612	649, 648, 644, 638
546		546, 545, 544, 538	598	F00 F00	598, 597, 592, 591	650	650,647	650, 644, 635, 632
547		547, 543, 540, 534	599	599, 569	599, 593, 591, 590	651	050 550	651, 646, 638, 637
548		548, 545, 543, 538	600	001 100	600, 599, 590, 589	652	652,559	652, 647, 643, 641
549		549, 546, 545, 533	601	601,400	601, 600, 597, 589	653		653, 646, 645, 643
550	550, 357	550, 546, 533, 529	602		602, 596, 594, 591	654		654, 649, 643, 640
551	551,416	551, 550, 547, 542	603		603, 600, 599, 597	655	655, 567	655, 653, 639, 638
552		552, 550, 547, 532	604		604, 600, 598, 589	656		656, 646, 638, 637
553	553,514	553, 550, 549, 542	605		605,600,598,595	657		
554		554, 551, 546, 543	606		606, 602, 599, 591	658	658,603	658, 651, 648, 646
555		555, 551, 546, 545	607	607,502	607,600,598,595	659		659, 657, 655, 644
556	556,403	556, 549, 546, 540	608		608,606,602,585	660		660, 657, 656, 648
557		557, 552, 551, 550	609	609,578	609,601,600,597	661		661, 657, 650, 649
558		558, 553, 549, 544	610	610,483	610,602,600,599	662	662,365	662,659,656,650
559	559,525	559, 557, 552, 550	611		611,609,607,601	663	663,406	663,655,652,649
560		560, 554, 551, 549	612		612,607,602,598	664		664, 662, 660, 649
561	561,490	561, 558, 552, 550	613		613,609,603,594		665,632	665, 661, 659, 654
562		562, 560, 558, 551	614		614,613,612,607	666		666,664,659,656
563		563, 561, 554, 549	615	615,404		667		667,664,660,649
564	564,401	564, 563, 561, 558	616		616,614,602,597	668		668,658,656,651
565		565, 564, 559, 554	617	617,417	617,612,608,607	669		669, 667, 665, 664
566		566, 564, 561, 560	618		618,615,604,598	670	670,517	670,669,665,664
567	567,424	567, 563, 557, 556	619		619,614,611,610	671	671,656	671,669,665,662
568		568, 558, 557, 551	620		620,619,618,611	672		672,667,666,661
569		569, 568, 559, 557	621		621,616,615,609	673	673,645	673,666,664,663
570	570,503	570, 563, 558, 552	622	622,325	622,612,610,605	674		674,671,665,660
571		571, 569, 566, 561	623	623,555	623,614,613,612	675		675, 674, 672, 669
572		572, 571, 564, 560	624		624,617,615,612	676	676,435	676, 675, 671, 664
573		573, 569, 567, 563	625	625,492	625,620,617,613	677		677, 674, 673, 669
574		574, 569, 565, 560	626		626,623,621,613	678		678, 675, 673, 663
575	575,429	, , ,	627		627,622,617,613		679,613	679,676,667,661
576		576, 573, 572, 563	628	628,405	628,626,617,616	680		680,679,650,645
577	577,552	577, 575, 574, 569	629		629,627,624,623	681		681,678,672,670
578		578, 562, 556, 555	630		630,628,626,623	682		682, 681, 679, 675
579		579, 572, 570, 567	631	631,324	631,625,623,617	683		683, 682, 677, 672
580		580, 579, 576, 574	632		632,629,619,613	684		684, 681, 671, 666
581		581, 575, 574, 568	633		633, 632, 631, 626	685		685, 684, 682, 681
582	582,497	582, 579, 576, 571	634	634, 319	634,631,629,627	686	686,489	686, 684, 674, 673
583	583,453	583, 581, 577, 575	635		635,631,625,621	687	687,674	
584		584, 581, 571, 570	636		636,632,628,623	688		688, 682, 674, 669
585	585,464	585, 583, 582, 577	637		637,636,628,623	689	689,675	689, 686, 683, 681
586		586, 584, 581, 579	638		638, 637, 633, 632	690		690, 687, 683, 680
587		587, 586, 581, 576	639	639,623	639,636,635,629	691		691,689,685,678

Continued . . .

n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4	n	LFSR-2	LFSR-4
692	692,393	692, 687, 686, 678	725		725, 720, 719, 716	758		758, 757, 746, 741
693		693, 691, 685, 678	726	726,721	726, 725, 722, 721	759	759,661	759, 757, 756, 750
694	•	694, 691, 681, 677	727	727,547	727, 721, 719, 716	760		760, 757, 747, 734
695	695,483	695, 694, 691, 686	728		728, 726, 725, 724	761	761,758	761, 760, 759, 758
696		696,694,686,673	729	729,671	729,726,724,718	762	762,679	762, 761, 755, 745
697	697,430	697,689,685,681	730	730,583	730, 726, 715, 711	763		763, 754, 749, 747
698	698,483	698,690,689,688	731		731,729,725,723	764		764, 761, 759, 758
699		699, 698, 689, 684	732		732, 729, 728, 725	765		765, 760, 755, 754
700		700, 698, 695, 694	733		733,731,726,725	766		766, 757, 747, 744
701		701, 699, 697, 685	734		734, 724, 721, 720	767	767,599	767, 763, 760, 759
702	702,665	702, 701, 699, 695	735	735,691	735,733,728,727	768		768, 764, 751, 749
703		703, 702, 696, 691	736		736,730,728,723	769	769,649	769, 763, 762, 760
704		704, 701, 699, 692	1	737,732	737, 736, 733, 732	770		770, 768, 765, 756
705	705,686	705, 704, 698, 697	738	738,391	738, 730, 729, 727	771		771, 765, 756, 754
706		706,697,695,692	739		739, 731, 723, 721	772	772,765	772,767,766,764
707		707, 702, 699, 692	740	740,587	740,737,728,716	773		773, 767, 765, 763
708	708,421	708, 706, 704, 703	741		741, 738, 733, 732	774	774,589	774, 767, 760, 758
709		709, 708, 706, 705	742		742, 741, 738, 730	775	775,408	775, 771, 769, 768
710		710, 709, 696, 695	743	743,653	743,742,731,730	776		776, 773, 764, 759
711	711,619	711, 704, 703, 700	744		744, 743, 733, 731	777	777,748	777, 776, 767, 761
712		712, 709, 708, 707	1	745,487	745, 740, 738, 737	778	778,403	778, 775, 762, 759
713	713,672	713, 706, 703, 696	746	746,395	746,738,733,728	779		779, 776, 771, 769
714	714,691	714,709,707,701	747		747,743,741,737	780		780, 775, 772, 764
715		715, 714, 711, 708	748		748, 744, 743, 733	781		781, 779, 765, 764
716	716,533	716, 706, 705, 704	749		749,748,743,742	782	,	782, 780, 779, 773
717		717,716,710,701	750		750,746,741,734	783	783,715	783, 782, 776, 773
718		718, 717, 716, 713	751	751,733	751, 750, 748, 740	784		784, 778, 775, 771
719	719,569	719, 711, 710, 707	752		752,749,732,731	785	785,693	785, 780, 776, 775
720		720, 718, 712, 709	1	753,595	753, 748, 745, 740	786		786, 782, 780, 771
721	721,712	721, 720, 713, 712	1	754,735	754, 742, 740, 735	1024		1024, 1015, 1002, 1001
722	722,491	722, 721, 718, 707	755		755, 754, 745, 743	2048		2048, 2035, 2034, 2029
723		723, 717, 710, 707	1	756,407	756, 755, 747, 740	4096		4096, 4095, 4081, 4069
724		724,719,716,711	757		757, 756, 751, 750			