CMPS 6100 Lab 05

In this lab, you will empirically benchmark Selection Sort and Merge Sort on lists of increasing sizes to build a sense of differences between their runtimes.

Some prompts will require you to edit main.py and others will require answers to go in answers.md.

Refer back to the README.md for instruction on git, how to test your code, and how to submit properly to get all the points you've earned.

Verifying Sorting Correctness

1. Both selection_sort and merge_sort have been provided for you along with unit tests for them. The unit tests depend on the function is_sorted. Implement this function by manually checking if the input list is sorted. Note: A list is sorted if, for every subsequent pair of elements, the latter is greater than or equal to the former. Once implemented, verify that all the tests pass.

test_is_sorted is worth 4 pts.

Benchmarking the Sorting Algs

In order to benchmark selection_sort and merge_sort you will need to implement two functions: get_sorting_time and benchmark_sorting_algs.

2. Implement get_sorting_time. This function takes in sort_fn, the sorting function to use, and a lst to sort. It returns the number of milliseconds that it took to sort the list.

Example usage:

```
lst = [10, 9, 8, 7, 6, 5, 4, 3, 2, 1]
ss_time = get_sorting_time(selection_sort, lst)
ms_time = get_sorting_time(merge_sort, lst)
```

3. Implement benchmark_sorting_algs. This function takes in a list of sizes, generates lists for each size in reverse order (see the doc comment for more details), and uses get_sorting_time to get selection sort and merge sorts run times on each list. It returns a list of tuples of the form (n, selection_sort_time, merge_sort_time).

Analysis

Once you have the benchmarking code complete, let's see how Selection Sort and Merge Sort compare.

4. Use print_results to print a table of selection sort and merge sort's runtimes for each of the sizes:

```
[100, 200, 300, 400, 500, 600, 700, 800, 900, 1000]
```

Include this table in answers.md (5 pts)

- 5. Plot these values. Generate plots containing the runtimes of both Selection Sort and Merge Sort for different ranges of list sizes. A function to generate the plots is not given in this lab. Refer back to the temperatures lab for a method that plots two functions. Modify this method to work in this context, then plot the runtimes for the following lists of sizes.
 - 1. [10, 20, 30, 40, 50, 60, 70, 80, 90, 100]
 - 2. [100, 200, 300, 400, 500, 600, 700, 800, 900, 1000]
 - 3. [1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000, 10000]

Before running these, consider what you expect to see. Then, after generating them, answer question 6.

Add your plots to answers.md (9 pts)

6. Do your results match your expectations? That is, are the trends that you see between the Selection Sort and Merge Sort's runtimes what you expected? Why or why not?

Add your answer to answers.md (3 pts)

7. How long does it take your computer to sort lists of sizes [1000, 10000, 100000] using Selection Sort and Merge Sort? Based on this, how long would you expect Selection Sort to take to sort a list of size 1,000,000? Express this in minutes, hours, or days, which ever is the appropriate scale. Justify your answer. How long does it take Merge Sort to sort a list of 1,000,000?

Add your answers to answers.md (4 pts)

Note:

Before pushing your final version to github, make sure that all instructions outside of your functions which will result in long runtimes are commented out. Otherwise, the tests on github will timeout and fail.