

附件2

从江主要树种材积表（杉木）

贵州省质量技术监督局发布DB52/T 702-2011的杉木中心产区二元材积计算公式: $V=0.000080597 \times D^2 \times (1.96709 - 0.0059006 \times (D+H)) \times H^{0.7699 + 0.0072346 \times (D+H)}$;

树高 胸径	5	6	7	8	9	10	12	14	16	18	20	22
6	0.0096	0.0112	0.0128	0.0144	0.0161	0.0178	0.0212					
8	0.0165	0.0193	0.0221	0.0250	0.0278	0.0307	0.0366	0.0427				
10	0.0251	0.0294	0.0337	0.0380	0.0424	0.0468	0.0557	0.0650	0.0747			
12	0.0351	0.0412	0.0473	0.0534	0.0596	0.0658	0.0784	0.0915	0.1052	0.1194	0.1344	
14		0.0546	0.0628	0.0710	0.0792	0.0875	0.1044	0.1219	0.1401	0.1590	0.1789	0.1998
16			0.0799	0.0905	0.1011	0.1117	0.1335	0.1559	0.1792	0.2035	0.2289	0.2556
18				0.1117	0.1249	0.1382	0.1654	0.1933	0.2223	0.2525	0.2841	0.3172
20					0.1506	0.1668	0.1998	0.2338	0.2691	0.3058	0.3441	0.3842
22						0.1972	0.2366	0.2772	0.3192	0.3629	0.4086	0.4564
24						0.2292	0.2755	0.3231	0.3724	0.4238	0.4773	0.5333
26						0.2627	0.3162	0.3714	0.4285	0.4879	0.5499	0.6147
28							0.3586	0.4217	0.4871	0.5551	0.6260	0.7001
30							0.4024	0.4739	0.5480	0.6251	0.7054	0.7894

从江主要树种材积表（杉木）

贵州省质量技术监督局发布DB52/T 702-2011的杉木中心产区二元材积计算公式: $V=0.000080597*D^{(1.96709-0.0059006*(D+H))}*H^{(0.7699+0.0072346*(D+H))}$;

树高 胸径	9	10	12	14	16	18	20	22	24	26	28	30
32	0.3316	0.3697	0.4474	0.5277	0.6109	0.6975	0.7877	0.8820	0.9807	1.0842	1.1928	1.3069
34				0.5828	0.6756	0.7720	0.8726	0.9777	1.0877	1.2030	1.3240	1.4511
36				0.6391	0.7417	0.8485	0.9599	1.0762	1.1980	1.3256	1.4595	1.6001
38				0.6962	0.8091	0.9266	1.0491	1.1772	1.3112	1.4516	1.5989	1.7536
40				0.7541	0.8775	1.0060	1.1401	1.2802	1.4269	1.5806	1.7418	1.9111
42				0.8124	0.9466	1.0865	1.2325	1.3851	1.5449	1.7123	1.8878	2.0722
44				0.8710	1.0163	1.1678	1.3261	1.4915	1.6647	1.8462	2.0366	2.2365
46				0.9297	1.0863	1.2498	1.4205	1.5991	1.7862	1.9822	2.1877	2.4036
48				0.9883	1.1565	1.3321	1.5156	1.7077	1.9089	2.1197	2.3409	2.5731
50				1.0467	1.2266	1.4146	1.6111	1.8169	2.0325	2.2586	2.4957	2.7447
52					1.2964	1.4969	1.7068	1.9265	2.1569	2.3984	2.6519	2.9180
54					1.3658	1.5790	1.8023	2.0363	2.2816	2.5389	2.8090	3.0926
56					1.4346	1.6607	1.8976	2.1460	2.4065	2.6798	2.9668	3.2682
58					1.5026	1.7416	1.9923	2.2553	2.5312	2.8208	3.1249	3.4444
60					1.5697	1.8218	2.0864	2.3640	2.6555	2.9616	3.2831	3.6209
62					1.6357	1.9009	2.1795	2.4720	2.7792	3.1019	3.4410	3.7974
64					1.7006	1.9789	2.2715	2.5789	2.9020	3.2416	3.5984	3.9736
66					1.7641	2.0556	2.3623	2.6847	3.0238	3.3802	3.7550	4.1492
68					1.8262	2.1309	2.4516	2.7891	3.1442	3.5177	3.9106	4.3238
70					1.8868	2.2045	2.5394	2.8920	3.2632	3.6538	4.0648	4.4973

附件2-2

从江主要树种材积表（马尾松）

贵州省质量技术监督局发布DB52/T 703-2011的人工马尾松中心产区二元材积计算公式: $V=0.000094602*D^{1.88156-0.0030651*(D+H)}*H^{0.7684+0.0046574*(D+H)}$;

树高 胸径	5	6	7	8	9	10	12	14	16	18	20	22
6	0.0097	0.0113	0.0129	0.0144	0.0160	0.0176	0.0207	0.0240	0.0273	0.0307		
8	0.0165	0.0193	0.0220	0.0247	0.0273	0.0300	0.0354	0.0410	0.0466	0.0524	0.0585	
10	0.0250	0.0291	0.0332	0.0373	0.0414	0.0455	0.0537	0.0620	0.0706	0.0794	0.0885	0.0979
12	0.0349	0.0407	0.0465	0.0523	0.0580	0.0638	0.0753	0.0871	0.0991	0.1115	0.1242	0.1374
14	0.0462	0.0540	0.0618	0.0694	0.0771	0.0848	0.1002	0.1159	0.1320	0.1485	0.1655	0.1830
16		0.0689	0.0788	0.0887	0.0985	0.1084	0.1283	0.1485	0.1691	0.1903	0.2121	0.2346
18			0.0976	0.1099	0.1222	0.1345	0.1594	0.1846	0.2103	0.2367	0.2640	0.2921
20			0.1180	0.1330	0.1480	0.1631	0.1933	0.2241	0.2555	0.2878	0.3210	0.3552
22			0.1399	0.1579	0.1759	0.1939	0.2301	0.2670	0.3046	0.3432	0.3829	0.4240
24				0.1845	0.2057	0.2269	0.2696	0.3131	0.3574	0.4030	0.4498	0.4982
26				0.2127	0.2373	0.2619	0.3117	0.3622	0.4139	0.4669	0.5214	0.5777
28					0.2706	0.2990	0.3562	0.4144	0.4739	0.5349	0.5977	0.6625

30					0.3056	0.3379	0.4031	0.4694	0.5372	0.6068	0.6784	0.7523
----	--	--	--	--	--------	--------	--------	--------	--------	--------	--------	--------

从江主要树种材积表（马尾松）

贵州省质量技术监督局发布DB52/T 703-2011的人工马尾松中心产区二元材积计算公式: $V=0.000094602*D^{1.88156-0.0030651*(D+H)}*H^{0.7684+0.0046574*(D+H)}$;

树高 胸径	10	12	14	16	18	20	22	24	26	28	30	32
32	0.3786	0.4522	0.5272	0.6038	0.6825	0.7635	0.8471	0.9335	1.0229	1.1156	1.2119	1.3118
34	0.4210	0.5035	0.5876	0.6736	0.7620	0.8529	0.9468	1.0438	1.1442	1.2483	1.3563	1.4685
36		0.5568	0.6505	0.7464	0.8450	0.9464	1.0511	1.1593	1.2714	1.3875	1.5080	1.6332
38		0.6121	0.7159	0.8222	0.9314	1.0439	1.1600	1.2801	1.4044	1.5332	1.6669	1.8058
40		0.6692	0.7835	0.9007	1.0212	1.1453	1.2734	1.4059	1.5431	1.6853	1.8329	1.9861
42		0.7280	0.8534	0.9819	1.1142	1.2504	1.3911	1.5367	1.6873	1.8436	2.0057	2.1740
44		0.7884	0.9253	1.0657	1.2102	1.3592	1.5130	1.6722	1.8370	2.0079	2.1852	2.3694
46			0.9992	1.1520	1.3092	1.4714	1.6390	1.8124	1.9920	2.1782	2.3714	2.5721
48			1.0750	1.2406	1.4111	1.5871	1.7689	1.9571	2.1521	2.3542	2.5641	2.7821
50			1.1525	1.3314	1.5157	1.7059	1.9026	2.1062	2.3172	2.5360	2.7631	2.9990
52				1.4243	1.6228	1.8279	2.0400	2.2595	2.4871	2.7232	2.9683	3.2229
54				1.5192	1.7325	1.9529	2.1809	2.4170	2.6618	2.9158	3.1796	3.4536
56				1.6160	1.8445	2.0807	2.3252	2.5785	2.8411	3.1137	3.3967	3.6909
58					1.9588	2.2113	2.4728	2.7438	3.0248	3.3166	3.6197	3.9346
60					2.0751	2.3445	2.6235	2.9128	3.2129	3.5245	3.8482	4.1847
62					2.1935	2.4802	2.7772	3.0853	3.4051	3.7372	4.0822	4.4409
64					2.3138	2.6182	2.9338	3.2613	3.6013	3.9545	4.3215	4.7032

66					2. 4358	2. 7585	3. 0932	3. 4406	3. 8014	4. 1763	4. 5660	4. 9713
----	--	--	--	--	---------	---------	---------	---------	---------	---------	---------	---------

从江主要树种材积表（软阔）

贵州省质量技术监督局发布DB52/T 822-2013的软阔二元材积计算公式： $V=0.000073624 \times D^{1.89885} \times H^{(0.85616+0.00064635 \times (D+H))}$ ；

树高 胸径	5	6	7	8	9	10	12	14	16	18	20	22
6	0.0089	0.0104	0.0119	0.0134	0.0148	0.0163	0.0191	0.0219				
8	0.0154	0.0180	0.0206	0.0231	0.0257	0.0282	0.0331	0.0380	0.0428			
10	0.0235	0.0276	0.0315	0.0354	0.0393	0.0431	0.0507	0.0582	0.0656	0.0730		
12	0.0333	0.0390	0.0447	0.0502	0.0557	0.0612	0.0719	0.0826	0.0931	0.1036	0.1140	
14				0.0675	0.0749	0.0822	0.0967	0.1110	0.1252	0.1393	0.1534	
16					0.0968	0.1063	0.1250	0.1435	0.1619	0.1802	0.1984	0.2167
18					0.1214	0.1333	0.1568	0.1801	0.2032	0.2262	0.2491	0.2720
20						0.1633	0.1922	0.2208	0.2491	0.2773	0.3055	0.3336
22							0.2311	0.2655	0.2996	0.3336	0.3675	0.4014
24							0.2735	0.3142	0.3547	0.3950	0.4352	0.4754
26							0.3194	0.3671	0.4144	0.4616	0.5086	0.5557
28							0.3688	0.4240	0.4788	0.5333	0.5878	0.6422

30							0.4218	0.4850	0.5477	0.6103	0.6726	0.7350
----	--	--	--	--	--	--	--------	--------	--------	--------	--------	--------

从江主要树种材积表（软阔）

贵州省质量技术监督局发布DB52/T 822-2013的软阔二元材积计算公式: $V=0.000073624 \times D^2 \times H \times (0.85616 + 0.00064635 \times (D+H))$;

树高 胸径	10	12	14	16	18	20	22	24	26	28	30	32
32	0.4059	0.4783	0.5501	0.6214	0.6924	0.7633	0.8342	0.9051	0.9763	1.0476	1.1192	
34			0.6193	0.6997	0.7798	0.8597	0.9397	1.0197	1.1000	1.1805	1.2613	
36			0.6926	0.7827	0.8724	0.9620	1.0516	1.1413	1.2313	1.3215	1.4121	1.5032
38			0.7702	0.8704	0.9704	1.0702	1.1700	1.2699	1.3701	1.4707	1.5717	1.6732
40			0.8519	0.9629	1.0737	1.1842	1.2948	1.4056	1.5167	1.6282	1.7401	1.8526
42			0.9377	1.0602	1.1823	1.3042	1.4262	1.5484	1.6709	1.7939	1.9174	2.0416
44			1.0278	1.1623	1.2963	1.4302	1.5642	1.6984	1.8330	1.9680	2.1037	2.2401
46			1.1222	1.2692	1.4158	1.5622	1.7087	1.8556	2.0028	2.1506	2.2991	2.4484
48			1.2208	1.3809	1.5407	1.7003	1.8600	2.0200	2.1805	2.3417	2.5036	2.6664
50				1.4976	1.6711	1.8444	2.0179	2.1918	2.3662	2.5414	2.7173	2.8942
52					1.8070	1.9948	2.1827	2.3710	2.5600	2.7497	2.9403	3.1320
54					1.9485	2.1513	2.3542	2.5576	2.7617	2.9667	3.1727	3.3798
56					2.0957	2.3140	2.5326	2.7518	2.9717	3.1925	3.4145	3.6377
58					2.2484	2.4831	2.7180	2.9535	3.1899	3.4272	3.6658	3.9058
60					2.4069	2.6584	2.9103	3.1629	3.4163	3.6709	3.9268	4.1842
62					2.5711	2.8402	3.1097	3.3799	3.6511	3.9236	4.1975	4.4730
64					2.7411	3.0284	3.3161	3.6047	3.8944	4.1854	4.4780	4.7723
66					2.9169	3.2231	3.5298	3.8373	4.1461	4.4564	4.7683	5.0822

68					3. 0986	3. 4243	3. 7506	4. 0779	4. 4065	4. 7367	5. 0687	5. 4027
70					3. 2862	3. 6321	3. 9787	4. 3264	4. 6755	5. 0263	5. 3791	5. 7341

从江主要树种材积表（硬阔）

贵州省质量技术监督局发布DB52/T 826-2013的硬阔二元材积计算公式: $V=0.000099985*D^{(1.94225-0.0076853*(D+2*H))}*H^{(0.64053+0.014257*(D+H))}$ 。

树高 胸径	5	6	7	8	9	10	12	14	16	18	20	22
6	0.0094	0.0108	0.0123	0.0138	0.0152	0.0168	0.0200					
8	0.0161	0.0186	0.0211	0.0235	0.0261	0.0286	0.0339	0.0396				
10	0.0243	0.0281	0.0319	0.0357	0.0395	0.0434	0.0514	0.0598				
12	0.0339	0.0394	0.0447	0.0501	0.0555	0.0609	0.0721	0.0838	0.0962			
14		0.0522	0.0594	0.0666	0.0738	0.0811	0.0961	0.1116	0.1280	0.1453	0.1638	
16		0.0664	0.0758	0.0851	0.0945	0.1039	0.1232	0.1432	0.1641	0.1862	0.2097	0.2347
18			0.0937	0.1055	0.1173	0.1292	0.1533	0.1783	0.2045	0.2319	0.2610	0.2919
20				0.1276	0.1421	0.1567	0.1864	0.2171	0.2490	0.2825	0.3179	0.3553
22				0.1513	0.1689	0.1865	0.2224	0.2593	0.2977	0.3379	0.3802	0.4249
24					0.1974	0.2184	0.2610	0.3049	0.3504	0.3980	0.4480	0.5007
26						0.2522	0.3022	0.3537	0.4071	0.4628	0.5212	0.5828
28							0.3460	0.4058	0.4677	0.5323	0.5999	0.6710

30							0.3920	0.4608	0.5321	0.6063	0.6839	0.7654
----	--	--	--	--	--	--	--------	--------	--------	--------	--------	--------

从江主要树种材积表（硬阔）

贵州省质量技术监督局发布DB52/T 826-2013的硬阔二元材积计算公式: $V=0.000099985*D^{1.94225-0.0076853*(D+2*H)}*H^{0.64053+0.014257*(D+H)}$ 。

树高 胸径	10	12	14	16	18	20	22	24	26	28	30	32
32	0.3640	0.4403	0.5189	0.6002	0.6848	0.7733	0.8661	0.9637	1.0667	1.1756	1.2910	1.4135
34		0.4907	0.5797	0.6718	0.7677	0.8679	0.9728	1.0832	1.1994	1.3222	1.4522	1.5900
36		0.5430	0.6432	0.7470	0.8550	0.9677	1.0858	1.2098	1.3403	1.4780	1.6237	1.7779
38			0.7092	0.8255	0.9464	1.0726	1.2047	1.3434	1.4893	1.6431	1.8056	1.9774
40			0.7777	0.9072	1.0419	1.1826	1.3298	1.4842	1.6465	1.8176	1.9980	2.1887
42			0.8484	0.9920	1.1414	1.2975	1.4608	1.6320	1.8119	2.0013	2.2011	2.4120
44				1.0797	1.2448	1.4172	1.5977	1.7868	1.9855	2.1946	2.4149	2.6474
46				1.1704	1.3520	1.5418	1.7404	1.9486	2.1673	2.3973	2.6395	2.8950
48				1.2637	1.4628	1.6709	1.8888	2.1173	2.3572	2.6094	2.8750	3.1550
50					1.5771	1.8046	2.0429	2.2929	2.5553	2.8311	3.1215	3.4275
52					1.6947	1.9427	2.2026	2.4752	2.7615	3.0624	3.3790	3.7126
54					1.8155	2.0851	2.3677	2.6643	2.9757	3.3031	3.6476	4.0104
56						2.2316	2.5381	2.8599	3.1980	3.5534	3.9273	4.3211
58						2.3821	2.7138	3.0622	3.4282	3.8131	4.2181	4.6446
60						2.5365	2.8945	3.2708	3.6663	4.0824	4.5202	4.9811
62						2.6946	3.0802	3.4858	3.9123	4.3610	4.8333	5.3307
64						2.8563	3.2707	3.7069	4.1660	4.6491	5.1577	5.6933
66						3.0214	3.4659	3.9342	4.4273	4.9465	5.4932	6.0691

68						3. 1898	3. 6657	4. 1674	4. 6961	5. 2531	5. 8399	6. 4581
70						3. 3613	3. 8698	4. 4064	4. 9724	5. 5690	6. 1977	6. 8603