

TECHNICAL MANUAL

AVIATION UNIT AND INTERMEDIATE MAINTENANCE FOR

ARMY MODELS UH-60A, UH-60L, EH-60A, HH-60A AND HH-60L HELICOPTERS

CHAPTER 18 MAINTENANCE INSTRUCTIONS

*This manual supersedes TM 1-1520-237-23-18, dated 17 April 2006.

This information is furnished upon the condition that it will not be released to another nation without the specific authority of the Department of the Army of the United States, that it will be used for military purposes only, that individual or corporate rights originating in the information, whether patented or not, will be respected, that the recipient will report promptly to the United States, any known or suspected compromise, and that the information will be provided substantially the same degree of security afforded it by the Department of Defense of the United States. Also, regardless of any other markings on the document, it will not be downgraded or declassified without written approval of the originating United States agency.

DISTRIBUTION STATEMENT D - Distribution authorized to the DoD and DoD contractors only due to Critical Technology effective as of 15 June 2003. Other requests must be referred to Commander, US Army Aviation and Missile Command, ATTN: SFAE-AV-UH/L, Redstone Arsenal, AL 35898-5000.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C., Sec 2751, et. seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App. 2401 et. seq. Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25.

DESTRUCTION NOTICE - Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

HEADQUARTERS, DEPARTMENT OF THE ARMY

4 May 2007

INSERT LATEST CHANGED PAGES/WORK PACKAGES. DESTROY SUPERSEDED DATA.

LIST OF EFFECTIVE PAGES/WORK PACKAGES

Dates of issue for original and changed pages / work packages are:

Original 0 4 May 2007

TOTAL NUMBER OF PAGES FOR FRONT AND REAR MATTER IS 6 AND TOTAL NUMBER OF
WORK PACKAGES IS 1 CONSISTING OF THE FOLLOWING:

Page / WP No.	*Change No.	Page / WP No.	*Change No.	Page / WP No.	*Change No.
Volume 18 Title	0	i	0	Chapter 18 Title Page	0
A	0	ii Blank	0	WP 1793 00 (564 pgs).....	0
B Blank	0				

* Zero in this column indicates an original page or work package.

A/B Blank

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 4 May 2007

AVIATION UNIT AND INTERMEDIATE MAINTENANCE FOR

Army Models UH-60A, UH-60L, EH-60A, HH-60A, and HH-60L Helicopters

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS.

You can help improve this manual. If you find any mistakes or if you know of a way to improve these procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms) located in the back of this manual directly to: Commander, U.S. Army Aviation and Missile Command, ATTN: AMSAM-MMC-MA-NP, Redstone Arsenal, AL 35898-5000. A reply will be furnished to you. You may also provide DA Form 2028 information to AMCOM via e-mail, fax, or the World Wide Web. Our fax number is: DSN 788-6546 or Commercial 256-842-6546. Our e-mail address is: 2028@redstone.army.mil. Instructions for sending an electronic 2028 may be found at the back of this manual immediately preceding the hard copy 2028. For the World Wide Web use: <https://amcom2028.redstone.army.mil>.

DISTRIBUTION STATEMENT D - Distribution authorized to the DoD and DoD contractors only due to Critical Technology effective as of 15 June 2003. Other requests must be referred to Commander, US Army Aviation and Missile Command, ATTN: SFAE-AV-UH/L, Redstone Arsenal, AL 35898-5000.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act Title 22, U.S.C. Sec. 2751, *et seq.* or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App. 2401 *et seq.* Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25.

DESTRUCTION NOTICE - Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

TABLE OF CONTENTS

WP Sequence No.

CHAPTER 18 - MAINTENANCE INSTRUCTIONS

EH-60L Helicopters Wire Data List By Reference Designator..... 1793 00

*This manual supersedes TM 1-1520-237-23-18, dated 17 April 2006..

CHAPTER 18
MAINTENANCE INSTRUCTIONS
FOR
ARMY MODELS UH-60A, UH-60L, EH-60A, HH-60A,
AND HH-60L
HELICOPTERS



UNIT LEVEL

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR

INITIAL SETUP:

References

WP 1747 00

INTRODUCTION

Refer to (WP 1747 00).

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BJ1R-1	*ARN153-136A	-	S7062-11008-041	
BJ1R-1	*ARN149-8G	-	S7062-11009-042	
BJ1R-1	*ARN149-8F	-	S7062-11010-041	
BJ1R-1	*STORM101-	-	S7062-11012-041	
BMB195-1	JMPRP195R-T-24	P195R-T	S7062-11010-041	
BMB195-2	JMPRP195R-R-24	P195R-R	S7062-11010-041	
BMB195-3	JMPRP195R-S-24	P195R-S	S7062-11010-041	
BOMBX-1	L400G20	J248-F	S7052-12005-041	
BOMB1-1	1ARC201-46A24	P1006R-53	S7062-11002-041	
BOMB1-1	2ARC201-30A24	P1103R-53	S7062-11003-041	
BOMB1-1	JMPRP364-63-22	SG364R-1	S7062-11004-041	
BOMB1-1	JUMPERP684R-A20	P684R-A	70552-02108-053	
BOMB1-2	JUMPERP684R-B20	P684R-B	70552-02108-053	
BOMB1-2	JUMPERP685R-2-12	P685R-D	70602-02112-042	
BOMB1-3	JUMPERP684R-C20	P684R-C	70552-02108-053	
BOMB1-3	JUMPERP685R-3-12	P685R-E	70602-02112-042	
BOMB1-4	JUMPERP684R-D20	P684R-D	70552-02108-053	
BOMB1-5	JUMPERP684R-E20	P684R-E	70552-02108-053	
BOMB10-1	P460R-5-20	P460R-5	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB11-1	P461R-5-20	P461R-5	70552-02108-053	
BOMB12-1	P462R-5-20	P462R-5	70552-02108-053	
BOMB13-4	P220-1T-20	P220-t	70552-02108-053	
BOMB14-1	P222-A-20	P222-A	70552-02108-053	
BOMB14-2	P222-B-20	P222-B	70552-02108-053	
BOMB14-3	P222-C-20	P222-C	70552-02108-053	
BOMB14-4	P222-D-20	P222-D	70552-02108-053	
BOMB14-5	P222-Y-20	P222-Y	70552-02108-053	
BOMB14-6	P222-Z-20	P222-Z	70552-02108-053	
BOMB14-7	P222-1A-20	P222-a	70552-02108-053	
BOMB14-8	P222-1B-20	P222-b	70552-02108-053	
BOMB14-9	P222-1C-20	P222-c	70552-02108-053	
BOMB14-10	P222-1D-20	P222-d	70552-02108-053	
BOMB15-1	P222-1E-20	P222-e	70552-02108-053	
BOMB15-2	P222-1F-20	P222-f	70552-02108-053	
BOMB15-3	P222-1G-20	P222-g	70552-02108-053	
BOMB15-4	P222-1H-20	P222-h	70552-02108-053	
BOMB15-5	P222-1J-20	P222-j	70552-02108-053	
BOMB16-1	P224-A-20	P224-A	70552-02108-053	
BOMB16-2	P224-B-20	P224-B	70552-02108-053	
BOMB16-3	P224-C-20	P224-C	70552-02108-053	
BOMB16-4	P224-1V-20	P224-v	70552-02108-053	
BOMB16-5	P224-1W-20	P224-w	70552-02108-053	
BOMB16-6	P224-1X-20	P224-x	70552-02108-053	
BOMB16-7	P224-1Y-20	P224-y	70552-02108-053	
BOMB16-8	P224-1Z-20	P224-z	70552-02108-053	
BOMB17-1	P225-A-20	P225-A	70552-02107-051	
BOMB17-1	JUMPERP684R-P20	P684R-P	70552-02108-053	
BOMB17-2	P225-B-20	P225-B	70552-02107-051	
BOMB17-3	P225-C-20	P225-C	70552-02107-051	
BOMB17-4	P225-D-20	P225-D	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB17-5	P225-Y-20	P225-Y	70552-02107-051	
BOMB17-6	P225-Z-20	P225-Z	70552-02107-051	
BOMB17-7	P225-1A-20	P225-a	70552-02107-051	
BOMB17-8	P225-1B-20	P225-b	70552-02107-051	
BOMB17-9	P225-1C-20	P225-c	70552-02107-051	
BOMB17-10	P225-1D-20	P225-d	70552-02107-051	
BOMB18-1	P225-1E-20	P225-e	70552-02107-051	
BOMB18-2	P225-1F-20	P225-f	70552-02107-051	
BOMB18-3	P225-1G-20	P225-g	70552-02107-051	
BOMB18-4	P225-1H-20	P225-h	70552-02107-051	
BOMB18-5	P225-1J-20	P225-j	70552-02107-051	
BOMB18-6	P225-V-20	P225-V	70552-02107-051	
BOMB18-7	P225-W-20	P225-W	70552-02107-051	
BOMB18-8	P225-X-20	P225-X	70552-02107-051	
BOMB19-3	P221-C-20	P221-C	70552-02107-051	
BOMB19-4	P221-D-20	P221-D	70552-02107-051	
BOMB19-5	P221-1F-20	P221-f	70552-02107-051	
BOMB19-6	P221-1W-20	P221-w	70552-02107-051	
BOMB19-7	P221-NN-20	P221-NN	70552-02107-051	
BOMB19-8	P221-PP-20	P221-PP	70552-02107-051	
BOMB2-1	1ARC201-47A24	P1006R-45	S7062-11002-041	
BOMB2-1	2ARC201-31A24	P1103R-45	S7062-11003-041	
BOMB2-1	ARC220-214-B22	SG364R-1	S7062-11004-041	
BOMB2-1	IDM114-A24	SGP131-3	S7062-11005-041	
BOMB2-1	JUMPERP684R-F20	P684R-F	70552-02108-053	
BOMB2-2	JUMPERP684R-G20	P684R-G	70552-02108-053	
BOMB2-3	JUMPERP684R-H20	P684R-H	70552-02108-053	
BOMB2-4	JUMPERP684R-J20	P684R-J	70552-02108-053	
BOMB2-5	JUMPERP684R-K20	P684R-K	70552-02108-053	
BOMB20-1	P223-A-20	P223-A	70552-02107-051	
BOMB20-2	P223-B-20	P223-B	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB20-3	P223-C-20	P223-C	70552-02107-051	
BOMB20-4	P223-D-20	P223-D	70552-02107-051	
BOMB20-5	P223-1C-20	P223-c	70552-02107-051	
BOMB20-7	P223-1N-20	P223-n	70552-02107-051	
BOMB20-8	P223-1P-20	P223-p	70552-02107-051	
BOMB20-9	P223-1Q-20	P223-q	70552-02107-051	
BOMB20-10	P223-1Z-20	P223-z	70552-02107-051	
BOMB21-1	P223-AA-20	P223-AA	70552-02107-051	
BOMB21-2	P223-BB-20	P223-BB	70552-02107-051	
BOMB21-3	P223-CC-20	P223-CC	70552-02107-051	
BOMB21-4	P223-DD-20	P223-DD	70552-02107-051	
BOMB21-5	P223-EE-20	P223-EE	70552-02107-051	
BOMB21-6	P223-FF-20	P223-FF	70552-02107-051	
BOMB21-7	P223-GG-20	P223-GG	70552-02107-051	
BOMB21-8	P223-HH-20	P223-HH	70552-02107-051	
BOMB22-1	P476R-2-20	P476R-2	70552-02107-051	
BOMB22-2	P476R-11-20	P476R-11	70552-02107-051	
BOMB22-3	P476R-12-20	P476R-12	70552-02107-051	
BOMB23-1	J317-1-20	J317-1	70552-02107-051	
BOMB23-2	J317-2-20	J317-2	70552-02107-051	
BOMB23-3	J317-3-20	J317-3	70552-02107-051	
BOMB23-4	J317-9-20	J317-9	70552-02107-051	
BOMB23-5	J317-10-20	J317-10	70552-02107-051	
BOMB23-6	J317-11-20	J317-11	70552-02107-051	
BOMB23-7	J317-12-20	J317-12	70552-02107-051	
BOMB24-1	J319-7-20	J319-7	70552-02107-051	
BOMB24-2	J319-8-20	J319-8	70552-02107-051	
BOMB24-3	J319-9-20	J319-9	70552-02107-051	
BOMB24-4	J319-10-20	J319-10	70552-02107-051	
BOMB24-5	J319-11-20	J319-11	70552-02107-051	
BOMB24-6	J319-12-20	J319-12	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB25-1	P301-A-20	P301-A	70552-03101-045	
BOMB25-2	P301-B-20	P301-B	70552-03101-045	
BOMB25-5	P301-1I-20	P301-i	70552-03101-045	
BOMB25-6	P301-1N-20	P301-n	70552-03101-045	
BOMB25-7	P301-1P-20	P301-p	70552-03101-045	
BOMB25-8	P301-1Q-20	P301-q	70552-03101-045	
BOMB25-9	P301-1R-20	P301-r	70552-03101-045	
BOMB25-10	P301-1S-20	P301-s	70552-03101-045	
BOMB26-1	P301-1T-20	P301-t	70552-03101-045	
BOMB3-1	1ARC201-42A24	P1006R-54	S7062-11002-041	
BOMB3-1	2ARC201-32A24	P1103R-54	S7062-11003-041	
BOMB3-1	JUMPERP684R-L20	P684R-L	70552-02108-053	
BOMB3-2	JUMPERP684R-M20	P684R-M	70552-02108-053	
BOMB3-3	JUMPERP684R-N20	P684R-N	70552-02108-053	
BOMB3-4	JUMPERP684R-U20	P684R-U	70552-02108-053	
BOMB30-1	L9946K24	TJ5VB-J	S7062-11014-043	
BOMB4-1	1ARC201-43A24	P1006R-55	S7062-11002-041	
BOMB4-1	2ARC201-33A24	P1103R-55	S7062-11003-041	
BOMB4-1	IDM117-A24	SGP131-2	S7062-11005-041	
BOMB4-1	P465R-2-20	P465R-2	70552-02108-053	
BOMB4-2	P465R-11-20	P465R-11	70552-02108-053	
BOMB4-3	P465R-12-20	P465R-12	70552-02108-053	
BOMB41-1	P130-12-22	P130-12	S7052-11008-042	
BOMB41-2	P130-13-22	P130-13	S7052-11008-042	
BOMB42-1	P131-12-22	P131-12	S7052-11008-042	
BOMB42-2	P131-13-22	P131-13	S7052-11008-042	
BOMB44-1	P675R-2-22	P675R-2	S7052-11008-042	
BOMB44-2	P675R-4-22	P675R-4	S7052-11008-042	
BOMB44-3	P675R-6-22	P675R-6	S7052-11008-042	
BOMB44-4	P675R-8-22	P675R-8	S7052-11008-042	
BOMB44-5	P675R-10-22	P675R-10	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB44-6	P675R-11-22	P675R-11	S7052-11008-042	
BOMB44-7	P675R-13-22	P675R-13	S7052-11008-042	
BOMB45-1	P401R-F-20	P401R-F	S7052-12005-041	
BOMB45-2	P401R-G-20	P401R-G	S7052-12005-041	
BOMB45-3	P401R-H-20	P401R-H	S7052-12005-041	
BOMB45-4	P401R-J-20	P401R-J	S7052-12005-041	
BOMB45-5	P401R-K-20	P401R-K	S7052-12005-041	
BOMB5-1	1ARC201-12B24	P325R-1	S7062-11002-041	
BOMB5-1	2ARC201-09A24	P325R-3	S7062-11003-041	
BOMB5-1	3-20	P468R-3	70552-02108-053	
BOMB6-1	IDM116-A24	SGP131-1	S7062-11005-041	
BOMB6-1	J318-9-20	J318-9	70552-02108-053	
BOMB6-2	J318-10-20	J318-10	70552-02108-053	
BOMB6-3	J318-11-20	J318-11	70552-02108-053	
BOMB6-4	J318-12-20	J318-12	70552-02108-053	
BOMB7-1	P278-5-20	P278-5	70552-02103-045	
BOMB7-2	P251-7-20	P251-7	70552-02103-045	
BOMB7-3	P251-8-20	P251-8	70552-02103-045	
BOMB7-4	P251-9-20	P251-9	70552-02103-045	
BOMB7-5	P251-10-20	P251-10	70552-02103-045	
BOMB7-6	P251-11-20	P251-11	70552-02103-045	
BOMB7-7	P251-12-20	P251-12	70552-02103-045	
BOMB77-1	C6174A24	J142-z	S7052-11011-041	
BOMB8-1	P277-5-20	P277-5	70552-02102-045	
BOMB8-2	P250-7-20	P250-7	70552-02102-045	
BOMB8-3	P250-8-20	P250-8	70552-02102-045	
BOMB8-4	P250-9-20	P250-9	70552-02102-045	
BOMB8-5	P250-10-20	P250-10	70552-02102-045	
BOMB8-6	P250-11-20	P250-11	70552-02102-045	
BOMB8-7	P250-12-20	P250-12	70552-02102-045	
BOMB9-1	C6174B24	P142-z	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BOMB93-1	APR39-29A24	TJ115A-D	S7062-11014-043	
BOMB94-1	XM130-15A22	TJ115A-F	S7062-11014-043	
BOMB98-1	APX100-044A22	TJ5VA-J	S7062-11006-041	
BOMB98-1	APX100-044A22	TJ115A-C	S7062-11014-043	
BPGPS-1	*ASN128-81A	-	S7062-11002-041	
BPGPS-1	*ASN128-81E	-	S7062-11003-041	
BP100R-1	*1ARC201-12A	-	S7062-11002-041	
BP100R-1	*2ARC201-09B	-	S7062-11003-041	
BP100R-1	*ARC220-214-C	-	S7062-11004-041	
BP100R-1	*IDM113-A	-	S7062-11005-041	
BP100R-1	*IDM114-B	-	S7062-11005-041	
BP100R-1	*IDM115-A	-	S7062-11005-041	
BP100R-1	*IDM116-B	-	S7062-11005-041	
BP100R-1	*IDM117-B	-	S7062-11005-041	
BP100R-1	*CBL005 (P100R/ SG333R)	-	S7062-11008-041	
BP100R-1	*CBL010 (P100R/P333R)	-	S7062-11008-041	
BP100R-1	*ARN147-54A	-	S7062-11009-042	
BP100R-1	*ARN147-55A	-	S7062-11009-042	
BP100R-1	*CBL001 (P100R/P149R)	-	S7062-11009-042	
BP100R-1	*CBL002 (P100R/P149R)	-	S7062-11009-042	
BP100R-1	*CBL410 (P100R/P149R)	-	S7062-11009-042	
BP100R-1	*CBL413 (P100R/P149R)	-	S7062-11009-042	
BP100R-1	*STORM103-A	-	S7062-11012-041	
BP100R-1	*CBL020 (P100R/P140R)	-	S7062-11014-043	
BP1001-1	*1ARC201-30A	-	S7062-11002-041	
BP1001-1	*1ARC201-31A	-	S7062-11002-041	
BP1001-1	*1ARC201-32A	-	S7062-11002-041	
BP1001-1	*1ARC201-33A	-	S7062-11002-041	
BP1001-1	*1ARC201-34A	-	S7062-11002-041	
BP1001-1	*1ARC201-35A	-	S7062-11002-041	
BP1001-1	*1ARC201-36A	-	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP1006-1	*CBL002 (P1006R/P133R)	-	S7062-11002-041	
BP1006-1	*CBL003 (P1006R/P133R)	-	S7062-11002-041	
BP1006-1	*1ARC201-11A	-	S7062-11002-041	
BP1006-1	*1ARC201-12A	-	S7062-11002-041	
BP1006-1	*1ARC201-13A	-	S7062-11002-041	
BP1006-1	*1ARC201-14A	-	S7062-11002-041	
BP1006-1	*1ARC201-15A	-	S7062-11002-041	
BP1006-1	*1ARC201-16A	-	S7062-11002-041	
BP1006-1	*1ARC201-17A	-	S7062-11002-041	
BP1006-1	*1ARC201-18A	-	S7062-11002-041	
BP1006-1	*1ARC201-20A	-	S7062-11002-041	
BP1011-1	*2C11746-99A	-	S7062-11007-041	
BP1011-1	*CBL011 (P1011R/P140R)	-	S7062-11014-043	
BP1011-1	*CBL032 (P1021R/ SG1011)	-	S7062-11014-043	
BP1012-1	*CBL007 (P1012R/P369R)	-	S7062-11004-041	
BP1012-1	*1C11746-75A	-	S7062-11007-041	
BP1012-1	*CBL007 (P1012R/P140R)	-	S7062-11014-043	
BP1013-1	*2C11746-19A	-	S7062-11007-041	
BP1013-1	*2C11746-81C	-	S7062-11007-041	
BP1013-1	*2C11746-82A	-	S7062-11007-041	
BP1013-1	*2C11746-83A	-	S7062-11007-041	
BP1013-1	*2C11746-92A	-	S7062-11007-041	
BP1013-1	*2C11746-93A	-	S7062-11007-041	
BP1013-1	*ARC164-10A	-	S7062-11014-043	
BP1013-1	*CBL014 (P1013R/ SG1014)	-	S7062-11014-043	
BP1013-1	*CBL015 (P1013R/ SG1014)	-	S7062-11014-043	
BP1013-1	*CBL017 (P1013R/P140R)	-	S7062-11014-043	
BP1014-1	*1C11746-21A	-	S7062-11007-041	
BP1014-1	*1C11746-85B	-	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP1014-1	*CBL003 (SATR2/ SG1014)	-	S7062-11014-043	
BP1014-1	*CBL014 (P1013R/ SG1014)	-	S7062-11014-043	
BP1014-1	*CBL015 (P1013R/ SG1014)	-	S7062-11014-043	
BP1014-1	*CBL019 (P1014R/P140R)	-	S7062-11014-043	
BP1014-1	*CDU-034B	-	S7062-11014-043	
BP1014-1	*CDU-035B	-	S7062-11014-043	
BP1014-1	*C4647E	-	S7062-11014-043	
BP1015-1	*CBL001 (PD121R/ P1015R)	-	S7060-11002-043	
BP1015-1	*CBL001 (PD126R/ P1015R)	-	S7060-11002-044	
BP102R-1	*NIU901A	-	S7062-11007-041	
BP102R-1	*CBL021 (P102R/ SG318A)	-	S7062-11014-043	
BP102R-1	*CBL034 (P102R/P16R)	-	S7062-11014-043	
BP102R-1	*CBL035 (P102R/P16R)	-	S7062-11014-043	
BP102R-1	*CBL036 (P102R/P16R)	-	S7062-11014-043	
BP102R-1	*CBL037 (P102R/P14R)	-	S7062-11014-043	
BP102R-1	*CBL038 (P102R/P14R)	-	S7062-11014-043	
BP102R-1	*CBL041 (P102R/P16R)	-	S7062-11014-043	
BP102R-1	*CDU-607A	-	S7062-11014-043	
BP1021-1	*CBL023 (P1021R/ SG1012)	-	S7062-11014-043	
BP1021-1	*CBL032 (P1021R/ SG1011)	-	S7062-11014-043	
BP104R-1	*CBL001 (P104R/P208R)	-	S7062-12001-041	
BP104R-1	*CBL014 (P104R/P208R)	-	S7062-12001-041	
BP104R-1	*CBL031 (P104R/P208R)	-	S7062-12001-041	
BP105R-1	*CBL060 (J203R/P105R)	-	S7062-12001-041	
BP105R-1	*CBL062 (J211R/P105R)	-	S7062-12001-041	
BP109R-1	*CBL022 (P109R/P207R)	-	S7062-12001-041	
BP11R-1	*CBL217 (P11R/P2002R)	-	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP11R-1	*CBL221 (P11R/P2002R)	-	S7062-11014-043	
BP11R-1	*CBL222 (P11R/P2002R)	-	S7062-11014-043	
BP11R-1	*CBL223 (P11R/P2002R)	-	S7062-11014-043	
BP11R-1	*E9004B	-	S7062-11014-043	
BP110R-1	*CBL004 (P110R/P342R)	-	S7062-11001-041	
BP1103-1	*CBL001 (P1103R/P132R)	-	S7062-11003-041	
BP1103-1	*CBL002 (P1103R/P132R)	-	S7062-11003-041	
BP1103-1	*2ARC201-08A	-	S7062-11003-041	
BP1103-1	*2ARC201-09B	-	S7062-11003-041	
BP1103-1	*2ARC201-17A	-	S7062-11003-041	
BP114R-1	*4C11746-11A	-	S7062-12001-041	
BP115R-1	*CBL007 (P115R/P127R)	-	S7062-11007-041	
BP115R-1	*CBL011 (P115R/P127R)	-	S7062-11007-041	
BP115R-1	*CBL013 (P115R/P127R)	-	S7062-11007-041	
BP115R-1	*CBL016 (P115R/P127R)	-	S7062-11007-041	
BP115R-1	*CBL021 (P115R/P127R)	-	S7062-11007-041	
BP117R-1	*CBL006 (P117R/P220R)	-	S7062-12001-041	
BP117R-1	*CBL100 (P117R/P220R)	-	S7062-12001-041	
BP118R-1	*CBL009 (P118R/P221R)	-	S7062-12001-041	
BP119R-1	*CBL017 (J222R/P119R)	-	S7062-12001-041	
BP119R-1	*CBL018 (J223R/P119R)	-	S7062-12001-041	
BP119R-1	*CBL555 (J222R/P119R)	-	S7062-12001-041	
BP120R-1	*CBL005 (P120R/P123R)	-	S7062-11014-043	
BP120R-1	*CBL006 (P120R/P123R)	-	S7062-11014-043	
BP121R-1	*CBL008 (P121R/P135R)	-	S7062-11014-043	
BP123R-1	*ARC164-06A	-	S7062-11014-043	
BP123R-1	*CBL005 (P120R/P123R)	-	S7062-11014-043	
BP123R-1	*CBL006 (P120R/P123R)	-	S7062-11014-043	
BP124R-1	*CBL004 (P124R/P128R)	-	S7062-11007-041	
BP124R-1	*CBL105 (P124R/P128R)	-	S7062-11007-041	
BP124R-1	*1C11746-15A	-	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP124R-1	*1C11746-82A	-	S7062-11007-041	
BP124R-1	*1C11746-84A	-	S7062-11007-041	
BP124R-1	*1C11746-85A	-	S7062-11007-041	
BP124R-1	*1C11746-85B	-	S7062-11007-041	
BP126R-1	*CBL048 (P126R/P205R)	-	S7062-12001-041	
BP127R-1	*CBL007 (P115R/P127R)	-	S7062-11007-041	
BP127R-1	*CBL011 (P115R/P127R)	-	S7062-11007-041	
BP127R-1	*CBL013 (P115R/P127R)	-	S7062-11007-041	
BP127R-1	*CBL016 (P115R/P127R)	-	S7062-11007-041	
BP127R-1	*CBL021 (P115R/P127R)	-	S7062-11007-041	
BP128R-1	*CBL002 (P124R/P128R)	-	S7062-11007-041	
BP128R-1	*CBL004 (P124R/P128R)	-	S7062-11007-041	
BP128R-1	*CBL105 (P124R/P128R)	-	S7062-11007-041	
BP128R-1	*1C11746-15A	-	S7062-11007-041	
BP131R-1	*IDM113-A	-	S7062-11005-041	
BP131R-1	*ARC164-25B	-	S7062-11014-043	
BP132R-1	*CBL001 (P1103R/P132R)	-	S7062-11003-041	
BP132R-1	*CBL002 (P1103R/P132R)	-	S7062-11003-041	
BP132R-1	*2ARC201-08A	-	S7062-11003-041	
BP133R-1	*CBL002 (P1006R/P133R)	-	S7062-11002-041	
BP133R-1	*CBL003 (P1006R/P133R)	-	S7062-11002-041	
BP133R-1	*1ARC201-11A	-	S7062-11002-041	
BP135R-1	*CBL008 (P121R/P135R)	-	S7062-11014-043	
BP139R-1	*ARC220-136-C-	-	S7062-11004-041	
BP139R-1	*CBL016 (P139R/ SG137R)	-	S7062-11004-041	
BP139R-1	*NIU901A	-	S7062-11007-041	
BP139R-1	*1C11746-60D	-	S7062-11007-041	
BP139R-1	*CBL004 (P139R/P333R)	-	S7062-11008-041	
BP139R-1	*CBL401 (P139R/P149R)	-	S7062-11009-042	
BP139R-1	*CBL403 (P139R/P149R)	-	S7062-11009-042	
BP139R-1	*CBL057 (P139R/P195R)	-	S7062-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP139R-1	*CBL067 (P139R/P690R)	-	S7062-11014-043	
BP139R-1	*AJB-31A	-	S7062-12001-041	
BP14R-1	*CBL037 (P102R/P14R)	-	S7062-11014-043	
BP14R-1	*CBL038 (P102R/P14R)	-	S7062-11014-043	
BP140R-1	*1ARC201-20A	-	S7062-11002-041	
BP140R-1	*2ARC201-17A	-	S7062-11003-041	
BP140R-1	*ARC220-116-A	-	S7062-11004-041	
BP140R-1	*ARC220-141-A	-	S7062-11004-041	
BP140R-1	*CBL007 (P1012R/P140R)	-	S7062-11014-043	
BP140R-1	*CBL007 (P1012R/P140R)	-	S7062-11014-043	
BP140R-1	*CBL017 (P1013R/P140R)	-	S7062-11014-043	
BP140R-1	*CBL019 (P1014R/P140R)	-	S7062-11014-043	
BP144R-1	*CBL001 (P144R/P146R)	-	S7062-11011-041	
BP144R-1	*CBL002 (P144R/P146R)	-	S7062-11011-041	
BP144R-1	*CBL003 (P144R/P146R)	-	S7062-11011-041	
BP144R-1	*CBL004 (P144R/P146R)	-	S7062-11011-041	
BP146R-1	*CBL001 (P144R/P146R)	-	S7062-11011-041	
BP146R-1	*CBL002 (P144R/P146R)	-	S7062-11011-041	
BP146R-1	*CBL003 (P144R/P146R)	-	S7062-11011-041	
BP146R-1	*CBL004 (P144R/P146R)	-	S7062-11011-041	
BP147R-1	*CBL007 (P147R/P402R)	-	S7062-11011-041	
BP147R-1	*CBL008 (P147R/P402R)	-	S7062-11011-041	
BP147R-1	*CBL009 (P147R/P402R)	-	S7062-11011-041	
BP147R-1	*CBL010 (P147R/P402R)	-	S7062-11011-041	
BP149R-1	*ARN147-10A	-	S7062-11009-042	
BP149R-1	*ARN147-54A	-	S7062-11009-042	
BP149R-1	*ARN147-55A	-	S7062-11009-042	
BP149R-1	*ARN147-70A	-	S7062-11009-042	
BP149R-1	*ARN147-71A	-	S7062-11009-042	
BP149R-1	*ARN147-78E	-	S7062-11009-042	
BP149R-1	*ARN149-8G	-	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP149R-1	*CBL001 (P100R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL002 (P100R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL401 (P139R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL403 (P139R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL406 (SACOMP/ SG149R)	-	S7062-11009-042	
BP149R-1	*CBL407 (P149R/P16R)	-	S7062-11009-042	
BP149R-1	*CBL410 (P100R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL411 (P100R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL413 (P100R/P149R)	-	S7062-11009-042	
BP149R-1	*CBL414 (P2002R/ SG149R)	-	S7062-11009-042	
BP152R-1	*CBL002 (P152R/P343R)	-	S7062-11001-041	
BP16R-1	*ARN147-71A	-	S7062-11009-042	
BP16R-1	*CBL407 (P149R/P16R)	-	S7062-11009-042	
BP170-1	*M600A	-	S7052-12001-042	
BP175R-1	*CBL023 (P175R/P183R)	-	S7062-11007-041	
BP175R-1	*2C11746-19A	-	S7062-11007-041	
BP175R-1	*2C11746-81A	-	S7062-11007-041	
BP175R-1	*2C11746-81C	-	S7062-11007-041	
BP176R-1	*CBL028 (P176R/P184R)	-	S7062-11007-041	
BP183R-1	*CBL023 (P175R/P183R)	-	S7062-11007-041	
BP183R-1	*CBL024 (P175R/P183R)	-	S7062-11007-041	
BP184R-1	*CBL028 (P176R/P184R)	-	S7062-11007-041	
BP194R-1	*ARN149-19A	-	S7062-11010-041	
BP194R-1	*ARN149-20A	-	S7062-11010-041	
BP194R-1	*CBL504 (P194R/P195R)	-	S7062-11010-041	
BP195R-1	*ARN149-19A	-	S7062-11010-041	
BP195R-1	*ARN149-20A	-	S7062-11010-041	
BP195R-1	*ARN149-8F	-	S7062-11010-041	
BP195R-1	*CBL057 (P139R/P195R)	-	S7062-11010-041	
BP196R-1	*ARC164-40A	-	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP2001-1	*CBL200 (P2001R/ P2005R)	-	70602-01137-041	
BP2001-1	*CBL201 (P2001R/ P2005R)	-	70602-01137-041	
BP2001-1	*CBL202 (P2001R/ P2003R)	-	70602-01137-041	
BP2001-1	*CBL203 (P2001R/ P2003R)	-	70602-01137-041	
BP2001-1	*CBL204 (P2001R/ P2003R)	-	70602-01137-041	
BP2001-1	*CBL205 (P2001R/ P2003R)	-	70602-01137-041	
BP2001-1	*CBL206 (P2001R/ P2004R)	-	70602-01137-041	
BP2001-1	*CBL207 (P2001R/ P2004R)	-	70602-01137-041	
BP2001-1	*CBL208 (P2001R/ P2004R)	-	70602-01137-041	
BP2001-1	*CBL209 (P2001R/ P2004R)	-	70602-01137-041	
BP2001-1	*F9024A	-	70602-01137-041	
BP2001-1	*F9025A	-	70602-01137-041	
BP2001-1	*F9026A	-	70602-01137-041	
BP2001-1	*F9027A	-	70602-01137-041	
BP2001-1	*F9028A	-	70602-01137-041	
BP2001-1	*F9040A	-	70602-01137-041	
BP2001-1	*F9041A	-	70602-01137-041	
BP2001-1	*F9042A	-	70602-01137-041	
BP2001-1	*F9043A	-	70602-01137-041	
BP2001-1	*F9046A	-	70602-01137-041	
BP2001-1	*F9047A	-	70602-01137-041	
BP2001-1	*F9048A	-	70602-01137-041	
BP2001-1	*F9049A	-	70602-01137-041	
BP2001-1	*F9050A	-	70602-01137-041	
BP2001-1	*F9051A	-	70602-01137-041	
BP2001-1	*F9052A	-	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP2001-1	*F9053A	-	70602-01137-041	
BP2001-1	*F9058A	-	70602-01137-041	
BP2001-1	*F9059A	-	70602-01137-041	
BP2001-1	*F9060A	-	70602-01137-041	
BP2001-1	*F9065A	-	70602-01137-041	
BP2001-1	*F9068A	-	70602-01137-041	
BP2001-1	*F9069A	-	70602-01137-041	
BP2001-1	*F9070A	-	70602-01137-041	
BP2001-1	*F9071A	-	70602-01137-041	
BP2001-1	*F9076A	-	70602-01137-041	
BP2001-1	*F9077A	-	70602-01137-041	
BP2001-1	*F9078A	-	70602-01137-041	
BP2001-1	*F9083A	-	70602-01137-041	
BP2002-1	*CBL414 (P2002R/ SG149R)	-	S7062-11009-042	
BP2002-1	*CBL213 (P2002R/ SGP140)	-	S7062-11014-043	
BP2002-1	*CBL217 (P11R/P2002R)	-	S7062-11014-043	
BP2002-1	*CBL219 (P2002R/ P2006R)	-	S7062-11014-043	
BP2002-1	*CBL220 (P2002R/ P2007R)	-	S7062-11014-043	
BP2002-1	*CBL221 (P11R/P2002R)	-	S7062-11014-043	
BP2002-1	*CBL222 (P11R/P2002R)	-	S7062-11014-043	
BP2002-1	*CBL223 (P11R/P2002R)	-	S7062-11014-043	
BP2002-1	*E9004B	-	S7062-11014-043	
BP2002-1	*F9017B	-	S7062-11014-043	
BP2002-1	*F9018B	-	S7062-11014-043	
BP2003-1	*CBL202 (P2001R/ P2003R)	-	70602-01137-041	
BP2003-1	*CBL203 (P2001R/ P2003R)	-	70602-01137-041	
BP2003-1	*CBL204 (P2001R/ P2003R)	-	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP2003-1	*CBL205 (P2001R/ P2003R)	-	70602-01137-041	
BP2003-1	*F9050A	-	70602-01137-041	
BP2003-1	*F9051A	-	70602-01137-041	
BP2003-1	*F9052A	-	70602-01137-041	
BP2003-1	*F9053A	-	70602-01137-041	
BP2003-1	*F9058A	-	70602-01137-041	
BP2003-1	*F9059A	-	70602-01137-041	
BP2003-1	*F9060A	-	70602-01137-041	
BP2003-1	*F9065A	-	70602-01137-041	
BP2004-1	*CBL206 (P2001R/ P2004R)	-	70602-01137-041	
BP2004-1	*CBL207 (P2001R/ P2004R)	-	70602-01137-041	
BP2004-1	*CBL208 (P2001R/ P2004R)	-	70602-01137-041	
BP2004-1	*CBL209 (P2001R/ P2004R)	-	70602-01137-041	
BP2004-1	*F9068A	-	70602-01137-041	
BP2004-1	*F9069A	-	70602-01137-041	
BP2004-1	*F9070A	-	70602-01137-041	
BP2004-1	*F9071A	-	70602-01137-041	
BP2004-1	*F9076A	-	70602-01137-041	
BP2004-1	*F9077A	-	70602-01137-041	
BP2004-1	*F9078A	-	70602-01137-041	
BP2004-1	*F9083A	-	70602-01137-041	
BP2005-1	*CBL200 (P2001R/ P2005R)	-	70602-01137-041	
BP2005-1	*CBL201 (P2001R/ P2005R)	-	70602-01137-041	
BP2005-1	*F9024A	-	70602-01137-041	
BP2005-1	*F9025A	-	70602-01137-041	
BP2005-1	*F9026A	-	70602-01137-041	
BP2005-1	*F9027A	-	70602-01137-041	
BP2005-1	*F9028A	-	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP2005-1	*F9040A	-	70602-01137-041	
BP2005-1	*F9041A	-	70602-01137-041	
BP2005-1	*F9042A	-	70602-01137-041	
BP2005-1	*F9043A	-	70602-01137-041	
BP2005-1	*F9046A	-	70602-01137-041	
BP2005-1	*F9047A	-	70602-01137-041	
BP2005-1	*F9048A	-	70602-01137-041	
BP2005-1	*F9049A	-	70602-01137-041	
BP2006-1	*CBL219 (P2002R/ P2006R)	-	S7062-11014-043	
BP2007-1	*CBL220 (P2002R/ P2007R)	-	S7062-11014-043	
BP204R-1	*CBL042 (P114R/P204R)	-	S7062-12001-041	
BP204R-1	*CBL059 (J203R/SGP204)	-	S7062-12001-041	
BP205R-1	*CBL048 (P126R/P205R)	-	S7062-12001-041	
BP207R-1	*CBL022 (P109R/P207R)	-	S7062-12001-041	
BP207R-1	*CBL027 (J201R/SGP207)	-	S7062-12001-041	
BP207R-1	*CBL028 (J201R/P207R)	-	S7062-12001-041	
BP207R-1	*5C11746-16A	-	S7062-12001-041	
BP207R-1	*5C11746-18B	-	S7062-12001-041	
BP208R-1	*CBL001 (P104R/P208R)	-	S7062-12001-041	
BP208R-1	*CBL014 (P104R/P208R)	-	S7062-12001-041	
BP208R-1	*CBL031 (P104R/P208R)	-	S7062-12001-041	
BP208R-1	*CBL036 (J201R/P208R)	-	S7062-12001-041	
BP21R-1	*2C11746-60C	-	S7062-11007-041	
BP214R-1	*CBL001 (P214R/P215R)	-	S7062-11013-042	
BP215R-1	*CBL001 (P214R/P215R)	-	S7062-11013-042	
BP220R-1	*CBL003 (P117R/P220R)	-	S7062-12001-041	
BP220R-1	*CBL100 (P117R/P220R)	-	S7062-12001-041	
BP220R-1	*CBL110 (J223R/SGP220)	-	S7062-12001-041	
BP220R-1	*CBL111 (J222R/SGP220)	-	S7062-12001-041	
BP221R-1	*CBL009 (P118R/P221R)	-	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP226-1	*CBL002 (P218/P226)	-	S7052-12001-042	
BP226-1	*CBL003 (J374/P226)	-	S7052-12001-042	
BP226-1	*5C11746-16A	-	S7062-12001-041	
BP226-1	*5C11746-18B	-	S7062-12001-041	
BP229R-1	*PLS-11A	-	S7062-11011-041	
BP229R-1	*PLS-12A	-	S7062-11011-041	
BP229R-1	*PLS-13A	-	S7062-11011-041	
BP300-1	*CBL001 (FE1M/P300)	-	70552-03100-043	
BP300-1	*CBL002 (FE2M/P300)	-	70552-03100-043	
BP300-1	*CBL003 (FE1R/P300)	-	70552-03100-043	
BP300-1	*CBL004 (FE2R/P300)	-	70552-03100-043	
BP307R-1	*1ARC201-30A	-	S7062-11002-041	
BP307R-1	*1ARC201-31A	-	S7062-11002-041	
BP307R-1	*1ARC201-32A	-	S7062-11002-041	
BP307R-1	*1ARC201-33A	-	S7062-11002-041	
BP307R-1	*1ARC201-34A	-	S7062-11002-041	
BP307R-1	*1ARC201-35A	-	S7062-11002-041	
BP307R-1	*1ARC201-36A	-	S7062-11002-041	
BP323R-1	*1ARC201-15A	-	S7062-11002-041	
BP323R-1	*1ARC201-16A	-	S7062-11002-041	
BP323R-1	*1ARC201-17A	-	S7062-11002-041	
BP323R-1	*2ARC201-14A	-	S7062-11003-041	
BP323R-1	*ARC220-211-A	-	S7062-11004-041	
BP323R-1	*ARC220-212-A	-	S7062-11004-041	
BP324R-1	*1ARC201-18A	-	S7062-11002-041	
BP324R-1	*2ARC201-15A	-	S7062-11003-041	
BP324R-1	*CBL002 (P324R/P364R)	-	S7062-11004-041	
BP325R-1	*1ARC201-12B	-	S7062-11002-041	
BP325R-1	*1ARC201-13A	-	S7062-11002-041	
BP325R-1	*1ARC201-14A	-	S7062-11002-041	
BP325R-1	*2ARC201-09A	-	S7062-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP325R-1	*2ARC201-10A	-	S7062-11003-041	
BP325R-1	*ARC220-213-A	-	S7062-11004-041	
BP325R-1	*ARC220-214-B	-	S7062-11004-041	
BP333R-1	*CBL005 (P100R/ SG333R)	-	S7062-11008-041	
BP333R-1	*CBL006 (P100R/P333R)	-	S7062-11008-041	
BP333R-1	*CBL010 (P100R/P333R)	-	S7062-11008-041	
BP342R-1	*CBL003 (P152R/P342R)	-	S7062-11001-041	
BP342R-1	*CBL004 (P110R/P342R)	-	S7062-11001-041	
BP342R-1	*CBL005 (P110R/P342R)	-	S7062-11001-041	
BP343R-1	*CBL002 (P152R/P343R)	-	S7062-11001-041	
BP361R-1	*CBL023 (P361R/P366R)	-	S7062-11004-041	
BP363R-1	*ARC220-141-A	-	S7062-11004-041	
BP363R-1	*CBL018 (P363R/P366R)	-	S7062-11004-041	
BP364R-1	*ARC220-111-A	-	S7062-11004-041	
BP364R-1	*ARC220-112-A	-	S7062-11004-041	
BP364R-1	*ARC220-134-A	-	S7062-11004-041	
BP364R-1	*ARC220-211-A	-	S7062-11004-041	
BP364R-1	*ARC220-212-A	-	S7062-11004-041	
BP364R-1	*CBL001 (P364R/P369R)	-	S7062-11004-041	
BP364R-1	*CBL002 (P324R/P364R)	-	S7062-11004-041	
BP364R-1	*CBL010 (P364R/P370R)	-	S7062-11004-041	
BP364R-1	*CBL011 (P364R/ SG370R)	-	S7062-11004-041	
BP364R-1	*CBL012 (P364R/P370R)	-	S7062-11004-041	
BP366R-1	*CBL023 (P361R/P366R)	-	S7062-11004-041	
BP369R-1	*ARC220-111-A	-	S7062-11004-041	
BP369R-1	*ARC220-112-A	-	S7062-11004-041	
BP369R-1	*CBL001 (P364R/P369R)	-	S7062-11004-041	
BP369R-1	*CBL007 (P1012R/P369R)	-	S7062-11004-041	
BP369R-1	*CBL009 (P363R/P369R)	-	S7062-11004-041	
BP370R-1	*ARC220-134-A	-	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP370R-1	*CBL010 (P364R/P370R)	-	S7062-11004-041	
BP370R-1	*CBL011 (P364R/ SG370R)	-	S7062-11004-041	
BP370R-1	*CBL012 (P364R/P370R)	-	S7062-11004-041	
BP370R-1	*CBL025 (P370R/ SG137R)	-	S7062-11004-041	
BP370R-1	*CBL026 (P370R/ SG137R)	-	S7062-11004-041	
BP375R-1	*CBL024 (J1013R/P375R)	-	S7062-11004-041	
BP402R-1	*CBL007 (P147R/P402R)	-	S7062-11011-041	
BP402R-1	*CBL008 (P147R/P402R)	-	S7062-11011-041	
BP402R-1	*CBL009 (P147R/P402R)	-	S7062-11011-041	
BP402R-1	*CBL010 (P147R/P402R)	-	S7062-11011-041	
BP403R-1	*PLS-11A	-	S7062-11011-041	
BP403R-1	*PLS-12A	-	S7062-11011-041	
BP403R-1	*PLS-13A	-	S7062-11011-041	
BP645-1	*L4531A	-	S7052-11011-041	
BP645-1	*W6626A	-	S7052-11011-041	
BP645-1	*W6627A	-	S7052-11011-041	
BP645-1	*W6628A	-	S7052-11011-041	
BP645-1	*W6628L	-	S7052-11011-041	
BP645-1	*W6629G	-	S7052-11011-041	
BP645-1	*W6630A	-	S7052-11011-041	
BP645-1	*W6630T	-	S7052-11011-041	
BP645-1	*W6631A	-	S7052-11011-041	
BP646-1	*W6627G	-	S7052-11011-041	
BP646-1	*W6628P	-	S7052-11011-041	
BP646-1	*W6628T	-	S7052-11011-041	
BP646-1	*W6629A	-	S7052-11011-041	
BP646-1	*W6630L	-	S7052-11011-041	
BP646-1	*W6630P	-	S7052-11011-041	
BP646-1	*W6632A	-	S7052-11011-041	
BP646-1	*W6633A	-	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
BP666R-1	*CBL005 (P666R/P686R)	-	S7062-11006-041	
CB1-1	W3151A24	J107-M	S7052-11007-041	
CB1-2	JMPR608-20	CB7-2	S7052-11007-041	
CB1A-A1	Q6057B14	J298-F	70552-02121-046	
CB1A-A2	JMPR311-18	CB4A-A1	70552-02121-046	
CB1A-A2	X115C10A	TB10-3	70552-02121-046	
CB1A-B1	Q6055B14	J298-G	70552-02121-046	
CB1A-B2	JMPR300-18	CB3A-2	70552-02121-046	
CB1A-B2	JMPR310-18	CB4A-B1	70552-02121-046	
CB1A-B2	X116C10B	TB10-2	70552-02121-046	
CB1A-C1	Q6053B14	J298-H	70552-02121-046	
CB1A-C2	JMPR309-18	CB4A-C1	70552-02121-046	
CB1A-C2	X117C10C	TB10-1	70552-02121-046	
CB10-1	V51A24	J107-K	S7052-11007-041	
CB102-1	P563C10	CB518-1	S7052-11001-049	
CB102-1	P563A12	K10-A2	S7052-11003-041	
CB102-2	JMPR600-10	CB127-2	S7052-11003-041	
CB103-1	APR39-28A22	J249-f	S7052-11003-041	
CB104-1	APN209-7A22	J249-j	S7052-11003-041	
CB106-1	2ARC201-4A20	J237-H	S7052-11003-041	
CB107-1	1F3801A24	J249-b	S7052-11003-041	
CB108-1	F250A24	J249-E	S7052-11003-041	
CB109-1	1F3850A24	J249-d	S7052-11003-041	
CB11-1	W3082A24	J107-F	S7052-11007-041	
CB110-1	XM130-1A20	J249-Z	S7052-11003-041	
CB111-1	C6200A20	J249-q	S7052-11003-041	
CB112-1	P4010A12	J235-A	S7052-11003-041	
CB113-1	ARN89-11A20	J237-F	S7052-11003-041	
CB114-1	APX100-049A22	J237-D	S7052-11003-041	
CB115-1	ASN128-13A20	J249-a	S7052-11003-041	
CB12-1	V279A24	J107-D	S7052-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB12A-1	M3431A20	J229-B	70552-02121-046	
CB12A-2	JMPR302-18	CB17A-2	70552-02121-046	
CB12A-2	JMPR307-18	CB9A-2	70552-02121-046	
CB12A-2	P575G10	TB10-4	70552-02121-046	
CB122-1	F3951A18	P127-m	S7052-11003-041	
CB122-2	JMPR219-18A	CB149-2	S7052-11003-041	
CB124-1	D5843A20	J249-p	S7052-11003-041	
CB124-1	D5878A20	J249-R	S7052-11003-041	
CB125-1	X112A20V	J237-C	S7052-11003-041	
CB125-2	JMPR218-18B	CB150-2	S7052-11003-041	
CB127-1	C4137A20	J249-s	S7052-11003-041	
CB127-1	C4137C20	P127-U	S7052-11003-041	
CB127-1	W3381A20	P127-S	S7052-11003-041	
CB127-2	JMPR600-10	CB102-2	S7052-11003-041	
CB128-1	C4132A20	P127-T	S7052-11003-041	
CB128-1	C4132C20	J249-r	S7052-11003-041	
CB129-1	C4138A20	J249-e	S7052-11003-041	
CB129-1	C4138C20	J249-c	S7052-11003-041	
CB129-1	W4775A24	J249-N	S7052-11003-041	
CB13A-1	Q6010B20	J299-B	70552-02121-046	
CB13A-1	Q6010D20	J346-35	70552-02121-046	
CB13A-2	JMPR303-18	CB16A-2	70552-02121-046	
CB130-1	V97A24	J237-B	S7052-11003-041	
CB131-1	P562A24	J249-K	S7052-11003-041	
CB132-1	D5842A22	J249-M	S7052-11003-041	
CB133-1	H4298A24	P127-G	S7052-11003-041	
CB134-1	H706A24	J249-U	S7052-11003-041	
CB135-1	F3952A24	P127-R	S7052-11003-041	
CB135-1	H705A24	P127-P	S7052-11003-041	
CB136-1	W2004C24	J249-V	S7052-11003-041	
CB136-1	W2008A24	J249-W	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB137-1	L4561A14	J235-H	S7052-11003-041	
CB138-1	L4560A24	J249-X	S7052-11003-041	
CB14A-1	Q6550A20	J346-33	70552-02121-046	
CB140-1	L3930A24	J249-P	S7052-11003-041	
CB140-1	L3980A24	J249-L	S7052-11003-041	
CB140-1	M325A24	J249-J	S7052-11003-041	
CB140-2	JMPR601-18	CB156-2	S7052-11003-041	
CB140-2	P9000A20	CB143-2	S7052-11003-041	
CB143-1	M9002A20	J249-i	S7052-11003-041	
CB143-1	M9002C20	J249-h	S7052-11003-041	
CB143-1	M9002F20	J249-g	S7052-11003-041	
CB143-2	P9000A20	CB140-2	S7052-11003-041	
CB144-1	M9000A20	J249-k	S7052-11003-041	
CB144-2	X900A20	CB218-2	S7052-11003-041	
CB145-1	E3286A24	P127-L	S7052-11003-041	
CB146-1	L4521A24	P127-D	S7052-11003-041	
CB147-1	L3530A24	J249-Y	S7052-11003-041	
CB148-1	L4520A24	P127-W	S7052-11003-041	
CB148-2	JMPR208-18C	CB160-C1	S7052-11003-041	
CB149-1	L4461A24	P127-F	S7052-11003-041	
CB149-2	JMPR206-18A	CB160-A1	S7052-11003-041	
CB149-2	JMPR219-18A	CB122-2	S7052-11003-041	
CB150-1	L3642A22	P127-V	S7052-11003-041	
CB150-2	JMPR207-18B	CB160-B1	S7052-11003-041	
CB150-2	JMPR218-18B	CB125-2	S7052-11003-041	
CB151-1	W6601A20	J249-D	S7052-11003-041	
CB151-1	W6601D20	J249-G	S7052-11003-041	
CB152-1	W6600A20	J249-A	S7052-11003-041	
CB152-1	W6600D20	J249-B	S7052-11003-041	
CB152-2	JMPR612-18	CB156-2	S7052-11003-041	
CB153-1	W3414A20	J249-F	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB153-2	W3412A20N	GND249-1	S7052-11003-041	
CB154-1	Q4060A24	J249-S	S7052-11003-041	
CB155-1	H3335A24	P127-N	S7052-11003-041	
CB156-1	P4008A22	J237-A	S7052-11003-041	
CB156-2	JMPR601-18	CB140-2	S7052-11003-041	
CB156-2	JMPR612-18	CB152-2	S7052-11003-041	
CB158-A1	X109D12A	CB512-A1	S7052-11001-047	
CB158-A1	JMPR200-12A	CB159-A1	S7052-11003-041	
CB158-A2	P557A14A	J235-B	S7052-11003-041	
CB158-B1	X110D12B	CB512-B1	S7052-11001-047	
CB158-B1	JMPR201-12B	CB159-B1	S7052-11003-041	
CB158-B2	P558A14B	J235-C	S7052-11003-041	
CB158-C1	X111D12C	CB512-C1	S7052-11001-047	
CB158-C1	JMPR202-12C	CB159-C1	S7052-11003-041	
CB158-C2	P559A14C	J235-D	S7052-11003-041	
CB159-A1	JMPR200-12A	CB158-A1	S7052-11003-041	
CB159-A1	JMPR203-14A	CB160-A1	S7052-11003-041	
CB159-A2	M3452A24A	P127-K	S7052-11003-041	
CB159-B1	JMPR201-12B	CB158-B1	S7052-11003-041	
CB159-B1	JMPR204-14B	CB160-B1	S7052-11003-041	
CB159-B2	M3451A24B	P127-J	S7052-11003-041	
CB159-C1	JMPR202-12C	CB158-C1	S7052-11003-041	
CB159-C1	JMPR205-14C	CB160-C1	S7052-11003-041	
CB159-C2	M3450A24C	P127-H	S7052-11003-041	
CB16A-1	H6425A20	J906-X	70552-02121-046	
CB16A-2	JMPR303-18	CB13A-2	70552-02121-046	
CB160-A1	JMPR203-14A	CB159-A1	S7052-11003-041	
CB160-A1	JMPR206-18A	CB149-2	S7052-11003-041	
CB160-A2	H4295A14A	J235-E	S7052-11003-041	
CB160-B1	JMPR204-14B	CB159-B1	S7052-11003-041	
CB160-B1	JMPR207-18B	CB150-2	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB160-B2	H4296A14B	J235-F	S7052-11003-041	
CB160-C1	JMPR205-14C	CB159-C1	S7052-11003-041	
CB160-C1	JMPR208-18C	CB148-2	S7052-11003-041	
CB160-C2	H4297A14C	J235-G	S7052-11003-041	
CB161-A1	X4004A18A	J237-J	S7052-11003-041	
CB161-A2	X109A10A	CL4-2	S7052-11003-041	
CB161-B1	X4005A18B	J237-K	S7052-11003-041	
CB161-B2	X110A10B	CL5-2	S7052-11003-041	
CB161-C1	X4006A18C	J237-L	S7052-11003-041	
CB161-C2	X111A10C	CL6-2	S7052-11003-041	
CB17A-1	H6423A20	J906-N	70552-02121-046	
CB17A-2	JMPR302-18	CB12A-2	70552-02121-046	
CB18A-1	Q6009B20	J299-A	70552-02121-046	
CB18A-2	P577G10	TB11-1	70552-02121-046	
CB19A-1	L6351A18	J233-A	70552-02121-046	
CB2-1	P517A24	J107-H	S7052-11007-041	
CB2-2	P519C18	1STUD-E2	S7052-11007-041	
CB20A-1	Q6551A20	J346-45	70552-02121-046	
CB202-1	P572A12	K9-A4	S7052-11002-041	
CB202-2	JMPR602-10	CB227-2	S7052-11002-041	
CB203-1	2F3801A24	J266-V	S7052-11002-041	
CB203-2	P572B10	CB535-2	S7052-11001-050	
CB204-1	SN10874A24	J266-R	S7052-11002-041	
CB205-1	H3333A24	P126-R	S7052-11002-041	
CB207-1	ALQ144-3A22	J266-Y	S7052-11002-041	
CB208-1	C6196A22	J236-m	S7052-11002-041	
CB209-1	C4676A22	J236-f	S7052-11002-041	
CB210-1	E2040A24	J236-U	S7052-11002-041	
CB211-1	W4400A24	P126-L	S7052-11002-041	
CB212-1	L4500A24	P126-F	S7052-11002-041	
CB213-1	L3608A24	P126-C	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB214-1	C4601A24	P126-K	S7052-11002-041	
CB215-1	2F3836A24	J266-W	S7052-11002-041	
CB215-2	JMPR217-18B	CB221-2	S7052-11002-041	
CB216-1	2F3889A24	J266-c	S7052-11002-041	
CB217-1	C6250A22	J236-n	S7052-11002-041	
CB217-2	X119A20V	K8-A2	S7052-11002-041	
CB217-2	X119B20V	K8-A2	S7052-11002-041	
CB218-1	D4550A24	J236-p	S7052-11002-041	
CB218-2	X900A20	CB144-2	S7052-11003-041	
CB219-1	ARN89-8A20	J266-S	S7052-11002-041	
CB219-2	X64D24	J236-N	S7052-11002-041	
CB220-1	ASN128-11A22	J266-X	S7052-11002-041	
CB221-1	F451A20	J266-T	S7052-11002-041	
CB221-2	JMPR217-18B	CB215-2	S7052-11002-041	
CB222-1	2F3920A20	K13-B1	S7052-11002-041	
CB223-1	1F3912A20	J266-Z	S7052-11002-041	
CB224-1	X18A24	J236-P	S7052-11002-041	
CB225-1	X121A24	K13-X1	S7052-11002-041	
CB227-1	C4131A20	J236-E	S7052-11002-041	
CB227-1	C4131C20	P126-e	S7052-11002-041	
CB227-1	W3380A20	P126-c	S7052-11002-041	
CB227-1	W3380D20	J236-b	S7052-11002-041	
CB227-2	JMPR602-10	CB202-2	S7052-11002-041	
CB228-1	C4130A20	J236-F	S7052-11002-041	
CB228-1	C4130H20	P126-d	S7052-11002-041	
CB229-1	D5866A22	J266-L	S7052-11002-041	
CB230-1	V78A24	J236-M	S7052-11002-041	
CB231-1	P547A24	J266-G	S7052-11002-041	
CB231-2	JMPRCB233-2-12	CB233-2	S7052-11002-041	
CB233-1	H702A24	J266-N	S7052-11002-041	
CB233-2	JMPRCB233-2-12	CB231-2	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB234-1	H700A24	P126-S	S7052-11002-041	
CB235-1	W2000C24	J236-V	S7052-11002-041	
CB235-1	W2009A24	J236-W	S7052-11002-041	
CB236-1	E3302A20	J266-A	S7052-11002-041	
CB236-1	K3004A24	J266-P	S7052-11002-041	
CB237-1	M351A16	J266-m	S7052-11002-041	
CB238-1	M350A20	P126-W	S7052-11002-041	
CB238-1	M350C20	J266-e	S7052-11002-041	
CB238-2	JMPR603-18	CB253-2	S7052-11002-041	
CB239-1	X118A20V	K8-A3	S7052-11002-041	
CB239-2	JMPR213-14B	CB261-B1	S7052-11002-041	
CB239-2	JMPR215-16B	CB246-2	S7052-11002-041	
CB241-1	F3950A18	P126-m	S7052-11002-041	
CB241-2	JMPR212-16A	CB261-A1	S7052-11002-041	
CB242-1	C4651A24	J236-d	S7052-11002-041	
CB242-2	JMPR214-16C	CB261-C1	S7052-11002-041	
CB243-1	D5864A20	J266-J	S7052-11002-041	
CB244-1	E3280A24	P126-N	S7052-11002-041	
CB245-1	L3601B24	P126-H	S7052-11002-041	
CB245-2	L3602A24	J266-M	S7052-11002-041	
CB246-1	L3600A24	P126-G	S7052-11002-041	
CB246-2	JMPR215-16B	CB239-2	S7052-11002-041	
CB247-1	L3460A24	J236-H	S7052-11002-041	
CB248-1	L3640A22	P126-h	S7052-11002-041	
CB249-1	L3641A22	P126-i	S7052-11002-041	
CB250-1	L6960A24	P126-D	S7052-11002-041	
CB251-1	H4293A24	P126-J	S7052-11002-041	
CB252-1	H4317A24	P126-p	S7052-11002-041	
CB253-1	W3150A24	P126-U	S7052-11002-041	
CB253-2	JMPR603-18	CB238-2	S7052-11002-041	
CB257-A1	JMPR226-18A	CB259-A1	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB257-A2	C6162A24	J236-g	S7052-11002-041	
CB257-B1	JMPR227-18B	CB259-B1	S7052-11002-041	
CB257-B2	C6163A24	J236-h	S7052-11002-041	
CB257-B2	2F3921A20	K13-B3	S7052-11002-041	
CB257-C1	JMPR228-18C	CB259-C1	S7052-11002-041	
CB257-C2	C6164A24	J236-i	S7052-11002-041	
CB259-A1	JMPR220-18A	CB260-A1	S7052-11002-041	
CB259-A1	JMPR226-18A	CB257-A1	S7052-11002-041	
CB259-A2	H4314A20A	J266-n	S7052-11002-041	
CB259-B1	JMPR221-18B	CB260-B1	S7052-11002-041	
CB259-B1	JMPR227-18B	CB257-B1	S7052-11002-041	
CB259-B2	H4315A20B	J266-p	S7052-11002-041	
CB259-C1	JMPR222-18C	CB260-C1	S7052-11002-041	
CB259-C1	JMPR228-18C	CB257-C1	S7052-11002-041	
CB259-C2	H4316A20C	J266-q	S7052-11002-041	
CB26A-A1	Q6743A20A	SAB-4	70552-02121-046	
CB26A-A2	JMPR312-18	CB31A-A2	70552-02121-046	
CB26A-B1	Q6744A20B	SAB-5	70552-02121-046	
CB26A-B2	JMPR313-18	CB31A-B2	70552-02121-046	
CB26A-C1	Q6745A20C	SAB-6	70552-02121-046	
CB26A-C2	JMPR314-18	CB31A-C2	70552-02121-046	
CB260-A1	JMPR220-18A	CB259-A1	S7052-11002-041	
CB260-A1	JMPR223-16A	CB262-A2	S7052-11002-041	
CB260-A2	X4000A20A	J236-Z	S7052-11002-041	
CB260-B1	JMPR221-18B	CB259-B1	S7052-11002-041	
CB260-B1	JMPR224-16B	CB262-B2	S7052-11002-041	
CB260-B2	X4001A20B	J236-a	S7052-11002-041	
CB260-C1	JMPR222-18C	CB259-C1	S7052-11002-041	
CB260-C1	JMPR225-16C	CB262-C2	S7052-11002-041	
CB260-C2	X4002A20C	J236-c	S7052-11002-041	
CB261-A1	JMPR209-14A	CB263-A2	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB261-A1	JMPR212-16A	CB241-2	S7052-11002-041	
CB261-A2	H4290A14A	J234-D	S7052-11002-041	
CB261-B1	JMPR210-14B	CB263-B2	S7052-11002-041	
CB261-B1	JMPR213-14B	CB239-2	S7052-11002-041	
CB261-B2	H4291A14B	J234-E	S7052-11002-041	
CB261-C1	JMPR211-14C	CB263-C2	S7052-11002-041	
CB261-C1	JMPR214-16C	CB242-2	S7052-11002-041	
CB261-C2	H4292A14C	J234-F	S7052-11002-041	
CB262-A1	P553A14A	J234-A	S7052-11002-041	
CB262-A2	JMPR223-16A	CB260-A1	S7052-11002-041	
CB262-B1	P554A14B	J234-B	S7052-11002-041	
CB262-B2	JMPR224-16B	CB260-B1	S7052-11002-041	
CB262-C1	P555A14C	J234-C	S7052-11002-041	
CB262-C2	JMPR225-16C	CB260-C1	S7052-11002-041	
CB263-A1	H3330A22A	J236-R	S7052-11002-041	
CB263-A2	X115D12A	CB528-A1	S7052-11001-048	
CB263-A2	JMPR209-14A	CB261-A1	S7052-11002-041	
CB263-A2	X115A10A	K2-A2	S7052-11002-041	
CB263-B1	H3331A22B	J236-S	S7052-11002-041	
CB263-B2	X116D12B	CB528-B1	S7052-11001-048	
CB263-B2	JMPR210-14B	CB261-B1	S7052-11002-041	
CB263-B2	X116A10B	K2-B2	S7052-11002-041	
CB263-C1	H3332A22C	J236-T	S7052-11002-041	
CB263-C2	X117D12C	CB528-C1	S7052-11001-048	
CB263-C2	JMPR211-14C	CB261-C1	S7052-11002-041	
CB263-C2	X117A10C	K2-C2	S7052-11002-041	
CB3-1	Q3200A24	J107-B	S7052-11007-041	
CB3-2	JMPR609-18	CB9-2	S7052-11007-041	
CB3A-1	Q6040B20	J299-D	70552-02121-046	
CB3A-1	Q6040D20	J346-38	70552-02121-046	
CB3A-2	JMPR300-18	CB1A-B2	70552-02121-046	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB3A-2	JMPR301-18	CB5A-2	70552-02121-046	
CB301-1	P521A20	J246-F	S7052-11010-041	
CB301-2	JMPR606-16	CB308-2	S7052-11010-041	
CB301-2	P573A12	K10-A3	S7052-11010-041	
CB302-1	P551A24	J230-d	S7052-11010-041	
CB303-1	W3080A24	SG303-1	S7052-11010-041	
CB304-1	W3081A24	J231-R	S7052-11010-041	
CB305-1	2F3850A24	J230-U	S7052-11010-041	
CB306-1	M363B20	J200-J	S7052-11010-041	
CB306-2	JMPR605-18	CB320-2	S7052-11010-041	
CB307-1	C4626A22	J200-f	S7052-11010-041	
CB308-1	L3561A24	J230-L	S7052-11010-041	
CB308-2	JMPR606-16	CB301-2	S7052-11010-041	
CB309-1	L3560A14	TB1-3	S7052-11010-041	
CB31A-A1	H6384A14A	J907-A	70552-02121-046	
CB31A-A2	JMPR304-18	CB33A-A1	70552-02121-046	
CB31A-A2	JMPR312-18	CB26A-A2	70552-02121-046	
CB31A-B1	H6385A14B	J907-B	70552-02121-046	
CB31A-B2	JMPR305-18	CB33A-B1	70552-02121-046	
CB31A-B2	JMPR313-18	CB26A-B2	70552-02121-046	
CB31A-C1	H6386A14C	J907-C	70552-02121-046	
CB31A-C2	JMPR306-18	CB33A-C1	70552-02121-046	
CB31A-C2	JMPR314-18	CB26A-C2	70552-02121-046	
CB310-1	L4465A24	P288-C	S7052-11010-041	
CB310-1	L4465B24	J230-X	S7052-11010-041	
CB311-1	M4250A22	J230-c	S7052-11010-041	
CB312-1	E3305A20	J231-W	S7052-11010-041	
CB312-1	H707A24	J231-i	S7052-11010-041	
CB312-1	K3005A24	J231-n	S7052-11010-041	
CB313-1	C6214A22	J230-T	S7052-11010-041	
CB313-2	JMPR604-16	CB327-2	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB315-1	W6603A20	J246-H	S7052-11010-041	
CB315-1	W6603D20	J230-n	S7052-11010-041	
CB316-1	Q6036C24	J200-K	S7052-11010-041	
CB318-1	ARN123-06A20	J231-r	S7052-11010-041	
CB319-1	2ARC186-4A20	J230-y	S7052-11010-041	
CB320-1	2C6533-15A20	J231-q	S7052-11010-041	
CB320-2	JMPR605-18	CB306-2	S7052-11010-041	
CB321-1	1C6533-15A20	J230-x	S7052-11010-041	
CB322-1	W6602A20	J231-A	S7052-11010-041	
CB322-1	W6602D20	J231-B	S7052-11010-041	
CB323-1	M3430A20	J200-d	S7052-11010-041	
CB324-1	W3389A20	S31-2	S7052-11010-041	
CB324-1	W3389B20	J200-M	S7052-11010-041	
CB325-1	L402D24	J230-k	S7052-11010-041	
CB326-1	ARC164-4A20	J230-v	S7052-11010-041	
CB327-1	3KY28-8A24	J230-w	S7052-11010-041	
CB327-2	JMPR604-16	CB313-2	S7052-11010-041	
CB328-1	1KY28-8A24	J230-z	S7052-11010-041	
CB33A-A1	JMPR304-18	CB31A-A2	70552-02121-046	
CB33A-A1	X109C10A	TB11-2	70552-02121-046	
CB33A-A2	Q6051B14	J298-C	70552-02121-046	
CB33A-B1	JMPR305-18	CB31A-B2	70552-02121-046	
CB33A-B1	X110C10B	TB11-3	70552-02121-046	
CB33A-B2	Q6049B14	J298-D	70552-02121-046	
CB33A-C1	JMPR306-18	CB31A-C2	70552-02121-046	
CB33A-C1	X111C10C	TB11-4	70552-02121-046	
CB33A-C2	Q6047B14	J298-E	70552-02121-046	
CB4-1	P516A24	J107-G	S7052-11007-041	
CB4-1	P516D24	J107-J	S7052-11007-041	
CB4A-A1	JMPR311-18	CB1A-A2	70552-02121-046	
CB4A-A2	Q6740A20A	SAB-3	70552-02121-046	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB4A-B1	JMPR310-18	CB1A-B2	70552-02121-046	
CB4A-B2	Q6741A20B	SAB-2	70552-02121-046	
CB4A-C1	JMPR309-18	CB1A-C2	70552-02121-046	
CB4A-C2	Q6742A20C	SAB-1	70552-02121-046	
CB400-A1	X137A20A	J208-A	70552-02100-045	
CB400-A2	X1C20A	K2-A1	70552-02100-045	
CB400-B1	X138A20B	J208-B	70552-02100-045	
CB400-B2	X2C20B	K2-B1	70552-02100-045	
CB400-C1	X139A20C	J208-C	70552-02100-045	
CB400-C2	X3C20C	K2-C1	70552-02100-045	
CB401-A1	X128A20A	J207-A	70552-02100-045	
CB401-A2	X8A20A	K3-C1	70552-02100-045	
CB401-B1	X129A20B	J207-B	70552-02100-045	
CB401-B2	X9A20B	K3-B1	70552-02100-045	
CB401-C1	X130A20C	J207-C	70552-02100-045	
CB401-C2	X10A20C	K3-A1	70552-02100-045	
CB402-1	ALQ144-1A06	P685R-A	70602-02112-042	
CB402-2	P579A06	K6-A1	70552-02109-068	
CB403-A1	X131A20A	J211-A	70552-02101-043	
CB403-A2	X101D20A	K1-A1	70552-02101-043	
CB403-B1	X132A20B	J211-B	70552-02101-043	
CB403-B2	X102D20B	K1-B1	70552-02101-043	
CB403-C1	X133A20C	J211-C	70552-02101-043	
CB403-C2	X103D20C	K1-C1	70552-02101-043	
CB404-3	W3414C20	J210-D	70552-02101-043	
CB404-A1	X109B10A	TB11-2	70552-02109-074	
CB404-A2	W3382A08A	K19-A1	70552-02109-070	
CB404-B1	X110B10B	TB11-3	70552-02109-074	
CB404-B2	W3383A08B	K19-B1	70552-02109-070	
CB404-C1	X111B10C	TB11-4	70552-02109-074	
CB404-C2	W3384A08C	K19-C1	70552-02109-070	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB404-5A	W3413A20N	GND27-1	70552-02101-043	
CB5-1	V72A24	J107-L	S7052-11007-041	
CB5A-1	H6424A20	J906-W	70552-02121-046	
CB5A-2	JMPR301-18	CB3A-2	70552-02121-046	
CB500-2	CDU-004A22	P129-M	S7052-11004-041	
CB501-1	CDU-001B22	P140R-29	S7062-11014-043	
CB501-1	CDU-002B20	SG1011-1	S7062-11014-043	
CB502-2	MFD001A20	P129-d	S7052-11004-041	
CB502-2	MFD002A20	P129-e	S7052-11004-041	
CB503-1	P573B12	K10-A1	S7052-11001-046	
CB503-2	MFD003B20	J198-R	S7062-11014-043	
CB503-2	MFD004B20	J198-P	S7062-11014-043	
CB504-2	CDU-003A22	P129-L	S7052-11004-041	
CB505-2	ARC222-100B22	P129-E	S7052-11004-041	
CB506-2	3C11746-60A20	P129-H	S7052-11004-041	
CB509-1	JMPRCB509-120	CB512-C1	S7052-11004-041	
CB509-2	M600A20	P129-X	S7052-11004-041	
CB510-1	JMPRCB510-120	CB512-A1	S7052-11004-041	
CB510-2	LT500A20	P129-f	S7052-11004-041	
CB512-A1	X109D12A	CB158-A1	S7052-11001-047	
CB512-A1	JMPRCB510-120	CB510-1	S7052-11004-041	
CB512-A1	JMPRCB512-A112	CB525-A1	S7052-11004-041	
CB512-A2	H800A10A	P349-D	S7052-12001-042	
CB512-B1	X110D12B	CB158-B1	S7052-11001-047	
CB512-B1	JMPRCB512-B112	CB525-B1	S7052-11004-041	
CB512-B2	H801A10B	P349-E	S7052-12001-042	
CB512-C1	X111D12C	CB158-C1	S7052-11001-047	
CB512-C1	JMPRCB509-120	CB509-1	S7052-11004-041	
CB512-C1	JMPRCB512-C112	CB525-C1	S7052-11004-041	
CB512-C2	H802A10C	P349-F	S7052-12001-042	
CB514-1	ARC220-101-A10	P368R-B	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB515-2	ARC220-100A22	P129-G	S7052-11004-041	
CB516-2	DTRO1A24	P129-P	S7052-11004-041	
CB517-2	M619A20	P129-S	S7052-11004-041	
CB518-1	P563C10	CB102-1	S7052-11001-049	
CB518-2	M620A12	SG200-1	S7052-12001-042	
CB519-2	H806A20	P129-b	S7052-11004-041	
CB520-2	M601A20	P129-Y	S7052-11004-041	
CB521-2	M617A20	P129-R	S7052-11004-041	
CB525-A1	JMPCB512-A112	CB512-A1	S7052-11004-041	
CB525-A1	JMPCB541-A112	CB541-A1	S7052-11004-041	
CB525-A2	H803A10A	P349-A	S7052-12001-042	
CB525-B1	JMPCB512-B112	CB512-B1	S7052-11004-041	
CB525-B1	JMPCB541-B112	CB541-B1	S7052-11004-041	
CB525-B2	H804A10B	P349-B	S7052-12001-042	
CB525-C1	JMPCB512-C112	CB512-C1	S7052-11004-041	
CB525-C1	JMPCB541-C112	CB541-C1	S7052-11004-041	
CB525-C2	H805A10C	P349-C	S7052-12001-042	
CB528-A1	X115D12A	CB263-A2	S7052-11001-048	
CB528-A1	JMPCB544-A116	CB544-A1	S7052-11004-041	
CB528-A2	M786A14	SGP297-1	S7052-12001-042	
CB528-B1	X116D12B	CB263-B2	S7052-11001-048	
CB528-B1	JMPCB544-B116	CB544-B1	S7052-11004-041	
CB528-B2	M787A14	SGP297-2	S7052-12001-042	
CB528-C1	X117D12C	CB263-C2	S7052-11001-048	
CB528-C1	JMPCB544-C116	CB544-C1	S7052-11004-041	
CB528-C2	M788A14	SGP297-3	S7052-12001-042	
CB530-1	FLIR-01C20	P129-Z	S7052-11004-041	
CB530-1	FLIR-01D20	P129-a	S7052-11004-041	
CB531-1	STORM107-A22	P129-F	S7052-11004-041	
CB532-1	ARN153-100A22	P129-C	S7052-11004-041	
CB532-1	ARN153-101A22	P129-D	S7052-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CB533-1	IDM-100A24	P129-B	S7052-11004-041	
CB534-1	PLS02A20	P129-A	S7052-11004-041	
CB535-1	M791A20	P129-W	S7052-11004-041	
CB535-2	P572B10	CB203-2	S7052-11001-050	
CB536-1	M7891A14	SGP297-15	S7052-12001-042	
CB537-1	M790A14	SGP297-16	S7052-12001-042	
CB538-1	NIU-900A20	P129-h	S7052-11004-041	
CB541-A1	JMPCB541-A112	CB525-A1	S7052-11004-041	
CB541-A2	M614A12	K300-A1	S7052-12001-042	
CB541-B1	JMPCB541-B112	CB525-B1	S7052-11004-041	
CB541-B2	M615A12	K300-B1	S7052-12001-042	
CB541-C1	JMPCB541-C112	CB525-C1	S7052-11004-041	
CB541-C2	M616A12	K300-C1	S7052-12001-042	
CB544-A1	JMPCB544-A116	CB528-A1	S7052-11004-041	
CB544-A2	M667A14	SGP297-4	S7052-12001-042	
CB544-B1	JMPCB544-B116	CB528-B1	S7052-11004-041	
CB544-B2	M666A14	SGP297-5	S7052-12001-042	
CB544-C1	JMPCB544-C116	CB528-C1	S7052-11004-041	
CB544-C2	M668A14	SGP297-6	S7052-12001-042	
CB6-1	P515A10	1STUD-E3	S7052-11007-041	
CB6-2	P518C10	1STUD-E1	S7052-11007-041	
CB7-1	V278A24	J107-C	S7052-11007-041	
CB7-2	JMPR608-20	CB1-2	S7052-11007-041	
CB8-1	CDU-005A20	J107-P	S7052-11007-041	
CB9-1	L4450A24	J107-E	S7052-11007-041	
CB9-2	JMPR609-18	CB3-2	S7052-11007-041	
CB9A-1	L3650A18	J233-D	70552-02121-046	
CB9A-2	JMPR307-18	CB12A-2	70552-02121-046	
CG1016-1	*CBL001 (PD131R/ P1016R)	-	S7060-11002-053	
CG1016-1	*CBL001 (PD136R/ P1016R)	-	S7060-11002-054	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CLA2-1	P575A10	CNTRA1-1	70552-02109-063	
CLA2-2	P575B10	CNTRA1-2	70552-02109-063	
CLA2-3	P575C10	CNTRA1-3	70552-02109-063	
CLP23-1	*CBL005 (J374/P23)	-	S7052-12001-042	
CLRGA-1	*CBL020 (J351/J814)	-	70552-02108-053	
CLRGA-1	*CBL022 (J351/J400)	-	70552-02108-053	
CLRG1-1	*CBL223 (J11R/SG903)	-	S7052-12005-041	
CLRG1-1	*CBL001 (J300/P312)	-	70552-05100-052	
CLRG1-1	*CBL002 (J300/P312)	-	70552-05100-052	
CLRG1-1	*CBL003 (J300/P312)	-	70552-05100-052	
CLRG1-1	*CBL004 (J300/P312)	-	70552-05100-052	
CLRG1-2	*CBL217 (J11R/P419R)	-	S7052-12005-041	
CLRG1-3	*CBL222 (J11R/SG138)	-	S7052-12005-041	
CLRG1-3	*CBL001 (J312/P313)	-	S7052-12006-041	
CLRG1-4	*CBL221 (J11R/SG138)	-	S7052-12005-041	
CLRG1-5	*CBL002 (J312/P313)	-	S7052-12006-041	
CLRG1-7	*CBL003 (J312/P313)	-	S7052-12006-041	
CLRG1-8	*CBL004 (J312/P313)	-	S7052-12006-041	
CLRG2-1	*CBL001 (J300/P312)	-	70552-05100-052	
CLRG2-1	*CBL002 (J300/P312)	-	70552-05100-052	
CLRG2-1	*CBL003 (J300/P312)	-	70552-05100-052	
CLRG2-1	*CBL004 (J300/P312)	-	70552-05100-052	
CLRG2-1	*W3160B	-	70552-05100-052	
CLRG2-3	*CBL001 (J312/P313)	-	S7052-12006-041	
CLRG2-5	*CBL002 (J312/P313)	-	S7052-12006-041	
CLRG2-7	*CBL003 (J312/P313)	-	S7052-12006-041	
CLRG2-8	*CBL004 (J312/P313)	-	S7052-12006-041	
CLRJ1-1	*CBL001 (J1/J2)	-	S7062-11004-042	
CLRJ1-1	*CBL001 (J1/J2)	-	S7062-11014-042	
CLRJ1-1	*CBL002 (J1/J2)	-	S7062-11014-042	
CLRJ1-2	*CBL002 (J1/J2)	-	S7062-11004-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CLRJ1-3	*KY-100-05-A	-	S7062-11004-042	
CLRJ1-4	*KY-100-06-A	-	S7062-11004-042	
CLRJ1-5	*CBL003 (J1/J2)	-	S7062-11004-042	
CLRJ1-6	*KY-100-09-A	-	S7062-11004-042	
CLRJ1-7	*KY-100-010-A	-	S7062-11004-042	
CLRJ1-8	*KY-100-011-A	-	S7062-11004-042	
CLRJ1-9	*KY-100-012-A	-	S7062-11004-042	
CLRJ2-1	*CBL001 (J1/J2)	-	S7062-11004-042	
CLRJ2-1	*CBL001 (J1/J2)	-	S7062-11014-042	
CLRJ2-1	*CBL002 (J1/J2)	-	S7062-11014-042	
CLRJ2-2	*CBL002 (J1/J2)	-	S7062-11004-042	
CLRJ2-3	*KY-100-05-A	-	S7062-11004-042	
CLRJ2-4	*KY-100-06-A	-	S7062-11004-042	
CLRJ2-5	*CBL003 (J1/J2)	-	S7062-11004-042	
CLRJ2-6	*KY-100-09-A	-	S7062-11004-042	
CLRJ2-7	*KY-100-010-A	-	S7062-11004-042	
CLRJ2-8	*KY-100-011-A	-	S7062-11004-042	
CLRJ2-9	*KY-100-012-A	-	S7062-11004-042	
CL1-1	X31A10A	K1-A3	70552-02109-065	
CL10-1	H6431A10A	K60-A2	70552-02206-041	
CL10-2	H6449A10A	K62-T1	70552-02124-057	
CL11-1	H6432A10B	K60-B2	70552-02206-041	
CL11-2	H6450A10B	K62-T2	70552-02124-057	
CL12-1	H6433A10C	K60-C2	70552-02206-041	
CL12-2	H6451A10C	K62-T3	70552-02124-057	
CL13-1	H6436A14A	K61-C1	70552-02124-060	
CL13-2	H6439A10A	K63-C2	70552-02124-059	
CL14-1	H6437A14B	K61-B1	70552-02124-060	
CL14-2	H6440A10B	K63-B2	70552-02124-059	
CL15-1	H6438A14C	K61-A1	70552-02124-060	
CL15-2	H6441A10C	K63-A2	70552-02124-059	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
CL2-1	X32A10B	K1-B3	70552-02109-065	
CL20-1	H900A08A	K1-A2	S7052-11001-051	
CL20-2	H903A08A	K310-A1	S7052-11001-042	
CL21-1	H901A08B	K1-B2	S7052-11001-051	
CL21-2	H904A08B	K310-B1	S7052-11001-042	
CL22-1	H903A08C	K1-C2	S7052-11001-051	
CL22-2	H905A08C	K310-C1	S7052-11001-042	
CL3-1	X33A10C	K1-C3	70552-02109-065	
CL4-1	X5A10A	K4-C3	70552-02109-066	
CL4-2	X109A10A	CB161-A2	S7052-11003-041	
CL5-1	X6A10B	K4-B3	70552-02109-066	
CL5-2	X110A10B	CB161-B2	S7052-11003-041	
CL6-1	X7A10C	K4-A3	70552-02109-066	
CL6-2	X111A10C	CB161-C2	S7052-11003-041	
CL7-1	H6379A10A	K62-L1	70552-02205-041	
CL7-2	H6446A10A	K2-A2	70552-02124-056	
CL8-1	H6380A10B	K62-L2	70552-02205-041	
CL8-2	H6447A10B	K2-B2	70552-02124-056	
CL9-1	H6381A10C	K62-L3	70552-02205-041	
CL9-2	H6448A10C	K2-C2	70552-02124-056	
CNTRA1-1	P574A10	SPLY2-1	S7052-11002-041	
CNTRA1-1	P577A10	DCEBS-1	S7052-11003-041	
CNTRA1-1	P575A10	CLA2-1	70552-02109-063	
CNTRA1-2	P574B10	SPLY2-2	S7052-11002-041	
CNTRA1-2	P577B10	DCEBS-2	S7052-11003-041	
CNTRA1-2	P575B10	CLA2-2	70552-02109-063	
CNTRA1-3	P574C10	SPLY2-3	S7052-11002-041	
CNTRA1-3	P577C10	DCEBS-3	S7052-11003-041	
CNTRA1-3	P575C10	CLA2-3	70552-02109-063	
CNTRA2-1	P583A10	TL25-2-1	70552-02109-078	
CNTRA2-1	P583B10	TL25-2-1	70552-02109-078	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
COPJ11-GND	L3651H20N	SGB33-1	S7052-11008-042	
COPJ11-PWR	L3646G20	SGP196-1	S7052-11008-042	
CR1-A	84-2-24	K47-C1	70552-02131-042	
CR1-C	85-9035-24	K47-X1	70552-02131-042	
CR1-C	86-9035-24	CR2-C	70552-02131-042	
CR2-A	87-9037-24	K47-A2	70552-02131-042	
CR2-C	86-9035-24	CR1-C	70552-02131-042	
CR98-NEG	CR98-NEGATIVE20	K300-X2	S7052-12001-042	
CR98-POS	CR98-POSITIVE20	K300-X1	S7052-12001-042	
DCEBS-1	P577A10	CNTRA1-1	S7052-11003-041	
DCEBS-2	P577B10	CNTRA1-2	S7052-11003-041	
DCEBS-3	P577C10	CNTRA1-3	S7052-11003-041	
DCV-1	W3160A20	P300-B	70552-03100-043	
DCV-2	W3161A20N	GND10-1	70552-03100-043	
DS1-1	L3934H24	J200-S	S7052-11010-041	
DS1-2	M362A20	J200-H	S7052-11010-041	
DS1-3	M369A20N	GG2-2	S7052-11010-041	
DS10-GND	L4507A20N	GDDS10-1	70552-06101-045	
DS10-PWR	L4505E22	J601-E	70552-06101-045	
DS2-A	L4466D24N	SG162-2	70602-01114-045	
DS2-1	L4463H20	SG162-1	70602-01114-045	
DS3-A	L4466C24N	SG162-2	70602-01114-045	
DS3-1	L4463J20	SG162-1	70602-01114-045	
DS4-A	L4466E24N	SG162-2	70602-01114-045	
DS4-1	L4463K20	SG162-1	70602-01114-045	
DS5-A	L4466J24N	SG162-4	70602-01114-045	
DS5-1	L4463N20	SG162-3	70602-01114-045	
DS6-A	L4466H24N	SG162-4	70602-01114-045	
DS6-1	L4463P20	SG162-3	70602-01114-045	
DS7-A	L4466K24N	SG162-4	70602-01114-045	
DS7-1	L4463Q20	SG162-3	70602-01114-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
EC434-1	P434-3-20	P434-3	70552-02107-051	
EC435-1	P435-3-20	P435-3	70552-02108-053	
EC446-1	P446-3-20	P446-3	70552-02107-051	
E1-B	J298-G-E1-B-20	J298-G	S7052-12003-041	
E1-T	H6452D20	J329-P	70552-02124-062	
E1-T	18-3-22	K44-B2	70552-02131-042	
E1-T	77-9017-24	J241-H	70552-02132-044	
E10-T	79-0-24	GND1-J	70552-02132-044	
E11-T	71-978-24	J241-T	70552-02132-044	
E12-T	72-9012-24	J241-S	70552-02132-044	
E13-T	73-9013-24	J241-V	70552-02132-044	
E14-T	118-9128-20	U2-21	70552-02132-044	
E15-T	JMPR8-20	E17-T	70552-02132-044	
E15-T	41-0-20	SG1-1	70552-02132-044	
E16-T	116-9126-20	J244-h	70552-02132-044	
E17-T	JMPR8-20	E15-T	70552-02132-044	
E18-T	117-9127-20	J244-j	70552-02132-044	
E19-T	134-9146-24	K29-X1	70552-02132-044	
E19-T	135-9146-24	K28-B2	70552-02132-044	
E2-B	E2-B-E4-B-24	E4-B	S7052-12003-041	
E2-T	XK301-X1E2-T-20	XK301-X1	S7052-12003-041	
E2-T	H6422A20	J329-L	70552-02124-062	
E2-T	17-1-22	J243-U	70552-02131-042	
E2-T	76-9016-24	J241-P	70552-02132-044	
E20-T	132-9145-24	K30-Y1	70552-02132-044	
E20-T	133-9145-24	K29-A1	70552-02132-044	
E21-T	129-9137-24	K30-X1	70552-02132-044	
E21-T	130-9137-24	K28-A1	70552-02132-044	
E22-T	123-9134-24	K28-X1	70552-02132-044	
E22-T	124-9134-24	K29-B2	70552-02132-044	
E23-T	157-9237-20	J244-B	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
E23-T	158-9237-20	K33-X1	70552-02132-044	
E24-T	149-9157-20	K31-B3	70552-02132-044	
E25-T	144-9234-20	K33-B1	70552-02132-044	
E26-T	148-9167-20	SGU2-2	70552-02132-044	
E27-T	JMPR10-20	E31-T	70552-02132-044	
E28-T	161-9245-20	J241-D	70552-02132-044	
E29-T	159-9068-20	SGU2-4	70552-02132-044	
E3-B	J298-H-E3-B-20	J298-H	S7052-12003-041	
E3-T	160-7-22	K49-X1	70552-02131-042	
E3-T	75-9015-24	J241-J	70552-02132-044	
E30-T	150-9168-20	K33-A2	70552-02132-044	
E31-T	JMPR10-20	E27-T	70552-02132-044	
E31-T	160-9238-20	SGU2-1	70552-02132-044	
E32-T	162-2-20	SGU2-3	70552-02132-044	
E4-B	E2-B-E4-B-24	E2-B	S7052-12003-041	
E4-T	H6409G20	K65-A3	70552-02124-061	
E4-T	159-9025-22	K49-B2	70552-02131-042	
E4-T	74-9014-24	J241-W	70552-02132-044	
E5-T	XK303-X2-E5-T-20	XK303-X2	S7052-12003-041	
E5-T	H6466A20	K64-X1	70552-02124-061	
E5-T	162-9136-22	J243-S	70552-02131-042	
E5-T	47-925-24	K22-A1	70552-02132-044	
E6-T	J298-U-E6-T-20	J298-U	S7052-12003-041	
E6-T	H6420J20	J329-Y	70552-02124-062	
E6-T	161-8-22	K49-A2	70552-02131-042	
E6-T	53-934-24	J244-M	70552-02132-044	
E7-T	163-9138-22	J243-h	70552-02131-042	
E7-T	54-935-24	J244-L	70552-02132-044	
E8-T	164-9145-22	K46-C1	70552-02131-042	
E8-T	56-2-24	J244-V	70552-02132-044	
E9-T	70-968-24	K26-F2	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
FE1M-1	W3163A16	P300-M	70552-03100-043	
FE1M-2	W3162A16N	P300-L	70552-03100-043	
FE1R-1	W3167A20	P300-H	70552-03100-043	
FE1R-2	W3166A20N	P300-G	70552-03100-043	
FE2M-3	W3164A20	P300-D	70552-03100-043	
FE2M-4	W3165A20N	P300-E	70552-03100-043	
FE2R-3	W3168A16	P300-K	70552-03100-043	
FE2R-4	W3169A16N	P300-J	70552-03100-043	
F1-1	98-9067-24	Q1-E	70552-02131-042	
F1-2	179-9456-24	J243-f	70552-02131-042	
F2-1	99-9068-24	Q2-E	70552-02131-042	
F2-2	96-9057-24	J243-g	70552-02131-042	
GDB301-1	JMPRP301R-GND-20N	GD301-1	S7062-11012-041	
GDDS10-1	L4507A20N	DS10-GND	70552-06101-045	
GDDS10-1	L4507B20N	J616-2	70552-06101-045	
GDJ129-1	*M600B	-	S7052-12001-042	
GDJ238-1	M684A14	J238-20	S7052-12001-042	
GDJ238-2	M683A14	J238-24	S7052-12001-042	
GDJ239-1	M678A14N	J239-20	S7052-12001-042	
GDJ239-2	M677A14	J239-24	S7052-12001-042	
GDJ374-1	M633B20N	J374-3	S7052-12001-042	
GDJ374-2	M662B20N	J374-4	S7052-12001-042	
GDJ374-3	M634B20N	J374-2	S7052-12001-042	
GDJ600-1	*CBL1 (J600/P602)	-	70552-06100-046	
GDK310-1	K310X2-20N	K310-X2	S7052-12001-042	
GDP170-1	M64040A22N	P170-P	S7052-12001-042	
GDP170-2	M676A20N	P170-L	S7052-12001-042	
GDP170-3	M675A20N	P170-H	S7052-12001-042	
GDP207-1	M612A22N	P207-8	S7052-12001-042	
GDP207-2	L1002A22N	P207-2	S7052-12001-042	
GDP218-1	M621A20N	P218-D	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GDP218-2	M660A20N	P218-A	S7052-12001-042	
GDP218-3	*CBL002 (P218/P226)	-	S7052-12001-042	
GDP340-1	M605A22N	P340-2	S7052-12001-042	
GDP340-2	M606A22N	P340-8	S7052-12001-042	
GDP340-3	*M604B	-	S7052-12001-042	
GDP341-1	M607A22N	P341-13	S7052-12001-042	
GDP341-2	M609A22N	P341-3	S7052-12001-042	
GDP341-3	M610A22N	P341-14	S7052-12001-042	
GDP341-4	*M604A	-	S7052-12001-042	
GDP341-5	M613A22N	P341-1	S7052-12001-042	
GDP352-1	H203B20N	P352-J	S7052-12001-042	
GDP373-1	M636C12	J373-4	S7052-12001-042	
GDP600-1	*CBL6 (P504/P600)	-	70552-05100-052	
GDP600-2	C4701B20N	P600-A	70552-05100-052	
GDT200-1	M970A12N	TB200-1	S7052-12001-042	
GD1GEN-1	X104A06N	1GEN-G	70552-02113-047	
GD1000-1	1ARC201-01A20N	P1000R-P	S7062-11002-041	
GD1000-2	1ARC201-02A20N	P1000R-E	S7062-11002-041	
GD101-1	STORM140-A22N	P101R-21	S7062-11012-041	
GD1011-1	CDU-044A22N	P1011R-27	S7062-11014-043	
GD1011-1	CDU-45A22N	P1011R-50	S7062-11014-043	
GD1011-2	CDU-046A22N	P1011R-9	S7062-11014-043	
GD1011-3	CDU-601A22N	P1011R-2	S7062-11014-043	
GD1012-1	CDU-036A22N	P1012R-27	S7062-11014-043	
GD1012-1	CDU-037A22N	P1012R-50	S7062-11014-043	
GD1012-2	CDU-038A22N	P1012R-9	S7062-11014-043	
GD1012-3	CDU-604A22N	P1012R-2	S7062-11014-043	
GD1020-1	*C6172BB	-	S7052-11008-042	
GD1020-1	*C6173BB	-	S7052-11008-042	
GD110R-1	ARC222-118A22N	P110R-B	S7062-11001-041	
GD110R-1	ARC222-119A22N	P110R-w	S7062-11001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GD110R-2	ARN222-201A22N	P110R-b	S7062-11001-041	
GD1100-1	2ARC201-01A20N	P1100R-P	S7062-11003-041	
GD1100-2	2ARC201-02A20N	P1100R-E	S7062-11003-041	
GD115A-1	L9098A22	P124R-U	S7062-11007-041	
GD115A-2	L9098B22	P175R-U	S7062-11007-041	
GD115A-3	L9098C22	P220R-U	S7062-12001-041	
GD115A-4	L9098D22	P204R-U	S7062-12001-041	
GD115A-5	L9098E22	P207R-U	S7062-12001-041	
GD120R-1	ARC164-17A20N	P120R-E	S7062-11014-043	
GD120R-2	ARC164-18A20N	P120R-P	S7062-11014-043	
GD123R-1	ARC164-15A20N	P123R-K	S7062-11014-043	
GD123R-2	ARC164-16A20N	P123R-J	S7062-11014-043	
GD123R-3	ARC164-04AA20N	SGP123-1	S7062-11014-043	
GD129-1	IDM101-D24N	SG326R-3	S7062-11005-041	
GD145R-1	PLS-02A20N	P145R-E	S7062-11011-041	
GD145R-1	PLS-04A20N	P145R-M	S7062-11011-041	
GD145R-1	PLS-05A20N	P145R-P	S7062-11011-041	
GD145R-1	PLS-06A20N	P145R-a	S7062-11011-041	
GD147R-1	PLS-53A20N	P147R-P	S7062-11011-041	
GD149R-1	ARN147-10A20N	P149R-E	S7062-11009-042	
GD149R-1	ARN147-78E20N	SG149R-4	S7062-11009-042	
GD149R-1	*ARN147-10A	-	S7062-11009-042	
GD149R-1	*ARN147-78E	-	S7062-11009-042	
GD149R-2	ARN147-70A20N	SG149R-5	S7062-11009-042	
GD149R-2	*ARN147-70A	-	S7062-11009-042	
GD189R-1	1ARC201-41A20N	P189R-4	S7062-11002-041	
GD192R-1	*ARC164-26A	-	S7062-11014-043	
GD192R-1	*ARC164-27A	-	S7062-11014-043	
GD195R-1	ARN149-18A22N	P195R-Y	S7062-11010-041	
GD195R-1	ARN149-32A22N	P195R-E	S7062-11010-041	
GD195R-1	ARN149-5A22N	P195R-x	S7062-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GD195R-2	ARN149-3A20N	P195R-G	S7062-11010-041	
GD195R-3	ARN149-26A22N	P195R-z	S7062-11010-041	
GD2GEN-1	X4A06N	2GEN-G	70552-02113-048	
GD2000-1	M9003A20N	SG2000-2	S7052-12005-041	
GD2000-2	M9001A20N	P2000R-D	S7052-12005-041	
GD2006-1	M9006A22N	P2006R-2	S7062-11014-043	
GD2006-1	M9008A22N	P2007R-2	S7062-11014-043	
GD2006-2	M9007A22N	P2006R-6	S7062-11014-043	
GD2006-2	M9009A22N	P2007R-6	S7062-11014-043	
GD201-1	STORM139-A22N	P201R-V	S7062-11012-041	
GD209R-1	DTR02A24N	P209R-40	S7062-11014-043	
GD209R-1	DTR03A24N	P209R-41	S7062-11014-043	
GD209R-2	DTR04A24N	P209R-47	S7062-11014-043	
GD209R-2	DTR05A24N	P209R-48	S7062-11014-043	
GD240-1	JMPRPJ240-D-12	J240-D	S7052-12001-042	
GD252-1	JMPRJ252-D-12	J252-D	S7052-12001-042	
GD300R-1	*1F3913A	-	S7052-11008-042	
GD301-1	JMPRP301R-GND-20N	GDB301-1	S7062-11012-041	
GD301-1	STORM100-A22N	P301R-42	S7062-11012-041	
GD301-2	STORM103-A22N	P301R-28	S7062-11012-041	
GD301-3	STORM108-A22N	P301R-1	S7062-11012-041	
GD301-3	STORM109-A22N	P301R-2	S7062-11012-041	
GD307R-1	1ARC201-38A20N	P307R-N	S7062-11002-041	
GD307R-1	1ARC201-39A20N	P307R-M	S7062-11002-041	
GD307R-2	1ARC201-37A20N	P307R-X	S7062-11002-041	
GD307R-3	1AR201-40A20N	P307R-F	S7062-11002-041	
GD317R-1	*CBL009 (J16R/P317R)	-	S7052-11008-042	
GD317R-1	*CBL012 (P302R/P317R)	-	S7052-11008-042	
GD317R-1	*CBL033 (P305R/P317R)	-	S7052-11008-042	
GD317R-1	*2F3918A	-	S7052-11008-042	
GD326R-1	IDM118-A24N	P326R-19	S7062-11005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GD326R-1	IDM119-A24N	P326R-31	S7062-11005-041	
GD342R-1	ARC222-109A22N	P342R-A	S7062-11001-041	
GD342R-2	ARC222-108A22N	P342R-U	S7062-11001-041	
GD343R-1	ARC222-101A22N	P343R-E	S7062-11001-041	
GD343R-2	ARC222-102A22N	P343R-P	S7062-11001-041	
GD361R-1	ARC220-158-A22N	P361R-B	S7062-11004-041	
GD363R-1	ARC220-200-A22N	P363R-C	S7062-11004-041	
GD363R-2	ARC220-201-A22N	P363R-r	S7062-11004-041	
GD363R-3	ARC220-202-A22N	P363R-m	S7062-11004-041	
GD363R-4	ARC220-203-A22N	P363R-M	S7062-11004-041	
GD363R-5	ARC220-217-A22N	P363R-L	S7062-11004-041	
GD364R-1	ARC220-216A22N	P364R-42	S7062-11004-041	
GD366R-1	ARC220-151-A22N	P366R-c	S7062-11004-041	
GD366R-2	ARC220-153-A22N	P366R-k	S7062-11004-041	
GD368R-1	ARC220-159-A10N	P368R-A	S7062-11004-041	
GD369R-1	ARC220-113-A22N	P369R-K	S7062-11004-041	
GD369R-2	ARC220-114-A22N	P369R-J	S7062-11004-041	
GD369R-3	ARC220-115-A22N	P369R-P	S7062-11004-041	
GD402R-1	PLS-52A20N	P402R-P	S7062-11011-041	
GD666R-1	ASN128-93A22N	P666R-16	S7062-11006-041	
GD686R-1	JMPRP686R-19-22N	P686R-19	S7062-11006-041	
GENAPU-G	X11A06N	GNDAPU-1	70552-02110-041	
GENAPU-T1	X8E06A	TB5-1	70552-02110-041	
GENAPU-T2	X9E06B	TB5-3	70552-02110-041	
GENAPU-T3	X10E06C	TB5-5	70552-02110-041	
GG1-1	C4706A20N	P4R-J	S7052-11011-041	
GG1-1	C4709A24N	P4R-C	S7052-11011-041	
GG1-1	C6104A24N	P422R-T	S7052-11011-041	
GG1-1	*C6206A	-	S7052-11011-041	
GG1-2	C6197A20N	P421R-G	S7052-11011-041	
GG1-2	C6225C24N	J419R-e	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG1-2	*C6133A	-	S7052-11011-041	
GG1-2	*C6251A	-	S7052-11011-041	
GG1-3	C6165A24N	P421R-H	S7052-11011-041	
GG1-3	C6167A20N	P421R-D	S7052-11011-041	
GG1-3	C6228C24N	J420R-X	S7052-11011-041	
GG1-3	*C6243A	-	S7052-11011-041	
GG1-4	C6220A20N	P423R-B	S7052-11011-041	
GG1-4	C6231C24N	J419R-d	S7052-11011-041	
GG1-4	*C6228C	-	S7052-11011-041	
GG1-4	*C6242A	-	S7052-11011-041	
GG1-5	C6253A24N	P422R-V	S7052-11011-041	
GG1-5	C6254A24N	P422R-p	S7052-11011-041	
GG1-5	L4454A20N	TB6-2	S7052-11011-041	
GG12-3	F445A24N	SGR134-1	S7062-11014-043	
GG12-3	F449A24N	P134R-V	S7062-11014-043	
GG12-3	F450B22N	SGR8-3	S7062-11014-043	
GG12-5	H6400C20N	SG133-1	S7062-11014-043	
GG12-5	H6407D20N	SG133-2	S7062-11014-043	
GG12-5	L3112A22N	P659R-H	S7062-11014-043	
GG13-1	APX100-016B20N	J1R-t	S7062-11014-043	
GG13-1	APX100-034A20N	P103R-34	S7062-11014-043	
GG13-1	APX100-50A22N	P664R-28	S7062-11014-043	
GG13-1	APX100-50B22N	P664R-27	S7062-11014-043	
GG13-2	APX100-043A22N	P664R-13	S7062-11014-043	
GG13-2	XM130-3A22N	SG669R-1	S7062-11014-043	
GG13-3	APR39-22A22N	P688R-16	S7062-11014-043	
GG13-3	APR39-27A24N	SGR190-1	S7062-11014-043	
GG13-4	ASN128-66A20N	P687R-D	S7062-11006-041	
GG14-1	F444A20N	P136R-Z	S7062-11014-043	
GG14-1	2F3851A20N	P692R-A	S7062-11014-043	
GG14-1	2F3902A20N	SGR191-1	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG14-1	2F3903A20N	P191R-G	S7062-11014-043	
GG14-2	2F3840A20N	P315R-D	S7062-11014-043	
GG14-2	2F3877A24N	P318RB-7	S7062-11014-043	
GG14-2	2F3888A22N	P318RA-2	S7062-11014-043	
GG14-2	2F3904A20N	P191R-T	S7062-11014-043	
GG14-3	ASN128-10A20N	P696R-P	S7062-11006-041	
GG14-3	1F3851A20N	P691R-A	S7062-11014-043	
GG14-3	2F4754A24N	P318RA-15	S7062-11014-043	
GG14-4	ASN128-12A20N	P696R-U	S7062-11006-041	
GG14-4	ASN128-14A20N	P696R-Z	S7062-11006-041	
GG14-4	2F3897A22N	P318RA-7	S7062-11014-043	
GG2-1	L3603A24N	T9-G	S7052-11010-041	
GG2-1	L4462A24N	P288-D	S7052-11010-041	
GG2-1	L4462B24N	T4-G	S7052-11010-041	
GG2-2	L4451A24N	TB2-2	S7052-11010-041	
GG2-2	L4451B24N	TB1-2	S7052-11010-041	
GG2-2	M369A20N	DS1-3	S7052-11010-041	
GG2-2	W3107A24N	XTB8-2	S7052-11010-041	
GG2-3	X48A24N	S11-5	S7052-11010-041	
GG2-4	L3653A22N	T7-G	S7052-11010-041	
GG2-4	L3653B22N	T5-G	S7052-11010-041	
GG2-4	L3653C22N	T6-G	S7052-11010-041	
GG2-4	L4527C20N	SGGG2-1	S7052-11010-041	
GG2-5	L3465A24N	S27-3	S7052-11010-041	
GG2-5	L3465B24N	S26-1	S7052-11010-041	
GG2-5	M355A20N	S1-1	S7052-11010-041	
GG2-5	*CBL1 (S3/TB2)	-	S7052-11010-041	
GG33-1	1F3830B18N	SGR33-2	S7052-11008-042	
GG33-1	2F3777A24N	P305R-h	S7052-11008-042	
GG33-2	L3652A20N	J113-G	S7052-11008-042	
GG33-2	L414A24N	P1000-J	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG33-2	L415A24N	P131-11	S7052-11008-042	
GG33-2	1F3777A24	P302R-h	S7052-11008-042	
GG33-3	APN209-34A24N	SGR675-1	S7052-11008-042	
GG33-3	1F3831A24N	P302R-AA	S7052-11008-042	
GG33-3	1F3832A20N	SG302R-2	S7052-11008-042	
GG33-3	1F3834A20N	SG301R-1	S7052-11008-042	
GG33-4	APN209-37A18N	SGR676-1	S7052-11008-042	
GG33-4	F251D24N	SGP1-1	S7052-11008-042	
GG33-4	L3653A20N	J112-M	S7052-11008-042	
GG33-4	2F3831A24N	P305R-AA	S7052-11008-042	
GG33-5	L416A24N	P130-11	S7052-11008-042	
GG33-5	1F3778A24N	P300R-128	S7052-11008-042	
GG33-5	1F3792A18N	SG300R-1	S7052-11008-042	
GG33-5	2F3778A24N	P317R-128	S7052-11008-042	
GG33-6	PLT-BRG1-22N	S121-1NO	S7052-11008-042	
GG33-6	1F3797A24N	P300R-41	S7052-11008-042	
GG33-6	2F3797A24N	P317R-41	S7052-11008-042	
GG33-6	2F3829A24N	P305R-C	S7052-11008-042	
GG33-6	ALQ144-8A22N	P683R-1	S7062-11014-043	
GG33-7	APR39-16A22N	P689R-10	S7052-11008-042	
GG33-7	SN10875A24N	SGR306-2	S7052-11008-042	
GG33-7	2F3833A24N	P304R-A	S7052-11008-042	
GG33-7	2F3834A20N	SGR304-1	S7052-11008-042	
GG33-8	D4554B24N	SG471R-1	S7052-11008-042	
GG33-8	D4555E24N	SG471R-2	S7052-11008-042	
GG33-8	VTAC-NC-22N	S123-1NO	S7052-11008-042	
GG33-9	CLPT-NO-22N	S122-1NO	S7052-11008-042	
GG33-9	1F3829A24N	P302R-C	S7052-11008-042	
GG33-9	1F3833A24N	P301R-A	S7052-11008-042	
GG33-9	2F3832A20N	SGR305-2	S7052-11008-042	
GG33-9	2F3835B22N	SGR33-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG33-10	2F3792A18N	SGR317-4	S7052-11008-042	
GG33-10	2F3898A18N	SGR316-1	S7052-11008-042	
GG33-10	*ARN89-8C	-	S7052-11008-042	
GG33-10	*F451C	-	S7052-11008-042	
GG33-11	SN10878A18N	SGR306-3	S7052-11008-042	
GG33-11	H6428A20N	P132-N	S7062-11014-043	
GG4-1	P565A24N	P238-M	70552-02100-045	
GG4-1	P565B24N	P238-B	70552-02100-045	
GG4-1	X61C24N	SG26-1	70552-02100-045	
GG4-2	X62C24N	SG26-3	70552-02100-045	
GG4-2	X71C24N	SG26-4	70552-02100-045	
GG4-2	X77A20N	J208-D	70552-02100-045	
GG4-2	X79A20N	J207-D	70552-02100-045	
GG4-3	H4303A14N	P270-D	S7052-12006-041	
GG4-3	X30A24N	P214-T	70552-02102-045	
GG4-3	X30B24N	P214-G	70552-02102-045	
GG4-3	X50A20N	P213-4	70552-02102-045	
GG4-4	D5889A24N	P905-F	S7052-12006-041	
GG4-4	D5889C24N	P905-G	S7052-12006-041	
GG4-4	P556A14N	P904-D	S7052-12006-041	
GG4-4	W3170A20N	P900-N	S7052-12006-041	
GG4-5	D5889B24N	P905-J	S7052-12006-041	
GG4-5	L4506A20N	P232-E	S7052-12006-041	
GG4-5	M373A20N	P900-j	S7052-12006-041	
GG4-5	W3170B20N	P900-M	S7052-12006-041	
GG5-1	P566A24N	P240-B	70552-02101-043	
GG5-1	P566B24N	P240-M	70552-02101-043	
GG5-1	P568A24N	P239-M	70552-02101-043	
GG5-1	P568B24N	P239-B	70552-02101-043	
GG5-2	V108C24N	SG27-2	70552-02101-043	
GG5-2	X107A20N	J211-D	70552-02101-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG5-2	X54A20N	T12-GND	70552-02101-043	
GG5-2	X100A24N	P215-T	70552-02103-045	
GG5-3	K3023A20N	P314-B	S7052-12005-041	
GG5-3	Q4071A24N	P255-M	S7052-12005-041	
GG5-3	Q4072A24N	P255-H	S7052-12005-041	
GG5-3	X100B24N	P215-G	70552-02103-045	
GG5-4	W3110A20N	P285-10	S7052-12005-041	
GG5-4	W3118A20N	P283-10	S7052-12005-041	
GG5-4	W3119A20N	P284-10	S7052-12005-041	
GG5-4	X45A24N	P216-G	S7052-12005-041	
GG5-5	E2046A24N	P901-L	S7052-12005-041	
GG5-5	H3350B24N	P902-GG	S7052-12005-041	
GG5-5	K3024A20N	P314-H	S7052-12005-041	
GG5-5	Q4073A24N	P255-D	S7052-12005-041	
GG7-1	H3350A24N	P243-P	S7052-12006-041	
GG7-1	L4452A20N	J259-B	S7052-12006-041	
GG7-1	P4009A12N	J258-A	S7052-12006-041	
GG7-1	X4003A12N	J257-D	S7052-12006-041	
GG7-2	Q6041B14N	J298-A	S7052-12005-041	
GG7-2	Q6042B14N	J298-B	S7052-12005-041	
GG7-2	Q6044B20N	J299-L	S7052-12005-041	
GG7-2	Q6058B20N	J299-M	S7052-12005-041	
GG7-3	P560A14N	P903-D	S7052-12005-041	
GG7-3	Q6059B20N	J299-N	S7052-12005-041	
GG7-3	Q6060B20N	J299-P	S7052-12005-041	
GG7-3	V300A24N	P244-U	S7052-12005-041	
GG7-4	P4011D12N	J265-A	S7052-12005-041	
GG7-4	Q6028B20N	J299-R	S7052-12005-041	
GG7-4	Q6029B20N	J299-S	S7052-12005-041	
GG7-4	V301A24N	P242-k	S7052-12005-041	
GG7-5	H4313A14N	P274-D	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GG7-5	M372A20N	P241-q	S7052-12006-041	
GG7-5	L3652A18N	J233-C	70552-02121-046	
GG7-5	L3653A18N	J233-B	70552-02121-046	
GNDAPU-1	X11A06N	GENAPU-G	70552-02110-041	
GNDK13-1	X122A20N	K13-X2	S7052-11002-041	
GNDK7-1	P523A20N	K7-X2	S7052-11011-041	
GNDK7-1	P581B20N	P2008-F	S7052-11011-041	
GNDK7-1	P584B20N	P2008-E	S7052-11011-041	
GNDK8-1	X120A20N	K8-X2	S7052-11002-041	
GNDK9-1	P564A20N	K10-X2	70552-02109-071	
GNDK9-1	P564B20N	K9-X2	70552-02109-071	
GNDS1-1	C4629AA20N	SG4A5-1	S7052-12005-041	
GNDS1-2	*C4629AA	-	S7052-12005-041	
GNDS1A-1	C4711A20N	P405R-h	S7052-12005-041	
GNDS2-1	C4679AA20N	SGA404-1	S7052-12006-041	
GNDS2-2	*C4679AA	-	S7052-12006-041	
GNDS2A-1	C4712A20N	P404R-h	S7052-12006-041	
GNDS3-1	H6369A20N	TB7-6	70552-02116-041	
GNDS43-1	D5884A20N	S43-1	S7052-12005-041	
GNDS87-1	*1C11746-84A	-	S7062-11007-041	
GNDS87-1	*1C11746-99A	-	S7062-11007-041	
GNDS87-2	*1C11746-85A	-	S7062-11007-041	
GNDS88-2	*2C11746-81B	-	S7062-11007-041	
GNDS88-2	*2C11746-91B	-	S7062-11007-041	
GND1-A	118-0-24	K41-X2	70552-02131-042	
GND1-A	40-0-24	K20-X2	70552-02132-044	
GND1-B	119-0-24	K52-X2	70552-02131-042	
GND1-B	45-0-24	K21-X2	70552-02132-044	
GND1-C	182-9234-24	K53-X2	70552-02131-042	
GND1-C	80-0-24	K26-X2	70552-02132-044	
GND1-D	121-0-24	K44-X2	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND1-D	19-0-22	J900-N	70552-02132-044	
GND1-E	122-0-24	K45-X2	70552-02131-042	
GND1-E	*24-912-	-	70552-02132-044	
GND1-F	123-0-24	K46-E2	70552-02131-042	
GND1-F	JMPR-4-22	SG2-4	70552-02132-044	
GND1-G	124-0-24	J1-10	70552-02131-042	
GND1-G	120-0-24	K29-X2	70552-02132-044	
GND1-H	125-0-24	J2-9	70552-02131-042	
GND1-H	82-0-22	J900-M	70552-02132-044	
GND1-J	142-0-24	U1-16	70552-02131-042	
GND1-J	79-0-24	E10-T	70552-02132-044	
GND1-K	*71-9014-	-	70552-02131-042	
GND1-K	JMPR-1-22	SG2-1	70552-02132-044	
GND1-L	*58-946-	-	70552-02131-042	
GND1-L	88-0-24	K25-X2	70552-02132-044	
GND1-M	147-0-24	J243-P	70552-02131-042	
GND1-M	31-0-22	U1-13	70552-02132-044	
GND1-N	148-0-24	J902-GG	70552-02131-042	
GND1-N	*38-0-	-	70552-02132-044	
GND1-P	154-0-24	T1-G	70552-02131-042	
GND1-P	JMPR-2-22	SG2-2	70552-02132-044	
GND1-R	15-902-24	K41-Y2	70552-02131-042	
GND1-R	*67-958-	-	70552-02132-044	
GND1-S	165-0-24	K51-X2	70552-02131-042	
GND1-S	JMPR-3-22	SG2-3	70552-02132-044	
GND1-T	21-0-22	K48-X2	70552-02131-042	
GND1-T	147-0-24	T1-G	70552-02132-044	
GND1-W	158-0-22	K49-X2	70552-02131-042	
GND1-W	140-0-24	K32-X2	70552-02132-044	
GND1-Y	2-91-24	J1-4	70552-02131-042	
GND1-Y	*1-90-	-	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND1-Z	168-0-24	K43-D2	70552-02131-042	
GND1-Z	151-0-22	K33-X2	70552-02132-044	
GND10-1	W3161A20N	DCV-2	70552-03100-043	
GND100-1	NIU-901A22N	P100R-19	S7062-11014-043	
GND103-1	L3656A20N	J103-V	S7052-12007-041	
GND103-1	2C11746-85A24N	J103-j	S7062-11007-041	
GND103-1	*2C11746-85A	-	S7062-11007-041	
GND103-2	*2C11746-85A	-	S7062-11007-041	
GND103-3	*2C11746-93A	-	S7062-11007-041	
GND103-4	*2C11746-83A	-	S7062-11007-041	
GND103-5	*2C11746-82A	-	S7062-11007-041	
GND103-6	*2C11746-92A	-	S7062-11007-041	
GND104-1	L3655A20N	J104-V	S7052-12007-041	
GND104-1	1C11746-99A24N	J104-j	S7062-11007-041	
GND104-1	*1C11746-99A	-	S7062-11007-041	
GND104-2	JUMPER104-5-20	SGJ104-2	S7052-12007-041	
GND104-2	*1C11746-99A	-	S7062-11007-041	
GND104-3	*1C11746-20A	-	S7062-11007-041	
GND104-4	*1C11746-83A	-	S7062-11007-041	
GND104-5	*1C11746-82A	-	S7062-11007-041	
GND104-6	*1C11746-92A	-	S7062-11007-041	
GND105-1	W3109A20N	P105-B	S7052-12005-041	
GND106-1	W3108A20N	P106-B	S7052-12006-041	
GND108-1	2F4750E20N	J108R-A	70602-01112-041	
GND109-1	L3577A14N	J109-I	S7052-12007-041	
GND112-1	L3653B20N	P112-M	S7052-12006-041	
GND112-2	L3654A20N	P112-L	S7052-12006-041	
GND113-1	L3651A20N	P113-H	S7052-12005-041	
GND113-1	L3652B20N	P113-G	S7052-12005-041	
GND115-1	1C11746-500A24N	P115R-C	S7062-11007-041	
GND115-2	1C11746-100A24N	P115R-h	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND119-1	2F4753A20N	J119-Z	S7052-12007-041	
GND119-1	*2C11746-81A	-	S7062-11007-041	
GND119-2	*2C11746-16A	-	S7062-11007-041	
GND119-3	*2C11746-91A	-	S7062-11007-041	
GND120-1	*IC11746-85C	-	S7062-11007-041	
GND120-2	*1C11746-16A	-	S7062-11007-041	
GND120-3	*1C11746-80A	-	S7062-11007-041	
GND122-1	H6404A20N	P122-C	S7052-12006-041	
GND124-1	1C11746-502A20N	P124R-D	S7062-11007-041	
GND124-2	1C11746-501A24N	SG124R-3	S7062-11007-041	
GND128-1	L4565A14N	J128-D	S7052-12007-041	
GND128-1	1C11746-98A24N	P128R-34	S7062-11007-041	
GND129-3	ARN153-102A22N	P333R-3	S7062-11008-041	
GND129-3	ARN153-103A22N	P333R-4	S7062-11008-041	
GND136-1	X15A06N	J136-N	70552-02109-059	
GND137-1	D5867A20N	P137-BB	S7052-12006-041	
GND137-1	L3659A20N	P137-EE	S7052-12006-041	
GND137-1	L3659B20N	P137-GG	S7052-12006-041	
GND137-1	L3659C20N	P137-HH	S7052-12006-041	
GND138-1	D5845A20N	P138-BB	S7052-12005-041	
GND138-1	L3643A20N	P138-EE	S7052-12005-041	
GND138-1	L3643B20N	P138-HH	S7052-12005-041	
GND139-1	Q6755A20N	P139-Y	S7052-11011-041	
GND139-1	Q6756A20N	P139-Z	S7052-11011-041	
GND139-1	VWS-17A24N	P139R-64	S7062-11007-041	
GND139-2	*CBL11 (J914/P139)	-	S7052-11011-041	
GND139-2	2C11746-510A22N	P139R-14	S7062-11007-041	
GND139-2	2C11746-511A22N	P139R-13	S7062-11007-041	
GND140-1	P524A10N	TLNEG-1	S7052-11001-044	
GND140-1	P524B10N	TLNEG-1	S7052-11001-044	
GND140-1	CDU-009A22N	P140R-9	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND140-1	CDU-010A22	P140R-27	S7062-11014-043	
GND140-2	CDU-606A22N	P140R-2	S7062-11014-043	
GND143-1	L3658A20N	SMC143-1	S7052-12006-041	
GND151-1	*CBL1 (P151/P154)	-	S7052-11009-041	
GND152-1	*CBL2 (P152/P155)	-	S7052-11012-041	
GND163-1	X114C20N	SG163-1	S7052-12007-041	
GND164-1	X123C20N	SG164-1	S7052-12007-041	
GND167-1	L3574A14N	P167-F	S7052-12007-041	
GND167-1	L3575A18N	P167-G	S7052-12007-041	
GND175-1	2C11746-500A20N	P175R-D	S7062-11007-041	
GND175-2	2C11746-501A24N	SGP175-2	S7062-11007-041	
GND176-1	2C11746-502S24N	P176R-C	S7062-11007-041	
GND176-2	2C11746-100A24N	P176R-h	S7062-11007-041	
GND183-1	2C11746-88A24N	P183R-34	S7062-11007-041	
GND183-1	*2C11746-88A	-	S7062-11007-041	
GND191-1	C4679L20N	SG315-1	S7062-11014-043	
GND191-1	*2F3906A	-	S7062-11014-043	
GND193-1	1F3902A20N	SGR193-1	S7062-11014-043	
GND193-1	1F3903A20N	P193R-G	S7062-11014-043	
GND193-1	1F3904A20N	P193R-T	S7062-11014-043	
GND193-1	*1F3906AA	-	S7062-11014-043	
GND194-1	ARN149-31A22N	P194R-E	S7062-11010-041	
GND197-1	ARC220-300A22N	P197R-4	S7062-11004-041	
GND2-A	50-0-20	K23-A2	70552-02132-044	
GND2-B	83-0-20	K23-B2	70552-02132-044	
GND2-D	59-0-20	J900-j	70552-02132-044	
GND2-E	119-0-20	SG1-1	70552-02132-044	
GND2-F	33-0-20	J241-q	70552-02132-044	
GND2-1	L4510A20N	SGP681-1	S7052-12006-041	
GND204-1	4C11746-503A20N	P204R-D	S7062-12001-041	
GND204-2	4C11746-504A24N	SGP204-3	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND205-1	4C11746-505A24N	P205R-C	S7062-12001-041	
GND205-2	4C11746-99A24N	P205R-h	S7062-12001-041	
GND207-1	5C11746-506A24N	SGP207-2	S7062-12001-041	
GND207-2	3C11746-504A20N	P207R-D	S7062-12001-041	
GND208-1	5C11746-81A24N	P208R-h	S7062-12001-041	
GND210-1	FLIR-04A14	P210R-B	S7062-11013-042	
GND210-1	FLIR-05A14	P210R-D	S7062-11013-042	
GND210-1	FLIR-06A14	P210R-F	S7062-11013-042	
GND214-1	FLIR-17A22N	P214R-10	S7062-11013-042	
GND214-1	*CBL003 (P214R/TJ5VB)	-	S7062-11013-042	
GND218-1	M371A16N	J218-B	S7052-12007-041	
GND219-1	W6641A20N	P219-g	S7052-12006-041	
GND220-1	3C11746-507A20N	P220R-D	S7062-12001-041	
GND220-2	3C11746-508A24N	SGP220-3	S7062-12001-041	
GND221-1	3C11746-509AA24N	P221R-C	S7062-12001-041	
GND221-2	3C11746-509A24N	P221R-h	S7062-12001-041	
GND226-1	M3444B20N	J226-J	S7052-11011-041	
GND226-1	M3444D20N	J226-U	S7052-11011-041	
GND226-1	M624A20N	P226-V	S7052-12001-042	
GND226-2	M663A20N	P226-i	S7052-12001-042	
GND229-1	3C6533-52A20N	J229-L	S7052-12005-041	
GND242-1	*J3002C	-	S7052-12005-041	
GND242-1	*W3151L	-	S7052-12005-041	
GND242-1	*NIU900A	-	S7062-11007-041	
GND246-1	L3943B24N	P246-S	S7052-12006-041	
GND246-1	L3944B24N	P246-T	S7052-12006-041	
GND246-1	L3945B24N	P246-U	S7052-12006-041	
GND249-1	D5844A20N	J249-n	S7052-11003-041	
GND249-1	W3412A20N	CB153-2	S7052-11003-041	
GND249-1	*C6200A	-	S7052-11003-041	
GND253-1	L4508A20N	P253-B	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND253-1	L4508B20N	P341-2	S7052-12007-041	
GND254-1	L4509A20N	P254-B	S7052-12007-041	
GND254-1	L4509B20N	P340-2	S7052-12007-041	
GND256-1	*CBL1 (P273/SG256)	-	70552-02111-042	
GND257-1	*C6164A	-	S7052-11002-041	
GND259-1	*C6250A	-	S7052-11002-041	
GND260-1	V302A20N	P260-6	S7052-12005-041	
GND260-1	C6210A20N	P469R-2	70552-02108-053	
GND260-1	C6212A20N	P468R-2	70552-02108-053	
GND260-1	C6227A20N	P465R-5	70552-02108-053	
GND260-1	H3345A20N	J437-4	70552-02108-053	
GND266-1	D5865A20N	J266-K	S7052-11002-041	
GND266-1	*C4601A	-	S7052-11002-041	
GND266-1	*C4651A	-	S7052-11002-041	
GND266-1	*ASN128-11B	-	S7052-12006-041	
GND268-1	F3961A20N	P268-C	S7052-12006-041	
GND268-1	F3961B20N	P268-D	S7052-12006-041	
GND269-1	F3959A20N	P269-C	S7052-12005-041	
GND269-1	F3959B20N	P269-D	S7052-12005-041	
GND27-1	W3413A20N	CB404-5A	70552-02101-043	
GND271-1	X4014C12N	SG281-1	S7052-12006-041	
GND271-1	*CBL5 (P271/TB1B)	-	S7052-12006-041	
GND273-1	*CBL20 (J273/TB2)	-	S7052-12006-041	
GND273-1	*CBL1 (P273/SG256)	-	70552-02111-042	
GND275-1	*CBL1 (P275/TB1B)	-	S7052-12005-041	
GND276-1	X4007A16N	P276-D	S7052-12006-041	
GND285-1	C4166A20N	P417-2	70552-02108-053	
GND285-1	H3348A20N	P436-2	70552-02108-053	
GND285-1	H3348B20N	P436-3	70552-02108-053	
GND285-1	W3409A20N	P448-2	70552-02108-053	
GND286-1	W3120A20N	P286-B	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND286-1	W3120B20N	P286-D	S7052-12005-041	
GND286-1	W3120C20N	P286-F	S7052-12005-041	
GND287-1	W3114A20N	P287-B	S7052-12006-041	
GND287-1	W3114B20N	P287-D	S7052-12006-041	
GND287-1	W3114C20N	P287-F	S7052-12006-041	
GND297-1	M66516N	P297-T	S7052-12001-042	
GND297-1	J297-D-GND297-116	J297-T	S7052-12003-041	
GND298-1	AJB-331A22N	P298-X	S7052-12001-042	
GND298-1	CDU-50A22N	P298-Y	S7052-12001-042	
GND298-1	M665A20N	P298-D	S7052-12001-042	
GND298-2	M602A20N	P298-k	S7052-12001-042	
GND298-3	*AJB-31A	-	S7062-12001-041	
GND299-1	C4167A20N	P441-2	70552-02107-051	
GND299-1	C4168A20N	P416-2	70552-02107-051	
GND299-1	W3411A20N	P422-1	70552-02107-051	
GND3-1	L4511A20N	SGP682-1	S7052-12005-041	
GND307-1	D5892A20N	J307-E	70552-05101-051	
GND307-1	V306A20N	P290-2	70552-05101-051	
GND308-1	D5893A20N	J308-E	70552-05100-052	
GND310-1	Q3208D20N	J310-W	S7052-12006-041	
GND310-2	Q3209D20N	J310-Y	S7052-12006-041	
GND310-3	Q3210D20N	J310-a	S7052-12006-041	
GND310-4	*C4156A	-	S7052-12006-041	
GND311-1	Q3207D20N	J311-J	S7052-12005-041	
GND320-1	Q6761A20N	P320-2	70552-05100-052	
GND321-1	Q6759A20N	P321-2	70552-05101-051	
GND322-1	Q6760A20N	J322-D	70552-05101-051	
GND323-1	Q6762A20N	J323-D	70552-05100-052	
GND325-1	*H6456A	-	70552-02170-041	
GND333-1	ARN153-106A22N	P333R-17	S7062-11008-041	
GND333-2	ARN153-107A22N	P333R-49	S7062-11008-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND333-2	ARN153-108A22N	P333R-97	S7062-11008-041	
GND333-3	ARN153-137A22N	P333R-7	S7062-11008-041	
GND333-4	ARN153-151A22N	P333R-18	S7062-11008-041	
GND333-5	ARN153-152A22N	P333R-19	S7062-11008-041	
GND333-6	ARN153-150A22N	P333R-93	S7062-11008-041	
GND333-8	ARN153-109A22N	P333R-28	S7062-11008-041	
GND346-1	Q6565A20N	J346-4	S7052-12005-041	
GND346-1	Q6566A20N	J346-9	S7052-12005-041	
GND346-2	Q6567A20N	J346-34	S7052-12005-041	
GND346-2	Q6568A20N	J346-11	S7052-12005-041	
GND346-3	Q6583A20N	J346-44	S7052-12005-041	
GND346-3	Q6588A20N	J346-6	S7052-12005-041	
GND346-4	Q6593A20N	J346-42	S7052-12005-041	
GND346-4	Q6598A20N	J346-32	S7052-12005-041	
GND346-5	Q6774A20N	J346-1	S7052-12005-041	
GND346-6	Q6775A20N	J346-8	S7052-12005-041	
GND346-7	Q6776A20N	J346-37	S7052-12005-041	
GND350-1	H911A08N	P350-D	S7052-11001-043	
GND356-1	H809A22N	P356-P	S7052-12001-042	
GND356-1	H810A22	P356-R	S7052-12001-042	
GND356-1	H811A22	P356-S	S7052-12001-042	
GND381-1	E3307A20N	P381-A	S7052-12005-041	
GND381-1	E3307B20N	P381-B	S7052-12005-041	
GND382-1	E3303A20N	P382-A	S7052-12006-041	
GND382-1	E3303B20N	P382-B	S7052-12006-041	
GND383-1	H4325A14N	P383-D	S7052-12005-041	
GND384-1	*CBL21 (P384/TB7B)	-	S7052-12005-041	
GND386-1	L3666B20N	P386-B	S7052-12006-041	
GND386-1	L3671A20N	P386-D	S7052-12006-041	
GND386-1	L3672A20N	P386-E	S7052-12006-041	
GND387-1	L3665A20N	P387-D	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND387-1	L3669A20N	P387-B	S7052-12006-041	
GND387-1	L3670A20N	P387-E	S7052-12006-041	
GND388-1	L3664A20N	P388-D	S7052-12005-041	
GND388-1	L3667A20N	P388-B	S7052-12005-041	
GND388-1	L3668A20N	P388-E	S7052-12005-041	
GND392-1	L6964E20N	J392-2	S7052-12007-041	
GND393-1	L3937AA20N	P393-A	S7052-11011-041	
GND394-1	L4525A20N	J394-2	S7052-12005-041	
GND395-1	L4532A20N	J395-2	S7052-12005-041	
GND396-1	L4533A20N	J396-2	S7052-12006-041	
GND4A4-1	C4673A20N	P404R-m	S7052-12006-041	
GND4A5-1	C4674A20N	P405R-m	S7052-12005-041	
GND4R-1	L3933A24N	P4R-A	S7052-11011-041	
GND401-1	C4703A20N	P401R-E	S7052-12005-041	
GND401-1	M473B20N	J401-P	70552-02107-051	
GND401-1	M477B20N	J401-R	70552-02107-051	
GND401-1	M478B20N	J401-S	70552-02107-051	
GND401-2	M479B20N	J401-T	70552-02107-051	
GND401-2	M480B20N	J401-U	70552-02107-051	
GND402-1	L3604A20N	J402-B	70552-03101-045	
GND404-1	C4665A20N	P404R-b	S7052-12006-041	
GND404-1	C4671A20N	P404R-T	S7052-12006-041	
GND404-1	*C4677A	-	S7052-12006-041	
GND404-1	*C4684A	-	S7052-12006-041	
GND405-1	C4615A20N	P405R-b	S7052-12005-041	
GND405-1	C4624A20N	P405R-T	S7052-12005-041	
GND405-1	*C4604C	-	S7052-12005-041	
GND405-1	*C4634A	-	S7052-12005-041	
GND413-1	W3116A20N	P413-B	70552-02107-051	
GND413-1	W3116B20N	P413-D	70552-02107-051	
GND413-1	W3116C20N	P413-F	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND414-1	W3117A20N	P414-B	70552-03101-045	
GND414-1	W3117B20N	P414-D	70552-03101-045	
GND414-1	W3117C20N	P414-F	70552-03101-045	
GND415-1	W3115A20N	P415-B	70552-02108-053	
GND415-1	W3115B20N	P415-D	70552-02108-053	
GND415-1	W3115C20N	P415-F	70552-02108-053	
GND421-2	*C6180A	-	S7052-11011-041	
GND423-1	W3412A08N	P423-D	70552-02109-067	
GND426-1	C6244A20N	P426R-F	S7052-11011-041	
GND426-1	C6246A20N	P426R-C	S7052-11011-041	
GND426-1	C6248A20N	P426R-E	S7052-11011-041	
GND427-1	C6245A20N	P427R-F	S7052-11011-041	
GND427-1	C6247A20N	P427R-C	S7052-11011-041	
GND427-1	C6249A20N	P427R-E	S7052-11011-041	
GND433-1	C4169A20N	P433-2	70552-02108-053	
GND434-1	H3350A20N	P434-2	70552-02107-051	
GND435-1	H3349A20N	P435-2	70552-02108-053	
GND440-1	K3025A20N	P440-2	70552-02107-051	
GND446-1	C6223A20N	J319-3	70552-02107-051	
GND446-1	C6224A20N	J319-5	70552-02107-051	
GND446-1	C6230A20N	P476R-5	70552-02107-051	
GND446-1	W3410A20N	P446-2	70552-02107-051	
GND450-1	K3016A20N	P450-2	70552-02108-053	
GND454-1	L3615A20N	J454-2	70552-03101-045	
GND500-1	M4257A20N	J500-9	70552-05100-052	
GND502-1	*CBL5 (P502/P505)	-	70552-05100-052	
GND503-1	L3464A20N	P503-C	70552-05100-052	
GND504-1	*CBL6 (P504/P600)	-	70552-05100-052	
GND505-1	*CBL5 (P502/P505)	-	70552-05100-052	
GND506-1	L3605A20N	J506-B	70552-05101-051	
GND509-1	L4453A20N	J509-B	70552-05100-052	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND51-1	H6395C20N	K64-X2	70552-02124-061	
GND51-1	H6395A20N	K60-X2	70552-02124-062	
GND51-1	H6395B20N	T14A-T1	70552-02124-062	
GND547-1	L3614A20N	J547-2	70552-05101-051	
GND59-1	H6434A20N	K62-X2	70552-02124-058	
GND59-1	H6434B20N	K63-X2	70552-02124-059	
GND59-2	H6435A20N	K61-X2	70552-02124-060	
GND601-1	C4702B20N	P601-A	70552-05101-051	
GND602-1	*CBL1 (J600/P602)	-	70552-06100-046	
GND604-1	D4556A20N	J604-F	70552-06100-046	
GND613-1	M475A20N	P613-B	70552-06100-046	
GND614-1	M474A20N	P614-B	70552-06100-046	
GND645-1	W6634A20N	P645-X	S7052-11011-041	
GND645-1	W6635A20N	P645-c	S7052-11011-041	
GND645-1	W6642A20N	P645-W	S7052-11011-041	
GND646-1	W6636A20N	P646-c	S7052-11011-041	
GND646-1	W6637A20N	P646-d	S7052-11011-041	
GND673-1	XM130-12A20N	J673R-R	70602-03111-043	
GND681-1	JUMPERP681-20	SGP681-1	S7052-12006-041	
GND682-1	JUMPERP682-1-20	SGP682-1	S7052-12005-041	
GND685-1	ALQ144-2A06N	P685R-C	70602-02112-042	
GND702-1	L3607A20N	J702-B	70552-06101-045	
GND702-1	L3617A20N	J702-E	70552-06101-045	
GND703-1	L3606A20N	J703-B	70552-06101-045	
GND703-1	L3618A20N	J703-E	70552-06101-045	
GND814-1	E3281B20N	J814-25	70552-02108-053	
GND814-1	H712E20N	J814-37	70552-02108-053	
GND814-2	*E2050C	-	70552-02108-053	
GND814-2	*E3280C	-	70552-02108-053	
GND814-2	*E3282B	-	70552-02108-053	
GND814-3	*E2057D	-	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
GND815-1	E3285B20N	J815-28	70552-02107-051	
GND815-1	H714E20N	J815-38	70552-02107-051	
GND815-1	*J3002E	-	70552-02107-051	
GND815-2	*E2057B	-	70552-02107-051	
GND815-3	*E3287B	-	70552-02107-051	
GND819-1	H6426D20N	J819-1	70552-02108-053	
GND824-1	M472B20N	J824-8	70552-02108-053	
GND825-1	M476B20N	J825-8	70552-02107-051	
GND913-1	W6640A20N	P913-E	S7052-12005-041	
GND961-1	W420A20N	P961-B	S7052-12005-041	
JJ1-2	L3647M24	SG33G-1	S7052-11008-042	
JJ2-2	L3654M22N	SG44-2	S7052-11008-042	
JJ3-2	L3645U24	SGS33-1	S7052-11008-042	
JJ4-2	L3651P22N	SG50-2	S7052-11008-042	
J1-A	KY-100-01-A22	J2-A	S7062-11004-042	
J1-A	KY-58-04-A22	J2-M	S7062-11014-042	
J1-F	KY-100-08-A22	J2-G	S7062-11004-042	
J1-N	KY-100-010-A22	J2-T	S7062-11004-042	
J1-R	KY-100-03-A22	J2-J	S7062-11004-042	
J1-R	KY-58-02-A22	J2-K	S7062-11014-042	
J1-S	KY-100-07-A22	J2-F	S7062-11004-042	
J1-S	KY-58-03-A22	J2-B	S7062-11014-042	
J1-T	JMPRSGJ1-1-22	SGJ1-1	S7062-11004-042	
J1-T	KY-58-01-A22	J2-L	S7062-11014-042	
J1-U	KY-100-012-A22	J2-V	S7062-11004-042	
J1-V	KY-100-011-A22	J2-U	S7062-11004-042	
J1-X	KY-100-05-A22	J2-P	S7062-11004-042	
J1-1	MIC-HI-24	P1-E	S7062-11007-042	
J1-1	101-9123-24	Q1-B	70552-02131-042	
J1-2	HDST-HI-24	P1-A	S7062-11007-042	
J1-2	181-9023-24	K53-A1	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J1-3	MIC-LO-24	P1-D	S7062-11007-042	
J1-3	62-956-24	R2-2	70552-02131-042	
J1-4	HDST-LO-24	P1-B	S7062-11007-042	
J1-4	2-91-24	GND1-Y	70552-02131-042	
J1-5	110-9135-24	K51-X1	70552-02131-042	
J1-7	174-937-24	K52-X1	70552-02131-042	
J1-8	76-9023-24	J242-N	70552-02131-042	
J1-9	77-9024-24	K45-B3	70552-02131-042	
J1-b	KY-100-06-A22	J2-C	S7062-11004-042	
J1-c	KY-100-09-A22	J2-H	S7062-11004-042	
J1-10	124-0-24	GND1-G	70552-02131-042	
J1-11	9-95-24	K51-A1	70552-02131-042	
J1-12	175-9347-24	K52-A1	70552-02131-042	
J1-14	103-9125-24	Q2-B	70552-02131-042	
J1-15	20-5-22	K48-A2	70552-02131-042	
J1-16	82-9034-24	J242-a	70552-02131-042	
J1-17	51-937-24	J243-a	70552-02131-042	
J1-18	151-9248-24	Q2-E	70552-02131-042	
J1-19	149-9246-24	Q1-E	70552-02131-042	
J1-20	150-9247-24	Q1-C2	70552-02131-042	
J1-21	152-9256-24	Q2-C2	70552-02131-042	
J1-22	113-9137-24	K44-X2	70552-02131-042	
J1-23	141-9236-24	U1-15	70552-02131-042	
J1-24	79-9026-20	J242-F	70552-02131-042	
J1-25	114-9138-24	K44-A3	70552-02131-042	
J1R-A	NIU046A24	P102R-44	S7062-11014-043	
J1R-B	NIU047A24	P102R-45	S7062-11014-043	
J1R-C	MFD001B20	J129-d	S7062-11014-043	
J1R-D	JMPRJ1R-D-22	SA26AC-1	S7062-11010-041	
J1R-F	ARN149-10A24	P195R-b	S7062-11010-041	
J1R-G	ARN149-33A24	P195R-a	S7062-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J1R-H	ARN149-09A24	P195R-c	S7062-11010-041	
J1R-K	ASN128-67A20	P687R-J	S7062-11006-041	
J1R-L	NIU005A24	P102R-41	S7062-11014-043	
J1R-M	MFD002B20	J129-e	S7062-11014-043	
J1R-N	1F3852A24	P691R-C	S7062-11014-043	
J1R-P	1F3853A24	P691R-D	S7062-11014-043	
J1R-R	2F3852A24	P692R-C	S7062-11014-043	
J1R-S	2F3853A24	P692R-D	S7062-11014-043	
J1R-T	APR39-24A24	P690R-7	S7062-11014-043	
J1R-U	APR39-25A24	P690R-8	S7062-11014-043	
J1R-V	APR39-26A24	P690R-9	S7062-11014-043	
J1R-W	APR39-11A24	P688R-1	S7062-11014-043	
J1R-X	APR39-12A24	P688R-2	S7062-11014-043	
J1R-Y	APR39-13A24	P688R-3	S7062-11014-043	
J1R-Z	APR39-14A24	P688R-4	S7062-11014-043	
J1R-a	APX100-005A24	SG664R-6	S7062-11006-041	
J1R-b	APX100-006A24	SG664R-7	S7062-11006-041	
J1R-c	APX100-007A24	SG664R-8	S7062-11006-041	
J1R-d	APX100-008A24	SG664R-9	S7062-11006-041	
J1R-e	APX100-009A24	SG664R-10	S7062-11006-041	
J1R-f	APX100-010A24	SG664R-11	S7062-11006-041	
J1R-g	APX100-011A24	SG664R-12	S7062-11006-041	
J1R-h	APX100-012A24	SG664R-13	S7062-11006-041	
J1R-i	APX100-013A24	SG664R-14	S7062-11006-041	
J1R-j	APX100-015A24	P664R-39	S7062-11014-043	
J1R-k	*CBL033 (J1R/SGR8)	-	S7062-11014-043	
J1R-m	F448B22	SGR8-4	S7062-11014-043	
J1R-n	F447B22	SGR8-5	S7062-11014-043	
J1R-p	F446B22	SGR8-6	S7062-11014-043	
J1R-q	F453A24	P100R-36	S7062-11014-043	
J1R-r	F451D24	SGR8-2	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J1R-s	*F451D	-	S7062-11014-043	
J1R-t	APX100-016B20N	GG13-1	S7062-11014-043	
J1R-u	1ARC201-04A20	P1000R-T	S7062-11002-041	
J1R-v	1ARC201-05A20	P1000R-A	S7062-11002-041	
J1R-w	1ARC201-06A20	SGJ1R-1	S7062-11002-041	
J1R-y	1ARC201-03A20	P1000R-U	S7062-11002-041	
J1R-z	SN10874C24	P20R-L	S7062-11014-043	
J1R-AA	APX100-032A20	P103R-30	S7062-11014-043	
J1R-BB	C4679H24	SG315-1	S7062-11014-043	
J1R-CC	*C4679H	-	S7062-11014-043	
J1R-DD	C4667K24	P315R-C	S7062-11014-043	
J1R-FF	C4668K24	P315R-A	S7062-11014-043	
J1R-GG	NIU025A24	P102R-48	S7062-11014-043	
J1R-HH	NIU026A24	P102R-49	S7062-11014-043	
J1R-JJ	NIU027A24	P102R-47	S7062-11014-043	
J1R-KK	C4655D24	P315R-K	S7062-11014-043	
J1R-LL	H6465C20N	SGP134-6	S7062-11014-043	
J1R-MM	*APN209-A01B	-	S7062-11014-043	
J1R-PP	APN209-A01B24	P139R-70	S7062-11014-043	
J10R-A	F9033F22	J104-Z	S7052-12007-041	
J10R-B	F9035D22	J104-r	S7052-12007-041	
J10R-M	F9037D22	J104-t	S7052-12007-041	
J10R-N	F9034D22	J104-s	S7052-12007-041	
J10R-P	F9036D22	J104-q	S7052-12007-041	
J1009R-A	2ARC201-18A24	P1102R-A	S7062-11003-041	
J1009R-B	2ARC201-19A24	P1102R-B	S7062-11003-041	
J1009R-C	2ARC201-20A24	P1102R-C	S7062-11003-041	
J1009R-D	2ARC201-21A24	P1102R-D	S7062-11003-041	
J1009R-E	2ARC201-22A24	P1102R-E	S7062-11003-041	
J1009R-F	2ARC201-23A24	P1102R-F	S7062-11003-041	
J1010R-A	1ARC201-23A24	P1005R-A	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J1010R-B	1ARC201-24A24	P1005R-B	S7062-11002-041	
J1010R-C	1ARC201-25A24	P1005R-C	S7062-11002-041	
J1010R-D	1ARC201-26A24	P1005R-D	S7062-11002-041	
J1010R-E	1ARC201-27A24	P1005R-E	S7062-11002-041	
J1010R-F	1ARC201-28A24	P1005R-F	S7062-11002-041	
J1011R-A	ARC164-35A20	P190R-A	S7062-11014-043	
J1011R-B	ARC164-34A20	P190R-B	S7062-11014-043	
J1011R-C	ARC164-33A20	P190R-C	S7062-11014-043	
J1011R-D	ARC164-32A20	P190R-D	S7062-11014-043	
J1011R-E	ARC164-31A20	P190R-E	S7062-11014-043	
J1011R-F	ARC164-30A20	P190R-F	S7062-11014-043	
J1012R-A	ARC220-200A22	P376R-A	S7062-11004-041	
J1012R-B	ARC220-201A22	P376R-B	S7062-11004-041	
J1012R-C	ARC220-202A22	P376R-C	S7062-11004-041	
J1012R-D	ARC220-203A22	P376R-D	S7062-11004-041	
J1012R-E	ARC220-204A22	P376R-E	S7062-11004-041	
J1012R-F	ARC220-205A22	P376R-F	S7062-11004-041	
J1013R-A	ARC220-206A20	P375R-A	S7062-11004-041	
J1013R-B	ARC220-207A20	P375R-B	S7062-11004-041	
J1013R-C	ARC220-208A20	P375R-C	S7062-11004-041	
J1014R-A	ASN128-200A22	P699R-A	S7062-11006-041	
J1014R-B	ASN128-201A22	P699R-B	S7062-11006-041	
J1014R-C	ASN128-202A22	P699R-C	S7062-11006-041	
J1014R-D	ASN128-203A22	P699R-D	S7062-11006-041	
J1014R-E	ASN128-204A22	P699R-E	S7062-11006-041	
J1014R-F	ASN128-205A22	P699R-F	S7062-11006-041	
J103-A	L3566C24	SGJ104-14	S7052-12007-041	
J103-B	L3564C24	SGJ104-16	S7052-12007-041	
J103-C	L3561P24	SGJ103-11	S7052-12007-041	
J103-D	L3565C24	SGJ104-15	S7052-12007-041	
J103-E	JMPRJ103-E-20	SGJ103-2	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J103-F	M365E20	SG103-10	S7052-12007-041	
J103-G	JMPRJ103-G-20	SGJ103-1	S7052-12007-041	
J103-H	M363G20	SG103-9	S7052-12007-041	
J103-J	C4151A20	SG104-10	S7052-12007-041	
J103-K	L3561R24	SGJ103-11	S7052-12007-041	
J103-L	L3569B24	SGJ104-19	S7052-12007-041	
J103-M	L3561S24	SGJ103-11	S7052-12007-041	
J103-N	L3567B24	SGJ104-13	S7052-12007-041	
J103-P	L3568B24	SGJ104-18	S7052-12007-041	
J103-S	L4563C24	SG103-4	S7052-12007-041	
J103-T	L3646N24	SG248-1	S7052-12007-041	
J103-U	L4560F24	SG103-3	S7052-12007-041	
J103-V	L3656A20N	GND103-1	S7052-12007-041	
J103-W	L4564C24	SG103-5	S7052-12007-041	
J103-X	L4566A24	SG103-11	S7052-12007-041	
J103-Y	L4560G24	SG103-3	S7052-12007-041	
J103-Z	F9033D22	J17R-A	S7052-12007-041	
J103-a	JMPRJ103-a-20	SGJ103-2	S7052-12007-041	
J103-b	JMPRJ103-b-20	SGJ103-2	S7052-12007-041	
J103-c	C4130G20	SG104-8	S7052-12007-041	
J103-d	C4152A20	SG104-9	S7052-12007-041	
J103-e	L3563C24	SGJ104-17	S7052-12007-041	
J103-f	C4132M20	SG104-7	S7052-12007-041	
J103-h	2C11746-83A24	P1013R-22	S7062-11007-041	
J103-i	2C11746-93A24	P1013R-20	S7062-11007-041	
J103-j	2C11746-85A24N	GND103-1	S7062-11007-041	
J103-k	2C11746-92A24	P1013R-19	S7062-11007-041	
J103-m	2C11746-82A24	P1013R-21	S7062-11007-041	
J103-q	F9031D22	J17R-P	S7052-12007-041	
J103-r	F9030D22	J17R-B	S7052-12007-041	
J103-s	F9029D22	J17R-N	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J103-t	F9032D22	J17R-M	S7052-12007-041	
J104-A	L3566B24	SGJ104-14	S7052-12007-041	
J104-B	L3564B24	SGJ104-16	S7052-12007-041	
J104-C	L3561G24	SGJ104-12	S7052-12007-041	
J104-D	L3565B24	SGJ104-15	S7052-12007-041	
J104-E	JMPRJ104-E-20	SGJ104-2	S7052-12007-041	
J104-F	M365F20	SG103-10	S7052-12007-041	
J104-G	JMPRJ104-G-20	SGJ104-1	S7052-12007-041	
J104-H	M363H20	SG103-9	S7052-12007-041	
J104-J	C4151B20	SG104-10	S7052-12007-041	
J104-K	L3561L24	SGJ104-11	S7052-12007-041	
J104-L	L3569A24	SGJ104-19	S7052-12007-041	
J104-M	L3561M24	SGJ104-11	S7052-12007-041	
J104-N	L3567A24	SGJ104-13	S7052-12007-041	
J104-P	L3568A24	SGJ104-18	S7052-12007-041	
J104-S	L4563B24	SG103-4	S7052-12007-041	
J104-T	L3646P24	SG248-1	S7052-12007-041	
J104-U	L4560H24	SG104-5	S7052-12007-041	
J104-V	L3655A20N	GND104-1	S7052-12007-041	
J104-W	L4564B24	SG103-5	S7052-12007-041	
J104-X	L4566B24	SG103-11	S7052-12007-041	
J104-Y	L4560J24	SG104-5	S7052-12007-041	
J104-Z	F9033F22	J10R-A	S7052-12007-041	
J104-a	JMPRJ104-a-20	SGJ104-2	S7052-12007-041	
J104-b	JMPRJ104-b-20	SGJ104-1	S7052-12007-041	
J104-c	C4130F20	SG104-8	S7052-12007-041	
J104-d	C4152B20	SG104-9	S7052-12007-041	
J104-e	L3563B24	SGJ104-17	S7052-12007-041	
J104-f	C4132L20	SG104-7	S7052-12007-041	
J104-h	1C11746-83A24	P1014R-22	S7062-11007-041	
J104-i	1C11746-20A24	P1014R-20	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J104-j	1C11746-99A24N	GND104-1	S7062-11007-041	
J104-k	1C11746-92A24	P1014R-19	S7062-11007-041	
J104-m	1C11746-82A24	P1014R-21	S7062-11007-041	
J104-q	F9036D22	J10R-P	S7052-12007-041	
J104-r	F9035D22	J10R-B	S7052-12007-041	
J104-s	F9034D22	J10R-N	S7052-12007-041	
J104-t	F9037D22	J10R-M	S7052-12007-041	
J107-B	Q3200A24	CB3-1	S7052-11007-041	
J107-C	V278A24	CB7-1	S7052-11007-041	
J107-D	V279A24	CB12-1	S7052-11007-041	
J107-E	L4450A24	CB9-1	S7052-11007-041	
J107-F	W3082A24	CB11-1	S7052-11007-041	
J107-G	P516A24	CB4-1	S7052-11007-041	
J107-H	P517A24	CB2-1	S7052-11007-041	
J107-J	P516D24	CB4-1	S7052-11007-041	
J107-K	V51A24	CB10-1	S7052-11007-041	
J107-L	V72A24	CB5-1	S7052-11007-041	
J107-M	W3151A24	CB1-1	S7052-11007-041	
J107-N	*W3151A	-	S7052-11007-041	
J107-P	CDU-005A20	CB8-1	S7052-11007-041	
J108R-A	2F4750E20N	GND108-1	70602-01112-041	
J109-A	L3563A20	SGJ104-17	S7052-12007-041	
J109-B	L3560D14	SGJ109-1	S7052-12007-041	
J109-C	L3565A20	SGJ104-15	S7052-12007-041	
J109-D	L3566A20	SGJ104-14	S7052-12007-041	
J109-E	L3564A20	SGJ104-16	S7052-12007-041	
J109-F	L3571A14	P167-I	S7052-12007-041	
J109-G	L3562H20	SGJ109-2	S7052-12007-041	
J109-I	L3577A14N	GND109-1	S7052-12007-041	
J11R-A	F9021A22	SG903-2	S7052-12005-041	
J11R-B	F9022A22	SG903-1	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J11R-C	F9020B22	P419R-A	S7052-12005-041	
J11R-D	F9019B22	P419R-B	S7052-12005-041	
J11R-E	M9002G20	P249-g	S7052-12005-041	
J11R-F	M9002D20	P249-h	S7052-12005-041	
J11R-H	E9003A22	SG138-7	S7052-12005-041	
J11R-J	E9002A22	SG138-6	S7052-12005-041	
J11R-L	E9001A22	SG138-3	S7052-12005-041	
J11R-M	E9000A22	SG138-2	S7052-12005-041	
J11R-U	E9004A22	SG138-9	S7052-12005-041	
J11R-V	E9005A22	SG138-10	S7052-12005-041	
J110-A	L3562A24	SG1020-31	S7052-11008-042	
J110-B	ALQ144-10A22	SG1019-24	S7052-11008-042	
J110-C	ALQ144-9AA22	J199-d	S7052-11008-042	
J110-D	W3385C22	SG1020-53	S7052-11008-042	
J110-E	L4463E24	SG162-1	S7052-11008-042	
J110-F	W3091B24	P130-4	S7052-11008-042	
J110-G	P549B24	SG1020-34	S7052-11008-042	
J110-H	P550C24	SG1020-62	S7052-11008-042	
J110-J	L405D24	SG130-4	S7052-11008-042	
J110-K	L404C24	SG130-2	S7052-11008-042	
J110-L	Q3240D24	SG1020-52	S7052-11008-042	
J110-M	Q3241D24	SG1020-58	S7052-11008-042	
J110-N	M471D24	SG1019-7	S7052-11008-042	
J110-P	M462D24	SG1019-11	S7052-11008-042	
J110-R	M463D24	SG1019-4	S7052-11008-042	
J110-S	M464D24	SG1019-1	S7052-11008-042	
J110-T	M465D24	SG1019-5	S7052-11008-042	
J110-U	M466D24	SG1019-2	S7052-11008-042	
J110-V	M467D24	SG1019-3	S7052-11008-042	
J110-Y	W4403DD24	SG1020-69	S7052-11008-042	
J110-Z	W4404DD24	SG1020-68	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J110-a	W2001D24	SG1020-55	S7052-11008-042	
J110-b	W2002BB24	SG1020-56	S7052-11008-042	
J110-c	W2003B24	SG1020-57	S7052-11008-042	
J110-d	D4551A24	P471R-A	S7052-11008-042	
J110-e	D4552A24	P471R-B	S7052-11008-042	
J110-f	D4553A24	P471R-C	S7052-11008-042	
J110-g	V75C24	SG1020-19	S7052-11008-042	
J110-h	V16B20	SG1019-45	S7052-11008-042	
J110-i	C6216A22	SG1019-38	S7052-11008-042	
J110-j	X53F24	SG1019-30	S7052-11008-042	
J110-k	X69F24	SG1020-61	S7052-11008-042	
J110-m	H708A24	SG1019-63	S7052-11008-042	
J110-n	H709A24	SG1019-65	S7052-11008-042	
J110-p	L4562A24	SG1019-43	S7052-11008-042	
J110-q	K3007F24	SG1020-59	S7052-11008-042	
J110-r	F3956B24	SG1019-48	S7052-11008-042	
J110-s	F451C24	P1R-r	S7052-11008-042	
J110-t	ALQ144-3CC22	J199-c	S7052-11008-042	
J110-u	ALQ144-4AA24	J199-a	S7052-11008-042	
J110-v	ALQ144-6AA24	J199-Y	S7052-11008-042	
J110-w	ALQ144-5AA24	J199-b	S7052-11008-042	
J110-x	ALQ144-7AA24	J199-Z	S7052-11008-042	
J110-y	1F3912C24	SG16R-8	S7052-11008-042	
J110-z	ASN128-64B20	P1R-J	S7052-11008-042	
J110-AA	2F3912C24	SG16R-9	S7052-11008-042	
J110-BB	2F3801C24	P317R-78	S7052-11008-042	
J110-CC	2F3836C24	SGV33-5	S7052-11008-042	
J110-DD	X130D24	SG1020-8	S7052-11008-042	
J110-EE	2F3889C24	J14R-D	S7052-11008-042	
J110-FF	JMPRJ110-FF-20	SGJ110-1	S7052-11008-042	
J110-GG	C4679G24	P1R-BB	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J110-HH	D4550D24	P471R-D	S7052-11008-042	
J110-JJ	C4667J24	P1R-DD	S7052-11008-042	
J110-KK	*ASN128-11C	-	S7052-11008-042	
J110-LL	C4668J24	P1R-FF	S7052-11008-042	
J110-MM	ASN128-11C22	J16R-T	S7052-11008-042	
J110-NN	C4655C24	P1R-KK	S7052-11008-042	
J110-PP	*C4679G	-	S7052-11008-042	
J111-A	H6390F20	J199-G	S7052-11008-042	
J111-B	H6391F20	J199-H	S7052-11008-042	
J111-C	H6392F20	J199-J	S7052-11008-042	
J111-D	H6374C20	J199-L	S7052-11008-042	
J111-E	W3092B24	P131-4	S7052-11008-042	
J111-F	F250C24	SGP1-2	S7052-11008-042	
J111-G	M326B24	SG1020-21	S7052-11008-042	
J111-H	P543CC24	SG1020-18	S7052-11008-042	
J111-J	W4401D24	SG1020-78	S7052-11008-042	
J111-K	W4402D24	SG1020-79	S7052-11008-042	
J111-L	L404B24	SG130-2	S7052-11008-042	
J111-M	L406C24	SG130-3	S7052-11008-042	
J111-N	Q3201A24	SG1019-42	S7052-11008-042	
J111-P	Q3242D24	SG1020-22	S7052-11008-042	
J111-R	Q3243D24	SG1020-74	S7052-11008-042	
J111-S	M470D24	SG1019-6	S7052-11008-042	
J111-T	W2007B24	SG1020-73	S7052-11008-042	
J111-U	W2006B24	SG1020-72	S7052-11008-042	
J111-V	W2005D24	SG1020-71	S7052-11008-042	
J111-W	Q4063A24	SG1020-70	S7052-11008-042	
J111-X	Q4064A24	SG1020-54	S7052-11008-042	
J111-Y	X95D24	SG1020-17	S7052-11008-042	
J111-Z	H710AA24	SG1019-83	S7052-11008-042	
J111-a	H711A24	SG1019-29	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J111-b	K3006H24	SG1020-75	S7052-11008-042	
J111-c	F3957B24	SG1019-81	S7052-11008-042	
J111-d	APN209-7C22	SGF33-2	S7052-11008-042	
J111-e	D4554C24N	SG471R-1	S7052-11008-042	
J111-f	1F3801C24	P300R-78	S7052-11008-042	
J111-g	M352A20	SG1019-44	S7052-11008-042	
J111-h	M468D24	SG1019-10	S7052-11008-042	
J111-i	H6458A20	J199-K	S7052-11008-042	
J111-k	L3934G24	SG301R-4	S7052-11008-042	
J111-n	V280A24	SG1019-84	S7052-11008-042	
J111-p	V281A24	SG1020-40	S7052-11008-042	
J111-q	V282A24	SG1020-46	S7052-11008-042	
J111-r	X131D24	SG1020-9	S7052-11008-042	
J111-u	W3386C22	SG1020-23	S7052-11008-042	
J111-v	W3387B22	SG1019-16	S7052-11008-042	
J111-w	W3388C22	SG1019-51	S7052-11008-042	
J111-x	C4143BB22	SG1020-64	S7052-11008-042	
J111-y	C4144B22	SG1020-50	S7052-11008-042	
J111-z	C4142B22	SG1020-66	S7052-11008-042	
J111-AA	C4145E22	SG1019-67	S7052-11008-042	
J111-BB	J3003A20	P198-J	S7052-11008-042	
J111-CC	J3002A20	P198-H	S7052-11008-042	
J111-DD	*J3003A	-	S7052-11008-042	
J111-EE	H6405C20	J199-U	S7052-11008-042	
J111-FF	H6406C20	J199-V	S7052-11008-042	
J111-GG	*CBL044 (J111/J199)	-	S7052-11008-042	
J111-HH	*CBL045 (J111/J199)	-	S7052-11008-042	
J111-JJ	H6460A20	J199-T	S7052-11008-042	
J111-KK	H6461A20	J199-R	S7052-11008-042	
J111-LL	H6383G20	J199-M	S7052-11008-042	
J111-MM	H6457C20	J199-N	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J111-NN	H6456C20	J199-P	S7052-11008-042	
J111-PP	*H6456C	-	S7052-11008-042	
J112-B	L3662D20	SG40-1	S7052-11008-042	
J112-C	JMPRJ112-C-24	SGJ112-2	S7052-11008-042	
J112-E	JMPRJ112-E-24	SGJ112-1	S7052-11008-042	
J112-F	L401C24	P1000-R	S7052-11008-042	
J112-G	W4776D24	SG1019-77	S7052-11008-042	
J112-H	ARN89-8C22	SGK33-1	S7052-11008-042	
J112-J	L3661D22	P300R-36	S7052-11008-042	
J112-K	L3931D24	SGP300-1	S7052-11008-042	
J112-L	JMPRJ112-L20	SGJ112-5	S7052-11008-042	
J112-M	L3653A20N	GG33-4	S7052-11008-042	
J112-m	JMPRJ112-m-18	SGJ112-4	S7052-11008-042	
J112-r	L3647J18	SG33G-1	S7052-11008-042	
J112R-A	2C11746-56A24	P176R-D	S7062-11007-041	
J112R-B	2C11746-57A24	P176R-E	S7062-11007-041	
J112R-D	2C11746-58A24	P175R-L	S7062-11007-041	
J112R-E	2C11746-59A24	P175R-M	S7062-11007-041	
J112R-F	*CBL044 (J112R/P175R)	-	S7062-11007-041	
J112R-H	*CBL043 (J112R/P176R)	-	S7062-11007-041	
J113-B	Q6552A22	SG1019-37	S7052-11008-042	
J113-C	C4139G22	SG1020-60	S7052-11008-042	
J113-D	C4140F22	SG1020-76	S7052-11008-042	
J113-E	C6215A22	SG1019-80	S7052-11008-042	
J113-G	L3652A20N	GG33-2	S7052-11008-042	
J113-H	L3651B20N	SGB33-1	S7052-11008-042	
J113-K	L3663B20	SGP196-1	S7052-11008-042	
J113-M	C4141B22	SG1020-28	S7052-11008-042	
J113-X	L3937B24	R4-1	S7052-11008-042	
J113-Y	L3938B24	R4-2	S7052-11008-042	
J113-Z	L3939B24	P675R-7	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J113-a	L3940B24	R5-1	S7052-11008-042	
J113-b	L3941B24	R5-2	S7052-11008-042	
J113-c	L3942B24	P676R-6	S7052-11008-042	
J113-m	L3645J18	SGC33-1	S7052-11008-042	
J113-r	JMPRJ113-r-18	SGJ113-1	S7052-11008-042	
J114-A	H6405A20	P122-A	S7052-12006-041	
J114-B	H6406A20	P122-B	S7052-12006-041	
J114-C	*CBL30 (J114/P122)	-	S7052-12006-041	
J114-F	D5835B24	J224-P	S7052-12006-041	
J114-G	D5836B24	J224-R	S7052-12006-041	
J114-H	D5855C24	P137-E	S7052-12006-041	
J114-J	D5856C24	P137-F	S7052-12006-041	
J114-K	D5857C24	P137-C	S7052-12006-041	
J114-L	D5858C24	P137-D	S7052-12006-041	
J114-M	D5859C24	P137-a	S7052-12006-041	
J114-N	D5860C24	P137-b	S7052-12006-041	
J114-P	D5877B24	SG137-5	S7052-12006-041	
J114-R	D5876B24	SG137-4	S7052-12006-041	
J114-S	D5881A24	P137-p	S7052-12006-041	
J114-T	D5882B24	SG905-3	S7052-12006-041	
J114-U	D5883B24	SG905-4	S7052-12006-041	
J114-V	*CBL11 (J114/SG905)	-	S7052-12006-041	
J114-W	E2047C24	P137-N	S7052-12006-041	
J114-X	*E2047C	-	S7052-12006-041	
J114-Y	C4139E20	J224-s	S7052-12006-041	
J114-Z	C4145C20	J310-D	S7052-12006-041	
J114-a	D4554E24N	J310-L	S7052-12006-041	
J114-b	L4528M20	J396-1	S7052-12006-041	
J114-d	L3931B24	SGP112-1	S7052-12006-041	
J114-e	L3661B20	SG387-1	S7052-12006-041	
J115-F	L3931K24	SGP139-1	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J115-G	P540A24	P2008-C	S7052-11011-041	
J115-J	L3981C24	J219-X	S7052-11011-041	
J115-K	L417B24	SGJ914-6	S7052-11011-041	
J119-A	C6217A24	J120-D	S7052-12007-041	
J119-B	XM130-10E22	SG247-7	S7052-12007-041	
J119-C	XM130-9E22	SG247-6	S7052-12007-041	
J119-D	JUMPERJ119-1-22	SG119-2	S7052-12007-041	
J119-E	M353F20	SG120-1	S7052-12007-041	
J119-F	M350F20	SG120-2	S7052-12007-041	
J119-G	2C11746-81A24	SGP175-4	S7062-11007-041	
J119-H	JMPRJ119-H-24	SGJ119-1	S7062-11007-041	
J119-J	JMPRJ119-J-24	SGJ119-1	S7062-11007-041	
J119-K	2C11746-16A24	P175R-b	S7062-11007-041	
J119-N	L423A24	J120-P	S7052-12007-041	
J119-P	L422E24	SG119-1	S7052-12007-041	
J119-T	JUMPERJ119-2-22	SG119-2	S7052-12007-041	
J119-U	C6114D24	SG247-3	S7052-12007-041	
J119-V	C6112D24	SG247-2	S7052-12007-041	
J119-W	C6113D24	SG247-1	S7052-12007-041	
J119-X	C6115D24	SG247-4	S7052-12007-041	
J119-Y	2F4752A24	J120-Z	S7062-11007-041	
J119-Z	2F4753A20N	GND119-1	S7052-12007-041	
J119-a	L424A24	J120-b	S7052-12007-041	
J119-b	L422D24	SG119-1	S7052-12007-041	
J120-A	C6121C24	P247-X	S7052-12007-041	
J120-B	XM130-10D22	SG247-7	S7052-12007-041	
J120-C	XM130-9D22	SG247-6	S7052-12007-041	
J120-D	C6217A24	J119-A	S7052-12007-041	
J120-E	M353G20	SG120-1	S7052-12007-041	
J120-F	M350G20	SG120-2	S7052-12007-041	
J120-G	IC11746-85C24	SG124R-4	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J120-H	JMPRJ120-H-24	SGJ120-1	S7062-11007-041	
J120-J	JMPRJ120-J-24	SGJ120-1	S7062-11007-041	
J120-K	1C11746-16A24	P124R-b	S7062-11007-041	
J120-L	M3439G20	P247-g	S7052-12007-041	
J120-M	M3436G20	P247-j	S7052-12007-041	
J120-N	L400J20	SG120-3	S7052-12007-041	
J120-P	L423A24	J119-N	S7052-12007-041	
J120-R	M3438G20	P247-h	S7052-12007-041	
J120-S	M3437G20	P247-i	S7052-12007-041	
J120-T	C6218E24	SG247-5	S7052-12007-041	
J120-U	C6114E24	SG247-3	S7052-12007-041	
J120-V	C6112E24	SG247-2	S7052-12007-041	
J120-W	C6113E24	SG247-1	S7052-12007-041	
J120-X	C6115E24	SG247-4	S7052-12007-041	
J120-Y	2F4750C24	SAPCS-1	S7052-12007-041	
J120-Z	2F4752A24	J119-Y	S7062-11007-041	
J120-a	L400K20	SG120-3	S7052-12007-041	
J120-b	L424A24	J119-a	S7052-12007-041	
J120-c	M3440G20	P247-f	S7052-12007-041	
J121-A	H6423S20	SGP134-1	S7062-11014-043	
J121-C	H6420A20	P133-J	S7062-11014-043	
J121-D	H6409A20	P133-U	S7062-11014-043	
J121-E	H6410A20	P133-B	S7062-11014-043	
J121-F	H6411A20	P133-H	S7062-11014-043	
J121-G	H6412A20	P133-G	S7062-11014-043	
J121-H	H6413A20	P133-S	S7062-11014-043	
J121-J	H6414A20	P133-N	S7062-11014-043	
J121-K	H6425C20	P132-F	S7062-11014-043	
J121-L	HH6415A20	P132-D	S7062-11014-043	
J121-M	H6416A20	P132-C	S7062-11014-043	
J121-N	H6417A20	P132-B	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J121-P	H6418A20	P132-A	S7062-11014-043	
J121-R	*CBL031 (J121/P132)	-	S7062-11014-043	
J121-S	H6429A20	P132-E	S7062-11014-043	
J121-T	H6420G20	P132-U	S7062-11014-043	
J121-U	H6430A20	P132-T	S7062-11014-043	
J121-V	H6424E20	SGP134-5	S7062-11014-043	
J121-W	H6397C22	P199-A	S7062-11014-043	
J121-X	H6398D22	SGP134-3	S7062-11014-043	
J121-Y	H6399D22	SGP134-2	S7062-11014-043	
J121-Z	C4705D24	P199-B	S7062-11014-043	
J121-a	L409DD24	P199-C	S7062-11014-043	
J121-b	J3000A20	S35-C2	S7062-11014-043	
J121-c	*J3001A	-	S7062-11014-043	
J121-d	J3001A20	S35-5	S7062-11014-043	
J121-e	H6455D20	P134-D	S7062-11014-043	
J121-f	H6454D20	P134-E	S7062-11014-043	
J121-g	H6435D20	P134-F	S7062-11014-043	
J126-C	L3608B24	S69-2	S7052-11010-041	
J126-D	L6960B24	S67-2	S7052-11010-041	
J126-F	L4500B24	S28-2	S7052-11010-041	
J126-G	L3600B24	T9-HV	S7052-11010-041	
J126-H	L3601A24	T9-LV	S7052-11010-041	
J126-J	H4293B24	S21-2	S7052-11010-041	
J126-K	C4601B24	J200-g	S7052-11010-041	
J126-L	W4400B24	J225-F	S7052-11010-041	
J126-M	*C4601B	-	S7052-11010-041	
J126-N	E3280B24	J222-H	S7052-11010-041	
J126-P	*E3280B	-	S7052-11010-041	
J126-R	H3333B20	S6-2	S7052-11010-041	
J126-S	H700B24	S23-2	S7052-11010-041	
J126-U	W3150B24	S20-5	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J126-V	*W3150B	-	S7052-11010-041	
J126-W	M350B20	S1-6	S7052-11010-041	
J126-X	X63E24	S7-1	S7052-11010-041	
J126-Y	X65D24	S7-4	S7052-11010-041	
J126-Z	X66A24	S7-6	S7052-11010-041	
J126-a	X67D24	S7-5	S7052-11010-041	
J126-b	X68D24	S7-2	S7052-11010-041	
J126-c	W3380B20	J225-P	S7052-11010-041	
J126-d	C4130J20	J222-U	S7052-11010-041	
J126-e	C4131DD20	SG126-1	S7052-11010-041	
J126-f	L3533G24	S12-3	S7052-11010-041	
J126-g	L3532G24	S12-1	S7052-11010-041	
J126-h	L3640B22	T6-HV	S7052-11010-041	
J126-i	L3641B22	T7-HV	S7052-11010-041	
J126-m	F3950B18	S30-2	S7052-11010-041	
J126-p	H4317B24	S66-2	S7052-11010-041	
J126-q	H4318A24	S66-3	S7052-11010-041	
J127-D	L4521B20	T11-HV	S7052-11010-041	
J127-F	L4461B24	T4-HV	S7052-11010-041	
J127-G	H4298B24	S22-2	S7052-11010-041	
J127-H	M4350B24C	S47-31	S7052-11010-041	
J127-J	M4351B24B	S47-21	S7052-11010-041	
J127-K	M4352B24A	S47-11	S7052-11010-041	
J127-L	E3286B24	J225-L	S7052-11010-041	
J127-M	*E3286B	-	S7052-11010-041	
J127-N	H3335B20	S18-2	S7052-11010-041	
J127-P	H705B24	S24-2	S7052-11010-041	
J127-R	F3952B24	S30-8	S7052-11010-041	
J127-S	W3381B20	J200-L	S7052-11010-041	
J127-T	C4132B20	J230-D	S7052-11010-041	
J127-U	C4137D20	J225-R	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J127-V	L3642B22	T5-HV	S7052-11010-041	
J127-W	L4520B20	T3-HV	S7052-11010-041	
J127-X	H6423P20	J230-A	S7052-11010-041	
J127-m	F3951B18	S30-5	S7052-11010-041	
J128-A	L4561C14	P245-A	S7052-12007-041	
J128-B	L4562F20	SG103-6	S7052-12007-041	
J128-D	L4565A14N	GND128-1	S7052-12007-041	
J128-E	L4563A20	SG103-4	S7052-12007-041	
J128-F	L4564A20	SG103-5	S7052-12007-041	
J129-A	PLS-01A20	P145R-D	S7062-11011-041	
J129-B	IDM100-C24	SG326R-2	S7062-11005-041	
J129-C	ARN153-100C22	P333R-2	S7062-11008-041	
J129-D	ARN153-101C22	P333R-1	S7062-11008-041	
J129-E	ARC222-100A22	P343R-D	S7062-11001-041	
J129-F	STORM107-B22	SG301-1	S7062-11012-041	
J129-G	ARC220-100-B22	P369R-L	S7062-11004-041	
J129-H	3C11746-60B20	SGP220-2	S7062-12001-041	
J129-L	CDU-003B22	P140R-28	S7062-11014-043	
J129-M	CDU-004B20	SG1012-1	S7062-11014-043	
J129-P	DTR01B24	SG209R-1	S7062-11014-043	
J129-R	M617B20	SGP298-1	S7052-12001-042	
J129-S	M619B20	SGP226-1	S7052-12001-042	
J129-W	M791B20	SGP170-2	S7052-12001-042	
J129-X	M600B20	SGP170-1	S7052-12001-042	
J129-Y	M601B20	P170-C	S7052-12001-042	
J129-Z	FLIR-01A20	SGP210-1	S7062-11013-042	
J129-a	FLIR-01B20	SGP210-2	S7062-11013-042	
J129-b	H806B20	SGP298-2	S7052-12001-042	
J129-d	MFD001B20	J1R-C	S7062-11014-043	
J129-e	MFD002B20	J1R-M	S7062-11014-043	
J129-f	LT500B20	J198-M	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J129-h	NIU-900B22	P100R-18	S7062-11014-043	
J130R-A	1C11746-56A24	P115R-D	S7062-11007-041	
J130R-B	1C11746-57A24	P115R-E	S7062-11007-041	
J130R-D	1C11746-59A24	P124R-M	S7062-11007-041	
J130R-E	1C11746-58A24	P124R-L	S7062-11007-041	
J130R-F	*CBL001 (J130R/P124R)	-	S7062-11007-041	
J136-A	X12A06A	K3-C3	70552-02109-059	
J136-B	X13A06B	K3-B3	70552-02109-059	
J136-C	X14A06C	K3-A3	70552-02109-059	
J136-E	V16A20	P110-h	S7052-12006-041	
J136-F	P516F24	P219-b	S7052-12006-041	
J136-N	X15A06N	GND136-1	70552-02109-059	
J14R-A	NIU028B24	P305R-j	S7052-11008-042	
J14R-B	NIU029B24	P305R-r	S7052-11008-042	
J14R-C	CDU-008B22	SGLHS-9	S7052-11008-042	
J14R-D	2F3889C24	J110-EE	S7052-11008-042	
J14R-E	*APN209-16C	-	S7052-11008-042	
J14R-F	APN209-2A24	P675R-12	S7052-11008-042	
J14R-G	APN209-16C24	SGR676-2	S7052-11008-042	
J14R-H	APN209-17D24	SGR674-2	S7052-11008-042	
J14R-J	NIU030B24	P302R-j	S7052-11008-042	
J14R-K	NIU031B24	P302R-r	S7052-11008-042	
J14R-L	NIU038B24	P301R-S	S7052-11008-042	
J14R-M	NIU039A24	P301R-T	S7052-11008-042	
J14R-N	2F3896B24	P316R-6	S7052-11008-042	
J14R-P	NIU040B24	P301R-U	S7052-11008-042	
J14R-R	2F3879B24	P319R-2	S7052-11008-042	
J14R-S	2F3890B24	P316R-1	S7052-11008-042	
J14R-T	2F3891B24	P316R-2	S7052-11008-042	
J14R-U	2F3892B24	P316R-3	S7052-11008-042	
J14R-V	2F3893B24	P316R-11	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J14R-W	2F3894B24	P316R-12	S7052-11008-042	
J14R-X	2F3895B24	P316R-13	S7052-11008-042	
J14R-Y	F9017A22	SG130-7	S7052-11008-042	
J14R-Z	F9018A22	SGJ110-1	S7052-11008-042	
J14R-a	NIU032B24	S122-1C	S7052-11008-042	
J14R-b	NIU045B24	P301R-V	S7052-11008-042	
J14R-c	NIU024C24	SG300R-5	S7052-11008-042	
J14R-d	2F3703C24	SGRHS-1	S7052-11008-042	
J14R-e	2F3704C24	SGRHS-2	S7052-11008-042	
J14R-f	2F3705A24	P304R-S	S7052-11008-042	
J14R-g	2F3707A24	P304R-U	S7052-11008-042	
J14R-h	2F3706A24	P304R-T	S7052-11008-042	
J14R-i	2F3708A24	P304R-V	S7052-11008-042	
J14R-j	2F3709C24	SGRHS-7	S7052-11008-042	
J14R-k	2F3710C24	SGRHS-8	S7052-11008-042	
J14R-m	2F3867A24	P319R-6	S7052-11008-042	
J14R-n	2F3868A24	P319R-13	S7052-11008-042	
J14R-p	2F3865A24	P319R-8	S7052-11008-042	
J14R-q	2F3866A24	P319R-14	S7052-11008-042	
J14R-r	2F3916C24	SGRHS-12	S7052-11008-042	
J14R-s	2F3917C24	SGRHS-13	S7052-11008-042	
J14R-t	2F3918C24	SGRHS-14	S7052-11008-042	
J14R-u	2F3913C24	SGRHS-9	S7052-11008-042	
J14R-v	2F3914C24	SGRHS-10	S7052-11008-042	
J14R-w	2F3915C24	SGRHS-11	S7052-11008-042	
J14R-x	2F3919C24	SGRHS-15	S7052-11008-042	
J14R-y	*2F3915C	-	S7052-11008-042	
J14R-z	1F3838B24	SGLHS-2	S7052-11008-042	
J14R-AA	1F3839B24	SGLHS-3	S7052-11008-042	
J14R-BB	1F3841B24	SGLHS-1	S7052-11008-042	
J14R-CC	1F3837B24	SGLHS-5	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J14R-DD	1F3840B24	SGLHS-4	S7052-11008-042	
J14R-EE	2F3774A24	P317R-106	S7052-11008-042	
J14R-FF	2F3775A24	P317R-105	S7052-11008-042	
J14R-GG	2F3798A24	P317R-46	S7052-11008-042	
J14R-HH	2F3799A24	P317R-94	S7052-11008-042	
J14R-JJ	2F3800A24	P317R-116	S7052-11008-042	
J14R-KK	2F3816B24	SGR317-9	S7052-11008-042	
J14R-LL	1F3819B24	SGR317-10	S7052-11008-042	
J14R-MM	1F3816B24	SG300R-8	S7052-11008-042	
J14R-NN	2F3842B24	P319R-20	S7052-11008-042	
J14R-PP	2F3876A24	P319R-18	S7052-11008-042	
J142-D	*C6183B	-	S7052-11011-041	
J142-d	L407J24	P4R-D	S7052-11011-041	
J142-e	C6183B22	SG1105-12	S7052-11011-041	
J142-f	C6137A24	P428R-W	S7052-11011-041	
J142-g	C6138A24	P428R-V	S7052-11011-041	
J142-h	C6139A24	P428R-A	S7052-11011-041	
J142-i	C6135A24	P428R-Z	S7052-11011-041	
J142-j	C6136A24	P428R-D	S7052-11011-041	
J142-k	C6134A24	P428R-E	S7052-11011-041	
J142-m	C6128A24	P428R-X	S7052-11011-041	
J142-n	C6129A24	P428R-C	S7052-11011-041	
J142-p	C6130A24	P428R-B	S7052-11011-041	
J142-q	C6131B24	SG1105-9	S7052-11011-041	
J142-r	C6132B24	SG1105-10	S7052-11011-041	
J142-s	C6133B24	SG1105-11	S7052-11011-041	
J142-t	C6127A24	P428R-Y	S7052-11011-041	
J142-u	C6125A24	P428R-s	S7052-11011-041	
J142-v	C6126A24	P428R-r	S7052-11011-041	
J142-x	C6172A24	P428R-j	S7052-11011-041	
J142-y	C6173A24	P428R-R	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J142-z	C6174A24	BOMB77-1	S7052-11011-041	
J142-AA	*C6172A	-	S7052-11011-041	
J142-KK	C4705A24	SG4R-3	S7052-11011-041	
J16R-A	NIU001A24	S123-1C	S7052-11008-042	
J16R-B	NIU002B24	S123-D	S7052-11008-042	
J16R-C	NIU023B24	P300R-105	S7052-11008-042	
J16R-D	*ASN128-11C	-	S7052-11008-042	
J16R-E	1F3911B24	SG16R-1	S7052-11008-042	
J16R-F	*1F3911B	-	S7052-11008-042	
J16R-G	1F3910B24	SG16R-2	S7052-11008-042	
J16R-H	*1F3910B	-	S7052-11008-042	
J16R-J	1F3909B24	SG16R-3	S7052-11008-042	
J16R-K	*1F3909B	-	S7052-11008-042	
J16R-L	1F3908B24	SG16R-4	S7052-11008-042	
J16R-M	*1F3908B	-	S7052-11008-042	
J16R-N	1F3907B24	SG16R-5	S7052-11008-042	
J16R-P	*1F3907B	-	S7052-11008-042	
J16R-R	1F3906B24	SG16R-6	S7052-11008-042	
J16R-S	*1F3906B	-	S7052-11008-042	
J16R-T	ASN128-11C22	J110-MM	S7052-11008-042	
J16R-U	1F3912E24	SG16R-8	S7052-11008-042	
J16R-V	NIU003B24	P317R-85	S7052-11008-042	
J16R-W	NIU004B24	SGR317-3	S7052-11008-042	
J16R-X	NIU095B24	SGR317-3	S7052-11008-042	
J16R-Y	NIU006B24	P317R-97	S7052-11008-042	
J16R-Z	*CBL040 (J16R/P317R)	-	S7052-11008-042	
J16R-a	ARN123-08D20	SGRHS-16	S7052-11008-042	
J16R-b	NIU008B24	SGM33-12	S7052-11008-042	
J16R-c	ARN123-77B20	SGM33-7	S7052-11008-042	
J16R-d	*CBL009 (J16R/P317R)	-	S7052-11008-042	
J16R-e	NIU009B24	SGR317-2	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J16R-f	NIU010B24	P317R-49	S7052-11008-042	
J16R-g	NIU011B24	SGM33-15	S7052-11008-042	
J16R-h	NIU012B24	SGM33-14	S7052-11008-042	
J16R-i	NIU013B24	SGM33-13	S7052-11008-042	
J16R-j	NIU014B24	SGM33-1	S7052-11008-042	
J16R-k	NIU015B24	P300R-14	S7052-11008-042	
J16R-m	NIU016B24	P300R-71	S7052-11008-042	
J16R-n	NIU017A24	P300R-16	S7052-11008-042	
J16R-p	NIU018A24	P300R-26	S7052-11008-042	
J16R-q	NIU019B24	SGM33-11	S7052-11008-042	
J16R-r	*CBL010 (J16R/P317R)	-	S7052-11008-042	
J16R-s	ARN123-71B22	SGM33-9	S7052-11008-042	
J16R-t	NIU020B24	SGM33-10	S7052-11008-042	
J16R-u	ARN123-76B20	SGM33-6	S7052-11008-042	
J16R-v	ARN123-78B20	SGM33-8	S7052-11008-042	
J16R-w	NIU021B24	SGR317-2	S7052-11008-042	
J16R-x	NIU022B24	P317R-101	S7052-11008-042	
J16R-y	*CBL041 (J16R/SGR317)	-	S7052-11008-042	
J16R-z	2F3905B24	SGR317-8	S7052-11008-042	
J16R-AA	2F3909B24	SG317R-3	S7052-11008-042	
J16R-BB	2F3910B24	SG317R-2	S7052-11008-042	
J16R-CC	2F3911B24	SG317R-1	S7052-11008-042	
J16R-DD	2F3912E24	SG16R-9	S7052-11008-042	
J16R-EE	*2F3911B	-	S7052-11008-042	
J16R-FF	2F3907B24	SG317R-5	S7052-11008-042	
J16R-GG	2F3908B24	SG317R-4	S7052-11008-042	
J16R-HH	1F3905B24	SG16R-7	S7052-11008-042	
J16R-JJ	2F3906B24	SG317R-6	S7052-11008-042	
J16R-KK	*2F3906B	-	S7052-11008-042	
J16R-LL	*2F3907B	-	S7052-11008-042	
J16R-MM	*2F3908B	-	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J16R-NN	*2F3909B	-	S7052-11008-042	
J16R-PP	*2F3910B	-	S7052-11008-042	
J162-A	L4463F24	SG162-1	S7052-11008-042	
J162-B	L4466A24N	TL331A-1	S7052-11008-042	
J162-C	L4463L24	SG162-1	S7052-11008-042	
J162-D	L4466F24N	TL331A-2	S7052-11008-042	
J163-A	X114A20N	SG163-1	S7052-12007-041	
J163-C	W3395A20	P248-V	S7052-12007-041	
J163-D	X114B20N	SG163-1	S7052-12007-041	
J163-E	APX100-130C20	P248-M	S7052-12007-041	
J163-F	W6605A20	P248-L	S7052-12007-041	
J164-A	X123A20N	SG164-1	S7052-12007-041	
J164-C	X82A24	P247-C	S7052-12007-041	
J164-D	X123B20N	SG164-1	S7052-12007-041	
J164-F	W6604A20	P247-D	S7052-12007-041	
J17R-A	F9033D22	J103-Z	S7052-12007-041	
J17R-B	F9030D22	J103-r	S7052-12007-041	
J17R-M	F9032D22	J103-t	S7052-12007-041	
J17R-N	F9029D22	J103-s	S7052-12007-041	
J17R-P	F9031D22	J103-q	S7052-12007-041	
J198-A	JMPRJ198-A-22	SGJ198-1	S7062-11014-043	
J198-B	V75E24	P100R-48	S7062-11014-043	
J198-C	C4140H22	P100R-38	S7062-11014-043	
J198-D	C4139J22	P100R-40	S7062-11014-043	
J198-E	JMPRJ198-E-22	SGJ198-2	S7062-11014-043	
J198-F	W3387F22	P100R-46	S7062-11014-043	
J198-G	JMPRJ198-G-22	SGJ198-3	S7062-11014-043	
J198-H	J3002BB20	S35-1	S7062-11014-043	
J198-J	J3003AA20	S35-C1	S7062-11014-043	
J198-K	L3931S20	SGP356-1	S7052-12001-042	
J198-M	LT500B20	J129-f	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J198-P	MFD004B20	CB503-2	S7062-11014-043	
J198-R	MFD003B20	CB503-2	S7062-11014-043	
J198-S	L409F24	P102R-34	S7062-11014-043	
J198-U	*J3002BB	-	S7062-11014-043	
J199-A	H6397C22	SG1019-27	S7052-11008-042	
J199-B	C4705D24	SGRHS-17	S7052-11008-042	
J199-C	L409D24	SG1020-13	S7052-11008-042	
J199-D	H6396A22	SG1020-49	S7052-11008-042	
J199-E	L3931Z24	SG301R-5	S7052-11008-042	
J199-G	H6390F20	J111-A	S7052-11008-042	
J199-H	H6391F20	J111-B	S7052-11008-042	
J199-J	H6392F20	J111-C	S7052-11008-042	
J199-K	H6458A20	J111-i	S7052-11008-042	
J199-L	H6374C20	J111-D	S7052-11008-042	
J199-M	H6383G20	J111-LL	S7052-11008-042	
J199-N	H6457C20	J111-MM	S7052-11008-042	
J199-P	H6456C20	J111-NN	S7052-11008-042	
J199-R	H6461A20	J111-KK	S7052-11008-042	
J199-S	*CBL045 (J111/J199)	-	S7052-11008-042	
J199-T	H6460A20	J111-JJ	S7052-11008-042	
J199-U	H6405C20	J111-EE	S7052-11008-042	
J199-V	H6406C20	J111-FF	S7052-11008-042	
J199-W	*CBL044 (J111/J199)	-	S7052-11008-042	
J199-X	*H6456C	-	S7052-11008-042	
J199-Y	ALQ144-6AA24	J110-v	S7052-11008-042	
J199-Z	ALQ144-7AA24	J110-x	S7052-11008-042	
J199-a	ALQ144-4AA24	J110-u	S7052-11008-042	
J199-b	ALQ144-5AA24	J110-w	S7052-11008-042	
J199-c	ALQ144-3CC22	J110-t	S7052-11008-042	
J199-d	ALQ144-9AA22	J110-C	S7052-11008-042	
J199-e	L3934GG24	SG301R-4	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J199-f	L417D24	SG1000-1	S7052-11008-042	
J199-g	H6398C22	SG1019-41	S7052-11008-042	
J199-h	H6399C22	SG1019-82	S7052-11008-042	
J199-j	*H6457C	-	S7052-11008-042	
J2-A	KY-100-01-A22	J1-A	S7062-11004-042	
J2-B	KY-100-02-A22	SGJ1-1	S7062-11004-042	
J2-B	KY-58-03-A22	J1-S	S7062-11014-042	
J2-C	KY-100-06-A22	J1-b	S7062-11004-042	
J2-F	KY-100-07-A22	J1-S	S7062-11004-042	
J2-G	KY-100-08-A22	J1-F	S7062-11004-042	
J2-H	KY-100-09-A22	J1-c	S7062-11004-042	
J2-J	KY-100-03-A22	J1-R	S7062-11004-042	
J2-K	KY-100-040A22	SGJ1-1	S7062-11004-042	
J2-K	KY-58-02-A22	J1-R	S7062-11014-042	
J2-L	KY-58-01-A22	J1-T	S7062-11014-042	
J2-M	KY-58-04-A22	J1-A	S7062-11014-042	
J2-P	KY-100-05-A22	J1-X	S7062-11004-042	
J2-T	KY-100-010-A22	J1-N	S7062-11004-042	
J2-U	KY-100-011-A22	J1-V	S7062-11004-042	
J2-V	KY-100-012-A22	J1-U	S7062-11004-042	
J2-1	MIC-HI-24	P2-E	S7062-12001-042	
J2-1	MIC-HI-24	P2-E	S7062-12001-043	
J2-1	55-945-24	K43-A2	70552-02131-042	
J2-2	HDST-HI-24	P2-A	S7062-12001-042	
J2-2	HDST-HI-24	P2-A	S7062-12001-043	
J2-2	38-924-24	K43-B3	70552-02131-042	
J2-3	MIC-LO-24	P2-D	S7062-12001-042	
J2-3	MIC-LO-24	P2-D	S7062-12001-043	
J2-3	40-925-24	K43-B2	70552-02131-042	
J2-4	HDST-LO-24	P2-B	S7062-12001-042	
J2-4	HDST-LO-24	P2-B	S7062-12001-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J2-4	53-938-24	K43-A3	70552-02131-042	
J2-6	93-9047-20	J242-e	70552-02131-042	
J2-8	94-9048-20	J242-f	70552-02131-042	
J2-9	125-0-24	GND1-H	70552-02131-042	
J2-S1	PTT-RTN-24	P2-J	S7062-12001-042	
J2-S1	PTT-RTN-24	P2-J	S7062-12001-043	
J2-S2	PTT-24	P2-C	S7062-12001-042	
J2-S2	PTT-24	P2-C	S7062-12001-043	
J2-11	30-916-24	J902-F	70552-02131-042	
J2-12	91-9045-20	J242-c	70552-02131-042	
J2-13	92-9046-20	J242-g	70552-02131-042	
J2-14	36-923-24	K43-C2	70552-02131-042	
J2-15	34-918-24	K43-C3	70552-02131-042	
J2-16	26-912-24	J902-N	70552-02131-042	
J2-17	43-926-24	SG1-1	70552-02131-042	
J2-18	29-915-24	J902-G	70552-02131-042	
J2-20	95-9056-20	J242-d	70552-02131-042	
J2-23	27-913-24	J902-E	70552-02131-042	
J2-24	32-917-24	K43-X1	70552-02131-042	
J2-25	28-914-24	J902-R	70552-02131-042	
J2R-A	F450E22	P26R-A	70602-02110-042	
J2R-B	*CBL1 (J2R/P26R)	-	70602-02110-042	
J2R-C	F440B22	P26R-C	70602-02110-042	
J2R-D	F441B22	P26R-D	70602-02110-042	
J2R-E	F442B22	P26R-E	70602-02110-042	
J2R-G	F443B22	P26R-G	70602-02110-042	
J2R-H	*CBL2 (J2R/P26R)	-	70602-02110-042	
J20R-A	C4647D24	SG404-2	S7052-12006-041	
J20R-B	*C4647D	-	S7052-12006-041	
J20R-D	E9006A22	SG110-3	S7052-12006-041	
J20R-G	2F3874B24	J220-n	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J20R-H	2F3875B24	J220-p	S7052-12006-041	
J20R-J	2F3878B24	J220-q	S7052-12006-041	
J20R-K	1KY28-8B24	P230-z	S7052-12006-041	
J20R-L	SN10874B24	P266-R	S7052-12006-041	
J20R-M	XM130-9B22	J247-n	S7052-12006-041	
J20R-N	2ARC186-4B20	P230-y	S7052-12006-041	
J20R-P	1C6533-15B24	P230-x	S7052-12006-041	
J20R-R	3KY58-8B24	P230-w	S7052-12006-041	
J20R-S	XM130-10B22	J247-p	S7052-12006-041	
J20R-T	1ARC186-4B20	P266-U	S7052-12006-041	
J20R-U	ARC164-4B20	P230-v	S7052-12006-041	
J20R-V	2F3850B24	P230-U	S7052-12006-041	
J200-A	M352AA20	S1-5	S7052-11010-041	
J200-B	M353A20	S1-3	S7052-11010-041	
J200-C	M354A20	S1-2	S7052-11010-041	
J200-D	M356A20	S3-3	S7052-11010-041	
J200-E	M359A20	S3-6	S7052-11010-041	
J200-F	M360A20	S3-4	S7052-11010-041	
J200-G	M361A20	S2-2	S7052-11010-041	
J200-H	M362A20	DS1-2	S7052-11010-041	
J200-J	M363B20	CB306-1	S7052-11010-041	
J200-K	Q6036C24	CB316-1	S7052-11010-041	
J200-L	W3381B20	J127-S	S7052-11010-041	
J200-M	W3389B20	CB324-1	S7052-11010-041	
J200-N	L6961A24	S67-3	S7052-11010-041	
J200-P	V276A24	S4-1	S7052-11010-041	
J200-R	V277A24	S4-3	S7052-11010-041	
J200-S	L3934H24	DS1-1	S7052-11010-041	
J200-T	W3390A20	S31-6	S7052-11010-041	
J200-U	W3391A20	S31-3	S7052-11010-041	
J200-V	L4501A24	S29-1	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J200-W	C4133A20	S25-3	S7052-11010-041	
J200-X	C4134A20	S25-1	S7052-11010-041	
J200-Y	C4135A20	S25-9	S7052-11010-041	
J200-Z	C4136A20	S25-7	S7052-11010-041	
J200-a	C4170A20	S25-2	S7052-11010-041	
J200-b	L4512A24	S29-3	S7052-11010-041	
J200-c	L3946B24	P315-D	S7052-11010-041	
J200-d	M3430A20	CB323-1	S7052-11010-041	
J200-e	M374A20	S3-1	S7052-11010-041	
J200-f	C4626A22	CB307-1	S7052-11010-041	
J200-g	C4601B24	J126-K	S7052-11010-041	
J200-h	*C4601B	-	S7052-11010-041	
J200-j	L3930E24	P315-A	S7052-11010-041	
J2008-C	P540AA22	K201-B3	70552-02142-041	
J2008-D	P537D24	SGK201-2	70552-02142-041	
J2008-E	P584A20N	K200-X2	70552-02142-041	
J2008-F	P581A20N	K201-X2	70552-02142-041	
J201-A	X67B24	J203-g	70552-02100-045	
J201-B	X68B24	J203-f	70552-02100-045	
J201-C	X63B24	J203-e	70552-02100-045	
J201-D	X65B24	J203-h	70552-02100-045	
J201-E	V78E24	SG26-7	70552-02100-045	
J201-F	X70B24	P204-B	70552-02100-045	
J201-G	X69B24	SG26-2	70552-02100-045	
J201-H	X3B20C	K2-C1	70552-02100-045	
J201-J	X2B20B	K2-B1	70552-02100-045	
J201-K	X1B20A	K2-A1	70552-02100-045	
J201-L	X24A20	T2-T6	70552-02100-045	
J201-M	X23A20	T2-T5	70552-02100-045	
J201-N	X22A20	T2-T4	70552-02100-045	
J201-P	X82H24	J203-L	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J201-R	X19A20	T2-T1	70552-02100-045	
J201-S	X20A20A	T2-T2	70552-02100-045	
J201-T	X21A20	T2-T3	70552-02100-045	
J201-U	X14B24C	K3-A3	70552-02100-045	
J201-V	X13B24B	K3-B3	70552-02100-045	
J201-W	X12B24A	K3-C3	70552-02100-045	
J201-X	X46B24	J203-c	70552-02100-045	
J201-Y	X47B24	J203-d	70552-02100-045	
J201-Z	X130B24	J203-j	70552-02100-045	
J201R-A	5C11746-56A24	P208R-D	S7062-12001-041	
J201R-B	5C11746-57A24	P208R-E	S7062-12001-041	
J201R-C	5C11746-18A24	SGP207-1	S7062-12001-041	
J201R-D	5C11746-58A24	P207R-M	S7062-12001-041	
J201R-E	5C11746-59A24	P207R-L	S7062-12001-041	
J201R-F	*CBL028 (J201R/P207R)	-	S7062-12001-041	
J201R-H	*CBL036 (J201R/P208R)	-	S7062-12001-041	
J201R-J	5C11746-17A24	P207R-d	S7062-12001-041	
J201R-K	*CBL027 (J201R/SGP207)	-	S7062-12001-041	
J202-A	X34A20	T3-T3	70552-02100-045	
J202-B	X35A20	T3-T6	70552-02100-045	
J202-C	X36A20	T3-T2	70552-02100-045	
J202-D	X37A20	T3-T5	70552-02100-045	
J202-E	X38A20	T3-T1	70552-02100-045	
J202-F	X39A20	T3-T4	70552-02100-045	
J202-G	X10B20C	K3-A1	70552-02100-045	
J202-H	X9B20B	K3-B1	70552-02100-045	
J202-J	X8B20A	K3-C1	70552-02100-045	
J202-K	X142C24	P204-G	70552-02100-045	
J202-L	X58C24	J203-Z	70552-02100-045	
J202-M	X57C24	J203-a	70552-02100-045	
J202-N	X56D24	J203-b	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J202-P	W3416B20	P206-G	70552-02100-045	
J202-R	W3417B20	P206-J	70552-02100-045	
J202-S	W3400A20	P206-H	70552-02100-045	
J202-T	W3391GG20	SG26-8	70552-02100-045	
J202-U	W3398C20	P205-G	70552-02100-045	
J203-A	H6422F20	P205-F	70552-02100-045	
J203-C	H6423K20	SG26-10	70552-02100-045	
J203-D	W3397F20	SG26-9	70552-02100-045	
J203-E	P545E24	P238-K	70552-02100-045	
J203-F	P550A24	P238-C	70552-02100-045	
J203-G	P548F24	P238-J	70552-02100-045	
J203-H	P562D24	P238-E	70552-02100-045	
J203-J	P544D24	P238-H	70552-02100-045	
J203-K	P538F24	P238-G	70552-02100-045	
J203-L	X82H24	J201-P	70552-02100-045	
J203-M	V125D24	P204-J	70552-02100-045	
J203-N	X80D24	SG26-11	70552-02100-045	
J203-P	X76D24	P204-L	70552-02100-045	
J203-R	H6452A20	P204-K	70552-02100-045	
J203-S	X60A24	P204-M	70552-02100-045	
J203-T	X55C24	SG26-5	70552-02100-045	
J203-U	V51D24	P204-H	70552-02100-045	
J203-V	X53A24	P206-B	70552-02100-045	
J203-W	X66C24	P204-P	70552-02100-045	
J203-X	X69D24	SG26-2	70552-02100-045	
J203-Y	V78C24	SG26-7	70552-02100-045	
J203-Z	X58C24	J202-L	70552-02100-045	
J203-a	X57C24	J202-M	70552-02100-045	
J203-b	X56D24	J202-N	70552-02100-045	
J203-c	X46B24	J201-X	70552-02100-045	
J203-d	X47B24	J201-Y	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J203-e	X63B24	J201-C	70552-02100-045	
J203-f	X68B24	J201-B	70552-02100-045	
J203-g	X67B24	J201-A	70552-02100-045	
J203-h	X65B24	J201-D	70552-02100-045	
J203-j	X130B24	J201-Z	70552-02100-045	
J203R-A	AJB-28A24	P105R-3	S7062-12001-041	
J203R-B	AJB-27A24	P105R-4	S7062-12001-041	
J203R-C	4C11746-18B24	SGP204-1	S7062-12001-041	
J203R-D	AJB-30A24	P105R-9	S7062-12001-041	
J203R-E	AJB-29A24	P105R-8	S7062-12001-041	
J203R-F	*CBL061 (J203R/P105R)	-	S7062-12001-041	
J203R-H	*CBL060 (J203R/P105R)	-	S7062-12001-041	
J203R-J	4C11746-19A24	P204R-b	S7062-12001-041	
J203R-K	*CBL059 (J203R/SGP204)	-	S7062-12001-041	
J207-A	X128A20A	CB401-A1	70552-02100-045	
J207-B	X129A20B	CB401-B1	70552-02100-045	
J207-C	X130A20C	CB401-C1	70552-02100-045	
J207-D	X79A20N	GG4-2	70552-02100-045	
J208-A	X137A20A	CB400-A1	70552-02100-045	
J208-B	X138A20B	CB400-B1	70552-02100-045	
J208-C	X139A20C	CB400-C1	70552-02100-045	
J208-D	X77A20N	GG4-2	70552-02100-045	
J208-E	V78D20	SG26-7	70552-02100-045	
J209-A	X83A20	T13-T1	70552-02101-043	
J209-B	X84A20	T13-T4	70552-02101-043	
J209-C	X85A20	T13-T2	70552-02101-043	
J209-D	X86A20	T13-T5	70552-02101-043	
J209-E	X87A20	T13-T3	70552-02101-043	
J209-F	X88A20	T13-T6	70552-02101-043	
J209-G	X101B24A	K1-A1	70552-02101-043	
J209-H	X102B24B	K1-B1	70552-02101-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J209-J	X103B24C	K1-C1	70552-02101-043	
J209-K	X95E24	SG27-3	70552-02101-043	
J209-L	X96A24	P212-B	70552-02101-043	
J209-M	V97E24	SG27-1	70552-02101-043	
J209-N	V98C24	J210-X	70552-02101-043	
J209-P	V99D24	J210-Y	70552-02101-043	
J209-R	X105B24	J210-Z	70552-02101-043	
J209-S	V106B24	J210-a	70552-02101-043	
J209-T	X82D24	J210-L	70552-02101-043	
J209-U	X131B24	J210-b	70552-02101-043	
J21R-D	E9007A22	SGP111-1	S7052-12005-041	
J21R-E	*ASN128-13B	-	S7052-12005-041	
J21R-F	APR39-28B22	P249-f	S7052-12005-041	
J21R-G	1F3850B24	P249-d	S7052-12005-041	
J21R-H	ASN128-13B20	P249-a	S7052-12005-041	
J21R-J	ARN89-11B22	P237-F	S7052-12005-041	
J21R-K	2ARC201-4B20	P237-H	S7052-12005-041	
J21R-L	2KY58-8B24	P237-G	S7052-12005-041	
J21R-M	2C6533-15B24	P231-q	S7052-12005-041	
J21R-N	APX100-049B22	P237-D	S7052-12005-041	
J21R-P	XM130-1B20	P249-Z	S7052-12005-041	
J21R-R	ARN123-06B20	P231-r	S7052-12005-041	
J210-A	W3415A20	P212-H	70552-02101-043	
J210-B	W3398A20	K19-11	70552-02101-043	
J210-C	X142A24	P212-G	70552-02101-043	
J210-D	W3414C20	CB404-3	70552-02101-043	
J210-E	P517H24	P239-G	70552-02101-043	
J210-F	P544A24	P239-H	70552-02101-043	
J210-G	P543A24	P239-E	70552-02101-043	
J210-H	P545A24	P239-J	70552-02101-043	
J210-J	P547D24	P239-C	70552-02101-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J210-K	P548C24	SG27-4	70552-02101-043	
J210-L	X82D24	J209-T	70552-02101-043	
J210-M	X18D20	T12-HV	70552-02101-043	
J210-N	X64A20	T12-LV	70552-02101-043	
J210-P	X130A24	P212-K	70552-02101-043	
J210-R	X95B24	SG27-3	70552-02101-043	
J210-S	V125A24	P212-J	70552-02101-043	
J210-T	X80A24	P212-M	70552-02101-043	
J210-U	X76A24	P212-L	70552-02101-043	
J210-V	V107C24	P212-P	70552-02101-043	
J210-W	V97C24	SG27-1	70552-02101-043	
J210-X	V98C24	J209-N	70552-02101-043	
J210-Y	V99D24	J209-P	70552-02101-043	
J210-Z	X105B24	J209-R	70552-02101-043	
J210-a	V106B24	J209-S	70552-02101-043	
J210-b	X131B24	J209-U	70552-02101-043	
J210-c	W3391D20	P212-E	70552-02101-043	
J210-d	W3396A20	K19-X2	70552-02101-043	
J210-e	W3418B20	K19-X1	70552-02101-043	
J210-f	W3397A20	P212-F	70552-02101-043	
J210-g	W3399A20	K19-12	70552-02101-043	
J210-h	M3435A20	P240-C	70552-02101-043	
J210-j	M3434A20	P240-K	70552-02101-043	
J211-A	X131A20A	CB403-A1	70552-02101-043	
J211-B	X132A20B	CB403-B1	70552-02101-043	
J211-C	X133A20C	CB403-C1	70552-02101-043	
J211-D	X107A20N	GG5-2	70552-02101-043	
J211-E	V97D20	SG27-1	70552-02101-043	
J211R-A	AJB-24A24	P105R-2	S7062-12001-041	
J211R-B	AJB-23A24	P105R-1	S7062-12001-041	
J211R-C	4C11746-18A24	SGP204-1	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J211R-D	AJB-26A24	P105R-6	S7062-12001-041	
J211R-E	AJB-25A24	P105R-7	S7062-12001-041	
J211R-F	*CBL062 (J211R/P105R)	-	S7062-12001-041	
J211R-H	*CBL058 (J211R/P105R)	-	S7062-12001-041	
J211R-J	4C11746-17A24	P204R-d	S7062-12001-041	
J211R-K	*CBL057 (J211R/SGP204)	-	S7062-12001-041	
J217-A	K3010A24	P314-K	S7052-12005-041	
J217-B	P517G24	P210-E	S7052-12005-041	
J217-C	P544B24	P210-F	S7052-12005-041	
J217-D	P545B24	P210-H	S7052-12005-041	
J217-E	P547C24	P210-J	S7052-12005-041	
J217-F	P548D24	P210-K	S7052-12005-041	
J217-G	P562B24	P249-K	S7052-12005-041	
J217-H	D5878B24	P249-R	S7052-12005-041	
J217-J	E2047D24	SG901-2	S7052-12005-041	
J217-K	E2048A24	P901-G	S7052-12005-041	
J217-L	E2049A24	P901-F	S7052-12005-041	
J217-M	E2050A24	P901-E	S7052-12005-041	
J217-N	*E2050A	-	S7052-12005-041	
J217-P	M468CC24	P111-h	S7052-12005-041	
J217-R	V125B24	P210-S	S7052-12005-041	
J217-S	X80B24	P210-T	S7052-12005-041	
J217-T	X76B24	P210-U	S7052-12005-041	
J217-U	X82C24	P210-L	S7052-12005-041	
J217-V	X64B24	P210-N	S7052-12005-041	
J217-W	X18C24	P210-M	S7052-12005-041	
J217-X	X112B20V	P237-C	S7052-12005-041	
J217-Y	K3007H24	P314-J	S7052-12005-041	
J217-Z	X4004B18A	P237-J	S7052-12005-041	
J217-a	X4005B18B	P237-K	S7052-12005-041	
J217-b	W3101B24	P284-9	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J217-c	X4006B18C	P237-L	S7052-12005-041	
J217-d	W3080K24	P902-R	S7052-12005-041	
J217-e	P4008B20	P237-A	S7052-12005-041	
J217-f	K3019A24	P314-L	S7052-12005-041	
J217-g	L4529EE20	SG299-1	S7052-12005-041	
J217-h	K3020A24	P314-M	S7052-12005-041	
J217-i	W3397C20	P210-f	S7052-12005-041	
J217-j	*CBL20 (J217/P314)	-	S7052-12005-041	
J217-k	D5882G20	SG299-2	S7052-12005-041	
J217-m	D5883G20	SG299-3	S7052-12005-041	
J217-n	D5879F20	SG299-4	S7052-12005-041	
J217-p	D5880F20	SG299-5	S7052-12005-041	
J217-q	Q3204E20	P231-D	S7052-12005-041	
J217-r	H4314CC20A	SG383-1	S7052-12005-041	
J217-s	H4315CC20B	SG383-2	S7052-12005-041	
J217-t	H4316CC20C	SG383-3	S7052-12005-041	
J218-A	M368B16	P247-m	S7052-12007-041	
J218-B	M371A16N	GND218-1	S7052-12007-041	
J218-C	M366AA20	P247-N	S7052-12007-041	
J218-D	M350H20	SG120-2	S7052-12007-041	
J218-E	M367A20	P247-M	S7052-12007-041	
J219-A	Q6753A20	P139-N	S7052-11011-041	
J219-B	Q6752A20	P139-D	S7052-11011-041	
J219-C	Q6751A20	P139-E	S7052-11011-041	
J219-D	Q6750A20	P139-F	S7052-11011-041	
J219-E	L4450D24	SGJ219-1	S7052-11011-041	
J219-F	M4250C22	P135-A	S7052-11011-041	
J219-G	M4251A22	P135-D	S7052-11011-041	
J219-H	M4252A22	P135-F	S7052-11011-041	
J219-J	M4253A22	P135-G	S7052-11011-041	
J219-K	M4254A22	P135-C	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J219-L	*CBL13 (J219/P139)	-	S7052-11011-041	
J219-M	P516B24	P107-G	S7052-11011-041	
J219-N	P517B24	P107-H	S7052-11011-041	
J219-S	P537C24	P2008-D	S7052-11011-041	
J219-V	V72B24	P107-L	S7052-11011-041	
J219-W	P522D20	K7-X1	S7052-11011-041	
J219-X	L3981C24	J115-J	S7052-11011-041	
J219-Y	D5886B24	P135-L	S7052-11011-041	
J219-Z	D5885B24	P135-H	S7052-11011-041	
J219-a	Q3200B24	P107-B	S7052-11011-041	
J219-b	P516E24	P107-J	S7052-11011-041	
J219-c	V51B24	P107-K	S7052-11011-041	
J219-d	W6603C20	P646-j	S7052-11011-041	
J219-e	W6603F20	P646-h	S7052-11011-041	
J219-f	W6604C20	P645-k	S7052-11011-041	
J219-h	M3439E20	SGJ914-2	S7052-11011-041	
J219-i	M3438E20	SGJ914-3	S7052-11011-041	
J219-j	D5890A24	P135-K	S7052-11011-041	
J219-k	C4149A20	P135-W	S7052-11011-041	
J219-m	L4529C18	SG4R-1	S7052-11011-041	
J219-n	M3437E20	SGJ914-4	S7052-11011-041	
J219-p	M3436E20	SGJ914-5	S7052-11011-041	
J219-r	P521C18	K7-A4	S7052-11011-041	
J220-A	E3304A20	P382-C	S7052-12006-041	
J220-B	E3302D20	SGP266-1	S7052-12006-041	
J220-C	H3352B20	P230-C	S7052-12006-041	
J220-D	W3408A20	P241-K	S7052-12006-041	
J220-E	W3080H24	SG287-1	S7052-12006-041	
J220-F	Q3240C24	P110-L	S7052-12006-041	
J220-G	Q3241C24	P110-M	S7052-12006-041	
J220-H	M462C24	P110-P	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J220-J	M463C24	P110-R	S7052-12006-041	
J220-K	M464C24	P110-S	S7052-12006-041	
J220-L	M465C24	P110-T	S7052-12006-041	
J220-M	M466C24	P110-U	S7052-12006-041	
J220-N	M471C24	P110-N	S7052-12006-041	
J220-P	H3339A22A	P241-g	S7052-12006-041	
J220-R	H3340A22B	P241-h	S7052-12006-041	
J220-S	H3341A22C	P241-i	S7052-12006-041	
J220-T	H3342A22	P241-j	S7052-12006-041	
J220-U	H3346A24	P241-F	S7052-12006-041	
J220-V	H3347A24	P241-G	S7052-12006-041	
J220-W	H702B24	P266-N	S7052-12006-041	
J220-X	H708B24	P110-m	S7052-12006-041	
J220-Y	H709B24	P110-n	S7052-12006-041	
J220-Z	H713A24	P900-L	S7052-12006-041	
J220-a	K3019B24	P217-f	S7052-12006-041	
J220-b	K3020B24	P217-h	S7052-12006-041	
J220-c	*CBL24 (J220/P217)	-	S7052-12006-041	
J220-d	J3000D20	SG241-2	S7052-12006-041	
J220-e	J3001D20	P382-F	S7052-12006-041	
J220-f	*J3000D	-	S7052-12006-041	
J220-g	K3014B24	P241-Z	S7052-12006-041	
J220-h	K3015B24	SG241-6	S7052-12006-041	
J220-i	ALQ144-4B24	P110-u	S7052-12006-041	
J220-j	ALQ144-6B24	P110-v	S7052-12006-041	
J220-k	ALQ144-5B24	P110-w	S7052-12006-041	
J220-m	ALQ144-7B24	P110-x	S7052-12006-041	
J220-n	2F3874B24	J20R-G	S7052-12006-041	
J220-p	2F3875B24	J20R-H	S7052-12006-041	
J220-q	2F3878B24	J20R-J	S7052-12006-041	
J220-r	*C4668F	-	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J220-s	C4668F24	SG924-3	S7052-12006-041	
J220-u	C4654B24	SG924-2	S7052-12006-041	
J220-v	C4667F24	SG924-1	S7052-12006-041	
J220-w	C4606A22	P404R-GG	S7052-12006-041	
J220-x	K3007B24	SG106-3	S7052-12006-041	
J220-y	C6213B24	P420R-U	S7052-12006-041	
J220-z	C6214G22	SG230-6	S7052-12006-041	
J220-AA	C6194D24	P916-K	S7052-12006-041	
J220-BB	C6216B22	P110-i	S7052-12006-041	
J220-CC	C6201B24	P420R-L	S7052-12006-041	
J220-DD	C6202B24	P420R-M	S7052-12006-041	
J220-EE	C6203B24	P420R-N	S7052-12006-041	
J220-FF	C6204B24	P420R-P	S7052-12006-041	
J220-GG	C6205B24	P420R-R	S7052-12006-041	
J220-HH	C6206B24	P420R-S	S7052-12006-041	
J220-JJ	*C6206B	-	S7052-12006-041	
J220-KK	C6184B24	P420R-F	S7052-12006-041	
J220-LL	C6211B24	P420R-T	S7052-12006-041	
J220-MM	W3380E20	P236-b	S7052-12006-041	
J220-NN	W3385B20	P110-D	S7052-12006-041	
J220-PP	W3407A20	P241-M	S7052-12006-041	
J221-A	E3306A20	P381-C	S7052-12005-041	
J221-B	E3305C20	SGP231-1	S7052-12005-041	
J221-E	W3081F24	SG286-1	S7052-12005-041	
J221-F	W3097B24	P283-1	S7052-12005-041	
J221-G	W4401C24	P111-J	S7052-12005-041	
J221-H	W4402C24	P111-K	S7052-12005-041	
J221-J	Q3242C24	P111-P	S7052-12005-041	
J221-K	Q3243C24	P111-R	S7052-12005-041	
J221-L	M470C24	P111-S	S7052-12005-041	
J221-M	H3343A24	P902-c	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J221-N	H706B24	P249-U	S7052-12005-041	
J221-P	H710B24	P111-Z	S7052-12005-041	
J221-R	H715A24	P242-S	S7052-12005-041	
J221-S	J3002D20	SG242-3	S7052-12005-041	
J221-T	J3003D20	P381-F	S7052-12005-041	
J221-U	*J3002D	-	S7052-12005-041	
J221-V	K3021A24	P314-E	S7052-12005-041	
J221-W	K3022A24	P314-F	S7052-12005-041	
J221-X	*CBL19 (J221/P314)	-	S7052-12005-041	
J221-Y	K3006B24	SG314-1	S7052-12005-041	
J221-Z	H711B24	P111-a	S7052-12005-041	
J221-a	*C4617F	-	S7052-12005-041	
J221-b	C4617F24	SG905-3	S7052-12005-041	
J221-c	C4614A22	P405R-BB	S7052-12005-041	
J221-d	C4604B24	SG905-2	S7052-12005-041	
J221-e	C4618F24	SG905-1	S7052-12005-041	
J221-g	K3018B24	SG242-6	S7052-12005-041	
J221-h	K3017B24	P242-Z	S7052-12005-041	
J221-i	C6148B24	P419R-T	S7052-12005-041	
J221-j	C6123B24	P419R-L	S7052-12005-041	
J221-k	C6159B24	P419R-X	S7052-12005-041	
J221-m	*C6231B	-	S7052-12005-041	
J221-n	C6231B24N	P419R-d	S7052-12005-041	
J221-p	C6171B24	P419R-Z	S7052-12005-041	
J221-q	C6234B24	P419R-f	S7052-12005-041	
J221-r	C6180B24	P419R-a	S7052-12005-041	
J221-s	C6181B24	P419R-b	S7052-12005-041	
J221-t	C6141B24	P419R-N	S7052-12005-041	
J221-u	C6142B24	P419R-P	S7052-12005-041	
J221-v	C6226B24	P419R-c	S7052-12005-041	
J221-x	C6103B24	P419R-H	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J221-y	C6106B24	P419R-J	S7052-12005-041	
J221-z	C6149B24	P419R-U	S7052-12005-041	
J221-AA	C6109B24	P419R-K	S7052-12005-041	
J221-BB	W3396D20	SG210-2	S7052-12005-041	
J221-CC	W3406A20	P244-c	S7052-12005-041	
J221-DD	W3388B20	P111-w	S7052-12005-041	
J221-EE	C6225B24N	P419R-e	S7052-12005-041	
J221-FF	W3389D20	SG200-1	S7052-12005-041	
J221-GG	W3386B20	P111-u	S7052-12005-041	
J221-HH	W3381C20	P200-L	S7052-12005-041	
J221-JJ	W3405C20	SG244-1	S7052-12005-041	
J221-KK	C4152D20	J248-G	S7052-12005-041	
J221-LL	C6251B24	P419R-F	S7052-12005-041	
J221-MM	C6252B24	P419R-G	S7052-12005-041	
J222-E	W3086A24	S15-AC1	S7052-11010-041	
J222-F	W3080B24	SG303-1	S7052-11010-041	
J222-G	W3096B24	J231-T	S7052-11010-041	
J222-H	E3280B24	J126-N	S7052-11010-041	
J222-J	E3282A24	S14-1	S7052-11010-041	
J222-K	E3283A24	S13-1	S7052-11010-041	
J222-L	*E3284B	-	S7052-11010-041	
J222-M	E3284B24	S13-2	S7052-11010-041	
J222-N	H3334A20	S6-3	S7052-11010-041	
J222-P	*E3280B	-	S7052-11010-041	
J222-R	H703C24	S23-1	S7052-11010-041	
J222-S	W3394A20	S31-2	S7052-11010-041	
J222-T	C4131D20	SG126-1	S7052-11010-041	
J222-U	C4130J20	J126-d	S7052-11010-041	
J222-V	C4171A20	S25-8	S7052-11010-041	
J222-W	C4157D20	S25-12	S7052-11010-041	
J222-X	C4611B22	J225-U	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J222R-A	AJB-16A24	P119R-2	S7062-12001-041	
J222R-B	AJB-15A24	P119R-1	S7062-12001-041	
J222R-C	3C1174618B-24	SGP220-1	S7062-12001-041	
J222R-D	AJB-18A24	P119R-6	S7062-12001-041	
J222R-E	AJB-17A24	P119R-7	S7062-12001-041	
J222R-F	*CBL017 (J222R/P119R)	-	S7062-12001-041	
J222R-H	*CBL555 (J222R/P119R)	-	S7062-12001-041	
J222R-J	ARC11746-17A24	P220R-d	S7062-12001-041	
J222R-K	*CBL111 (J222R/SGP220)	-	S7062-12001-041	
J223-E	D5846A24	P138-g	S7052-12005-041	
J223-F	D5847A24	P138-h	S7052-12005-041	
J223-G	D5848A24	P138-c	S7052-12005-041	
J223-H	D5849A24	P138-d	S7052-12005-041	
J223-J	D5850A24	P138-k	S7052-12005-041	
J223-K	D5851A24	P138-i	S7052-12005-041	
J223-L	D5852A24	P138-j	S7052-12005-041	
J223-M	D5855D24	SG138-2	S7052-12005-041	
J223-N	D5856D24	SG138-3	S7052-12005-041	
J223-P	D5857D24	SG138-4	S7052-12005-041	
J223-R	D5858D24	SG138-5	S7052-12005-041	
J223-S	D5859D24	SG138-6	S7052-12005-041	
J223-T	D5860D24	SG138-7	S7052-12005-041	
J223-U	*CBL17 (J223/SG138)	-	S7052-12005-041	
J223-V	W2005C24	P111-V	S7052-12005-041	
J223-W	W2004D24	P249-V	S7052-12005-041	
J223-X	E2051C24	SG901-1	S7052-12005-041	
J223-Y	E2052A24	P901-C	S7052-12005-041	
J223-Z	E2053A24	P901-B	S7052-12005-041	
J223-a	E2054A24	P901-A	S7052-12005-041	
J223-b	*E2054A	-	S7052-12005-041	
J223-d	*CBL024 (J223/P419R)	-	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J223-e	C6124B24	P419R-S	S7052-12005-041	
J223-f	C6143B24	P419R-R	S7052-12005-041	
J223-g	C6144B24	P419R-W	S7052-12005-041	
J223-h	C6156B24	P419R-V	S7052-12005-041	
J223-i	C6158B24	P419R-s	S7052-12005-041	
J223-j	C6160B24	P419R-t	S7052-12005-041	
J223-k	C6215B22	P113-E	S7052-12005-041	
J223-m	D5853A20	SG138-15	S7052-12005-041	
J223-r	D5854A20	SG138-16	S7052-12005-041	
J223-s	C4140E20	P113-D	S7052-12005-041	
J223-t	C4153B20	SG223-1	S7052-12005-041	
J223-u	C4154A20	P902-x	S7052-12005-041	
J223-v	C4159A20	P244-e	S7052-12005-041	
J223-w	C4148G20	SG922-1	S7052-12005-041	
J223-x	C4170B20	P200-a	S7052-12005-041	
J223-y	C4135D20	SG244-2	S7052-12005-041	
J223R-A	AJB19A24	P119R-3	S7062-12001-041	
J223R-B	AJB20A24	P119R-4	S7062-12001-041	
J223R-C	3C11746-18A-24	SGP220-1	S7062-12001-041	
J223R-D	AJB-22A24	P119R-9	S7062-12001-041	
J223R-E	AJB-21A24	P119R-8	S7062-12001-041	
J223R-F	*CBL019 (J223R/P119R)	-	S7062-12001-041	
J223R-H	*CBL018 (J223R/P119R)	-	S7062-12001-041	
J223R-J	3C11746-19A-24	P220R-b	S7062-12001-041	
J223R-K	*CBL110 (J223R/SGP220)	-	S7062-12001-041	
J224-D	C4151D20	J247-Y	S7052-12006-041	
J224-E	*CBL6 (J224/P137)	-	S7052-12006-041	
J224-F	D5841A24	SG137-3	S7052-12006-041	
J224-G	D5840A24	P137-W	S7052-12006-041	
J224-H	D5839A24	P137-T	S7052-12006-041	
J224-J	D5838A24	P137-J	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J224-K	D5837A24	P137-K	S7052-12006-041	
J224-L	D5835E24	P137-B	S7052-12006-041	
J224-M	D5836E24	P137-A	S7052-12006-041	
J224-N	C6229B24	P420R-Y	S7052-12006-041	
J224-P	D5835B24	J114-F	S7052-12006-041	
J224-R	D5836B24	J114-G	S7052-12006-041	
J224-S	D5868A24	P137-g	S7052-12006-041	
J224-T	D5869A24	P137-h	S7052-12006-041	
J224-U	D5870A24	P137-c	S7052-12006-041	
J224-V	D5871A24	P137-d	S7052-12006-041	
J224-W	D5872A24	P137-k	S7052-12006-041	
J224-X	D5873A24	P137-i	S7052-12006-041	
J224-Y	D5841E24	SG137-3	S7052-12006-041	
J224-Z	D5876D24	SG137-4	S7052-12006-041	
J224-a	D5877D24	SG137-5	S7052-12006-041	
J224-b	*CBL18 (J224/SG137)	-	S7052-12006-041	
J224-c	W2000D24	P236-V	S7052-12006-041	
J224-d	W2001C24	P110-a	S7052-12006-041	
J224-e	E2047E24	P217-J	S7052-12006-041	
J224-f	E2048B24	P217-K	S7052-12006-041	
J224-g	E2049B24	P217-L	S7052-12006-041	
J224-h	E2050B24	P217-M	S7052-12006-041	
J224-i	*E2050B	-	S7052-12006-041	
J224-j	C6168B24	P420R-J	S7052-12006-041	
J224-k	*C6228B	-	S7052-12006-041	
J224-m	D5874A20	SG137-7	S7052-12006-041	
J224-n	C6147B24	P420R-H	S7052-12006-041	
J224-p	C6122B24	P420R-G	S7052-12006-041	
J224-q	C6228B24	P420R-X	S7052-12006-041	
J224-r	D5875A20	SG137-6	S7052-12006-041	
J224-s	C4139E20	J114-Y	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J224-t	C4157A20	P900-a	S7052-12006-041	
J224-u	C4158A20	P900-b	S7052-12006-041	
J224-AA	C6255B24	P420R-p	S7052-12006-041	
J224-BB	H6415B20	P121-L	S7052-12006-041	
J224-CC	H6416B20	P121-M	S7052-12006-041	
J224-DD	H6417B20	P121-N	S7052-12006-041	
J224-EE	H6418B20	P121-P	S7052-12006-041	
J224-FF	*CBL29 (J224/P121)	-	S7052-12006-041	
J224-GG	H6429B20	P121-S	S7052-12006-041	
J224-HH	H6430B20	P121-U	S7052-12006-041	
J225-E	W3088A24	S15-BC1	S7052-11010-041	
J225-F	W4400B24	J126-L	S7052-11010-041	
J225-G	*E3289B	-	S7052-11010-041	
J225-H	E3287A24	S17-1	S7052-11010-041	
J225-J	E3288A24	S16-1	S7052-11010-041	
J225-K	E3289B24	S16-2	S7052-11010-041	
J225-L	E3286B24	J127-L	S7052-11010-041	
J225-M	*E3286B	-	S7052-11010-041	
J225-N	H704C24	S24-1	S7052-11010-041	
J225-P	W3380B20	J126-c	S7052-11010-041	
J225-R	C4137D20	J127-U	S7052-11010-041	
J225-S	C4153F20	S25-6	S7052-11010-041	
J225-T	C4131K20	SG126-1	S7052-11010-041	
J225-U	C4611B22	J222-X	S7052-11010-041	
J226-C	*M3441C	-	S7052-11011-041	
J226-D	M3431D20	J914-BB	S7052-11011-041	
J226-G	M3435C20	J914-AA	S7052-11011-041	
J226-J	M3444B20N	GND226-1	S7052-11011-041	
J226-K	L4529H20	J914-DD	S7052-11011-041	
J226-L	M3430C20	J914-CC	S7052-11011-041	
J226-M	M3436C20	SGJ914-5	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J226-N	M3437C20	SGJ914-4	S7052-11011-041	
J226-P	M3438C20	SGJ914-3	S7052-11011-041	
J226-R	M3439C20	SGJ914-2	S7052-11011-041	
J226-S	M3440C20	SGJ914-1	S7052-11011-041	
J226-T	M3441C20	J914-u	S7052-11011-041	
J226-U	M3444D20N	GND226-1	S7052-11011-041	
J226-V	L3934K20	J914-EE	S7052-11011-041	
J229-A	M3434B20	P210-j	S7052-12005-041	
J229-B	M3431A20	CB12A-1	70552-02121-046	
J229-C	M3431C20	P914-BB	S7052-12005-041	
J229-D	M3441B20	P914-u	S7052-12005-041	
J229-E	M3440B20	P914-v	S7052-12005-041	
J229-F	M3439B20	P914-w	S7052-12005-041	
J229-G	M3438B20	P914-x	S7052-12005-041	
J229-H	M3437B20	P914-y	S7052-12005-041	
J229-J	M3436B20	P914-z	S7052-12005-041	
J229-L	3C6533-52A20N	GND229-1	S7052-12005-041	
J229-M	*M3441B	-	S7052-12005-041	
J230-A	H6423P20	J127-X	S7052-11010-041	
J230-B	W3391G20	S31-3	S7052-11010-041	
J230-C	H3352A20	S23-4	S7052-11010-041	
J230-D	C4132B20	J127-T	S7052-11010-041	
J230-E	L4463A24	T4-LV	S7052-11010-041	
J230-F	L4505J24	TB2-4	S7052-11010-041	
J230-G	L4505A24	TB2-4	S7052-11010-041	
J230-H	L4503B24	S28-1	S7052-11010-041	
J230-J	L4502A24	S28-3	S7052-11010-041	
J230-K	L4450J24	TB1-1	S7052-11010-041	
J230-L	L3561A24	CB308-1	S7052-11010-041	
J230-M	X49A24	S11-2	S7052-11010-041	
J230-N	H4294A24	S21-3	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J230-P	L3461A24	S27-2	S7052-11010-041	
J230-R	L3462B24	S27-1	S7052-11010-041	
J230-S	L3463A24	S26-2	S7052-11010-041	
J230-T	C6214A22	CB313-1	S7052-11010-041	
J230-U	2F3850A24	CB305-1	S7052-11010-041	
J230-V	W3087A24	S15-AC2	S7052-11010-041	
J230-W	L4503F24	S28-1	S7052-11010-041	
J230-X	L4465B24	CB310-1	S7052-11010-041	
J230-Z	H716A24	S23-2	S7052-11010-041	
J230-a	X57A24	S9-2	S7052-11010-041	
J230-b	X58A24	S9-5	S7052-11010-041	
J230-c	M4250A22	CB311-1	S7052-11010-041	
J230-d	P551A24	CB302-1	S7052-11010-041	
J230-e	P538A24	S10-2	S7052-11010-041	
J230-f	P517E24	S10-5	S7052-11010-041	
J230-g	P537A24	S10-6	S7052-11010-041	
J230-h	P522A24	S10-3	S7052-11010-041	
J230-i	L401A20	T6-B	S7052-11010-041	
J230-j	L402A20	T6-A	S7052-11010-041	
J230-k	L402D24	CB325-1	S7052-11010-041	
J230-m	H701A24	S23-1	S7052-11010-041	
J230-n	W6603D20	CB315-1	S7052-11010-041	
J230-p	X47D24	S11-4	S7052-11010-041	
J230-q	X46D24	S11-3	S7052-11010-041	
J230-r	X55F24	S9-6	S7052-11010-041	
J230-s	X53D24	S9-4	S7052-11010-041	
J230-t	X56B24	S9-1	S7052-11010-041	
J230-u	F3955A24	S30-9	S7052-11010-041	
J230-v	ARC164-4A20	CB326-1	S7052-11010-041	
J230-w	3KY28-8A24	CB327-1	S7052-11010-041	
J230-x	1C6533-15A20	CB321-1	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J230-y	2ARC186-4A20	CB319-1	S7052-11010-041	
J230-z	1KY28-8A24	CB328-1	S7052-11010-041	
J230-AA	*W3171B	-	S7052-11010-041	
J230-BB	W3171B24	S20-5	S7052-11010-041	
J230-CC	W3152A24	S103-NO	S7052-11010-041	
J230-DD	W3153A24	S20-4	S7052-11010-041	
J230-EE	W3154A24	S20-6	S7052-11010-041	
J230-FF	W3155A24	S20-3	S7052-11010-041	
J230-GG	W3156A24	S20-1	S7052-11010-041	
J231-A	W6602A20	CB322-1	S7052-11010-041	
J231-B	W6602D20	CB322-1	S7052-11010-041	
J231-C	Q3214B20	TB1-7	S7052-11010-041	
J231-D	Q3204D20	TB1-8	S7052-11010-041	
J231-E	L3532A24	S12-1	S7052-11010-041	
J231-F	L3533A24	S12-3	S7052-11010-041	
J231-G	L4505F24	S29-6	S7052-11010-041	
J231-H	H4299A24	S22-3	S7052-11010-041	
J231-J	W3083B24	S15-A2	S7052-11010-041	
J231-K	W3084B24	S15-B2	S7052-11010-041	
J231-L	W3085A24	S15-C2	S7052-11010-041	
J231-M	W3089A24	S15-BC2	S7052-11010-041	
J231-N	W3090A24	S15-CC1	S7052-11010-041	
J231-P	W3080D24	SG303-1	S7052-11010-041	
J231-R	W3081A24	CB304-1	S7052-11010-041	
J231-S	W3095A24	XTB8-1	S7052-11010-041	
J231-T	W3096B24	J222-G	S7052-11010-041	
J231-U	L3646K24	TLT7LV-1	S7052-11010-041	
J231-V	V275F24	S102-COM	S7052-11010-041	
J231-W	E3305A20	CB312-1	S7052-11010-041	
J231-Y	Q3201C20	SG36-1	S7052-11010-041	
J231-Z	Q3201E20	SG36-1	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J231-a	H3336A20	S18-3	S7052-11010-041	
J231-b	H3337A20	S18-1	S7052-11010-041	
J231-c	H3338A20	S5-3	S7052-11010-041	
J231-d	V99B24	S8-1	S7052-11010-041	
J231-e	V98A24	S8-4	S7052-11010-041	
J231-f	V107A24	S8-6	S7052-11010-041	
J231-g	V106D24	S8-5	S7052-11010-041	
J231-h	X105D24	S8-2	S7052-11010-041	
J231-i	H707A24	CB312-1	S7052-11010-041	
J231-j	H704A24	S24-1	S7052-11010-041	
J231-k	H703A24	S23-1	S7052-11010-041	
J231-m	F3954A18	S30-6	S7052-11010-041	
J231-n	K3005A24	CB312-1	S7052-11010-041	
J231-p	W3151E24	SG231-1	S7052-11010-041	
J231-q	2C6533-15A20	CB320-1	S7052-11010-041	
J231-r	ARN123-06A20	CB318-1	S7052-11010-041	
J233-A	L6351A18	CB19A-1	70552-02121-046	
J233-B	L3653A18N	GG7-5	70552-02121-046	
J233-C	L3652A18N	GG7-5	70552-02121-046	
J233-D	L3650A18	CB9A-1	70552-02121-046	
J234-A	P553A14A	CB262-A1	S7052-11002-041	
J234-B	P554A14B	CB262-B1	S7052-11002-041	
J234-C	P555A14C	CB262-C1	S7052-11002-041	
J234-D	H4290A14A	CB261-A2	S7052-11002-041	
J234-E	H4291A14B	CB261-B2	S7052-11002-041	
J234-F	H4292A14C	CB261-C2	S7052-11002-041	
J235-A	P4010A12	CB112-1	S7052-11003-041	
J235-B	P557A14A	CB158-A2	S7052-11003-041	
J235-C	P558A14B	CB158-B2	S7052-11003-041	
J235-D	P559A14C	CB158-C2	S7052-11003-041	
J235-E	H4295A14A	CB160-A2	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J235-F	H4296A14B	CB160-B2	S7052-11003-041	
J235-G	H4297A14C	CB160-C2	S7052-11003-041	
J235-H	L4561A14	CB137-1	S7052-11003-041	
J236-E	C4131A20	CB227-1	S7052-11002-041	
J236-F	C4130A20	CB228-1	S7052-11002-041	
J236-G	P545G24	K13-A2	S7052-11002-041	
J236-H	L3460A24	CB247-1	S7052-11002-041	
J236-J	X112D20V	K8-A1	S7052-11002-041	
J236-K	V72D24	K13-A2	S7052-11002-041	
J236-L	V75A24	K13-A3	S7052-11002-041	
J236-M	V78A24	CB230-1	S7052-11002-041	
J236-N	X64D24	CB219-2	S7052-11002-041	
J236-P	X18A24	CB224-1	S7052-11002-041	
J236-R	H3330A22A	CB263-A1	S7052-11002-041	
J236-S	H3331A22B	CB263-B1	S7052-11002-041	
J236-T	H3332A22C	CB263-C1	S7052-11002-041	
J236-U	E2040A24	CB210-1	S7052-11002-041	
J236-V	W2000C24	CB235-1	S7052-11002-041	
J236-W	W2009A24	CB235-1	S7052-11002-041	
J236-Z	X4000A20A	CB260-A2	S7052-11002-041	
J236-a	X4001A20B	CB260-B2	S7052-11002-041	
J236-b	W3380D20	CB227-1	S7052-11002-041	
J236-c	X4002A20C	CB260-C2	S7052-11002-041	
J236-d	C4651A24	CB242-1	S7052-11002-041	
J236-e	*C4651A	-	S7052-11002-041	
J236-f	C4676A22	CB209-1	S7052-11002-041	
J236-g	C6162A24	CB257-A2	S7052-11002-041	
J236-h	C6163A24	CB257-B2	S7052-11002-041	
J236-i	C6164A24	CB257-C2	S7052-11002-041	
J236-j	*C6164A	-	S7052-11002-041	
J236-m	C6196A22	CB208-1	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J236-n	C6250A22	CB217-1	S7052-11002-041	
J236-p	D4550A24	CB218-1	S7052-11002-041	
J236-s	L3533F24	P126-f	S7052-11002-041	
J236-t	L3532F24	P126-g	S7052-11002-041	
J237-A	P4008A22	CB156-1	S7052-11003-041	
J237-B	V97A24	CB130-1	S7052-11003-041	
J237-C	X112A20V	CB125-1	S7052-11003-041	
J237-D	APX100-049A22	CB114-1	S7052-11003-041	
J237-F	ARN89-11A20	CB113-1	S7052-11003-041	
J237-H	2ARC201-4A20	CB106-1	S7052-11003-041	
J237-J	X4004A18A	CB161-A1	S7052-11003-041	
J237-K	X4005A18B	CB161-B1	S7052-11003-041	
J237-L	X4006A18C	CB161-C1	S7052-11003-041	
J238-1	M671A20	P170-G	S7052-12001-042	
J238-2	M672A20	P170-J	S7052-12001-042	
J238-9	M702A20	P293-A	S7052-12001-042	
J238-10	M701A20	P293-B	S7052-12001-042	
J238-11	M700A20	P293-C	S7052-12001-042	
J238-12	M793A20	J239-12	S7052-12001-042	
J238-13	M792A20	J239-13	S7052-12001-042	
J238-14	M688A14	SGP297-12	S7052-12001-042	
J238-15	M794A20	J239-15	S7052-12001-042	
J238-16	M687A14	SGP297-11	S7052-12001-042	
J238-17	M796A20	J239-17	S7052-12001-042	
J238-18	M686A14	SGP297-10	S7052-12001-042	
J238-19	M795A20	J239-19	S7052-12001-042	
J238-20	M684A14	GDJ238-1	S7052-12001-042	
J238-21	M797A20	J239-21	S7052-12001-042	
J238-22	M685A14	SGP297-14	S7052-12001-042	
J238-24	M683A14	GDJ238-2	S7052-12001-042	
J239-1	M673A20	P170-K	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J239-2	M674A20	P170-M	S7052-12001-042	
J239-3	M699A20	J263-A	S7052-12001-042	
J239-4	M698A20	J263-B	S7052-12001-042	
J239-5	M697A20	J263-C	S7052-12001-042	
J239-9	M693A20	P292-A	S7052-12001-042	
J239-10	M692A20	P292-B	S7052-12001-042	
J239-11	M905A20	P292-C	S7052-12001-042	
J239-12	M793A20	J238-12	S7052-12001-042	
J239-13	M792A20	J238-13	S7052-12001-042	
J239-14	M681A14	SGP297-9	S7052-12001-042	
J239-15	M794A20	J238-15	S7052-12001-042	
J239-16	M680A14	SGP297-8	S7052-12001-042	
J239-17	M796A20	J238-17	S7052-12001-042	
J239-18	M679A14	SGP297-7	S7052-12001-042	
J239-19	M795A20	J238-19	S7052-12001-042	
J239-20	M678A14N	GDJ239-1	S7052-12001-042	
J239-21	M797A20	J238-21	S7052-12001-042	
J239-22	M682A14	SGP297-13	S7052-12001-042	
J239-24	M677A14	GDJ239-2	S7052-12001-042	
J240-A	M691A12	J252-A	S7052-12001-042	
J240-B	M690A12	J252-B	S7052-12001-042	
J240-C	M689A12	J252-C	S7052-12001-042	
J240-D	JMPRPJ240-D-12	GD240-1	S7052-12001-042	
J241-B	163-9246-24	K67-A1	70552-02132-044	
J241-C	165-9247-24	K67-A2	70552-02132-044	
J241-D	161-9245-20	E28-T	70552-02132-044	
J241-E	28-8-22	K25-C1	70552-02132-044	
J241-F	68-967-24	K26-E2	70552-02132-044	
J241-G	69-968-24	K26-F2	70552-02132-044	
J241-H	77-9017-24	E1-T	70552-02132-044	
J241-J	75-9015-24	E3-T	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J241-K	106-9057-20	U2-5	70552-02132-044	
J241-L	110-9068-20	SGU2-4	70552-02132-044	
J241-M	112-9123-20	U2-22	70552-02132-044	
J241-N	55-8-22	K25-A1	70552-02132-044	
J241-P	76-9016-24	E2-T	70552-02132-044	
J241-R	63-948-24	K26-X1	70552-02132-044	
J241-S	72-9012-24	E12-T	70552-02132-044	
J241-T	71-978-24	E11-T	70552-02132-044	
J241-U	62-947-24	K26-A2	70552-02132-044	
J241-V	73-9013-24	E13-T	70552-02132-044	
J241-W	74-9014-24	E4-T	70552-02132-044	
J241-X	67-958-22	K26-D2	70552-02132-044	
J241-Y	78-9018-22	K26-D3	70552-02132-044	
J241-Z	65-956-24	K26-C2	70552-02132-044	
J241-a	66-957-24	K26-C1	70552-02132-044	
J241-b	64-956-24	K26-C2	70552-02132-044	
J241-c	60-945-20	T1-X2	70552-02132-044	
J241-d	57-936-24	T1-A1	70552-02132-044	
J241-e	*78-9018-	-	70552-02132-044	
J241-f	61-946-24	T1-A2	70552-02132-044	
J241-g	87-9023-22	K25-C2	70552-02132-044	
J241-h	86-9024-22	K25-B2	70552-02132-044	
J241-i	89-9026-22	K25-A2	70552-02132-044	
J241-j	84-9025-24	K25-X1	70552-02132-044	
J241-k	103-9048-20	U2-14	70552-02132-044	
J241-m	58-937-18	T1-X1	70552-02132-044	
J241-n	34-8-22	K25-B1	70552-02132-044	
J241-p	114-9125-20	SGU2-5	70552-02132-044	
J241-q	33-0-20	GND2-F	70552-02132-044	
J241-r	90-938-18	T1-X4	70552-02132-044	
J242-E	80-9027-22	K44-A2	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J242-F	79-9026-20	J1-24	70552-02131-042	
J242-G	81-9028-20	K44-A1	70552-02131-042	
J242-H	120-6-22	K46-C2	70552-02131-042	
J242-J	*81-9028-	-	70552-02131-042	
J242-K	73-9016-20	T1-X2	70552-02131-042	
J242-L	144-9237-24	K46-X2	70552-02131-042	
J242-M	145-9238-24	K46-A2	70552-02131-042	
J242-N	76-9023-24	J1-8	70552-02131-042	
J242-P	65-967-24	K45-B1	70552-02131-042	
J242-R	155-9024-24	K45-B3	70552-02131-042	
J242-S	66-968-24	K45-B2	70552-02131-042	
J242-T	63-957-24	K45-X1	70552-02131-042	
J242-U	69-9012-24	K45-C2	70552-02131-042	
J242-V	64-958-24	K45-A2	70552-02131-042	
J242-W	71-9014-22	K45-D3	70552-02131-042	
J242-X	70-9013-22	K45-D2	70552-02131-042	
J242-Y	67-978-24	K45-C1	70552-02131-042	
J242-Z	68-9012-24	K45-C2	70552-02131-042	
J242-a	82-9034-24	J1-16	70552-02131-042	
J242-b	72-9015-24	T1-A2	70552-02131-042	
J242-c	91-9045-20	J2-12	70552-02131-042	
J242-d	95-9056-20	J2-20	70552-02131-042	
J242-e	93-9047-20	J2-6	70552-02131-042	
J242-f	94-9048-20	J2-8	70552-02131-042	
J242-g	92-9046-20	J2-13	70552-02131-042	
J242-k	89-0-24	K47-X2	70552-02131-042	
J242-m	74-9017-18	T1-X4	70552-02131-042	
J242-n	88-9035-24	K47-X1	70552-02131-042	
J242-p	90-2-24	K47-A1	70552-02131-042	
J242-q	83-2-24	K47-C1	70552-02131-042	
J242-r	75-9018-18	T1-X3	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J243-B	169-9267-24	K50-X1	70552-02131-042	
J243-C	171-9278-24	K50-X2	70552-02131-042	
J243-D	170-9268-24	K50-A1	70552-02131-042	
J243-E	54-945-24	K43-A2	70552-02131-042	
J243-F	52-938-24	K43-A3	70552-02131-042	
J243-G	42-926-24	SG1-1	70552-02131-042	
J243-H	156-9146-20	U1-6	70552-02131-042	
J243-J	45-928-24	U1-17	70552-02131-042	
J243-K	46-928-20	U1-17	70552-02131-042	
J243-L	188-9158-24	K53-B3	70552-02131-042	
J243-M	130-9156-24	U1-2	70552-02131-042	
J243-N	185-9148-24	K53-B2	70552-02131-042	
J243-P	147-0-24	GND1-M	70552-02131-042	
J243-R	187-9014-24	K53-A3	70552-02131-042	
J243-S	162-9136-22	E5-T	70552-02131-042	
J243-T	186-9367-24	K53-A2	70552-02131-042	
J243-U	17-1-22	E2-T	70552-02131-042	
J243-V	10-96-24	K41-B2	70552-02131-042	
J243-W	178-968-24	K41-B1	70552-02131-042	
J243-X	49-935-24	T1-A1	70552-02131-042	
J243-Y	108-9134-24	K51-A2	70552-02131-042	
J243-Z	58-946-22	S1-2	70552-02131-042	
J243-a	51-937-24	J1-17	70552-02131-042	
J243-c	56-2-22	K46-B2	70552-02131-042	
J243-f	179-9456-24	F1-2	70552-02131-042	
J243-g	96-9057-24	F2-2	70552-02131-042	
J243-h	163-9138-22	E7-T	70552-02131-042	
J243-j	183-967-24	K53-X1	70552-02131-042	
J244-A	142-9235-20	K31-X1	70552-02132-044	
J244-B	157-9237-20	E23-T	70552-02132-044	
J244-C	155-9236-20	K33-B2	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J244-D	96-9036-20	U2-9	70552-02132-044	
J244-E	42-917-24	K21-X1	70552-02132-044	
J244-F	44-923-24	K21-A3	70552-02132-044	
J244-G	43-918-24	K21-A2	70552-02132-044	
J244-H	95-9035-20	U2-8	70552-02132-044	
J244-J	52-928-24	K26-E3	70552-02132-044	
J244-K	51-927-24	K26-F3	70552-02132-044	
J244-L	54-935-24	E7-T	70552-02132-044	
J244-M	53-934-24	E6-T	70552-02132-044	
J244-N	38-0-22	U1-8	70552-02132-044	
J244-P	39-916-22	U1-1	70552-02132-044	
J244-R	36-913-20	K23-X1	70552-02132-044	
J244-S	48-926-24	K22-A2	70552-02132-044	
J244-T	46-924-24	K22-X1	70552-02132-044	
J244-U	49-0-24	K22-X2	70552-02132-044	
J244-V	56-2-24	E8-T	70552-02132-044	
J244-W	2-2-20	K24-C2	70552-02132-044	
J244-X	104-2-20	SGU2-1	70552-02132-044	
J244-Y	105-9056-20	U2-4	70552-02132-044	
J244-Z	107-9058-20	U2-19	70552-02132-044	
J244-a	108-9067-20	SGU2-2	70552-02132-044	
J244-b	111-9078-20	U2-6	70552-02132-044	
J244-c	113-9124-20	U2-20	70552-02132-044	
J244-d	94-9034-20	U2-3	70552-02132-044	
J244-e	93-9028-20	U2-13	70552-02132-044	
J244-f	102-9047-20	U2-25	70552-02132-044	
J244-g	101-9046-20	U2-24	70552-02132-044	
J244-h	116-9126-20	E16-T	70552-02132-044	
J244-j	117-9127-20	E18-T	70552-02132-044	
J245-A	L4561B14	P235-H	S7052-12005-041	
J245-C	L3560B14	TB1-3	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J246-A	Q3211B20	TB2-7	S7052-11010-041	
J246-B	Q3200C20	S19-2	S7052-11010-041	
J246-C	Q3206B20	S4-3	S7052-11010-041	
J246-D	Q3213B20	TB2-8	S7052-11010-041	
J246-E	Q3201G20	SG36-1	S7052-11010-041	
J246-F	P521A20	CB301-1	S7052-11010-041	
J246-G	Q3202BB20	SG36-3	S7052-11010-041	
J246-H	W6603A20	CB315-1	S7052-11010-041	
J246-K	L3613A24	T9-C	S7052-11010-041	
J246-L	L3611A24	T9-A	S7052-11010-041	
J246-M	L3610A24	T9-B	S7052-11010-041	
J246-N	L4514A24	S29-5	S7052-11010-041	
J246-P	L4513A24	S29-2	S7052-11010-041	
J246-R	L4512D24	S29-3	S7052-11010-041	
J246-S	L3943A24N	P315-B	S7052-11010-041	
J246-T	L3944A24N	P315-C	S7052-11010-041	
J246-U	L3945A24N	P315-E	S7052-11010-041	
J246-V	E2040C24	S33-2	S7052-11010-041	
J246-W	E2041C24	S33-3	S7052-11010-041	
J246-X	E2043C24	S33-1	S7052-11010-041	
J246-Y	L3531B24	S12-2	S7052-11010-041	
J246-Z	L4529A20	T11-LV	S7052-11010-041	
J246-a	L3647A18	TLT6LV-1	S7052-11010-041	
J246-b	L3616A24	S69-3	S7052-11010-041	
J246-f	L4501D24	S29-1	S7052-11010-041	
J246-g	L3645A18	TLT5LV-1	S7052-11010-041	
J246-m	F3953A18	S30-3	S7052-11010-041	
J246-n	L3647D18	TLT6LV-2	S7052-11010-041	
J247-A	L3568D24	P243-Y	S7052-12006-041	
J247-B	L4512G20	J683-4	S7052-12006-041	
J247-C	X82B24	SG203-2	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J247-D	W6604B20	P219-f	S7052-12006-041	
J247-E	L4505R20	J683-1	S7052-12006-041	
J247-F	L3561D24	SGP230-1	S7052-12006-041	
J247-H	L3981B24	P219-X	S7052-12006-041	
J247-K	L4562B24	P110-p	S7052-12006-041	
J247-L	M350D20	P266-e	S7052-12006-041	
J247-M	M367B20	P900-Z	S7052-12006-041	
J247-N	M366B20	P110-FF	S7052-12006-041	
J247-P	L3562D22	SGJ247-1	S7052-12006-041	
J247-R	L4501G20	J683-5	S7052-12006-041	
J247-S	C6114B24	P916-S	S7052-12006-041	
J247-T	C6115B24	P916-T	S7052-12006-041	
J247-U	C6218B24	P916-U	S7052-12006-041	
J247-V	C6113B24	P916-R	S7052-12006-041	
J247-W	C6112B24	P916-P	S7052-12006-041	
J247-X	C6121B24	P916-V	S7052-12006-041	
J247-Y	C4151D20	J224-D	S7052-12006-041	
J247-a	C4130D20	SG236-2	S7052-12006-041	
J247-b	L4562E24	P900-p	S7052-12006-041	
J247-c	L4560L24	P900-n	S7052-12006-041	
J247-d	L4566D24	P900-k	S7052-12006-041	
J247-f	M3440F20	P916-N	S7052-12006-041	
J247-g	M3439F20	P219-h	S7052-12006-041	
J247-h	M3438F20	P219-i	S7052-12006-041	
J247-i	M3437F20	P219-n	S7052-12006-041	
J247-j	M3436F20	P219-p	S7052-12006-041	
J247-k	L422B24	P110-W	S7052-12006-041	
J247-m	M368A16	P900-m	S7052-12006-041	
J247-n	XM130-9B22	J20R-M	S7052-12006-041	
J247-p	XM130-10B22	J20R-S	S7052-12006-041	
J248-A	L6961B24	P200-N	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J248-C	C4132J20	SG902-3	S7052-12005-041	
J248-D	L4560B24	P249-X	S7052-12005-041	
J248-E	L4505M20	J684-1	S7052-12005-041	
J248-F	L400G20	BOMBX-1	S7052-12005-041	
J248-G	C4152D20	J221-KK	S7052-12005-041	
J248-H	L3980B24	P249-L	S7052-12005-041	
J248-L	W6605B20	P913-H	S7052-12005-041	
J248-M	APX100-130B20	P914-L	S7052-12005-041	
J248-N	L4512C20	J684-4	S7052-12005-041	
J248-P	L3646L24	P231-U	S7052-12005-041	
J248-R	M353D20	SG267-3	S7052-12005-041	
J248-S	M363E20	SG267-2	S7052-12005-041	
J248-T	M365C20	SG267-1	S7052-12005-041	
J248-U	*M365C	-	S7052-12005-041	
J248-V	W3395B20	SAP242-1	S7052-12005-041	
J248-W	L4501C20	J684-5	S7052-12005-041	
J249-A	W6600A20	CB152-1	S7052-11003-041	
J249-B	W6600D20	CB152-1	S7052-11003-041	
J249-C	*C6200A	-	S7052-11003-041	
J249-D	W6601A20	CB151-1	S7052-11003-041	
J249-E	F250A24	CB108-1	S7052-11003-041	
J249-F	W3414A20	CB153-1	S7052-11003-041	
J249-G	W6601D20	CB151-1	S7052-11003-041	
J249-J	M325A24	CB140-1	S7052-11003-041	
J249-K	P562A24	CB131-1	S7052-11003-041	
J249-L	L3980A24	CB140-1	S7052-11003-041	
J249-M	D5842A22	CB132-1	S7052-11003-041	
J249-N	W4775A24	CB129-1	S7052-11003-041	
J249-P	L3930A24	CB140-1	S7052-11003-041	
J249-R	D5878A20	CB124-1	S7052-11003-041	
J249-S	Q4060A24	CB154-1	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J249-T	H6423LL20	P127-X	S7052-11003-041	
J249-U	H706A24	CB134-1	S7052-11003-041	
J249-V	W2004C24	CB136-1	S7052-11003-041	
J249-W	W2008A24	CB136-1	S7052-11003-041	
J249-X	L4560A24	CB138-1	S7052-11003-041	
J249-Y	L3530A24	CB147-1	S7052-11003-041	
J249-Z	XM130-1A20	CB110-1	S7052-11003-041	
J249-a	ASN128-13A20	CB115-1	S7052-11003-041	
J249-b	1F3801A24	CB107-1	S7052-11003-041	
J249-c	C4138C20	CB129-1	S7052-11003-041	
J249-d	1F3850A24	CB109-1	S7052-11003-041	
J249-e	C4138A20	CB129-1	S7052-11003-041	
J249-f	APR39-28A22	CB103-1	S7052-11003-041	
J249-g	M9002F20	CB143-1	S7052-11003-041	
J249-h	M9002C20	CB143-1	S7052-11003-041	
J249-i	M9002A20	CB143-1	S7052-11003-041	
J249-j	APN209-7A22	CB104-1	S7052-11003-041	
J249-k	M9000A20	CB144-1	S7052-11003-041	
J249-n	D5844A20N	GND249-1	S7052-11003-041	
J249-p	D5843A20	CB124-1	S7052-11003-041	
J249-q	C6200A20	CB111-1	S7052-11003-041	
J249-r	C4132C20	CB128-1	S7052-11003-041	
J249-s	C4137A20	CB127-1	S7052-11003-041	
J250-A	M784A20	P267-A	S7052-12001-042	
J250-B	M782A20	P267-B	S7052-12001-042	
J250-C	M907A20	P267-C	S7052-12001-042	
J250-D	M778A20	P267-D	S7052-12001-042	
J250-E	M776A20	P267-E	S7052-12001-042	
J250-F	M774A20	P267-F	S7052-12001-042	
J250-G	M772A20	P267-G	S7052-12001-042	
J250-H	M770A20	P267-H	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J250-J	M768A20	P267-J	S7052-12001-042	
J250-K	M766A20	P267-K	S7052-12001-042	
J250-L	M764A20	P267-L	S7052-12001-042	
J250-M	M762A20	P267-M	S7052-12001-042	
J250-N	M760A20	P267-N	S7052-12001-042	
J250-P	M758A20	P267-P	S7052-12001-042	
J250-R	M756A20	P267-R	S7052-12001-042	
J250-S	M754A20	P267-S	S7052-12001-042	
J250-T	M704A20	P267-T	S7052-12001-042	
J250-U	M752A20	P267-U	S7052-12001-042	
J250-V	M750A20	P267-V	S7052-12001-042	
J250-W	M748A20	P267-W	S7052-12001-042	
J250-X	M746A20	P267-X	S7052-12001-042	
J250-Y	M744A20	P267-Y	S7052-12001-042	
J250-Z	M742A20	P267-Z	S7052-12001-042	
J250-a	M740A20	P267-a	S7052-12001-042	
J250-b	M738A20	P267-b	S7052-12001-042	
J250-c	M736A20	P267-c	S7052-12001-042	
J250-d	M734A20	P267-d	S7052-12001-042	
J250-e	M732A20	P267-e	S7052-12001-042	
J250-f	M730A20	P267-f	S7052-12001-042	
J250-g	M728A20	P267-g	S7052-12001-042	
J250-h	M726A20	P267-h	S7052-12001-042	
J250-i	M724A20	P267-i	S7052-12001-042	
J250-j	M722A20	P267-j	S7052-12001-042	
J250-k	M720A20	P267-k	S7052-12001-042	
J250-m	M718A20	P267-m	S7052-12001-042	
J250-n	M716A20	P267-n	S7052-12001-042	
J250-p	M714A20	P267-p	S7052-12001-042	
J250-q	M712A20	P267-q	S7052-12001-042	
J250-r	M710A20	P267-r	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J250-s	M708A20	P267-s	S7052-12001-042	
J250-t	M706A20	P267-t	S7052-12001-042	
J251-A	M785A20	P265-A	S7052-12001-042	
J251-B	M783A20	P265-B	S7052-12001-042	
J251-C	M781A20	P265-C	S7052-12001-042	
J251-D	M780A20	P265-D	S7052-12001-042	
J251-E	M779A20	P265-E	S7052-12001-042	
J251-F	M777A20	P265-F	S7052-12001-042	
J251-G	M775A20	P265-G	S7052-12001-042	
J251-H	M773A20	P265-H	S7052-12001-042	
J251-J	M771A20	P265-J	S7052-12001-042	
J251-K	M769A20	P265-K	S7052-12001-042	
J251-L	M767A20	P265-L	S7052-12001-042	
J251-M	M765A20	P265-M	S7052-12001-042	
J251-N	M763A20	P265-N	S7052-12001-042	
J251-P	M761A20	P265-P	S7052-12001-042	
J251-R	M759A20	P265-R	S7052-12001-042	
J251-S	M757A20	P265-S	S7052-12001-042	
J251-T	M755A20	P265-T	S7052-12001-042	
J251-U	M753A20	P265-U	S7052-12001-042	
J251-V	M751A20	P265-V	S7052-12001-042	
J251-W	M749A20	P265-W	S7052-12001-042	
J251-X	M747A20	P265-X	S7052-12001-042	
J251-Y	M745A20	P265-Y	S7052-12001-042	
J251-Z	M743A20	P265-Z	S7052-12001-042	
J251-a	M741A20	P265-a	S7052-12001-042	
J251-b	M739A20	P265-b	S7052-12001-042	
J251-c	M737A20	P265-c	S7052-12001-042	
J251-d	M735A20	P265-d	S7052-12001-042	
J251-e	M733A20	P265-e	S7052-12001-042	
J251-f	M731A20	P265-f	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J251-g	M729A20	P265-g	S7052-12001-042	
J251-h	M727A20	P265-h	S7052-12001-042	
J251-i	M725A20	P265-i	S7052-12001-042	
J251-j	M723A20	P265-j	S7052-12001-042	
J251-k	M721A20	P265-k	S7052-12001-042	
J251-m	M719A20	P265-m	S7052-12001-042	
J251-n	M717A20	P265-n	S7052-12001-042	
J251-p	M715A20	P265-p	S7052-12001-042	
J251-q	M713A20	P265-q	S7052-12001-042	
J251-r	M711A20	P265-r	S7052-12001-042	
J251-s	M709A20	P265-s	S7052-12001-042	
J251-t	M707A20	P265-t	S7052-12001-042	
J252-A	M691A12	J240-A	S7052-12001-042	
J252-B	M690A12	J240-B	S7052-12001-042	
J252-C	M689A12	J240-C	S7052-12001-042	
J252-D	JMPRJ252-D-12	GD252-1	S7052-12001-042	
J257-A	X4000C12A	SG257-1	S7052-12006-041	
J257-B	X4001C12B	SG257-2	S7052-12006-041	
J257-C	X4002C12C	SG257-3	S7052-12006-041	
J257-D	X4003A12N	GG7-1	S7052-12006-041	
J258-A	P4009A12N	GG7-1	S7052-12006-041	
J258-B	P4008D12	SG258-1	S7052-12006-041	
J259-A	L4450G20	SG259-1	S7052-12006-041	
J259-B	L4452A20N	GG7-1	S7052-12006-041	
J26R-A	F450F22	TR501-D	70602-03410-041	
J26R-B	*CBL1 (J26R/TR501)	-	70602-03410-041	
J26R-C	F440C22	TR501-C	70602-03410-041	
J26R-D	F441C22	TR501-B	70602-03410-041	
J26R-E	F442C22	TR501-A	70602-03410-041	
J26R-G	F443C22	TR501-E	70602-03410-041	
J26R-H	*CBL2 (J26R/TR501)	-	70602-03410-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J263-A	M699A20	J239-3	S7052-12001-042	
J263-B	M698A20	J239-4	S7052-12001-042	
J263-C	M697A20	J239-5	S7052-12001-042	
J265-A	P4011D12N	GG7-4	S7052-12005-041	
J265-B	P4010B12	P235-A	S7052-12005-041	
J266-A	E3302A20	CB236-1	S7052-11002-041	
J266-G	P547A24	CB231-1	S7052-11002-041	
J266-H	P522F24	K9-X1	S7052-11002-041	
J266-J	D5864A20	CB243-1	S7052-11002-041	
J266-K	D5865A20N	GND266-1	S7052-11002-041	
J266-L	D5866A22	CB229-1	S7052-11002-041	
J266-M	L3602A24	CB245-2	S7052-11002-041	
J266-N	H702A24	CB233-1	S7052-11002-041	
J266-P	K3004A24	CB236-1	S7052-11002-041	
J266-R	SN10874A24	CB204-1	S7052-11002-041	
J266-S	ARN89-8A20	CB219-1	S7052-11002-041	
J266-T	F451A20	CB221-1	S7052-11002-041	
J266-V	2F3801A24	CB203-1	S7052-11002-041	
J266-W	2F3836A24	CB215-1	S7052-11002-041	
J266-X	ASN128-11A22	CB220-1	S7052-11002-041	
J266-Y	ALQ144-3A22	CB207-1	S7052-11002-041	
J266-Z	1F3912A20	CB223-1	S7052-11002-041	
J266-b	2F3912A20	K13-B2	S7052-11002-041	
J266-c	2F3889A24	CB216-1	S7052-11002-041	
J266-e	M350C20	CB238-1	S7052-11002-041	
J266-f	X63DD24	P126-X	S7052-11002-041	
J266-g	X65CC24	P126-Y	S7052-11002-041	
J266-h	X66BB24	P126-Z	S7052-11002-041	
J266-i	X67CC24	P126-a	S7052-11002-041	
J266-j	X68CC24	P126-b	S7052-11002-041	
J266-k	H4318B24	P126-q	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J266-m	M351A16	CB237-1	S7052-11002-041	
J266-n	H4314A20A	CB259-A2	S7052-11002-041	
J266-p	H4315A20B	CB259-B2	S7052-11002-041	
J266-q	H4316A20C	CB259-C2	S7052-11002-041	
J267-A	*M365A	-	S7052-12005-041	
J267-B	M353C20	SG267-3	S7052-12005-041	
J267-C	M365A20	SG267-1	S7052-12005-041	
J267-E	M363D20	SG267-2	S7052-12005-041	
J267-F	M361B20	P200-G	S7052-12005-041	
J273-A	M357B20	TB2-5	S7052-12006-041	
J273-B	M358B20	TB2-6	S7052-12006-041	
J280-A	M4357A24	S47-23	S7052-11010-041	
J280-B	M4358B24	S47-22	S7052-11010-041	
J280-C	M4359A24	S47-33	S7052-11010-041	
J280-D	M4360C24	S47-47	S7052-11010-041	
J280-E	M4356A24	S47-28	S7052-11010-041	
J280-F	M4355B24	S47-12	S7052-11010-041	
J280-G	M4354A24	S47-13	S7052-11010-041	
J280-H	M4353A24	S47-18	S7052-11010-041	
J280-K	L3645D18	TLT5LV-2	S7052-11010-041	
J280-L	L3646A18	TLT7LV-2	S7052-11010-041	
J280-M	L4528G20	SGT3-1	S7052-11010-041	
J281-ACG	X4014B12N	SG281-1	S7052-12006-041	
J281-GND	X4012B12	SG273-2	S7052-12006-041	
J281-PWR	X4013B12	SG273-1	S7052-12006-041	
J282-ACG	X4014A12N	SG281-1	S7052-12006-041	
J282-GND	X4012C12	SG273-2	S7052-12006-041	
J282-PWR	X4013C12	SG273-1	S7052-12006-041	
J297-A	J297-AXK306-A1-16	XK306-A1	S7052-12003-041	
J297-B	J297-BXK306-B1-16	XK306-B1	S7052-12003-041	
J297-C	J297-CXK306-C1-16	XK306-C1	S7052-12003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J297-D	J297-DXK308-A1-16	XK308-A1	S7052-12003-041	
J297-E	J297-EXK308-B1-16	XK308-B1	S7052-12003-041	
J297-F	J297-FXK308-C1-16	XK308-C1	S7052-12003-041	
J297-G	J297-GXK308-B2-16	XK308-C2	S7052-12003-041	
J297-H	J297-HXK308-B2-16	XK308-B2	S7052-12003-041	
J297-J	J297-JXK308-A2-16	XK308-A2	S7052-12003-041	
J297-K	J297-KXK306-C2-16	XK306-A2	S7052-12003-041	
J297-L	J297-LXK306-B2-16	XK306-B2	S7052-12003-041	
J297-M	J297-MXK306-C2-16	XK306-C2	S7052-12003-041	
J297-N	J297-NXK307-B2-16	XK307-B2	S7052-12003-041	
J297-P	J297-PXK307-A2-16	XK307-A2	S7052-12003-041	
J297-R	J297-RXK307-A1-16	XK307-A1	S7052-12003-041	
J297-S	J297-SXK307-B1-16	XK307-B1	S7052-12003-041	
J297-T	J297-D-GND297-116	GND297-1	S7052-12003-041	
J298-A	J298-AXK301-A2-20	XK301-A2	S7052-12003-041	
J298-A	Q6041B14N	GG7-2	S7052-12005-041	
J298-B	J298-BXK303-X1-20	XK303-X1	S7052-12003-041	
J298-B	Q6042B14N	GG7-2	S7052-12005-041	
J298-C	J298-CXK301-B3-20	XK301-B3	S7052-12003-041	
J298-C	Q6051B14	CB33A-A2	70552-02121-046	
J298-D	SGK301-1-J298-D20	SGK301-1	S7052-12003-041	
J298-D	Q6049B14	CB33A-B2	70552-02121-046	
J298-E	J298-EXK303-A1-20	XK303-A1	S7052-12003-041	
J298-E	Q6047B14	CB33A-C2	70552-02121-046	
J298-F	J298-FXK303-A2-20	XK303-A2	S7052-12003-041	
J298-F	Q6057B14	CB1A-A1	70552-02121-046	
J298-G	J298-G-E1-B-20	E1-B	S7052-12003-041	
J298-G	Q6055B14	CB1A-B1	70552-02121-046	
J298-H	J298-H-E3-B-20	E3-B	S7052-12003-041	
J298-H	Q6053B14	CB1A-C1	70552-02121-046	
J298-J	J298-J-SGK306-220	SGK306-2	S7052-12003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J298-K	J298-KXK308-X1-20	XK308-X1	S7052-12003-041	
J298-L	J298-LSGK302-320	SGK302-3	S7052-12003-041	
J298-M	J298-MXK302-X1-20	XK302-X1	S7052-12003-041	
J298-N	J298-NXK309-X1-20	XK309-X1	S7052-12003-041	
J298-P	J298-PXK309-A2-20	XK309-A2	S7052-12003-041	
J298-R	J298-RXK304-X1-20	XK304-X1	S7052-12003-041	
J298-S	J298-SXK305-X1-20	XK305-X1	S7052-12003-041	
J298-T	J298-T-SGK305-220	SGK305-2	S7052-12003-041	
J298-U	J298-U-E6-T-20	E6-T	S7052-12003-041	
J298-V	J298-VXK311-D2-20	XK311-D2	S7052-12003-041	
J298-W	J298-WXK311-C2-20	XK311-C2	S7052-12003-041	
J298-X	J298-XXK311-B2-20	XK311-B2	S7052-12003-041	
J298-Y	J298-YXK311-X1-20	XK311-A2	S7052-12003-041	
J298-Z	J298-ZXK311-X2-20	XK311-X2	S7052-12003-041	
J298-a	J298-axK311X1-20	XK311-X1	S7052-12003-041	
J298-b	J298-bxK311-A120	XK311-A1	S7052-12003-041	
J298-c	J298-cxK311-A320	XK311-A3	S7052-12003-041	
J298-d	J298-dxK311-B120	XK311-B1	S7052-12003-041	
J298-e	J298-exK311-B320	XK311-B3	S7052-12003-041	
J298-f	J298-fxK311-C120	XK311-C1	S7052-12003-041	
J298-g	J298-gxK311-C320	XK311-C3	S7052-12003-041	
J298-h	J298-hxK311-D120	XK311-D1	S7052-12003-041	
J298-i	J298-ixK311-D320	XK311-D3	S7052-12003-041	
J298-j	J298-jxK312-X120	XK312-X1	S7052-12003-041	
J298-k	J298-ksGK312-120	SGK312-1	S7052-12003-041	
J298-m	J298-mxK301-A320	XK301-A3	S7052-12003-041	
J299-A	Q6009B20	CB18A-1	70552-02121-046	
J299-B	Q6010B20	CB13A-1	70552-02121-046	
J299-C	Q6036B24	P200-K	S7052-12005-041	
J299-D	Q6040B20	CB3A-1	70552-02121-046	
J299-E	D5880C20	SG299-5	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J299-F	D5879C20	SG299-4	S7052-12005-041	
J299-G	D5883D20	SG299-3	S7052-12005-041	
J299-H	D5882D20	SG299-2	S7052-12005-041	
J299-J	L4529E20	SG299-1	S7052-12005-041	
J299-K	L408L24	SG902-4	S7052-12005-041	
J299-L	Q6044B20N	GG7-2	S7052-12005-041	
J299-M	Q6058B20N	GG7-2	S7052-12005-041	
J299-N	Q6059B20N	GG7-3	S7052-12005-041	
J299-P	Q6060B20N	GG7-3	S7052-12005-041	
J299-R	Q6028B20N	GG7-4	S7052-12005-041	
J299-S	Q6029B20N	GG7-4	S7052-12005-041	
J299-T	*CBL35 (J299/SG299)	-	S7052-12005-041	
J300-B	W3160B20	P310-K	70552-05100-052	
J300-D	W3164B20	P312-D	70552-05100-052	
J300-E	W3165B20N	P312-E	70552-05100-052	
J300-G	W3166B20N	P312-F	70552-05100-052	
J300-H	W3167B20	P312-G	70552-05100-052	
J300-J	W3169B16N	P312-A	70552-05100-052	
J300-K	W3168B16	P312-H	70552-05100-052	
J300-L	W3162B16N	P312-B	70552-05100-052	
J300-M	W3163B16	P312-C	70552-05100-052	
J301-C	L3611M24	P311-f	70552-05101-051	
J301-D	L3613M24	P311-j	70552-05101-051	
J301-E	W3090C24	P311-E	70552-05101-051	
J301-F	W3082G24	P311-F	70552-05101-051	
J301-G	W3098B24	P311-G	70552-05101-051	
J301-H	X38E24	P311-P	70552-05101-051	
J301-J	X36E24	P311-R	70552-05101-051	
J301-K	X34E24	P311-S	70552-05101-051	
J301-L	V303B24	P261-23	70552-05101-051	
J301-M	X127B24	P311-T	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J301-N	X44B24	P311-U	70552-05101-051	
J301-P	X43B24	P311-V	70552-05101-051	
J301-R	X42B24	P311-W	70552-05101-051	
J301-S	X41B20	P311-X	70552-05101-051	
J301-T	X40B20	P311-Y	70552-05101-051	
J301-U	L3609L24	P311-n	70552-05101-051	
J301-V	V285A24	P261-19	70552-05101-051	
J301-W	V286A24	P261-18	70552-05101-051	
J301-X	V287A24	P261-17	70552-05101-051	
J301-Y	V288A24	P261-16	70552-05101-051	
J301-Z	V289A24	P261-15	70552-05101-051	
J301-a	V290A24	P261-13	70552-05101-051	
J301-b	V291A24	P261-12	70552-05101-051	
J301-c	V301A24	P261-9	70552-05101-051	
J301-d	V294A24	P261-8	70552-05101-051	
J301-e	V295A24	P261-7	70552-05101-051	
J301-f	V296A20	P261-1	70552-05101-051	
J301-g	V297A20	P261-2	70552-05101-051	
J301-h	*CBL001 (J301/P261)	-	70552-05101-051	
J301-j	*CBL2 (J301/P261)	-	70552-05101-051	
J301-k	V298B24	P261-11	70552-05101-051	
J301-m	V299B24	P261-10	70552-05101-051	
J307-A	Q4065A24	P311-L	70552-05101-051	
J307-B	Q4066A24	P311-M	70552-05101-051	
J307-C	Q4067A24	P311-N	70552-05101-051	
J307-D	D5891C24	P311-H	70552-05101-051	
J307-E	D5892A20N	GND307-1	70552-05101-051	
J307-F	*D5887A	-	S7052-12006-041	
J307-G	D5887A20	P905-B	S7052-12006-041	
J307-H	*D5887A	-	S7052-12006-041	
J307-K	*D5887A	-	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J308-A	Q4068A24	P310-f	70552-05100-052	
J308-B	Q4069A24	P310-g	70552-05100-052	
J308-C	Q4070A24	P310-h	70552-05100-052	
J308-D	D5890C24	P310-V	70552-05100-052	
J308-E	D5893A20N	GND308-1	70552-05100-052	
J308-F	*D5888A	-	S7052-12006-041	
J308-G	D5888A20	P905-D	S7052-12006-041	
J308-H	*D5888A	-	S7052-12006-041	
J308-K	*D5888A	-	S7052-12006-041	
J310-B	Q3213C24	P246-D	S7052-12006-041	
J310-C	*C4155A	-	S7052-12006-041	
J310-D	C4145C20	J114-Z	S7052-12006-041	
J310-F	L4450L24	SG259-1	S7052-12006-041	
J310-H	W4775C24	J922-K	S7052-12006-041	
J310-J	W4776C24	P112-G	S7052-12006-041	
J310-K	W3160C20	J922-L	S7052-12006-041	
J310-L	D4554E24N	J114-a	S7052-12006-041	
J310-M	*W3160C	-	S7052-12006-041	
J310-N	C4132P20	SG230-8	S7052-12006-041	
J310-P	M4258D22	SGP112-1	S7052-12006-041	
J310-R	M4251B22	P219-G	S7052-12006-041	
J310-S	M4252B22	P219-H	S7052-12006-041	
J310-T	M4253B22	P219-J	S7052-12006-041	
J310-U	M4254B22	P219-K	S7052-12006-041	
J310-V	D5890B24	P219-j	S7052-12006-041	
J310-W	Q3208D20N	GND310-1	S7052-12006-041	
J310-X	Q3205B24	P241-S	S7052-12006-041	
J310-Y	Q3209D20N	GND310-2	S7052-12006-041	
J310-Z	Q3204F20	P217-q	S7052-12006-041	
J310-a	Q3210D20N	GND310-3	S7052-12006-041	
J310-b	M467C24	P110-V	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J310-c	M468C24	P217-P	S7052-12006-041	
J310-d	W4403C24	P110-Y	S7052-12006-041	
J310-e	W4404C24	P110-Z	S7052-12006-041	
J310-f	Q4068B24	J922-F	S7052-12006-041	
J310-g	Q4069B24	J922-G	S7052-12006-041	
J310-h	Q4070B24	J922-H	S7052-12006-041	
J310-i	D4551B24	P110-d	S7052-12006-041	
J310-j	D4552B24	P110-e	S7052-12006-041	
J310-k	D4553B24	P110-f	S7052-12006-041	
J310-m	D4550E24	SG110-1	S7052-12006-041	
J310-n	L3460B24	P236-H	S7052-12006-041	
J310-p	L3461B24	P230-P	S7052-12006-041	
J310-q	L3462C24	P230-R	S7052-12006-041	
J310-r	L3463B24	P230-S	S7052-12006-041	
J310-s	C4155A20	P243-M	S7052-12006-041	
J310-t	C4156A20	P900-e	S7052-12006-041	
J311-A	Q6749B24	P914-A	S7052-12005-041	
J311-B	Q6748B24	P914-B	S7052-12005-041	
J311-C	Q6747B24	P914-C	S7052-12005-041	
J311-D	C4619A22	P405R-t	S7052-12005-041	
J311-E	W3090B24	P231-N	S7052-12005-041	
J311-F	W3082F24	SG285-1	S7052-12005-041	
J311-G	W3098C24	P285-1	S7052-12005-041	
J311-H	D5891B24	P914-G	S7052-12005-041	
J311-J	Q3207D20N	GND311-1	S7052-12005-041	
J311-K	Q3201F24	P231-Z	S7052-12005-041	
J311-L	Q4065B24	P255-C	S7052-12005-041	
J311-M	Q4066B24	P255-B	S7052-12005-041	
J311-N	Q4067B24	P255-A	S7052-12005-041	
J311-P	X38D24	SGJ311-1	S7052-12005-041	
J311-R	X36D24	SGJ311-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J311-S	X34D24	SGJ311-3	S7052-12005-041	
J311-T	X127A24	P216-X	S7052-12005-041	
J311-U	X44A24	P216-C	S7052-12005-041	
J311-V	X43A24	P216-B	S7052-12005-041	
J311-W	X42A24	P216-A	S7052-12005-041	
J311-X	X41A20	P216-E	S7052-12005-041	
J311-Y	X40A20	P216-D	S7052-12005-041	
J311-a	Q6746B24	P914-D	S7052-12005-041	
J311-b	*C4617B	-	S7052-12005-041	
J311-c	C4617B24	SG906-1	S7052-12005-041	
J311-d	*CBL27 (J311/P914)	-	S7052-12005-041	
J311-e	C4618B24	SG906-2	S7052-12005-041	
J311-f	L3611L24	P922-A	S7052-12005-041	
J311-g	C4621D24	P405R-Z	S7052-12005-041	
J311-h	*C4632A	-	S7052-12005-041	
J311-i	C4632A22	SG405-7	S7052-12005-041	
J311-j	L3613L24	P922-B	S7052-12005-041	
J311-k	C4634A22	SG405-8	S7052-12005-041	
J311-n	L3609K24	P922-C	S7052-12005-041	
J311-p	C4626F22	SG405-5	S7052-12005-041	
J311-q	C4620A22	P405R-s	S7052-12005-041	
J311-r	V284A20	P260-9	S7052-12005-041	
J312-A	W3169C16N	P313-A	S7052-12006-041	
J312-B	W3162C16N	P313-B	S7052-12006-041	
J312-C	W3163C16	P313-C	S7052-12006-041	
J312-D	W3164C20	P313-D	S7052-12006-041	
J312-E	W3165C20N	P313-E	S7052-12006-041	
J312-F	W3166C20N	P313-F	S7052-12006-041	
J312-G	W3167C20	P313-G	S7052-12006-041	
J312-H	W3168C16	P313-H	S7052-12006-041	
J313-A	30-0-20	SG2-4	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J313-B	29-0-20	SG2-1	70552-02132-044	
J313-C	21-906-20	K24-C1	70552-02132-044	
J313-D	22-907-20	U1-5	70552-02132-044	
J313-E	26-0-20	SG2-2	70552-02132-044	
J313-F	27-0-20	SG2-3	70552-02132-044	
J313-G	23-908-20	U1-6	70552-02132-044	
J313-H	24-912-20	K24-B1	70552-02132-044	
J316-A	Q6753B24	P219-A	S7052-12006-041	
J316-B	Q6752B24	P219-B	S7052-12006-041	
J316-C	Q6751B24	P219-C	S7052-12006-041	
J316-D	Q6750B24	P219-D	S7052-12006-041	
J316-E	C4148D20	J922-r	S7052-12006-041	
J316-F	C4138E20	J922-N	S7052-12006-041	
J316-G	C4667B24	SG925-2	S7052-12006-041	
J316-H	*CBL31 (J316/P219)	-	S7052-12006-041	
J316-J	C4668B24	SG925-1	S7052-12006-041	
J316-L	C4672D24	P404R-Z	S7052-12006-041	
J316-M	*C4672D	-	S7052-12006-041	
J316-N	C4682A22	SG404-6	S7052-12006-041	
J316-R	C4684A22	SG404-7	S7052-12006-041	
J316-S	*C4684A	-	S7052-12006-041	
J316-T	C4669A22	P404R-t	S7052-12006-041	
J316-U	C4676F22	SG404-4	S7052-12006-041	
J316-V	C4670A22	P404R-s	S7052-12006-041	
J317-1	J317-1-20	BOMB23-1	70552-02107-051	
J317-2	J317-2-20	BOMB23-2	70552-02107-051	
J317-3	J317-3-20	BOMB23-3	70552-02107-051	
J317-4	C4618G20	P221-e	70552-02107-051	
J317-5	C4604A20	P221-d	70552-02107-051	
J317-6	C4617G20	P221-b	70552-02107-051	
J317-7	C4611A22	P225-U	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J317-8	C4614B22	P221-c	70552-02107-051	
J317-9	J317-9-20	BOMB23-4	70552-02107-051	
J317-10	J317-10-20	BOMB23-5	70552-02107-051	
J317-11	J317-11-20	BOMB23-6	70552-02107-051	
J317-12	J317-12-20	BOMB23-7	70552-02107-051	
J318-1	2F3875C24	P220-p	70552-02108-053	
J318-2	2F3874C24	P220-n	70552-02108-053	
J318-3	2F3878C24	P220-q	70552-02108-053	
J318-4	C4668G20	P220-s	70552-02108-053	
J318-5	C4654C20	P220-u	70552-02108-053	
J318-6	C4667G20	P220-v	70552-02108-053	
J318-7	C4611C22	P222-X	70552-02108-053	
J318-8	C4606B22	P220-w	70552-02108-053	
J318-9	J318-9-20	BOMB6-1	70552-02108-053	
J318-10	J318-10-20	BOMB6-2	70552-02108-053	
J318-11	J318-11-20	BOMB6-3	70552-02108-053	
J318-12	J318-12-20	BOMB6-4	70552-02108-053	
J319-1	C6141C24	P221-t	70552-02107-051	
J319-2	C6142C24	P221-u	70552-02107-051	
J319-3	C6223A20N	GND446-1	70552-02107-051	
J319-4	C6226C24	P221-v	70552-02107-051	
J319-5	C6224A20N	GND446-1	70552-02107-051	
J319-6	C6225A20N	P221-EE	70552-02107-051	
J319-7	J319-7-20	BOMB24-1	70552-02107-051	
J319-8	J319-8-20	BOMB24-2	70552-02107-051	
J319-9	J319-9-20	BOMB24-3	70552-02107-051	
J319-10	J319-10-20	BOMB24-4	70552-02107-051	
J319-11	J319-11-20	BOMB24-5	70552-02107-051	
J319-12	J319-12-20	BOMB24-6	70552-02107-051	
J322-A	Q6749C20	P311-A	70552-05101-051	
J322-B	Q6748C20	P311-B	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J322-C	Q6747C20	P311-C	70552-05101-051	
J322-D	Q6760A20N	GND322-1	70552-05101-051	
J323-A	Q6752C20	P316-B	70552-05100-052	
J323-B	Q6751C20	P316-C	70552-05100-052	
J323-C	Q6750C20	P316-D	70552-05100-052	
J323-D	Q6762A20N	GND323-1	70552-05100-052	
J329-A	H6370A20	TB3-2	70552-02124-062	
J329-B	H6371A20	TB3-4	70552-02124-062	
J329-C	H6372A20	TB3-5	70552-02124-062	
J329-D	H6373A20	TB3-3	70552-02124-062	
J329-E	H6458D20	TB3-1	70552-02124-062	
J329-F	H6375A20	T14-T3	70552-02124-062	
J329-G	H6376A20	T14-T2	70552-02124-062	
J329-H	H6377A20	T14-T1	70552-02124-062	
J329-J	H6378D20	SGT14-1	70552-02124-062	
J329-L	H6422A20	E2-T	70552-02124-062	
J329-M	H6382B20	K64-A2	70552-02124-061	
J329-N	H6383A20	K60-X2	70552-02124-062	
J329-P	H6452D20	E1-T	70552-02124-062	
J329-R	H6453A20	T14A-T6	70552-02124-062	
J329-S	H6454A20	T14A-T5	70552-02124-062	
J329-T	H6455A20	T14A-T4	70552-02124-062	
J329-U	H6393B20	K64-B2	70552-02124-061	
J329-V	H6459A20	K64-B1	70552-02124-061	
J329-W	W3415D20	K64-C2	70552-02124-061	
J329-X	H6463A20	K64-C1	70552-02124-061	
J329-Y	H6420J20	E6-T	70552-02124-062	
J329-Z	H6409F20	K65-A2	70552-02124-061	
J329-a	H6471C20	K65-X1	70552-02124-061	
J332-A	H6384C14A	K63-C1	70552-02124-059	
J332-B	H6385C14B	K63-B1	70552-02124-059	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J332-C	H6386C14C	K63-A1	70552-02124-059	
J332-D	H6387A14	K61-C2	70552-02124-060	
J332-E	H6388A14	K61-B2	70552-02124-060	
J332-F	H6389A14	K61-A2	70552-02124-060	
J333-A	H6463C20	SAJ333-1	70552-02124-058	
J333-B	H6459C20	K61-X1	70552-02124-060	
J333-C	X39D24	T10-T6	70552-02124-058	
J333-D	X38H24	T10-T3	70552-02124-058	
J333-E	X37D24	T10-T5	70552-02124-058	
J333-F	X36H24	T10-T2	70552-02124-058	
J333-G	X35D24	T10-T4	70552-02124-058	
J333-H	X34H24	T10-T1	70552-02124-058	
J334-A	Q6576B20	J346-14	S7052-12005-041	
J334-B	Q6575C20	J346-15	S7052-12005-041	
J334-C	Q6577B20	J346-18	S7052-12005-041	
J334-D	Q6575G20	J346-19	S7052-12005-041	
J334-E	Q6578B20	J346-16	S7052-12005-041	
J334-F	Q6575L20	J346-17	S7052-12005-041	
J334-G	*CBL32 (J334/J346)	-	S7052-12005-041	
J334-H	Q6579B20	J346-20	S7052-12005-041	
J334-J	Q6580B20	J346-21	S7052-12005-041	
J334-K	*CBL31 (J334/J346)	-	S7052-12005-041	
J334-L	Q6581B20	J346-23	S7052-12005-041	
J334-M	Q6582B20	J346-24	S7052-12005-041	
J334-N	Q6777B20	J346-46	S7052-12005-041	
J334-P	Q6778B20	J346-47	S7052-12005-041	
J334-R	Q6779B20	J346-48	S7052-12005-041	
J334-S	L3609BB24	P922-S	S7052-12005-041	
J334-T	L4505C22	P922-f	S7052-12005-041	
J334-U	L4501K20	P922-a	S7052-12005-041	
J334-V	L4512K20	P922-g	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J334-W	L3611CC24	P922-P	S7052-12005-041	
J334-X	L3613CC24	P922-R	S7052-12005-041	
J346-1	Q6774A20N	GND346-5	S7052-12005-041	
J346-2	Q6554A20	P902-D	S7052-12005-041	
J346-3	Q6553A20	P902-C	S7052-12005-041	
J346-4	Q6565A20N	GND346-1	S7052-12005-041	
J346-5	Q6555B20	P913-J	S7052-12005-041	
J346-6	Q6588A20N	GND346-3	S7052-12005-041	
J346-7	Q6556B20	P913-K	S7052-12005-041	
J346-8	Q6775A20N	GND346-6	S7052-12005-041	
J346-9	Q6566A20N	GND346-1	S7052-12005-041	
J346-10	Q6552B20	P113-B	S7052-12005-041	
J346-11	Q6568A20N	GND346-2	S7052-12005-041	
J346-13	L408M24	SG902-4	S7052-12005-041	
J346-14	Q6576B20	J334-A	S7052-12005-041	
J346-15	Q6575C20	J334-B	S7052-12005-041	
J346-16	Q6578B20	J334-E	S7052-12005-041	
J346-17	Q6575L20	J334-F	S7052-12005-041	
J346-18	Q6577B20	J334-C	S7052-12005-041	
J346-19	Q6575G20	J334-D	S7052-12005-041	
J346-20	Q6579B20	J334-H	S7052-12005-041	
J346-21	Q6580B20	J334-J	S7052-12005-041	
J346-22	*CBL32 (J334/J346)	-	S7052-12005-041	
J346-23	Q6581B20	J334-L	S7052-12005-041	
J346-24	Q6582B20	J334-M	S7052-12005-041	
J346-26	*CBL31 (J334/J346)	-	S7052-12005-041	
J346-27	D5880G20	SG299-5	S7052-12005-041	
J346-28	D5879G20	SG299-4	S7052-12005-041	
J346-29	*CBL34 (J346/SG299)	-	S7052-12005-041	
J346-30	D5883H20	SG299-3	S7052-12005-041	
J346-31	D5882H20	SG299-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J346-32	Q6598A20N	GND346-4	S7052-12005-041	
J346-33	Q6550A20	CB14A-1	70552-02121-046	
J346-34	Q6567A20N	GND346-2	S7052-12005-041	
J346-35	Q6010D20	CB13A-1	70552-02121-046	
J346-36	L4529J20	SG299-1	S7052-12005-041	
J346-37	Q6776A20N	GND346-7	S7052-12005-041	
J346-38	Q6040D20	CB3A-1	70552-02121-046	
J346-41	Q6557B20	P913-L	S7052-12005-041	
J346-42	Q6593A20N	GND346-4	S7052-12005-041	
J346-43	Q6558B20	P913-M	S7052-12005-041	
J346-44	Q6583A20N	GND346-3	S7052-12005-041	
J346-45	Q6551A20	CB20A-1	70552-02121-046	
J346-46	Q6777B20	J334-N	S7052-12005-041	
J346-47	Q6778B20	J334-P	S7052-12005-041	
J346-48	Q6779B20	J334-R	S7052-12005-041	
J347-1	Q6576C20	P334-A	70552-05101-051	
J347-2	Q6575D20	P334-B	70552-05101-051	
J347-3	Q6578C20	P334-E	70552-05101-051	
J347-4	Q6575M20	P334-F	70552-05101-051	
J347-5	Q6577C20	P334-C	70552-05101-051	
J347-6	Q6575H20	P334-D	70552-05101-051	
J347-7	*CBL4 (J347/P334)	-	70552-05101-051	
J347-8	Q6759C20	P334-H	70552-05101-051	
J347-9	Q6580C20	P334-J	70552-05101-051	
J347-10	*CBL3 (J347/P334)	-	70552-05101-051	
J347-11	Q6581C20	P334-L	70552-05101-051	
J347-12	Q6582C20	P334-M	70552-05101-051	
J351-1	E3315A20	J400-b	70552-02108-053	
J351-2	E3314A20	J400-D	70552-02108-053	
J351-3	E3313A20	J400-C	70552-02108-053	
J351-4	E3310A20	J814-20	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J351-5	E3311A20	J814-22	70552-02108-053	
J351-6	E3312A20	J814-24	70552-02108-053	
J351-7	JMPRJ351-7-20	J351-8	70552-02108-053	
J351-8	JMPRJ351-7-20	J351-7	70552-02108-053	
J373-1	M639A12	K300-A2	S7052-12001-042	
J373-2	M638A12	K300-B2	S7052-12001-042	
J373-3	M637A12	K300-C2	S7052-12001-042	
J373-4	M636C12	GDP373-1	S7052-12001-042	
J374-1	M635A20	K300-12	S7052-12001-042	
J374-2	M634B20N	GDJ374-3	S7052-12001-042	
J374-3	M633B20N	GDJ374-1	S7052-12001-042	
J374-4	M662B20N	GDJ374-2	S7052-12001-042	
J374-5	M661A20	P218-K	S7052-12001-042	
J374-6	M656A20	P218-H	S7052-12001-042	
J374-7	M657A20	P218-G	S7052-12001-042	
J374-8	M640A20	P226-A	S7052-12001-042	
J374-9	M641A20	P226-B	S7052-12001-042	
J374-10	M642A20	P226-C	S7052-12001-042	
J374-11	JMPRJ374-11-20	SGJ374-1	S7052-12001-042	
J374-12	JMPRJ374-12-20	SGJ374-1	S7052-12001-042	
J374-13	JMPRJ374-13-20	SGJ374-2	S7052-12001-042	
J374-14	M646A20	P226-G	S7052-12001-042	
J374-15	M647A20	P226-H	S7052-12001-042	
J374-16	M648A20	P226-J	S7052-12001-042	
J374-17	M649A20	P226-K	S7052-12001-042	
J374-18	M650A20	P226-L	S7052-12001-042	
J374-19	M651A20	P226-M	S7052-12001-042	
J374-20	M652A20	P226-N	S7052-12001-042	
J374-21	M653A20	P226-P	S7052-12001-042	
J374-22	M654A20	P226-R	S7052-12001-042	
J374-23	*CBL003 (J374/P226)	-	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J374-24	M903A20	P23-B	S7052-12001-042	
J374-25	M902A20	P23-A	S7052-12001-042	
J374-26	JMPRJ374-26-20	SGJ374-2	S7052-12001-042	
J374-28	M643A20	P226-D	S7052-12001-042	
J374-29	M644A20	P226-E	S7052-12001-042	
J374-31	M645A20	P226-F	S7052-12001-042	
J376-A	Q6778C20	P334-P	70552-05101-051	
J376-B	Q6777C20	P334-N	70552-05101-051	
J376-C	Q6779C20	P334-R	70552-05101-051	
J389-1	L6964C20N	SG392-2	70552-02181-042	
J389-2	L6961D20	P392-1	70552-02181-042	
J389-3	L6962A20	SG392-1	70552-02181-042	
J390-1	L6962B20	SG392-1	70552-02181-042	
J390-2	L6964B20N	SG392-2	70552-02181-042	
J391-1	L6962C20	SG392-1	70552-02181-042	
J391-2	L6964A20N	SG392-2	70552-02181-042	
J392-1	L6961C24	P248-A	S7052-12007-041	
J392-2	L6964E20N	GND392-1	S7052-12007-041	
J394-1	L4528J20	SGJ395-1	S7052-12005-041	
J394-2	L4525A20N	GND394-1	S7052-12005-041	
J395-1	L4528K20	SGJ395-1	S7052-12005-041	
J395-2	L4532A20N	GND395-1	S7052-12005-041	
J396-1	L4528M20	J114-b	S7052-12006-041	
J396-2	L4533A20N	GND396-1	S7052-12006-041	
J399-A	H6390BB14	SGP324-1	70552-02170-041	
J399-B	H6391BB14	SGP324-2	70552-02170-041	
J399-C	H6392BB14	SGP324-3	70552-02170-041	
J400-A	E3308A20	J814-3	70552-02108-053	
J400-B	E3309A20	J814-4	70552-02108-053	
J400-C	E3313A20	J351-3	70552-02108-053	
J400-D	E3314A20	J351-2	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J400-E	*CBL1 (J400/P224)	-	70552-02108-053	
J400-F	D5841B24	P224-F	70552-02108-053	
J400-G	D5840B24	P224-G	70552-02108-053	
J400-H	D5839B24	P224-H	70552-02108-053	
J400-J	D5838B24	P224-J	70552-02108-053	
J400-K	D5837B24	P224-K	70552-02108-053	
J400-L	D5835F24	SG224-1	70552-02108-053	
J400-M	D5836F24	SG224-2	70552-02108-053	
J400-N	E2057D20	J814-17	70552-02108-053	
J400-P	E2056D20	J814-16	70552-02108-053	
J400-R	E2055F20	J814-18	70552-02108-053	
J400-S	D5859G24	J814-15	70552-02108-053	
J400-T	D5860G24	J814-14	70552-02108-053	
J400-U	*CBL7 (J400/J814)	-	70552-02108-053	
J400-V	M462B24	P220-H	70552-02108-053	
J400-W	M463B24	P220-J	70552-02108-053	
J400-X	M464B24	P220-K	70552-02108-053	
J400-Y	M465B24	P220-L	70552-02108-053	
J400-Z	M466B24	P220-M	70552-02108-053	
J400-a	*E2057D	-	70552-02108-053	
J400-b	E3315A20	J351-1	70552-02108-053	
J401-A	E3308E20	J815-3	70552-02107-051	
J401-B	E3309E20	J815-4	70552-02107-051	
J401-C	E3313C20	J815-24	70552-02107-051	
J401-D	E3314C20	J815-22	70552-02107-051	
J401-E	W4400C24	P225-F	70552-02107-051	
J401-F	W4401B24	P221-G	70552-02107-051	
J401-G	W4402B24	P221-H	70552-02107-051	
J401-H	E2057B20	J815-7	70552-02107-051	
J401-J	E2056B20	J815-6	70552-02107-051	
J401-K	E2055D20	J815-5	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J401-L	D5859E24	P223-S	70552-02107-051	
J401-M	D5860E24	P223-T	70552-02107-051	
J401-N	*CBL1 (J401/P223)	-	70552-02107-051	
J401-P	M473B20N	GND401-1	70552-02107-051	
J401-R	M477B20N	GND401-1	70552-02107-051	
J401-S	M478B20N	GND401-1	70552-02107-051	
J401-T	M479B20N	GND401-2	70552-02107-051	
J401-U	M480B20N	GND401-2	70552-02107-051	
J401-V	E3315C20	J815-20	70552-02107-051	
J402-A	L3609M24	P301-U	70552-03101-045	
J402-B	L3604A20N	GND402-1	70552-03101-045	
J419R-A	F9020A22	SG422R-1	S7052-11011-041	
J419R-B	F9019A22	SG422R-2	S7052-11011-041	
J419R-C	*CBL217 (J419R/SG422R)	-	S7052-11011-041	
J419R-F	C6251A24	P422R-M	S7052-11011-041	
J419R-G	C6252A24	P422R-g	S7052-11011-041	
J419R-H	C6103A24	P422R-GG	S7052-11011-041	
J419R-J	C6106A24	P422R-AA	S7052-11011-041	
J419R-K	C6109A24	P422R-A	S7052-11011-041	
J419R-L	C6123A24	P422R-r	S7052-11011-041	
J419R-N	C6141A24	P422R-W	S7052-11011-041	
J419R-P	C6142A24	P422R-j	S7052-11011-041	
J419R-R	C6143A24	P422R-C	S7052-11011-041	
J419R-S	C6124A24	P422R-X	S7052-11011-041	
J419R-T	C6148A24	P422R-U	S7052-11011-041	
J419R-U	C6149A24	P422R-F	S7052-11011-041	
J419R-V	C6156A24	P422R-S	S7052-11011-041	
J419R-W	C6144A24	P422R-m	S7052-11011-041	
J419R-X	C6159A24	P422R-i	S7052-11011-041	
J419R-Z	C6171A24	P428R-u	S7052-11011-041	
J419R-a	C6180A24	P422R-K	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J419R-b	C6181A24	P422R-f	S7052-11011-041	
J419R-c	C6226A24	P3R-U	S7052-11011-041	
J419R-d	C6231C24N	GG1-4	S7052-11011-041	
J419R-e	C6225C24N	GG1-2	S7052-11011-041	
J419R-f	C6234A24	P4R-g	S7052-11011-041	
J419R-g	C6200C20	SG1105-1	S7052-11011-041	
J419R-h	C6155A24	P428R-p	S7052-11011-041	
J419R-j	*C6231C	-	S7052-11011-041	
J419R-p	*C4629F	-	S7052-11011-041	
J419R-q	C4629F24	SG1105-7	S7052-11011-041	
J419R-r	C4646B24	P422R-Y	S7052-11011-041	
J419R-s	C6158A24	P422R-BB	S7052-11011-041	
J419R-t	C6160A24	P422R-q	S7052-11011-041	
J420R-E	C4647A24	P422R-E	S7052-11011-041	
J420R-F	C6184A24	P428R-c	S7052-11011-041	
J420R-G	C6122A24	P422R-FF	S7052-11011-041	
J420R-H	C6147A24	P422R-n	S7052-11011-041	
J420R-J	C6168A24	P428R-a	S7052-11011-041	
J420R-K	C6196E22	SG1105-2	S7052-11011-041	
J420R-L	C6201A24	P423R-e	S7052-11011-041	
J420R-M	C6202A24	P423R-S	S7052-11011-041	
J420R-N	C6203A24	P423R-a	S7052-11011-041	
J420R-P	C6204A24	P423R-h	S7052-11011-041	
J420R-R	C6205A24	P423R-f	S7052-11011-041	
J420R-S	C6206A24	P423R-g	S7052-11011-041	
J420R-T	C6211A24	P4R-c	S7052-11011-041	
J420R-U	C6213A24	P3R-c	S7052-11011-041	
J420R-V	C6214D22	SG4R-2	S7052-11011-041	
J420R-W	*C6228C	-	S7052-11011-041	
J420R-X	C6228C24N	GG1-3	S7052-11011-041	
J420R-Y	C6229A24	P3R-X	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J420R-Z	*C6164C	-	S7052-11011-041	
J420R-a	C6162C24	P421R-A	S7052-11011-041	
J420R-b	C6163C24	P421R-B	S7052-11011-041	
J420R-c	C6164C24	P421R-C	S7052-11011-041	
J420R-d	C4679E24	SG422R-2	S7052-11011-041	
J420R-g	*C4679E	-	S7052-11011-041	
J420R-i	C4612E22	P5R-E	S7052-11011-041	
J420R-p	C6255A24	P422R-N	S7052-11011-041	
J420R-q	*C4751A	-	S7052-11011-041	
J420R-r	C4751A24	P422R-H	S7052-11011-041	
J420R-s	C6250C22	P423R-A	S7052-11011-041	
J420R-t	*C6250C	-	S7052-11011-041	
J437-1	H3339B22A	P220-P	70552-02108-053	
J437-2	H3340B22B	P220-R	70552-02108-053	
J437-3	H3341B22C	P220-S	70552-02108-053	
J437-4	H3345A20N	GND260-1	70552-02108-053	
J437-5	H3342B22	P220-T	70552-02108-053	
J437-6	H3334B24	P222-N	70552-02108-053	
J454-1	L3611N24	P301-C	70552-03101-045	
J454-2	L3615A20N	GND454-1	70552-03101-045	
J454-3	L3613N24	P301-D	70552-03101-045	
J458R-1	*CBL010 (J458R/P223)	-	70552-02107-051	
J458R-2	*C6181F	-	70552-02107-051	
J458R-3	C6181F24	SG2107-1	70552-02107-051	
J458R-4	C6180F24	SG2107-2	70552-02107-051	
J458R-5	C6124C24	P223-e	70552-02107-051	
J458R-6	C6143C24	P223-f	70552-02107-051	
J458R-7	C6144C24	P223-g	70552-02107-051	
J458R-8	C6156C24	P223-h	70552-02107-051	
J458R-9	C6158C24	P223-i	70552-02107-051	
J458R-10	C6160C24	P223-j	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J458R-11	C6215E20	SG458R-1	70552-02107-051	
J458R-12	C6214M20	P470R-1	70552-02107-051	
J500-1	M4255A22	J500-11	70552-05100-052	
J500-3	M4254C22	P310-U	70552-05100-052	
J500-4	M4258B22	SG500-1	70552-05100-052	
J500-6	M4253C22	P310-T	70552-05100-052	
J500-7	M4252C22	P310-S	70552-05100-052	
J500-8	M4251C22	P310-R	70552-05100-052	
J500-9	M4257A20N	GND500-1	70552-05100-052	
J500-11	M4255A22	J500-1	70552-05100-052	
J500-12	M4258A22	SG500-1	70552-05100-052	
J506-A	L3609D24	SGP601-6	70552-05101-051	
J506-B	L3605A20N	GND506-1	70552-05101-051	
J509-A	L4450G20	P310-F	70552-05100-052	
J509-B	L4453A20N	GND509-1	70552-05100-052	
J547-1	L3611E24	SGP601-4	70552-05101-051	
J547-2	L3614A20N	GND547-1	70552-05101-051	
J547-3	L3613E24	SGP601-5	70552-05101-051	
J600-A	C4701A20	J606-M	70552-06100-046	
J600-B	C4669F22	J604-H	70552-06100-046	
J600-C	C4138G20	P609-1	70552-06100-046	
J600-D	C4148F20	P610-1	70552-06100-046	
J600-G	W4775E20	SG611-1	70552-06100-046	
J600-H	W4776A20	J611-C	70552-06100-046	
J600-J	*C4156C	-	70552-06100-046	
J600-K	C4667D24	J606-D	70552-06100-046	
J600-L	C4676L22	SG703-1	70552-06100-046	
J600-M	D4554G24N	J604-E	70552-06100-046	
J600-N	M467A20	P614-A	70552-06100-046	
J600-P	M468A20	P613-A	70552-06100-046	
J600-R	W4403A20	P614-C	70552-06100-046	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J600-S	W4404A20	P613-C	70552-06100-046	
J600-T	D4551D24	J604-B	70552-06100-046	
J600-U	D4552D24	J604-A	70552-06100-046	
J600-V	D4553D24	J604-C	70552-06100-046	
J600-W	D4550G24	J604-D	70552-06100-046	
J600-X	L3472B20	P602-B	70552-06100-046	
J600-Y	L3473B20	P602-C	70552-06100-046	
J600-Z	C4668D24	J606-A	70552-06100-046	
J600-a	*C4672F	-	70552-06100-046	
J600-b	L3474B20	P602-D	70552-06100-046	
J600-c	C4672F24	J606-C	70552-06100-046	
J600-d	C4670F22	J604-K	70552-06100-046	
J600-e	C4682C20	J606-J	70552-06100-046	
J600-f	*C4684C	-	70552-06100-046	
J600-g	C4684C20	J606-K	70552-06100-046	
J600-h	C4669D22	J606-E	70552-06100-046	
J600-i	C4676J22	J606-F	70552-06100-046	
J600-j	C4670D22	J606-G	70552-06100-046	
J600-k	C4132R20	P610-7	70552-06100-046	
J600-m	L3471B16	P602-A	70552-06100-046	
J600-n	C4155C20	P610-4	70552-06100-046	
J600-p	C4156C20	P610-6	70552-06100-046	
J600-q	C4145A20	P609-3	70552-06100-046	
J600-r	L3475B16	P602-E	70552-06100-046	
J601-A	C4702A20	J607-M	70552-06101-045	
J601-B	C4619F22	J605-B	70552-06101-045	
J601-C	C4626L22	SG704-1	70552-06101-045	
J601-D	C4620F22	J605-D	70552-06101-045	
J601-E	L4505E22	DS10-PWR	70552-06101-045	
J601-F	L3609F24	SG702-3	70552-06101-045	
J601-G	*C4617D	-	70552-06101-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J601-H	C4617D24	J607-D	70552-06101-045	
J601-J	L3613G24	SG702-2	70552-06101-045	
J601-K	C4618D24	J607-A	70552-06101-045	
J601-L	L4512M20	J616-1	70552-06101-045	
J601-M	C4621F24	J607-C	70552-06101-045	
J601-N	*C4632C	-	70552-06101-045	
J601-P	C4632C20	J607-J	70552-06101-045	
J601-R	L4501M20	J616-3	70552-06101-045	
J601-S	C4634C20	J607-K	70552-06101-045	
J601-T	C4619D22	J607-E	70552-06101-045	
J601-U	C4626J22	J607-F	70552-06101-045	
J601-V	C4620D22	J607-G	70552-06101-045	
J601-W	L3611G24	SG702-1	70552-06101-045	
J604-A	D4552D24	J600-U	70552-06100-046	
J604-B	D4551D24	J600-T	70552-06100-046	
J604-C	D4553D24	J600-V	70552-06100-046	
J604-D	D4550G24	J600-W	70552-06100-046	
J604-E	D4554G24N	J600-M	70552-06100-046	
J604-F	D4556A20N	GND604-1	70552-06100-046	
J604-G	C4676M22	SG703-1	70552-06100-046	
J604-H	C4669F22	J600-B	70552-06100-046	
J604-J	C4676N22	SG703-1	70552-06100-046	
J604-K	C4670F22	J600-d	70552-06100-046	
J605-A	C4626M22	SG704-1	70552-06101-045	
J605-B	C4619F22	J601-B	70552-06101-045	
J605-C	C4626N22	SG704-1	70552-06101-045	
J605-D	C4620F22	J601-D	70552-06101-045	
J606-A	C4668D24	J600-Z	70552-06100-046	
J606-C	C4672F24	J600-c	70552-06100-046	
J606-D	C4667D24	J600-K	70552-06100-046	
J606-E	C4669D22	J600-h	70552-06100-046	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J606-F	C4676J22	J600-i	70552-06100-046	
J606-G	C4670D22	J600-j	70552-06100-046	
J606-H	*C4672F	-	70552-06100-046	
J606-J	C4682C20	J600-e	70552-06100-046	
J606-K	C4684C20	J600-g	70552-06100-046	
J606-M	C4701A20	J600-A	70552-06100-046	
J607-A	C4618D24	J601-K	70552-06101-045	
J607-C	C4621F24	J601-M	70552-06101-045	
J607-D	C4617D24	J601-H	70552-06101-045	
J607-E	C4619D22	J601-T	70552-06101-045	
J607-F	C4626J22	J601-U	70552-06101-045	
J607-G	C4620D22	J601-V	70552-06101-045	
J607-H	*C4621F	-	70552-06101-045	
J607-J	C4632C20	J601-P	70552-06101-045	
J607-K	C4634C20	J601-S	70552-06101-045	
J607-M	C4702A20	J601-A	70552-06101-045	
J609R-1	1ARC201-CX1B18	P615R-1	S7060-11001-054	
J611-A	W4775G20	SG611-1	70552-06100-046	
J611-B	W4775F20	SG611-1	70552-06100-046	
J611-C	W4776A20	J600-H	70552-06100-046	
J615-A	H6390A14	P327-1	70552-02123-046	
J615-B	H6391A14	P327-2	70552-02123-046	
J615-C	H6392A14	P327-3	70552-02123-046	
J616-1	L4512M20	J601-L	70552-06101-045	
J616-2	L4507B20N	GDDS10-1	70552-06101-045	
J616-3	L4501M20	J601-R	70552-06101-045	
J638R-1	APR39-15BRD316	P689R-5	S7052-11008-042	
J660-A	W6627A20	P645-R	S7052-11011-041	
J660-B	*W6627A	-	S7052-11011-041	
J660-C	W6628A20	P645-L	S7052-11011-041	
J660-D	*W6628A	-	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J660-E	W6628L20	P645-J	S7052-11011-041	
J660-F	*W6628L	-	S7052-11011-041	
J660-G	W6630A20	P645-A	S7052-11011-041	
J660-H	*W6630A	-	S7052-11011-041	
J660-J	W6630T20	P645-C	S7052-11011-041	
J660-K	*W6630T	-	S7052-11011-041	
J660-L	W6629G20	P645-G	S7052-11011-041	
J660-M	*W6629G	-	S7052-11011-041	
J660-N	W6631A20	P645-E	S7052-11011-041	
J660-P	*W6631A	-	S7052-11011-041	
J660-R	W6626A20	P645-N	S7052-11011-041	
J660-S	*W6626A	-	S7052-11011-041	
J661-H	W6632A20	P646-N	S7052-11011-041	
J661-J	*W6632A	-	S7052-11011-041	
J661-K	W6633A20	P646-E	S7052-11011-041	
J661-L	*W6633A	-	S7052-11011-041	
J661-M	W6629A20	P646-G	S7052-11011-041	
J661-N	*W6629A	-	S7052-11011-041	
J661-P	W6630L20	P646-A	S7052-11011-041	
J661-R	*W6630L	-	S7052-11011-041	
J661-S	W6630P20	P646-C	S7052-11011-041	
J661-T	*W6630P	-	S7052-11011-041	
J661-U	W6628T20	P646-L	S7052-11011-041	
J661-V	*W6628T	-	S7052-11011-041	
J661-W	W6628P20	P646-J	S7052-11011-041	
J661-X	*W6628P	-	S7052-11011-041	
J661-Y	W6627G20	P646-R	S7052-11011-041	
J661-Z	*W6627G	-	S7052-11011-041	
J671R-C	XM130-13C24	P669R-F	S7062-11014-043	
J671R-G	XM130-6A24	P669R-T	S7062-11014-043	
J671R-H	XM130-7A24	P669R-A	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J671R-J	XM130-8A24	P669R-B	S7062-11014-043	
J671R-K	XM130-4A20	P669R-P	S7062-11014-043	
J672R-E	XM130-13B24	P671R-C	70602-02111-044	
J672R-G	XM130-6B24	P671R-G	70602-02111-044	
J672R-H	XM130-7B24	P671R-H	70602-02111-044	
J672R-J	XM130-8B24	P671R-J	70602-02111-044	
J672R-K	XM130-4B20	P671R-K	70602-02111-044	
J673R-A	XM130-7C24	P672R-H	70602-03111-043	
J673R-B	XM130-8C24	P672R-J	70602-03111-043	
J673R-F	XM130-13A24	P672R-E	70602-03111-043	
J673R-J	JUMPERJ673R-1-22	J673R-N	70602-03111-043	
J673R-N	JUMPERJ673R-1-22	J673R-J	70602-03111-043	
J673R-P	XM130-4C20	P672R-K	70602-03111-043	
J673R-R	XM130-12A20N	GND673-1	70602-03111-043	
J673R-T	XM130-6C24	P672R-G	70602-03111-043	
J683-1	L4505R20	J247-E	S7052-12006-041	
J683-4	L4512G20	J247-B	S7052-12006-041	
J683-5	L4501G20	J247-R	S7052-12006-041	
J684-1	L4505M20	J248-E	S7052-12005-041	
J684-4	L4512C20	J248-N	S7052-12005-041	
J684-5	L4501C20	J248-W	S7052-12005-041	
J7R-A	C4659C22	SG6R-1	S7052-11011-041	
J7R-C	C4625C22	SG5R-1	S7052-11011-041	
J7R-D	C4609C22	SG5R-2	S7052-11011-041	
J7R-E	C4626P22	SG5R-3	S7052-11011-041	
J7R-G	C4676P22	SG6R-3	S7052-11011-041	
J7R-H	C4675C22	SG6R-2	S7052-11011-041	
J702-A	L3609G24	SG702-3	70552-06101-045	
J702-B	L3607A20N	GND702-1	70552-06101-045	
J702-C	L3611H24	SG702-1	70552-06101-045	
J702-D	L3613H24	SG702-2	70552-06101-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J702-E	L3617A20N	GND702-1	70552-06101-045	
J703-A	L3609H24	SG702-3	70552-06101-045	
J703-B	L3606A20N	GND703-1	70552-06101-045	
J703-C	L3611J24	SG702-1	70552-06101-045	
J703-D	L3613J24	SG702-2	70552-06101-045	
J703-E	L3618A20N	GND703-1	70552-06101-045	
J8R-A	C4659D22	SG6R-1	S7052-11011-041	
J8R-C	C4625D22	SG5R-1	S7052-11011-041	
J8R-D	C4609D22	SG5R-2	S7052-11011-041	
J8R-E	C4626Q22	SG5R-3	S7052-11011-041	
J8R-G	C4676Q22	SG6R-3	S7052-11011-041	
J8R-H	C4675D22	SG6R-2	S7052-11011-041	
J814-1	E3304B20	P220-A	70552-02108-053	
J814-2	E3302E20	P220-B	70552-02108-053	
J814-3	E3308A20	J400-A	70552-02108-053	
J814-4	E3309A20	J400-B	70552-02108-053	
J814-5	D5868B24	P224-S	70552-02108-053	
J814-6	D5869B24	P224-T	70552-02108-053	
J814-7	D5870B24	P224-U	70552-02108-053	
J814-8	D5871B24	P224-V	70552-02108-053	
J814-9	D5872B24	P224-W	70552-02108-053	
J814-10	D5873B24	P224-X	70552-02108-053	
J814-11	D5841F24	P224-Y	70552-02108-053	
J814-12	D5876E24	P224-Z	70552-02108-053	
J814-13	D5877E24	P224-a	70552-02108-053	
J814-14	D5860G24	J400-T	70552-02108-053	
J814-15	D5859G24	J400-S	70552-02108-053	
J814-16	E2056D20	J400-P	70552-02108-053	
J814-17	E2057D20	J400-N	70552-02108-053	
J814-18	E2055F20	J400-R	70552-02108-053	
J814-19	*E2050C	-	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J814-20	E3310A20	J351-4	70552-02108-053	
J814-21	D5874B20	P224-m	70552-02108-053	
J814-22	E3311A20	J351-5	70552-02108-053	
J814-23	D5875B20	P224-r	70552-02108-053	
J814-24	E3312A20	J351-6	70552-02108-053	
J814-25	E3281B20N	GND814-1	70552-02108-053	
J814-26	E3280C24	P222-H	70552-02108-053	
J814-27	E3282B24	P222-J	70552-02108-053	
J814-28	E3283B24	P222-K	70552-02108-053	
J814-29	E3284C24	P222-M	70552-02108-053	
J814-30	E2047F24	P224-e	70552-02108-053	
J814-31	E2048C24	P224-f	70552-02108-053	
J814-32	E2049C24	P224-g	70552-02108-053	
J814-33	E2050C24	P224-h	70552-02108-053	
J814-34	J3000E20	P220-d	70552-02108-053	
J814-35	J3001E20	P220-e	70552-02108-053	
J814-36	H703D24	P222-R	70552-02108-053	
J814-37	H712E20N	GND814-1	70552-02108-053	
J814-38	H713B24	P220-Z	70552-02108-053	
J814-39	H702C24	P220-W	70552-02108-053	
J815-1	E3306B20	P221-A	70552-02107-051	
J815-2	E3305D20	P221-B	70552-02107-051	
J815-3	E3308E20	J401-A	70552-02107-051	
J815-4	E3309E20	J401-B	70552-02107-051	
J815-5	E2055D20	J401-K	70552-02107-051	
J815-6	E2056B20	J401-J	70552-02107-051	
J815-7	E2057B20	J401-H	70552-02107-051	
J815-8	D5846B24	P223-E	70552-02107-051	
J815-9	D5847B24	P223-F	70552-02107-051	
J815-10	D5848B24	P223-G	70552-02107-051	
J815-11	D5849B24	P223-H	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J815-12	D5850B24	P223-J	70552-02107-051	
J815-13	D5851B24	P223-K	70552-02107-051	
J815-14	D5852B24	P223-L	70552-02107-051	
J815-15	D5855E24	P223-M	70552-02107-051	
J815-16	D5856E24	P223-N	70552-02107-051	
J815-17	D5857E24	P223-P	70552-02107-051	
J815-18	D5858E24	P223-R	70552-02107-051	
J815-19	*E2054B	-	70552-02107-051	
J815-20	E3315C20	J401-V	70552-02107-051	
J815-21	D5853B20	P223-m	70552-02107-051	
J815-22	E3314C20	J401-D	70552-02107-051	
J815-23	D5854B20	P223-r	70552-02107-051	
J815-24	E3313C20	J401-C	70552-02107-051	
J815-25	E3287B24	P225-H	70552-02107-051	
J815-26	E3288B24	P225-J	70552-02107-051	
J815-27	E3289C24	P225-K	70552-02107-051	
J815-28	E3285B20N	GND815-1	70552-02107-051	
J815-29	E3286C24	P225-L	70552-02107-051	
J815-30	E2051D24	P223-X	70552-02107-051	
J815-31	E2052B24	P223-Y	70552-02107-051	
J815-32	E2053B24	P223-Z	70552-02107-051	
J815-33	E2054B24	P223-a	70552-02107-051	
J815-34	J3002E20	P221-S	70552-02107-051	
J815-35	J3003E20	P221-T	70552-02107-051	
J815-36	H706C24	P221-N	70552-02107-051	
J815-37	H715B24	P221-R	70552-02107-051	
J815-38	H714E20N	GND815-1	70552-02107-051	
J815-39	H704D24	P225-N	70552-02107-051	
J819-1	H6426D20N	GND819-1	70552-02108-053	
J819-2	H6429C20	P224-GG	70552-02108-053	
J819-3	H6430C20	P224-HH	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J819-4	H6415C20	P224-BB	70552-02108-053	
J819-5	H6416C20	P224-CC	70552-02108-053	
J819-6	H6417C20	P224-DD	70552-02108-053	
J819-7	H6418C20	P224-EE	70552-02108-053	
J819-8	*CBL15 (J819/P224)	-	70552-02108-053	
J823-5	5-20	P820-2	70552-10102-042	
J823-6	6-20N	P820-5	70552-10102-042	
J823-7	7-20	P821-A	70552-10102-042	
J823-8	8-20	P821-B	70552-10102-042	
J824-2	K3019C24	P220-a	70552-02108-053	
J824-3	K3020C24	P220-b	70552-02108-053	
J824-4	*CBL8 (J824/P220)	-	70552-02108-053	
J824-5	Q3240B24	P220-F	70552-02108-053	
J824-6	Q3241B24	P220-G	70552-02108-053	
J824-7	M471B24	P220-N	70552-02108-053	
J824-8	M472B20N	GND824-1	70552-02108-053	
J824-9	W2000E24	P224-c	70552-02108-053	
J824-10	W2001B24	P224-d	70552-02108-053	
J824-11	H708C24	P220-X	70552-02108-053	
J824-12	H709C24	P220-Y	70552-02108-053	
J825-2	K3022B24	P221-W	70552-02107-051	
J825-3	K3021B24	P221-V	70552-02107-051	
J825-4	*CBL8 (J825/P221)	-	70552-02107-051	
J825-5	Q3242B24	P221-J	70552-02107-051	
J825-6	Q3243B24	P221-K	70552-02107-051	
J825-7	M470B24	P221-L	70552-02107-051	
J825-8	M476B20N	GND825-1	70552-02107-051	
J825-9	W2004E24	P223-W	70552-02107-051	
J825-10	W2005B24	P223-V	70552-02107-051	
J825-11	H711C24	P221-Z	70552-02107-051	
J825-12	H710C24	P221-P	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J900-C	167-934-24	K21-C2	70552-02132-044	
J900-D	168-956-24	K21-C3	70552-02132-044	
J900-E	7-93-24	K21-B3	70552-02132-044	
J900-F	6-92-24	K21-B2	70552-02132-044	
J900-G	4-91-24	K20-B3	70552-02132-044	
J900-H	5-2-24	K20-B2	70552-02132-044	
J900-J	3-2-24	K20-X1	70552-02132-044	
J900-K	15-903-24	K26-B3	70552-02132-044	
J900-L	16-904-24	K26-B2	70552-02132-044	
J900-M	82-0-22	GND1-H	70552-02132-044	
J900-N	19-0-22	GND1-D	70552-02132-044	
J900-P	9-95-24	U1-2	70552-02132-044	
J900-S	1-90-20	SGK24-1	70552-02132-044	
J900-T	12-98-22	U1-10	70552-02132-044	
J900-U	11-97-22	U1-9	70552-02132-044	
J900-V	14-902-22	U1-12	70552-02132-044	
J900-W	13-901-22	U1-11	70552-02132-044	
J900-X	10-96-24	U1-3	70552-02132-044	
J900-Y	*13-901-	-	70552-02132-044	
J900-Z	8-94-24	K23-X2	70552-02132-044	
J900-a	92-9027-20	U2-11	70552-02132-044	
J900-b	100-9045-20	U2-16	70552-02132-044	
J900-c	91-2-20	SGU2-3	70552-02132-044	
J900-d	97-2-20	U2-12	70552-02132-044	
J900-e	98-9037-20	U2-2	70552-02132-044	
J900-f	99-9038-20	U2-15	70552-02132-044	
J900-g	138-915-24	K26-B1	70552-02132-044	
J900-h	139-9156-20	U2-26	70552-02132-044	
J900-i	146-917-20	U2-27	70552-02132-044	
J900-j	59-0-20	GND2-D	70552-02132-044	
J900-k	128-9136-24	K30-A2	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J900-m	18-905-16	K27-A2	70552-02132-044	
J900-n	136-9147-24	K30-B1	70552-02132-044	
J900-p	137-9148-24	K30-B2	70552-02132-044	
J900-r	17-2-16	K27-A1	70552-02132-044	
J902-C	172-9345-20	K46-F3	70552-02131-042	
J902-D	173-9346-20	K46-F2	70552-02131-042	
J902-E	27-913-24	J2-23	70552-02131-042	
J902-F	30-916-24	J2-11	70552-02131-042	
J902-G	29-915-24	J2-18	70552-02131-042	
J902-H	41-926-24	SG1-1	70552-02131-042	
J902-J	37-924-24	K43-B3	70552-02131-042	
J902-K	33-918-24	K43-C3	70552-02131-042	
J902-L	35-923-24	K43-C2	70552-02131-042	
J902-M	39-925-24	K43-B2	70552-02131-042	
J902-N	26-912-24	J2-16	70552-02131-042	
J902-P	31-917-24	K43-X1	70552-02131-042	
J902-R	28-914-24	J2-25	70552-02131-042	
J902-S	117-9258-24	K43-D1	70552-02131-042	
J902-T	116-9127-24	K40-A1	70552-02131-042	
J902-V	8-94-24	K40-C3	70552-02131-042	
J902-W	3-92-24	K40-A3	70552-02131-042	
J902-X	107-9128-24	K40-C2	70552-02131-042	
J902-Y	111-9135-24	K40-A2	70552-02131-042	
J902-Z	60-947-24	K40-C1	70552-02131-042	
J902-a	23-906-24	K45-E3	70552-02131-042	
J902-b	25-908-24	K45-F3	70552-02131-042	
J902-c	22-905-24	K45-E2	70552-02131-042	
J902-d	24-907-24	K45-F2	70552-02131-042	
J902-e	44-927-24	K46-B3	70552-02131-042	
J902-f	6-93-24	K40-B3	70552-02131-042	
J902-g	57-2-22	S1-1	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J902-h	189-914-24	K40-D3	70552-02131-042	
J902-j	97-9058-24	K40-D1	70552-02131-042	
J902-n	109-9134-24	K40-B2	70552-02131-042	
J902-p	166-91-24	K40-B1	70552-02131-042	
J902-q	1-9257-24	K40-X2	70552-02131-042	
J902-r	134-9167-24	U1-8	70552-02131-042	
J902-s	140-2-24	U1-14	70552-02131-042	
J902-t	129-9148-24	U1-3	70552-02131-042	
J902-u	132-9146-24	U1-6	70552-02131-042	
J902-v	131-9157-24	U1-5	70552-02131-042	
J902-w	135-9168-24	U1-9	70552-02131-042	
J902-x	137-9178-24	U1-11	70552-02131-042	
J902-y	138-9234-24	U1-12	70552-02131-042	
J902-z	139-9235-24	U1-13	70552-02131-042	
J902-AA	136-2-24	U1-10	70552-02131-042	
J902-BB	146-9245-24	K46-E1	70552-02131-042	
J902-CC	143-2-24	K46-X1	70552-02131-042	
J902-DD	126-2-24	K46-D1	70552-02131-042	
J902-EE	133-9158-24	U1-7	70552-02131-042	
J902-GG	148-0-24	GND1-N	70552-02131-042	
J906-A	H6397B20	P121-W	S7052-12006-041	
J906-B	H6398B20	P121-X	S7052-12006-041	
J906-C	H6399B20	P121-Y	S7052-12006-041	
J906-D	H6409B20	P121-D	S7052-12006-041	
J906-E	H6410B20	P121-E	S7052-12006-041	
J906-F	H6411B20	P121-F	S7052-12006-041	
J906-G	H6412B20	P121-G	S7052-12006-041	
J906-H	H6413B20	P121-H	S7052-12006-041	
J906-J	H6414B20	P121-J	S7052-12006-041	
J906-K	H6471A20	SA1000-1	S7052-12006-041	
J906-M	H6425B20	P121-K	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J906-N	H6423A20	CB17A-1	70552-02121-046	
J906-P	H6420F20	P121-T	S7052-12006-041	
J906-S	H6420B20	P121-C	S7052-12006-041	
J906-U	H6423C20	SGP203-3	S7052-12006-041	
J906-V	H6424C20	P121-V	S7052-12006-041	
J906-W	H6424A20	CB5A-1	70552-02121-046	
J906-X	H6425A20	CB16A-1	70552-02121-046	
J906-Y	H6452B20	P203-R	S7052-12006-041	
J906-Z	H6422E20	P203-A	S7052-12006-041	
J906-a	H6453C20	P121-g	S7052-12006-041	
J906-b	H6454C20	P121-f	S7052-12006-041	
J906-c	H6455C20	P121-e	S7052-12006-041	
J907-A	H6384A14A	CB31A-A1	70552-02121-046	
J907-B	H6385A14B	CB31A-B1	70552-02121-046	
J907-C	H6386A14C	CB31A-C1	70552-02121-046	
J908-A	H6456B20	P111-NN	S7052-12005-041	
J908-B	H6457B20	P111-MM	S7052-12005-041	
J908-C	H6390E20	P111-A	S7052-12005-041	
J908-D	H6391E20	P111-B	S7052-12005-041	
J908-E	H6392E20	P111-C	S7052-12005-041	
J908-F	H6374B20	P111-D	S7052-12005-041	
J908-G	H6458B20	P111-i	S7052-12005-041	
J908-H	H6383F20	P111-LL	S7052-12005-041	
J908-J	W3415B20	P210-A	S7052-12005-041	
J908-K	H6461B20	P111-KK	S7052-12005-041	
J908-L	H6460B20	P111-JJ	S7052-12005-041	
J908-M	*CBL24 (J908/P111)	-	S7052-12005-041	
J908-N	*H6457B	-	S7052-12005-041	
J913-A	W6600C20	P645-n	S7052-11011-041	
J913-B	W6600F20	P645-p	S7052-11011-041	
J913-C	W6601C20	P645-f	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J913-D	W6601F20	P645-q	S7052-11011-041	
J913-F	W6602C20	P646-f	S7052-11011-041	
J913-G	W6602F20	P646-g	S7052-11011-041	
J913-H	W6605C20	P646-e	S7052-11011-041	
J913-J	Q6555A20	P645-g	S7052-11011-041	
J913-K	Q6556A20	P645-h	S7052-11011-041	
J913-L	Q6557A20	P645-i	S7052-11011-041	
J913-M	Q6558A20	P645-j	S7052-11011-041	
J914-A	Q6749A20	P139-G	S7052-11011-041	
J914-B	Q6748A20	P139-H	S7052-11011-041	
J914-C	Q6747A20	P139-J	S7052-11011-041	
J914-D	Q6746A20	P139-M	S7052-11011-041	
J914-E	W3082B24	P107-F	S7052-11011-041	
J914-G	D5891A24	P135-J	S7052-11011-041	
J914-H	Q4060F24	SG135-1	S7052-11011-041	
J914-J	Q4061A24	P135-M	S7052-11011-041	
J914-K	Q4062A24	P135-P	S7052-11011-041	
J914-L	APX100-130A20	P103R-32	S7062-11014-043	
J914-M	Q6742B20C	P139-A	S7052-11011-041	
J914-N	Q6741B20B	P139-B	S7052-11011-041	
J914-P	Q6740B20A	P139-C	S7052-11011-041	
J914-R	Q6743B20A	P139-V	S7052-11011-041	
J914-S	L3934N24	P393-D	S7052-11011-041	
J914-T	L3936B24	P393-B	S7052-11011-041	
J914-V	L417E24	SGJ914-6	S7052-11011-041	
J914-W	*C4627B	-	S7052-11011-041	
J914-X	C4627B24	SG1105-8	S7052-11011-041	
J914-Y	W3151B20	P107-M	S7052-11011-041	
J914-Z	C4604E24	P422R-w	S7052-11011-041	
J914-a	Q6744B20B	P139-U	S7052-11011-041	
J914-b	C4625A22	SG5R-1	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J914-c	C4626E22	SG3R-2	S7052-11011-041	
J914-d	C4631B24	SG1105-5	S7052-11011-041	
J914-e	C4608B24	P5R-D	S7052-11011-041	
J914-f	C4609B22	SG5R-2	S7052-11011-041	
J914-g	C4603B24	P3R-F	S7052-11011-041	
J914-h	C4602B24	P5R-A	S7052-11011-041	
J914-i	V278B24	P107-C	S7052-11011-041	
J914-j	V279B24	P107-D	S7052-11011-041	
J914-k	*W3151B	-	S7052-11011-041	
J914-m	C6208A24	P423R-M	S7052-11011-041	
J914-n	Q6745B20C	P139-T	S7052-11011-041	
J914-q	C4147A20	P135-T	S7052-11011-041	
J914-r	W3389K20	P135-V	S7052-11011-041	
J914-s	C4132F20	P135-S	S7052-11011-041	
J914-t	*C6208A	-	S7052-11011-041	
J914-u	M3441C20	J226-T	S7052-11011-041	
J914-v	M3440BB20	SGJ914-1	S7052-11011-041	
J914-w	M3439BB20	SGJ914-2	S7052-11011-041	
J914-x	M3438BB20	SGJ914-3	S7052-11011-041	
J914-y	M3437BB20	SGJ914-4	S7052-11011-041	
J914-z	M3436BB20	SGJ914-5	S7052-11011-041	
J914-AA	M3435C20	J226-G	S7052-11011-041	
J914-BB	M3431D20	J226-D	S7052-11011-041	
J914-CC	M3430C20	J226-L	S7052-11011-041	
J914-DD	L4529H20	J226-K	S7052-11011-041	
J914-EE	L3934K20	J226-V	S7052-11011-041	
J914-FF	*M3441C	-	S7052-11011-041	
J914-GG	*CBL11 (J914/P139)	-	S7052-11011-041	
J916-B	*C6194C	-	S7052-11011-041	
J916-C	C4653B24	P4R-X	S7052-11011-041	
J916-D	C4659B22	SG6R-1	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J916-E	C4658B24	P6R-D	S7052-11011-041	
J916-F	C4676E22	SG3R-3	S7052-11011-041	
J916-G	C4675A22	SG6R-2	S7052-11011-041	
J916-H	C4610E22	P6R-J	S7052-11011-041	
J916-J	C4654E24	P422R-a	S7052-11011-041	
J916-K	C6194C24	SG1105-14	S7052-11011-041	
J916-L	C4677B24	SG422R-1	S7052-11011-041	
J916-M	*C4677B	-	S7052-11011-041	
J916-N	M3440E20	SGJ914-1	S7052-11011-041	
J916-P	C6112A24	P428R-N	S7052-11011-041	
J916-R	C6113A24	P428R-FF	S7052-11011-041	
J916-S	C6114A24	P428R-f	S7052-11011-041	
J916-T	C6115A24	P428R-d	S7052-11011-041	
J916-U	C6218A24	P4R-h	S7052-11011-041	
J916-V	C6121A24	P428R-L	S7052-11011-041	
J922-A	L3611K24	SGP246-1	S7052-12006-041	
J922-B	L3613K24	SGP246-2	S7052-12006-041	
J922-C	L3609J24	SGJ922-1	S7052-12006-041	
J922-D	H4324A24	P900-C	S7052-12006-041	
J922-E	W3099A24	P287-C	S7052-12006-041	
J922-F	Q4068B24	J310-f	S7052-12006-041	
J922-G	Q4069B24	J310-g	S7052-12006-041	
J922-H	Q4070B24	J310-h	S7052-12006-041	
J922-K	W4775C24	J310-H	S7052-12006-041	
J922-L	W3160C20	J310-K	S7052-12006-041	
J922-M	*W3160C	-	S7052-12006-041	
J922-N	C4138E20	J316-F	S7052-12006-041	
J922-P	L3611C24	SGP246-1	S7052-12006-041	
J922-R	L3613C24	SGP246-2	S7052-12006-041	
J922-S	L3609B24	SGJ922-1	S7052-12006-041	
J922-T	E2041E24	P246-W	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
J922-U	E2043E24	P246-X	S7052-12006-041	
J922-a	L4501J20	SGJ922-3	S7052-12006-041	
J922-b	C4636B22	P404R-C	S7052-12006-041	
J922-c	C4664B22	P404R-A	S7052-12006-041	
J922-d	C4607A22	P404R-BB	S7052-12006-041	
J922-e	C4612B22	SG925-6	S7052-12006-041	
J922-f	L4505B22	P230-G	S7052-12006-041	
J922-g	L4512J20	SGJ922-2	S7052-12006-041	
J922-h	C4610B22	SG925-3	S7052-12006-041	
J922-i	C4648B24	P404R-c	S7052-12006-041	
J922-j	*C4648B	-	S7052-12006-041	
J922-k	C4613B24	P404R-v	S7052-12006-041	
J922-n	*C4649B	-	S7052-12006-041	
J922-p	C4649B24	P404R-j	S7052-12006-041	
J922-q	C4623B24	P404R-EE	S7052-12006-041	
J922-r	C4148D20	J316-E	S7052-12006-041	
K1-A1	X101B24A	J209-G	70552-02101-043	
K1-A1	X101D20A	CB403-A2	70552-02101-043	
K1-A1	X101A06A	1GEN-T1	70552-02113-047	
K1-A2	H900A08A	CL20-1	S7052-11001-051	
K1-A3	X31A10A	CL1-1	70552-02109-065	
K1-B1	X102B24B	J209-H	70552-02101-043	
K1-B1	X102D20B	CB403-B2	70552-02101-043	
K1-B1	X102A06B	1GEN-T2	70552-02113-047	
K1-B2	H901A08B	CL21-1	S7052-11001-051	
K1-B3	X32A10B	CL2-1	70552-02109-065	
K1-C1	X103B24C	J209-J	70552-02101-043	
K1-C1	X103D20C	CB403-C2	70552-02101-043	
K1-C1	X103A06C	1GEN-T3	70552-02113-047	
K1-C2	H903A08C	CL22-1	S7052-11001-051	
K1-C3	X33A10C	CL3-1	70552-02109-065	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K10-A1	P573B12	CB503-1	S7052-11001-046	
K10-A2	P563A12	CB102-1	S7052-11003-041	
K10-A2	P563B20	K10-X1	70552-02109-071	
K10-A3	P573A12	CB301-2	S7052-11010-041	
K10-A4	P561A12	K9-A3	70552-02109-071	
K10-X1	P563B20	K10-A2	70552-02109-071	
K10-X2	P564A20N	GNDK9-1	70552-02109-071	
K13-A2	P545G24	J236-G	S7052-11002-041	
K13-A2	V72D24	J236-K	S7052-11002-041	
K13-A3	V75A24	J236-L	S7052-11002-041	
K13-B1	2F3920A20	CB222-1	S7052-11002-041	
K13-B2	2F3912A20	J266-b	S7052-11002-041	
K13-B3	2F3921A20	CB257-B2	S7052-11002-041	
K13-X1	X121A24	CB225-1	S7052-11002-041	
K13-X2	X122A20N	GNDK13-1	S7052-11002-041	
K16-A1	P567A20	P239-A	70552-02101-043	
K19-A1	W3382A08A	CB404-A2	70552-02109-070	
K19-A2	W3401A08	P423-A	70552-02109-067	
K19-B1	W3383A08B	CB404-B2	70552-02109-070	
K19-B2	W3402A08	P423-B	70552-02109-067	
K19-C1	W3384A08C	CB404-C2	70552-02109-070	
K19-C2	W3403A08	P423-C	70552-02109-067	
K19-X1	W3418B20	J210-e	70552-02101-043	
K19-X2	W3396A20	J210-d	70552-02101-043	
K19-11	W3398A20	J210-B	70552-02101-043	
K19-12	W3399A20	J210-g	70552-02101-043	
K2-A1	X1B20A	J201-K	70552-02100-045	
K2-A1	X1C20A	CB400-A2	70552-02100-045	
K2-A1	X1A06A	2GEN-T1	70552-02113-048	
K2-A2	X115A10A	CB263-A2	S7052-11002-041	
K2-A2	X115B10A	TB10-3	70552-02109-072	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K2-A2	H6446A10A	CL7-2	70552-02124-056	
K2-B1	X2B20B	J201-J	70552-02100-045	
K2-B1	X2C20B	CB400-B2	70552-02100-045	
K2-B1	X2A06B	2GEN-T2	70552-02113-048	
K2-B2	X116A10B	CB263-B2	S7052-11002-041	
K2-B2	X116B10B	TB10-2	70552-02109-072	
K2-B2	H6447A10B	CL8-2	70552-02124-056	
K2-C1	X3B20C	J201-H	70552-02100-045	
K2-C1	X3C20C	CB400-C2	70552-02100-045	
K2-C1	X3A06C	2GEN-T3	70552-02113-048	
K2-C2	X117A10C	CB263-C2	S7052-11002-041	
K2-C2	X117B10C	TB10-1	70552-02109-072	
K2-C2	H6448A10C	CL9-2	70552-02124-056	
K20-B2	5-2-24	J900-H	70552-02132-044	
K20-B3	4-91-24	J900-G	70552-02132-044	
K20-X1	3-2-24	J900-J	70552-02132-044	
K20-X2	40-0-24	GND1-A	70552-02132-044	
K200-X1	P537E24	SGK201-2	70552-02142-041	
K200-X1	SS7048-3	K200-X2	70552-02142-041	
K200-X2	P584A20N	J2008-E	70552-02142-041	
K200-X2	SS7048-3	K200-X1	70552-02142-041	
K201-B2	JMPRK201-B2-22	SGK201-1	70552-02142-041	
K201-B3	P540AA22	J2008-C	70552-02142-041	
K201-X1	JMPRK201-X1-22	SGK201-1	70552-02142-041	
K201-X2	P581A20N	J2008-F	70552-02142-041	
K201-Y1	JMPRK201-Y1-22	SGK201-1	70552-02142-041	
K21-A2	43-918-24	J244-G	70552-02132-044	
K21-A3	44-923-24	J244-F	70552-02132-044	
K21-B2	6-92-24	J900-F	70552-02132-044	
K21-B3	7-93-24	J900-E	70552-02132-044	
K21-C2	167-934-24	J900-C	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K21-C3	168-956-24	J900-D	70552-02132-044	
K21-X1	42-917-24	J244-E	70552-02132-044	
K21-X2	45-0-24	GND1-B	70552-02132-044	
K22-A1	166-9248-24	K67-X1	70552-02132-044	
K22-A1	47-925-24	E5-T	70552-02132-044	
K22-A2	48-926-24	J244-S	70552-02132-044	
K22-X1	46-924-24	J244-T	70552-02132-044	
K22-X2	164-0-24	K67-X2	70552-02132-044	
K22-X2	49-0-24	J244-U	70552-02132-044	
K23-A1	JMPR1-24	K23-X2	70552-02132-044	
K23-A2	50-0-20	GND2-A	70552-02132-044	
K23-B2	83-0-20	GND2-B	70552-02132-044	
K23-B3	20-914-20	K27-X2	70552-02132-044	
K23-X1	35-913-20	K27-X1	70552-02132-044	
K23-X1	36-913-20	J244-R	70552-02132-044	
K23-X2	JMPR1-24	K23-A1	70552-02132-044	
K23-X2	8-94-24	J900-Z	70552-02132-044	
K24-A1	JMPRK24-A1-20	SGK24-1	70552-02132-044	
K24-A2	JMPRK24-B2-20	K24-B2	70552-02132-044	
K24-B1	24-912-20	J313-H	70552-02132-044	
K24-B1	25-912-20	U1-7	70552-02132-044	
K24-B2	JMPRK24-B2-20	K24-A2	70552-02132-044	
K24-B2	JMPRK24-C2-20	K24-C2	70552-02132-044	
K24-C1	21-906-20	J313-C	70552-02132-044	
K24-C1	85-906-20	U1-4	70552-02132-044	
K24-C2	JMPRK24-C2-20	K24-B2	70552-02132-044	
K24-C2	2-2-20	J244-W	70552-02132-044	
K24-X1	JMPRK24-X1-20	SGK24-1	70552-02132-044	
K24-X2	32-0-22	U1-13	70552-02132-044	
K25-A1	55-8-22	J241-N	70552-02132-044	
K25-A2	89-9026-22	J241-i	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K25-B1	34-8-22	J241-n	70552-02132-044	
K25-B2	86-9024-22	J241-h	70552-02132-044	
K25-C1	28-8-22	J241-E	70552-02132-044	
K25-C2	87-9023-22	J241-g	70552-02132-044	
K25-X1	84-9025-24	J241-j	70552-02132-044	
K25-X2	88-0-24	GND1-L	70552-02132-044	
K26-A1	JMPR6-24	K26-X1	70552-02132-044	
K26-A2	62-947-24	J241-U	70552-02132-044	
K26-B1	138-915-24	J900-g	70552-02132-044	
K26-B2	16-904-24	J900-L	70552-02132-044	
K26-B3	15-903-24	J900-K	70552-02132-044	
K26-C1	66-957-24	J241-a	70552-02132-044	
K26-C2	64-956-24	J241-b	70552-02132-044	
K26-C2	65-956-24	J241-Z	70552-02132-044	
K26-D2	67-958-22	J241-X	70552-02132-044	
K26-D3	78-9018-22	J241-Y	70552-02132-044	
K26-E2	68-967-24	J241-F	70552-02132-044	
K26-E3	52-928-24	J244-J	70552-02132-044	
K26-F2	69-968-24	J241-G	70552-02132-044	
K26-F2	70-968-24	E9-T	70552-02132-044	
K26-F3	51-927-24	J244-K	70552-02132-044	
K26-X1	JMPR6-24	K26-A1	70552-02132-044	
K26-X1	63-948-24	J241-R	70552-02132-044	
K26-X2	80-0-24	GND1-C	70552-02132-044	
K27-A1	17-2-16	J900-r	70552-02132-044	
K27-A2	18-905-16	J900-m	70552-02132-044	
K27-X1	35-913-20	K23-X1	70552-02132-044	
K27-X2	20-914-20	K23-B3	70552-02132-044	
K28-A1	130-9137-24	E21-T	70552-02132-044	
K28-A2	126-9136-24	K29-A2	70552-02132-044	
K28-B2	135-9146-24	E19-T	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K28-B3	131-9138-24	K30-A1	70552-02132-044	
K28-X1	123-9134-24	E22-T	70552-02132-044	
K28-X2	121-0-24	K30-X2	70552-02132-044	
K28-X2	122-0-24	K29-X2	70552-02132-044	
K29-A1	133-9145-24	E20-T	70552-02132-044	
K29-A2	126-9136-24	K28-A2	70552-02132-044	
K29-A2	127-9136-24	K30-A2	70552-02132-044	
K29-B2	124-9134-24	E22-T	70552-02132-044	
K29-B3	125-9135-24	K30-A3	70552-02132-044	
K29-X1	134-9146-24	E19-T	70552-02132-044	
K29-X2	120-0-24	GND1-G	70552-02132-044	
K29-X2	122-0-24	K28-X2	70552-02132-044	
K3-A1	X10A20C	CB401-C2	70552-02100-045	
K3-A1	X10B20C	J202-G	70552-02100-045	
K3-A1	X10D06C	TB5-5	70552-02110-042	
K3-A3	X14B24C	J201-U	70552-02100-045	
K3-A3	X14A06C	J136-C	70552-02109-059	
K3-B1	X9A20B	CB401-B2	70552-02100-045	
K3-B1	X9B20B	J202-H	70552-02100-045	
K3-B1	X9D06B	TB5-3	70552-02110-042	
K3-B3	X13B24B	J201-V	70552-02100-045	
K3-B3	X13A06B	J136-B	70552-02109-059	
K3-C1	X8A20A	CB401-A2	70552-02100-045	
K3-C1	X8B20A	J202-J	70552-02100-045	
K3-C1	X8D06A	TB5-1	70552-02110-042	
K3-C3	X12B24A	J201-W	70552-02100-045	
K3-C3	X12A06A	J136-A	70552-02109-059	
K30-A1	131-9138-24	K28-B3	70552-02132-044	
K30-A2	127-9136-24	K29-A2	70552-02132-044	
K30-A2	128-9136-24	J900-k	70552-02132-044	
K30-A3	125-9135-24	K29-B3	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K30-B1	136-9147-24	J900-n	70552-02132-044	
K30-B2	137-9148-24	J900-p	70552-02132-044	
K30-X1	129-9137-24	E21-T	70552-02132-044	
K30-X2	JMPR9-24	K30-Y2	70552-02132-044	
K30-X2	121-0-24	K28-X2	70552-02132-044	
K30-Y1	132-9145-24	E20-T	70552-02132-044	
K30-Y2	JMPR9-24	K30-X2	70552-02132-044	
K300-A1	M614A12	CB541-A2	S7052-12001-042	
K300-A2	M639A12	J373-1	S7052-12001-042	
K300-B1	M615A12	CB541-B2	S7052-12001-042	
K300-B2	M638A12	J373-2	S7052-12001-042	
K300-C1	M616A12	CB541-C2	S7052-12001-042	
K300-C2	M637A12	J373-3	S7052-12001-042	
K300-X1	CR98-POSITIVE20	CR98-POS	S7052-12001-042	
K300-X1	M622A20	P218-E	S7052-12001-042	
K300-X2	CR98-NEGATIVE20	CR98-NEG	S7052-12001-042	
K300-X2	M664A20	P298-C	S7052-12001-042	
K300-11	M617C20	SGP298-1	S7052-12001-042	
K300-12	M635A20	J374-1	S7052-12001-042	
K300-22	H202A20	P356-D	S7052-12001-042	
K300-23	H202B20	P298-L	S7052-12001-042	
K31-A2	152-9178-24	K32-A1	70552-02132-044	
K31-A3	153-9125-24	K32-X1	70552-02132-044	
K31-A3	154-9155-20	SGU2-5	70552-02132-044	
K31-B2	JMPR11-20	K31-X1	70552-02132-044	
K31-B3	149-9157-20	E24-T	70552-02132-044	
K31-X1	JMPR11-20	K31-B2	70552-02132-044	
K31-X1	142-9235-20	J244-A	70552-02132-044	
K31-X1	145-9235-24	K32-B1	70552-02132-044	
K31-X2	141-0-20	K33-X2	70552-02132-044	
K310-A1	H903A08A	CL20-2	S7052-11001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K310-A2	H906A08A	P350-A	S7052-11001-043	
K310-B1	H904A08B	CL21-2	S7052-11001-042	
K310-B2	H907A08B	P350-B	S7052-11001-043	
K310-C1	H905A08C	CL22-2	S7052-11001-042	
K310-C2	H908A08C	P350-C	S7052-11001-043	
K310-X1	H204CC20	SGP298-3	S7052-12001-042	
K310-X2	K310X2-20N	GDK310-1	S7052-12001-042	
K32-A1	152-9178-24	K31-A2	70552-02132-044	
K32-A2	143-9234-24	K33-B1	70552-02132-044	
K32-B1	145-9235-24	K31-X1	70552-02132-044	
K32-B2	156-9236-24	K33-B2	70552-02132-044	
K32-X1	153-9125-24	K31-A3	70552-02132-044	
K32-X2	140-0-24	GND1-W	70552-02132-044	
K33-A1	JMPR12-20	K33-X1	70552-02132-044	
K33-A2	150-9168-20	E30-T	70552-02132-044	
K33-B1	143-9234-24	K32-A2	70552-02132-044	
K33-B1	144-9234-20	E25-T	70552-02132-044	
K33-B2	155-9236-20	J244-C	70552-02132-044	
K33-B2	156-9236-24	K32-B2	70552-02132-044	
K33-X1	JMPR12-20	K33-A1	70552-02132-044	
K33-X1	158-9237-20	E23-T	70552-02132-044	
K33-X2	141-0-20	K31-X2	70552-02132-044	
K33-X2	151-0-22	GND1-Z	70552-02132-044	
K4-A3	X7A10C	CL6-1	70552-02109-066	
K4-B3	X6A10B	CL5-1	70552-02109-066	
K4-C3	X5A10A	CL4-1	70552-02109-066	
K40-A1	116-9127-24	J902-T	70552-02131-042	
K40-A2	111-9135-24	J902-Y	70552-02131-042	
K40-A3	JMPR15-22	K40-B3	70552-02131-042	
K40-A3	JMPR16-22	K40-X1	70552-02131-042	
K40-A3	3-92-24	J902-W	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K40-B1	166-91-24	J902-p	70552-02131-042	
K40-B2	109-9134-24	J902-n	70552-02131-042	
K40-B3	JMPR14-22	K40-C3	70552-02131-042	
K40-B3	JMPR15-22	K40-A3	70552-02131-042	
K40-B3	6-93-24	J902-f	70552-02131-042	
K40-C1	60-947-24	J902-Z	70552-02131-042	
K40-C2	107-9128-24	J902-X	70552-02131-042	
K40-C3	JMPR13-22	K40-D2	70552-02131-042	
K40-C3	JMPR14-22	K40-B3	70552-02131-042	
K40-C3	8-94-24	J902-V	70552-02131-042	
K40-D1	97-9058-24	J902-j	70552-02131-042	
K40-D2	JMPR13-22	K40-C3	70552-02131-042	
K40-D3	189-914-24	J902-h	70552-02131-042	
K40-X1	JMPR16-22	K40-A3	70552-02131-042	
K40-X2	1-9257-24	J902-q	70552-02131-042	
K40-X2	167-9257-24	K43-X2	70552-02131-042	
K41-A1	16-903-24	K51-B3	70552-02131-042	
K41-A2	11-97-24	K52-A2	70552-02131-042	
K41-A3	106-9128-24	K52-B3	70552-02131-042	
K41-B1	178-968-24	J243-W	70552-02131-042	
K41-B2	10-96-24	J243-V	70552-02131-042	
K41-X1	14-901-24	K51-A1	70552-02131-042	
K41-X2	118-0-24	GND1-A	70552-02131-042	
K41-Y1	177-9256-24	K52-A1	70552-02131-042	
K41-Y2	15-902-24	GND1-R	70552-02131-042	
K43-A2	54-945-24	J243-E	70552-02131-042	
K43-A2	55-945-24	J2-1	70552-02131-042	
K43-A3	52-938-24	J243-F	70552-02131-042	
K43-A3	53-938-24	J2-4	70552-02131-042	
K43-B2	39-925-24	J902-M	70552-02131-042	
K43-B2	40-925-24	J2-3	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K43-B3	37-924-24	J902-J	70552-02131-042	
K43-B3	38-924-24	J2-2	70552-02131-042	
K43-C2	35-923-24	J902-L	70552-02131-042	
K43-C2	36-923-24	J2-14	70552-02131-042	
K43-C3	33-918-24	J902-K	70552-02131-042	
K43-C3	34-918-24	J2-15	70552-02131-042	
K43-D1	117-9258-24	J902-S	70552-02131-042	
K43-D2	168-0-24	GND1-Z	70552-02131-042	
K43-X1	31-917-24	J902-P	70552-02131-042	
K43-X1	32-917-24	J2-24	70552-02131-042	
K43-X2	167-9257-24	K40-X2	70552-02131-042	
K44-A1	81-9028-20	J242-G	70552-02131-042	
K44-A2	80-9027-22	J242-E	70552-02131-042	
K44-A3	114-9138-24	J1-25	70552-02131-042	
K44-B1	JMPR9-22	K44-X1	70552-02131-042	
K44-B2	18-3-22	E1-T	70552-02131-042	
K44-B3	19-4-22	K48-X1	70552-02131-042	
K44-X1	JMPR9-22	K44-B1	70552-02131-042	
K44-X1	157-936-22	K49-B3	70552-02131-042	
K44-X2	113-9137-24	J1-22	70552-02131-042	
K44-X2	121-0-24	GND1-D	70552-02131-042	
K45-A1	JMPR6-20	K45-X1	70552-02131-042	
K45-A2	64-958-24	J242-V	70552-02131-042	
K45-B1	65-967-24	J242-P	70552-02131-042	
K45-B2	66-968-24	J242-S	70552-02131-042	
K45-B3	155-9024-24	J242-R	70552-02131-042	
K45-B3	77-9024-24	J1-9	70552-02131-042	
K45-C1	67-978-24	J242-Y	70552-02131-042	
K45-C2	68-9012-24	J242-Z	70552-02131-042	
K45-C2	69-9012-24	J242-U	70552-02131-042	
K45-D2	70-9013-22	J242-X	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K45-D3	71-9014-22	J242-W	70552-02131-042	
K45-E2	22-905-24	J902-c	70552-02131-042	
K45-E3	23-906-24	J902-a	70552-02131-042	
K45-F2	24-907-24	J902-d	70552-02131-042	
K45-F3	25-908-24	J902-b	70552-02131-042	
K45-X1	JMPR6-20	K45-A1	70552-02131-042	
K45-X1	63-957-24	J242-T	70552-02131-042	
K45-X2	122-0-24	GND1-E	70552-02131-042	
K46-A1	JMPR4-20	K46-X1	70552-02131-042	
K46-A2	145-9238-24	J242-M	70552-02131-042	
K46-B2	56-2-22	J243-c	70552-02131-042	
K46-B3	44-927-24	J902-e	70552-02131-042	
K46-C1	164-9145-22	E8-T	70552-02131-042	
K46-C2	120-6-22	J242-H	70552-02131-042	
K46-C2	47-6-22	K48-A3	70552-02131-042	
K46-D1	126-2-24	J902-DD	70552-02131-042	
K46-D1	127-2-24	U1-1	70552-02131-042	
K46-D2	128-9147-24	U1-4	70552-02131-042	
K46-E1	146-9245-24	J902-BB	70552-02131-042	
K46-E2	123-0-24	GND1-F	70552-02131-042	
K46-F2	173-9346-20	J902-D	70552-02131-042	
K46-F3	172-9345-20	J902-C	70552-02131-042	
K46-X1	JMPR4-20	K46-A1	70552-02131-042	
K46-X1	143-2-24	J902-CC	70552-02131-042	
K46-X2	144-9237-24	J242-L	70552-02131-042	
K47-A1	90-2-24	J242-p	70552-02131-042	
K47-A2	87-9037-24	CR2-A	70552-02131-042	
K47-C1	83-2-24	J242-q	70552-02131-042	
K47-C1	84-2-24	CR1-A	70552-02131-042	
K47-X1	85-9035-24	CR1-C	70552-02131-042	
K47-X1	88-9035-24	J242-n	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K47-X2	89-0-24	J242-k	70552-02131-042	
K48-A1	JMPR10-22	K48-X1	70552-02131-042	
K48-A2	20-5-22	J1-15	70552-02131-042	
K48-A3	47-6-22	K46-C2	70552-02131-042	
K48-A3	48-6-22	K49-A3	70552-02131-042	
K48-X1	JMPR10-22	K48-A1	70552-02131-042	
K48-X1	19-4-22	K44-B3	70552-02131-042	
K48-X2	21-0-22	GND1-T	70552-02131-042	
K49-A1	JMPR11-22	K49-X1	70552-02131-042	
K49-A2	161-8-22	E6-T	70552-02131-042	
K49-A3	48-6-22	K48-A3	70552-02131-042	
K49-B2	159-9025-22	E4-T	70552-02131-042	
K49-B3	157-936-22	K44-X1	70552-02131-042	
K49-X1	JMPR11-22	K49-A1	70552-02131-042	
K49-X1	160-7-22	E3-T	70552-02131-042	
K49-X2	158-0-22	GND1-W	70552-02131-042	
K50-A1	170-9268-24	J243-D	70552-02131-042	
K50-A2	JMPR12-22	K50-X1	70552-02131-042	
K50-X1	JMPR12-22	K50-A2	70552-02131-042	
K50-X1	169-9267-24	J243-B	70552-02131-042	
K50-X2	171-9278-24	J243-C	70552-02131-042	
K51-A1	14-901-24	K41-X1	70552-02131-042	
K51-A1	9-95-24	J1-11	70552-02131-042	
K51-A2	108-9134-24	J243-Y	70552-02131-042	
K51-A2	12-2-24	K52-A2	70552-02131-042	
K51-B2	176-945-24	K52-X1	70552-02131-042	
K51-B3	16-903-24	K41-A1	70552-02131-042	
K51-X1	110-9135-24	J1-5	70552-02131-042	
K51-X1	13-98-24	K52-B2	70552-02131-042	
K51-X2	165-0-24	GND1-S	70552-02131-042	
K52-A1	175-9347-24	J1-12	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K52-A1	177-9256-24	K41-Y1	70552-02131-042	
K52-A2	11-97-24	K41-A2	70552-02131-042	
K52-A2	12-2-24	K51-A2	70552-02131-042	
K52-B2	13-98-24	K51-X1	70552-02131-042	
K52-B3	106-9128-24	K41-A3	70552-02131-042	
K52-X1	174-937-24	J1-7	70552-02131-042	
K52-X1	176-945-24	K51-B2	70552-02131-042	
K52-X2	119-0-24	GND1-B	70552-02131-042	
K53-A1	181-9023-24	J1-2	70552-02131-042	
K53-A1	184-935-24	R1-2	70552-02131-042	
K53-A2	186-9367-24	J243-T	70552-02131-042	
K53-A3	187-9014-24	J243-R	70552-02131-042	
K53-B2	185-9148-24	J243-N	70552-02131-042	
K53-B3	188-9158-24	J243-L	70552-02131-042	
K53-X1	180-918-24	R2-2	70552-02131-042	
K53-X1	183-967-24	J243-j	70552-02131-042	
K53-X2	182-9234-24	GND1-C	70552-02131-042	
K6-A1	P579A06	CB402-2	70552-02109-068	
K6-A2	P571D20	P238-A	70552-02100-045	
K60-A2	H6431A10A	CL10-1	70552-02206-041	
K60-B2	H6432A10B	CL11-1	70552-02206-041	
K60-C2	H6433A10C	CL12-1	70552-02206-041	
K60-X1	H6462A20	K64-A1	70552-02124-061	
K60-X2	H6383A20	J329-N	70552-02124-062	
K60-X2	H6395A20N	GND51-1	70552-02124-062	
K61-A1	H6438A14C	CL15-1	70552-02124-060	
K61-A2	H6389A14	J332-F	70552-02124-060	
K61-B1	H6437A14B	CL14-1	70552-02124-060	
K61-B2	H6388A14	J332-E	70552-02124-060	
K61-C1	H6436A14A	CL13-1	70552-02124-060	
K61-C2	H6387A14	J332-D	70552-02124-060	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K61-X1	H6459C20	J333-B	70552-02124-060	
K61-X2	H6435A20N	GND59-2	70552-02124-060	
K62-L1	H6379A10A	CL7-1	70552-02205-041	
K62-L2	H6380A10B	CL8-1	70552-02205-041	
K62-L3	H6381A10C	CL9-1	70552-02205-041	
K62-T1	H6449A10A	CL10-2	70552-02124-057	
K62-T2	H6450A10B	CL11-2	70552-02124-057	
K62-T3	H6451A10C	CL12-2	70552-02124-057	
K62-X1	H6463E20	SAJ333-1	70552-02124-058	
K62-X2	H6434A20N	GND59-1	70552-02124-058	
K62-L11	H6443A10A	K63-C3	70552-02124-059	
K62-L12	H6444A10B	K63-B3	70552-02124-059	
K62-L13	H6445A10C	K63-A3	70552-02124-059	
K63-A1	H6386C14C	J332-C	70552-02124-059	
K63-A2	H6441A10C	CL15-2	70552-02124-059	
K63-A3	H6445A10C	K62-L13	70552-02124-059	
K63-B1	H6385C14B	J332-B	70552-02124-059	
K63-B2	H6440A10B	CL14-2	70552-02124-059	
K63-B3	H6444A10B	K62-L12	70552-02124-059	
K63-C1	H6384C14A	J332-A	70552-02124-059	
K63-C2	H6439A10A	CL13-2	70552-02124-059	
K63-C3	H6443A10A	K62-L11	70552-02124-059	
K63-X1	H6463D20	SAJ333-1	70552-02124-059	
K63-X2	H6434B20N	GND59-1	70552-02124-059	
K64-A1	H6462A20	K60-X1	70552-02124-061	
K64-A2	H6382B20	J329-M	70552-02124-061	
K64-B1	H6459A20	J329-V	70552-02124-061	
K64-B2	H6393B20	J329-U	70552-02124-061	
K64-C1	H6463A20	J329-X	70552-02124-061	
K64-C2	W3415D20	J329-W	70552-02124-061	
K64-X1	H6466A20	E5-T	70552-02124-061	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K64-X2	H6395C20N	GND51-1	70552-02124-061	
K64-X2	H6395D20N	K65-X2	70552-02124-061	
K65-A2	H6409F20	J329-Z	70552-02124-061	
K65-A3	H6409G20	E4-T	70552-02124-061	
K65-X1	H6471C20	J329-a	70552-02124-061	
K65-X2	H6395D20N	K64-X2	70552-02124-061	
K67-A1	163-9246-24	J241-B	70552-02132-044	
K67-A2	165-9247-24	J241-C	70552-02132-044	
K67-X1	166-9248-24	K22-A1	70552-02132-044	
K67-X2	164-0-24	K22-X2	70552-02132-044	
K7-A1	P518A18	K7-A3	S7052-11011-041	
K7-A1	P518B10	1STUD-E1	70552-02109-064	
K7-A2	P519A10	TLPOS-1	S7052-11001-044	
K7-A2	P519B18	1STUD-E2	70552-02109-064	
K7-A3	P518A18	K7-A1	S7052-11011-041	
K7-A4	P521C18	J219-r	S7052-11011-041	
K7-X1	P522D20	J219-W	S7052-11011-041	
K7-X2	P523A20N	GNDK7-1	S7052-11011-041	
K8-A1	X112D20V	J236-J	S7052-11002-041	
K8-A1	X112E20V	K8-B3	S7052-11002-041	
K8-A2	X119A20V	CB217-2	S7052-11002-041	
K8-A2	X119B20V	CB217-2	S7052-11002-041	
K8-A3	X118A20V	CB239-1	S7052-11002-041	
K8-B2	RCR32G512JS	K8-B3	S7052-11002-041	
K8-B2	X113A20V	K8-X1	S7052-11002-041	
K8-B3	RCR32G512JS	K8-B2	S7052-11002-041	
K8-B3	X112E20V	K8-A1	S7052-11002-041	
K8-X1	X113A20V	K8-B2	S7052-11002-041	
K8-X2	X120A20N	GNDK8-1	S7052-11002-041	
K9-A2	P515B10	1STUD-E3	70552-02109-064	
K9-A3	P561A12	K10-A4	70552-02109-071	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
K9-A4	P572A12	CB202-1	S7052-11002-041	
K9-X1	P522F24	J266-H	S7052-11002-041	
K9-X2	P564B20N	GNDK9-1	70552-02109-071	
PD109R-R	ARN149-DB324	PD128R-R	S7060-11002-048	
PD109R-T	ARN149-DB424	PD128R-T	S7060-11002-048	
PD109R-CR	*CBL008 (PD109R/ PD128R)	-	S7060-11002-048	
PD111R-R	ARN149-DB224	PD123R-R	S7060-11002-046	
PD111R-T	ARN149-DB124	PD123R-T	S7060-11002-046	
PD111R-CR	*CBL007 (PD111R/ PD123R)	-	S7060-11002-046	
PD112R-1	ASN128-DB424	PD138R-T	S7060-11002-058	
PD112R-2	ASN128-DB324	PD138R-R	S7060-11002-058	
PD112R-3	*CBL100 (PD112R/ PD138R)	-	S7060-11002-058	
PD112R-4	ASN128-DB224	PD133R-T	S7060-11002-058	
PD112R-5	ASN128-DB124	PD133R-R	S7060-11002-058	
PD112R-6	*CBL200 (PD112R/ PD133R)	-	S7060-11002-058	
PD112R-8	JMPRPD112R-8-22	SGP112-1	S7060-11002-058	
PD112R-9	JMPRPD112R-9-22	SGP112-1	S7060-11002-058	
PD112R-11	JMPRPD112R-11-22	SGP112-1	S7060-11002-058	
PD112R-13	JMPRPD112R-13-22	SGP112-1	S7060-11002-058	
PD112R-14	JMPRPD112R-14-22	SGP112-2	S7060-11002-058	
PD112R-15	JMPRPD112R-15-22	SGP112-2	S7060-11002-058	
PD112R-16	JMPRPD112R-16-22	SGP112-2	S7060-11002-058	
PD112R-20	JMPRPD112R-20-22	SGP112-2	S7060-11002-058	
PD113R-R	1ARC201-CX324	PD129R-R	S7060-11002-050	
PD113R-T	1ARC201-CX424	PD129R-T	S7060-11002-050	
PD113R-CR	*CBL010 (PD113R/ PD129R)	-	S7060-11002-050	
PD115R-R	1ARC201-CX124	PD124R-R	S7060-11002-049	
PD115R-T	1ARC201-CX224	PD124R-T	S7060-11002-049	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD115R-CR	*CBL009 (PD115R/ PD124R)	-	S7060-11002-049	
PD116R-R	CDU-CX424	PD139R-R	S7060-11002-060	
PD116R-T	CDU-CX324	PD139R-T	S7060-11002-060	
PD116R-CR	*CBL022 (PD116R/ PD139R)	-	S7060-11002-060	
PD117R-R	2ARC201-CX424	PD137R-R	S7060-11002-056	
PD117R-T	2ARC201-CX324	PD137R-T	S7060-11002-056	
PD117R-CR	*CBL012 (PD117R/ PD137R)	-	S7060-11002-056	
PD118R-R	CDU-CX124	PD134R-R	S7060-11002-059	
PD118R-T	CDU-CX224	PD134R-T	S7060-11002-059	
PD118R-CR	*CBL021 (PD118R/ PD134R)	-	S7060-11002-059	
PD119R-R	2ARC201-CX124	PD132R-R	S7060-11002-055	
PD119R-T	2ARC201-CX224	PD132R-T	S7060-11002-055	
PD119R-CR	*CBL017 (PD119R/ PD132R)	-	S7060-11002-055	
PD120R-R	CDU1-DB224	P1011R-8	S7060-11002-041	
PD120R-T	CDU1-DB124	P1011R-7	S7060-11002-041	
PD120R-CR	*CBL001 (PD120R/ P1011R)	-	S7060-11002-041	
PD121R-R	MFD1-DB224	P1015R-R	S7060-11002-043	
PD121R-T	MFD1-DB124	P1015R-T	S7060-11002-043	
PD121R-CR	*CBL001 (PD121R/ P1015R)	-	S7060-11002-043	
PD122R-R	ARN147-DB124	PD5R-12	S7060-11002-047	
PD122R-T	ARN147-DB224	PD5R-11	S7060-11002-047	
PD122R-CR	*CBL005 (PD122R/PD5R)	-	S7060-11002-047	
PD123R-R	ARN149-DB224	PD111R-R	S7060-11002-046	
PD123R-T	ARN149-DB124	PD111R-T	S7060-11002-046	
PD123R-CR	*CBL007 (PD111R/ PD123R)	-	S7060-11002-046	
PD124R-R	1ARC201-CX124	PD115R-R	S7060-11002-049	
PD124R-T	1ARC201-CX224	PD115R-T	S7060-11002-049	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD124R-CR	*CBL009 (PD115R/ PD124R)	-	S7060-11002-049	
PD125R-R	CDU1-DB424	P1011R-5	S7060-11002-041	
PD125R-T	CDU1-DB324	P1011R-4	S7060-11002-041	
PD125R-CR	*CBL002 (PD125R/ P1011R)	-	S7060-11002-041	
PD126R-R	MFD1-DB424	P1015R-R	S7060-11002-044	
PD126R-T	MFD1-DB324	P1015R-T	S7060-11002-044	
PD126R-CR	*CBL001 (PD126R/ P1015R)	-	S7060-11002-044	
PD127R-R	ARN147-DB424	PD5R-2	S7060-11002-047	
PD127R-T	ARN147-DB324	PD5R-1	S7060-11002-047	
PD127R-CR	*CBL006 (PD127R/PD5R)	-	S7060-11002-047	
PD128R-R	ARN149-DB324	PD109R-R	S7060-11002-048	
PD128R-T	ARN149-DB424	PD109R-T	S7060-11002-048	
PD128R-CR	*CBL008 (PD109R/ PD128R)	-	S7060-11002-048	
PD129R-R	1ARC201-CX324	PD113R-R	S7060-11002-050	
PD129R-T	1ARC201-CX424	PD113R-T	S7060-11002-050	
PD130R-R	CDU2-CX224	P1012R-8	S7060-11002-052	
PD130R-T	CDU2-CX124	P1012R-7	S7060-11002-052	
PD130R-CR	*CBL011 (PD130R/ P1012R)	-	S7060-11002-052	
PD131R-R	MFD2-DB224	P1016R-R	S7060-11002-053	
PD131R-T	MFD2-DB124	P1016R-T	S7060-11002-053	
PD131R-CR	*CBL001 (PD131R/ P1016R)	-	S7060-11002-053	
PD132R-R	2ARC201-CX124	PD119R-R	S7060-11002-055	
PD132R-T	2ARC201-CX224	PD119R-T	S7060-11002-055	
PD132R-CR	*CBL017 (PD119R/ PD132R)	-	S7060-11002-055	
PD133R-R	ASN128-DB124	PD112R-5	S7060-11002-058	
PD133R-T	ASN128-DB224	PD112R-4	S7060-11002-058	
PD133R-CR	*CBL200 (PD112R/ PD133R)	-	S7060-11002-058	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD134R-R	CDU-CX124	PD118R-R	S7060-11002-059	
PD134R-T	CDU-CX224	PD118R-T	S7060-11002-059	
PD134R-CR	*CBL021 (PD118R/ PD134R)	-	S7060-11002-059	
PD135R-R	CDU2-CX424	P1012R-5	S7060-11002-052	
PD135R-T	CDU2-CX324	P1012R-4	S7060-11002-052	
PD135R-CR	*CBL012 (PD135R/ P1012R)	-	S7060-11002-052	
PD136R-R	MFD2-DB424	P1016R-R	S7060-11002-054	
PD136R-T	MFD2-DB324	P1016R-T	S7060-11002-054	
PD136R-CR	*CBL001 (PD136R/ P1016R)	-	S7060-11002-054	
PD137R-R	2ARC201-CX424	PD117R-R	S7060-11002-056	
PD137R-T	2ARC201-CX324	PD117R-T	S7060-11002-056	
PD137R-CR	*CBL012 (PD117R/ PD137R)	-	S7060-11002-056	
PD138R-R	ASN128-DB324	PD112R-2	S7060-11002-058	
PD138R-T	ASN128-DB424	PD112R-1	S7060-11002-058	
PD138R-CR	*CBL100 (PD112R/ PD138R)	-	S7060-11002-058	
PD139R-R	CDU-CX424	PD116R-R	S7060-11002-060	
PD139R-T	CDU-CX324	PD116R-T	S7060-11002-060	
PD139R-CR	*CBL022 (PD116R/ PD139R)	-	S7060-11002-060	
PD140R-R	A1BUSA-CX124	PD142R-R	S7060-11002-069	
PD140R-T	A1BUSA-CX224	PD142R-T	S7060-11002-069	
PD140R-CR	*CBL014 (PD140R/ PD142R)	-	S7060-11002-069	
PD141R-R	B1BUSB-CX224	PD143R-R	S7060-11002-071	
PD141R-T	B1BUSB-CX124	PD143R-T	S7060-11002-071	
PD141R-CR	*CBL013 (PD141R/ PD143R)	-	S7060-11002-071	
PD142R-R	A1BUSA-CX124	PD140R-R	S7060-11002-069	
PD142R-T	A1BUSA-CX224	PD140R-T	S7060-11002-069	
PD142R-CR	*CBL014 (PD140R/ PD142R)	-	S7060-11002-069	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD143R-R	B1BUSB-CX224	PD141R-R	S7060-11002-071	
PD143R-T	B1BUSB-CX124	PD141R-T	S7060-11002-071	
PD143R-CR	*CBL013 (PD141R/ PD143R)	-	S7060-11002-071	
PD144R-R	A3BUSA-CX124	PD340R-R	S7060-11002-070	
PD144R-T	A3BUSA-CX224	PD340R-T	S7060-11002-070	
PD144R-CR	*CBL024 (PD144R/ PD340R)	-	S7060-11002-070	
PD145R-R	B3BUSB-CX124	PD341R-R	S7060-11002-072	
PD145R-T	B3BUSB-CX224	PD341R-T	S7060-11002-072	
PD145R-CR	*CBL023 (PD145R/ PD341R)	-	S7060-11002-072	
PD146R-R	ARC164-DB124	PD147R-R	S7060-11002-042	
PD146R-T	ARC164-DB224	PD147R-T	S7060-11002-042	
PD146R-CR	*CBL001 (PD146R/ PD147R)	-	S7060-11002-042	
PD147R-R	ARC164-DB124	PD146R-R	S7060-11002-042	
PD147R-T	ARC164-DB224	PD146R-T	S7060-11002-042	
PD147R-CR	*CBL001 (PD146R/ PD147R)	-	S7060-11002-042	
PD148R-R	ARC164-DB424	PD149R-R	S7060-11002-045	
PD148R-T	ARC164-DB324	PD149R-T	S7060-11002-045	
PD148R-CR	*CBL001 (PD148R/ PD149R)	-	S7060-11002-045	
PD149R-R	ARC164-DB424	PD148R-R	S7060-11002-045	
PD149R-T	ARC164-DB324	PD148R-T	S7060-11002-045	
PD149R-CR	*CBL001 (PD148R/ PD149R)	-	S7060-11002-045	
PD300R-R	ARC222-DB124	PD311R-IS	S7060-11002-061	
PD300R-T	ARC222-DB224	PD311R-CC	S7060-11002-061	
PD300R-CR	*CBL025 (PD300R/ PD311R)	-	S7060-11002-061	
PD301R-R	IDM-CX224	PD312R-R	S7060-11002-063	
PD301R-T	IDM-CX124	PD312R-T	S7060-11002-063	
PD301R-CR	*CBL001 (PD301R/ PD312R)	-	S7060-11002-063	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD302R-R	ARN153-CX224	PD314R-R	S7060-11002-065	
PD302R-T	ARN153-CX124	PD314R-T	S7060-11002-065	
PD302R-CR	*CBL029 (PD302R/ PD314R)	-	S7060-11002-065	
PD303R-R	ARC220-CX224	PD316R-R	S7060-11002-067	
PD303R-T	ARC220-CX124	PD316R-T	S7060-11002-067	
PD303R-CR	*CBL031 (PD303R/ PD316R)	-	S7060-11002-067	
PD304R-R	ARC222-DB424	PD310R-IS	S7060-11002-062	
PD304R-T	ARC222-DB324	PD310R-CC	S7060-11002-062	
PD304R-CR	*CBL026 (PD304R/ PD310R)	-	S7060-11002-062	
PD305R-R	IDM-CX324	PD313R-R	S7060-11002-064	
PD305R-T	IDM-CX424	PD313R-T	S7060-11002-064	
PD305R-CR	*CBL001 (PD305R/ PD313R)	-	S7060-11002-064	
PD306R-R	ARN153-CX424	PD315R-R	S7060-11002-066	
PD306R-T	ARN153-CX324	PD315R-T	S7060-11002-066	
PD306R-CR	*CBL030 (PD306R/ PD315R)	-	S7060-11002-066	
PD307R-R	ARC220-CX324	PD317R-R	S7060-11002-068	
PD307R-T	ARC220-CX424	PD317R-T	S7060-11002-068	
PD307R-CR	*CBL032 (PD307R/ PD317R)	-	S7060-11002-068	
PD310R-CC	ARC222-DB324	PD304R-T	S7060-11002-062	
PD310R-IS	ARC222-DB424	PD304R-R	S7060-11002-062	
PD310R-OS	*CBL026 (PD304R/ PD310R)	-	S7060-11002-062	
PD311R-CC	ARC222-DB224	PD300R-T	S7060-11002-061	
PD311R-IS	ARC222-DB124	PD300R-R	S7060-11002-061	
PD311R-OS	*CBL025 (PD300R/ PD311R)	-	S7060-11002-061	
PD312R-R	IDM-CX224	PD301R-R	S7060-11002-063	
PD312R-T	IDM-CX124	PD301R-T	S7060-11002-063	
PD312R-CR	*CBL001 (PD301R/ PD312R)	-	S7060-11002-063	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD313R-R	IDM-CX324	PD305R-R	S7060-11002-064	
PD313R-T	IDM-CX424	PD305R-T	S7060-11002-064	
PD313R-CR	*CBL001 (PD305R/ PD313R)	-	S7060-11002-064	
PD314R-R	ARN153-CX224	PD302R-R	S7060-11002-065	
PD314R-T	ARN153-CX124	PD302R-T	S7060-11002-065	
PD314R-CR	*CBL029 (PD302R/ PD314R)	-	S7060-11002-065	
PD315R-R	ARN153-CX424	PD306R-R	S7060-11002-066	
PD315R-T	ARN153-CX324	PD306R-T	S7060-11002-066	
PD315R-CR	*CBL030 (PD306R/ PD315R)	-	S7060-11002-066	
PD316R-R	ARC220-CX224	PD303R-R	S7060-11002-067	
PD316R-T	ARC220-CX124	PD303R-T	S7060-11002-067	
PD316R-CR	*CBL031 (PD303R/ PD316R)	-	S7060-11002-067	
PD317R-R	ARC220-CX324	PD307R-R	S7060-11002-068	
PD317R-T	ARC220-CX424	PD307R-T	S7060-11002-068	
PD317R-CR	*CBL032 (PD307R/ PD317R)	-	S7060-11002-068	
PD340R-R	A3BUSA-CX124	PD144R-R	S7060-11002-070	
PD340R-T	A3BUSA-CX224	PD144R-T	S7060-11002-070	
PD340R-CR	*CBL024 (PD144R/ PD340R)	-	S7060-11002-070	
PD341R-R	B3BUSB-CX124	PD145R-R	S7060-11002-072	
PD341R-T	B3BUSB-CX224	PD145R-T	S7060-11002-072	
PD341R-CR	*CBL023 (PD145R/ PD341R)	-	S7060-11002-072	
PD5R-1	ARN147-DB324	PD127R-T	S7060-11002-047	
PD5R-2	ARN147-DB424	PD127R-R	S7060-11002-047	
PD5R-5	JMPRPD5R-5-24	SGPD5R-1	S7060-11002-047	
PD5R-6	JMPRPD5R-6-24	SGPD5R-1	S7060-11002-047	
PD5R-7	JMPRPD5R-7-24	SGPD5R-1	S7060-11002-047	
PD5R-8	JMPRPD5R-8-24	SGPD5R-3	S7060-11002-047	
PD5R-10	JMPRPD5R-10-24	SGPD5R-3	S7060-11002-047	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
PD5R-11	ARN147-DB224	PD122R-T	S7060-11002-047	
PD5R-12	ARN147-DB124	PD122R-R	S7060-11002-047	
PD5R-15	JMPRPD5R-15-24	SGPD5R-2	S7060-11002-047	
PD5R-16	*CBL006 (PD127R/PD5R)	-	S7060-11002-047	
PD5R-20	*CBL005 (PD122R/PD5R)	-	S7060-11002-047	
P1-A	HDST-HI-24	J1-2	S7062-11007-042	
P1-B	HDST-LO-24	J1-4	S7062-11007-042	
P1-D	MIC-LO-24	J1-3	S7062-11007-042	
P1-E	MIC-HI-24	J1-1	S7062-11007-042	
P1-F	*CBL002 (J1/P1)	-	S7062-11007-042	
P1-H	*CBL001 (J1/P1)	-	S7062-11007-042	
P1-M	F251A24N	SGP1-1	S7052-11008-042	
P1-P	F250D24	SGP1-2	S7052-11008-042	
P1-X	F251C24N	SGP1-1	S7052-11008-042	
P1-a	F251B24N	SGP1-1	S7052-11008-042	
P1R-A	NIU046B24	S122-C	S7052-11008-042	
P1R-B	NIU047B24	S122-D	S7052-11008-042	
P1R-C	MFD001C20	SG1018-1	S7052-11008-042	
P1R-D	ARN89-8D22	SGK33-1	S7052-11008-042	
P1R-E	*ARN89-8D	-	S7052-11008-042	
P1R-F	ARN89-10B24	SGK33-4	S7052-11008-042	
P1R-G	ARN89-15B24	SGK33-3	S7052-11008-042	
P1R-H	ARN89-9B24	SGK33-2	S7052-11008-042	
P1R-J	ASN128-64B20	J110-z	S7052-11008-042	
P1R-K	L3934F24	SG301R-4	S7052-11008-042	
P1R-L	NIU005B24	S123-C	S7052-11008-042	
P1R-M	MFD002C20	SG1018-2	S7052-11008-042	
P1R-N	1F3852B24	SGV33-4	S7052-11008-042	
P1R-P	1F3853B24	SGV33-3	S7052-11008-042	
P1R-R	2F3852B24	SGV33-2	S7052-11008-042	
P1R-S	2F3853B24	SGV33-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1R-T	APR39-24B24	P689R-7	S7052-11008-042	
P1R-U	APR39-25B24	P689R-8	S7052-11008-042	
P1R-V	APR39-26B24	P689R-9	S7052-11008-042	
P1R-W	APR39-11B24	P689R-1	S7052-11008-042	
P1R-X	APR39-12B24	P689R-2	S7052-11008-042	
P1R-Y	APR39-13B24	P689R-3	S7052-11008-042	
P1R-Z	APR39-14B24	P689R-4	S7052-11008-042	
P1R-a	APX100-005B24	P306R-K	S7052-11008-042	
P1R-b	APX100-006B24	P306R-J	S7052-11008-042	
P1R-c	APX100-007B24	P306R-H	S7052-11008-042	
P1R-d	APX100-008B24	P306R-G	S7052-11008-042	
P1R-e	APX100-009B24	P306R-F	S7052-11008-042	
P1R-f	APX100-010B24	P306R-E	S7052-11008-042	
P1R-g	APX100-011B24	P306R-D	S7052-11008-042	
P1R-h	APX100-012B24	P306R-C	S7052-11008-042	
P1R-i	APX100-013B24	P306R-B	S7052-11008-042	
P1R-j	APX100-015B24	P306R-L	S7052-11008-042	
P1R-k	*CBL024 (P1R/SGA33)	-	S7052-11008-042	
P1R-m	F448C22	SGA33-1	S7052-11008-042	
P1R-n	F447C22	SGA33-2	S7052-11008-042	
P1R-p	F446C22	SGA33-3	S7052-11008-042	
P1R-q	F453B24	SGA33-4	S7052-11008-042	
P1R-r	F451C24	J110-s	S7052-11008-042	
P1R-s	*F451C	-	S7052-11008-042	
P1R-t	APX100-016A20	P306R-A	S7052-11008-042	
P1R-u	2ARC201-100B24	SG300R-2	S7052-11008-042	
P1R-v	2ARC201-8E24	SGK33-5	S7052-11008-042	
P1R-w	2ARC201-111C24	SGK33-6	S7052-11008-042	
P1R-y	2ARC201-140C24	SGR317-1	S7052-11008-042	
P1R-z	SN10874D24	SGR306-1	S7052-11008-042	
P1R-AA	APX100-032B20	SG1019-39	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1R-BB	C4679G24	J110-GG	S7052-11008-042	
P1R-CC	*C4679G	-	S7052-11008-042	
P1R-DD	C4667J24	J110-JJ	S7052-11008-042	
P1R-FF	C4668J24	J110-LL	S7052-11008-042	
P1R-GG	NIU025B24	S121-D	S7052-11008-042	
P1R-HH	NIU026A24	S121-1C	S7052-11008-042	
P1R-JJ	NIU027B24	S121-C	S7052-11008-042	
P1R-KK	C4655C24	J110-NN	S7052-11008-042	
P1R-LL	H6465C20N	SGR306-2	S7052-11008-042	
P1R-MM	*APN209-A01A	-	S7052-11008-042	
P1R-PP	APN209-A01A24	P674R-7	S7052-11008-042	
P10R-A	F9033E22	SG2005-5	70602-01137-041	
P10R-B	F9035C22	SG2005-7	70602-01137-041	
P10R-M	F9037C22	SG2005-9	70602-01137-041	
P10R-N	F9034C22	SG2005-6	70602-01137-041	
P10R-P	F9036C22	SG2005-8	70602-01137-041	
P100R-1	ARN147-59A24	P149R-z	S7062-11009-042	
P100R-2	ARN147-58A24	P149R-h	S7062-11009-042	
P100R-3	ARN147-60A24	P149R-K	S7062-11009-042	
P100R-4	ARN147-61A24	SG149R-2	S7062-11009-042	
P100R-5	ARN147-56A24	P149R-AA	S7062-11009-042	
P100R-6	ARN147-57A24	P149R-i	S7062-11009-042	
P100R-7	ARN147-55A24	P149R-BB	S7062-11009-042	
P100R-8	ARN147-54A24	P149R-j	S7062-11009-042	
P100R-9	ARN147-63A24	P149R-H	S7062-11009-042	
P100R-12	ARN147-79A24	P149R-F	S7062-11009-042	
P100R-13	ARN147-65A24	P149R-G	S7062-11009-042	
P100R-14	ARN147-61C24	SG149R-2	S7062-11009-042	
P100R-15	ARN147-62A24	P149R-L	S7062-11009-042	
P100R-16	ARN147-64A24	P149R-J	S7062-11009-042	
P100R-17	ARN147-15A24	P149R-A	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P100R-18	NIU-900B22	J129-h	S7062-11014-043	
P100R-19	NIU-901A22N	GND100-1	S7062-11014-043	
P100R-20	1ARC201-12A24	SG1006-2	S7062-11002-041	
P100R-21	2ARC201-09B24	SG1103-2	S7062-11003-041	
P100R-22	ARC220-214-C22	SG364R-1	S7062-11004-041	
P100R-23	IDM114-B24	SGP131-3	S7062-11005-041	
P100R-25	IDM113-A24	P131R-25	S7062-11005-041	
P100R-26	IDM117-B24	SGP131-2	S7062-11005-041	
P100R-27	IDM116-B24	SGP131-1	S7062-11005-041	
P100R-28	IDM115-A24	P131R-35	S7062-11005-041	
P100R-30	STORM136-A22	P301R-10	S7062-11012-041	
P100R-34	STORM102-A22	P301R-27	S7062-11012-041	
P100R-35	F439C24	SGR8-1	S7062-11014-043	
P100R-36	F453A24	J1R-q	S7062-11014-043	
P100R-38	C4140H22	J198-C	S7062-11014-043	
P100R-39	NIU802B22	SG1013-4	S7062-11014-043	
P100R-40	C4139J22	J198-D	S7062-11014-043	
P100R-41	NIU803A22	SG1013-5	S7062-11014-043	
P100R-44	CDU-055A22	P140R-77	S7062-11014-043	
P100R-45	CDU-056A22	P140R-68	S7062-11014-043	
P100R-46	W3387F22	J198-F	S7062-11014-043	
P100R-47	NIU800A22	SG1013-2	S7062-11014-043	
P100R-48	V75E24	J198-B	S7062-11014-043	
P100R-49	NIU801A22	SG1013-3	S7062-11014-043	
P100R-51	ARN153-111A22	P333R-94	S7062-11008-041	
P100R-52	ARN153-112A22	P333R-95	S7062-11008-041	
P100R-54	ARN153-117A22	SG333R-1	S7062-11008-041	
P100R-55	ARN153-118A22	P333R-120	S7062-11008-041	
P100R-56	ARN153-120A22	P333R-121	S7062-11008-041	
P100R-57	ARN153-119A22	SG333R-1	S7062-11008-041	
P100R-58	ARN153-125A22	P333R-127	S7062-11008-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P100R-60	ARN153-122A22	P333R-123	S7062-11008-041	
P100R-61	ARN153-121A22	SG333R-2	S7062-11008-041	
P100R-62	ARN153-124A22	P333R-124	S7062-11008-041	
P100R-63	ARN153-123A22	SG333R-2	S7062-11008-041	
P100R-64	ARN153-126A22	P333R-126	S7062-11008-041	
P100R-65	ARN153-128A22	P333R-114	S7062-11008-041	
P100R-66	ARN153-127A22	P333R-128	S7062-11008-041	
P1000-A	L421A20	SGR2-2	S7052-11008-042	
P1000-B	L420A20	SGR2-1	S7052-11008-042	
P1000-C	L402F24	SGJ112-3	S7052-11008-042	
P1000-D	JMPRP1000-D-24	SG1000-1	S7052-11008-042	
P1000-E	L499A24	SGJ112-1	S7052-11008-042	
P1000-F	L407J24	SG130-1	S7052-11008-042	
P1000-G	L418A20	SGR3-1	S7052-11008-042	
P1000-H	L419A20	SGR3-2	S7052-11008-042	
P1000-J	L414A24N	GG33-2	S7052-11008-042	
P1000-K	L498A24	P131-8	S7052-11008-042	
P1000-L	L408B24	P130-1	S7052-11008-042	
P1000-M	L412B24	P130-8	S7052-11008-042	
P1000-N	L497A24	P131-1	S7052-11008-042	
P1000-R	L401C24	J112-F	S7052-11008-042	
P1000R-A	1ARC201-05A20	J1R-v	S7062-11002-041	
P1000R-D	JMPRP100R-D-20	SGJ1R-1	S7062-11002-041	
P1000R-E	1ARC201-02A20N	GD1000-2	S7062-11002-041	
P1000R-F	1ARC201-45A20	SG189R-1	S7062-11002-041	
P1000R-P	1ARC201-01A20N	GD1000-1	S7062-11002-041	
P1000R-T	1ARC201-04A20	J1R-u	S7062-11002-041	
P1000R-U	1ARC201-03A20	J1R-y	S7062-11002-041	
P1001R-A	1ARC201-30A22	P307R-S	S7062-11002-041	
P1001R-D	1ARC201-33A22	P307R-B	S7062-11002-041	
P1001R-L	1ARC201-35A22	P307R-Y	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1001R-P	1ARC201-32A22	P307R-D	S7062-11002-041	
P1001R-R	1ARC201-31A22	P307R-T	S7062-11002-041	
P1001R-U	1ARC201-34A22	P307R-A	S7062-11002-041	
P1001R-Z	1ARC201-36A22	P307R-V	S7062-11002-041	
P1002R-1	1ARC201-CX318	P823R-1	S7060-11001-047	
P1003R-1	1ARC201-CX418	P158R-1	S7060-11001-048	
P1004R-1	1ARC201-CX518	P157R-1	S7060-11001-049	
P1005R-A	1ARC201-23A24	J1010R-A	S7062-11002-041	
P1005R-B	1ARC201-24A24	J1010R-B	S7062-11002-041	
P1005R-C	1ARC201-25A24	J1010R-C	S7062-11002-041	
P1005R-D	1ARC201-26A24	J1010R-D	S7062-11002-041	
P1005R-E	1ARC201-27A24	J1010R-E	S7062-11002-041	
P1005R-F	1ARC201-28A24	J1010R-F	S7062-11002-041	
P1006R-3	1ARC201-18A24	P324R-19	S7062-11002-041	
P1006R-4	ASN128-81A22	SAGPS-1	S7062-11002-041	
P1006R-7	1ARC201-13A24	P325R-9	S7062-11002-041	
P1006R-9	1ARC201-11A24	P133R-9	S7062-11002-041	
P1006R-13	1ARC201-15A24	P323R-30	S7062-11002-041	
P1006R-15	JMPRP1006R-15-22	SG1006-1	S7062-11002-041	
P1006R-20	1ARC201-14A24	P325R-18	S7062-11002-041	
P1006R-21	JMPRP1006R-21-22	SG1006-1	S7062-11002-041	
P1006R-24	1ARC201-09A24	P133R-5	S7062-11002-041	
P1006R-25	1ARC201-20A24	P140R-17	S7062-11002-041	
P1006R-27	1ARC201-17A24	P323R-18	S7062-11002-041	
P1006R-28	1ARC201-16A24	P323R-17	S7062-11002-041	
P1006R-31	1ARC201-10A24	P133R-6	S7062-11002-041	
P1006R-35	JMPRP1006R-35-22	SG1006-2	S7062-11002-041	
P1006R-44	JMPRP1006R-44-A22	SG1006-1	S7062-11002-041	
P1006R-45	1ARC201-47A24	BOMB2-1	S7062-11002-041	
P1006R-46	1ARC201-07A24	P133R-1	S7062-11002-041	
P1006R-48	*ASN128-81A	-	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1006R-51	JMPRP1006R-51-22	SG1006-1	S7062-11002-041	
P1006R-52	1ARC201-08A24	P133R-10	S7062-11002-041	
P1006R-53	1ARC201-46A24	BOMB1-1	S7062-11002-041	
P1006R-54	1ARC201-42A24	BOMB3-1	S7062-11002-041	
P1006R-55	1ARC201-43A24	BOMB4-1	S7062-11002-041	
P101R-1	*CBL009 (P101R/P301R)	-	S7062-11012-041	
P101R-5	STORM113-A22	P301R-23	S7062-11012-041	
P101R-6	STORM112-A22	P301R-6	S7062-11012-041	
P101R-7	STRORM111-A22	P301R-22	S7062-11012-041	
P101R-8	STORM110-A22	P301R-39	S7062-11012-041	
P101R-9	STORM114-A22	P301R-40	S7062-11012-041	
P101R-10	STORM115-A22	P301R-7	S7062-11012-041	
P101R-12	STORM122-A22	P301R-26	S7062-11012-041	
P101R-13	STORM121-A22	P301R-9	S7062-11012-041	
P101R-14	STORM120-A22	P301R-36	S7062-11012-041	
P101R-18	STORM119-A22	P301R-38	S7062-11012-041	
P101R-19	STORM118-A22	P301R-3	S7062-11012-041	
P101R-21	STORM140-A22N	GD101-1	S7062-11012-041	
P101R-22	STORM116-A22	P301R-21	S7062-11012-041	
P101R-23	STORM117-A22	P301R-20	S7062-11012-041	
P101R-24	STORM125-A22	P301R-44	S7062-11012-041	
P101R-25	STORM123-A22	P301R-43	S7062-11012-041	
P1011R-1	CDU-600A22	TJ5VA-E	S7062-11014-043	
P1011R-2	CDU-601A22N	GD1011-3	S7062-11014-043	
P1011R-3	*CBL002 (PD125R/ P1011R)	-	S7060-11002-041	
P1011R-4	CDU1-DB324	PD125R-T	S7060-11002-041	
P1011R-5	CDU1-DB424	PD125R-R	S7060-11002-041	
P1011R-6	*CBL001 (PD120R/ P1011R)	-	S7060-11002-041	
P1011R-7	CDU1-DB124	PD120R-T	S7060-11002-041	
P1011R-8	CDU1-DB224	PD120R-R	S7060-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1011R-9	CDU-046A22N	GD1011-2	S7062-11014-043	
P1011R-13	CDU-027A22	P1012R-74	S7062-11014-043	
P1011R-15	CDU-014A22	P140R-74	S7062-11014-043	
P1011R-16	CDU-013A22	P140R-73	S7062-11014-043	
P1011R-18	ARC164-11A22	P123R-N	S7062-11014-043	
P1011R-23	ARC164-19B22	SGP140-1	S7062-11014-043	
P1011R-26	CDU-005C22	SG1011-4	S7062-11014-043	
P1011R-27	CDU-044A22N	GD1011-1	S7062-11014-043	
P1011R-28	CDU-002C22	SG1011-1	S7062-11014-043	
P1011R-29	CDU-002D22	SG1011-1	S7062-11014-043	
P1011R-31	JMPRP1011R-31-22	SG1011-8	S7062-11014-043	
P1011R-32	JMPRP1011R-32-22	SG1011-8	S7062-11014-043	
P1011R-33	JMPRP1011R-33-22	SG1011-8	S7062-11014-043	
P1011R-34	JMPRP1011R-34-22	SG1011-11	S7062-11014-043	
P1011R-35	JMPRP1011R-35-22	SG1011-11	S7062-11014-043	
P1011R-36	JMPRP1011R-36-22	SG1011-11	S7062-11014-043	
P1011R-37	CDU-040C22	SG1011-5	S7062-11014-043	
P1011R-40	ARC164-12A22	P123R-B	S7062-11014-043	
P1011R-42	JMPRP1011R-42-22	SG1011-6	S7062-11014-043	
P1011R-50	CDU-45A22N	GD1011-1	S7062-11014-043	
P1011R-51	ARC164-13A22	P123R-D	S7062-11014-043	
P1011R-52	ARC164-20A22	P123R-a	S7062-11014-043	
P1011R-54	ARC164-14A22	P123R-M	S7062-11014-043	
P1011R-61	CDU-025A22	P1012R-61	S7062-11014-043	
P1011R-62	JMPRP1011R-62-22	SG1011-7	S7062-11014-043	
P1011R-69	JMPRP1011R-69-22	SG1011-10	S7062-11014-043	
P1011R-70	JMPRP1011R-70-22	SG1011-9	S7062-11014-043	
P1011R-71	2C11746-99A24	P176R-Z	S7062-11007-041	
P1011R-74	CDU-026A22	P1012R-13	S7062-11014-043	
P1012R-1	CDU-603A22	TJ5VB-E	S7062-11014-043	
P1012R-2	CDU-604A22N	GD1012-3	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1012R-3	*CBL012 (PD135R/ P1012R)	-	S7060-11002-052	
P1012R-4	CDU2-CX324	PD135R-T	S7060-11002-052	
P1012R-5	CDU2-CX424	PD135R-R	S7060-11002-052	
P1012R-6	*CBL011 (PD130R/ P1012R)	-	S7060-11002-052	
P1012R-7	CDU2-CX124	PD130R-T	S7060-11002-052	
P1012R-8	CDU2-CX224	PD130R-R	S7060-11002-052	
P1012R-9	CDU-038A22N	GD1012-2	S7062-11014-043	
P1012R-13	CDU-026A22	P1011R-74	S7062-11014-043	
P1012R-15	CDU-043A22	P140R-76	S7062-11014-043	
P1012R-16	CDU-042A22	P140R-75	S7062-11014-043	
P1012R-26	CDU-005D22	SG1011-4	S7062-11014-043	
P1012R-27	CDU-036A22N	GD1012-1	S7062-11014-043	
P1012R-28	CDU-004C22	SG1012-1	S7062-11014-043	
P1012R-29	CDU-004D22	SG1012-1	S7062-11014-043	
P1012R-31	JMPRP1012R-31-22	P1012R-36	S7062-11014-043	
P1012R-36	JMPRP1012R-31-22	P1012R-31	S7062-11014-043	
P1012R-37	CDU-040B22	SG1011-5	S7062-11014-043	
P1012R-42	CDU-016C22	SG1011-7	S7062-11014-043	
P1012R-50	CDU-037A22N	GD1012-1	S7062-11014-043	
P1012R-60	ARC220-116-B22	SG140R-1	S7062-11004-041	
P1012R-61	CDU-025A22	P1011R-61	S7062-11014-043	
P1012R-62	CDU-015C22	SG1011-6	S7062-11014-043	
P1012R-67	ARC220-117-A22	P369R-B	S7062-11004-041	
P1012R-68	ARC220-118-A22	P369R-a	S7062-11004-041	
P1012R-69	JMPRP1012R-69-22	SG1012-6	S7062-11014-043	
P1012R-70	JMPRP1012R-70-22	SG1012-7	S7062-11014-043	
P1012R-71	1C11746-75A24	P115R-Z	S7062-11007-041	
P1012R-74	CDU-027A22	P1011R-13	S7062-11014-043	
P1013R-1	CDU-030A22	P140R-58	S7062-11014-043	
P1013R-4	ARC164-10A22	P123R-Y	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1013R-6	CDU-101A22	SG1013-6	S7062-11014-043	
P1013R-7	CDU-607B24	SGP102-1	S7062-11014-043	
P1013R-8	V282D24	SGJ198-1	S7062-11014-043	
P1013R-10	CDU-035A24	SG1014-3	S7062-11014-043	
P1013R-12	CDU-034A24	SG1014-4	S7062-11014-043	
P1013R-13	C4142D22	SGJ198-2	S7062-11014-043	
P1013R-14	C4145G22	SGJ198-3	S7062-11014-043	
P1013R-19	2C11746-92A24	J103-k	S7062-11007-041	
P1013R-20	2C11746-93A24	J103-i	S7062-11007-041	
P1013R-21	2C11746-82A24	J103-m	S7062-11007-041	
P1013R-22	2C11746-83A24	J103-h	S7062-11007-041	
P1013R-31	JMPRP1013R-31-22	SG1013-4	S7062-11014-043	
P1013R-32	JMPRP1013R-32-22	SG1013-2	S7062-11014-043	
P1013R-33	JMPRP1013R-33-22	SG1013-5	S7062-11014-043	
P1013R-34	2C11746-25A24	P175R-Z	S7062-11007-041	
P1013R-35	2C11746-24A24	P175R-i	S7062-11007-041	
P1013R-36	2C11746-23A24	P175R-j	S7062-11007-041	
P1013R-37	2C11746-22A24	P175R-m	S7062-11007-041	
P1013R-39	2C11746-21A24	P175R-n	S7062-11007-041	
P1013R-48	2C11746-19A24	P175R-B	S7062-11007-041	
P1013R-49	CDU-032A22	SG1014-1	S7062-11014-043	
P1013R-50	CDU-033A22	SG1014-2	S7062-11014-043	
P1013R-57	CDU-053A22	P140R-69	S7062-11014-043	
P1013R-58	CDU-054A22	P140R-70	S7062-11014-043	
P1013R-64	JMPRP1013R-64-22	SG1013-3	S7062-11014-043	
P1013R-65	CDU-049A22	SG1014-8	S7062-11014-043	
P1013R-66	CDU-045A22	SG1014-7	S7062-11014-043	
P1013R-67	CDU-047A22	SG1014-5	S7062-11014-043	
P1013R-68	CDU-048A22	SG1014-6	S7062-11014-043	
P1013R-69	CDU-029A22	SG1013-1	S7062-11014-043	
P1013R-70	CDU-023A22	SG1014-9	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1013R-71	CDU-024A22	SG1014-10	S7062-11014-043	
P1013R-73	CDU-028A22	P140R-24	S7062-11014-043	
P1013R-74	2C11746-81C24	SGP175-4	S7062-11007-041	
P1014R-1	CDU-039A22	P140R-59	S7062-11014-043	
P1014R-6	CDU-100A22	SG1013-6	S7062-11014-043	
P1014R-7	CDU-607A24	SGP102-1	S7062-11014-043	
P1014R-8	V282C24	SGJ198-1	S7062-11014-043	
P1014R-10	JMPRP1014R-10-22	SG1014-3	S7062-11014-043	
P1014R-12	JMPRP1014R-12-22	SG1014-4	S7062-11014-043	
P1014R-13	C4142E22	SGJ198-2	S7062-11014-043	
P1014R-14	C4145H22	SGJ198-3	S7062-11014-043	
P1014R-19	1C11746-92A24	J104-k	S7062-11007-041	
P1014R-20	1C11746-20A24	J104-i	S7062-11007-041	
P1014R-21	1C11746-82A24	J104-m	S7062-11007-041	
P1014R-22	1C11746-83A24	J104-h	S7062-11007-041	
P1014R-31	NIU802A22	SG1013-4	S7062-11014-043	
P1014R-32	NIU800B22	SG1013-2	S7062-11014-043	
P1014R-33	NIU803B22	SG1013-5	S7062-11014-043	
P1014R-34	1C11746-25A24	P124R-Z	S7062-11007-041	
P1014R-35	1C11746-24A24	P124R-i	S7062-11007-041	
P1014R-36	1C11746-23A24	P124R-j	S7062-11007-041	
P1014R-37	1C11746-22A24	P124R-m	S7062-11007-041	
P1014R-39	1C11746-21A24	P124R-n	S7062-11007-041	
P1014R-48	1C7146-19A24	P124R-B	S7062-11007-041	
P1014R-49	JMPRP1014R-4922	SG1014-1	S7062-11014-043	
P1014R-50	JMPRP1014R-5022	SG1014-2	S7062-11014-043	
P1014R-57	CDU-051A22	P140R-71	S7062-11014-043	
P1014R-58	CDU-050A22	P140R-72	S7062-11014-043	
P1014R-64	NIU801B22	SG1013-3	S7062-11014-043	
P1014R-65	JMPRP1014R-65-22	SG1014-8	S7062-11014-043	
P1014R-66	JMPRP1014R-66-22	SG1014-7	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1014R-67	JMPRP1014R-67-22	SG1014-5	S7062-11014-043	
P1014R-68	JMPRP1014R-68-22	SG1014-6	S7062-11014-043	
P1014R-69	CDU-029C22	SG1013-1	S7062-11014-043	
P1014R-70	JMPRP1014R-70-22	SG1014-9	S7062-11014-043	
P1014R-71	JMPRP1014R-71-22	SG1014-10	S7062-11014-043	
P1014R-73	CDU-066A22	P140R-23	S7062-11014-043	
P1014R-74	1C11746-85B24	SG124R-4	S7062-11007-041	
P1015R-B	FLIR-TX212	P213R-R	S7062-11013-042	
P1015R-R	MFD1-DB224	PD121R-R	S7060-11002-043	
P1015R-R	MFD1-DB424	PD126R-R	S7060-11002-044	
P1015R-T	MFD1-DB124	PD121R-T	S7060-11002-043	
P1015R-T	MFD1-DB324	PD126R-T	S7060-11002-044	
P1016R-B	FLIR-TX112	P212R-R	S7062-11013-042	
P1016R-R	MFD2-DB224	PD131R-R	S7060-11002-053	
P1016R-R	MFD2-DB424	PD136R-R	S7060-11002-054	
P1016R-T	MFD2-DB124	PD131R-T	S7060-11002-053	
P1016R-T	MFD2-DB324	PD136R-T	S7060-11002-054	
P1017R-1	JMPRP1017R-1-22	SG1017-1	S7052-11008-042	
P1017R-2	JMPRP1017R-2-22	SG1017-2	S7052-11008-042	
P1017R-3	JMPRP1017R-3-22	SG1017-1	S7052-11008-042	
P1017R-4	JMPRP1017R-4-22	SG1017-2	S7052-11008-042	
P1017R-5	MFD00822N	SG1017-2	S7052-11008-042	
P1017R-6	MFD00922N	TL33-B-1	S7052-11008-042	
P1017R-7	MFD01022N	TL33-B-1	S7052-11008-042	
P1017R-8	MFD01122N	TL33-C-1	S7052-11008-042	
P1017R-9	MFD01422N	TL33-B-1	S7052-11008-042	
P1017R-10	MFD01322N	TL33-B-1	S7052-11008-042	
P1017R-20	MFD01222N	TL33-C-1	S7052-11008-042	
P1017R-21	L3645NN22	SGJ113-1	S7052-11008-042	
P1017R-22	L3651TT22N	SGF33-3	S7052-11008-042	
P1018R-1	JMPRP1018R-1-22	SG1018-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1018R-2	JMPRP1018R-2-22	SG1018-2	S7052-11008-042	
P1018R-3	JMPRP1018R-3-22	SG1018-1	S7052-11008-042	
P1018R-4	JMPRP1018R-4-22	SG1018-2	S7052-11008-042	
P1018R-5	JMPRP1018R-5-22	SG1018-2	S7052-11008-042	
P1018R-6	MFD00222N	TL33-A-1	S7052-11008-042	
P1018R-7	MFD00322N	TL33-A-1	S7052-11008-042	
P1018R-8	MFD00422N	TL33-C-1	S7052-11008-042	
P1018R-9	MFD00122N	TL33-A-1	S7052-11008-042	
P1018R-10	MFD9922N	TL33-A-1	S7052-11008-042	
P1018R-20	MFD00522N	TL33-C-1	S7052-11008-042	
P1018R-21	L3647SS22	SGJ112-4	S7052-11008-042	
P1018R-22	L3554BB22N	SGJ112-5	S7052-11008-042	
P1019R-1	JMPRP1019R-1-22	SG1019-1	S7052-11008-042	
P1019R-2	JMPRP1019R-2-22	SG1019-2	S7052-11008-042	
P1019R-3	JMPRP1019R-3-22	SG1019-3	S7052-11008-042	
P1019R-4	JMPRP1019R-4-22	SG1019-4	S7052-11008-042	
P1019R-5	JMPRP1019R-5-22	SG1019-5	S7052-11008-042	
P1019R-6	JMPRP1019R-6-22	SG1019-6	S7052-11008-042	
P1019R-7	JMPRP1019R-7-22	SG1019-7	S7052-11008-042	
P1019R-8	X130DD24	SG1020-8	S7052-11008-042	
P1019R-9	X131DD24	SG1020-9	S7052-11008-042	
P1019R-10	JMPRP1019R-10-22	SG1019-10	S7052-11008-042	
P1019R-11	JMPRP1019R-11-22	SG1019-11	S7052-11008-042	
P1019R-12	JMPRP1019R-12-22	SG1019-12	S7052-11008-042	
P1019R-13	JMPRP1019R-13-22	SG1019-13	S7052-11008-042	
P1019R-14	L411CC24	SG1020-14	S7052-11008-042	
P1019R-15	JMPRP1019R-15-22	SG1019-15	S7052-11008-042	
P1019R-16	JMPRP1019R-16-22	SG1019-16	S7052-11008-042	
P1019R-17	X95DD24	SG1020-17	S7052-11008-042	
P1019R-18	P543C24	SG1020-18	S7052-11008-042	
P1019R-19	V75CC24	SG1020-19	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1019R-20	P540BB24	SG1020-20	S7052-11008-042	
P1019R-21	M326BB24	SG1020-21	S7052-11008-042	
P1019R-22	Q3242DD24	SG1020-22	S7052-11008-042	
P1019R-23	W3386CC22	SG1020-23	S7052-11008-042	
P1019R-24	JMPRP1019R-24-22	SG1019-24	S7052-11008-042	
P1019R-25	JMPRP1019R-25-22	SG1019-25	S7052-11008-042	
P1019R-26	JMPRP1019R-26-22	SG1019-26	S7052-11008-042	
P1019R-27	JMPRP1019R-27-22	SG1019-27	S7052-11008-042	
P1019R-28	C4141BB22	SG1020-28	S7052-11008-042	
P1019R-29	JMPRP1019R-29-22	SG1019-29	S7052-11008-042	
P1019R-30	JMPRP1019R-30-22	SG1019-30	S7052-11008-042	
P1019R-31	L3562AA24	SG1020-31	S7052-11008-042	
P1019R-32	JMPRP1019R-32-22	SG1019-32	S7052-11008-042	
P1019R-33	JMPRP1019R-33-22	SG1019-33	S7052-11008-042	
P1019R-34	P549BB24	SG1020-34	S7052-11008-042	
P1019R-36	JMPRP1019R-36-22	SG1019-36	S7052-11008-042	
P1019R-37	JMPRP1019R-37-22	SG1019-37	S7052-11008-042	
P1019R-38	JMPRP1019R-38-22	SG1019-38	S7052-11008-042	
P1019R-39	JMPRP1019R-39-22	SG1019-39	S7052-11008-042	
P1019R-40	V281AA24	SG1020-40	S7052-11008-042	
P1019R-41	JMPRP1019R-41-22	SG1019-41	S7052-11008-042	
P1019R-42	JMPRP1019R-42-22	SG1019-42	S7052-11008-042	
P1019R-43	JMPRP1019R-43-22	SG1019-43	S7052-11008-042	
P1019R-44	JMPRP1019R-44-22	SG1019-44	S7052-11008-042	
P1019R-45	JMPRP1019R-45-22	SG1019-45	S7052-11008-042	
P1019R-46	V282AA24	SG1020-46	S7052-11008-042	
P1019R-47	JMPRP1019R-47-22	SG1019-47	S7052-11008-042	
P1019R-48	JMPRP1019R-48-22	SG1019-48	S7052-11008-042	
P1019R-49	H6396AA22	SG1020-49	S7052-11008-042	
P1019R-50	C4144BB22	SG1020-50	S7052-11008-042	
P1019R-51	JMPRP1019R-51-22	SG1019-51	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1019R-52	Q3240DD24	SG1020-52	S7052-11008-042	
P1019R-53	W3385CC22	SG1020-53	S7052-11008-042	
P1019R-54	Q4064AA24	SG1020-54	S7052-11008-042	
P1019R-55	W2001DD24	SG1020-55	S7052-11008-042	
P1019R-56	W2002B24	SG1020-56	S7052-11008-042	
P1019R-57	W2003BB24	SG1020-57	S7052-11008-042	
P1019R-58	Q3241DD24	SG1020-58	S7052-11008-042	
P1019R-59	K3007FF24	SG1020-59	S7052-11008-042	
P1019R-60	C4139GG22	SG1020-60	S7052-11008-042	
P1019R-61	X69FF24	SG1020-61	S7052-11008-042	
P1019R-62	P550CC24	SG1020-62	S7052-11008-042	
P1019R-63	JMPRP1019R-63-22	SG1019-63	S7052-11008-042	
P1019R-64	C4143B22	SG1020-64	S7052-11008-042	
P1019R-65	JMPRP1019R-65-22	SG1019-65	S7052-11008-042	
P1019R-66	C4142BB22	SG1020-66	S7052-11008-042	
P1019R-67	JMPRP1019R-67-22	SG1019-67	S7052-11008-042	
P1019R-68	W4404D24	SG1020-68	S7052-11008-042	
P1019R-69	W4403D24	SG1020-69	S7052-11008-042	
P1019R-70	Q4063AA24	SG1020-70	S7052-11008-042	
P1019R-71	W2005DD24	SG1020-71	S7052-11008-042	
P1019R-72	W2006BB24	SG1020-72	S7052-11008-042	
P1019R-73	W2007BB24	SG1020-73	S7052-11008-042	
P1019R-74	Q3243DD24	SG1020-74	S7052-11008-042	
P1019R-75	K3006HH24	SG1020-75	S7052-11008-042	
P1019R-76	C4140FF22	SG1020-76	S7052-11008-042	
P1019R-77	JMPRP1019R-77-22	SG1019-77	S7052-11008-042	
P1019R-78	W4401DD24	SG1020-78	S7052-11008-042	
P1019R-79	W4402DD24	SG1020-79	S7052-11008-042	
P1019R-80	JMPRP1019R-80-22	SG1019-80	S7052-11008-042	
P1019R-81	JMPRP1019R-81-22	SG1019-81	S7052-11008-042	
P1019R-82	JMPRP1019R-82-22	SG1019-82	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1019R-83	JMPRP1019R-83-22	SG1019-83	S7052-11008-042	
P1019R-84	JMPRP1019R-84-22	SG1019-84	S7052-11008-042	
P1019R-88	MFD01722	P1020R-90	S7052-11008-042	
P1019R-89	MFD01822	P1020R-91	S7052-11008-042	
P1019R-90	MFD01522	P1020R-88	S7052-11008-042	
P1019R-91	MFD01622	P1020R-89	S7052-11008-042	
P1019R-116	JMPRP1017R-116-22	SG1019-8	S7052-11008-042	
P1019R-117	JMPRP1017R-117-22	SG1019-8	S7052-11008-042	
P1019R-118	JMPRP1019R-118-22	SG1019-8	S7052-11008-042	
P1019R-121	JMPRP1019R-121-22	SG1019-8	S7052-11008-042	
P102R-1	NIU015A24	P16R-k	S7062-11014-043	
P102R-2	NIU016A24	P16R-m	S7062-11014-043	
P102R-3	NIU017A24	P16R-n	S7062-11014-043	
P102R-4	NIU018A24	P16R-p	S7062-11014-043	
P102R-5	NIU041A24	SG318A-4	S7062-11014-043	
P102R-6	NIU042A24	SG318A-5	S7062-11014-043	
P102R-7	2F3775C24	SGP14R-1	S7062-11014-043	
P102R-8	NIU023A24	P16R-C	S7062-11014-043	
P102R-9	NIU043A24	SG318B-4	S7062-11014-043	
P102R-10	NIU044A24	SG318B-5	S7062-11014-043	
P102R-11	2F3798C24	SGP14R-2	S7062-11014-043	
P102R-12	NIU024A24	P14R-c	S7062-11014-043	
P102R-13	NIU038A24	P14R-L	S7062-11014-043	
P102R-14	NIU039A24	P14R-M	S7062-11014-043	
P102R-15	NIU040A24	P14R-P	S7062-11014-043	
P102R-16	NIU045A24	P14R-b	S7062-11014-043	
P102R-17	NIU008A24	P16R-b	S7062-11014-043	
P102R-18	NIU013A24	P16R-i	S7062-11014-043	
P102R-19	NIU020A24	P16R-t	S7062-11014-043	
P102R-20	NIU019A24	P16R-q	S7062-11014-043	
P102R-21	NIU012A24	P16R-h	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P102R-22	NIU011A24	P16R-g	S7062-11014-043	
P102R-23	NIU022A24	P16R-x	S7062-11014-043	
P102R-24	NIU009A24	P16R-e	S7062-11014-043	
P102R-25	NIU010A24	P16R-f	S7062-11014-043	
P102R-26	NIU021A24	P16R-w	S7062-11014-043	
P102R-27	NIU003A24	P16R-V	S7062-11014-043	
P102R-28	NIU004A24	P16R-W	S7062-11014-043	
P102R-29	NIU006A24	P16R-Y	S7062-11014-043	
P102R-30	NIU095A24	P16R-X	S7062-11014-043	
P102R-31	NIU014A24	P16R-j	S7062-11014-043	
P102R-32	NIU900A22	P242-E	S7062-11007-041	
P102R-33	NIU901A22	P139R-63	S7062-11007-041	
P102R-34	L409F24	J198-S	S7062-11014-043	
P102R-39	NIU001A24	P16R-A	S7062-11014-043	
P102R-40	NIU002A24	P16R-B	S7062-11014-043	
P102R-41	NIU005A24	J1R-L	S7062-11014-043	
P102R-42	CDU-058A22	SG318A-3	S7062-11014-043	
P102R-43	CDU-057A22	SG318A-1	S7062-11014-043	
P102R-44	NIU046A24	J1R-A	S7062-11014-043	
P102R-45	NIU047A24	J1R-B	S7062-11014-043	
P102R-46	NIU090A24	P14R-a	S7062-11014-043	
P102R-47	NIU027A24	J1R-JJ	S7062-11014-043	
P102R-48	NIU025A24	J1R-GG	S7062-11014-043	
P102R-49	NIU026A24	J1R-HH	S7062-11014-043	
P102R-50	NIU028A24	P14R-A	S7062-11014-043	
P102R-51	NIU029A24	P14R-B	S7062-11014-043	
P102R-52	NIU030A24	P14R-J	S7062-11014-043	
P102R-53	NIU031A24	P14R-K	S7062-11014-043	
P102R-54	APN209-2C24	SGP102-2	S7062-11014-043	
P102R-55	JMPRP102R-55-24	SGP102-1	S7062-11014-043	
P1020R-1	M464DD24	SG1019-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1020R-2	M466DD24	SG1019-2	S7052-11008-042	
P1020R-3	M467DD24	SG1019-3	S7052-11008-042	
P1020R-4	M463DD24	SG1019-4	S7052-11008-042	
P1020R-5	M465DD24	SG1019-5	S7052-11008-042	
P1020R-6	M470DD24	SG1019-6	S7052-11008-042	
P1020R-7	M471DD24	SG1019-7	S7052-11008-042	
P1020R-8	JMPRP1020R-8-22	SG1020-8	S7052-11008-042	
P1020R-9	JMPRP1020R-9-22	SG1020-9	S7052-11008-042	
P1020R-10	M468DD24	SG1019-10	S7052-11008-042	
P1020R-11	M462DD24	SG1019-11	S7052-11008-042	
P1020R-12	JMPRP1020R-12-22	SG1020-12	S7052-11008-042	
P1020R-13	JMPRP1020R-13-22	SG1020-13	S7052-11008-042	
P1020R-14	JMPRP1020R-14-22	SG1020-14	S7052-11008-042	
P1020R-15	L411AA24	SG1019-15	S7052-11008-042	
P1020R-16	W3387D22	SG1019-16	S7052-11008-042	
P1020R-17	JMPRP1020R-17-22	SG1020-17	S7052-11008-042	
P1020R-18	JMPRP1020R-18-22	SG1020-18	S7052-11008-042	
P1020R-19	JMPRP1020R-19-22	SG1020-19	S7052-11008-042	
P1020R-20	JMPRP1020R-20-22	SG1020-20	S7052-11008-042	
P1020R-21	JMPRP1020R-21-22	SG1020-21	S7052-11008-042	
P1020R-22	JMPRP1020R-22-22	SG1020-22	S7052-11008-042	
P1020R-23	JMPRP1020R-23-22	SG1020-23	S7052-11008-042	
P1020R-24	ALQ144-10AA22	SG1019-24	S7052-11008-042	
P1020R-25	C4705CC24	SG1019-25	S7052-11008-042	
P1020R-26	C6173BB24	SG1019-26	S7052-11008-042	
P1020R-27	H6397CC22	SG1019-27	S7052-11008-042	
P1020R-28	JMPRP1020R-28-22	SG1020-28	S7052-11008-042	
P1020R-29	H711AA24	SG1019-29	S7052-11008-042	
P1020R-30	X53FF24	SG1019-30	S7052-11008-042	
P1020R-31	JMPRP1020R-31-22	SG1020-31	S7052-11008-042	
P1020R-32	M366AA22	SG1019-32	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1020R-33	L3981DD24	SG1019-33	S7052-11008-042	
P1020R-34	JMPRP1020R-34-22	SG1020-34	S7052-11008-042	
P1020R-36	C6174BB24	SG1019-36	S7052-11008-042	
P1020R-37	Q6552AA22	SG1019-37	S7052-11008-042	
P1020R-38	C6216AA22	SG1019-38	S7052-11008-042	
P1020R-39	APX100-032BB22	SG1019-39	S7052-11008-042	
P1020R-40	JMPRP1020R-40-22	SG1020-40	S7052-11008-042	
P1020R-41	H6398CC22	SG1019-41	S7052-11008-042	
P1020R-42	Q3201AA24	SG1019-42	S7052-11008-042	
P1020R-43	L4562AA24	SG1019-43	S7052-11008-042	
P1020R-44	M352AA22	SG1019-44	S7052-11008-042	
P1020R-45	V16BB22	SG1019-45	S7052-11008-042	
P1020R-46	JMPRP1020R-46-22	SG1020-46	S7052-11008-042	
P1020R-47	C6172BB24	SG1019-47	S7052-11008-042	
P1020R-48	F3956BB24	SG1019-48	S7052-11008-042	
P1020R-49	JMPRP1020R-49-22	SG1020-49	S7052-11008-042	
P1020R-50	JMPRP1020R-50-22	SG1020-50	S7052-11008-042	
P1020R-51	W3388CC22	SG1019-51	S7052-11008-042	
P1020R-52	JMPRP1020R-52-22	SG1020-52	S7052-11008-042	
P1020R-53	JMPRP1020R-53-22	SG1020-53	S7052-11008-042	
P1020R-54	JMPRP1020R-54-22	SG1020-54	S7052-11008-042	
P1020R-55	JMPRP1020R-55-22	SG1020-55	S7052-11008-042	
P1020R-56	JMPRP1020R-56-22	SG1020-56	S7052-11008-042	
P1020R-57	JMPRP1020R-57-22	SG1020-57	S7052-11008-042	
P1020R-58	JMPRP1020R-58-22	SG1020-58	S7052-11008-042	
P1020R-59	JMPRP1020R-59-22	SG1020-59	S7052-11008-042	
P1020R-60	JMPRP1020R-60-22	SG1020-60	S7052-11008-042	
P1020R-61	JMPRP1020R-61-22	SG1020-61	S7052-11008-042	
P1020R-62	JMPRP1020R-62-22	SG1020-62	S7052-11008-042	
P1020R-63	H708AA24	SG1019-63	S7052-11008-042	
P1020R-64	JMPRP1020R-64-22	SG1020-64	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1020R-65	H709AA24	SG1019-65	S7052-11008-042	
P1020R-66	JMPRP1020R066-22	SG1020-66	S7052-11008-042	
P1020R-67	C4145EE22	SG1019-67	S7052-11008-042	
P1020R-68	JMPRP1020R-68-22	SG1020-68	S7052-11008-042	
P1020R-69	JMPRP1020R-69-22	SG1020-69	S7052-11008-042	
P1020R-70	JMPRP1020R-70-22	SG1020-70	S7052-11008-042	
P1020R-71	JMPRP1020R-71-22	SG1020-71	S7052-11008-042	
P1020R-72	JMPRP1020R-72-22	SG1020-72	S7052-11008-042	
P1020R-73	JMPRP1020R-73-22	SG1020-73	S7052-11008-042	
P1020R-74	JMPRP1020R-74-22	SG1020-74	S7052-11008-042	
P1020R-75	JMPRP1020R-75-22	SG1020-75	S7052-11008-042	
P1020R-76	JMPRP1020R-76-22	SG1020-76	S7052-11008-042	
P1020R-77	W4776DD24	SG1019-77	S7052-11008-042	
P1020R-78	JMPRP1020R-78-22	SG1020-78	S7052-11008-042	
P1020R-79	JMPRP1020R-79-22	SG1020-79	S7052-11008-042	
P1020R-80	C6215AA22	SG1019-80	S7052-11008-042	
P1020R-81	F3957BB24	SG1019-81	S7052-11008-042	
P1020R-82	HH6399CC22	SG1019-82	S7052-11008-042	
P1020R-83	H710A24	SG1019-83	S7052-11008-042	
P1020R-84	V280AA24	SG1019-84	S7052-11008-042	
P1020R-88	MFD01522	P1019R-90	S7052-11008-042	
P1020R-89	MFD01622	P1019R-91	S7052-11008-042	
P1020R-90	MFD01722	P1019R-88	S7052-11008-042	
P1020R-91	MFD01822	P1019R-89	S7052-11008-042	
P1020R-119	JMPRP1020R-A-22	P1020R-121	S7052-11008-042	
P1020R-121	JMPRP1020R-A-22	P1020R-119	S7052-11008-042	
P1021R-2	CDU-022A20	SG1011-10	S7062-11014-043	
P1021R-3	CDU-061A20	SG1012-7	S7062-11014-043	
P1021R-4	CDU-060A20	SG1012-6	S7062-11014-043	
P1021R-5	CDU-021A20	SG1011-9	S7062-11014-043	
P103R-1	APX100020ARG180	P664R-49	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P103R-2	APX100018ARG180	P664R-45	S7062-11014-043	
P103R-3	APX100019ARG180	P664R-47	S7062-11014-043	
P103R-4	APX100017ARG180	P664R-43	S7062-11014-043	
P103R-9	APX100-023A24	P664R-53	S7062-11014-043	
P103R-14	APX100-024A24	P664R-54	S7062-11014-043	
P103R-17	APX100-022A24	P664R-52	S7062-11014-043	
P103R-19	APX100-027A24	P664R-57	S7062-11014-043	
P103R-28	APX100-021A22	P664R-51	S7062-11014-043	
P103R-30	APX100-032A20	J1R-AA	S7062-11014-043	
P103R-31	APX100-029A22	P664R-40	S7062-11014-043	
P103R-32	APX100-130A20	J914-L	S7062-11014-043	
P103R-33	CDU-017B16	SG140R-2	S7062-11014-043	
P103R-34	APX100-034A20N	GG13-1	S7062-11014-043	
P103R-37	CDU-018A22	SG140R-1	S7062-11014-043	
P104R-1	5C11746-38A24	P208R-k	S7062-12001-041	
P104R-2	5C11746-39A24	P208R-m	S7062-12001-041	
P104R-4	5C11746-36A24	P208R-X	S7062-12001-041	
P104R-8	5C11746-28A24	P208R-g	S7062-12001-041	
P104R-9	5C11746-29A24	P208R-P	S7062-12001-041	
P104R-12	5C11746-37A24	P208R-Y	S7062-12001-041	
P104R-17	5C11746-34A24	P208R-U	S7062-12001-041	
P104R-18	5C11746-35A24	P208R-j	S7062-12001-041	
P104R-21	5C11746-60A24	P208R-a	S7062-12001-041	
P104R-22	5C11746-61A24	P208R-b	S7062-12001-041	
P104R-23	5C11746-26A24	P208R-R	S7062-12001-041	
P104R-24	5C11746-27A24	P208R-S	S7062-12001-041	
P104R-30	5C11746-66A24	P208R-N	S7062-12001-041	
P104R-31	5C11746-67A24	P208R-f	S7062-12001-041	
P104R-32	5C11746-32A24	P208R-V	S7062-12001-041	
P104R-33	5C11746-33A24	P208R-W	S7062-12001-041	
P104R-36	5C11746-64A24	P208R-J	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P104R-37	5C11746-65A24	P208R-K	S7062-12001-041	
P104R-38	5C11746-62A24	P208R-c	S7062-12001-041	
P104R-39	5C11746-63A24	P208R-H	S7062-12001-041	
P104R-45	5C11746-79A24	P208R-F	S7062-12001-041	
P104R-46	5C11746-80A24	P208R-G	S7062-12001-041	
P104R-47	5C11746-30A24	P208R-A	S7062-12001-041	
P104R-48	5C11746-31A24	P208R-B	S7062-12001-041	
P104R-51	5C11746-98A24	P208R-d	S7062-12001-041	
P104R-52	5C11746-99A24	P208R-e	S7062-12001-041	
P105-A	W3093A24	P902-J	S7052-12005-041	
P105-B	W3109A20N	GND105-1	S7052-12005-041	
P105-G	K3005C24	SG105-1	S7052-12005-041	
P105-H	K3011A24	P242-T	S7052-12005-041	
P105-J	K3012A24	P242-U	S7052-12005-041	
P105-K	K3005D24	SG105-1	S7052-12005-041	
P105-M	W3157A24	P244-P	S7052-12005-041	
P105-N	W3151H24	SG914-2	S7052-12005-041	
P105-S	K3006F24	SG105-2	S7052-12005-041	
P105-T	K3013C24	SG242-1	S7052-12005-041	
P105R-1	AJB-23A24	J211R-B	S7062-12001-041	
P105R-2	AJB-24A24	J211R-A	S7062-12001-041	
P105R-3	AJB-28A24	J203R-A	S7062-12001-041	
P105R-4	AJB-27A24	J203R-B	S7062-12001-041	
P105R-6	AJB-26A24	J211R-D	S7062-12001-041	
P105R-7	AJB-25A24	J211R-E	S7062-12001-041	
P105R-8	AJB-29A24	J203R-E	S7062-12001-041	
P105R-9	AJB-30A24	J203R-D	S7062-12001-041	
P106-A	W3094A24	P243-F	S7052-12006-041	
P106-B	W3108A20N	GND106-1	S7052-12006-041	
P106-G	K3004C24	SG106-2	S7052-12006-041	
P106-H	K3008A24	P241-R	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P106-J	K3009A24	P241-b	S7052-12006-041	
P106-K	K3004D24	SG106-2	S7052-12006-041	
P106-M	W3158A24	P900-P	S7052-12006-041	
P106-N	W3171A24	P230-BB	S7052-12006-041	
P106-S	K3007D24	SG106-3	S7052-12006-041	
P106-T	K3010D24	SG241-5	S7052-12006-041	
P107-B	Q3200B24	J219-a	S7052-11011-041	
P107-C	V278B24	J914-i	S7052-11011-041	
P107-D	V279B24	J914-j	S7052-11011-041	
P107-E	L4450B24	SGJ219-1	S7052-11011-041	
P107-F	W3082B24	J914-E	S7052-11011-041	
P107-G	P516B24	J219-M	S7052-11011-041	
P107-H	P517B24	J219-N	S7052-11011-041	
P107-J	P516E24	J219-b	S7052-11011-041	
P107-K	V51B24	J219-c	S7052-11011-041	
P107-L	V72B24	J219-V	S7052-11011-041	
P107-M	W3151B20	J914-Y	S7052-11011-041	
P107-N	*W3151B	-	S7052-11011-041	
P107-P	CDU-005B20	SG1011-4	S7062-11014-043	
P108-A	M4356B20	P280-E	S7052-12005-041	
P108-B	M4354B20	P280-G	S7052-12005-041	
P108-C	M4360D20	P280-D	S7052-12005-041	
P108-D	M4359B20	P280-C	S7052-12005-041	
P108-E	M4358C20	P280-B	S7052-12005-041	
P108-F	M4357B20	P280-A	S7052-12005-041	
P108-G	M4355C20	P280-F	S7052-12005-041	
P108-H	M4353B20	P280-H	S7052-12005-041	
P108R-A	2F4750D20	SAPCS-1	S7052-12007-041	
P109R-2	5C11746-7A24	P207R-k	S7062-12001-041	
P109R-3	5C11746-14A24	P207R-r	S7062-12001-041	
P109R-5	5C11746-9A24	P207R-p	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P109R-6	5C11746-10A24	P207R-q	S7062-12001-041	
P109R-7	5C11746-15A24	P207R-t	S7062-12001-041	
P109R-9	5C11746-5A24	P207R-V	S7062-12001-041	
P109R-10	5C11746-6A24	P207R-W	S7062-12001-041	
P109R-11	5C11746-13A24	P207R-h	S7062-12001-041	
P109R-13	5C11746-3A24	P207R-S	S7062-12001-041	
P109R-14	5C11746-4A24	P207R-T	S7062-12001-041	
P109R-15	5C11746-12A24	P207R-g	S7062-12001-041	
P109R-17	5C11746-1A24	P207R-N	S7062-12001-041	
P109R-18	5C11746-11A24	P207R-f	S7062-12001-041	
P109R-20	5C11746-8A24	P207R-s	S7062-12001-041	
P109R-29	5C11746-2A24	P207R-P	S7062-12001-041	
P11R-A	F9021B22	P2002R-44	S7062-11014-043	
P11R-B	F9022B22	P2002R-45	S7062-11014-043	
P11R-C	F9020C22	P2002R-81	S7062-11014-043	
P11R-D	F9019C22	P2002R-72	S7062-11014-043	
P11R-E	M9002H22	P2007R-1	S7062-11014-043	
P11R-F	M9002E22	P2006R-1	S7062-11014-043	
P11R-H	E9003B22	P2002R-89	S7062-11014-043	
P11R-J	E9002B22	P2002R-96	S7062-11014-043	
P11R-L	E9001B22	P2002R-95	S7062-11014-043	
P11R-M	E9000B22	P2002R-88	S7062-11014-043	
P11R-U	E9004B22	P2002R-60	S7062-11014-043	
P11R-V	E9005B22	P2002R-52	S7062-11014-043	
P110-A	L3562B24	SGJ247-1	S7052-12006-041	
P110-B	ALQ144-10B22	P243-D	S7052-12006-041	
P110-C	ALQ144-9B22	P243-C	S7052-12006-041	
P110-D	W3385B20	J220-NN	S7052-12006-041	
P110-E	L4463D24	P230-E	S7052-12006-041	
P110-F	W3091A24	P243-G	S7052-12006-041	
P110-G	P549A24	P900-G	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P110-H	P550B24	P203-F	S7052-12006-041	
P110-J	JMPRP110-J-24	SG110-3	S7052-12006-041	
P110-K	L404D24	SG137-1	S7052-12006-041	
P110-L	Q3240C24	J220-F	S7052-12006-041	
P110-M	Q3241C24	J220-G	S7052-12006-041	
P110-N	M471C24	J220-N	S7052-12006-041	
P110-P	M462C24	J220-H	S7052-12006-041	
P110-R	M463C24	J220-J	S7052-12006-041	
P110-S	M464C24	J220-K	S7052-12006-041	
P110-T	M465C24	J220-L	S7052-12006-041	
P110-U	M466C24	J220-M	S7052-12006-041	
P110-V	M467C24	J310-b	S7052-12006-041	
P110-W	L422B24	J247-k	S7052-12006-041	
P110-X	M460B24	P230-HH	S7052-12006-041	
P110-Y	W4403C24	J310-d	S7052-12006-041	
P110-Z	W4404C24	J310-e	S7052-12006-041	
P110-a	W2001C24	J224-d	S7052-12006-041	
P110-b	W2002A24	P137-X	S7052-12006-041	
P110-c	W2003A24	P137-m	S7052-12006-041	
P110-d	D4551B24	J310-i	S7052-12006-041	
P110-e	D4552B24	J310-j	S7052-12006-041	
P110-f	D4553B24	J310-k	S7052-12006-041	
P110-g	V75B24	P236-L	S7052-12006-041	
P110-h	V16A20	J136-E	S7052-12006-041	
P110-i	C6216B22	J220-BB	S7052-12006-041	
P110-j	X53E24	SG230-5	S7052-12006-041	
P110-k	X69E24	P203-X	S7052-12006-041	
P110-m	H708B24	J220-X	S7052-12006-041	
P110-n	H709B24	J220-Y	S7052-12006-041	
P110-p	L4562B24	J247-K	S7052-12006-041	
P110-q	K3007E24	SG106-4	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P110-r	F3956A24	P241-f	S7052-12006-041	
P110-s	F451B24	P266-T	S7052-12006-041	
P110-t	ALQ144-3B22	SG110-2	S7052-12006-041	
P110-u	ALQ144-4B24	J220-i	S7052-12006-041	
P110-v	ALQ144-6B24	J220-j	S7052-12006-041	
P110-w	ALQ144-5B24	J220-k	S7052-12006-041	
P110-x	ALQ144-7B24	J220-m	S7052-12006-041	
P110-y	1F3912B24	P266-Z	S7052-12006-041	
P110-AA	2F3912B24	P266-b	S7052-12006-041	
P110-BB	2F3801B24	P266-V	S7052-12006-041	
P110-CC	2F3836B24	P266-W	S7052-12006-041	
P110-DD	X130C24	P203-j	S7052-12006-041	
P110-EE	2F3889B24	P266-c	S7052-12006-041	
P110-FF	M366B20	J247-N	S7052-12006-041	
P110-GG	C4679F24	SG2106-1	S7052-12006-041	
P110-HH	D4550C24	SG110-1	S7052-12006-041	
P110-JJ	C4667H24	SG924-1	S7052-12006-041	
P110-KK	*ASN128-11B	-	S7052-12006-041	
P110-LL	C4668H24	SG924-3	S7052-12006-041	
P110-MM	ASN128-11B22	P266-X	S7052-12006-041	
P110-NN	C4655B24	P404R-w	S7052-12006-041	
P110-PP	*C4679F	-	S7052-12006-041	
P110R-B	ARC222-118A22N	GD110R-1	S7062-11001-041	
P110R-G	ARC222-112A22	P342R-K	S7062-11001-041	
P110R-J	ARC222-116A22	P342R-T	S7062-11001-041	
P110R-T	ARC222-111A22	P342R-J	S7062-11001-041	
P110R-V	ARC222-115A22	P342R-F	S7062-11001-041	
P110R-X	ARC222-117A22	P342R-S	S7062-11001-041	
P110R-b	ARN222-201A22N	GD110R-2	S7062-11001-041	
P110R-n	ARC222-200A22	TJ5VB-F	S7062-11001-041	
P110R-p	ARC222-110B22	SG342R-1	S7062-11001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P110R-w	ARC222-119A22N	GD110R-1	S7062-11001-041	
P110R-BB	ARC222-114A22	P342R-M	S7062-11001-041	
P110R-CC	ARC222-113A22	P342R-L	S7062-11001-041	
P1100R-D	2ARC201-03A20	P21R-K	S7062-11003-041	
P1100R-E	2ARC201-02A20N	GD1100-2	S7062-11003-041	
P1100R-F	1ARC201-45B20	SG189R-1	S7062-11002-041	
P1100R-P	2ARC201-01A20N	GD1100-1	S7062-11003-041	
P1101R-1	2ARC201-CX118	P159R-1	S7060-11001-041	
P1102R-A	2ARC201-18A24	J1009R-A	S7062-11003-041	
P1102R-B	2ARC201-19A24	J1009R-B	S7062-11003-041	
P1102R-C	2ARC201-20A24	J1009R-C	S7062-11003-041	
P1102R-D	2ARC201-21A24	J1009R-D	S7062-11003-041	
P1102R-E	2ARC201-22A24	J1009R-E	S7062-11003-041	
P1102R-F	2ARC201-23A24	J1009R-F	S7062-11003-041	
P1103R-3	2ARC201-15A24	P324R-21	S7062-11003-041	
P1103R-4	ASN128-81E22	SAGPS-1	S7062-11003-041	
P1103R-7	2ARC201-10A24	P325R-10	S7062-11003-041	
P1103R-9	2ARC201-08A24	P132R-9	S7062-11003-041	
P1103R-13	2ARC201-12A24	P323R-29	S7062-11003-041	
P1103R-15	JMPRP1103-15-22	SG1103-1	S7062-11003-041	
P1103R-18	JMPRP1103R-18-22	SG1103-1	S7062-11003-041	
P1103R-20	2ARC201-11A24	P325R-19	S7062-11003-041	
P1103R-24	2ARC201-06A24	P132R-5	S7062-11003-041	
P1103R-25	2ARC201-17A24	P140R-18	S7062-11003-041	
P1103R-27	2ARC201-14A24	P323R-36	S7062-11003-041	
P1103R-28	2ARC201-13A24	P323R-16	S7062-11003-041	
P1103R-31	2ARC201-07A24	P132R-6	S7062-11003-041	
P1103R-35	JMPRP1103R-35-22	SG1103-2	S7062-11003-041	
P1103R-36	JMPRP1103R-36-22	SG1103-1	S7062-11003-041	
P1103R-44	JMPRP1103R-44-22	SG1103-1	S7062-11003-041	
P1103R-45	2ARC201-31A24	BOMB2-1	S7062-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P1103R-46	2ARC201-04A24	P132R-1	S7062-11003-041	
P1103R-48	*ASN128-81E	-	S7062-11003-041	
P1103R-52	2ARC201-05A24	P132R-10	S7062-11003-041	
P1103R-53	2ARC201-30A24	BOMB1-1	S7062-11003-041	
P1103R-54	2ARC201-32A24	BOMB3-1	S7062-11003-041	
P1103R-55	2ARC201-33A24	BOMB4-1	S7062-11003-041	
P111-A	H6390E20	J908-C	S7052-12005-041	
P111-B	H6391E20	J908-D	S7052-12005-041	
P111-C	H6392E20	J908-E	S7052-12005-041	
P111-D	H6374B20	J908-F	S7052-12005-041	
P111-E	JMPRP111-E-24	SGP111-1	S7052-12005-041	
P111-F	F250B24	P249-E	S7052-12005-041	
P111-G	M326A20	SAA-2	S7052-12005-041	
P111-H	P543B24	P210-G	S7052-12005-041	
P111-J	W4401C24	J221-G	S7052-12005-041	
P111-K	W4402C24	J221-H	S7052-12005-041	
P111-L	L404A24	SG138-10	S7052-12005-041	
P111-M	L406B24	SG138-1	S7052-12005-041	
P111-N	Q3201B24	P231-Y	S7052-12005-041	
P111-P	Q3242C24	J221-J	S7052-12005-041	
P111-R	Q3243C24	J221-K	S7052-12005-041	
P111-S	M470C24	J221-L	S7052-12005-041	
P111-T	W2007A24	P138-m	S7052-12005-041	
P111-U	W2006A24	P138-X	S7052-12005-041	
P111-V	W2005C24	J223-V	S7052-12005-041	
P111-W	Q4063B24	P255-P	S7052-12005-041	
P111-X	Q4064B24	P255-T	S7052-12005-041	
P111-Y	X95C24	P210-R	S7052-12005-041	
P111-Z	H710B24	J221-P	S7052-12005-041	
P111-a	H711B24	J221-Z	S7052-12005-041	
P111-b	K3006G24	SG105-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P111-c	F3957A24	P242-b	S7052-12005-041	
P111-d	APN209-7B22	P249-j	S7052-12005-041	
P111-e	D4554D24N	P114-a	S7052-12005-041	
P111-f	1F3801B24	P249-b	S7052-12005-041	
P111-g	M352B20	P200-A	S7052-12005-041	
P111-h	M468CC24	J217-P	S7052-12005-041	
P111-i	H6458B20	J908-G	S7052-12005-041	
P111-k	L3934H24	SG902-6	S7052-12005-041	
P111-n	V280B24	P260-11	S7052-12005-041	
P111-p	V281B24	P260-3	S7052-12005-041	
P111-q	V282B24	P260-4	S7052-12005-041	
P111-r	X131C24	P210-b	S7052-12005-041	
P111-s	V97G24	SG237-1	S7052-12005-041	
P111-t	W2008B24	P249-W	S7052-12005-041	
P111-u	W3386B20	J221-GG	S7052-12005-041	
P111-v	W3387BB20	SG302-1	S7052-12005-041	
P111-w	W3388B20	J221-DD	S7052-12005-041	
P111-x	C4143A20	P244-g	S7052-12005-041	
P111-y	C4144A20	P244-f	S7052-12005-041	
P111-z	C4142A20	P902-z	S7052-12005-041	
P111-AA	C4145D20	P114-Z	S7052-12005-041	
P111-BB	J3003B20	SG242-2	S7052-12005-041	
P111-CC	J3002B20	SG242-3	S7052-12005-041	
P111-DD	*J3002B	-	S7052-12005-041	
P111-EE	H6405B20	P114-A	S7052-12005-041	
P111-FF	H6406B20	P114-B	S7052-12005-041	
P111-GG	*CBL23 (P111/P114)	-	S7052-12005-041	
P111-HH	*CBL24 (J908/P111)	-	S7052-12005-041	
P111-JJ	H6460B20	J908-L	S7052-12005-041	
P111-KK	H6461B20	J908-K	S7052-12005-041	
P111-LL	H6383F20	J908-H	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P111-MM	H6457B20	J908-B	S7052-12005-041	
P111-NN	H6456B20	J908-A	S7052-12005-041	
P111-PP	*H6456B	-	S7052-12005-041	
P112-B	L3662C20	SG386-1	S7052-12006-041	
P112-C	W2009B24	P230-k	S7052-12006-041	
P112-D	V78G24	SG236-1	S7052-12006-041	
P112-E	L402B24	P230-j	S7052-12006-041	
P112-F	L401B24	P230-i	S7052-12006-041	
P112-G	W4776C24	J310-J	S7052-12006-041	
P112-H	ARN89-8B22	P266-S	S7052-12006-041	
P112-J	L3661C20	SG387-1	S7052-12006-041	
P112-K	L3931C24	SGP112-1	S7052-12006-041	
P112-L	L3654A20N	GND112-2	S7052-12006-041	
P112-M	L3653B20N	GND112-1	S7052-12006-041	
P112-m	L3647F18	SG246-1	S7052-12006-041	
P112-r	L3647H18	SG246-1	S7052-12006-041	
P113-B	Q6552B20	J346-10	S7052-12005-041	
P113-C	C4139F20	P114-Y	S7052-12005-041	
P113-D	C4140E20	J223-s	S7052-12005-041	
P113-E	C6215B22	J223-k	S7052-12005-041	
P113-F	L400B20	P237-E	S7052-12005-041	
P113-G	L3652B20N	GND113-1	S7052-12005-041	
P113-H	L3651A20N	GND113-1	S7052-12005-041	
P113-K	L3663A20	P388-A	S7052-12005-041	
P113-L	L3646F20	SG280-2	S7052-12005-041	
P113-M	C4141A20	P902-y	S7052-12005-041	
P113-X	L3937A24	P902-W	S7052-12005-041	
P113-Y	L3938A24	P902-T	S7052-12005-041	
P113-Z	L3939A24	P902-Y	S7052-12005-041	
P113-a	L3940A24	P902-f	S7052-12005-041	
P113-b	L3941A24	P902-p	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P113-c	L3942A24	P902-n	S7052-12005-041	
P113-m	L3645F18	SG280-1	S7052-12005-041	
P113-r	L3645G18	SG280-1	S7052-12005-041	
P114-A	H6405B20	P111-EE	S7052-12005-041	
P114-B	H6406B20	P111-FF	S7052-12005-041	
P114-C	*CBL23 (P111/P114)	-	S7052-12005-041	
P114-F	D5835A24	P138-B	S7052-12005-041	
P114-G	D5836A24	P138-A	S7052-12005-041	
P114-H	JMPRP114-H-22	SATR1-1	S7052-12005-041	
P114-J	JMPRP114-J-22	SATR1-2	S7052-12005-041	
P114-K	D5857B24	SG138-4	S7052-12005-041	
P114-L	D5858B24	SG138-5	S7052-12005-041	
P114-M	JMPRP114-M-22	SATR2-1	S7052-12005-041	
P114-N	JMPRP114-N-22	SATR2-2	S7052-12005-041	
P114-P	D5877C24	P138-Z	S7052-12005-041	
P114-R	D5876C24	P138-Y	S7052-12005-041	
P114-S	D5881B24	SG138-8	S7052-12005-041	
P114-T	D5882A24	P138-G	S7052-12005-041	
P114-U	D5883A24	P138-H	S7052-12005-041	
P114-V	*CBL3 (P114/P138)	-	S7052-12005-041	
P114-W	E2047B24	SG901-2	S7052-12005-041	
P114-X	*E2047B	-	S7052-12005-041	
P114-Y	C4139F20	P113-C	S7052-12005-041	
P114-Z	C4145D20	P111-AA	S7052-12005-041	
P114-a	D4554D24N	P111-e	S7052-12005-041	
P114-b	L4528L20	SGJ395-1	S7052-12005-041	
P114-c	L3530B24	P249-Y	S7052-12005-041	
P114-d	L3931A24	P902-X	S7052-12005-041	
P114-e	L3661BB22	P138-FF	S7052-12005-041	
P114R-2	4C11746-5A24	P204R-V	S7062-12001-041	
P114R-3	4C11746-13A24	P204R-h	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P114R-5	4C11746-3A24	P204R-S	S7062-12001-041	
P114R-6	4C11746-4A24	P204R-T	S7062-12001-041	
P114R-7	4C11746-12A24	P204R-g	S7062-12001-041	
P114R-9	4C11746-1A24	P204R-N	S7062-12001-041	
P114R-10	4C11746-2A24	P204R-P	S7062-12001-041	
P114R-11	4C11746-11A24	P204R-f	S7062-12001-041	
P114R-13	4C11746-9A24	P204R-p	S7062-12001-041	
P114R-14	4C11746-10A24	P204R-q	S7062-12001-041	
P114R-15	4C11746-15A24	P204R-t	S7062-12001-041	
P114R-17	4C11746-7A24	P204R-k	S7062-12001-041	
P114R-18	4C11746-14A24	P204R-r	S7062-12001-041	
P114R-20	4C11746-6A24	P204R-W	S7062-12001-041	
P114R-29	4C11746-8A24	P204R-s	S7062-12001-041	
P114R-33	4C11746-58A24	P204R-L	S7062-12001-041	
P114R-34	4C11746-59A24	P204R-M	S7062-12001-041	
P115-F	L3931J24	SGP300-2	S7052-11008-042	
P115-G	P540B24	SG1020-20	S7052-11008-042	
P115-J	L3981D24	SG1019-33	S7052-11008-042	
P115-K	L417A24	SG1000-1	S7052-11008-042	
P115R-A	1C11746-30A24	P127R-17	S7062-11007-041	
P115R-B	1C11746-31A24	P127R-18	S7062-11007-041	
P115R-C	1C11746-500A24N	GND115-1	S7062-11007-041	
P115R-D	1C11746-56A24	J130R-A	S7062-11007-041	
P115R-E	1C11746-57A24	J130R-B	S7062-11007-041	
P115R-F	1C11746-40A24	P127R-23	S7062-11007-041	
P115R-G	1C11746-41A24	P127R-24	S7062-11007-041	
P115R-H	1C11746-45A24	P127R-27	S7062-11007-041	
P115R-J	1C11746-46A24	P127R-30	S7062-11007-041	
P115R-K	1C11746-47A24	P127R-31	S7062-11007-041	
P115R-L	1C11746-52A24	P127R-21	S7062-11007-041	
P115R-M	1C11746-53A24	P127R-22	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P115R-N	1C11746-48A24	P127R-51	S7062-11007-041	
P115R-P	1C11746-29A24	P127R-9	S7062-11007-041	
P115R-R	1C11746-26A24	P127R-53	S7062-11007-041	
P115R-S	1C11746-27A24	P127R-54	S7062-11007-041	
P115R-U	1C11746-34A24	P127R-42	S7062-11007-041	
P115R-V	1C11746-32A24	P127R-32	S7062-11007-041	
P115R-W	1C11746-33A24	P127R-33	S7062-11007-041	
P115R-X	1C11746-36A24	P127R-1	S7062-11007-041	
P115R-Y	1C11746-37A24	P127R-2	S7062-11007-041	
P115R-Z	1C11746-75A24	P1012R-71	S7062-11007-041	
P115R-a	1C11746-42A24	P127R-36	S7062-11007-041	
P115R-b	1C11746-43A24	P127R-37	S7062-11007-041	
P115R-c	1C11746-44A24	P127R-26	S7062-11007-041	
P115R-d	1C11746-89A24	P127R-15	S7062-11007-041	
P115R-e	1C11746-90A24	P127R-16	S7062-11007-041	
P115R-f	1C11746-49A24	P127R-52	S7062-11007-041	
P115R-g	1C11746-28A24	P127R-8	S7062-11007-041	
P115R-h	1C11746-100A24N	GND115-2	S7062-11007-041	
P115R-j	1C11746-35A24	P127R-47	S7062-11007-041	
P115R-k	1C11746-38A24	P127R-4	S7062-11007-041	
P115R-m	1C11746-39A24	P127R-12	S7062-11007-041	
P115R-q	1C11746-50A24	P127R-38	S7062-11007-041	
P115R-r	1C11746-51A24	P127R-39	S7062-11007-041	
P117R-2	3C11746-9A24	P220R-p	S7062-12001-041	
P117R-3	3C11746-15A24	P220R-t	S7062-12001-041	
P117R-5	3C11746-7A24	P220R-k	S7062-12001-041	
P117R-6	3C11746-8A24	P220R-s	S7062-12001-041	
P117R-7	3C11746-14A24	P220R-r	S7062-12001-041	
P117R-9	3C11746-1A24	P220R-N	S7062-12001-041	
P117R-10	3C11746-2A24	P220R-P	S7062-12001-041	
P117R-11	3C11746-11A24	P220R-f	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P117R-13	3C11746-3A24	P220R-S	S7062-12001-041	
P117R-14	3C11746-4A24	P220R-T	S7062-12001-041	
P117R-15	3C11746-12A24	P220R-g	S7062-12001-041	
P117R-17	3C11746-5A24	P220R-V	S7062-12001-041	
P117R-18	3C11746-13A24	P220R-h	S7062-12001-041	
P117R-20	3C11746-10A24	P220R-q	S7062-12001-041	
P117R-29	3C11746-6A24	P220R-W	S7062-12001-041	
P117R-33	3C11746-58A24	P220R-L	S7062-12001-041	
P117R-34	3C11746-59A24	P220R-M	S7062-12001-041	
P118R-1	3C11746-34A24	P221R-U	S7062-12001-041	
P118R-2	3C11746-35A24	P221R-j	S7062-12001-041	
P118R-4	3C11746-36A24	P221R-X	S7062-12001-041	
P118R-5	3C11746-37A24	P221R-Y	S7062-12001-041	
P118R-7	3C11746-38A24	P221R-k	S7062-12001-041	
P118R-9	3C11746-26A24	P221R-R	S7062-12001-041	
P118R-10	3C11746-28A24	P221R-g	S7062-12001-041	
P118R-12	3C11746-56A24	P221R-D	S7062-12001-041	
P118R-14	3C11746-30A24	P221R-A	S7062-12001-041	
P118R-15	3C11746-31A24	P221R-B	S7062-12001-041	
P118R-17	3C11746-32A24	P221R-V	S7062-12001-041	
P118R-23	3C11746-39A24	P221R-m	S7062-12001-041	
P118R-24	3C11746-27A24	P221R-S	S7062-12001-041	
P118R-25	3C11746-29A24	P221R-P	S7062-12001-041	
P118R-26	3C11746-57A24	P221R-E	S7062-12001-041	
P118R-29	3C11747-33A24	P221R-W	S7062-12001-041	
P119R-1	AJB-15A24	J222R-B	S7062-12001-041	
P119R-2	AJB-16A24	J222R-A	S7062-12001-041	
P119R-3	AJB19A24	J223R-A	S7062-12001-041	
P119R-4	AJB20A24	J223R-B	S7062-12001-041	
P119R-6	AJB-18A24	J222R-D	S7062-12001-041	
P119R-7	AJB-17A24	J222R-E	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P119R-8	AJB-21A24	J223R-E	S7062-12001-041	
P119R-9	AJB-22A24	J223R-D	S7062-12001-041	
P120R-D	ARC164-4C20	P20R-U	S7062-11014-043	
P120R-E	ARC164-17A20N	GD120R-1	S7062-11014-043	
P120R-H	JMPRP120R-H-20	P120R-a	S7062-11014-043	
P120R-J	ARC164-07A20	P123R-F	S7062-11014-043	
P120R-K	ARC164-01A20	P123R-A	S7062-11014-043	
P120R-L	ARC164-02A20	P123R-S	S7062-11014-043	
P120R-P	ARC164-18A20N	GD120R-2	S7062-11014-043	
P120R-X	ARC164-03A20	P123R-R	S7062-11014-043	
P120R-a	JMPRP120R-H-20	P120R-H	S7062-11014-043	
P120R-b	ARC164-06A20	P123R-P	S7062-11014-043	
P120R-c	ARC164-08A20	P123R-b	S7062-11014-043	
P120R-e	ARC164-04A20	SGP123-1	S7062-11014-043	
P120R-g	ARC164-09A20	P123R-G	S7062-11014-043	
P120R-h	ARC164-25A22	SGP135-1	S7062-11014-043	
P121-A	H6423F20	SGP203-3	S7052-12006-041	
P121-C	H6420B20	J906-S	S7052-12006-041	
P121-D	H6409B20	J906-D	S7052-12006-041	
P121-E	H6410B20	J906-E	S7052-12006-041	
P121-F	H6411B20	J906-F	S7052-12006-041	
P121-G	H6412B20	J906-G	S7052-12006-041	
P121-H	H6413B20	J906-H	S7052-12006-041	
P121-J	H6414B20	J906-J	S7052-12006-041	
P121-K	H6425B20	J906-M	S7052-12006-041	
P121-L	H6415B20	J224-BB	S7052-12006-041	
P121-M	H6416B20	J224-CC	S7052-12006-041	
P121-N	H6417B20	J224-DD	S7052-12006-041	
P121-P	H6418B20	J224-EE	S7052-12006-041	
P121-R	*CBL29 (J224/P121)	-	S7052-12006-041	
P121-S	H6429B20	J224-GG	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P121-T	H6420F20	J906-P	S7052-12006-041	
P121-U	H6430B20	J224-HH	S7052-12006-041	
P121-V	H6424C20	J906-V	S7052-12006-041	
P121-W	H6397B20	J906-A	S7052-12006-041	
P121-X	H6398B20	J906-B	S7052-12006-041	
P121-Y	H6399B20	J906-C	S7052-12006-041	
P121-Z	C4705E24	P243-S	S7052-12006-041	
P121-a	L409E24	P243-U	S7052-12006-041	
P121-b	J3000B20	SG241-2	S7052-12006-041	
P121-c	*J3000B	-	S7052-12006-041	
P121-d	J3001B20	SG241-3	S7052-12006-041	
P121-e	H6455C20	J906-c	S7052-12006-041	
P121-f	H6454C20	J906-b	S7052-12006-041	
P121-g	H6453C20	J906-a	S7052-12006-041	
P121R-B	ARC164-24A22	P135R-10	S7062-11014-043	
P121R-K	ARC164-21A22	P135R-5	S7062-11014-043	
P121R-L	ARC164-22A22	P135R-6	S7062-11014-043	
P121R-M	ARC164-23A22	P135R-1	S7062-11014-043	
P121R-P	ARC164-40A22	P196R-9	S7062-11014-043	
P122-A	H6405A20	J114-A	S7052-12006-041	
P122-B	H6406A20	J114-B	S7052-12006-041	
P122-C	H6404A20N	GND122-1	S7052-12006-041	
P123R-A	ARC164-01A20	P120R-K	S7062-11014-043	
P123R-B	ARC164-12A22	P1011R-40	S7062-11014-043	
P123R-C	ARC164-19A22	SGP140-1	S7062-11014-043	
P123R-D	ARC164-13A22	P1011R-51	S7062-11014-043	
P123R-F	ARC164-07A20	P120R-J	S7062-11014-043	
P123R-G	ARC164-09A20	P120R-g	S7062-11014-043	
P123R-J	ARC164-16A20N	GD123R-2	S7062-11014-043	
P123R-K	ARC164-15A20N	GD123R-1	S7062-11014-043	
P123R-L	3KY58-8C24	P20R-R	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P123R-M	ARC164-14A22	P1011R-54	S7062-11014-043	
P123R-N	ARC164-11A22	P1011R-18	S7062-11014-043	
P123R-P	ARC164-06A20	P120R-b	S7062-11014-043	
P123R-R	ARC164-03A20	P120R-X	S7062-11014-043	
P123R-S	ARC164-02A20	P120R-L	S7062-11014-043	
P123R-T	JMPRP123R-T-20	SGP123-1	S7062-11014-043	
P123R-Y	ARC164-10A22	P1013R-4	S7062-11014-043	
P123R-a	ARC164-20A22	P1011R-52	S7062-11014-043	
P123R-b	ARC164-08A20	P120R-c	S7062-11014-043	
P124R-B	1C7146-19A24	P1014R-48	S7062-11007-041	
P124R-C	JMPRP124R-C-20	SG124R-1	S7062-11007-041	
P124R-D	1C11746-502A20N	GND124-1	S7062-11007-041	
P124R-H	JMPRP124R-H-24	SG124R-3	S7062-11007-041	
P124R-J	L9099A22	TJ115A-E	S7062-11007-041	
P124R-L	1C11746-58A24	J130R-E	S7062-11007-041	
P124R-M	1C11746-59A24	J130R-D	S7062-11007-041	
P124R-N	1C11746-1A24	P128R-2	S7062-11007-041	
P124R-P	1C11746-2A24	P128R-20	S7062-11007-041	
P124R-S	1C11746-3A24	P128R-5	S7062-11007-041	
P124R-T	1C11746-4A24	P128R-6	S7062-11007-041	
P124R-U	L9098A22	GD115A-1	S7062-11007-041	
P124R-V	1C11746-5A24	P128R-9	S7062-11007-041	
P124R-W	1C11746-6A24	P128R-10	S7062-11007-041	
P124R-Z	1C11746-25A24	P1014R-34	S7062-11007-041	
P124R-b	1C11746-16A24	J120-K	S7062-11007-041	
P124R-c	JMPRP124R-c-24	SG124R-2	S7062-11007-041	
P124R-d	JMPRP124R-d-24	SG124R-4	S7062-11007-041	
P124R-e	JMPRP124R-e-24	SG124R-3	S7062-11007-041	
P124R-f	1C11746-11A24	P128R-1	S7062-11007-041	
P124R-g	1C11746-12A24	P128R-4	S7062-11007-041	
P124R-h	1C11746-13A24	P128R-8	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P124R-i	IC11746-24A24	P1014R-35	S7062-11007-041	
P124R-j	IC11746-23A24	P1014R-36	S7062-11007-041	
P124R-k	IC11746-7A24	P128R-17	S7062-11007-041	
P124R-m	IC11746-22A24	P1014R-37	S7062-11007-041	
P124R-n	IC11746-21A24	P1014R-39	S7062-11007-041	
P124R-p	IC11746-9A24	P128R-13	S7062-11007-041	
P124R-q	IC11746-10A24	P128R-14	S7062-11007-041	
P124R-r	IC11746-14A24	P128R-16	S7062-11007-041	
P124R-s	IC11746-8A24	P128R-29	S7062-11007-041	
P124R-t	IC11746-15A24	P128R-12	S7062-11007-041	
P126-C	L3608A24	CB213-1	S7052-11002-041	
P126-D	L6960A24	CB250-1	S7052-11002-041	
P126-F	L4500A24	CB212-1	S7052-11002-041	
P126-G	L3600A24	CB246-1	S7052-11002-041	
P126-H	L3601B24	CB245-1	S7052-11002-041	
P126-J	H4293A24	CB251-1	S7052-11002-041	
P126-K	C4601A24	CB214-1	S7052-11002-041	
P126-L	W4400A24	CB211-1	S7052-11002-041	
P126-M	*C4601A	-	S7052-11002-041	
P126-N	E3280A24	CB244-1	S7052-11002-041	
P126-P	*E3280A	-	S7052-11002-041	
P126-R	H3333A24	CB205-1	S7052-11002-041	
P126-S	H700A24	CB234-1	S7052-11002-041	
P126-U	W3150A24	CB253-1	S7052-11002-041	
P126-V	*W3150A	-	S7052-11002-041	
P126-W	M350A20	CB238-1	S7052-11002-041	
P126-X	X63DD24	J266-f	S7052-11002-041	
P126-Y	X65CC24	J266-g	S7052-11002-041	
P126-Z	X66BB24	J266-h	S7052-11002-041	
P126-a	X67CC24	J266-i	S7052-11002-041	
P126-b	X68CC24	J266-j	S7052-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P126-c	W3380A20	CB227-1	S7052-11002-041	
P126-d	C4130H20	CB228-1	S7052-11002-041	
P126-e	C4131C20	CB227-1	S7052-11002-041	
P126-f	L3533F24	J236-s	S7052-11002-041	
P126-g	L3532F24	J236-t	S7052-11002-041	
P126-h	L3640A22	CB248-1	S7052-11002-041	
P126-i	L3641A22	CB249-1	S7052-11002-041	
P126-m	F3950A18	CB241-1	S7052-11002-041	
P126-p	H4317A24	CB252-1	S7052-11002-041	
P126-q	H4318B24	J266-k	S7052-11002-041	
P126R-1	4C11746-38A24	P205R-k	S7062-12001-041	
P126R-2	4C11746-39A24	P205R-m	S7062-12001-041	
P126R-4	4C11746-36A24	P205R-X	S7062-12001-041	
P126R-5	4C11746-37A24	P205R-Y	S7062-12001-041	
P126R-7	4C11746-56A24	P205R-D	S7062-12001-041	
P126R-9	4C11746-26A24	P205R-R	S7062-12001-041	
P126R-10	4C11746-28A24	P205R-g	S7062-12001-041	
P126R-12	4C11746-30A24	P205R-A	S7062-12001-041	
P126R-14	4C11746-32A24	P205R-V	S7062-12001-041	
P126R-15	4C11746-33A24	P205R-W	S7062-12001-041	
P126R-17	4C11746-34A24	P205R-U	S7062-12001-041	
P126R-23	4C11746-57A24	P205R-E	S7062-12001-041	
P126R-24	4C11746-27A24	P205R-S	S7062-12001-041	
P126R-25	4C11746-29A24	P205R-P	S7062-12001-041	
P126R-26	4C11746-31A24	P205R-B	S7062-12001-041	
P126R-29	4C11746-35A24	P205R-j	S7062-12001-041	
P127-D	L4521A24	CB146-1	S7052-11003-041	
P127-F	L4461A24	CB149-1	S7052-11003-041	
P127-G	H4298A24	CB133-1	S7052-11003-041	
P127-H	M3450A24C	CB159-C2	S7052-11003-041	
P127-J	M3451A24B	CB159-B2	S7052-11003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P127-K	M3452A24A	CB159-A2	S7052-11003-041	
P127-L	E3286A24	CB145-1	S7052-11003-041	
P127-M	*E3286A	-	S7052-11003-041	
P127-N	H3335A24	CB155-1	S7052-11003-041	
P127-P	H705A24	CB135-1	S7052-11003-041	
P127-R	F3952A24	CB135-1	S7052-11003-041	
P127-S	W3381A20	CB127-1	S7052-11003-041	
P127-T	C4132A20	CB128-1	S7052-11003-041	
P127-U	C4137C20	CB127-1	S7052-11003-041	
P127-V	L3642A22	CB150-1	S7052-11003-041	
P127-W	L4520A24	CB148-1	S7052-11003-041	
P127-X	H6423LL20	J249-T	S7052-11003-041	
P127-m	F3951A18	CB122-1	S7052-11003-041	
P127R-1	1C11746-36A24	P115R-X	S7062-11007-041	
P127R-2	1C11746-37A24	P115R-Y	S7062-11007-041	
P127R-4	1C11746-38A24	P115R-k	S7062-11007-041	
P127R-8	1C11746-28A24	P115R-g	S7062-11007-041	
P127R-9	1C11746-29A24	P115R-P	S7062-11007-041	
P127R-12	1C11746-39A24	P115R-m	S7062-11007-041	
P127R-15	1C11746-89A24	P115R-d	S7062-11007-041	
P127R-16	1C11746-90A24	P115R-e	S7062-11007-041	
P127R-17	1C11746-30A24	P115R-A	S7062-11007-041	
P127R-18	1C11746-31A24	P115R-B	S7062-11007-041	
P127R-21	1C11746-52A24	P115R-L	S7062-11007-041	
P127R-22	1C11746-53A24	P115R-M	S7062-11007-041	
P127R-23	1C11746-40A24	P115R-F	S7062-11007-041	
P127R-24	1C11746-41A24	P115R-G	S7062-11007-041	
P127R-26	1C11746-44A24	P115R-c	S7062-11007-041	
P127R-27	1C11746-45A24	P115R-H	S7062-11007-041	
P127R-30	1C11746-46A24	P115R-J	S7062-11007-041	
P127R-31	1C11746-47A24	P115R-K	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P127R-32	1C11746-32A24	P115R-V	S7062-11007-041	
P127R-33	1C11746-33A24	P115R-W	S7062-11007-041	
P127R-36	1C11746-42A24	P115R-a	S7062-11007-041	
P127R-37	1C11746-43A24	P115R-b	S7062-11007-041	
P127R-38	1C11746-50A24	P115R-q	S7062-11007-041	
P127R-39	1C11746-51A24	P115R-r	S7062-11007-041	
P127R-42	1C11746-34A24	P115R-U	S7062-11007-041	
P127R-47	1C11746-35A24	P115R-j	S7062-11007-041	
P127R-51	1C11746-48A24	P115R-N	S7062-11007-041	
P127R-52	1C11746-49A24	P115R-f	S7062-11007-041	
P127R-53	1C11746-26A24	P115R-R	S7062-11007-041	
P127R-54	1C11746-27A24	P115R-S	S7062-11007-041	
P128R-1	1C11746-11A24	P124R-f	S7062-11007-041	
P128R-2	1C11746-1A24	P124R-N	S7062-11007-041	
P128R-4	1C11746-12A24	P124R-g	S7062-11007-041	
P128R-5	1C11746-3A24	P124R-S	S7062-11007-041	
P128R-6	1C11746-4A24	P124R-T	S7062-11007-041	
P128R-8	1C11746-13A24	P124R-h	S7062-11007-041	
P128R-9	1C11746-5A24	P124R-V	S7062-11007-041	
P128R-10	1C11746-6A24	P124R-W	S7062-11007-041	
P128R-12	1C11746-15A24	P124R-t	S7062-11007-041	
P128R-13	1C11746-9A24	P124R-p	S7062-11007-041	
P128R-14	1C11746-10A24	P124R-q	S7062-11007-041	
P128R-16	1C11746-14A24	P124R-r	S7062-11007-041	
P128R-17	1C11746-7A24	P124R-k	S7062-11007-041	
P128R-20	1C11746-2A24	P124R-P	S7062-11007-041	
P128R-29	1C11746-8A24	P124R-s	S7062-11007-041	
P128R-34	1C11746-98A24N	GND128-1	S7062-11007-041	
P129-A	PLS02A20	CB534-1	S7052-11004-041	
P129-B	IDM-100A24	CB533-1	S7052-11004-041	
P129-C	ARN153-100A22	CB532-1	S7052-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P129-D	ARN153-101A22	CB532-1	S7052-11004-041	
P129-E	ARC222-100B22	CB505-2	S7052-11004-041	
P129-F	STORM107-A22	CB531-1	S7052-11004-041	
P129-G	ARC220-100A22	CB515-2	S7052-11004-041	
P129-H	3C11746-60A20	CB506-2	S7052-11004-041	
P129-L	CDU-003A22	CB504-2	S7052-11004-041	
P129-M	CDU-004A22	CB500-2	S7052-11004-041	
P129-P	DTRO1A24	CB516-2	S7052-11004-041	
P129-R	M617A20	CB521-2	S7052-11004-041	
P129-S	M619A20	CB517-2	S7052-11004-041	
P129-W	M791A20	CB535-1	S7052-11004-041	
P129-X	M600A20	CB509-2	S7052-11004-041	
P129-Y	M601A20	CB520-2	S7052-11004-041	
P129-Z	FLIR-01C20	CB530-1	S7052-11004-041	
P129-a	FLIR-01D20	CB530-1	S7052-11004-041	
P129-b	H806A20	CB519-2	S7052-11004-041	
P129-d	MFD001A20	CB502-2	S7052-11004-041	
P129-e	MFD002A20	CB502-2	S7052-11004-041	
P129-f	LT500A20	CB510-2	S7052-11004-041	
P129-h	NIU-900A20	CB538-1	S7052-11004-041	
P130-1	L408B24	P1000-L	S7052-11008-042	
P130-2	L407B24	SG130-1	S7052-11008-042	
P130-3	L406E24	SG130-3	S7052-11008-042	
P130-4	W3091B24	J110-F	S7052-11008-042	
P130-5	JMPRP130-5-22	SG130-7	S7052-11008-042	
P130-6	L409A24	SG1020-12	S7052-11008-042	
P130-7	L402J24	SGJ112-3	S7052-11008-042	
P130-8	L412B24	P1000-M	S7052-11008-042	
P130-9	L404F24	SG130-2	S7052-11008-042	
P130-10	L405E24	SG130-4	S7052-11008-042	
P130-11	L416A24N	GG33-5	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P130-12	P130-12-22	BOMB41-1	S7052-11008-042	
P130-13	P130-13-22	BOMB41-2	S7052-11008-042	
P131-1	L497A24	P1000-N	S7052-11008-042	
P131-2	L407D24	SG33B-1	S7052-11008-042	
P131-3	L406D24	SG130-3	S7052-11008-042	
P131-4	W3092B24	J111-E	S7052-11008-042	
P131-5	L411A24	SG1019-15	S7052-11008-042	
P131-6	L409C24	SG1019-12	S7052-11008-042	
P131-7	L402H24	SGJ112-3	S7052-11008-042	
P131-8	L498A24	P1000-K	S7052-11008-042	
P131-9	L404G24	SG130-2	S7052-11008-042	
P131-10	L405F24	SG130-4	S7052-11008-042	
P131-11	L415A24N	GG33-2	S7052-11008-042	
P131-12	P131-12-22	BOMB42-1	S7052-11008-042	
P131-13	P131-13-22	BOMB42-2	S7052-11008-042	
P131R-15	ARC164-25B22	SGP135-1	S7062-11014-043	
P131R-19	JMPRP131R-19-A24	SGP131-2	S7062-11005-041	
P131R-25	IDM113-A24	P100R-25	S7062-11005-041	
P131R-35	IDM115-A24	P100R-28	S7062-11005-041	
P131R-37	JMPRP131R-37-A24	SGP131-3	S7062-11005-041	
P132-A	H6418A20	J121-P	S7062-11014-043	
P132-B	H6417A20	J121-N	S7062-11014-043	
P132-C	H6416A20	J121-M	S7062-11014-043	
P132-D	HH6415A20	J121-L	S7062-11014-043	
P132-E	H6429A20	J121-S	S7062-11014-043	
P132-F	H6425C20	J121-K	S7062-11014-043	
P132-G	H6407C20N	SG133-2	S7062-11014-043	
P132-H	H6402A20	SGP134-4	S7062-11014-043	
P132-J	H6396A22	P199-D	S7062-11014-043	
P132-K	H6403A20	P133-M	S7062-11014-043	
P132-L	*CBL031 (J121/P132)	-	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P132-M	L3663B22	TJ5VA-G	S7062-11014-043	
P132-N	H6428A20N	GG33-11	S7062-11014-043	
P132-S	H6424D20	SGP134-5	S7062-11014-043	
P132-T	H6430A20	J121-U	S7062-11014-043	
P132-U	H6420G20	J121-T	S7062-11014-043	
P132R-1	2ARC201-04A24	P1103R-46	S7062-11003-041	
P132R-5	2ARC201-06A24	P1103R-24	S7062-11003-041	
P132R-6	2ARC201-07A24	P1103R-31	S7062-11003-041	
P132R-9	2ARC201-08A24	P1103R-9	S7062-11003-041	
P132R-10	2ARC201-05A24	P1103R-52	S7062-11003-041	
P133-A	L4636JJ24	TJ115A-L	S7062-11014-043	
P133-B	H6410A20	J121-E	S7062-11014-043	
P133-D	H6407B20N	SG133-2	S7062-11014-043	
P133-E	H6400A20N	SG133-1	S7062-11014-043	
P133-F	H6400B20N	SG133-1	S7062-11014-043	
P133-G	H6412A20	J121-G	S7062-11014-043	
P133-H	H6411A20	J121-F	S7062-11014-043	
P133-J	H6420A20	J121-C	S7062-11014-043	
P133-K	L3934A24	SGP133-1	S7062-11014-043	
P133-L	H6423G20	SGP134-1	S7062-11014-043	
P133-M	H6403A20	P132-K	S7062-11014-043	
P133-N	H6414A20	J121-J	S7062-11014-043	
P133-R	H6423V20	SGP134-1	S7062-11014-043	
P133-S	H6413A20	J121-H	S7062-11014-043	
P133-T	H6402B20	SGP134-4	S7062-11014-043	
P133-U	H6409A20	J121-D	S7062-11014-043	
P133R-1	1ARC201-07A24	P1006R-46	S7062-11002-041	
P133R-5	1ARC201-09A24	P1006R-24	S7062-11002-041	
P133R-6	1ARC201-10A24	P1006R-31	S7062-11002-041	
P133R-9	1ARC201-11A24	P1006R-9	S7062-11002-041	
P133R-10	1ARC201-08A24	P1006R-52	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P134-A	H6390F20	P199-G	S7062-11014-043	
P134-B	H6391F20	P199-H	S7062-11014-043	
P134-C	H6392F20	P199-J	S7062-11014-043	
P134-D	H6455D20	J121-e	S7062-11014-043	
P134-E	H6454D20	J121-f	S7062-11014-043	
P134-F	H6435D20	J121-g	S7062-11014-043	
P134-G	H6398E22	SGP134-3	S7062-11014-043	
P134-H	L3934E24	SGP133-1	S7062-11014-043	
P134-J	H6399E22	SGP134-2	S7062-11014-043	
P134-K	H6423T20	SGP134-1	S7062-11014-043	
P134-L	H6424F20	SGP134-5	S7062-11014-043	
P134-M	H6402C20	SGP134-4	S7062-11014-043	
P134-N	H6458A20	P199-K	S7062-11014-043	
P134-P	H6374C20	P199-L	S7062-11014-043	
P134-R	H6383G20	P199-M	S7062-11014-043	
P134-S	H6457C20	P199-N	S7062-11014-043	
P134-T	H6465A20N	SGP134-6	S7062-11014-043	
P134-U	H6456C20	P199-P	S7062-11014-043	
P134-V	*CBL045 (P134/P199)	-	S7062-11014-043	
P134-W	H6460A20	P199-T	S7062-11014-043	
P134-X	H6461A20	P199-R	S7062-11014-043	
P134-Y	H6405C20	P199-U	S7062-11014-043	
P134-Z	H6406C20	P199-V	S7062-11014-043	
P134-a	*CBL046 (P134/P199)	-	S7062-11014-043	
P134-b	L3646H22	TJ115A-J	S7062-11014-043	
P134-c	H6465B20N	SGP134-6	S7062-11014-043	
P134R-A	F442A22	P2R-E	S7062-11014-043	
P134R-B	F441A22	P2R-D	S7062-11014-043	
P134R-C	F440A22	P2R-C	S7062-11014-043	
P134R-D	F430A22	P136R-Y	S7062-11014-043	
P134R-E	F431A22	P136R-W	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P134R-F	F432A22	P136R-X	S7062-11014-043	
P134R-H	F433A22	P136R-G	S7062-11014-043	
P134R-J	F434A22	P136R-H	S7062-11014-043	
P134R-K	F435A22	P136R-J	S7062-11014-043	
P134R-L	F448A22	SGR8-4	S7062-11014-043	
P134R-M	F447A22	SGR8-5	S7062-11014-043	
P134R-N	F446A22	SGR8-6	S7062-11014-043	
P134R-P	F436A24	P136R-a	S7062-11014-043	
P134R-R	F437A24	P136R-b	S7062-11014-043	
P134R-S	F438A24	P136R-E	S7062-11014-043	
P134R-T	F439A24	SGR8-1	S7062-11014-043	
P134R-U	L3111A22	TJ115A-A	S7062-11014-043	
P134R-V	F449A24N	GG12-3	S7062-11014-043	
P134R-W	JMPRP134R-1-24	SGR134-1	S7062-11014-043	
P134R-X	F451F22	SGR8-2	S7062-11014-043	
P134R-Y	F450A22	SGR8-3	S7062-11014-043	
P135-A	M4250C22	J219-F	S7052-11011-041	
P135-C	M4254A22	J219-K	S7052-11011-041	
P135-D	M4251A22	J219-G	S7052-11011-041	
P135-F	M4252A22	J219-H	S7052-11011-041	
P135-G	M4253A22	J219-J	S7052-11011-041	
P135-H	D5885B24	J219-Z	S7052-11011-041	
P135-J	D5891A24	J914-G	S7052-11011-041	
P135-K	D5890A24	J219-j	S7052-11011-041	
P135-L	D5886B24	J219-Y	S7052-11011-041	
P135-M	Q4061A24	J914-J	S7052-11011-041	
P135-N	Q4060H24	SG135-1	S7052-11011-041	
P135-P	Q4062A24	J914-K	S7052-11011-041	
P135-R	Q4060G24	SG135-1	S7052-11011-041	
P135-S	C4132F20	J914-s	S7052-11011-041	
P135-T	C4147A20	J914-q	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P135-V	W3389K20	J914-r	S7052-11011-041	
P135-W	C4149A20	J219-k	S7052-11011-041	
P135R-1	ARC164-23A22	P121R-M	S7062-11014-043	
P135R-5	ARC164-21A22	P121R-K	S7062-11014-043	
P135R-6	ARC164-22A22	P121R-L	S7062-11014-043	
P135R-9	JMPRP135R-9-22	SGP135-1	S7062-11014-043	
P135R-10	ARC164-24A22	P121R-B	S7062-11014-043	
P136R-A	JUMPERP136R-7-22	SGR136-2	S7062-11014-043	
P136R-B	JUMPERP136R-1-24	P136R-U	S7062-11014-043	
P136R-C	JUMPERP136R-8-22	SGR136-1	S7062-11014-043	
P136R-D	JUMPERP136R-6-22	SGR136-2	S7062-11014-043	
P136R-E	F438A24	P134R-S	S7062-11014-043	
P136R-F	*CBL025 (P134R/P136R)	-	S7062-11014-043	
P136R-G	F433A22	P134R-H	S7062-11014-043	
P136R-H	F434A22	P134R-J	S7062-11014-043	
P136R-J	F435A22	P134R-K	S7062-11014-043	
P136R-K	JUMPERP136R-4-22	SGR136-3	S7062-11014-043	
P136R-L	JUMPERP136R-9-22	SGR136-1	S7062-11014-043	
P136R-M	F443A22	P2R-G	S7062-11014-043	
P136R-P	F439B24	SGR8-1	S7062-11014-043	
P136R-R	JUMPERP136R-10-22	SGR136-1	S7062-11014-043	
P136R-S	JUMPERP136R-3-22	SGR136-3	S7062-11014-043	
P136R-T	JUMPERP136R-2-24	P136R-V	S7062-11014-043	
P136R-U	JUMPERP136R-1-24	P136R-B	S7062-11014-043	
P136R-V	JUMPERP136R-2-24	P136R-T	S7062-11014-043	
P136R-W	F431A22	P134R-E	S7062-11014-043	
P136R-X	F432A22	P134R-F	S7062-11014-043	
P136R-Y	F430A22	P134R-D	S7062-11014-043	
P136R-Z	F444A20N	GG14-1	S7062-11014-043	
P136R-a	F436A24	P134R-P	S7062-11014-043	
P136R-b	F437A24	P134R-R	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P137-A	D5836E24	J224-M	S7052-12006-041	
P137-B	D5835E24	J224-L	S7052-12006-041	
P137-C	D5857C24	J114-K	S7052-12006-041	
P137-D	D5858C24	J114-L	S7052-12006-041	
P137-E	D5855C24	J114-H	S7052-12006-041	
P137-F	D5856C24	J114-J	S7052-12006-041	
P137-G	D5879A24	SG905-1	S7052-12006-041	
P137-H	D5880A24	SG905-2	S7052-12006-041	
P137-J	D5838A24	J224-J	S7052-12006-041	
P137-K	D5837A24	J224-K	S7052-12006-041	
P137-N	E2047C24	J114-W	S7052-12006-041	
P137-T	D5839A24	J224-H	S7052-12006-041	
P137-W	D5840A24	J224-G	S7052-12006-041	
P137-X	W2002A24	P110-b	S7052-12006-041	
P137-Y	D5876A24	SG137-4	S7052-12006-041	
P137-Z	D5877A24	SG137-5	S7052-12006-041	
P137-a	D5859C24	J114-M	S7052-12006-041	
P137-b	D5860C24	J114-N	S7052-12006-041	
P137-c	D5870A24	J224-U	S7052-12006-041	
P137-d	D5871A24	J224-V	S7052-12006-041	
P137-e	D5874D20	SG137-7	S7052-12006-041	
P137-f	D5875D20	SG137-6	S7052-12006-041	
P137-g	D5868A24	J224-S	S7052-12006-041	
P137-h	D5869A24	J224-T	S7052-12006-041	
P137-i	D5873A24	J224-X	S7052-12006-041	
P137-j	D5841D24	SG137-3	S7052-12006-041	
P137-k	D5872A24	J224-W	S7052-12006-041	
P137-m	W2003A24	P110-c	S7052-12006-041	
P137-n	L405A24	SG137-2	S7052-12006-041	
P137-p	D5881A24	J114-S	S7052-12006-041	
P137-u	L404E24	SG137-1	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P137-w	*E2047C	-	S7052-12006-041	
P137-AA	D5866B22	P266-L	S7052-12006-041	
P137-BB	D5867A20N	GND137-1	S7052-12006-041	
P137-CC	D5864B20	P266-J	S7052-12006-041	
P137-DD	D5865B20N	P266-K	S7052-12006-041	
P137-EE	L3659A20N	GND137-1	S7052-12006-041	
P137-FF	L3662B22	SG386-1	S7052-12006-041	
P137-GG	L3659B20N	GND137-1	S7052-12006-041	
P137-HH	L3659C20N	GND137-1	S7052-12006-041	
P137R-1	JMPRP137R-1-22	SG137R-4	S7062-11004-041	
P137R-5	JMPRP137R-5-22	SG137R-2	S7062-11004-041	
P137R-6	JMPRP137R-6-22	SG137R-3	S7062-11004-041	
P137R-9	JMPRP137R-9-22	SG137R-1	S7062-11004-041	
P137R-10	JMPRP137R-10-22	SG137R-5	S7062-11004-041	
P138-A	D5836A24	P114-G	S7052-12005-041	
P138-B	D5835A24	P114-F	S7052-12005-041	
P138-C	D5857A24	SG138-4	S7052-12005-041	
P138-D	D5858A24	SG138-5	S7052-12005-041	
P138-E	D5855A24	SG138-2	S7052-12005-041	
P138-F	D5856A24	SG138-3	S7052-12005-041	
P138-G	D5882A24	P114-T	S7052-12005-041	
P138-H	D5883A24	P114-U	S7052-12005-041	
P138-N	E2051B24	SG901-1	S7052-12005-041	
P138-X	W2006A24	P111-U	S7052-12005-041	
P138-Y	D5876C24	P114-R	S7052-12005-041	
P138-Z	D5877C24	P114-P	S7052-12005-041	
P138-a	D5859A24	SG138-6	S7052-12005-041	
P138-b	D5860A24	SG138-7	S7052-12005-041	
P138-c	D5848A24	J223-G	S7052-12005-041	
P138-d	D5849A24	J223-H	S7052-12005-041	
P138-e	D5853D20	SG138-15	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P138-f	D5854D20	SG138-16	S7052-12005-041	
P138-g	D5846A24	J223-E	S7052-12005-041	
P138-h	D5847A24	J223-F	S7052-12005-041	
P138-i	D5851A24	J223-K	S7052-12005-041	
P138-j	D5852A24	J223-L	S7052-12005-041	
P138-k	D5850A24	J223-J	S7052-12005-041	
P138-m	W2007A24	P111-T	S7052-12005-041	
P138-n	JMPRP138-n-24	SG138-9	S7052-12005-041	
P138-p	D5881C24	SG138-8	S7052-12005-041	
P138-u	JMPRP138-u-24	SG138-10	S7052-12005-041	
P138-w	*E2051B	-	S7052-12005-041	
P138-AA	D5842B22	P249-M	S7052-12005-041	
P138-BB	D5845A20N	GND138-1	S7052-12005-041	
P138-CC	D5843B20	P249-p	S7052-12005-041	
P138-DD	D5844B20N	P249-n	S7052-12005-041	
P138-EE	L3643A20N	GND138-1	S7052-12005-041	
P138-FF	L3661BB22	P114-e	S7052-12005-041	
P138-GG	L3646C22	SG280-2	S7052-12005-041	
P138-HH	L3643B20N	GND138-1	S7052-12005-041	
P139-A	Q6742B20C	J914-M	S7052-11011-041	
P139-B	Q6741B20B	J914-N	S7052-11011-041	
P139-C	Q6740B20A	J914-P	S7052-11011-041	
P139-D	Q6752A20	J219-B	S7052-11011-041	
P139-E	Q6751A20	J219-C	S7052-11011-041	
P139-F	Q6750A20	J219-D	S7052-11011-041	
P139-G	Q6749A20	J914-A	S7052-11011-041	
P139-H	Q6748A20	J914-B	S7052-11011-041	
P139-J	Q6747A20	J914-C	S7052-11011-041	
P139-L	L6754A22	SG4R-1	S7052-11011-041	
P139-M	Q6746A20	J914-D	S7052-11011-041	
P139-N	Q6753A20	J219-A	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P139-P	L3931M24	SGP139-1	S7052-11011-041	
P139-R	L3931L24	SGP139-1	S7052-11011-041	
P139-T	Q6745B20C	J914-n	S7052-11011-041	
P139-U	Q6744B20B	J914-a	S7052-11011-041	
P139-V	Q6743B20A	J914-R	S7052-11011-041	
P139-Y	Q6755A20N	GND139-1	S7052-11011-041	
P139-Z	Q6756A20N	GND139-1	S7052-11011-041	
P139R-1	AJB-31A22	P298-e	S7062-12001-041	
P139R-2	ARC220-137-B-22	SG137R-2	S7062-11004-041	
P139R-3	ARC220-138-B-22	SG137R-3	S7062-11004-041	
P139R-6	APR39-30A24	P690R-14	S7062-11014-043	
P139R-7	APR39-130A24	P690R-11	S7062-11014-043	
P139R-12	1C11746-60D22	SG124R-1	S7062-11007-041	
P139R-13	2C11746-511A22N	GND139-2	S7062-11007-041	
P139R-14	2C11746-510A22N	GND139-2	S7062-11007-041	
P139R-15	2C11746-60D22	SGP175-3	S7062-11007-041	
P139R-18	ARN147-03A24	P149R-U	S7062-11009-042	
P139R-19	ARN147-04A24	P149R-T	S7062-11009-042	
P139R-22	ARN149-27A24	P195R-J	S7062-11010-041	
P139R-23	ARN149-28A24	P195R-d	S7062-11010-041	
P139R-29	ARC220-140-B-22	SG137R-5	S7062-11004-041	
P139R-30	ARC220-139-B-22	SG137R-4	S7062-11004-041	
P139R-31	ARC220-136-C-22	SA139R-1	S7062-11004-041	
P139R-41	2C11746-60G22	SGP175-3	S7062-11007-041	
P139R-43	ARN153-138A22	P333R-13	S7062-11008-041	
P139R-44	ARN153-139A22	P333R-14	S7062-11008-041	
P139R-59	APX100-210F22	P664R-21	S7062-11007-041	
P139R-60	APX100-21F22	P664R-23	S7062-11007-041	
P139R-63	NIU901A22	P102R-33	S7062-11007-041	
P139R-64	VWS-17A24N	GND139-1	S7062-11007-041	
P139R-70	APN209-A01B24	J1R-PP	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P139R-72	ARN147-19A24	P149R-EE	S7062-11009-042	
P139R-73	ARN147-17A24	P149R-DD	S7062-11009-042	
P139R-78	*APN209-A01B	-	S7062-11014-043	
P14R-A	NIU028A24	P102R-50	S7062-11014-043	
P14R-B	NIU029A24	P102R-51	S7062-11014-043	
P14R-C	CDU-008A22	P140R-41	S7062-11014-043	
P14R-D	2F3889D24	P318RA-1	S7062-11014-043	
P14R-E	*APN209-16D	-	S7062-11014-043	
P14R-F	APN209-2B24	SGP102-2	S7062-11014-043	
P14R-G	APN209-16D24	SG1014-4	S7062-11014-043	
P14R-H	APN209-17E24	SG1014-3	S7062-11014-043	
P14R-J	NIU030A24	P102R-52	S7062-11014-043	
P14R-K	NIU031A24	P102R-53	S7062-11014-043	
P14R-L	NIU038A24	P102R-13	S7062-11014-043	
P14R-M	NIU039A24	P102R-14	S7062-11014-043	
P14R-N	2F3896A24	P318RA-6	S7062-11014-043	
P14R-P	NIU040A24	P102R-15	S7062-11014-043	
P14R-R	2F3879A24	P318RA-21	S7062-11014-043	
P14R-S	2F3890A24	P318RA-31	S7062-11014-043	
P14R-T	2F3891A24	P318RA-32	S7062-11014-043	
P14R-U	2F3892A24	P318RA-33	S7062-11014-043	
P14R-V	2F3893A24	P318RA-41	S7062-11014-043	
P14R-W	2F3894A24	P318RA-42	S7062-11014-043	
P14R-X	2F3895A24	SG318A-2	S7062-11014-043	
P14R-Y	F9017B22	P2002R-51	S7062-11014-043	
P14R-Z	F9018B22	P2002R-11	S7062-11014-043	
P14R-a	NIU090A24	P102R-46	S7062-11014-043	
P14R-b	NIU045A24	P102R-16	S7062-11014-043	
P14R-c	NIU024A24	P102R-12	S7062-11014-043	
P14R-d	2F3703D24	P318RB-37	S7062-11014-043	
P14R-e	2F3704D24	P318RB-38	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P14R-f	NIU041C24	SG318A-4	S7062-11014-043	
P14R-g	NIU043C24	SG318B-4	S7062-11014-043	
P14R-h	NIU042C24	SG318A-5	S7062-11014-043	
P14R-i	NIU044C24	SG318B-5	S7062-11014-043	
P14R-j	CIS003A24	P318RB-39	S7062-11014-043	
P14R-k	CIS004A24	P318RB-40	S7062-11014-043	
P14R-m	2F3867B24	P318RB-28	S7062-11014-043	
P14R-n	2F3868B24	P318RB-29	S7062-11014-043	
P14R-p	2F3865B24	P318RB-18	S7062-11014-043	
P14R-q	2F3866B24	P318RB-19	S7062-11014-043	
P14R-r	2F3916D24	P318RB-20	S7062-11014-043	
P14R-s	2F3917D24	P318RB-21	S7062-11014-043	
P14R-t	2F3918D24	P318RB-22	S7062-11014-043	
P14R-u	2F3913D24	P318RB-24	S7062-11014-043	
P14R-v	2F3914D24	P318RB-25	S7062-11014-043	
P14R-w	2F3915D24	P318RB-26	S7062-11014-043	
P14R-x	2F3919D24	P318RB-9	S7062-11014-043	
P14R-y	*2F3916D	-	S7062-11014-043	
P14R-z	1F3838A24	P318RB-57	S7062-11014-043	
P14R-AA	1F3839A24	P318RB-55	S7062-11014-043	
P14R-BB	1F3841A24	P318RB-44	S7062-11014-043	
P14R-CC	1F3837A24	SG318A-6	S7062-11014-043	
P14R-DD	1F3840A24	P318RA-34	S7062-11014-043	
P14R-EE	2F3774B24	P318RA-17	S7062-11014-043	
P14R-FF	JMPRP14R-FF-22	SGP14R-1	S7062-11014-043	
P14R-GG	JMPRP14R-GG-22	SGP14R-2	S7062-11014-043	
P14R-HH	2F3799B24	P318RA-16	S7062-11014-043	
P14R-JJ	2F3800B24	P318RA-19	S7062-11014-043	
P14R-KK	2F3816D24	SG318A-7	S7062-11014-043	
P14R-LL	1F3819A24	P318RA-9	S7062-11014-043	
P14R-MM	1F3816D24	P318RA-20	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P14R-NN	2F3842A24	P318RA-12	S7062-11014-043	
P14R-PP	2F3876B24	P318RA-14	S7062-11014-043	
P140R-1	CDU-605A22	TJ5VA-F	S7062-11014-043	
P140R-2	CDU-606A22N	GND140-2	S7062-11014-043	
P140R-9	CDU-009A22N	GND140-1	S7062-11014-043	
P140R-10	CDU-020A22	P664R-55	S7062-11014-043	
P140R-12	CDU-017A22	SG140R-2	S7062-11014-043	
P140R-13	JMPRP140R-13-22	SGP140-1	S7062-11014-043	
P140R-14	JMPRP140R-14-22	SG140R-1	S7062-11004-041	
P140R-16	ASN128-100A22	P666R-1	S7062-11006-041	
P140R-17	1ARC201-20A24	P1006R-25	S7062-11002-041	
P140R-18	2ARC201-17A24	P1103R-25	S7062-11003-041	
P140R-20	ARC220-141-A22	P363R-c	S7062-11004-041	
P140R-22	CDU-052A22	P209R-38	S7062-11014-043	
P140R-23	CDU-066A22	P1014R-73	S7062-11014-043	
P140R-24	CDU-028A22	P1013R-73	S7062-11014-043	
P140R-27	CDU-010A22	GND140-1	S7062-11014-043	
P140R-28	CDU-003B22	J129-L	S7062-11014-043	
P140R-29	CDU-001B22	CB501-1	S7062-11014-043	
P140R-31	ARC164-26A22	SGP192-1	S7062-11014-043	
P140R-32	ARC164-27A22	P192R-J	S7062-11014-043	
P140R-36	CDU-029B22	SG1013-1	S7062-11014-043	
P140R-37	ARC222-110C22	SG342R-1	S7062-11001-041	
P140R-38	CDU-019A22	P664R-9	S7062-11014-043	
P140R-39	JMPRP140R-39-22	SG140R-1	S7062-11014-043	
P140R-41	CDU-008A22	P14R-C	S7062-11014-043	
P140R-58	CDU-030A22	P1013R-1	S7062-11014-043	
P140R-59	CDU-039A22	P1014R-1	S7062-11014-043	
P140R-61	CDU-015B22	SG1011-6	S7062-11014-043	
P140R-62	CDU-016B22	SG1011-7	S7062-11014-043	
P140R-64	*CBL022 (SGP140/ SG318A)	-	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P140R-65	JMPRP140R-65-22	SGP140-2	S7062-11014-043	
P140R-66	JMPRP140R-66-22	SGP140-3	S7062-11014-043	
P140R-68	CDU-056A22	P100R-45	S7062-11014-043	
P140R-69	CDU-053A22	P1013R-57	S7062-11014-043	
P140R-70	CDU-054A22	P1013R-58	S7062-11014-043	
P140R-71	CDU-051A22	P1014R-57	S7062-11014-043	
P140R-72	CDU-050A22	P1014R-58	S7062-11014-043	
P140R-73	CDU-013A22	P1011R-16	S7062-11014-043	
P140R-74	CDU-014A22	P1011R-15	S7062-11014-043	
P140R-75	CDU-042A22	P1012R-16	S7062-11014-043	
P140R-76	CDU-043A22	P1012R-15	S7062-11014-043	
P140R-77	CDU-055A22	P100R-44	S7062-11014-043	
P142-D	*C6183G	-	S7052-11008-042	
P142-d	L407H24	SG33T-1	S7052-11008-042	
P142-e	C6183G22	SGK33-1	S7052-11008-042	
P142-f	F447F22	SGA33-2	S7052-11008-042	
P142-g	F446F22	SGA33-3	S7052-11008-042	
P142-h	F448F22	SGA33-1	S7052-11008-042	
P142-i	1F3910E24	SG16R-2	S7052-11008-042	
P142-j	1F3911E24	SG16R-1	S7052-11008-042	
P142-k	1F3909E24	SG16R-3	S7052-11008-042	
P142-m	1F3906E24	SG16R-6	S7052-11008-042	
P142-n	1F3907E24	SG16R-5	S7052-11008-042	
P142-p	1F3908E24	SG16R-4	S7052-11008-042	
P142-q	2F3909E24	SG317R-3	S7052-11008-042	
P142-r	2F3910E24	SG317R-2	S7052-11008-042	
P142-s	2F3911E24	SG317R-1	S7052-11008-042	
P142-t	2F3908E24	SG317R-4	S7052-11008-042	
P142-u	2F3906E24	SG317R-6	S7052-11008-042	
P142-v	2F3907E24	SG317R-5	S7052-11008-042	
P142-x	C6172B24	SG1019-47	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P142-y	C6173B24	SG1019-26	S7052-11008-042	
P142-z	C6174B24	BOMB9-1	S7052-11008-042	
P142-AA	*C6172B	-	S7052-11008-042	
P142-KK	C4705B24	SGRHS-17	S7052-11008-042	
P144-6	C4641A24	P404R-z	S7052-12006-041	
P144-7	C4642A24	P404R-u	S7052-12006-041	
P144R-1	PLS-35A22	P146R-1	S7062-11011-041	
P144R-2	PLS-34A22	P146R-2	S7062-11011-041	
P144R-3	PLS-33A22	P146R-3	S7062-11011-041	
P144R-4	PLS-32A22	P146R-4	S7062-11011-041	
P144R-5	PLS-31A24	P146R-5	S7062-11011-041	
P144R-6	PLS-30A24	P146R-6	S7062-11011-041	
P144R-7	PLS-29A24	P146R-7	S7062-11011-041	
P144R-8	PLS-28A24	P146R-8	S7062-11011-041	
P144R-9	PLS-27A24	P146R-9	S7062-11011-041	
P144R-10	PLS-26A24	P146R-10	S7062-11011-041	
P144R-11	PLS-25A24	P146R-11	S7062-11011-041	
P144R-12	PLS-24A24	P146R-12	S7062-11011-041	
P144R-13	PLS-23A24	P146R-13	S7062-11011-041	
P144R-14	PLS-22A24	P146R-14	S7062-11011-041	
P144R-15	PLS-21A24	P146R-15	S7062-11011-041	
P145-1	C4643A24	P405R-z	S7052-12005-041	
P145-5	C4644A24	P405R-u	S7052-12005-041	
P145-6	C4631F24	SG405-2	S7052-12005-041	
P145R-C	PLA-03A22	TJ115A-Z	S7062-11011-041	
P145R-D	PLS-01A20	J129-A	S7062-11011-041	
P145R-E	PLS-02A20N	GD145R-1	S7062-11011-041	
P145R-M	PLS-04A20N	GD145R-1	S7062-11011-041	
P145R-P	PLS-05A20N	GD145R-1	S7062-11011-041	
P145R-a	PLS-06A20N	GD145R-1	S7062-11011-041	
P146R-1	PLS-35A22	P144R-1	S7062-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P146R-2	PLS-34A22	P144R-2	S7062-11011-041	
P146R-3	PLS-33A22	P144R-3	S7062-11011-041	
P146R-4	PLS-32A22	P144R-4	S7062-11011-041	
P146R-5	PLS-31A24	P144R-5	S7062-11011-041	
P146R-6	PLS-30A24	P144R-6	S7062-11011-041	
P146R-7	PLS-29A24	P144R-7	S7062-11011-041	
P146R-8	PLS-28A24	P144R-8	S7062-11011-041	
P146R-9	PLS-27A24	P144R-9	S7062-11011-041	
P146R-10	PLS-26A24	P144R-10	S7062-11011-041	
P146R-11	PLS-25A24	P144R-11	S7062-11011-041	
P146R-12	PLS-24A24	P144R-12	S7062-11011-041	
P146R-13	PLS-23A24	P144R-13	S7062-11011-041	
P146R-14	PLS-22A24	P144R-14	S7062-11011-041	
P146R-15	PLS-21A24	P144R-15	S7062-11011-041	
P147R-A	PLS-47A20	P402R-A	S7062-11011-041	
P147R-B	PLS-46A20	P402R-B	S7062-11011-041	
P147R-C	PLS-51A20	P402R-C	S7062-11011-041	
P147R-D	PLS-45A20	P402R-D	S7062-11011-041	
P147R-E	PLS-44A20	P402R-E	S7062-11011-041	
P147R-F	PLS-43A24	P402R-F	S7062-11011-041	
P147R-G	PLS-42A24	P402R-G	S7062-11011-041	
P147R-P	PLS-53A20N	GD147R-1	S7062-11011-041	
P147R-R	PLS-41A24	P402R-R	S7062-11011-041	
P147R-S	PLS-40A24	P402R-S	S7062-11011-041	
P147R-T	PLS-39A24	P402R-T	S7062-11011-041	
P147R-U	PLS-38A24	P402R-U	S7062-11011-041	
P147R-V	PLS-37A24	P402R-V	S7062-11011-041	
P147R-W	PLS-36A24	P402R-W	S7062-11011-041	
P147R-a	PLS-50A24	P402R-a	S7062-11011-041	
P147R-b	PLS-48A24	P402R-b	S7062-11011-041	
P147R-f	PLS-49A20	P402R-f	S7062-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P149-1	D5378A24	P157-1	S7052-11009-041	
P149-2	D5379A24	P157-2	S7052-11009-041	
P149-3	D5380A24	P157-3	S7052-11009-041	
P149-4	D5381A24	P157-4	S7052-11009-041	
P149-5	D5382A24	P157-5	S7052-11009-041	
P149-6	D5383A24	P157-6	S7052-11009-041	
P149-7	D5388A22	P157-8	S7052-11009-041	
P149-9	D5896A24	P157-9	S7052-11009-041	
P149-10	D5384A22	P157-10	S7052-11009-041	
P149-11	D5385A22	P157-11	S7052-11009-041	
P149-14	D5364A22	P157-14	S7052-11009-041	
P149-15	D5365A22	P157-15	S7052-11009-041	
P149-16	D5366A22	P157-16	S7052-11009-041	
P149-17	D5367A22	P157-17	S7052-11009-041	
P149-18	D5368A22	P157-18	S7052-11009-041	
P149-19	D5369A22	P157-19	S7052-11009-041	
P149-20	D5370A22	P157-20	S7052-11009-041	
P149-21	D5371A22	P157-21	S7052-11009-041	
P149-22	D5372A24	P157-22	S7052-11009-041	
P149-23	D5373A24	P157-23	S7052-11009-041	
P149-24	D5374A24	P157-24	S7052-11009-041	
P149-25	D5375A24	P157-25	S7052-11009-041	
P149-26	D5376A24	P157-26	S7052-11009-041	
P149-27	D5377A24	P157-27	S7052-11009-041	
P149-34	D5723A24	P157-34	S7052-11009-041	
P149-35	D5724A24	P157-35	S7052-11009-041	
P149-36	D5725A24	P157-36	S7052-11009-041	
P149-37	D5726A24	P157-37	S7052-11009-041	
P149-38	D5727A24	P157-38	S7052-11009-041	
P149-39	D5728A24	P157-39	S7052-11009-041	
P149-40	D5729A24	P157-40	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P149-41	D5730A24	P157-41	S7052-11009-041	
P149-42	D5731A24	P157-42	S7052-11009-041	
P149-43	D5732A24	P157-43	S7052-11009-041	
P149-44	D5733A24	P157-44	S7052-11009-041	
P149-45	D5734A24	P157-45	S7052-11009-041	
P149-46	D5735A24	P157-46	S7052-11009-041	
P149-47	D5736A24	P157-47	S7052-11009-041	
P149-48	D5737A24	P157-48	S7052-11009-041	
P149-49	D5738A24	P157-49	S7052-11009-041	
P149-50	D5739A24	P157-50	S7052-11009-041	
P149-51	D5740A24	P157-51	S7052-11009-041	
P149-52	D5741A24	P157-52	S7052-11009-041	
P149-53	D5742A24	P157-53	S7052-11009-041	
P149-54	D5743A24	P157-54	S7052-11009-041	
P149-55	D5744A24	P157-55	S7052-11009-041	
P149-56	D5745A24	P157-56	S7052-11009-041	
P149-57	D5746A24	P157-57	S7052-11009-041	
P149-58	D5747A24	P157-58	S7052-11009-041	
P149-59	D5748A24	P157-59	S7052-11009-041	
P149-60	D5749A24	P157-60	S7052-11009-041	
P149-61	D5750A24	P157-61	S7052-11009-041	
P149-62	D5751A24	P157-62	S7052-11009-041	
P149-63	D5752A24	P157-63	S7052-11009-041	
P149-64	D5753A24	P157-64	S7052-11009-041	
P149-65	D5754A24	P157-65	S7052-11009-041	
P149-66	D5755A24	P157-66	S7052-11009-041	
P149-67	D5756A24	P157-67	S7052-11009-041	
P149-68	D5757A24	P157-68	S7052-11009-041	
P149-69	D5758A24	P157-69	S7052-11009-041	
P149-70	D5759A24	P157-70	S7052-11009-041	
P149-71	D5760A24	P157-71	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P149-72	D5761A24	P157-72	S7052-11009-041	
P149-73	D5762A24	P157-73	S7052-11009-041	
P149-74	D5763A24	P157-74	S7052-11009-041	
P149-75	D5764A24	P157-75	S7052-11009-041	
P149-76	D5765A24	P157-76	S7052-11009-041	
P149-77	D5766A24	P157-77	S7052-11009-041	
P149-78	D5767A24	P157-78	S7052-11009-041	
P149-79	D5768A24	P157-79	S7052-11009-041	
P149-80	D5769A24	P157-80	S7052-11009-041	
P149-81	D5770A24	P157-81	S7052-11009-041	
P149-82	D5771A24	P157-82	S7052-11009-041	
P149-83	D5772A24	P157-83	S7052-11009-041	
P149-84	D5773A24	P157-84	S7052-11009-041	
P149-85	D5774A24	P157-85	S7052-11009-041	
P149-86	D5775A24	P157-86	S7052-11009-041	
P149-87	D5776A24	P157-87	S7052-11009-041	
P149-88	D5777A24	P157-88	S7052-11009-041	
P149-89	D5778A24	P157-89	S7052-11009-041	
P149-90	D5357A24	P157-90	S7052-11009-041	
P149-91	D5358A24	P157-91	S7052-11009-041	
P149-92	D5359A24	P157-92	S7052-11009-041	
P149-93	D5360A24	P157-93	S7052-11009-041	
P149-94	D5361A24	P157-94	S7052-11009-041	
P149-95	D5362A24	P157-95	S7052-11009-041	
P149-96	D5363A24	P157-96	S7052-11009-041	
P149-99	D5386A24	P157-99	S7052-11009-041	
P149-100	D5387A24	P157-100	S7052-11009-041	
P149R-A	ARN147-15A24	P100R-17	S7062-11009-042	
P149R-B	ARN147-76A20	P16R-u	S7062-11009-042	
P149R-C	ARN147-77A20	P16R-c	S7062-11009-042	
P149R-D	JMPRP149R-D-20	SG149R-1	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P149R-E	ARN147-10A20N	GD149R-1	S7062-11009-042	
P149R-F	ARN147-79A24	P100R-12	S7062-11009-042	
P149R-G	ARN147-65A24	P100R-13	S7062-11009-042	
P149R-H	ARN147-63A24	P100R-9	S7062-11009-042	
P149R-J	ARN147-64A24	P100R-16	S7062-11009-042	
P149R-K	ARN147-60A24	P100R-3	S7062-11009-042	
P149R-L	ARN147-62A24	P100R-15	S7062-11009-042	
P149R-M	JMPRP149R-M-24	SG149R-2	S7062-11009-042	
P149R-P	JMPRP149R-P-22	SG149R-8	S7062-11009-042	
P149R-R	JMPRP149R-R-22	SG149R-3	S7062-11009-042	
P149R-T	ARN147-04A24	P139R-19	S7062-11009-042	
P149R-U	ARN147-03A24	P139R-18	S7062-11009-042	
P149R-a	ARN147-72A24	P318RB-33	S7062-11009-042	
P149R-c	ARN147-73A24	P318RB-34	S7062-11009-042	
P149R-d	JMPRP149R-d-20	SG149R-4	S7062-11009-042	
P149R-e	ARN149-8G22	SA26AC-1	S7062-11009-042	
P149R-h	ARN147-58A24	P100R-2	S7062-11009-042	
P149R-i	ARN147-57A24	P100R-6	S7062-11009-042	
P149R-j	ARN147-54A24	P100R-8	S7062-11009-042	
P149R-n	JMPRP149R-n-22	SG149R-9	S7062-11009-042	
P149R-p	JMPRP149R-p-22	SG149R-3	S7062-11009-042	
P149R-v	ARN147-74A24	P318RB-35	S7062-11009-042	
P149R-x	JMPRP149R-x-22	SG149R-5	S7062-11009-042	
P149R-z	ARN147-59A24	P100R-1	S7062-11009-042	
P149R-AA	ARN147-56A24	P100R-5	S7062-11009-042	
P149R-BB	ARN147-55A24	P100R-7	S7062-11009-042	
P149R-CC	JMPRP149R-CC-22	SG149R-7	S7062-11009-042	
P149R-DD	ARN147-17A24	P139R-73	S7062-11009-042	
P149R-EE	ARN147-19A24	P139R-72	S7062-11009-042	
P149R-HH	ARN147-75A24	P318RB-36	S7062-11009-042	
P149R-KK	JMPRP149R-KK-22	SG149R-7	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P149R-LL	JMPRP149R-LL-22	SG149R-7	S7062-11009-042	
P150-1	D5471A22	P158-1	S7052-11012-041	
P150-2	D5472A22	P158-2	S7052-11012-041	
P150-3	D5473A22	P158-3	S7052-11012-041	
P150-4	D5474A22	P158-4	S7052-11012-041	
P150-5	D5475A22	P158-5	S7052-11012-041	
P150-6	D5476A22	P158-6	S7052-11012-041	
P150-7	D5481A22	P158-8	S7052-11012-041	
P150-9	D5894A24	P158-9	S7052-11012-041	
P150-10	D5477A22	P158-10	S7052-11012-041	
P150-11	D5478A22	P158-11	S7052-11012-041	
P150-14	D5457A24	P158-14	S7052-11012-041	
P150-15	D5458A24	P158-15	S7052-11012-041	
P150-16	D5459A24	P158-16	S7052-11012-041	
P150-17	D5460A24	P158-17	S7052-11012-041	
P150-18	D5461A24	P158-18	S7052-11012-041	
P150-19	D5462A24	P158-19	S7052-11012-041	
P150-20	D5463A24	P158-20	S7052-11012-041	
P150-21	D5464A24	P158-21	S7052-11012-041	
P150-22	D5465A24	P158-22	S7052-11012-041	
P150-23	D5466A24	P158-23	S7052-11012-041	
P150-24	D5467A24	P158-24	S7052-11012-041	
P150-25	D5468A24	P158-25	S7052-11012-041	
P150-26	D5469A22	P158-26	S7052-11012-041	
P150-27	D5470A22	P158-27	S7052-11012-041	
P150-34	D5779A24	P158-34	S7052-11012-041	
P150-35	D5780A24	P158-35	S7052-11012-041	
P150-36	D5781A24	P158-36	S7052-11012-041	
P150-37	D5782A24	P158-37	S7052-11012-041	
P150-38	D5783A24	P158-38	S7052-11012-041	
P150-39	D5784A24	P158-39	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P150-40	D5785A24	P158-40	S7052-11012-041	
P150-41	D5786A24	P158-41	S7052-11012-041	
P150-42	D5787A24	P158-42	S7052-11012-041	
P150-43	D5788A24	P158-43	S7052-11012-041	
P150-44	D5789A24	P158-44	S7052-11012-041	
P150-45	D5790A24	P158-45	S7052-11012-041	
P150-46	D5791A24	P158-46	S7052-11012-041	
P150-47	D5792A24	P158-47	S7052-11012-041	
P150-48	D5793A24	P158-48	S7052-11012-041	
P150-49	D5794A24	P158-49	S7052-11012-041	
P150-50	D5795A24	P158-50	S7052-11012-041	
P150-51	D5796A24	P158-51	S7052-11012-041	
P150-52	D5797A24	P158-52	S7052-11012-041	
P150-53	D5798A24	P158-53	S7052-11012-041	
P150-54	D5799A24	P158-54	S7052-11012-041	
P150-55	D5800A24	P158-55	S7052-11012-041	
P150-56	D5801A24	P158-56	S7052-11012-041	
P150-57	D5802A24	P158-57	S7052-11012-041	
P150-58	D5803A24	P158-58	S7052-11012-041	
P150-59	D5804A24	P158-59	S7052-11012-041	
P150-60	D5805A24	P158-60	S7052-11012-041	
P150-61	D5806A24	P158-61	S7052-11012-041	
P150-62	D5807A24	P158-62	S7052-11012-041	
P150-63	D5808A24	P158-63	S7052-11012-041	
P150-64	D5809A24	P158-64	S7052-11012-041	
P150-65	D5810A24	P158-65	S7052-11012-041	
P150-66	D5811A24	P158-66	S7052-11012-041	
P150-67	D5812A24	P158-67	S7052-11012-041	
P150-68	D5813A24	P158-68	S7052-11012-041	
P150-69	D5814A24	P158-69	S7052-11012-041	
P150-70	D5815A24	P158-70	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P150-71	D5816A24	P158-71	S7052-11012-041	
P150-72	D5817A24	P158-72	S7052-11012-041	
P150-73	D5818A24	P158-73	S7052-11012-041	
P150-74	D5819A24	P158-74	S7052-11012-041	
P150-75	D5820A24	P158-75	S7052-11012-041	
P150-76	D5821A24	P158-76	S7052-11012-041	
P150-77	D5822A24	P158-77	S7052-11012-041	
P150-78	D5823A24	P158-78	S7052-11012-041	
P150-79	D5824A24	P158-79	S7052-11012-041	
P150-80	D5825A24	P158-80	S7052-11012-041	
P150-81	D5826A24	P158-81	S7052-11012-041	
P150-82	D5827A24	P158-82	S7052-11012-041	
P150-83	D5828A24	P158-83	S7052-11012-041	
P150-84	D5829A24	P158-84	S7052-11012-041	
P150-85	D5830A24	P158-85	S7052-11012-041	
P150-86	D5831A24	P158-86	S7052-11012-041	
P150-87	D5832A24	P158-87	S7052-11012-041	
P150-88	D5833A24	P158-88	S7052-11012-041	
P150-89	D5834A24	P158-89	S7052-11012-041	
P150-90	D5450A24	P158-90	S7052-11012-041	
P150-91	D5451A24	P158-91	S7052-11012-041	
P150-92	D5452A24	P158-92	S7052-11012-041	
P150-93	D5453A24	P158-93	S7052-11012-041	
P150-94	D5454A24	P158-94	S7052-11012-041	
P150-95	D5455A24	P158-95	S7052-11012-041	
P150-96	D5456A24	P158-96	S7052-11012-041	
P150-99	D5479A24	P158-99	S7052-11012-041	
P150-100	D5480A24	P158-100	S7052-11012-041	
P151-1	D5487A22	P154-1	S7052-11009-041	
P151-2	D5488A22	P154-2	S7052-11009-041	
P151-3	D5489A22	P154-3	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P151-4	D5490A22	P154-4	S7052-11009-041	
P151-5	D5491A22	P154-5	S7052-11009-041	
P151-6	D5492A22	P154-6	S7052-11009-041	
P151-7	D5493A22	P154-7	S7052-11009-041	
P151-8	D5494A22	P154-8	S7052-11009-041	
P151-9	D5495A22	P154-9	S7052-11009-041	
P151-10	D5496A22	P154-10	S7052-11009-041	
P151-11	D5497A22	P154-11	S7052-11009-041	
P151-12	D5498A22	P154-12	S7052-11009-041	
P151-13	D5499A22	P154-13	S7052-11009-041	
P151-14	D5500A22	P154-14	S7052-11009-041	
P151-15	D5501A22	P154-15	S7052-11009-041	
P151-16	D5502A22	P154-16	S7052-11009-041	
P151-17	D5503A22	P154-17	S7052-11009-041	
P151-18	D5504A22	P154-18	S7052-11009-041	
P151-19	D5505A24	P154-19	S7052-11009-041	
P151-20	D5506A24	P154-20	S7052-11009-041	
P151-21	D5507A24	P154-21	S7052-11009-041	
P151-24	D5508A24	P154-24	S7052-11009-041	
P151-25	D5509A24	P154-25	S7052-11009-041	
P151-29	D5510A22	P154-29	S7052-11009-041	
P151-30	D5511A22	P154-30	S7052-11009-041	
P151-31	D5512A22	P154-31	S7052-11009-041	
P151-32	D5513A22	P154-32	S7052-11009-041	
P151-33	D5514A22	P154-33	S7052-11009-041	
P151-35	D5555A24	P154-35	S7052-11009-041	
P151-36	D5516A24	P154-36	S7052-11009-041	
P151-37	D5517A24	P154-37	S7052-11009-041	
P151-38	D5518A24	P154-38	S7052-11009-041	
P151-39	D5519A24	P154-39	S7052-11009-041	
P151-41	D5520A24	P154-41	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P151-43	D5521A24	P154-43	S7052-11009-041	
P151-44	D5522A24	P154-44	S7052-11009-041	
P151-45	D5523A24	P154-45	S7052-11009-041	
P151-46	D5524A24	P154-46	S7052-11009-041	
P151-47	D5525A24	P154-47	S7052-11009-041	
P151-48	D5526A24	P154-48	S7052-11009-041	
P151-49	D5527A24	P154-49	S7052-11009-041	
P151-50	D5528A24	P154-50	S7052-11009-041	
P151-51	D5529A24	P154-51	S7052-11009-041	
P151-52	D5530A24	P154-52	S7052-11009-041	
P151-59	D5533A22	P154-59	S7052-11009-041	
P151-60	D5534A24	P154-60	S7052-11009-041	
P151-61	D5535A24	P154-61	S7052-11009-041	
P151-62	D5536A24	P154-62	S7052-11009-041	
P151-63	D5537A24	P154-63	S7052-11009-041	
P151-64	D5538A24	P154-64	S7052-11009-041	
P151-67	D5541A24	P154-67	S7052-11009-041	
P151-68	D5542A24	P154-68	S7052-11009-041	
P151-69	D5543A24	P154-69	S7052-11009-041	
P151-70	D5544A24	P154-70	S7052-11009-041	
P151-71	D5545A24	P154-71	S7052-11009-041	
P151-72	D5546A24	P154-72	S7052-11009-041	
P151-73	D5547A24	P154-73	S7052-11009-041	
P151-75	D5549A24	P154-75	S7052-11009-041	
P151-76	D5550A24	P154-76	S7052-11009-041	
P151-77	D5551A24	P154-77	S7052-11009-041	
P151-78	D5552A24	P154-78	S7052-11009-041	
P151-79	D5553A24	P154-79	S7052-11009-041	
P151-80	D5554A24	P154-80	S7052-11009-041	
P151-81	D5601A22	P154-81	S7052-11009-041	
P151-82	D5556A24	P154-82	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P151-83	D5557A24	P154-83	S7052-11009-041	
P151-84	D5558A24	P154-84	S7052-11009-041	
P151-85	D5559A24	P154-85	S7052-11009-041	
P151-86	D5560A24	P154-86	S7052-11009-041	
P151-87	D5561A24	P154-87	S7052-11009-041	
P151-88	D5562A24	P154-88	S7052-11009-041	
P151-89	D5563A24	P154-89	S7052-11009-041	
P151-90	D5564A24	P154-90	S7052-11009-041	
P151-91	D5565A24	P154-91	S7052-11009-041	
P151-92	D5566A24	P154-92	S7052-11009-041	
P151-93	D5567A24	P154-93	S7052-11009-041	
P151-94	D5568A24	P154-94	S7052-11009-041	
P151-95	D5569A24	P154-95	S7052-11009-041	
P151-96	D5570A24	P154-96	S7052-11009-041	
P151-98	D5572A24	P154-98	S7052-11009-041	
P151-99	D5573A24	P154-99	S7052-11009-041	
P151-100	D5574A24	P154-100	S7052-11009-041	
P151-101	D5575A24	P154-101	S7052-11009-041	
P151-103	D5577A24	P154-103	S7052-11009-041	
P151-104	D5578A24	P154-104	S7052-11009-041	
P151-106	D5580A24	P154-106	S7052-11009-041	
P151-107	D5581A24	P154-107	S7052-11009-041	
P151-108	D5582A24	P154-108	S7052-11009-041	
P151-109	D5583A24	P154-109	S7052-11009-041	
P151-110	D5584A24	P154-110	S7052-11009-041	
P151-111	D5585A24	P154-111	S7052-11009-041	
P151-112	D5586A24	P154-112	S7052-11009-041	
P151-113	D5587A24	P154-113	S7052-11009-041	
P151-114	D5588A24	P154-114	S7052-11009-041	
P151-116	D5590A24	P154-116	S7052-11009-041	
P151-117	D5591A24	P154-117	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P151-119	D5593A24	P154-119	S7052-11009-041	
P151-120	D5594A24	P154-120	S7052-11009-041	
P151-121	D5595A24	P154-121	S7052-11009-041	
P151-122	D5596A24	P154-122	S7052-11009-041	
P151-123	D5597A24	P154-123	S7052-11009-041	
P151-124	D5598A24	P154-124	S7052-11009-041	
P151-125	D5599A24	P154-125	S7052-11009-041	
P151-128	D5515A24	P154-128	S7052-11009-041	
P152-1	D5602A22	P155-1	S7052-11012-041	
P152-2	D5603A22	P155-2	S7052-11012-041	
P152-3	D5604A22	P155-3	S7052-11012-041	
P152-4	D5605A22	P155-4	S7052-11012-041	
P152-5	D5606A22	P155-5	S7052-11012-041	
P152-6	D5607A22	P155-6	S7052-11012-041	
P152-7	D5608A22	P155-7	S7052-11012-041	
P152-8	D5609A22	P155-8	S7052-11012-041	
P152-9	D5610A22	P155-9	S7052-11012-041	
P152-10	D5611A22	P155-10	S7052-11012-041	
P152-11	D5612A22	P155-11	S7052-11012-041	
P152-12	D5613A22	P155-12	S7052-11012-041	
P152-13	D5614A22	P155-13	S7052-11012-041	
P152-14	D5615A22	P155-14	S7052-11012-041	
P152-15	D5616A22	P155-15	S7052-11012-041	
P152-16	D5617A22	P155-16	S7052-11012-041	
P152-17	D5618A22	P155-17	S7052-11012-041	
P152-18	D5619A22	P155-18	S7052-11012-041	
P152-19	D5620A24	P155-19	S7052-11012-041	
P152-20	D5621A24	P155-20	S7052-11012-041	
P152-21	D5622A24	P155-21	S7052-11012-041	
P152-22	D5623A24	P155-22	S7052-11012-041	
P152-23	D5624A24	P155-23	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P152-24	D5625A24	P155-24	S7052-11012-041	
P152-25	D5626A24	P155-25	S7052-11012-041	
P152-26	D5627A22	P155-26	S7052-11012-041	
P152-28	D5628A24	P155-28	S7052-11012-041	
P152-29	D5629A22	P155-29	S7052-11012-041	
P152-30	D5630A22	P155-30	S7052-11012-041	
P152-31	D5631A22	P155-31	S7052-11012-041	
P152-32	D5632A22	P155-32	S7052-11012-041	
P152-33	D5633A22	P155-33	S7052-11012-041	
P152-34	D5634A22	P155-34	S7052-11012-041	
P152-35	D5636A24	P155-35	S7052-11012-041	
P152-36	D5637A24	P155-36	S7052-11012-041	
P152-37	D5638A24	P155-37	S7052-11012-041	
P152-38	D5639A24	P155-38	S7052-11012-041	
P152-39	D5640A24	P155-39	S7052-11012-041	
P152-40	D5641A24	P155-40	S7052-11012-041	
P152-41	D5642A24	P155-41	S7052-11012-041	
P152-42	D5643A24	P155-42	S7052-11012-041	
P152-44	D5645A24	P155-44	S7052-11012-041	
P152-45	D5646A24	P155-45	S7052-11012-041	
P152-46	D5647A24	P155-46	S7052-11012-041	
P152-47	D5648A24	P155-47	S7052-11012-041	
P152-48	D5649A24	P155-48	S7052-11012-041	
P152-49	D5650A24	P155-49	S7052-11012-041	
P152-50	D5651A24	P155-50	S7052-11012-041	
P152-51	D5652A24	P155-51	S7052-11012-041	
P152-52	D5653A24	P155-52	S7052-11012-041	
P152-60	D5656A24	P155-60	S7052-11012-041	
P152-61	D5657A24	P155-61	S7052-11012-041	
P152-62	D5658A24	P155-62	S7052-11012-041	
P152-63	D5659A24	P155-63	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P152-64	D5660A24	P155-64	S7052-11012-041	
P152-65	D5661A24	P155-65	S7052-11012-041	
P152-66	D5662A24	P155-66	S7052-11012-041	
P152-67	D5663A24	P155-67	S7052-11012-041	
P152-68	D5664A24	P155-68	S7052-11012-041	
P152-69	D5665A24	P155-69	S7052-11012-041	
P152-70	D5666A24	P155-70	S7052-11012-041	
P152-71	D5667A24	P155-71	S7052-11012-041	
P152-72	D5668A24	P155-72	S7052-11012-041	
P152-73	D5669A24	P155-73	S7052-11012-041	
P152-74	D5670A24	P155-74	S7052-11012-041	
P152-75	D5671A24	P155-75	S7052-11012-041	
P152-76	D5672A24	P155-76	S7052-11012-041	
P152-77	D5673A24	P155-77	S7052-11012-041	
P152-78	D5674A24	P155-78	S7052-11012-041	
P152-79	D5675A24	P155-79	S7052-11012-041	
P152-80	D5676A24	P155-80	S7052-11012-041	
P152-81	D5677A24	P155-81	S7052-11012-041	
P152-82	D5678A24	P155-82	S7052-11012-041	
P152-83	D5679A24	P155-83	S7052-11012-041	
P152-84	D5680A24	P155-84	S7052-11012-041	
P152-85	D5681A24	P155-85	S7052-11012-041	
P152-86	D5682A24	P155-86	S7052-11012-041	
P152-87	D5683A24	P155-87	S7052-11012-041	
P152-88	D5684A24	P155-88	S7052-11012-041	
P152-89	D5685A24	P155-89	S7052-11012-041	
P152-90	D5686A24	P155-90	S7052-11012-041	
P152-91	D5687A24	P155-91	S7052-11012-041	
P152-92	D5688A24	P155-92	S7052-11012-041	
P152-93	D5689A24	P155-93	S7052-11012-041	
P152-94	D5690A24	P155-94	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P152-95	D5691A24	P155-95	S7052-11012-041	
P152-96	D5692A24	P155-96	S7052-11012-041	
P152-97	D5693A24	P155-97	S7052-11012-041	
P152-98	D5694A24	P155-98	S7052-11012-041	
P152-99	D5695A24	P155-99	S7052-11012-041	
P152-100	D5696A24	P155-100	S7052-11012-041	
P152-101	D5697A24	P155-101	S7052-11012-041	
P152-102	D5698A24	P155-102	S7052-11012-041	
P152-103	D5699A24	P155-103	S7052-11012-041	
P152-104	D5700A24	P155-104	S7052-11012-041	
P152-105	D5701A24	P155-105	S7052-11012-041	
P152-106	D5702A24	P155-106	S7052-11012-041	
P152-107	D5703A24	P155-107	S7052-11012-041	
P152-108	D5704A24	P155-108	S7052-11012-041	
P152-109	D5705A24	P155-109	S7052-11012-041	
P152-110	D5706A24	P155-110	S7052-11012-041	
P152-111	D5707A24	P155-111	S7052-11012-041	
P152-112	D5708A24	P155-112	S7052-11012-041	
P152-113	D5709A24	P155-113	S7052-11012-041	
P152-114	D5710A24	P155-114	S7052-11012-041	
P152-116	D5712A24	P155-116	S7052-11012-041	
P152-117	D5713A24	P155-117	S7052-11012-041	
P152-118	D5714A24	P155-118	S7052-11012-041	
P152-119	D5715A24	P155-119	S7052-11012-041	
P152-120	D5716A24	P155-120	S7052-11012-041	
P152-121	D5717A24	P155-121	S7052-11012-041	
P152-122	D5718A24	P155-122	S7052-11012-041	
P152-123	D5719A24	P155-123	S7052-11012-041	
P152-124	D5720A24	P155-124	S7052-11012-041	
P152-125	D5721A24	P155-125	S7052-11012-041	
P152-126	D5722A24	P155-126	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P152-128	D5635A22	P155-128	S7052-11012-041	
P152R-1	ARC222-103A22	P343R-K	S7062-11001-041	
P152R-5	ARC222-106A22	P342R-E	S7062-11001-041	
P152R-6	ARC222-107A22	P342R-G	S7062-11001-041	
P152R-9	ARC222-105A22	P343R-h	S7062-11001-041	
P152R-10	ARC222-104A22	P343R-L	S7062-11001-041	
P153-1	D5898A24	P153-2	S7052-11009-041	
P153-2	D5898A24	P153-1	S7052-11009-041	
P153-3	D5389A24	P157-29	S7052-11009-041	
P153-4	D5390A24	P157-30	S7052-11009-041	
P153-5	D5391A24	P157-31	S7052-11009-041	
P153-6	D5392A24	P157-32	S7052-11009-041	
P153-7	D5393A24	P157-33	S7052-11009-041	
P153-10	D5301A24	P159-1	S7052-11009-041	
P153-11	D5302A24	P159-2	S7052-11009-041	
P153-12	D5303A24	P159-3	S7052-11009-041	
P153-13	D5304A24	P159-4	S7052-11009-041	
P153-14	D5305A24	P159-5	S7052-11009-041	
P153-15	D5306A24	P159-6	S7052-11009-041	
P153-16	D5307A24	P159-7	S7052-11009-041	
P153-17	D5308A24	P159-8	S7052-11009-041	
P153-18	D5309A24	P159-9	S7052-11009-041	
P153-19	D5310A24	P159-10	S7052-11009-041	
P153-20	D5311A24	P159-11	S7052-11009-041	
P153-21	D5312A24	P159-12	S7052-11009-041	
P153-22	D5313A24	P159-13	S7052-11009-041	
P153-23	D5314A24	P159-14	S7052-11009-041	
P153-24	D5315A24	P159-15	S7052-11009-041	
P153-25	D5316A24	P159-16	S7052-11009-041	
P153-26	D5317A24	P159-17	S7052-11009-041	
P153-27	D5318A24	P159-18	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P153-28	D5319A24	P159-19	S7052-11009-041	
P153-29	D5320A24	P159-20	S7052-11009-041	
P153-30	D5321A24	P159-21	S7052-11009-041	
P153-31	D5322A24	P159-22	S7052-11009-041	
P153-32	D5323A24	P159-23	S7052-11009-041	
P153-33	D5324A24	P159-24	S7052-11009-041	
P153-34	D5325A24	P159-25	S7052-11009-041	
P153-35	D5326A24	P159-26	S7052-11009-041	
P153-36	D5327A24	P159-27	S7052-11009-041	
P153-37	D5328A24	P159-28	S7052-11009-041	
P153-39	D5330A24	P159-30	S7052-11009-041	
P153-40	D5331A24	P159-31	S7052-11009-041	
P153-41	D5332A24	P159-32	S7052-11009-041	
P153-43	D5334A24	P159-34	S7052-11009-041	
P153-44	D5335A24	P159-35	S7052-11009-041	
P153-45	D5336A24	P159-36	S7052-11009-041	
P153-47	D5338A24	P159-38	S7052-11009-041	
P153-48	D5339A24	P159-39	S7052-11009-041	
P153-49	D5340A24	P159-40	S7052-11009-041	
P153-50	D5341A24	P159-41	S7052-11009-041	
P153-51	D5342A24	P159-42	S7052-11009-041	
P153-52	D5343A24	P159-43	S7052-11009-041	
P153-54	D5345A24	P159-45	S7052-11009-041	
P153-55	D5346A24	P159-46	S7052-11009-041	
P153-56	D5347A24	P159-47	S7052-11009-041	
P153-57	D5348A24	P159-48	S7052-11009-041	
P153-58	D5349A24	P159-49	S7052-11009-041	
P153-59	D5350A24	P159-50	S7052-11009-041	
P153-61	D5352A24	P159-52	S7052-11009-041	
P153-62	D5353A24	P159-53	S7052-11009-041	
P153-63	D5354A24	P159-54	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P153-64	D5355A24	P159-55	S7052-11009-041	
P153-65	D5356A24	P159-56	S7052-11009-041	
P154-1	D5487A22	P151-1	S7052-11009-041	
P154-2	D5488A22	P151-2	S7052-11009-041	
P154-3	D5489A22	P151-3	S7052-11009-041	
P154-4	D5490A22	P151-4	S7052-11009-041	
P154-5	D5491A22	P151-5	S7052-11009-041	
P154-6	D5492A22	P151-6	S7052-11009-041	
P154-7	D5493A22	P151-7	S7052-11009-041	
P154-8	D5494A22	P151-8	S7052-11009-041	
P154-9	D5495A22	P151-9	S7052-11009-041	
P154-10	D5496A22	P151-10	S7052-11009-041	
P154-11	D5497A22	P151-11	S7052-11009-041	
P154-12	D5498A22	P151-12	S7052-11009-041	
P154-13	D5499A22	P151-13	S7052-11009-041	
P154-14	D5500A22	P151-14	S7052-11009-041	
P154-15	D5501A22	P151-15	S7052-11009-041	
P154-16	D5502A22	P151-16	S7052-11009-041	
P154-17	D5503A22	P151-17	S7052-11009-041	
P154-18	D5504A22	P151-18	S7052-11009-041	
P154-19	D5505A24	P151-19	S7052-11009-041	
P154-20	D5506A24	P151-20	S7052-11009-041	
P154-21	D5507A24	P151-21	S7052-11009-041	
P154-24	D5508A24	P151-24	S7052-11009-041	
P154-25	D5509A24	P151-25	S7052-11009-041	
P154-29	D5510A22	P151-29	S7052-11009-041	
P154-30	D5511A22	P151-30	S7052-11009-041	
P154-31	D5512A22	P151-31	S7052-11009-041	
P154-32	D5513A22	P151-32	S7052-11009-041	
P154-33	D5514A22	P151-33	S7052-11009-041	
P154-35	D5555A24	P151-35	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P154-36	D5516A24	P151-36	S7052-11009-041	
P154-37	D5517A24	P151-37	S7052-11009-041	
P154-38	D5518A24	P151-38	S7052-11009-041	
P154-39	D5519A24	P151-39	S7052-11009-041	
P154-41	D5520A24	P151-41	S7052-11009-041	
P154-43	D5521A24	P151-43	S7052-11009-041	
P154-44	D5522A24	P151-44	S7052-11009-041	
P154-45	D5523A24	P151-45	S7052-11009-041	
P154-46	D5524A24	P151-46	S7052-11009-041	
P154-47	D5525A24	P151-47	S7052-11009-041	
P154-48	D5526A24	P151-48	S7052-11009-041	
P154-49	D5527A24	P151-49	S7052-11009-041	
P154-50	D5528A24	P151-50	S7052-11009-041	
P154-51	D5529A24	P151-51	S7052-11009-041	
P154-52	D5530A24	P151-52	S7052-11009-041	
P154-56	D5899A24	P154-57	S7052-11009-041	
P154-57	D5899A24	P154-56	S7052-11009-041	
P154-59	D5533A22	P151-59	S7052-11009-041	
P154-60	D5534A24	P151-60	S7052-11009-041	
P154-61	D5535A24	P151-61	S7052-11009-041	
P154-62	D5536A24	P151-62	S7052-11009-041	
P154-63	D5537A24	P151-63	S7052-11009-041	
P154-64	D5538A24	P151-64	S7052-11009-041	
P154-67	D5541A24	P151-67	S7052-11009-041	
P154-68	D5542A24	P151-68	S7052-11009-041	
P154-69	D5543A24	P151-69	S7052-11009-041	
P154-70	D5544A24	P151-70	S7052-11009-041	
P154-71	D5545A24	P151-71	S7052-11009-041	
P154-72	D5546A24	P151-72	S7052-11009-041	
P154-73	D5547A24	P151-73	S7052-11009-041	
P154-75	D5549A24	P151-75	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P154-76	D5550A24	P151-76	S7052-11009-041	
P154-77	D5551A24	P151-77	S7052-11009-041	
P154-78	D5552A24	P151-78	S7052-11009-041	
P154-79	D5553A24	P151-79	S7052-11009-041	
P154-80	D5554A24	P151-80	S7052-11009-041	
P154-81	D5601A22	P151-81	S7052-11009-041	
P154-82	D5556A24	P151-82	S7052-11009-041	
P154-83	D5557A24	P151-83	S7052-11009-041	
P154-84	D5558A24	P151-84	S7052-11009-041	
P154-85	D5559A24	P151-85	S7052-11009-041	
P154-86	D5560A24	P151-86	S7052-11009-041	
P154-87	D5561A24	P151-87	S7052-11009-041	
P154-88	D5562A24	P151-88	S7052-11009-041	
P154-89	D5563A24	P151-89	S7052-11009-041	
P154-90	D5564A24	P151-90	S7052-11009-041	
P154-91	D5565A24	P151-91	S7052-11009-041	
P154-92	D5566A24	P151-92	S7052-11009-041	
P154-93	D5567A24	P151-93	S7052-11009-041	
P154-94	D5568A24	P151-94	S7052-11009-041	
P154-95	D5569A24	P151-95	S7052-11009-041	
P154-96	D5570A24	P151-96	S7052-11009-041	
P154-98	D5572A24	P151-98	S7052-11009-041	
P154-99	D5573A24	P151-99	S7052-11009-041	
P154-100	D5574A24	P151-100	S7052-11009-041	
P154-101	D5575A24	P151-101	S7052-11009-041	
P154-103	D5577A24	P151-103	S7052-11009-041	
P154-104	D5578A24	P151-104	S7052-11009-041	
P154-106	D5580A24	P151-106	S7052-11009-041	
P154-107	D5581A24	P151-107	S7052-11009-041	
P154-108	D5582A24	P151-108	S7052-11009-041	
P154-109	D5583A24	P151-109	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P154-110	D5584A24	P151-110	S7052-11009-041	
P154-111	D5585A24	P151-111	S7052-11009-041	
P154-112	D5586A24	P151-112	S7052-11009-041	
P154-113	D5587A24	P151-113	S7052-11009-041	
P154-114	D5588A24	P151-114	S7052-11009-041	
P154-116	D5590A24	P151-116	S7052-11009-041	
P154-117	D5591A24	P151-117	S7052-11009-041	
P154-119	D5593A24	P151-119	S7052-11009-041	
P154-120	D5594A24	P151-120	S7052-11009-041	
P154-121	D5595A24	P151-121	S7052-11009-041	
P154-122	D5596A24	P151-122	S7052-11009-041	
P154-123	D5597A24	P151-123	S7052-11009-041	
P154-124	D5598A24	P151-124	S7052-11009-041	
P154-125	D5599A24	P151-125	S7052-11009-041	
P154-128	D5515A24	P151-128	S7052-11009-041	
P155-1	D5602A22	P152-1	S7052-11012-041	
P155-2	D5603A22	P152-2	S7052-11012-041	
P155-3	D5604A22	P152-3	S7052-11012-041	
P155-4	D5605A22	P152-4	S7052-11012-041	
P155-5	D5606A22	P152-5	S7052-11012-041	
P155-6	D5607A22	P152-6	S7052-11012-041	
P155-7	D5608A22	P152-7	S7052-11012-041	
P155-8	D5609A22	P152-8	S7052-11012-041	
P155-9	D5610A22	P152-9	S7052-11012-041	
P155-10	D5611A22	P152-10	S7052-11012-041	
P155-11	D5612A22	P152-11	S7052-11012-041	
P155-12	D5613A22	P152-12	S7052-11012-041	
P155-13	D5614A22	P152-13	S7052-11012-041	
P155-14	D5615A22	P152-14	S7052-11012-041	
P155-15	D5616A22	P152-15	S7052-11012-041	
P155-16	D5617A22	P152-16	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P155-17	D5618A22	P152-17	S7052-11012-041	
P155-18	D5619A22	P152-18	S7052-11012-041	
P155-19	D5620A24	P152-19	S7052-11012-041	
P155-20	D5621A24	P152-20	S7052-11012-041	
P155-21	D5622A24	P152-21	S7052-11012-041	
P155-22	D5623A24	P152-22	S7052-11012-041	
P155-23	D5624A24	P152-23	S7052-11012-041	
P155-24	D5625A24	P152-24	S7052-11012-041	
P155-25	D5626A24	P152-25	S7052-11012-041	
P155-26	D5627A22	P152-26	S7052-11012-041	
P155-28	D5628A24	P152-28	S7052-11012-041	
P155-29	D5629A22	P152-29	S7052-11012-041	
P155-30	D5630A22	P152-30	S7052-11012-041	
P155-31	D5631A22	P152-31	S7052-11012-041	
P155-32	D5632A22	P152-32	S7052-11012-041	
P155-33	D5633A22	P152-33	S7052-11012-041	
P155-34	D5634A22	P152-34	S7052-11012-041	
P155-35	D5636A24	P152-35	S7052-11012-041	
P155-36	D5637A24	P152-36	S7052-11012-041	
P155-37	D5638A24	P152-37	S7052-11012-041	
P155-38	D5639A24	P152-38	S7052-11012-041	
P155-39	D5640A24	P152-39	S7052-11012-041	
P155-40	D5641A24	P152-40	S7052-11012-041	
P155-41	D5642A24	P152-41	S7052-11012-041	
P155-42	D5643A24	P152-42	S7052-11012-041	
P155-44	D5645A24	P152-44	S7052-11012-041	
P155-45	D5646A24	P152-45	S7052-11012-041	
P155-46	D5647A24	P152-46	S7052-11012-041	
P155-47	D5648A24	P152-47	S7052-11012-041	
P155-48	D5649A24	P152-48	S7052-11012-041	
P155-49	D5650A24	P152-49	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P155-50	D5651A24	P152-50	S7052-11012-041	
P155-51	D5652A24	P152-51	S7052-11012-041	
P155-52	D5653A24	P152-52	S7052-11012-041	
P155-60	D5656A24	P152-60	S7052-11012-041	
P155-61	D5657A24	P152-61	S7052-11012-041	
P155-62	D5658A24	P152-62	S7052-11012-041	
P155-63	D5659A24	P152-63	S7052-11012-041	
P155-64	D5660A24	P152-64	S7052-11012-041	
P155-65	D5661A24	P152-65	S7052-11012-041	
P155-66	D5662A24	P152-66	S7052-11012-041	
P155-67	D5663A24	P152-67	S7052-11012-041	
P155-68	D5664A24	P152-68	S7052-11012-041	
P155-69	D5665A24	P152-69	S7052-11012-041	
P155-70	D5666A24	P152-70	S7052-11012-041	
P155-71	D5667A24	P152-71	S7052-11012-041	
P155-72	D5668A24	P152-72	S7052-11012-041	
P155-73	D5669A24	P152-73	S7052-11012-041	
P155-74	D5670A24	P152-74	S7052-11012-041	
P155-75	D5671A24	P152-75	S7052-11012-041	
P155-76	D5672A24	P152-76	S7052-11012-041	
P155-77	D5673A24	P152-77	S7052-11012-041	
P155-78	D5674A24	P152-78	S7052-11012-041	
P155-79	D5675A24	P152-79	S7052-11012-041	
P155-80	D5676A24	P152-80	S7052-11012-041	
P155-81	D5677A24	P152-81	S7052-11012-041	
P155-82	D5678A24	P152-82	S7052-11012-041	
P155-83	D5679A24	P152-83	S7052-11012-041	
P155-84	D5680A24	P152-84	S7052-11012-041	
P155-85	D5681A24	P152-85	S7052-11012-041	
P155-86	D5682A24	P152-86	S7052-11012-041	
P155-87	D5683A24	P152-87	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P155-88	D5684A24	P152-88	S7052-11012-041	
P155-89	D5685A24	P152-89	S7052-11012-041	
P155-90	D5686A24	P152-90	S7052-11012-041	
P155-91	D5687A24	P152-91	S7052-11012-041	
P155-92	D5688A24	P152-92	S7052-11012-041	
P155-93	D5689A24	P152-93	S7052-11012-041	
P155-94	D5690A24	P152-94	S7052-11012-041	
P155-95	D5691A24	P152-95	S7052-11012-041	
P155-96	D5692A24	P152-96	S7052-11012-041	
P155-97	D5693A24	P152-97	S7052-11012-041	
P155-98	D5694A24	P152-98	S7052-11012-041	
P155-99	D5695A24	P152-99	S7052-11012-041	
P155-100	D5696A24	P152-100	S7052-11012-041	
P155-101	D5697A24	P152-101	S7052-11012-041	
P155-102	D5698A24	P152-102	S7052-11012-041	
P155-103	D5699A24	P152-103	S7052-11012-041	
P155-104	D5700A24	P152-104	S7052-11012-041	
P155-105	D5701A24	P152-105	S7052-11012-041	
P155-106	D5702A24	P152-106	S7052-11012-041	
P155-107	D5703A24	P152-107	S7052-11012-041	
P155-108	D5704A24	P152-108	S7052-11012-041	
P155-109	D5705A24	P152-109	S7052-11012-041	
P155-110	D5706A24	P152-110	S7052-11012-041	
P155-111	D5707A24	P152-111	S7052-11012-041	
P155-112	D5708A24	P152-112	S7052-11012-041	
P155-113	D5709A24	P152-113	S7052-11012-041	
P155-114	D5710A24	P152-114	S7052-11012-041	
P155-116	D5712A24	P152-116	S7052-11012-041	
P155-117	D5713A24	P152-117	S7052-11012-041	
P155-118	D5714A24	P152-118	S7052-11012-041	
P155-119	D5715A24	P152-119	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P155-120	D5716A24	P152-120	S7052-11012-041	
P155-121	D5717A24	P152-121	S7052-11012-041	
P155-122	D5718A24	P152-122	S7052-11012-041	
P155-123	D5719A24	P152-123	S7052-11012-041	
P155-124	D5720A24	P152-124	S7052-11012-041	
P155-125	D5721A24	P152-125	S7052-11012-041	
P155-126	D5722A24	P152-126	S7052-11012-041	
P155-128	D5635A22	P152-128	S7052-11012-041	
P156-3	D5482A24	P158-29	S7052-11012-041	
P156-4	D5483A24	P158-30	S7052-11012-041	
P156-5	D5484A24	P158-31	S7052-11012-041	
P156-6	D5485A24	P158-32	S7052-11012-041	
P156-7	D5486A24	P158-33	S7052-11012-041	
P156-10	D5394A24	P160-1	S7052-11012-041	
P156-11	D5395A24	P160-2	S7052-11012-041	
P156-12	D5396A24	P160-3	S7052-11012-041	
P156-13	D5397A24	P160-4	S7052-11012-041	
P156-14	D5398A24	P160-5	S7052-11012-041	
P156-15	D5399A24	P160-6	S7052-11012-041	
P156-16	D5400A24	P160-7	S7052-11012-041	
P156-17	D5401A24	P160-8	S7052-11012-041	
P156-18	D5402A24	P160-9	S7052-11012-041	
P156-19	D5403A24	P160-10	S7052-11012-041	
P156-20	D5404A24	P160-11	S7052-11012-041	
P156-21	D5405A24	P160-12	S7052-11012-041	
P156-22	D5406A24	P160-13	S7052-11012-041	
P156-23	D5407A24	P160-14	S7052-11012-041	
P156-24	D5408A24	P160-15	S7052-11012-041	
P156-25	D5409A24	P160-16	S7052-11012-041	
P156-26	D5410A24	P160-17	S7052-11012-041	
P156-27	D5411A24	P160-18	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P156-28	D5412A24	P160-19	S7052-11012-041	
P156-29	D5413A24	P160-20	S7052-11012-041	
P156-30	D5414A24	P160-21	S7052-11012-041	
P156-31	D5415A24	P160-22	S7052-11012-041	
P156-32	D5416A24	P160-23	S7052-11012-041	
P156-33	D5417A24	P160-24	S7052-11012-041	
P156-34	D5418A24	P160-25	S7052-11012-041	
P156-35	D5419A24	P160-26	S7052-11012-041	
P156-36	D5420A24	P160-27	S7052-11012-041	
P156-37	D5421A24	P160-28	S7052-11012-041	
P156-38	D5422A24	P160-29	S7052-11012-041	
P156-39	D5423A24	P160-30	S7052-11012-041	
P156-40	D5424A24	P160-31	S7052-11012-041	
P156-41	D5425A24	P160-32	S7052-11012-041	
P156-42	D5426A24	P160-33	S7052-11012-041	
P156-43	D5427A24	P160-34	S7052-11012-041	
P156-44	D5428A24	P160-35	S7052-11012-041	
P156-45	D5429A24	P160-36	S7052-11012-041	
P156-46	D5430A24	P160-37	S7052-11012-041	
P156-47	D5431A24	P160-38	S7052-11012-041	
P156-48	D5432A24	P160-39	S7052-11012-041	
P156-49	D5433A24	P160-40	S7052-11012-041	
P156-50	D5434A24	P160-41	S7052-11012-041	
P156-51	D5435A24	P160-42	S7052-11012-041	
P156-52	D5436A24	P160-43	S7052-11012-041	
P156-53	D5437A24	P160-44	S7052-11012-041	
P156-54	D5438A24	P160-45	S7052-11012-041	
P156-55	D5439A24	P160-46	S7052-11012-041	
P156-56	D5440A24	P160-47	S7052-11012-041	
P156-57	D5441A24	P160-48	S7052-11012-041	
P156-58	D5442A24	P160-49	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P156-59	D5443A24	P160-50	S7052-11012-041	
P156-60	D5444A24	P160-51	S7052-11012-041	
P156-61	D5445A24	P160-52	S7052-11012-041	
P156-62	D5446A24	P160-53	S7052-11012-041	
P156-63	D5447A24	P160-54	S7052-11012-041	
P156-64	D5448A24	P160-55	S7052-11012-041	
P156-65	D5449A24	P160-56	S7052-11012-041	
P157-1	D5378A24	P149-1	S7052-11009-041	
P157-2	D5379A24	P149-2	S7052-11009-041	
P157-3	D5380A24	P149-3	S7052-11009-041	
P157-4	D5381A24	P149-4	S7052-11009-041	
P157-5	D5382A24	P149-5	S7052-11009-041	
P157-6	D5383A24	P149-6	S7052-11009-041	
P157-8	D5388A22	P149-7	S7052-11009-041	
P157-9	D5896A24	P149-9	S7052-11009-041	
P157-10	D5384A22	P149-10	S7052-11009-041	
P157-11	D5385A22	P149-11	S7052-11009-041	
P157-14	D5364A22	P149-14	S7052-11009-041	
P157-15	D5365A22	P149-15	S7052-11009-041	
P157-16	D5366A22	P149-16	S7052-11009-041	
P157-17	D5367A22	P149-17	S7052-11009-041	
P157-18	D5368A22	P149-18	S7052-11009-041	
P157-19	D5369A22	P149-19	S7052-11009-041	
P157-20	D5370A22	P149-20	S7052-11009-041	
P157-21	D5371A22	P149-21	S7052-11009-041	
P157-22	D5372A24	P149-22	S7052-11009-041	
P157-23	D5373A24	P149-23	S7052-11009-041	
P157-24	D5374A24	P149-24	S7052-11009-041	
P157-25	D5375A24	P149-25	S7052-11009-041	
P157-26	D5376A24	P149-26	S7052-11009-041	
P157-27	D5377A24	P149-27	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P157-29	D5389A24	P153-3	S7052-11009-041	
P157-30	D5390A24	P153-4	S7052-11009-041	
P157-31	D5391A24	P153-5	S7052-11009-041	
P157-32	D5392A24	P153-6	S7052-11009-041	
P157-33	D5393A24	P153-7	S7052-11009-041	
P157-34	D5723A24	P149-34	S7052-11009-041	
P157-35	D5724A24	P149-35	S7052-11009-041	
P157-36	D5725A24	P149-36	S7052-11009-041	
P157-37	D5726A24	P149-37	S7052-11009-041	
P157-38	D5727A24	P149-38	S7052-11009-041	
P157-39	D5728A24	P149-39	S7052-11009-041	
P157-40	D5729A24	P149-40	S7052-11009-041	
P157-41	D5730A24	P149-41	S7052-11009-041	
P157-42	D5731A24	P149-42	S7052-11009-041	
P157-43	D5732A24	P149-43	S7052-11009-041	
P157-44	D5733A24	P149-44	S7052-11009-041	
P157-45	D5734A24	P149-45	S7052-11009-041	
P157-46	D5735A24	P149-46	S7052-11009-041	
P157-47	D5736A24	P149-47	S7052-11009-041	
P157-48	D5737A24	P149-48	S7052-11009-041	
P157-49	D5738A24	P149-49	S7052-11009-041	
P157-50	D5739A24	P149-50	S7052-11009-041	
P157-51	D5740A24	P149-51	S7052-11009-041	
P157-52	D5741A24	P149-52	S7052-11009-041	
P157-53	D5742A24	P149-53	S7052-11009-041	
P157-54	D5743A24	P149-54	S7052-11009-041	
P157-55	D5744A24	P149-55	S7052-11009-041	
P157-56	D5745A24	P149-56	S7052-11009-041	
P157-57	D5746A24	P149-57	S7052-11009-041	
P157-58	D5747A24	P149-58	S7052-11009-041	
P157-59	D5748A24	P149-59	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P157-60	D5749A24	P149-60	S7052-11009-041	
P157-61	D5750A24	P149-61	S7052-11009-041	
P157-62	D5751A24	P149-62	S7052-11009-041	
P157-63	D5752A24	P149-63	S7052-11009-041	
P157-64	D5753A24	P149-64	S7052-11009-041	
P157-65	D5754A24	P149-65	S7052-11009-041	
P157-66	D5755A24	P149-66	S7052-11009-041	
P157-67	D5756A24	P149-67	S7052-11009-041	
P157-68	D5757A24	P149-68	S7052-11009-041	
P157-69	D5758A24	P149-69	S7052-11009-041	
P157-70	D5759A24	P149-70	S7052-11009-041	
P157-71	D5760A24	P149-71	S7052-11009-041	
P157-72	D5761A24	P149-72	S7052-11009-041	
P157-73	D5762A24	P149-73	S7052-11009-041	
P157-74	D5763A24	P149-74	S7052-11009-041	
P157-75	D5764A24	P149-75	S7052-11009-041	
P157-76	D5765A24	P149-76	S7052-11009-041	
P157-77	D5766A24	P149-77	S7052-11009-041	
P157-78	D5767A24	P149-78	S7052-11009-041	
P157-79	D5768A24	P149-79	S7052-11009-041	
P157-80	D5769A24	P149-80	S7052-11009-041	
P157-81	D5770A24	P149-81	S7052-11009-041	
P157-82	D5771A24	P149-82	S7052-11009-041	
P157-83	D5772A24	P149-83	S7052-11009-041	
P157-84	D5773A24	P149-84	S7052-11009-041	
P157-85	D5774A24	P149-85	S7052-11009-041	
P157-86	D5775A24	P149-86	S7052-11009-041	
P157-87	D5776A24	P149-87	S7052-11009-041	
P157-88	D5777A24	P149-88	S7052-11009-041	
P157-89	D5778A24	P149-89	S7052-11009-041	
P157-90	D5357A24	P149-90	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P157-91	D5358A24	P149-91	S7052-11009-041	
P157-92	D5359A24	P149-92	S7052-11009-041	
P157-93	D5360A24	P149-93	S7052-11009-041	
P157-94	D5361A24	P149-94	S7052-11009-041	
P157-95	D5362A24	P149-95	S7052-11009-041	
P157-96	D5363A24	P149-96	S7052-11009-041	
P157-97	D5897A24	P157-98	S7052-11009-041	
P157-98	D5897A24	P157-97	S7052-11009-041	
P157-99	D5386A24	P149-99	S7052-11009-041	
P157-100	D5387A24	P149-100	S7052-11009-041	
P157R-1	1ARC201-CX518	P1004R-1	S7060-11001-049	
P158-1	D5471A22	P150-1	S7052-11012-041	
P158-2	D5472A22	P150-2	S7052-11012-041	
P158-3	D5473A22	P150-3	S7052-11012-041	
P158-4	D5474A22	P150-4	S7052-11012-041	
P158-5	D5475A22	P150-5	S7052-11012-041	
P158-6	D5476A22	P150-6	S7052-11012-041	
P158-8	D5481A22	P150-7	S7052-11012-041	
P158-9	D5894A24	P150-9	S7052-11012-041	
P158-10	D5477A22	P150-10	S7052-11012-041	
P158-11	D5478A22	P150-11	S7052-11012-041	
P158-14	D5457A24	P150-14	S7052-11012-041	
P158-15	D5458A24	P150-15	S7052-11012-041	
P158-16	D5459A24	P150-16	S7052-11012-041	
P158-17	D5460A24	P150-17	S7052-11012-041	
P158-18	D5461A24	P150-18	S7052-11012-041	
P158-19	D5462A24	P150-19	S7052-11012-041	
P158-20	D5463A24	P150-20	S7052-11012-041	
P158-21	D5464A24	P150-21	S7052-11012-041	
P158-22	D5465A24	P150-22	S7052-11012-041	
P158-23	D5466A24	P150-23	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P158-24	D5467A24	P150-24	S7052-11012-041	
P158-25	D5468A24	P150-25	S7052-11012-041	
P158-26	D5469A22	P150-26	S7052-11012-041	
P158-27	D5470A22	P150-27	S7052-11012-041	
P158-29	D5482A24	P156-3	S7052-11012-041	
P158-30	D5483A24	P156-4	S7052-11012-041	
P158-31	D5484A24	P156-5	S7052-11012-041	
P158-32	D5485A24	P156-6	S7052-11012-041	
P158-33	D5486A24	P156-7	S7052-11012-041	
P158-34	D5779A24	P150-34	S7052-11012-041	
P158-35	D5780A24	P150-35	S7052-11012-041	
P158-36	D5781A24	P150-36	S7052-11012-041	
P158-37	D5782A24	P150-37	S7052-11012-041	
P158-38	D5783A24	P150-38	S7052-11012-041	
P158-39	D5784A24	P150-39	S7052-11012-041	
P158-40	D5785A24	P150-40	S7052-11012-041	
P158-41	D5786A24	P150-41	S7052-11012-041	
P158-42	D5787A24	P150-42	S7052-11012-041	
P158-43	D5788A24	P150-43	S7052-11012-041	
P158-44	D5789A24	P150-44	S7052-11012-041	
P158-45	D5790A24	P150-45	S7052-11012-041	
P158-46	D5791A24	P150-46	S7052-11012-041	
P158-47	D5792A24	P150-47	S7052-11012-041	
P158-48	D5793A24	P150-48	S7052-11012-041	
P158-49	D5794A24	P150-49	S7052-11012-041	
P158-50	D5795A24	P150-50	S7052-11012-041	
P158-51	D5796A24	P150-51	S7052-11012-041	
P158-52	D5797A24	P150-52	S7052-11012-041	
P158-53	D5798A24	P150-53	S7052-11012-041	
P158-54	D5799A24	P150-54	S7052-11012-041	
P158-55	D5800A24	P150-55	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P158-56	D5801A24	P150-56	S7052-11012-041	
P158-57	D5802A24	P150-57	S7052-11012-041	
P158-58	D5803A24	P150-58	S7052-11012-041	
P158-59	D5804A24	P150-59	S7052-11012-041	
P158-60	D5805A24	P150-60	S7052-11012-041	
P158-61	D5806A24	P150-61	S7052-11012-041	
P158-62	D5807A24	P150-62	S7052-11012-041	
P158-63	D5808A24	P150-63	S7052-11012-041	
P158-64	D5809A24	P150-64	S7052-11012-041	
P158-65	D5810A24	P150-65	S7052-11012-041	
P158-66	D5811A24	P150-66	S7052-11012-041	
P158-67	D5812A24	P150-67	S7052-11012-041	
P158-68	D5813A24	P150-68	S7052-11012-041	
P158-69	D5814A24	P150-69	S7052-11012-041	
P158-70	D5815A24	P150-70	S7052-11012-041	
P158-71	D5816A24	P150-71	S7052-11012-041	
P158-72	D5817A24	P150-72	S7052-11012-041	
P158-73	D5818A24	P150-73	S7052-11012-041	
P158-74	D5819A24	P150-74	S7052-11012-041	
P158-75	D5820A24	P150-75	S7052-11012-041	
P158-76	D5821A24	P150-76	S7052-11012-041	
P158-77	D5822A24	P150-77	S7052-11012-041	
P158-78	D5823A24	P150-78	S7052-11012-041	
P158-79	D5824A24	P150-79	S7052-11012-041	
P158-80	D5825A24	P150-80	S7052-11012-041	
P158-81	D5826A24	P150-81	S7052-11012-041	
P158-82	D5827A24	P150-82	S7052-11012-041	
P158-83	D5828A24	P150-83	S7052-11012-041	
P158-84	D5829A24	P150-84	S7052-11012-041	
P158-85	D5830A24	P150-85	S7052-11012-041	
P158-86	D5831A24	P150-86	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P158-87	D5832A24	P150-87	S7052-11012-041	
P158-88	D5833A24	P150-88	S7052-11012-041	
P158-89	D5834A24	P150-89	S7052-11012-041	
P158-90	D5450A24	P150-90	S7052-11012-041	
P158-91	D5451A24	P150-91	S7052-11012-041	
P158-92	D5452A24	P150-92	S7052-11012-041	
P158-93	D5453A24	P150-93	S7052-11012-041	
P158-94	D5454A24	P150-94	S7052-11012-041	
P158-95	D5455A24	P150-95	S7052-11012-041	
P158-96	D5456A24	P150-96	S7052-11012-041	
P158-97	D5895A24	P158-98	S7052-11012-041	
P158-98	D5895A24	P158-97	S7052-11012-041	
P158-99	D5479A24	P150-99	S7052-11012-041	
P158-100	D5480A24	P150-100	S7052-11012-041	
P158R-1	1ARC201-CX418	P1003R-1	S7060-11001-048	
P159-1	D5301A24	P153-10	S7052-11009-041	
P159-2	D5302A24	P153-11	S7052-11009-041	
P159-3	D5303A24	P153-12	S7052-11009-041	
P159-4	D5304A24	P153-13	S7052-11009-041	
P159-5	D5305A24	P153-14	S7052-11009-041	
P159-6	D5306A24	P153-15	S7052-11009-041	
P159-7	D5307A24	P153-16	S7052-11009-041	
P159-8	D5308A24	P153-17	S7052-11009-041	
P159-9	D5309A24	P153-18	S7052-11009-041	
P159-10	D5310A24	P153-19	S7052-11009-041	
P159-11	D5311A24	P153-20	S7052-11009-041	
P159-12	D5312A24	P153-21	S7052-11009-041	
P159-13	D5313A24	P153-22	S7052-11009-041	
P159-14	D5314A24	P153-23	S7052-11009-041	
P159-15	D5315A24	P153-24	S7052-11009-041	
P159-16	D5316A24	P153-25	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P159-17	D5317A24	P153-26	S7052-11009-041	
P159-18	D5318A24	P153-27	S7052-11009-041	
P159-19	D5319A24	P153-28	S7052-11009-041	
P159-20	D5320A24	P153-29	S7052-11009-041	
P159-21	D5321A24	P153-30	S7052-11009-041	
P159-22	D5322A24	P153-31	S7052-11009-041	
P159-23	D5323A24	P153-32	S7052-11009-041	
P159-24	D5324A24	P153-33	S7052-11009-041	
P159-25	D5325A24	P153-34	S7052-11009-041	
P159-26	D5326A24	P153-35	S7052-11009-041	
P159-27	D5327A24	P153-36	S7052-11009-041	
P159-28	D5328A24	P153-37	S7052-11009-041	
P159-30	D5330A24	P153-39	S7052-11009-041	
P159-31	D5331A24	P153-40	S7052-11009-041	
P159-32	D5332A24	P153-41	S7052-11009-041	
P159-34	D5334A24	P153-43	S7052-11009-041	
P159-35	D5335A24	P153-44	S7052-11009-041	
P159-36	D5336A24	P153-45	S7052-11009-041	
P159-38	D5338A24	P153-47	S7052-11009-041	
P159-39	D5339A24	P153-48	S7052-11009-041	
P159-40	D5340A24	P153-49	S7052-11009-041	
P159-41	D5341A24	P153-50	S7052-11009-041	
P159-42	D5342A24	P153-51	S7052-11009-041	
P159-43	D5343A24	P153-52	S7052-11009-041	
P159-45	D5345A24	P153-54	S7052-11009-041	
P159-46	D5346A24	P153-55	S7052-11009-041	
P159-47	D5347A24	P153-56	S7052-11009-041	
P159-48	D5348A24	P153-57	S7052-11009-041	
P159-49	D5349A24	P153-58	S7052-11009-041	
P159-50	D5350A24	P153-59	S7052-11009-041	
P159-52	D5352A24	P153-61	S7052-11009-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P159-53	D5353A24	P153-62	S7052-11009-041	
P159-54	D5354A24	P153-63	S7052-11009-041	
P159-55	D5355A24	P153-64	S7052-11009-041	
P159-56	D5356A24	P153-65	S7052-11009-041	
P159R-1	2ARC201-CX118	P1101R-1	S7060-11001-041	
P16R-A	NIU001A24	P102R-39	S7062-11014-043	
P16R-B	NIU002A24	P102R-40	S7062-11014-043	
P16R-C	NIU023A24	P102R-8	S7062-11014-043	
P16R-D	*ASN128-11D	-	S7062-11006-041	
P16R-E	1F3911A24	SGP16R-1	S7062-11014-043	
P16R-F	*1F3911A	-	S7062-11014-043	
P16R-G	1F3910A24	SGP16R-2	S7062-11014-043	
P16R-H	*1F3910A	-	S7062-11014-043	
P16R-J	1F3909A24	SGP16R-3	S7062-11014-043	
P16R-K	*1F3909A	-	S7062-11014-043	
P16R-L	1F3908A24	SGP16R-4	S7062-11014-043	
P16R-M	*1F3908A	-	S7062-11014-043	
P16R-N	1F3907A24	SGP16R-5	S7062-11014-043	
P16R-P	*1F3907A	-	S7062-11014-043	
P16R-R	1F3906A24	SGP16R-6	S7062-11014-043	
P16R-S	*1F3906A	-	S7062-11014-043	
P16R-T	ASN128-11D20	P696R-T	S7062-11006-041	
P16R-U	1F3912F24	P193R-B	S7062-11014-043	
P16R-V	NIU003A24	P102R-27	S7062-11014-043	
P16R-W	NIU004A24	P102R-28	S7062-11014-043	
P16R-X	NIU095A24	P102R-30	S7062-11014-043	
P16R-Y	NIU006A24	P102R-29	S7062-11014-043	
P16R-Z	*CBL034 (P102R/P16R)	-	S7062-11014-043	
P16R-a	ARN147-08B24	SG149R-1	S7062-11009-042	
P16R-b	NIU008A24	P102R-17	S7062-11014-043	
P16R-c	ARN147-77A20	P149R-C	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P16R-d	*CBL035 (P102R/P16R)	-	S7062-11014-043	
P16R-e	NIU009A24	P102R-24	S7062-11014-043	
P16R-f	NIU010A24	P102R-25	S7062-11014-043	
P16R-g	NIU011A24	P102R-22	S7062-11014-043	
P16R-h	NIU012A24	P102R-21	S7062-11014-043	
P16R-i	NIU013A24	P102R-18	S7062-11014-043	
P16R-j	NIU014A24	P102R-31	S7062-11014-043	
P16R-k	NIU015A24	P102R-1	S7062-11014-043	
P16R-m	NIU016A24	P102R-2	S7062-11014-043	
P16R-n	NIU017A24	P102R-3	S7062-11014-043	
P16R-p	NIU018A24	P102R-4	S7062-11014-043	
P16R-q	NIU019A24	P102R-20	S7062-11014-043	
P16R-r	*CBL041 (P102R/P16R)	-	S7062-11014-043	
P16R-s	ARN147-71A22	SG149R-7	S7062-11009-042	
P16R-t	NIU020A24	P102R-19	S7062-11014-043	
P16R-u	ARN147-76A20	P149R-B	S7062-11009-042	
P16R-v	ARN147-78A20	SG149R-4	S7062-11009-042	
P16R-w	NIU021A24	P102R-26	S7062-11014-043	
P16R-x	NIU022A24	P102R-23	S7062-11014-043	
P16R-y	*CBL036 (P102R/P16R)	-	S7062-11014-043	
P16R-z	2F3905A24	P191R-J	S7062-11014-043	
P16R-AA	2F3909A24	P191R-D	S7062-11014-043	
P16R-BB	2F3910A24	P191R-E	S7062-11014-043	
P16R-CC	2F3911A24	P191R-F	S7062-11014-043	
P16R-DD	2F3912F24	P191R-B	S7062-11014-043	
P16R-EE	*2F3911A	-	S7062-11014-043	
P16R-FF	2F3907A24	P191R-H	S7062-11014-043	
P16R-GG	2F3908A24	P191R-P	S7062-11014-043	
P16R-HH	1F3905A24	SG193R-1	S7062-11014-043	
P16R-JJ	2F3906A24	P191R-R	S7062-11014-043	
P16R-KK	*2F3906A	-	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P16R-LL	*2F3907A	-	S7062-11014-043	
P16R-MM	*2F3908A	-	S7062-11014-043	
P16R-NN	*2F3909A	-	S7062-11014-043	
P16R-PP	*2F3910A	-	S7062-11014-043	
P160-1	D5394A24	P156-10	S7052-11012-041	
P160-2	D5395A24	P156-11	S7052-11012-041	
P160-3	D5396A24	P156-12	S7052-11012-041	
P160-4	D5397A24	P156-13	S7052-11012-041	
P160-5	D5398A24	P156-14	S7052-11012-041	
P160-6	D5399A24	P156-15	S7052-11012-041	
P160-7	D5400A24	P156-16	S7052-11012-041	
P160-8	D5401A24	P156-17	S7052-11012-041	
P160-9	D5402A24	P156-18	S7052-11012-041	
P160-10	D5403A24	P156-19	S7052-11012-041	
P160-11	D5404A24	P156-20	S7052-11012-041	
P160-12	D5405A24	P156-21	S7052-11012-041	
P160-13	D5406A24	P156-22	S7052-11012-041	
P160-14	D5407A24	P156-23	S7052-11012-041	
P160-15	D5408A24	P156-24	S7052-11012-041	
P160-16	D5409A24	P156-25	S7052-11012-041	
P160-17	D5410A24	P156-26	S7052-11012-041	
P160-18	D5411A24	P156-27	S7052-11012-041	
P160-19	D5412A24	P156-28	S7052-11012-041	
P160-20	D5413A24	P156-29	S7052-11012-041	
P160-21	D5414A24	P156-30	S7052-11012-041	
P160-22	D5415A24	P156-31	S7052-11012-041	
P160-23	D5416A24	P156-32	S7052-11012-041	
P160-24	D5417A24	P156-33	S7052-11012-041	
P160-25	D5418A24	P156-34	S7052-11012-041	
P160-26	D5419A24	P156-35	S7052-11012-041	
P160-27	D5420A24	P156-36	S7052-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P160-28	D5421A24	P156-37	S7052-11012-041	
P160-29	D5422A24	P156-38	S7052-11012-041	
P160-30	D5423A24	P156-39	S7052-11012-041	
P160-31	D5424A24	P156-40	S7052-11012-041	
P160-32	D5425A24	P156-41	S7052-11012-041	
P160-33	D5426A24	P156-42	S7052-11012-041	
P160-34	D5427A24	P156-43	S7052-11012-041	
P160-35	D5428A24	P156-44	S7052-11012-041	
P160-36	D5429A24	P156-45	S7052-11012-041	
P160-37	D5430A24	P156-46	S7052-11012-041	
P160-38	D5431A24	P156-47	S7052-11012-041	
P160-39	D5432A24	P156-48	S7052-11012-041	
P160-40	D5433A24	P156-49	S7052-11012-041	
P160-41	D5434A24	P156-50	S7052-11012-041	
P160-42	D5435A24	P156-51	S7052-11012-041	
P160-43	D5436A24	P156-52	S7052-11012-041	
P160-44	D5437A24	P156-53	S7052-11012-041	
P160-45	D5438A24	P156-54	S7052-11012-041	
P160-46	D5439A24	P156-55	S7052-11012-041	
P160-47	D5440A24	P156-56	S7052-11012-041	
P160-48	D5441A24	P156-57	S7052-11012-041	
P160-49	D5442A24	P156-58	S7052-11012-041	
P160-50	D5443A24	P156-59	S7052-11012-041	
P160-51	D5444A24	P156-60	S7052-11012-041	
P160-52	D5445A24	P156-61	S7052-11012-041	
P160-53	D5446A24	P156-62	S7052-11012-041	
P160-54	D5447A24	P156-63	S7052-11012-041	
P160-55	D5448A24	P156-64	S7052-11012-041	
P160-56	D5449A24	P156-65	S7052-11012-041	
P160R-1	1ARC201-CX218	P308R-1	S7060-11001-046	
P162-A	L4463G24	SG162-1	70602-01114-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P162-B	L4466B24N	SG162-2	70602-01114-045	
P162-C	L4463M24	SG162-3	70602-01114-045	
P162-D	L4466G24N	SG162-4	70602-01114-045	
P167-A	L3562F20	SGJ109-2	S7052-12007-041	
P167-B	L3560E14	SGJ109-1	S7052-12007-041	
P167-C	L3569C20	SGJ104-19	S7052-12007-041	
P167-D	L3567C20	SGJ104-13	S7052-12007-041	
P167-E	L3562G20	SGJ109-2	S7052-12007-041	
P167-F	L3574A14N	GND167-1	S7052-12007-041	
P167-G	L3575A18N	GND167-1	S7052-12007-041	
P167-I	L3571A14	J109-F	S7052-12007-041	
P17R-A	F9033C22	SG2005-5	70602-01137-041	
P17R-B	F9030C22	SG2005-2	70602-01137-041	
P17R-M	F9032C22	SG2005-4	70602-01137-041	
P17R-N	F9029C22	SG2005-1	70602-01137-041	
P17R-P	F9031C22	SG2005-3	70602-01137-041	
P170-A	M600A20	SGP170-1	S7052-12001-042	
P170-B	M604A22	P341-12	S7052-12001-042	
P170-C	M601B20	J129-Y	S7052-12001-042	
P170-D	M603A20	SGP170-3	S7052-12001-042	
P170-E	JMPRP170-E-20	SGP170-2	S7052-12001-042	
P170-F	M669A20	P298-J	S7052-12001-042	
P170-G	M671A20	J238-1	S7052-12001-042	
P170-H	M675A20N	GDP170-3	S7052-12001-042	
P170-J	M672A20	J238-2	S7052-12001-042	
P170-K	M673A20	J239-1	S7052-12001-042	
P170-L	M676A20N	GDP170-2	S7052-12001-042	
P170-M	M674A20	J239-2	S7052-12001-042	
P170-N	M63030A22	TJ5VB-K	S7052-12001-042	
P170-P	M64040A22N	GDP170-1	S7052-12001-042	
P170-R	JMPRP170-R-20	SGP170-2	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P170-S	M670A20	P298-K	S7052-12001-042	
P175R-B	2C11746-19A24	P1013R-48	S7062-11007-041	
P175R-C	JMPRP175R-C-22	SGP175-3	S7062-11007-041	
P175R-D	2C11746-500A20N	GND175-1	S7062-11007-041	
P175R-H	JMPRP175R-H-24	SGP175-2	S7062-11007-041	
P175R-J	L9099B22	TJ115A-S	S7062-11007-041	
P175R-L	2C11746-58A24	J112R-D	S7062-11007-041	
P175R-M	2C11746-59A24	J112R-E	S7062-11007-041	
P175R-N	2C11746-1A24	P183R-9	S7062-11007-041	
P175R-P	2C11746-2A24	P183R-10	S7062-11007-041	
P175R-S	2C11746-3A24	P183R-13	S7062-11007-041	
P175R-T	2C11746-4A24	P183R-14	S7062-11007-041	
P175R-U	L9098B22	GD115A-2	S7062-11007-041	
P175R-V	2C11746-5A24	P183R-17	S7062-11007-041	
P175R-W	2C11746-6A24	P183R-29	S7062-11007-041	
P175R-Z	2C11746-25A24	P1013R-34	S7062-11007-041	
P175R-b	2C11746-16A24	J119-K	S7062-11007-041	
P175R-c	JMPRP175R-c-24	SGP175-1	S7062-11007-041	
P175R-d	JMPRP175R-d-24	SGP175-4	S7062-11007-041	
P175R-e	JMPRP175R-e-24	SGP175-2	S7062-11007-041	
P175R-f	2C11746-11A24	P183R-8	S7062-11007-041	
P175R-g	2C11746-12A24	P183R-12	S7062-11007-041	
P175R-h	2C11746-13A24	P183R-16	S7062-11007-041	
P175R-i	2C11746-24A24	P1013R-35	S7062-11007-041	
P175R-j	2C11746-23A24	P1013R-36	S7062-11007-041	
P175R-k	2C11746-7A24	P183R-5	S7062-11007-041	
P175R-m	2C11746-22A24	P1013R-37	S7062-11007-041	
P175R-n	2C11746-21A24	P1013R-39	S7062-11007-041	
P175R-p	2C11746-9A24	P183R-2	S7062-11007-041	
P175R-q	2C11746-10A24	P183R-20	S7062-11007-041	
P175R-r	2C11746-14A24	P183R-4	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P175R-s	2C11746-8A24	P183R-6	S7062-11007-041	
P175R-t	2C11746-15A24	P183R-1	S7062-11007-041	
P176R-A	2C11746-30A24	P184R-42	S7062-11007-041	
P176R-B	2C11746-31A24	P184R-47	S7062-11007-041	
P176R-C	2C11746-502S24N	GND176-1	S7062-11007-041	
P176R-D	2C11746-56A24	J112R-A	S7062-11007-041	
P176R-E	2C11746-57A24	J112R-B	S7062-11007-041	
P176R-F	2C11746-40A24	P184R-15	S7062-11007-041	
P176R-G	2C11746-41A24	P184R-16	S7062-11007-041	
P176R-H	2C11746-45A24	P184R-22	S7062-11007-041	
P176R-J	2C11746-46A24	P184R-23	S7062-11007-041	
P176R-K	2C11746-47A24	P184R-24	S7062-11007-041	
P176R-L	2C11746-52A24	P184R-8	S7062-11007-041	
P176R-M	2C11746-53A24	P184R-9	S7062-11007-041	
P176R-N	2C11746-48A24	P184R-38	S7062-11007-041	
P176R-P	2C11746-29A24	P184R-52	S7062-11007-041	
P176R-R	2C11746-26A24	P184R-53	S7062-11007-041	
P176R-S	2C11746-27A24	P184R-54	S7062-11007-041	
P176R-U	2C11746-34A24	P184R-17	S7062-11007-041	
P176R-V	2C11746-32A24	P184R-32	S7062-11007-041	
P176R-W	2C11746-33A24	P184R-33	S7062-11007-041	
P176R-X	2C11746-36A24	P184R-1	S7062-11007-041	
P176R-Y	2C11746-37A24	P184R-2	S7062-11007-041	
P176R-Z	2C11746-99A24	P1011R-71	S7062-11007-041	
P176R-a	2C11746-42A24	P184R-36	S7062-11007-041	
P176R-b	2C11746-43A24	P184R-37	S7062-11007-041	
P176R-c	2C11746-44A24	P184R-21	S7062-11007-041	
P176R-d	2C11746-86A24	P184R-45	S7062-11007-041	
P176R-e	2C11746-87A24	P184R-46	S7062-11007-041	
P176R-f	2C11746-49A24	P184R-39	S7062-11007-041	
P176R-g	2C11746-28A24	P184R-51	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P176R-h	2C11746-100A24N	GND176-2	S7062-11007-041	
P176R-j	2C11746-35A24	P184R-18	S7062-11007-041	
P176R-k	2C11746-38A24	P184R-4	S7062-11007-041	
P176R-m	2C11746-39A24	P184R-12	S7062-11007-041	
P176R-q	2C11746-50A24	P184R-26	S7062-11007-041	
P176R-r	2C11746-51A24	P184R-27	S7062-11007-041	
P181-A	L3647L20	SG33G-1	S7052-11008-042	
P181-B	L3654F20N	SGH33-2	S7052-11008-042	
P182-A	L3647P24	SG33N-1	S7052-11008-042	
P182-B	L3654N22N	SG44-2	S7052-11008-042	
P183-A	L3647R24	SG33N-1	S7052-11008-042	
P183-B	L3654E22N	SGH33-3	S7052-11008-042	
P183R-1	2C11746-15A24	P175R-t	S7062-11007-041	
P183R-2	2C11746-9A24	P175R-p	S7062-11007-041	
P183R-4	2C11746-14A24	P175R-r	S7062-11007-041	
P183R-5	2C11746-7A24	P175R-k	S7062-11007-041	
P183R-6	2C11746-8A24	P175R-s	S7062-11007-041	
P183R-8	2C11746-11A24	P175R-f	S7062-11007-041	
P183R-9	2C11746-1A24	P175R-N	S7062-11007-041	
P183R-10	2C11746-2A24	P175R-P	S7062-11007-041	
P183R-12	2C11746-12A24	P175R-g	S7062-11007-041	
P183R-13	2C11746-3A24	P175R-S	S7062-11007-041	
P183R-14	2C11746-4A24	P175R-T	S7062-11007-041	
P183R-16	2C11746-13A24	P175R-h	S7062-11007-041	
P183R-17	2C11746-5A24	P175R-V	S7062-11007-041	
P183R-20	2C11746-10A24	P175R-q	S7062-11007-041	
P183R-29	2C11746-6A24	P175R-W	S7062-11007-041	
P183R-34	2C11746-88A24N	GND183-1	S7062-11007-041	
P184-A	L3647N24	SG33N-1	S7052-11008-042	
P184-B	L3654L22N	SG44-2	S7052-11008-042	
P184R-1	2C11746-36A24	P176R-X	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P184R-2	2C11746-37A24	P176R-Y	S7062-11007-041	
P184R-4	2C11746-38A24	P176R-k	S7062-11007-041	
P184R-8	2C11746-52A24	P176R-L	S7062-11007-041	
P184R-9	2C11746-53A24	P176R-M	S7062-11007-041	
P184R-12	2C11746-39A24	P176R-m	S7062-11007-041	
P184R-15	2C11746-40A24	P176R-F	S7062-11007-041	
P184R-16	2C11746-41A24	P176R-G	S7062-11007-041	
P184R-17	2C11746-34A24	P176R-U	S7062-11007-041	
P184R-18	2C11746-35A24	P176R-j	S7062-11007-041	
P184R-21	2C11746-44A24	P176R-c	S7062-11007-041	
P184R-22	2C11746-45A24	P176R-H	S7062-11007-041	
P184R-23	2C11746-46A24	P176R-J	S7062-11007-041	
P184R-24	2C11746-47A24	P176R-K	S7062-11007-041	
P184R-26	2C11746-50A24	P176R-q	S7062-11007-041	
P184R-27	2C11746-51A24	P176R-r	S7062-11007-041	
P184R-32	2C11746-32A24	P176R-V	S7062-11007-041	
P184R-33	2C11746-33A24	P176R-W	S7062-11007-041	
P184R-36	2C11746-42A24	P176R-a	S7062-11007-041	
P184R-37	2C11746-43A24	P176R-b	S7062-11007-041	
P184R-38	2C11746-48A24	P176R-N	S7062-11007-041	
P184R-39	2C11746-49A24	P176R-f	S7062-11007-041	
P184R-42	2C11746-30A24	P176R-A	S7062-11007-041	
P184R-45	2C11746-86A24	P176R-d	S7062-11007-041	
P184R-46	2C11746-87A24	P176R-e	S7062-11007-041	
P184R-47	2C11746-31A24	P176R-B	S7062-11007-041	
P184R-51	2C11746-28A24	P176R-g	S7062-11007-041	
P184R-52	2C11746-29A24	P176R-P	S7062-11007-041	
P184R-53	2C11746-26A24	P176R-R	S7062-11007-041	
P184R-54	2C11746-27A24	P176R-S	S7062-11007-041	
P186-1	D7003A22	SGR306-1	S7052-11008-042	
P186-2	D7004A22N	TL33-8-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P186-3	L3647U22	SGJ33-1	S7052-11008-042	
P186-4	L3654G22N	SGH33-1	S7052-11008-042	
P186-5	D7005A22N	TL33-8-2	S7052-11008-042	
P187-A	L3647W24	SGJ33-1	S7052-11008-042	
P187-B	L3654D22N	SGH33-2	S7052-11008-042	
P189-A	L3645X20	SGC33-1	S7052-11008-042	
P189-B	L3651C20N	SGB33-1	S7052-11008-042	
P189R-4	1ARC201-41A20N	GD189R-1	S7062-11002-041	
P189R-5	JMPRP189R-5-20	SG189R-1	S7062-11002-041	
P190-A	L3645M24	SGC33-1	S7052-11008-042	
P190-B	L3651N20N	SG50-2	S7052-11008-042	
P190R-A	ARC164-35A20	J1011R-A	S7062-11014-043	
P190R-B	ARC164-34A20	J1011R-B	S7062-11014-043	
P190R-C	ARC164-33A20	J1011R-C	S7062-11014-043	
P190R-D	ARC164-32A20	J1011R-D	S7062-11014-043	
P190R-E	ARC164-31A20	J1011R-E	S7062-11014-043	
P190R-F	ARC164-30A20	J1011R-F	S7062-11014-043	
P191R-A	JMPR191R-1-24	SGR191-2	S7062-11014-043	
P191R-B	2F3912F24	P16R-DD	S7062-11014-043	
P191R-D	2F3909A24	P16R-AA	S7062-11014-043	
P191R-E	2F3910A24	P16R-BB	S7062-11014-043	
P191R-F	2F3911A24	P16R-CC	S7062-11014-043	
P191R-G	2F3903A20N	GG14-1	S7062-11014-043	
P191R-H	2F3907A24	P16R-FF	S7062-11014-043	
P191R-J	2F3905A24	P16R-z	S7062-11014-043	
P191R-K	JMPR191R-2-24	SGR191-2	S7062-11014-043	
P191R-L	JMPR191R-6-24	SGR191-1	S7062-11014-043	
P191R-N	2F3901A24	P659R-F	S7062-11014-043	
P191R-P	2F3908A24	P16R-GG	S7062-11014-043	
P191R-R	2F3906A24	P16R-JJ	S7062-11014-043	
P191R-T	2F3904A20N	GG14-2	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P191R-V	JMPR191R-3-24	SGR191-2	S7062-11014-043	
P191R-Y	JMPR191R-5-24	SGR191-1	S7062-11014-043	
P192-A	L3645P24	SGG33-1	S7052-11008-042	
P192-B	L3651L20N	SGT33-1	S7052-11008-042	
P192R-A	JMPRP192R-A-20	SGP192-2	S7062-11014-043	
P192R-D	JMPRP192R-D-20	SGP192-2	S7062-11014-043	
P192R-F	JMPRP192R-F-20	SGP192-2	S7062-11014-043	
P192R-G	JMPRP192R-G-20	SGP192-2	S7062-11014-043	
P192R-H	JMPRP192R-H-20	SGP192-1	S7062-11014-043	
P192R-J	ARC164-27A22	P140R-32	S7062-11014-043	
P192R-X	JMPRP192R-a-20	P192R-a	S7062-11014-043	
P192R-Y	JMPRP192R-Y-20	P192R-b	S7062-11014-043	
P192R-Z	JMPRP192R-Z-20	P192R-c	S7062-11014-043	
P192R-a	JMPRP192R-a-20	P192R-X	S7062-11014-043	
P192R-b	JMPRP192R-Y-20	P192R-Y	S7062-11014-043	
P192R-c	JMPRP192R-Z-20	P192R-Z	S7062-11014-043	
P192R-d	JMPRP192R-d-20	SGP192-1	S7062-11014-043	
P193-A	L3645R24	SGG33-1	S7052-11008-042	
P193-B	L3651M20N	SGT33-1	S7052-11008-042	
P193R-A	JMPRP193R-1-24	SGR193-3	S7062-11014-043	
P193R-B	1F3912F24	P16R-U	S7062-11014-043	
P193R-D	1F3909AA24	SGP16R-3	S7062-11014-043	
P193R-E	1F3910AA24	SGP16R-2	S7062-11014-043	
P193R-F	1F3911AA24	SGP16R-1	S7062-11014-043	
P193R-G	1F3903A20N	GND193-1	S7062-11014-043	
P193R-H	1F3907AA24	SGP16R-5	S7062-11014-043	
P193R-J	JMPRP193R-J-24	SG193R-1	S7062-11014-043	
P193R-K	JMPRP193R-2-24	SGR193-3	S7062-11014-043	
P193R-L	JMPRP193R-7-24	SGR193-1	S7062-11014-043	
P193R-N	1F3901A24	P659R-D	S7062-11014-043	
P193R-P	1F3908AA24	SGP16R-4	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P193R-R	1F3906AA24	SGP16R-6	S7062-11014-043	
P193R-T	1F3904A20N	GND193-1	S7062-11014-043	
P193R-V	JMPRP193R-3-24	SGR193-2	S7062-11014-043	
P193R-Y	JMPRP193R-6-24	SGR193-1	S7062-11014-043	
P194-A	L3645V20	SGS33-1	S7052-11008-042	
P194-B	L3651E20N	SGF33-3	S7052-11008-042	
P194R-A	ARN149-15A20	P195R-A	S7062-11010-041	
P194R-B	JMPRP194R-B-22	SG194R-1	S7062-11010-041	
P194R-C	ARN149-20A24	P195R-p	S7062-11010-041	
P194R-D	ARN149-16A24	P195R-W	S7062-11010-041	
P194R-E	ARN149-31A22N	GND194-1	S7062-11010-041	
P194R-F	ARN149-17A24	P195R-V	S7062-11010-041	
P194R-G	ARN149-19A24	P195R-X	S7062-11010-041	
P194R-H	JMPRP194R-H-22	SG194R-1	S7062-11010-041	
P194R-J	JMPRP194R-J-22	SG194R-2	S7062-11010-041	
P194R-K	JMPRP194R-K-22	SG194R-2	S7062-11010-041	
P195-1	D7002A22	SGP1-2	S7052-11008-042	
P195-2	D7000A22N	TL33-1-1	S7052-11008-042	
P195-3	L3645S22	SGG33-1	S7052-11008-042	
P195-4	L3651F22N	SGF33-4	S7052-11008-042	
P195-5	D7001A22N	TL33-1-2	S7052-11008-042	
P195R-A	ARN149-15A20	P194R-A	S7062-11010-041	
P195R-D	ARN149-11A20	P21R-J	S7062-11010-041	
P195R-E	ARN149-32A22N	GD195R-1	S7062-11010-041	
P195R-F	ARN149-8F22	SA26AC-1	S7062-11010-041	
P195R-G	ARN149-3A20N	GD195R-2	S7062-11010-041	
P195R-J	ARN149-27A24	P139R-22	S7062-11010-041	
P195R-P	JMPRP195R-P-24	SG195R-2	S7062-11010-041	
P195R-R	JMPRP195R-R-24	BMB195-2	S7062-11010-041	
P195R-S	JMPRP195R-S-24	BMB195-3	S7062-11010-041	
P195R-T	JMPRP195R-T-24	BMB195-1	S7062-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P195R-U	JMPRP195R-U-24	SG195R-2	S7062-11010-041	
P195R-V	ARN149-17A24	P194R-F	S7062-11010-041	
P195R-W	ARN149-16A24	P194R-D	S7062-11010-041	
P195R-X	ARN149-19A24	P194R-G	S7062-11010-041	
P195R-Y	ARN149-18A22N	GD195R-1	S7062-11010-041	
P195R-a	ARN149-33A24	J1R-G	S7062-11010-041	
P195R-b	ARN149-10A24	J1R-F	S7062-11010-041	
P195R-c	ARN149-09A24	J1R-H	S7062-11010-041	
P195R-d	ARN149-28A24	P139R-23	S7062-11010-041	
P195R-m	JMPRP195R-m-24	SG195R-2	S7062-11010-041	
P195R-p	ARN149-20A24	P194R-C	S7062-11010-041	
P195R-x	ARN149-5A22N	GD195R-1	S7062-11010-041	
P195R-z	ARN149-26A22N	GD195R-3	S7062-11010-041	
P195R-BB	JMPRP195R-BB-24	SG195R-1	S7062-11010-041	
P195R-DD	JMPRP195R-DD-24	SG195R-1	S7062-11010-041	
P195R-EE	JMPRP195R-EE-24	SG195R-1	S7062-11010-041	
P195R-HH	JMPRP195R-HH-24	SG195R-1	S7062-11010-041	
P196-A	JMPRP196-A-20	SGP196-1	S7052-11008-042	
P196-B	L3651R20N	SG50-2	S7052-11008-042	
P196R-5	ARC164-81B22	SAGPS-1	S7062-11014-043	
P196R-9	ARC164-40A22	P121R-P	S7062-11014-043	
P197R-4	ARC220-300A22N	GND197-1	S7062-11004-041	
P197R-5	ARC220-215A22	P364R-41	S7062-11004-041	
P198-A	V282C24	SG1020-46	S7052-11008-042	
P198-B	V75D24	SG1020-19	S7052-11008-042	
P198-C	C4140G22	SG1020-76	S7052-11008-042	
P198-D	C4139H22	SG1020-60	S7052-11008-042	
P198-E	C4142C22	SG1020-66	S7052-11008-042	
P198-F	W3387E22	SG1019-16	S7052-11008-042	
P198-G	C4145F22	SG1019-67	S7052-11008-042	
P198-H	J3002A20	J111-CC	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P198-J	J3003A20	J111-BB	S7052-11008-042	
P198-K	L3931R22	SGP300-3	S7052-11008-042	
P198-M	LT500C20	T15-HV	S7052-11008-042	
P198-P	MFD004C24	SG1017-2	S7052-11008-042	
P198-R	MFD003C24	SG1017-1	S7052-11008-042	
P198-S	L409E24	SG1019-12	S7052-11008-042	
P198-U	*J3002A	-	S7052-11008-042	
P199-A	H6397C22	J121-W	S7062-11014-043	
P199-B	C4705D24	J121-Z	S7062-11014-043	
P199-C	L409DD24	J121-a	S7062-11014-043	
P199-D	H6396A22	P132-J	S7062-11014-043	
P199-E	L1001A22	P207-12	S7052-12001-042	
P199-G	H6390F20	P134-A	S7062-11014-043	
P199-H	H6391F20	P134-B	S7062-11014-043	
P199-J	H6392F20	P134-C	S7062-11014-043	
P199-K	H6458A20	P134-N	S7062-11014-043	
P199-L	H6374C20	P134-P	S7062-11014-043	
P199-M	H6383G20	P134-R	S7062-11014-043	
P199-N	H6457C20	P134-S	S7062-11014-043	
P199-P	H6456C20	P134-U	S7062-11014-043	
P199-R	H6461A20	P134-X	S7062-11014-043	
P199-S	*CBL045 (P134/P199)	-	S7062-11014-043	
P199-T	H6460A20	P134-W	S7062-11014-043	
P199-U	H6405C20	P134-Y	S7062-11014-043	
P199-V	H6406C20	P134-Z	S7062-11014-043	
P199-W	*CBL046 (P134/P199)	-	S7062-11014-043	
P199-X	*H6456C	-	S7062-11014-043	
P199-Y	ALQ144-6A24	P683R-2	S7062-11014-043	
P199-Z	ALQ144-7A24	P683R-3	S7062-11014-043	
P199-a	ALQ144-4A24	P683R-4	S7062-11014-043	
P199-b	ALQ144-5A24	P683R-6	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P199-c	ALQ144-3C22	P683R-7	S7062-11014-043	
P199-d	ALQ144-9A22	P683R-9	S7062-11014-043	
P199-e	L3934G24	SGP133-1	S7062-11014-043	
P199-f	L417E20	P298-U	S7052-12001-042	
P199-g	H6398DD22	SGP134-3	S7062-11014-043	
P199-h	H6399C22	SGP134-2	S7062-11014-043	
P199-j	*H6457C	-	S7062-11014-043	
P2-A	HDST-HI-24	J2-2	S7062-12001-042	
P2-A	HDST-HI-24	J2-2	S7062-12001-043	
P2-B	HDST-LO-24	J2-4	S7062-12001-042	
P2-B	HDST-LO-24	J2-4	S7062-12001-043	
P2-C	PTT-24	J2-S2	S7062-12001-042	
P2-C	PTT-24	J2-S2	S7062-12001-043	
P2-D	MIC-LO-24	J2-3	S7062-12001-042	
P2-D	MIC-LO-24	J2-3	S7062-12001-043	
P2-E	MIC-HI-24	J2-1	S7062-12001-042	
P2-E	MIC-HI-24	J2-1	S7062-12001-043	
P2-F	*CBL002 (J2/P2)	-	S7062-12001-042	
P2-F	*CBL002 (J2/P2)	-	S7062-12001-043	
P2-H	*CBL001 (J2/P2)	-	S7062-12001-042	
P2-H	*CBL001 (J2/P2)	-	S7062-12001-043	
P2-J	PTT-RTN-24	J2-S1	S7062-12001-042	
P2-J	PTT-RTN-24	J2-S1	S7062-12001-043	
P2-K	*CBL003 (J2/P2)	-	S7062-12001-042	
P2-K	*CBL003 (J2/P2)	-	S7062-12001-043	
P2R-A	F450D22	SGR136-3	S7062-11014-043	
P2R-B	*CBL027 (P134R/P2R)	-	S7062-11014-043	
P2R-C	F440A22	P134R-C	S7062-11014-043	
P2R-D	F441A22	P134R-B	S7062-11014-043	
P2R-E	F442A22	P134R-A	S7062-11014-043	
P2R-G	F443A22	P136R-M	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2R-H	*CBL029 (P136R/P2R)	-	S7062-11014-043	
P20R-D	E9006B22	P2002R-79	S7062-11014-043	
P20R-G	2F3874A24	P318RB-12	S7062-11014-043	
P20R-H	2F3875A24	P318RB-6	S7062-11014-043	
P20R-J	2F3878A24	P318RB-8	S7062-11014-043	
P20R-K	ARN147-06C20	SG149R-1	S7062-11009-042	
P20R-L	SN10874C24	J1R-z	S7062-11014-043	
P20R-N	1ARC201-06B20	SGJ1R-1	S7062-11002-041	
P20R-P	1C11746-60C20	SG124R-1	S7062-11007-041	
P20R-R	3KY58-8C24	P123R-L	S7062-11014-043	
P20R-U	ARC164-4C20	P120R-D	S7062-11014-043	
P20R-V	2F3850C24	P692R-B	S7062-11014-043	
P200-A	M352B20	P111-g	S7052-12005-041	
P200-B	M353B20	SG267-3	S7052-12005-041	
P200-C	M354B20	P244-R	S7052-12005-041	
P200-D	M356B20	P242-g	S7052-12005-041	
P200-E	M359B20	P242-f	S7052-12005-041	
P200-F	M360B20	P242-e	S7052-12005-041	
P200-G	M361B20	J267-F	S7052-12005-041	
P200-H	M362B20	P242-d	S7052-12005-041	
P200-J	M363C20	SG267-2	S7052-12005-041	
P200-K	Q6036B24	J299-C	S7052-12005-041	
P200-L	W3381C20	J221-HH	S7052-12005-041	
P200-M	W3389C20	SG200-1	S7052-12005-041	
P200-N	L6961B24	J248-A	S7052-12005-041	
P200-P	V276B24	P260-2	S7052-12005-041	
P200-R	V277B24	P260-1	S7052-12005-041	
P200-S	L3934S24	SG902-7	S7052-12005-041	
P200-T	W3390B20	P244-a	S7052-12005-041	
P200-U	W3391B20	SG200-2	S7052-12005-041	
P200-V	L4501B20	P682-5	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P200-W	C4133B20	P902-EE	S7052-12005-041	
P200-X	C4134B20	P902-r	S7052-12005-041	
P200-Y	C4135B20	SG244-2	S7052-12005-041	
P200-Z	C4136B20	P244-D	S7052-12005-041	
P200-a	C4170B20	J223-x	S7052-12005-041	
P200-b	L4512B20	P682-4	S7052-12005-041	
P200-c	L3946A24	P902-Z	S7052-12005-041	
P200-d	M618B20	P226-U	S7052-12001-042	
P200-e	M374B20	P242-c	S7052-12005-041	
P200-f	C4626B22	SG906-7	S7052-12005-041	
P200-g	C4601C24	P405R-M	S7052-12005-041	
P200-h	*C4601C	-	S7052-12005-041	
P200-j	L3930D24	SG902-5	S7052-12005-041	
P2000R-A	JMPRP2000R-A-20	SG2000-1	S7052-12005-041	
P2000R-B	JMPRP2000R-B-20	SG2000-1	S7052-12005-041	
P2000R-C	M9000B20	P249-k	S7052-12005-041	
P2000R-D	M9001A20N	GD2000-2	S7052-12005-041	
P2000R-E	JMPRP2000R-E-20	SG2000-2	S7052-12005-041	
P2000R-F	JMPRP2000R-F-20	SG2000-2	S7052-12005-041	
P2000R-G	JMPRP2000R-G-20	SG2000-1	S7052-12005-041	
P2001R-3	F9038A22	P2005R-16	70602-01137-041	
P2001R-4	F9041A22	P2005R-19	70602-01137-041	
P2001R-5	F9025A22	P2005R-7	70602-01137-041	
P2001R-6	F9029A22	SG2005-1	70602-01137-041	
P2001R-7	F9035A22	SG2005-7	70602-01137-041	
P2001R-11	F9027A22	P2005R-5	70602-01137-041	
P2001R-12	F9040A22	P2005R-18	70602-01137-041	
P2001R-13	F9034A22	SG2005-6	70602-01137-041	
P2001R-14	F9030A22	SG2005-2	70602-01137-041	
P2001R-15	F9032A22	SG2005-4	70602-01137-041	
P2001R-19	F9033A22	SG2005-5	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2001R-20	F9028A22	P2005R-6	70602-01137-041	
P2001R-23	F9037A22	SG2005-9	70602-01137-041	
P2001R-24	F9042A22	P2005R-20	70602-01137-041	
P2001R-29	F9043A22	P2005R-21	70602-01137-041	
P2001R-30	F9039A22	P2005R-17	70602-01137-041	
P2001R-31	F9031A22	SG2005-3	70602-01137-041	
P2001R-32	F9065A22	P2003R-14	70602-01137-041	
P2001R-33	F9036A22	SG2005-8	70602-01137-041	
P2001R-34	F9077A22	P2004R-4	70602-01137-041	
P2001R-36	F9070A22	P2004R-6	70602-01137-041	
P2001R-41	F9074A22	P2004R-1	70602-01137-041	
P2001R-42	F9083A22	P2004R-14	70602-01137-041	
P2001R-43	F9072A22	P2004R-13	70602-01137-041	
P2001R-44	F9076A22	P2004R-3	70602-01137-041	
P2001R-45	F9075A22	P2004R-2	70602-01137-041	
P2001R-46	F9061A22	P2003R-8	70602-01137-041	
P2001R-47	F9073A22	P2004R-12	70602-01137-041	
P2001R-52	F9047A22	P2005R-25	70602-01137-041	
P2001R-53	F9059A22	P2003R-4	70602-01137-041	
P2001R-54	F9071A22	P2004R-5	70602-01137-041	
P2001R-55	F9046A22	P2005R-24	70602-01137-041	
P2001R-56	F9062A22	P2003R-7	70602-01137-041	
P2001R-62	F9056A22	P2003R-1	70602-01137-041	
P2001R-63	F9026A22	P2005R-4	70602-01137-041	
P2001R-64	F9049A22	P2005R-27	70602-01137-041	
P2001R-65	F9048A22	P2005R-26	70602-01137-041	
P2001R-66	F9053A22	P2003R-5	70602-01137-041	
P2001R-67	F9080A22	P2004R-7	70602-01137-041	
P2001R-69	F9078A22	P2004R-18	70602-01137-041	
P2001R-70	F9024A22	P2005R-1	70602-01137-041	
P2001R-75	F9057A22	P2003R-2	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2001R-76	F9058A22	P2003R-3	70602-01137-041	
P2001R-77	F9079A22	P2004R-8	70602-01137-041	
P2001R-79	F9060A22	P2003R-18	70602-01137-041	
P2001R-85	F9054A22	P2003R-13	70602-01137-041	
P2001R-86	F9082A22	P2004R-9	70602-01137-041	
P2001R-87	F9081A22	P2004R-10	70602-01137-041	
P2001R-88	F9055A22	P2003R-12	70602-01137-041	
P2001R-90	F9069A22	P2004R-17	70602-01137-041	
P2001R-91	F9068A22	P2004R-16	70602-01137-041	
P2001R-92	F9045A22	P2005R-23	70602-01137-041	
P2001R-93	F9044A22	P2005R-22	70602-01137-041	
P2001R-94	F9052A22	P2003R-6	70602-01137-041	
P2001R-95	F9063A22	P2003R-10	70602-01137-041	
P2001R-96	F9064A22	P2003R-9	70602-01137-041	
P2001R-98	F9051A22	P2003R-17	70602-01137-041	
P2001R-100	F9050A22	P2003R-16	70602-01137-041	
P2002R-3	F9001A22	SGP16R-4	S7062-11014-043	
P2002R-4	F9000A22	SGP16R-6	S7062-11014-043	
P2002R-5	F9005A22	SGP16R-2	S7062-11014-043	
P2002R-6	F9003A22	SGP16R-3	S7062-11014-043	
P2002R-11	F9018B22	P14R-Z	S7062-11014-043	
P2002R-12	F9004A22	SGP16R-1	S7062-11014-043	
P2002R-13	F9007A22	SG149R-8	S7062-11009-042	
P2002R-20	F9008A22	SG149R-10	S7062-11009-042	
P2002R-25	ASN128-901A22	SGP140-3	S7062-11014-043	
P2002R-30	F9002A22	SGP16R-5	S7062-11014-043	
P2002R-33	F9013A22	SG318B-7	S7062-11014-043	
P2002R-34	F9012A22	SG318B-6	S7062-11014-043	
P2002R-36	ASN128-900A22	SGP140-2	S7062-11014-043	
P2002R-39	JMPRP2002R-39-22	SG2002-1	S7062-11014-043	
P2002R-40	F9009A22	SG149R-9	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2002R-44	F9021B22	P11R-A	S7062-11014-043	
P2002R-45	F9022B22	P11R-B	S7062-11014-043	
P2002R-51	F9017B22	P14R-Y	S7062-11014-043	
P2002R-52	E9005B22	P11R-V	S7062-11014-043	
P2002R-60	E9004B22	P11R-U	S7062-11014-043	
P2002R-62	E9007B22	P21R-D	S7062-11014-043	
P2002R-65	E9008A22	P2006R-4	S7062-11014-043	
P2002R-66	E9009A22	P2006R-5	S7062-11014-043	
P2002R-69	JMPRP2002R-69-22	SG2002-2	S7062-11014-043	
P2002R-70	F9016A22	SG318A-7	S7062-11014-043	
P2002R-71	F9006A22	SG193R-1	S7062-11014-043	
P2002R-72	F9019C22	P11R-D	S7062-11014-043	
P2002R-77	JMPRP2002R-77-22	SG2002-1	S7062-11014-043	
P2002R-78	JMPRP2002R-78-22	SG2002-2	S7062-11014-043	
P2002R-79	E9006B22	P20R-D	S7062-11014-043	
P2002R-81	F9020C22	P11R-C	S7062-11014-043	
P2002R-83	F9010A22	SG318B-10	S7062-11014-043	
P2002R-86	JMPRP2002R-86-22	SG2002-2	S7062-11014-043	
P2002R-88	E9000B22	P11R-M	S7062-11014-043	
P2002R-89	E9003B22	P11R-H	S7062-11014-043	
P2002R-91	E9010A22	P2007R-4	S7062-11014-043	
P2002R-92	F9011A22	SG318B-8	S7062-11014-043	
P2002R-95	E9001B22	P11R-L	S7062-11014-043	
P2002R-96	E9002B22	P11R-J	S7062-11014-043	
P2002R-97	F9014A22	SG318B-9	S7062-11014-043	
P2002R-98	F9015A22	SG318B-8	S7062-11014-043	
P2002R-100	E9011A22	P2007R-5	S7062-11014-043	
P2003R-1	F9056A22	P2001R-62	70602-01137-041	
P2003R-2	F9057A22	P2001R-75	70602-01137-041	
P2003R-3	F9058A22	P2001R-76	70602-01137-041	
P2003R-4	F9059A22	P2001R-53	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2003R-5	F9053A22	P2001R-66	70602-01137-041	
P2003R-6	F9052A22	P2001R-94	70602-01137-041	
P2003R-7	F9062A22	P2001R-56	70602-01137-041	
P2003R-8	F9061A22	P2001R-46	70602-01137-041	
P2003R-9	F9064A22	P2001R-96	70602-01137-041	
P2003R-10	F9063A22	P2001R-95	70602-01137-041	
P2003R-12	F9055A22	P2001R-88	70602-01137-041	
P2003R-13	F9054A22	P2001R-85	70602-01137-041	
P2003R-14	F9065A22	P2001R-32	70602-01137-041	
P2003R-16	F9050A22	P2001R-100	70602-01137-041	
P2003R-17	F9051A22	P2001R-98	70602-01137-041	
P2003R-18	F9060A22	P2001R-79	70602-01137-041	
P2004R-1	F9074A22	P2001R-41	70602-01137-041	
P2004R-2	F9075A22	P2001R-45	70602-01137-041	
P2004R-3	F9076A22	P2001R-44	70602-01137-041	
P2004R-4	F9077A22	P2001R-34	70602-01137-041	
P2004R-5	F9071A22	P2001R-54	70602-01137-041	
P2004R-6	F9070A22	P2001R-36	70602-01137-041	
P2004R-7	F9080A22	P2001R-67	70602-01137-041	
P2004R-8	F9079A22	P2001R-77	70602-01137-041	
P2004R-9	F9082A22	P2001R-86	70602-01137-041	
P2004R-10	F9081A22	P2001R-87	70602-01137-041	
P2004R-12	F9073A22	P2001R-47	70602-01137-041	
P2004R-13	F9072A22	P2001R-43	70602-01137-041	
P2004R-14	F9083A22	P2001R-42	70602-01137-041	
P2004R-16	F9068A22	P2001R-91	70602-01137-041	
P2004R-17	F9069A22	P2001R-90	70602-01137-041	
P2004R-18	F9078A22	P2001R-69	70602-01137-041	
P2005R-1	F9024A22	P2001R-70	70602-01137-041	
P2005R-3	F9033B22	SG2005-5	70602-01137-041	
P2005R-4	F9026A22	P2001R-63	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2005R-5	F9027A22	P2001R-11	70602-01137-041	
P2005R-6	F9028A22	P2001R-20	70602-01137-041	
P2005R-7	F9025A22	P2001R-5	70602-01137-041	
P2005R-8	F9029B22	SG2005-1	70602-01137-041	
P2005R-9	F9030B22	SG2005-2	70602-01137-041	
P2005R-10	F9034B22	SG2005-6	70602-01137-041	
P2005R-11	F9035B22	SG2005-7	70602-01137-041	
P2005R-12	F9031B22	SG2005-3	70602-01137-041	
P2005R-13	F9032B22	SG2005-4	70602-01137-041	
P2005R-14	F9036B22	SG2005-8	70602-01137-041	
P2005R-15	F9037B22	SG2005-9	70602-01137-041	
P2005R-16	F9038A22	P2001R-3	70602-01137-041	
P2005R-17	F9039A22	P2001R-30	70602-01137-041	
P2005R-18	F9040A22	P2001R-12	70602-01137-041	
P2005R-19	F9041A22	P2001R-4	70602-01137-041	
P2005R-20	F9042A22	P2001R-24	70602-01137-041	
P2005R-21	F9043A22	P2001R-29	70602-01137-041	
P2005R-22	F9044A22	P2001R-93	70602-01137-041	
P2005R-23	F9045A22	P2001R-92	70602-01137-041	
P2005R-24	F9046A22	P2001R-55	70602-01137-041	
P2005R-25	F9047A22	P2001R-52	70602-01137-041	
P2005R-26	F9048A22	P2001R-65	70602-01137-041	
P2005R-27	F9049A22	P2001R-64	70602-01137-041	
P2006R-1	M9002E22	P11R-F	S7062-11014-043	
P2006R-2	M9006A22N	GD2006-1	S7062-11014-043	
P2006R-4	E9008A22	P2002R-65	S7062-11014-043	
P2006R-5	E9009A22	P2002R-66	S7062-11014-043	
P2006R-6	M9007A22N	GD2006-2	S7062-11014-043	
P2007R-1	M9002H22	P11R-E	S7062-11014-043	
P2007R-2	M9008A22N	GD2006-1	S7062-11014-043	
P2007R-4	E9010A22	P2002R-91	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P2007R-5	E9011A22	P2002R-100	S7062-11014-043	
P2007R-6	M9009A22N	GD2006-2	S7062-11014-043	
P2008-C	P540A24	J115-G	S7052-11011-041	
P2008-D	P537C24	J219-S	S7052-11011-041	
P2008-E	P584B20N	GNDK7-1	S7052-11011-041	
P2008-F	P581B20N	GNDK7-1	S7052-11011-041	
P201-A	X67A24	P214-e	70552-02102-045	
P201-B	X68A24	P214-c	70552-02102-045	
P201-C	X63A24	P214-a	70552-02102-045	
P201-D	X65A24	P214-d	70552-02102-045	
P201-E	V78F24	P214-Y	70552-02102-045	
P201-F	X70A24	P214-Z	70552-02102-045	
P201-G	X69A24	P214-f	70552-02102-045	
P201-H	X3C24C	P214-K	70552-02102-045	
P201-J	X2C24B	P214-J	70552-02102-045	
P201-K	X1C24A	P214-H	70552-02102-045	
P201-L	X24B24	P214-N	70552-02102-045	
P201-M	X23B24	P214-M	70552-02102-045	
P201-N	X22B24	P214-L	70552-02102-045	
P201-P	X82J24	P214-F	70552-02102-045	
P201-R	X19B24	SG214-3	70552-02102-045	
P201-S	X20B24	SG214-2	70552-02102-045	
P201-T	X21B24	SG214-1	70552-02102-045	
P201-U	X14C24C	P213-3	70552-02102-045	
P201-V	X13C24B	P213-2	70552-02102-045	
P201-W	X12C24A	P213-1	70552-02102-045	
P201-X	X46A24	P213-5	70552-02102-045	
P201-Y	X47A24	P213-6	70552-02102-045	
P201-Z	X130A24	P250-6	70552-02102-045	
P201R-A	STORM134-A22	P301R-30	S7062-11012-041	
P201R-B	STORM131-A22	P301R-45	S7062-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P201R-C	STORM132-A22	P301R-24	S7062-11012-041	
P201R-D	STORM133-A22	P301R-14	S7062-11012-041	
P201R-E	STORM129-A22	P301R-15	S7062-11012-041	
P201R-F	STORM130-A22	P301R-48	S7062-11012-041	
P201R-G	STORM145-A22	P301R-33	S7062-11012-041	
P201R-H	STORM126-A22	P301R-17	S7062-11012-041	
P201R-J	STORM135-A22	P301R-47	S7062-11012-041	
P201R-L	STORM128-A22	P301R-50	S7062-11012-041	
P201R-M	STORM127-A22	P301R-49	S7062-11012-041	
P201R-V	STORM139-A22N	GD201-1	S7062-11012-041	
P201R-1	ARC222-CX118	P344R-1	S7060-11001-051	
P202-A	X34B24	SGJ311-3	S7052-12005-041	
P202-B	X35B24	P216-L	S7052-12005-041	
P202-C	X36B24	SGJ311-2	S7052-12005-041	
P202-D	X37B24	P216-M	S7052-12005-041	
P202-E	X38B24	SGJ311-1	S7052-12005-041	
P202-F	X39B24	P216-N	S7052-12005-041	
P202-G	X10C24C	P216-K	S7052-12005-041	
P202-H	X9C24B	P216-J	S7052-12005-041	
P202-J	X8C24A	P216-H	S7052-12005-041	
P202-K	X142B24	P210-C	S7052-12005-041	
P202-L	X58D24	P216-e	S7052-12005-041	
P202-M	X57D24	P216-c	S7052-12005-041	
P202-N	X56E24	P216-a	S7052-12005-041	
P202-P	W3416A20	P244-j	S7052-12005-041	
P202-R	W3417A20	P244-h	S7052-12005-041	
P202-S	W3400B20	P244-Z	S7052-12005-041	
P202-T	W3391F20	SG200-2	S7052-12005-041	
P202-U	W3398B20	P210-B	S7052-12005-041	
P203-A	H6422E20	J906-Z	S7052-12006-041	
P203-C	H6423D20	SGP203-3	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P203-D	W3397E20	SG203-1	S7052-12006-041	
P203-E	P545D24	SGP203-1	S7052-12006-041	
P203-F	P550B24	P110-H	S7052-12006-041	
P203-G	P548E24	P217-F	S7052-12006-041	
P203-H	P562C24	P217-G	S7052-12006-041	
P203-J	P544C24	P217-C	S7052-12006-041	
P203-K	P538B24	P230-e	S7052-12006-041	
P203-L	X82G24	SG203-2	S7052-12006-041	
P203-M	V125C24	P217-R	S7052-12006-041	
P203-N	JMPRP203-N-20	SAP203-3	S7052-12006-041	
P203-P	X76C24	P217-T	S7052-12006-041	
P203-R	H6452B20	J906-Y	S7052-12006-041	
P203-S	X60B24	P241-P	S7052-12006-041	
P203-T	JMPRP203-T-20	SAP203-2	S7052-12006-041	
P203-U	V51C24	P219-c	S7052-12006-041	
P203-V	X53B24	SG230-5	S7052-12006-041	
P203-W	JMPRP203-W-20	SAP203-1	S7052-12006-041	
P203-X	X69E24	P110-k	S7052-12006-041	
P203-Y	V78B24	SG236-1	S7052-12006-041	
P203-Z	X58B24	P230-b	S7052-12006-041	
P203-a	X57B24	P230-a	S7052-12006-041	
P203-b	X56C24	P230-t	S7052-12006-041	
P203-c	X46C24	P230-q	S7052-12006-041	
P203-d	X47C24	P230-p	S7052-12006-041	
P203-e	X63D24	P266-f	S7052-12006-041	
P203-f	X68C24	P266-j	S7052-12006-041	
P203-g	X67C24	P266-i	S7052-12006-041	
P203-h	X65C24	P266-g	S7052-12006-041	
P203-j	X130C24	P110-DD	S7052-12006-041	
P204-A	X69C24	SG26-2	70552-02100-045	
P204-B	X70B24	J201-F	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P204-E	W3391H20	SG26-8	70552-02100-045	
P204-F	W3397G20	SG26-9	70552-02100-045	
P204-G	X142C24	J202-K	70552-02100-045	
P204-H	V51D24	J203-U	70552-02100-045	
P204-J	V125D24	J203-M	70552-02100-045	
P204-K	H6452A20	J203-R	70552-02100-045	
P204-L	X76D24	J203-P	70552-02100-045	
P204-M	X60A24	J203-S	70552-02100-045	
P204-N	X62B24N	SG26-3	70552-02100-045	
P204-P	X66C24	J203-W	70552-02100-045	
P204-R	X62A24N	SG26-3	70552-02100-045	
P204R-C	3C11746-60D20	SGP220-2	S7062-12001-041	
P204R-D	4C11746-503A20N	GND204-1	S7062-12001-041	
P204R-H	JMPRP204R-H-24	SGP204-3	S7062-12001-041	
P204R-J	L9099D22	TJ115A-P	S7062-12001-041	
P204R-L	4C11746-58A24	P114R-33	S7062-12001-041	
P204R-M	4C11746-59A24	P114R-34	S7062-12001-041	
P204R-N	4C11746-1A24	P114R-9	S7062-12001-041	
P204R-P	4C11746-2A24	P114R-10	S7062-12001-041	
P204R-S	4C11746-3A24	P114R-5	S7062-12001-041	
P204R-T	4C11746-4A24	P114R-6	S7062-12001-041	
P204R-U	L9098D22	GD115A-4	S7062-12001-041	
P204R-V	4C11746-5A24	P114R-2	S7062-12001-041	
P204R-W	4C11746-6A24	P114R-20	S7062-12001-041	
P204R-b	4C11746-19A24	J203R-J	S7062-12001-041	
P204R-c	JMPRP204R-c-24	SGP204-1	S7062-12001-041	
P204R-d	4C11746-17A24	J211R-J	S7062-12001-041	
P204R-e	JMPRP204R-e-24	SGP204-3	S7062-12001-041	
P204R-f	4C11746-11A24	P114R-11	S7062-12001-041	
P204R-g	4C11746-12A24	P114R-7	S7062-12001-041	
P204R-h	4C11746-13A24	P114R-3	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P204R-k	4C11746-7A24	P114R-17	S7062-12001-041	
P204R-p	4C11746-9A24	P114R-13	S7062-12001-041	
P204R-q	4C11746-10A24	P114R-14	S7062-12001-041	
P204R-r	4C11746-14A24	P114R-18	S7062-12001-041	
P204R-s	4C11746-8A24	P114R-29	S7062-12001-041	
P204R-t	4C11746-15A24	P114R-15	S7062-12001-041	
P205-E	H6427A20	P206-L	70552-02100-045	
P205-F	H6422F20	J203-A	70552-02100-045	
P205-G	W3398C20	J202-U	70552-02100-045	
P205-H	X80E24	SG26-11	70552-02100-045	
P205-K	X55B24	SG26-5	70552-02100-045	
P205-L	X52A24	P206-C	70552-02100-045	
P205-N	X71B24N	SG26-4	70552-02100-045	
P205-P	X55A24	SG26-5	70552-02100-045	
P205-R	X71A24N	SG26-4	70552-02100-045	
P205R-A	4C11746-30A24	P126R-12	S7062-12001-041	
P205R-B	4C11746-31A24	P126R-26	S7062-12001-041	
P205R-C	4C11746-505A24N	GND205-1	S7062-12001-041	
P205R-D	4C11746-56A24	P126R-7	S7062-12001-041	
P205R-E	4C11746-57A24	P126R-23	S7062-12001-041	
P205R-P	4C11746-29A24	P126R-25	S7062-12001-041	
P205R-R	4C11746-26A24	P126R-9	S7062-12001-041	
P205R-S	4C11746-27A24	P126R-24	S7062-12001-041	
P205R-U	4C11746-34A24	P126R-17	S7062-12001-041	
P205R-V	4C11746-32A24	P126R-14	S7062-12001-041	
P205R-W	4C11746-33A24	P126R-15	S7062-12001-041	
P205R-X	4C11746-36A24	P126R-4	S7062-12001-041	
P205R-Y	4C11746-37A24	P126R-5	S7062-12001-041	
P205R-g	4C11746-28A24	P126R-10	S7062-12001-041	
P205R-h	4C11746-99A24N	GND205-2	S7062-12001-041	
P205R-j	4C11746-35A24	P126R-29	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P205R-k	4C11746-38A24	P126R-1	S7062-12001-041	
P205R-m	4C11746-39A24	P126R-2	S7062-12001-041	
P206-B	X53A24	J203-V	70552-02100-045	
P206-C	X52A24	P205-L	70552-02100-045	
P206-E	W3391J20	SG26-8	70552-02100-045	
P206-F	W3397H20	SG26-9	70552-02100-045	
P206-G	W3416B20	J202-P	70552-02100-045	
P206-H	W3400A20	J202-S	70552-02100-045	
P206-J	W3417B20	J202-R	70552-02100-045	
P206-L	H6427A20	P205-E	70552-02100-045	
P206-M	H6423M20	SG26-10	70552-02100-045	
P206-N	X61B24N	SG26-1	70552-02100-045	
P206-P	X80DD24	SG26-11	70552-02100-045	
P206-R	X61A24N	SG26-1	70552-02100-045	
P207-1	L1003A22	TJ5VA-K	S7052-12001-042	
P207-2	L1002A22N	GDP207-2	S7052-12001-042	
P207-4	M800A22	P341-10	S7052-12001-042	
P207-5	M611A22	P298-P	S7052-12001-042	
P207-8	M612A22N	GDP207-1	S7052-12001-042	
P207-10	M603C22	SGP170-3	S7052-12001-042	
P207-12	L1001A22	P199-E	S7052-12001-042	
P207-13	M608A22	P341-2	S7052-12001-042	
P207R-C	3C11746-60C20	SGP220-2	S7062-12001-041	
P207R-D	3C11746-504A20N	GND207-2	S7062-12001-041	
P207R-H	JMPRP207R-H-24	SGP207-2	S7062-12001-041	
P207R-J	L9099E22	TJ115A-R	S7062-12001-041	
P207R-L	5C11746-59A24	J201R-E	S7062-12001-041	
P207R-M	5C11746-58A24	J201R-D	S7062-12001-041	
P207R-N	5C11746-1A24	P109R-17	S7062-12001-041	
P207R-P	5C11746-2A24	P109R-29	S7062-12001-041	
P207R-S	5C11746-3A24	P109R-13	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P207R-T	5C11746-4A24	P109R-14	S7062-12001-041	
P207R-U	L9098E22	GD115A-5	S7062-12001-041	
P207R-V	5C11746-5A24	P109R-9	S7062-12001-041	
P207R-W	5C11746-6A24	P109R-10	S7062-12001-041	
P207R-b	5C11746-16A24	P226-W	S7062-12001-041	
P207R-c	JMPRP207R-c-24	SGP207-1	S7062-12001-041	
P207R-d	5C11746-17A24	J201R-J	S7062-12001-041	
P207R-e	JMPRP207R-e-24	SGP207-2	S7062-12001-041	
P207R-f	5C11746-11A24	P109R-18	S7062-12001-041	
P207R-g	5C11746-12A24	P109R-15	S7062-12001-041	
P207R-h	5C11746-13A24	P109R-11	S7062-12001-041	
P207R-k	5C11746-7A24	P109R-2	S7062-12001-041	
P207R-p	5C11746-9A24	P109R-5	S7062-12001-041	
P207R-q	5C11746-10A24	P109R-6	S7062-12001-041	
P207R-r	5C11746-14A24	P109R-3	S7062-12001-041	
P207R-s	5C11746-8A24	P109R-20	S7062-12001-041	
P207R-t	5C11746-15A24	P109R-7	S7062-12001-041	
P208R-A	5C11746-30A24	P104R-47	S7062-12001-041	
P208R-B	5C11746-31A24	P104R-48	S7062-12001-041	
P208R-D	5C11746-56A24	J201R-A	S7062-12001-041	
P208R-E	5C11746-57A24	J201R-B	S7062-12001-041	
P208R-F	5C11746-79A24	P104R-45	S7062-12001-041	
P208R-G	5C11746-80A24	P104R-46	S7062-12001-041	
P208R-H	5C11746-63A24	P104R-39	S7062-12001-041	
P208R-J	5C11746-64A24	P104R-36	S7062-12001-041	
P208R-K	5C11746-65A24	P104R-37	S7062-12001-041	
P208R-N	5C11746-66A24	P104R-30	S7062-12001-041	
P208R-P	5C11746-29A24	P104R-9	S7062-12001-041	
P208R-R	5C11746-26A24	P104R-23	S7062-12001-041	
P208R-S	5C11746-27A24	P104R-24	S7062-12001-041	
P208R-U	5C11746-34A24	P104R-17	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P208R-V	5C11746-32A24	P104R-32	S7062-12001-041	
P208R-W	5C11746-33A24	P104R-33	S7062-12001-041	
P208R-X	5C11746-36A24	P104R-4	S7062-12001-041	
P208R-Y	5C11746-37A24	P104R-12	S7062-12001-041	
P208R-a	5C11746-60A24	P104R-21	S7062-12001-041	
P208R-b	5C11746-61A24	P104R-22	S7062-12001-041	
P208R-c	5C11746-62A24	P104R-38	S7062-12001-041	
P208R-d	5C11746-98A24	P104R-51	S7062-12001-041	
P208R-e	5C11746-99A24	P104R-52	S7062-12001-041	
P208R-f	5C11746-67A24	P104R-31	S7062-12001-041	
P208R-g	5C11746-28A24	P104R-8	S7062-12001-041	
P208R-h	5C11746-81A24N	GND208-1	S7062-12001-041	
P208R-j	5C11746-35A24	P104R-18	S7062-12001-041	
P208R-k	5C11746-38A24	P104R-1	S7062-12001-041	
P208R-m	5C11746-39A24	P104R-2	S7062-12001-041	
P209-A	X83B24	SG215-3	70552-02103-045	
P209-B	X84B24	P215-L	70552-02103-045	
P209-C	X85B24	SG215-2	70552-02103-045	
P209-D	X86B24	P215-M	70552-02103-045	
P209-E	X87B24	SG215-1	70552-02103-045	
P209-F	X88B24	P215-N	70552-02103-045	
P209-G	X101C24A	P215-H	70552-02103-045	
P209-H	X102C24B	P215-J	70552-02103-045	
P209-J	X103C24C	P215-K	70552-02103-045	
P209-K	X95F24	P215-f	70552-02103-045	
P209-L	X96B24	P215-Z	70552-02103-045	
P209-M	V97F24	P215-Y	70552-02103-045	
P209-N	V98D24	P215-d	70552-02103-045	
P209-P	V99E24	P215-a	70552-02103-045	
P209-R	X105A24	P215-c	70552-02103-045	
P209-S	V106A24	P215-e	70552-02103-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P209-T	X82E24	P215-F	70552-02103-045	
P209-U	X131A24	P251-6	70552-02103-045	
P209R-2	JMPRP209R-2-24	SG209R-2	S7062-11014-043	
P209R-5	JMPRP209R-5-24	SG209R-2	S7062-11014-043	
P209R-6	JMPRP205R-6-24	SG209R-2	S7062-11014-043	
P209R-7	JMPRP209R-724	SG209R-2	S7062-11014-043	
P209R-32	DTRO1C24	SG209R-1	S7062-11014-043	
P209R-33	DTR01D24	SG209R-1	S7062-11014-043	
P209R-38	CDU-052A22	P140R-22	S7062-11014-043	
P209R-40	DTR02A24N	GD209R-1	S7062-11014-043	
P209R-41	DTR03A24N	GD209R-1	S7062-11014-043	
P209R-43	JMPRP209R-43-24	P209R-52	S7062-11014-043	
P209R-47	DTR04A24N	GD209R-2	S7062-11014-043	
P209R-48	DTR05A24N	GD209R-2	S7062-11014-043	
P209R-52	JMPRP209R-43-24	P209R-43	S7062-11014-043	
P21R-D	E9007B22	P2002R-62	S7062-11014-043	
P21R-E	*ASN128-13C	-	S7062-11006-041	
P21R-F	APR39-28C22	P690R-12	S7062-11014-043	
P21R-G	1F3850C24	P691R-B	S7062-11014-043	
P21R-H	ASN128-13C20	SGP696-1	S7062-11006-041	
P21R-J	ARN149-11A20	P195R-D	S7062-11010-041	
P21R-K	2ARC201-03A20	P1100R-D	S7062-11003-041	
P21R-M	2C11746-60C20	SGP175-3	S7062-11007-041	
P21R-N	APX100-049C22	SGR664-1	S7062-11014-043	
P21R-P	XM130-1C20	P669R-H	S7062-11014-043	
P21R-R	1ARC201-29C20	SG307R-1	S7062-11002-041	
P210-A	W3415B20	J908-J	S7052-12005-041	
P210-B	W3398B20	P202-U	S7052-12005-041	
P210-C	X142B24	P202-K	S7052-12005-041	
P210-D	W3414B20	P249-F	S7052-12005-041	
P210-E	P517G24	J217-B	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P210-F	P544B24	J217-C	S7052-12005-041	
P210-G	P543B24	P111-H	S7052-12005-041	
P210-H	P545B24	J217-D	S7052-12005-041	
P210-J	P547C24	J217-E	S7052-12005-041	
P210-K	P548D24	J217-F	S7052-12005-041	
P210-L	X82C24	J217-U	S7052-12005-041	
P210-M	X18C24	J217-W	S7052-12005-041	
P210-N	X64B24	J217-V	S7052-12005-041	
P210-P	X130B24	P244-L	S7052-12005-041	
P210-R	X95C24	P111-Y	S7052-12005-041	
P210-S	V125B24	J217-R	S7052-12005-041	
P210-T	X80B24	J217-S	S7052-12005-041	
P210-U	X76B24	J217-T	S7052-12005-041	
P210-V	JMPRP210-V-20	SAP210-1	S7052-12005-041	
P210-W	V97B24	SG237-1	S7052-12005-041	
P210-X	V98B24	P231-e	S7052-12005-041	
P210-Y	V99C24	P231-d	S7052-12005-041	
P210-Z	X105C24	P231-h	S7052-12005-041	
P210-a	V106C24	P231-g	S7052-12005-041	
P210-b	X131C24	P111-r	S7052-12005-041	
P210-c	W3391C20	SG200-2	S7052-12005-041	
P210-d	JMPRP210-1-20	SG210-2	S7052-12005-041	
P210-e	W3418A20	P244-A	S7052-12005-041	
P210-f	W3397C20	J217-i	S7052-12005-041	
P210-g	W3399BB20	SA1000-1	S7052-12005-041	
P210-h	M3435B20	P914-AA	S7052-12005-041	
P210-j	M3434B20	J229-A	S7052-12005-041	
P210R-A	JMPRP210R-A-14	SGP210-1	S7062-11013-042	
P210R-B	FLIR-04A14	GND210-1	S7062-11013-042	
P210R-C	JMPRP210R-C-14	SGP210-1	S7062-11013-042	
P210R-D	FLIR-05A14	GND210-1	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P210R-E	JMPRP210R-E-14	SGP210-2	S7062-11013-042	
P210R-F	FLIR-06A14	GND210-1	S7062-11013-042	
P212-A	X95A24	SG27-3	70552-02101-043	
P212-B	X96A24	J209-L	70552-02101-043	
P212-E	W3391D20	J210-c	70552-02101-043	
P212-F	W3397A20	J210-f	70552-02101-043	
P212-G	X142A24	J210-C	70552-02101-043	
P212-H	W3415A20	J210-A	70552-02101-043	
P212-J	V125A24	J210-S	70552-02101-043	
P212-K	X130A24	J210-P	70552-02101-043	
P212-L	X76A24	J210-U	70552-02101-043	
P212-M	X80A24	J210-T	70552-02101-043	
P212-N	V108B24N	SG27-2	70552-02101-043	
P212-P	V107C24	J210-V	70552-02101-043	
P212-R	V108A24N	SG27-2	70552-02101-043	
P212R-R	FLIR-TX112	P1016R-B	S7062-11013-042	
P213-1	X12C24A	P201-W	70552-02102-045	
P213-2	X13C24B	P201-V	70552-02102-045	
P213-3	X14C24C	P201-U	70552-02102-045	
P213-4	X50A20N	GG4-3	70552-02102-045	
P213-5	X46A24	P201-X	70552-02102-045	
P213-6	X47A24	P201-Y	70552-02102-045	
P213R-R	FLIR-TX212	P1015R-B	S7062-11013-042	
P214-A	X25A24	P250-1	70552-02102-045	
P214-B	X26A24	P250-2	70552-02102-045	
P214-C	X27A24	P250-3	70552-02102-045	
P214-D	X28A20	P250-4	70552-02102-045	
P214-E	X29A20	P250-5	70552-02102-045	
P214-F	X82J24	P201-P	70552-02102-045	
P214-G	X30B24N	GG4-3	70552-02102-045	
P214-H	X1C24A	P201-K	70552-02102-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P214-J	X2C24B	P201-J	70552-02102-045	
P214-K	X3C24C	P201-H	70552-02102-045	
P214-L	X22B24	P201-N	70552-02102-045	
P214-M	X23B24	P201-M	70552-02102-045	
P214-N	X24B24	P201-L	70552-02102-045	
P214-P	X19D24	SG214-3	70552-02102-045	
P214-R	X20D24	SG214-2	70552-02102-045	
P214-S	X21D24	SG214-1	70552-02102-045	
P214-T	X30A24N	GG4-3	70552-02102-045	
P214-X	X73A24	P277-1	70552-02102-045	
P214-Y	V78F24	P201-E	70552-02102-045	
P214-Z	X70A24	P201-F	70552-02102-045	
P214-a	X63A24	P201-C	70552-02102-045	
P214-c	X68A24	P201-B	70552-02102-045	
P214-d	X65A24	P201-D	70552-02102-045	
P214-e	X67A24	P201-A	70552-02102-045	
P214-f	X69A24	P201-G	70552-02102-045	
P214R-1	FLIR-07A22	P215R-1	S7062-11013-042	
P214R-2	FLIR-09A22	P215R-2	S7062-11013-042	
P214R-3	FLIR-10A22	P215R-3	S7062-11013-042	
P214R-4	FLIR-11A22	P215R-4	S7062-11013-042	
P214R-5	FLIR-12A22	P215R-5	S7062-11013-042	
P214R-6	FLIR-13A22	P215R-6	S7062-11013-042	
P214R-7	FLIR-14A22	P215R-7	S7062-11013-042	
P214R-8	FLIR-15A22	P215R-8	S7062-11013-042	
P214R-9	FLIR-16A22	TJ5VB-G	S7062-11013-042	
P214R-10	FLIR-17A22N	GND214-1	S7062-11013-042	
P214R-11	FLIR-08A22	P215R-11	S7062-11013-042	
P214R-12	FLIR-18A22	P215R-12	S7062-11013-042	
P214R-13	FLIR-19A22	P215R-13	S7062-11013-042	
P215-A	X89A24	P251-1	70552-02103-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P215-B	X90A24	P251-2	70552-02103-045	
P215-C	X91A24	P251-3	70552-02103-045	
P215-D	X92A20	P251-4	70552-02103-045	
P215-E	X93A20	P251-5	70552-02103-045	
P215-F	X82E24	P209-T	70552-02103-045	
P215-G	X100B24N	GG5-3	70552-02103-045	
P215-H	X101C24A	P209-G	70552-02103-045	
P215-J	X102C24B	P209-H	70552-02103-045	
P215-K	X103C24C	P209-J	70552-02103-045	
P215-L	X84B24	P209-B	70552-02103-045	
P215-M	X86B24	P209-D	70552-02103-045	
P215-N	X88B24	P209-F	70552-02103-045	
P215-P	X83D24	SG215-3	70552-02103-045	
P215-R	X85D24	SG215-2	70552-02103-045	
P215-S	X87D24	SG215-1	70552-02103-045	
P215-T	X100A24N	GG5-2	70552-02103-045	
P215-X	X94A24	P278-1	70552-02103-045	
P215-Y	V97F24	P209-M	70552-02103-045	
P215-Z	X96B24	P209-L	70552-02103-045	
P215-a	V99E24	P209-P	70552-02103-045	
P215-c	X105A24	P209-R	70552-02103-045	
P215-d	V98D24	P209-N	70552-02103-045	
P215-e	V106A24	P209-S	70552-02103-045	
P215-f	X95F24	P209-K	70552-02103-045	
P215R-1	FLIR-07A22	P214R-1	S7062-11013-042	
P215R-2	FLIR-09A22	P214R-2	S7062-11013-042	
P215R-3	FLIR-10A22	P214R-3	S7062-11013-042	
P215R-4	FLIR-11A22	P214R-4	S7062-11013-042	
P215R-5	FLIR-12A22	P214R-5	S7062-11013-042	
P215R-6	FLIR-13A22	P214R-6	S7062-11013-042	
P215R-7	FLIR-14A22	P214R-7	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P215R-8	FLIR-15A22	P214R-8	S7062-11013-042	
P215R-11	FLIR-08A22	P214R-11	S7062-11013-042	
P215R-12	FLIR-18A22	P214R-12	S7062-11013-042	
P215R-13	FLIR-19A22	P214R-13	S7062-11013-042	
P216-A	X42A24	J311-W	S7052-12005-041	
P216-B	X43A24	J311-V	S7052-12005-041	
P216-C	X44A24	J311-U	S7052-12005-041	
P216-D	X40A20	J311-Y	S7052-12005-041	
P216-E	X41A20	J311-X	S7052-12005-041	
P216-G	X45A24N	GG5-4	S7052-12005-041	
P216-H	X8C24A	P202-J	S7052-12005-041	
P216-J	X9C24B	P202-H	S7052-12005-041	
P216-K	X10C24C	P202-G	S7052-12005-041	
P216-L	X35B24	P202-B	S7052-12005-041	
P216-M	X37B24	P202-D	S7052-12005-041	
P216-N	X39B24	P202-F	S7052-12005-041	
P216-P	X34C24	SGJ311-3	S7052-12005-041	
P216-R	X36C24	SGJ311-2	S7052-12005-041	
P216-S	X38C24	SGJ311-1	S7052-12005-041	
P216-X	X127A24	J311-T	S7052-12005-041	
P216-a	X56E24	P202-N	S7052-12005-041	
P216-c	X57D24	P202-M	S7052-12005-041	
P216-e	X58D24	P202-L	S7052-12005-041	
P216R-1	FLIR-42A22	P217R-1	S7062-11013-042	
P216R-2	FLIR-43A22	P217R-2	S7062-11013-042	
P216R-3	FLIR-44A22	P217R-3	S7062-11013-042	
P216R-4	FLIR-45A22	P217R-4	S7062-11013-042	
P216R-5	FLIR-46A22	P217R-5	S7062-11013-042	
P216R-6	FLIR-47A22	P217R-6	S7062-11013-042	
P216R-7	FLIR-48A22	P217R-7	S7062-11013-042	
P216R-8	FLIR-CX122	P217R-8	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P216R-9	FLIR-49A22	P217R-9	S7062-11013-042	
P216R-10	FLIR-CX622	P217R-10	S7062-11013-042	
P216R-11	*FLIR-CX6	-	S7062-11013-042	
P216R-12	FLIR-52A22	P217R-12	S7062-11013-042	
P216R-13	FLIR-53A22	P217R-13	S7062-11013-042	
P216R-14	FLIR-54A22	P217R-14	S7062-11013-042	
P216R-15	FLIR-55A22	P217R-15	S7062-11013-042	
P216R-16	*FLIR-CX1	-	S7062-11013-042	
P216R-17	FLIR-57A22	P217R-17	S7062-11013-042	
P216R-18	FLIR-58A22	P217R-18	S7062-11013-042	
P216R-19	FLIR-CX722	P217R-19	S7062-11013-042	
P216R-20	FLIR-60A22	P217R-20	S7062-11013-042	
P216R-21	FLIR-61A22	P217R-21	S7062-11013-042	
P216R-22	FLIR-62A22	P217R-22	S7062-11013-042	
P216R-23	FLIR-63A22	P217R-23	S7062-11013-042	
P216R-24	FLIR-64A22	P217R-24	S7062-11013-042	
P216R-25	*FLIR-CX2	-	S7062-11013-042	
P216R-26	*FLIR-CX1	-	S7062-11013-042	
P216R-27	FLIR-65A22	P217R-27	S7062-11013-042	
P216R-28	*FLIR-CX7	-	S7062-11013-042	
P216R-29	FLIR-68A22	P217R-29	S7062-11013-042	
P216R-30	FLIR-69A22	P217R-30	S7062-11013-042	
P216R-31	FLIR-70A22	P217R-31	S7062-11013-042	
P216R-32	FLIR-71A22	P217R-32	S7062-11013-042	
P216R-33	FLIR-72A22	P217R-33	S7062-11013-042	
P216R-34	FLIR-73A22	P217R-34	S7062-11013-042	
P216R-35	FLIR-CX222	P217R-35	S7062-11013-042	
P216R-36	*FLIR-CX2	-	S7062-11013-042	
P216R-37	FLIR-74A22	P217R-37	S7062-11013-042	
P216R-38	FLIR-CX822	P217R-38	S7062-11013-042	
P216R-39	*FLIR-CX8	-	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P216R-40	FLIR-77A22	P217R-40	S7062-11013-042	
P216R-41	FLIR-78A22	P217R-41	S7062-11013-042	
P216R-42	FLIR-79A22	P217R-42	S7062-11013-042	
P216R-43	FLIR-29A22	P217R-43	S7062-11013-042	
P216R-44	FLIR-28A22	P217R-44	S7062-11013-042	
P216R-45	FLIR-30A22	P217R-45	S7062-11013-042	
P216R-46	*FLIR-CX8	-	S7062-11013-042	
P216R-47	FLIR-80A22	P217R-47	S7062-11013-042	
P216R-48	FLIR-81A22	P217R-48	S7062-11013-042	
P216R-49	FLIR-82A22	P217R-49	S7062-11013-042	
P216R-50	FLIR-83A22	P217R-50	S7062-11013-042	
P216R-51	FLIR-84A22	P217R-51	S7062-11013-042	
P216R-52	FLIR-85A22	P217R-52	S7062-11013-042	
P216R-53	FLIR-86A22	P217R-53	S7062-11013-042	
P216R-54	*CBL008 (P216R/P217R)	-	S7062-11013-042	
P216R-55	FLIR-31A22	P217R-55	S7062-11013-042	
P216R-56	FLIR-CX322	P217R-56	S7062-11013-042	
P216R-57	*FLIR-CX3	-	S7062-11013-042	
P216R-58	FLIR-87A22	P217R-58	S7062-11013-042	
P216R-59	FLIR-88A22	P217R-59	S7062-11013-042	
P216R-60	FLIR-89A22	P217R-60	S7062-11013-042	
P216R-61	FLIR-90A22	P217R-61	S7062-11013-042	
P216R-62	FLIR-91A22	P217R-62	S7062-11013-042	
P216R-63	FLIR-92A22	P217R-63	S7062-11013-042	
P216R-64	FLIR-93A22	P217R-64	S7062-11013-042	
P216R-65	FLIR-32A22	P217R-65	S7062-11013-042	
P216R-66	*CBL009 (P216R/P217R)	-	S7062-11013-042	
P216R-67	*FLIR-CX3	-	S7062-11013-042	
P216R-68	*FLIR-CX4	-	S7062-11013-042	
P216R-69	FLIR-94A22	P217R-69	S7062-11013-042	
P216R-70	FLIR-95A22	P217R-70	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P216R-71	FLIR-96A22	P217R-71	S7062-11013-042	
P216R-72	FLIR-97A22	P217R-72	S7062-11013-042	
P216R-73	FLIR-98A22	P217R-73	S7062-11013-042	
P216R-74	FLIR-99A22	P217R-74	S7062-11013-042	
P216R-75	FLIR-33A22	P217R-75	S7062-11013-042	
P216R-76	*CBL010 (P216R/P217R)	-	S7062-11013-042	
P216R-77	*FLIR-CX4	-	S7062-11013-042	
P216R-78	FLIR-CX422	P217R-78	S7062-11013-042	
P216R-79	FLIR-100A22	P217R-79	S7062-11013-042	
P216R-80	FLIR-101A22	P217R-80	S7062-11013-042	
P216R-81	FLIR-102A22	P217R-81	S7062-11013-042	
P216R-82	*CBL013 (P216R/P217R)	-	S7062-11013-042	
P216R-83	*CBL012 (P216R/P217R)	-	S7062-11013-042	
P216R-84	*CBL011 (P216R/P217R)	-	S7062-11013-042	
P216R-85	FLIR-34A22	P217R-85	S7062-11013-042	
P216R-87	FLIR-103A22	P217R-87	S7062-11013-042	
P216R-88	FLIR-104A22	P217R-88	S7062-11013-042	
P216R-89	FLIR-105A22	P217R-89	S7062-11013-042	
P216R-90	*FLIR-CX5	-	S7062-11013-042	
P216R-91	FLIR-39A22	P217R-91	S7062-11013-042	
P216R-92	FLIR-36A22	P217R-92	S7062-11013-042	
P216R-93	FLIR-35A22	P217R-93	S7062-11013-042	
P216R-94	FLIR-106A22	P217R-94	S7062-11013-042	
P216R-95	FLIR-107A22	P217R-95	S7062-11013-042	
P216R-96	FLIR-108A22	P217R-96	S7062-11013-042	
P216R-97	*FLIR-CX5	-	S7062-11013-042	
P216R-98	FLIR-CX522	P217R-98	S7062-11013-042	
P216R-99	FLIR-38A22	P217R-99	S7062-11013-042	
P216R-100	FLIR-37A22	P217R-100	S7062-11013-042	
P217-A	K3010B24	SG241-5	S7052-12006-041	
P217-B	P517F24	SG230-3	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P217-C	P544C24	P203-J	S7052-12006-041	
P217-D	P545C24	SGP203-1	S7052-12006-041	
P217-E	P547B24	P266-G	S7052-12006-041	
P217-F	P548E24	P203-G	S7052-12006-041	
P217-G	P562C24	P203-H	S7052-12006-041	
P217-H	D5878C24	P905-H	S7052-12006-041	
P217-J	E2047E24	J224-e	S7052-12006-041	
P217-K	E2048B24	J224-f	S7052-12006-041	
P217-L	E2049B24	J224-g	S7052-12006-041	
P217-M	E2050B24	J224-h	S7052-12006-041	
P217-N	*E2050B	-	S7052-12006-041	
P217-P	M468C24	J310-c	S7052-12006-041	
P217-R	V125C24	P203-M	S7052-12006-041	
P217-S	X80C24	SAP203-3	S7052-12006-041	
P217-T	X76C24	P203-P	S7052-12006-041	
P217-U	X82BB24	SG203-2	S7052-12006-041	
P217-V	X64C24	P236-N	S7052-12006-041	
P217-W	X18B24	P236-P	S7052-12006-041	
P217-X	X112C20V	P236-J	S7052-12006-041	
P217-Y	K3007G24	SG106-4	S7052-12006-041	
P217-Z	X4004C18A	P276-A	S7052-12006-041	
P217-a	X4005C18B	P276-B	S7052-12006-041	
P217-b	W3101A24	P243-E	S7052-12006-041	
P217-c	X4006C18C	P276-C	S7052-12006-041	
P217-d	W3080L24	SG287-1	S7052-12006-041	
P217-e	P4008C20	SG258-1	S7052-12006-041	
P217-f	K3019B24	J220-a	S7052-12006-041	
P217-g	L4529D20	SG246-2	S7052-12006-041	
P217-h	K3020B24	J220-b	S7052-12006-041	
P217-i	W3397D20	SG203-1	S7052-12006-041	
P217-j	*CBL24 (J220/P217)	-	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P217-k	D5882C20	SG905-3	S7052-12006-041	
P217-m	D5883C20	SG905-4	S7052-12006-041	
P217-n	D5879B20	SG905-1	S7052-12006-041	
P217-p	D5880B20	SG905-2	S7052-12006-041	
P217-q	Q3204F20	J310-Z	S7052-12006-041	
P217-r	H4314B20A	P266-n	S7052-12006-041	
P217-s	H4315B20B	P266-p	S7052-12006-041	
P217-t	H4316B20C	P266-q	S7052-12006-041	
P217R-1	FLIR-42A22	P216R-1	S7062-11013-042	
P217R-2	FLIR-43A22	P216R-2	S7062-11013-042	
P217R-3	FLIR-44A22	P216R-3	S7062-11013-042	
P217R-4	FLIR-45A22	P216R-4	S7062-11013-042	
P217R-5	FLIR-46A22	P216R-5	S7062-11013-042	
P217R-6	FLIR-47A22	P216R-6	S7062-11013-042	
P217R-7	FLIR-48A22	P216R-7	S7062-11013-042	
P217R-8	FLIR-CX122	P216R-8	S7062-11013-042	
P217R-9	FLIR-49A22	P216R-9	S7062-11013-042	
P217R-10	FLIR-CX622	P216R-10	S7062-11013-042	
P217R-11	*FLIR-CX6	-	S7062-11013-042	
P217R-12	FLIR-52A22	P216R-12	S7062-11013-042	
P217R-13	FLIR-53A22	P216R-13	S7062-11013-042	
P217R-14	FLIR-54A22	P216R-14	S7062-11013-042	
P217R-15	FLIR-55A22	P216R-15	S7062-11013-042	
P217R-16	*FLIR-CX1	-	S7062-11013-042	
P217R-17	FLIR-57A22	P216R-17	S7062-11013-042	
P217R-18	FLIR-58A22	P216R-18	S7062-11013-042	
P217R-19	FLIR-CX722	P216R-19	S7062-11013-042	
P217R-20	FLIR-60A22	P216R-20	S7062-11013-042	
P217R-21	FLIR-61A22	P216R-21	S7062-11013-042	
P217R-22	FLIR-62A22	P216R-22	S7062-11013-042	
P217R-23	FLIR-63A22	P216R-23	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P217R-24	FLIR-64A22	P216R-24	S7062-11013-042	
P217R-25	*FLIR-CX2	-	S7062-11013-042	
P217R-26	*FLIR-CX1	-	S7062-11013-042	
P217R-27	FLIR-65A22	P216R-27	S7062-11013-042	
P217R-28	*FLIR-CX7	-	S7062-11013-042	
P217R-29	FLIR-68A22	P216R-29	S7062-11013-042	
P217R-30	FLIR-69A22	P216R-30	S7062-11013-042	
P217R-31	FLIR-70A22	P216R-31	S7062-11013-042	
P217R-32	FLIR-71A22	P216R-32	S7062-11013-042	
P217R-33	FLIR-72A22	P216R-33	S7062-11013-042	
P217R-34	FLIR-73A22	P216R-34	S7062-11013-042	
P217R-35	FLIR-CX222	P216R-35	S7062-11013-042	
P217R-36	*FLIR-CX2	-	S7062-11013-042	
P217R-37	FLIR-74A22	P216R-37	S7062-11013-042	
P217R-38	FLIR-CX822	P216R-38	S7062-11013-042	
P217R-39	*FLIR-CX8	-	S7062-11013-042	
P217R-40	FLIR-77A22	P216R-40	S7062-11013-042	
P217R-41	FLIR-78A22	P216R-41	S7062-11013-042	
P217R-42	FLIR-79A22	P216R-42	S7062-11013-042	
P217R-43	FLIR-29A22	P216R-43	S7062-11013-042	
P217R-44	FLIR-28A22	P216R-44	S7062-11013-042	
P217R-45	FLIR-30A22	P216R-45	S7062-11013-042	
P217R-46	*FLIR-CX8	-	S7062-11013-042	
P217R-47	FLIR-80A22	P216R-47	S7062-11013-042	
P217R-48	FLIR-81A22	P216R-48	S7062-11013-042	
P217R-49	FLIR-82A22	P216R-49	S7062-11013-042	
P217R-50	FLIR-83A22	P216R-50	S7062-11013-042	
P217R-51	FLIR-84A22	P216R-51	S7062-11013-042	
P217R-52	FLIR-85A22	P216R-52	S7062-11013-042	
P217R-53	FLIR-86A22	P216R-53	S7062-11013-042	
P217R-54	*CBL008 (P216R/P217R)	-	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P217R-55	FLIR-31A22	P216R-55	S7062-11013-042	
P217R-56	FLIR-CX322	P216R-56	S7062-11013-042	
P217R-57	*FLIR-CX3	-	S7062-11013-042	
P217R-58	FLIR-87A22	P216R-58	S7062-11013-042	
P217R-59	FLIR-88A22	P216R-59	S7062-11013-042	
P217R-60	FLIR-89A22	P216R-60	S7062-11013-042	
P217R-61	FLIR-90A22	P216R-61	S7062-11013-042	
P217R-62	FLIR-91A22	P216R-62	S7062-11013-042	
P217R-63	FLIR-92A22	P216R-63	S7062-11013-042	
P217R-64	FLIR-93A22	P216R-64	S7062-11013-042	
P217R-65	FLIR-32A22	P216R-65	S7062-11013-042	
P217R-66	*CBL009 (P216R/P217R)	-	S7062-11013-042	
P217R-67	*FLIR-CX3	-	S7062-11013-042	
P217R-68	*FLIR-CX4	-	S7062-11013-042	
P217R-69	FLIR-94A22	P216R-69	S7062-11013-042	
P217R-70	FLIR-95A22	P216R-70	S7062-11013-042	
P217R-71	FLIR-96A22	P216R-71	S7062-11013-042	
P217R-72	FLIR-97A22	P216R-72	S7062-11013-042	
P217R-73	FLIR-98A22	P216R-73	S7062-11013-042	
P217R-74	FLIR-99A22	P216R-74	S7062-11013-042	
P217R-75	FLIR-33A22	P216R-75	S7062-11013-042	
P217R-76	*CBL010 (P216R/P217R)	-	S7062-11013-042	
P217R-77	*FLIR-CX4	-	S7062-11013-042	
P217R-78	FLIR-CX422	P216R-78	S7062-11013-042	
P217R-79	FLIR-100A22	P216R-79	S7062-11013-042	
P217R-80	FLIR-101A22	P216R-80	S7062-11013-042	
P217R-81	FLIR-102A22	P216R-81	S7062-11013-042	
P217R-82	*CBL013 (P216R/P217R)	-	S7062-11013-042	
P217R-83	*CBL012 (P216R/P217R)	-	S7062-11013-042	
P217R-84	*CBL011 (P216R/P217R)	-	S7062-11013-042	
P217R-85	FLIR-34A22	P216R-85	S7062-11013-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P217R-87	FLIR-103A22	P216R-87	S7062-11013-042	
P217R-88	FLIR-104A22	P216R-88	S7062-11013-042	
P217R-89	FLIR-105A22	P216R-89	S7062-11013-042	
P217R-90	*FLIR-CX5	-	S7062-11013-042	
P217R-91	FLIR-39A22	P216R-91	S7062-11013-042	
P217R-92	FLIR-36A22	P216R-92	S7062-11013-042	
P217R-93	FLIR-35A22	P216R-93	S7062-11013-042	
P217R-94	FLIR-106A22	P216R-94	S7062-11013-042	
P217R-95	FLIR-107A22	P216R-95	S7062-11013-042	
P217R-96	FLIR-108A22	P216R-96	S7062-11013-042	
P217R-97	*FLIR-CX5	-	S7062-11013-042	
P217R-98	FLIR-CX522	P216R-98	S7062-11013-042	
P217R-99	FLIR-38A22	P216R-99	S7062-11013-042	
P217R-100	FLIR-37A22	P216R-100	S7062-11013-042	
P218-A	M660A20N	GDP218-2	S7052-12001-042	
P218-C	LHSTCTL22	TJ5VA-H	S7052-12001-042	
P218-D	M621A20N	GDP218-1	S7052-12001-042	
P218-E	M622A20	K300-X1	S7052-12001-042	
P218-F	M617D20	SGP298-1	S7052-12001-042	
P218-G	M657A20	J374-7	S7052-12001-042	
P218-H	M656A20	J374-6	S7052-12001-042	
P218-K	M661A20	J374-5	S7052-12001-042	
P218-M	M659A20	P226-q	S7052-12001-042	
P218-N	M658A20	P226-S	S7052-12001-042	
P219-A	Q6753B24	J316-A	S7052-12006-041	
P219-B	Q6752B24	J316-B	S7052-12006-041	
P219-C	Q6751B24	J316-C	S7052-12006-041	
P219-D	Q6750B24	J316-D	S7052-12006-041	
P219-E	L4450E24	SG219-1	S7052-12006-041	
P219-F	M4250B22	P230-c	S7052-12006-041	
P219-G	M4251B22	J310-R	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P219-H	M4252B22	J310-S	S7052-12006-041	
P219-J	M4253B22	J310-T	S7052-12006-041	
P219-K	M4254B22	J310-U	S7052-12006-041	
P219-L	*CBL31 (J316/P219)	-	S7052-12006-041	
P219-M	P516C24	P900-H	S7052-12006-041	
P219-N	P517C24	SG230-3	S7052-12006-041	
P219-S	P537B24	P230-g	S7052-12006-041	
P219-V	V72C24	P236-K	S7052-12006-041	
P219-W	P522C24	SG230-9	S7052-12006-041	
P219-X	L3981B24	J247-H	S7052-12006-041	
P219-Y	D5886A24	P905-N	S7052-12006-041	
P219-Z	D5885A24	P905-M	S7052-12006-041	
P219-a	Q3200D24	SG241-7	S7052-12006-041	
P219-b	P516F24	J136-F	S7052-12006-041	
P219-c	V51C24	P203-U	S7052-12006-041	
P219-d	W6603B20	P246-H	S7052-12006-041	
P219-e	W6603E20	P230-n	S7052-12006-041	
P219-f	W6604B20	J247-D	S7052-12006-041	
P219-g	W6641A20N	GND219-1	S7052-12006-041	
P219-h	M3439F20	J247-g	S7052-12006-041	
P219-i	M3438F20	J247-h	S7052-12006-041	
P219-j	D5890B24	J310-V	S7052-12006-041	
P219-k	C4149B20	P241-k	S7052-12006-041	
P219-m	L4529B18	SG246-2	S7052-12006-041	
P219-n	M3437F20	J247-i	S7052-12006-041	
P219-p	M3436F20	J247-j	S7052-12006-041	
P219-r	P521B20	P246-F	S7052-12006-041	
P220-A	E3304B20	J814-1	70552-02108-053	
P220-B	E3302E20	J814-2	70552-02108-053	
P220-C	H3352C20	P436-4	70552-02108-053	
P220-D	W3408B20	P420-4	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P220-E	W3080G24	SG415-1	70552-02108-053	
P220-F	Q3240B24	J824-5	70552-02108-053	
P220-G	Q3241B24	J824-6	70552-02108-053	
P220-H	M462B24	J400-V	70552-02108-053	
P220-J	M463B24	J400-W	70552-02108-053	
P220-K	M464B24	J400-X	70552-02108-053	
P220-L	M465B24	J400-Y	70552-02108-053	
P220-M	M466B24	J400-Z	70552-02108-053	
P220-N	M471B24	J824-7	70552-02108-053	
P220-P	H3339B22A	J437-1	70552-02108-053	
P220-R	H3340B22B	J437-2	70552-02108-053	
P220-S	H3341B22C	J437-3	70552-02108-053	
P220-T	H3342B22	J437-5	70552-02108-053	
P220-U	H3346B20	P435-1	70552-02108-053	
P220-V	H3347B20	P436-1	70552-02108-053	
P220-W	H702C24	J814-39	70552-02108-053	
P220-X	H708C24	J824-11	70552-02108-053	
P220-Y	H709C24	J824-12	70552-02108-053	
P220-Z	H713B24	J814-38	70552-02108-053	
P220-a	K3019C24	J824-2	70552-02108-053	
P220-b	K3020C24	J824-3	70552-02108-053	
P220-c	*CBL8 (J824/P220)	-	70552-02108-053	
P220-d	J3000E20	J814-34	70552-02108-053	
P220-e	J3001E20	J814-35	70552-02108-053	
P220-f	*J3001E	-	70552-02108-053	
P220-g	K3014A20	P450-3	70552-02108-053	
P220-h	K3015A20	P450-1	70552-02108-053	
P220-i	ALQ144-4C24	P684R-T	70552-02108-053	
P220-j	ALQ144-6C24	P684R-R	70552-02108-053	
P220-k	ALQ144-5C24	P684R-S	70552-02108-053	
P220-m	ALQ144-7C24	P684R-V	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P220-n	2F3874C24	J318-2	70552-02108-053	
P220-p	2F3875C24	J318-1	70552-02108-053	
P220-q	2F3878C24	J318-3	70552-02108-053	
P220-r	*C4668G	-	70552-02108-053	
P220-s	C4668G20	J318-4	70552-02108-053	
P220-t	P220-1T-20	BOMB13-4	70552-02108-053	
P220-u	C4654C20	J318-5	70552-02108-053	
P220-v	C4667G20	J318-6	70552-02108-053	
P220-w	C4606B22	J318-8	70552-02108-053	
P220-x	K3007A20	P450-5	70552-02108-053	
P220-y	C6213C20	P468R-1	70552-02108-053	
P220-z	C6214H22	SG2108-1	70552-02108-053	
P220-AA	C6194E20	P466R-1	70552-02108-053	
P220-BB	C6216C20	P467R-2	70552-02108-053	
P220-CC	C6201C24	P460R-3	70552-02108-053	
P220-DD	C6202C24	P460R-4	70552-02108-053	
P220-EE	C6203C24	P461R-3	70552-02108-053	
P220-FF	C6204C24	P461R-4	70552-02108-053	
P220-GG	C6205C24	P462R-3	70552-02108-053	
P220-HH	C6206C24	P462R-4	70552-02108-053	
P220-JJ	*C6206C	-	70552-02108-053	
P220-KK	C6184C20	P466R-2	70552-02108-053	
P220-LL	C6211C20	P469R-1	70552-02108-053	
P220-MM	W3380F20	P420-6	70552-02108-053	
P220-NN	W3385A20	P420-1	70552-02108-053	
P220-PP	W3407B20	P448-1	70552-02108-053	
P220R-C	JMPRP220R-C-24	SGP220-2	S7062-12001-041	
P220R-D	3C11746-507A20N	GND220-1	S7062-12001-041	
P220R-H	JMPRP220R-H-24	SGP220-3	S7062-12001-041	
P220R-J	L9099C22	TJ115A-N	S7062-12001-041	
P220R-L	3C11746-58A24	P117R-33	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P220R-M	3C11746-59A24	P117R-34	S7062-12001-041	
P220R-N	3C11746-1A24	P117R-9	S7062-12001-041	
P220R-P	3C11746-2A24	P117R-10	S7062-12001-041	
P220R-S	3C11746-3A24	P117R-13	S7062-12001-041	
P220R-T	3C11746-4A24	P117R-14	S7062-12001-041	
P220R-U	L9098C22	GD115A-3	S7062-12001-041	
P220R-V	3C11746-5A24	P117R-17	S7062-12001-041	
P220R-W	3C11746-6A24	P117R-29	S7062-12001-041	
P220R-b	3C11746-19A-24	J223R-J	S7062-12001-041	
P220R-c	JMPRP220R-c-24	SGP220-1	S7062-12001-041	
P220R-d	ARC11746-17A24	J222R-J	S7062-12001-041	
P220R-e	JMPRP220R-e-24	SGP220-3	S7062-12001-041	
P220R-f	3C11746-11A24	P117R-11	S7062-12001-041	
P220R-g	3C11746-12A24	P117R-15	S7062-12001-041	
P220R-h	3C11746-13A24	P117R-18	S7062-12001-041	
P220R-k	3C11746-7A24	P117R-5	S7062-12001-041	
P220R-p	3C11746-9A24	P117R-2	S7062-12001-041	
P220R-q	3C11746-10A24	P117R-20	S7062-12001-041	
P220R-r	3C11746-14A24	P117R-7	S7062-12001-041	
P220R-s	3C11746-8A24	P117R-6	S7062-12001-041	
P220R-t	3C11746-15A24	P117R-3	S7062-12001-041	
P221-A	E3306B20	J815-1	70552-02107-051	
P221-B	E3305D20	J815-2	70552-02107-051	
P221-C	P221-C-20	BOMB19-3	70552-02107-051	
P221-D	P221-D-20	BOMB19-4	70552-02107-051	
P221-E	W3081G24	P413-A	70552-02107-051	
P221-F	W3097A24	P413-C	70552-02107-051	
P221-G	W4401B24	J401-F	70552-02107-051	
P221-H	W4402B24	J401-G	70552-02107-051	
P221-J	Q3242B24	J825-5	70552-02107-051	
P221-K	Q3243B24	J825-6	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P221-L	M470B24	J825-7	70552-02107-051	
P221-M	H3343B20	P434-1	70552-02107-051	
P221-N	H706C24	J815-36	70552-02107-051	
P221-P	H710C24	J825-12	70552-02107-051	
P221-R	H715B24	J815-37	70552-02107-051	
P221-S	J3002E20	J815-34	70552-02107-051	
P221-T	J3003E20	J815-35	70552-02107-051	
P221-U	*J3003E	-	70552-02107-051	
P221-V	K3021B24	J825-3	70552-02107-051	
P221-W	K3022B24	J825-2	70552-02107-051	
P221-X	*CBL8 (J825/P221)	-	70552-02107-051	
P221-Y	K3006A20	P440-5	70552-02107-051	
P221-Z	H711C24	J825-11	70552-02107-051	
P221-a	*C4617G	-	70552-02107-051	
P221-b	C4617G20	J317-6	70552-02107-051	
P221-c	C4614B22	J317-8	70552-02107-051	
P221-d	C4604A20	J317-5	70552-02107-051	
P221-e	C4618G20	J317-4	70552-02107-051	
P221-f	P221-1F-20	BOMB19-5	70552-02107-051	
P221-g	K3018A20	P440-1	70552-02107-051	
P221-h	K3017A20	P440-3	70552-02107-051	
P221-i	C6148C24	P476R-3	70552-02107-051	
P221-j	C6123C24	P476R-10	70552-02107-051	
P221-k	C6159C24	P476R-7	70552-02107-051	
P221-m	*C6142C	-	70552-02107-051	
P221-n	C6231A24N	P476R-6	70552-02107-051	
P221-p	C6171C24	P476R-1	70552-02107-051	
P221-q	C6234C24	P476R-4	70552-02107-051	
P221-r	C6180C24	SG2107-2	70552-02107-051	
P221-s	C6181C24	SG2107-1	70552-02107-051	
P221-t	C6141C24	J319-1	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P221-u	C6142C24	J319-2	70552-02107-051	
P221-v	C6226C24	J319-4	70552-02107-051	
P221-w	P221-1W-20	BOMB19-6	70552-02107-051	
P221-x	C6103C24	P464R-2	70552-02107-051	
P221-y	C6106C24	P464R-3	70552-02107-051	
P221-z	C6149C24	P464R-6	70552-02107-051	
P221-AA	C6109C24	P464R-9	70552-02107-051	
P221-BB	W3396E20	P422-2	70552-02107-051	
P221-CC	W3406B20	P446-1	70552-02107-051	
P221-DD	W3388A20	P445-1	70552-02107-051	
P221-EE	C6225A20N	J319-6	70552-02107-051	
P221-FF	W3389E20	P421-9	70552-02107-051	
P221-GG	W3386A20	P421-1	70552-02107-051	
P221-HH	W3381D20	P421-6	70552-02107-051	
P221-JJ	W3405D20	P421-4	70552-02107-051	
P221-KK	C4152E20	P424-9	70552-02107-051	
P221-LL	C6251C24	SG464R-1	70552-02107-051	
P221-MM	C6252C24	SG464R-2	70552-02107-051	
P221-NN	P221-NN-20	BOMB19-7	70552-02107-051	
P221-PP	P221-PP-20	BOMB19-8	70552-02107-051	
P221R-A	3C11746-30A24	P118R-14	S7062-12001-041	
P221R-B	3C11746-31A24	P118R-15	S7062-12001-041	
P221R-C	3C11746-509AA24N	GND221-1	S7062-12001-041	
P221R-D	3C11746-56A24	P118R-12	S7062-12001-041	
P221R-E	3C11746-57A24	P118R-26	S7062-12001-041	
P221R-P	3C11746-29A24	P118R-25	S7062-12001-041	
P221R-R	3C11746-26A24	P118R-9	S7062-12001-041	
P221R-S	3C11746-27A24	P118R-24	S7062-12001-041	
P221R-U	3C11746-34A24	P118R-1	S7062-12001-041	
P221R-V	3C11746-32A24	P118R-17	S7062-12001-041	
P221R-W	3C11747-33A24	P118R-29	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P221R-X	3C11746-36A24	P118R-4	S7062-12001-041	
P221R-Y	3C11746-37A24	P118R-5	S7062-12001-041	
P221R-g	3C11746-28A24	P118R-10	S7062-12001-041	
P221R-h	3C11746-509A24N	GND221-2	S7062-12001-041	
P221R-j	3C11746-35A24	P118R-2	S7062-12001-041	
P221R-k	3C11746-38A24	P118R-7	S7062-12001-041	
P221R-m	3C11746-39A24	P118R-23	S7062-12001-041	
P222-A	P222-A-20	BOMB14-1	70552-02108-053	
P222-B	P222-B-20	BOMB14-2	70552-02108-053	
P222-C	P222-C-20	BOMB14-3	70552-02108-053	
P222-D	P222-D-20	BOMB14-4	70552-02108-053	
P222-E	W3086B24	P415-E	70552-02108-053	
P222-F	W3080E24	SG415-1	70552-02108-053	
P222-G	W3096A24	P415-C	70552-02108-053	
P222-H	E3280C24	J814-26	70552-02108-053	
P222-J	E3282B24	J814-27	70552-02108-053	
P222-K	E3283B24	J814-28	70552-02108-053	
P222-L	*E3282B	-	70552-02108-053	
P222-M	E3284C24	J814-29	70552-02108-053	
P222-N	H3334B24	J437-6	70552-02108-053	
P222-P	*E3280C	-	70552-02108-053	
P222-R	H703D24	J814-36	70552-02108-053	
P222-S	W3394B20	P420-9	70552-02108-053	
P222-T	C4131E20	SG428-2	70552-02108-053	
P222-U	C4130L20	P432-3	70552-02108-053	
P222-V	C4171B20	P432-2	70552-02108-053	
P222-W	C4157C20	SG432-1	70552-02108-053	
P222-X	C4611C22	J318-7	70552-02108-053	
P222-Y	P222-Y-20	BOMB14-5	70552-02108-053	
P222-Z	P222-Z-20	BOMB14-6	70552-02108-053	
P222-a	P222-1A-20	BOMB14-7	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P222-b	P222-1B-20	BOMB14-8	70552-02108-053	
P222-c	P222-1C-20	BOMB14-9	70552-02108-053	
P222-d	P222-1D-20	BOMB14-10	70552-02108-053	
P222-e	P222-1E-20	BOMB15-1	70552-02108-053	
P222-f	P222-1F-20	BOMB15-2	70552-02108-053	
P222-g	P222-1G-20	BOMB15-3	70552-02108-053	
P222-h	P222-1H-20	BOMB15-4	70552-02108-053	
P222-j	P222-1J-20	BOMB15-5	70552-02108-053	
P223-A	P223-A-20	BOMB20-1	70552-02107-051	
P223-B	P223-B-20	BOMB20-2	70552-02107-051	
P223-C	P223-C-20	BOMB20-3	70552-02107-051	
P223-D	P223-D-20	BOMB20-4	70552-02107-051	
P223-E	D5846B24	J815-8	70552-02107-051	
P223-F	D5847B24	J815-9	70552-02107-051	
P223-G	D5848B24	J815-10	70552-02107-051	
P223-H	D5849B24	J815-11	70552-02107-051	
P223-J	D5850B24	J815-12	70552-02107-051	
P223-K	D5851B24	J815-13	70552-02107-051	
P223-L	D5852B24	J815-14	70552-02107-051	
P223-M	D5855E24	J815-15	70552-02107-051	
P223-N	D5856E24	J815-16	70552-02107-051	
P223-P	D5857E24	J815-17	70552-02107-051	
P223-R	D5858E24	J815-18	70552-02107-051	
P223-S	D5859E24	J401-L	70552-02107-051	
P223-T	D5860E24	J401-M	70552-02107-051	
P223-U	*CBL1 (J401/P223)	-	70552-02107-051	
P223-V	W2005B24	J825-10	70552-02107-051	
P223-W	W2004E24	J825-9	70552-02107-051	
P223-X	E2051D24	J815-30	70552-02107-051	
P223-Y	E2052B24	J815-31	70552-02107-051	
P223-Z	E2053B24	J815-32	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P223-a	E2054B24	J815-33	70552-02107-051	
P223-b	*E2054B	-	70552-02107-051	
P223-c	P223-1C-20	BOMB20-5	70552-02107-051	
P223-d	*CBL012 (J458R/P223)	-	70552-02107-051	
P223-e	C6124C24	J458R-5	70552-02107-051	
P223-f	C6143C24	J458R-6	70552-02107-051	
P223-g	C6144C24	J458R-7	70552-02107-051	
P223-h	C6156C24	J458R-8	70552-02107-051	
P223-i	C6158C24	J458R-9	70552-02107-051	
P223-j	C6160C24	J458R-10	70552-02107-051	
P223-k	C6215C20	SG458R-1	70552-02107-051	
P223-m	D5853B20	J815-21	70552-02107-051	
P223-n	P223-1N-20	BOMB20-7	70552-02107-051	
P223-p	P223-1P-20	BOMB20-8	70552-02107-051	
P223-q	P223-1Q-20	BOMB20-9	70552-02107-051	
P223-r	D5854B20	J815-23	70552-02107-051	
P223-s	C4140D20	SG425-1	70552-02107-051	
P223-t	C4153AA20	SG447-1	70552-02107-051	
P223-u	C4154B20	P441-1	70552-02107-051	
P223-v	C4159B20	P442-3	70552-02107-051	
P223-w	C4148H20	P447-3	70552-02107-051	
P223-x	C4170C20	P447-2	70552-02107-051	
P223-y	C4135E20	P442-2	70552-02107-051	
P223-z	P223-1Z-20	BOMB20-10	70552-02107-051	
P223-AA	P223-AA-20	BOMB21-1	70552-02107-051	
P223-BB	P223-BB-20	BOMB21-2	70552-02107-051	
P223-CC	P223-CC-20	BOMB21-3	70552-02107-051	
P223-DD	P223-DD-20	BOMB21-4	70552-02107-051	
P223-EE	P223-EE-20	BOMB21-5	70552-02107-051	
P223-FF	P223-FF-20	BOMB21-6	70552-02107-051	
P223-GG	P223-GG-20	BOMB21-7	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P223-HH	P223-HH-20	BOMB21-8	70552-02107-051	
P224-A	P224-A-20	BOMB16-1	70552-02108-053	
P224-B	P224-B-20	BOMB16-2	70552-02108-053	
P224-C	P224-C-20	BOMB16-3	70552-02108-053	
P224-D	C4151E20	P427-9	70552-02108-053	
P224-E	*CBL1 (J400/P224)	-	70552-02108-053	
P224-F	D5841B24	J400-F	70552-02108-053	
P224-G	D5840B24	J400-G	70552-02108-053	
P224-H	D5839B24	J400-H	70552-02108-053	
P224-J	D5838B24	J400-J	70552-02108-053	
P224-K	D5837B24	J400-K	70552-02108-053	
P224-L	D5835D24	SG224-1	70552-02108-053	
P224-M	D5836D24	SG224-2	70552-02108-053	
P224-N	C6229C24	P465R-4	70552-02108-053	
P224-P	D5835C24	SG224-1	70552-02108-053	
P224-R	D5836C24	SG224-2	70552-02108-053	
P224-S	D5868B24	J814-5	70552-02108-053	
P224-T	D5869B24	J814-6	70552-02108-053	
P224-U	D5870B24	J814-7	70552-02108-053	
P224-V	D5871B24	J814-8	70552-02108-053	
P224-W	D5872B24	J814-9	70552-02108-053	
P224-X	D5873B24	J814-10	70552-02108-053	
P224-Y	D5841F24	J814-11	70552-02108-053	
P224-Z	D5876E24	J814-12	70552-02108-053	
P224-a	D5877E24	J814-13	70552-02108-053	
P224-b	*CBL6 (J814/P224)	-	70552-02108-053	
P224-c	W2000E24	J824-9	70552-02108-053	
P224-d	W2001B24	J824-10	70552-02108-053	
P224-e	E2047F24	J814-30	70552-02108-053	
P224-f	E2048C24	J814-31	70552-02108-053	
P224-g	E2049C24	J814-32	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P224-h	E2050C24	J814-33	70552-02108-053	
P224-i	*E2050C	-	70552-02108-053	
P224-j	C6168C24	P465R-1	70552-02108-053	
P224-k	*C6228A	-	70552-02108-053	
P224-m	D5874B20	J814-21	70552-02108-053	
P224-n	C6147C24	P465R-3	70552-02108-053	
P224-p	C6122C24	P465R-10	70552-02108-053	
P224-q	C6228A24N	P465R-6	70552-02108-053	
P224-r	D5875B20	J814-23	70552-02108-053	
P224-s	C4139D20	SG428-1	70552-02108-053	
P224-t	C4157BB20	SG432-1	70552-02108-053	
P224-u	C4158B20	P433-1	70552-02108-053	
P224-v	P224-1V-20	BOMB16-4	70552-02108-053	
P224-w	P224-1W-20	BOMB16-5	70552-02108-053	
P224-x	P224-1X-20	BOMB16-6	70552-02108-053	
P224-y	P224-1Y-20	BOMB16-7	70552-02108-053	
P224-z	P224-1Z-20	BOMB16-8	70552-02108-053	
P224-AA	C6255C24	P465R-7	70552-02108-053	
P224-BB	H6415C20	J819-4	70552-02108-053	
P224-CC	H6416C20	J819-5	70552-02108-053	
P224-DD	H6417C20	J819-6	70552-02108-053	
P224-EE	H6418C20	J819-7	70552-02108-053	
P224-FF	*CBL15 (J819/P224)	-	70552-02108-053	
P224-GG	H6429C20	J819-2	70552-02108-053	
P224-HH	H6430C20	J819-3	70552-02108-053	
P225-A	P225-A-20	BOMB17-1	70552-02107-051	
P225-B	P225-B-20	BOMB17-2	70552-02107-051	
P225-C	P225-C-20	BOMB17-3	70552-02107-051	
P225-D	P225-D-20	BOMB17-4	70552-02107-051	
P225-E	W3088B24	P413-E	70552-02107-051	
P225-F	W4400C24	J401-E	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P225-G	*E3289C	-	70552-02107-051	
P225-H	E3287B24	J815-25	70552-02107-051	
P225-J	E3288B24	J815-26	70552-02107-051	
P225-K	E3289C24	J815-27	70552-02107-051	
P225-L	E3286C24	J815-29	70552-02107-051	
P225-M	*E3286C	-	70552-02107-051	
P225-N	H704D24	J815-39	70552-02107-051	
P225-P	W3380C20	P445-3	70552-02107-051	
P225-R	C4137E20	SG425-2	70552-02107-051	
P225-S	C4153E20	SG447-1	70552-02107-051	
P225-T	C4131L20	P442-1	70552-02107-051	
P225-U	C4611A22	J317-7	70552-02107-051	
P225-V	P225-V-20	BOMB18-6	70552-02107-051	
P225-W	P225-W-20	BOMB18-7	70552-02107-051	
P225-X	P225-X-20	BOMB18-8	70552-02107-051	
P225-Y	P225-Y-20	BOMB17-5	70552-02107-051	
P225-Z	P225-Z-20	BOMB17-6	70552-02107-051	
P225-a	P225-1A-20	BOMB17-7	70552-02107-051	
P225-b	P225-1B-20	BOMB17-8	70552-02107-051	
P225-c	P225-1C-20	BOMB17-9	70552-02107-051	
P225-d	P225-1D-20	BOMB17-10	70552-02107-051	
P225-e	P225-1E-20	BOMB18-1	70552-02107-051	
P225-f	P225-1F-20	BOMB18-2	70552-02107-051	
P225-g	P225-1G-20	BOMB18-3	70552-02107-051	
P225-h	P225-1H-20	BOMB18-4	70552-02107-051	
P225-j	P225-1J-20	BOMB18-5	70552-02107-051	
P226-A	M640A20	J374-8	S7052-12001-042	
P226-B	M641A20	J374-9	S7052-12001-042	
P226-C	M642A20	J374-10	S7052-12001-042	
P226-D	M643A20	J374-28	S7052-12001-042	
P226-E	M644A20	J374-29	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P226-F	M645A20	J374-31	S7052-12001-042	
P226-G	M646A20	J374-14	S7052-12001-042	
P226-H	M647A20	J374-15	S7052-12001-042	
P226-J	M648A20	J374-16	S7052-12001-042	
P226-K	M649A20	J374-17	S7052-12001-042	
P226-L	M650A20	J374-18	S7052-12001-042	
P226-M	M651A20	J374-19	S7052-12001-042	
P226-N	M652A20	J374-20	S7052-12001-042	
P226-P	M653A20	J374-21	S7052-12001-042	
P226-R	M654A20	J374-22	S7052-12001-042	
P226-S	M658A20	P218-N	S7052-12001-042	
P226-U	M618B20	P200-d	S7052-12001-042	
P226-V	M624A20N	GND226-1	S7052-12001-042	
P226-W	5C11746-16A24	P207R-b	S7062-12001-041	
P226-X	5C11746-18B24	SGP207-1	S7062-12001-041	
P226-Y	M627A20	TB200-4	S7052-12001-042	
P226-Z	M625A20	TB200-5	S7052-12001-042	
P226-a	M628A20	TB200-6	S7052-12001-042	
P226-b	M626A20	TB200-7	S7052-12001-042	
P226-c	JMPRP226-c-20	SGP226-1	S7052-12001-042	
P226-f	M632A20	P298-F	S7052-12001-042	
P226-g	M631A20	P298-E	S7052-12001-042	
P226-h	L1005A22	TJ5VB-H	S7052-12001-042	
P226-i	M663A20N	GND226-2	S7052-12001-042	
P226-j	JMPRP226-j-20	SGP226-1	S7052-12001-042	
P226-k	M630A20	TB200-2	S7052-12001-042	
P226-n	JMPRP226-n-20	SGP226-1	S7052-12001-042	
P226-p	M629A20	TB200-8	S7052-12001-042	
P226-q	M659A20	P218-M	S7052-12001-042	
P229R-1	PLS-11A22	P403R-1	S7062-11011-041	
P229R-2	PLS-12A22	P403R-2	S7062-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P229R-3	PLS-13A22	P403R-3	S7062-11011-041	
P229R-4	PLS-14A24	P403R-4	S7062-11011-041	
P229R-5	PLS-15A24	P403R-5	S7062-11011-041	
P23-A	M902A20	J374-25	S7052-12001-042	
P23-B	M903A20	J374-24	S7052-12001-042	
P230-A	H6423N20	SGP203-3	S7052-12006-041	
P230-B	W3391E20	P241-L	S7052-12006-041	
P230-C	H3352B20	J220-C	S7052-12006-041	
P230-D	JMPRP230-D-20	SG230-8	S7052-12006-041	
P230-E	L4463D24	P110-E	S7052-12006-041	
P230-F	L4505P20	P681-1	S7052-12006-041	
P230-G	L4505B22	J922-f	S7052-12006-041	
P230-H	L4503C24	SG232-1	S7052-12006-041	
P230-J	L4502B20	P232-B	S7052-12006-041	
P230-K	L4450H24	SG219-1	S7052-12006-041	
P230-L	L3561B24	SGP230-1	S7052-12006-041	
P230-M	X49B24	P241-H	S7052-12006-041	
P230-N	H4294B24	P900-F	S7052-12006-041	
P230-P	L3461B24	J310-p	S7052-12006-041	
P230-R	L3462C24	J310-q	S7052-12006-041	
P230-S	L3463B24	J310-r	S7052-12006-041	
P230-T	C6214B22	SG230-6	S7052-12006-041	
P230-U	2F3850B24	J20R-V	S7052-12006-041	
P230-V	W3087B24	P287-E	S7052-12006-041	
P230-W	L4503G24	P243-T	S7052-12006-041	
P230-X	L4465C24	S39-2	S7052-12006-041	
P230-Z	H716B24	P900-g	S7052-12006-041	
P230-a	X57B24	P203-a	S7052-12006-041	
P230-b	X58B24	P203-Z	S7052-12006-041	
P230-c	M4250B22	P219-F	S7052-12006-041	
P230-d	P551B24	P900-J	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P230-e	P538B24	P203-K	S7052-12006-041	
P230-f	P517D24	SG230-3	S7052-12006-041	
P230-g	P537B24	P219-S	S7052-12006-041	
P230-h	P522B24	SG230-9	S7052-12006-041	
P230-i	L401B24	P112-F	S7052-12006-041	
P230-j	L402B24	P112-E	S7052-12006-041	
P230-k	W2009B24	P112-C	S7052-12006-041	
P230-m	H701B24	P900-K	S7052-12006-041	
P230-n	W6603E20	P219-e	S7052-12006-041	
P230-p	X47C24	P203-d	S7052-12006-041	
P230-q	X46C24	P203-c	S7052-12006-041	
P230-r	X55E24	SG230-4	S7052-12006-041	
P230-s	X53C24	SG230-5	S7052-12006-041	
P230-t	X56C24	P203-b	S7052-12006-041	
P230-u	F3955B24	SG241-1	S7052-12006-041	
P230-v	ARC164-4B20	J20R-U	S7052-12006-041	
P230-w	3KY58-8B24	J20R-R	S7052-12006-041	
P230-x	1C6533-15B24	J20R-P	S7052-12006-041	
P230-y	2ARC186-4B20	J20R-N	S7052-12006-041	
P230-z	1KY28-8B24	J20R-K	S7052-12006-041	
P230-AA	*W3171A	-	S7052-12006-041	
P230-BB	W3171A24	P106-N	S7052-12006-041	
P230-CC	W3152B24	P900-X	S7052-12006-041	
P230-DD	W3153B24	P900-U	S7052-12006-041	
P230-EE	W3154B24	P900-V	S7052-12006-041	
P230-FF	W3155B24	P900-W	S7052-12006-041	
P230-GG	W3156B24	P900-T	S7052-12006-041	
P230-HH	M460B24	P110-X	S7052-12006-041	
P231-A	W6602B20	P913-F	S7052-12005-041	
P231-B	W6602E20	P913-G	S7052-12005-041	
P231-C	Q3214A24	SG242-6	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P231-D	Q3204E20	J217-q	S7052-12005-041	
P231-G	L4505N20	P682-1	S7052-12005-041	
P231-H	H4299B24	P244-G	S7052-12005-041	
P231-J	W3083C24	P902-E	S7052-12005-041	
P231-K	W3084C24	P902-F	S7052-12005-041	
P231-L	W3085B24	P902-G	S7052-12005-041	
P231-M	W3089B24	P286-E	S7052-12005-041	
P231-N	W3090B24	J311-E	S7052-12005-041	
P231-P	W3080C24	P284-11	S7052-12005-041	
P231-R	W3081B24	SG283-1	S7052-12005-041	
P231-S	W3095B24	P902-K	S7052-12005-041	
P231-T	W3096C24	P284-1	S7052-12005-041	
P231-U	L3646L24	J248-P	S7052-12005-041	
P231-V	V275E24	SG242-4	S7052-12005-041	
P231-W	E3305B20	SGP231-1	S7052-12005-041	
P231-Y	Q3201B24	P111-N	S7052-12005-041	
P231-Z	Q3201F24	J311-K	S7052-12005-041	
P231-a	H3336B24	SG902-1	S7052-12005-041	
P231-b	H3337B24	P244-T	S7052-12005-041	
P231-c	H3338B24	P902-b	S7052-12005-041	
P231-d	V99C24	P210-Y	S7052-12005-041	
P231-e	V98B24	P210-X	S7052-12005-041	
P231-f	V107B24	SAP210-1	S7052-12005-041	
P231-g	V106C24	P210-a	S7052-12005-041	
P231-h	X105C24	P210-Z	S7052-12005-041	
P231-i	H707B24	P242-P	S7052-12005-041	
P231-j	H704B24	P242-R	S7052-12005-041	
P231-k	H703B24	P242-N	S7052-12005-041	
P231-m	F3954B18	P242-r	S7052-12005-041	
P231-n	K3005B24	SG105-1	S7052-12005-041	
P231-p	W3151D24	SG914-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P231-q	2C6533-15B24	J21R-M	S7052-12005-041	
P231-r	ARN123-06B20	J21R-R	S7052-12005-041	
P232-B	L4502B20	P230-J	S7052-12006-041	
P232-C	L4503E20	SG232-1	S7052-12006-041	
P232-D	L4503D20	SG232-1	S7052-12006-041	
P232-E	L4506A20N	GG4-5	S7052-12006-041	
P234-A	P553B14A	P904-A	S7052-12006-041	
P234-B	P554B14B	P904-B	S7052-12006-041	
P234-C	P555B14C	P904-C	S7052-12006-041	
P234-D	H4290B14A	P270-B	S7052-12006-041	
P234-E	H4291B14B	P270-C	S7052-12006-041	
P234-F	H4292B14C	P270-E	S7052-12006-041	
P235-A	P4010B12	J265-B	S7052-12005-041	
P235-B	P557B14A	P903-A	S7052-12005-041	
P235-C	P558B14B	P903-B	S7052-12005-041	
P235-D	P559B14C	P903-C	S7052-12005-041	
P235-E	H4295B14A	P274-B	S7052-12005-041	
P235-F	H4296B14B	P274-C	S7052-12005-041	
P235-G	H4297B14C	P274-E	S7052-12005-041	
P235-H	L4561B14	J245-A	S7052-12005-041	
P236-E	C4131B20	P900-d	S7052-12006-041	
P236-F	C4130B20	SG236-2	S7052-12006-041	
P236-G	P545F24	SGP203-1	S7052-12006-041	
P236-H	L3460B24	J310-n	S7052-12006-041	
P236-J	X112C20V	P217-X	S7052-12006-041	
P236-K	V72C24	P219-V	S7052-12006-041	
P236-L	V75B24	P110-g	S7052-12006-041	
P236-M	V78BB24	SG236-1	S7052-12006-041	
P236-N	X64C24	P217-V	S7052-12006-041	
P236-P	X18B24	P217-W	S7052-12006-041	
P236-R	H3330B22A	P241-E	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P236-S	H3331B22B	P241-n	S7052-12006-041	
P236-T	H3332B22C	P241-N	S7052-12006-041	
P236-U	E2040B24	P246-V	S7052-12006-041	
P236-V	W2000D24	J224-c	S7052-12006-041	
P236-Z	X4000B20A	SG257-1	S7052-12006-041	
P236-a	X4001B20B	SG257-2	S7052-12006-041	
P236-b	W3380E20	J220-MM	S7052-12006-041	
P236-c	X4002B20C	SG257-3	S7052-12006-041	
P236-d	C4651B24	P404R-M	S7052-12006-041	
P236-e	*C4651B	-	S7052-12006-041	
P236-f	C4676B22	SG923-1	S7052-12006-041	
P236-g	C6162B24	P420R-a	S7052-12006-041	
P236-h	C6163B24	P420R-b	S7052-12006-041	
P236-i	C6164B24	P420R-c	S7052-12006-041	
P236-j	*C6164B	-	S7052-12006-041	
P236-m	C6196B22	SG230-7	S7052-12006-041	
P236-n	C6250B22	P420R-s	S7052-12006-041	
P236-p	D4550B24	SG110-1	S7052-12006-041	
P237-A	P4008B20	J217-e	S7052-12005-041	
P237-B	V97BB24	SG237-1	S7052-12005-041	
P237-C	X112B20V	J217-X	S7052-12005-041	
P237-D	APX100-049B22	J21R-N	S7052-12005-041	
P237-E	L400B20	P113-F	S7052-12005-041	
P237-F	ARN89-11B22	J21R-J	S7052-12005-041	
P237-G	2KY58-8B24	J21R-L	S7052-12005-041	
P237-H	2ARC201-4B20	J21R-K	S7052-12005-041	
P237-J	X4004B18A	J217-Z	S7052-12005-041	
P237-K	X4005B18B	J217-a	S7052-12005-041	
P237-L	X4006B18C	J217-c	S7052-12005-041	
P237-M	1ARC201-5B16	SA307R-1	S7052-12005-041	
P238-A	P571D20	K6-A2	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P238-B	P565B24N	GG4-1	70552-02100-045	
P238-C	P550A24	J203-F	70552-02100-045	
P238-E	P562D24	J203-H	70552-02100-045	
P238-G	P538F24	J203-K	70552-02100-045	
P238-H	P544D24	J203-J	70552-02100-045	
P238-J	P548F24	J203-G	70552-02100-045	
P238-K	P545E24	J203-E	70552-02100-045	
P238-M	P565A24N	GG4-1	70552-02100-045	
P239-A	P567A20	K16-A1	70552-02101-043	
P239-B	P568B24N	GG5-1	70552-02101-043	
P239-C	P547D24	J210-J	70552-02101-043	
P239-E	P543A24	J210-G	70552-02101-043	
P239-G	P517H24	J210-E	70552-02101-043	
P239-H	P544A24	J210-F	70552-02101-043	
P239-J	P545A24	J210-H	70552-02101-043	
P239-K	P548A24	SG27-4	70552-02101-043	
P239-M	P568A24N	GG5-1	70552-02101-043	
P240-A	P548B24	SG27-4	70552-02101-043	
P240-B	P566A24N	GG5-1	70552-02101-043	
P240-C	M3435A20	J210-h	70552-02101-043	
P240-K	M3434A20	J210-j	70552-02101-043	
P240-M	P566B24N	GG5-1	70552-02101-043	
P241-B	Q3200E20	SG241-7	S7052-12006-041	
P241-C	Q3202C20	P246-G	S7052-12006-041	
P241-D	C4132S20	SG230-8	S7052-12006-041	
P241-E	H3330B22A	P236-R	S7052-12006-041	
P241-F	H3346A24	J220-U	S7052-12006-041	
P241-G	H3347A24	J220-V	S7052-12006-041	
P241-H	X49B24	P230-M	S7052-12006-041	
P241-J	X55G24	SG230-4	S7052-12006-041	
P241-K	W3408A20	J220-D	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P241-L	W3391E20	P230-B	S7052-12006-041	
P241-M	W3407A20	J220-PP	S7052-12006-041	
P241-N	H3332B22C	P236-T	S7052-12006-041	
P241-P	X60B24	P203-S	S7052-12006-041	
P241-R	K3008A24	P106-H	S7052-12006-041	
P241-S	Q3205B24	J310-X	S7052-12006-041	
P241-T	Q3201H24	P246-E	S7052-12006-041	
P241-U	K3010C24	SG241-5	S7052-12006-041	
P241-V	Q3206A24	P246-C	S7052-12006-041	
P241-W	K3007C24	SG106-3	S7052-12006-041	
P241-X	J3000C20	SG241-2	S7052-12006-041	
P241-Y	J3001C20	SG241-3	S7052-12006-041	
P241-Z	K3014B24	J220-g	S7052-12006-041	
P241-a	K3015BB24	SG241-6	S7052-12006-041	
P241-b	K3009A24	P106-J	S7052-12006-041	
P241-c	F3962A20	P268-A	S7052-12006-041	
P241-d	F3955C24	SG241-1	S7052-12006-041	
P241-e	*J3001C	-	S7052-12006-041	
P241-f	F3956A24	P110-r	S7052-12006-041	
P241-g	H3339A22A	J220-P	S7052-12006-041	
P241-h	H3340A22B	J220-R	S7052-12006-041	
P241-i	H3341A22C	J220-S	S7052-12006-041	
P241-j	H3342A22	J220-T	S7052-12006-041	
P241-k	C4149B20	P219-k	S7052-12006-041	
P241-m	F3953B18	P246-m	S7052-12006-041	
P241-n	H3331B22B	P236-S	S7052-12006-041	
P241-p	W3397J20	SG203-1	S7052-12006-041	
P241-q	M372A20N	GG7-5	S7052-12006-041	
P241-r	F3960A18	P268-B	S7052-12006-041	
P242-E	NIU900A22	P102R-32	S7062-11007-041	
P242-F	W417A20	P961-F	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P242-G	W418A20	P961-D	S7052-12005-041	
P242-H	W419A20	P961-A	S7052-12005-041	
P242-J	*W418A	-	S7052-12005-041	
P242-K	F3963A20	P269-A	S7052-12005-041	
P242-L	JMPRP242-L-20	SAP242-1	S7052-12005-041	
P242-M	W3404A20	P244-b	S7052-12005-041	
P242-N	H703B24	P231-k	S7052-12005-041	
P242-P	H707B24	P231-i	S7052-12005-041	
P242-R	H704B24	P231-j	S7052-12005-041	
P242-S	H715A24	J221-R	S7052-12005-041	
P242-T	K3011A24	P105-H	S7052-12005-041	
P242-U	K3012A24	P105-J	S7052-12005-041	
P242-V	K3013B24	SG242-1	S7052-12005-041	
P242-W	J3003C20	SG242-2	S7052-12005-041	
P242-X	J3002C20	SG242-3	S7052-12005-041	
P242-Y	K3018BB24	SG242-6	S7052-12005-041	
P242-Z	K3017B24	J221-h	S7052-12005-041	
P242-a	L406F24	SG138-1	S7052-12005-041	
P242-b	F3957A24	P111-c	S7052-12005-041	
P242-c	M374B20	P200-e	S7052-12005-041	
P242-d	M362B20	P200-H	S7052-12005-041	
P242-e	M360B20	P200-F	S7052-12005-041	
P242-f	M359B20	P200-E	S7052-12005-041	
P242-g	M356B20	P200-D	S7052-12005-041	
P242-k	V301A24N	GG7-4	S7052-12005-041	
P242-m	F3958A18	P269-B	S7052-12005-041	
P242-n	V275C24	SG242-4	S7052-12005-041	
P242-p	V278C24	P914-i	S7052-12005-041	
P242-q	V279C24	P914-j	S7052-12005-041	
P242-r	F3954B18	P231-m	S7052-12005-041	
P243-B	ALQ144-3D22	SG110-2	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P243-C	ALQ144-9B22	P110-C	S7052-12006-041	
P243-D	ALQ144-10B22	P110-B	S7052-12006-041	
P243-E	W3101A24	P217-b	S7052-12006-041	
P243-F	W3094A24	P106-A	S7052-12006-041	
P243-G	W3091A24	P110-F	S7052-12006-041	
P243-H	C4146A20	P900-h	S7052-12006-041	
P243-J	L405G24	SG137-2	S7052-12006-041	
P243-K	C4174A20	P900-i	S7052-12006-041	
P243-L	L3609A24	SGJ922-1	S7052-12006-041	
P243-M	C4155A20	J310-s	S7052-12006-041	
P243-N	L3602B24	P266-M	S7052-12006-041	
P243-P	H3350A24N	GG7-1	S7052-12006-041	
P243-R	L4514B24	P246-N	S7052-12006-041	
P243-S	C4705E24	P121-Z	S7052-12006-041	
P243-T	L4503G24	P230-W	S7052-12006-041	
P243-U	L409E24	P121-a	S7052-12006-041	
P243-V	L3562C24	SGJ247-1	S7052-12006-041	
P243-W	L3561C24	SGP230-1	S7052-12006-041	
P243-X	F3955D24	SG241-1	S7052-12006-041	
P243-Y	L3568D24	J247-A	S7052-12006-041	
P243-Z	W3159A20	P900-S	S7052-12006-041	
P243-a	L405B24	SG137-2	S7052-12006-041	
P243-c	C6196C22	SG230-7	S7052-12006-041	
P243-f	L4513B24	P246-P	S7052-12006-041	
P243-g	L3610B24	P246-M	S7052-12006-041	
P243-h	L404H24	SG137-1	S7052-12006-041	
P243-j	L3616B24	P246-b	S7052-12006-041	
P244-A	W3418A20	P210-e	S7052-12005-041	
P244-B	W3387C20	SG302-1	S7052-12005-041	
P244-C	W3389L20	SG302-2	S7052-12005-041	
P244-D	C4136B20	P200-Z	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P244-E	W3399B20	SA1000-1	S7052-12005-041	
P244-F	H4312A24	P275-C	S7052-12005-041	
P244-G	H4299B24	P231-H	S7052-12005-041	
P244-H	C4135C20	SG244-2	S7052-12005-041	
P244-J	H3336D24	SG902-1	S7052-12005-041	
P244-K	H3344A24	P902-d	S7052-12005-041	
P244-L	X130B24	P210-P	S7052-12005-041	
P244-M	K3006E24	SG105-2	S7052-12005-041	
P244-N	W3160D20	P922-L	S7052-12005-041	
P244-P	W3157A24	P105-M	S7052-12005-041	
P244-R	M354B20	P200-C	S7052-12005-041	
P244-S	V283A24	P260-10	S7052-12005-041	
P244-T	H3337B24	P231-b	S7052-12005-041	
P244-U	V300A24N	GG7-3	S7052-12005-041	
P244-V	H6423R20	P249-T	S7052-12005-041	
P244-W	W3151L20	SG902-2	S7052-12005-041	
P244-X	C4148A20	SG922-1	S7052-12005-041	
P244-Y	W3405A20	SG244-1	S7052-12005-041	
P244-Z	W3400B20	P202-S	S7052-12005-041	
P244-a	W3390B20	P200-T	S7052-12005-041	
P244-b	W3404A20	P242-M	S7052-12005-041	
P244-c	W3406A20	J221-CC	S7052-12005-041	
P244-d	C4153D20	SG223-1	S7052-12005-041	
P244-e	C4159A20	J223-v	S7052-12005-041	
P244-f	C4144A20	P111-y	S7052-12005-041	
P244-g	C4143A20	P111-x	S7052-12005-041	
P244-h	W3417A20	P202-R	S7052-12005-041	
P244-j	W3416A20	P202-P	S7052-12005-041	
P245-A	L4561C14	J128-A	S7052-12007-041	
P245-C	L3560C14	SGJ109-1	S7052-12007-041	
P246-A	Q3211A24	SG241-6	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P246-B	Q3200BB24	SG241-7	S7052-12006-041	
P246-C	Q3206A24	P241-V	S7052-12006-041	
P246-D	Q3213C24	J310-B	S7052-12006-041	
P246-E	Q3201H24	P241-T	S7052-12006-041	
P246-F	P521B20	P219-r	S7052-12006-041	
P246-G	Q3202C20	P241-C	S7052-12006-041	
P246-H	W6603B20	P219-d	S7052-12006-041	
P246-K	L3613B24	SGP246-2	S7052-12006-041	
P246-L	L3611B24	SGP246-1	S7052-12006-041	
P246-M	L3610B24	P243-g	S7052-12006-041	
P246-N	L4514B24	P243-R	S7052-12006-041	
P246-P	L4513B24	P243-f	S7052-12006-041	
P246-R	L4512E20	SGJ922-2	S7052-12006-041	
P246-S	L3943B24N	GND246-1	S7052-12006-041	
P246-T	L3944B24N	GND246-1	S7052-12006-041	
P246-U	L3945B24N	GND246-1	S7052-12006-041	
P246-V	E2040B24	P236-U	S7052-12006-041	
P246-W	E2041E24	J922-T	S7052-12006-041	
P246-X	E2043E24	J922-U	S7052-12006-041	
P246-Z	L4529AA18	SG246-2	S7052-12006-041	
P246-a	L3647B20	P386-A	S7052-12006-041	
P246-b	L3616B24	P243-j	S7052-12006-041	
P246-f	L4501E20	SGJ922-3	S7052-12006-041	
P246-g	L3645B20	P387-A	S7052-12006-041	
P246-m	F3953B18	P241-m	S7052-12006-041	
P246-n	L3647E18	SG246-1	S7052-12006-041	
P247-A	L3568C24	SGJ104-18	S7052-12007-041	
P247-B	L4512H20	P341-1	S7052-12007-041	
P247-C	X82A24	J164-C	S7052-12007-041	
P247-D	W6604A20	J164-F	S7052-12007-041	
P247-E	L4505S20	P253-A	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P247-F	L3561E24	SGJ104-12	S7052-12007-041	
P247-H	L3981A20	S42-NC	S7052-12007-041	
P247-K	L4562C24	SG103-6	S7052-12007-041	
P247-L	M350E20	SG120-2	S7052-12007-041	
P247-M	M367A20	J218-E	S7052-12007-041	
P247-N	M366AA20	J218-C	S7052-12007-041	
P247-P	L3562E20	SGJ109-2	S7052-12007-041	
P247-R	L4501H20	P341-3	S7052-12007-041	
P247-S	C6114C24	SG247-3	S7052-12007-041	
P247-T	C6115C24	SG247-4	S7052-12007-041	
P247-U	C6218C24	SG247-5	S7052-12007-041	
P247-V	C6113C24	SG247-1	S7052-12007-041	
P247-W	C6112C24	SG247-2	S7052-12007-041	
P247-X	C6121C24	J120-A	S7052-12007-041	
P247-Y	C4151C20	SG104-10	S7052-12007-041	
P247-a	C4130E20	SG104-8	S7052-12007-041	
P247-b	L4562D24	SG103-6	S7052-12007-041	
P247-c	L4560K24	SG104-6	S7052-12007-041	
P247-d	L4566C24	SG103-11	S7052-12007-041	
P247-f	M3440G20	J120-c	S7052-12007-041	
P247-g	M3439G20	J120-L	S7052-12007-041	
P247-h	M3438G20	J120-R	S7052-12007-041	
P247-i	M3437G20	J120-S	S7052-12007-041	
P247-j	M3436G20	J120-M	S7052-12007-041	
P247-k	L422C24	SG119-1	S7052-12007-041	
P247-m	M368B16	J218-A	S7052-12007-041	
P247-n	XM130-9C22	SG247-6	S7052-12007-041	
P247-p	XM130-10C22	SG247-7	S7052-12007-041	
P248-A	L6961C24	J392-1	S7052-12007-041	
P248-C	C4132K20	SG104-7	S7052-12007-041	
P248-D	L4560C24	SG104-6	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P248-E	L4505L20	P254-A	S7052-12007-041	
P248-F	L400H20	SG120-3	S7052-12007-041	
P248-G	C4152C20	SG104-9	S7052-12007-041	
P248-H	L3980C20	S42-COM	S7052-12007-041	
P248-L	W6605A20	J163-F	S7052-12007-041	
P248-M	APX100-130C20	J163-E	S7052-12007-041	
P248-N	L4512D20	P340-1	S7052-12007-041	
P248-P	L3646M24	SG248-1	S7052-12007-041	
P248-R	M353E20	SG120-1	S7052-12007-041	
P248-S	M363F20	SG103-9	S7052-12007-041	
P248-T	M365D20	SG103-10	S7052-12007-041	
P248-U	*M365D	-	S7052-12007-041	
P248-V	W3395A20	J163-C	S7052-12007-041	
P248-W	L4501D20	P340-3	S7052-12007-041	
P249-A	W6600B20	P913-A	S7052-12005-041	
P249-B	W6600E20	P913-B	S7052-12005-041	
P249-C	*C6200B	-	S7052-12005-041	
P249-D	W6601B20	P913-C	S7052-12005-041	
P249-E	F250B24	P111-F	S7052-12005-041	
P249-F	W3414B20	P210-D	S7052-12005-041	
P249-G	W6601E20	P913-D	S7052-12005-041	
P249-J	M325B20	SAA-1	S7052-12005-041	
P249-K	P562B24	J217-G	S7052-12005-041	
P249-L	L3980B24	J248-H	S7052-12005-041	
P249-M	D5842B22	P138-AA	S7052-12005-041	
P249-N	W4775B24	P922-K	S7052-12005-041	
P249-P	L3930B24	SG902-5	S7052-12005-041	
P249-R	D5878B24	J217-H	S7052-12005-041	
P249-S	Q4060B24	SG255-1	S7052-12005-041	
P249-T	H6423R20	P244-V	S7052-12005-041	
P249-U	H706B24	J221-N	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P249-V	W2004D24	J223-W	S7052-12005-041	
P249-W	W2008B24	P111-t	S7052-12005-041	
P249-X	L4560B24	J248-D	S7052-12005-041	
P249-Y	L3530B24	P114-c	S7052-12005-041	
P249-Z	XM130-1B20	J21R-P	S7052-12005-041	
P249-a	ASN128-13B20	J21R-H	S7052-12005-041	
P249-b	1F3801B24	P111-f	S7052-12005-041	
P249-c	C4138D20	P922-N	S7052-12005-041	
P249-d	1F3850B24	J21R-G	S7052-12005-041	
P249-e	C4138B20	P902-AA	S7052-12005-041	
P249-f	APR39-28B22	J21R-F	S7052-12005-041	
P249-g	M9002G20	J11R-E	S7052-12005-041	
P249-h	M9002D20	J11R-F	S7052-12005-041	
P249-i	M9002B20	SG2000-1	S7052-12005-041	
P249-j	APN209-7B22	P111-d	S7052-12005-041	
P249-k	M9000B20	P2000R-C	S7052-12005-041	
P249-n	D5844B20N	P138-DD	S7052-12005-041	
P249-p	D5843B20	P138-CC	S7052-12005-041	
P249-q	C6200B20	P419R-g	S7052-12005-041	
P249-r	C4132D20	SG249-1	S7052-12005-041	
P249-s	C4137B20	P902-s	S7052-12005-041	
P250-1	X25A24	P214-A	70552-02102-045	
P250-2	X26A24	P214-B	70552-02102-045	
P250-3	X27A24	P214-C	70552-02102-045	
P250-4	X28A20	P214-D	70552-02102-045	
P250-5	X29A20	P214-E	70552-02102-045	
P250-6	X130A24	P201-Z	70552-02102-045	
P250-7	P250-7-20	BOMB8-2	70552-02102-045	
P250-8	P250-8-20	BOMB8-3	70552-02102-045	
P250-9	P250-9-20	BOMB8-4	70552-02102-045	
P250-10	P250-10-20	BOMB8-5	70552-02102-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P250-11	P250-11-20	BOMB8-6	70552-02102-045	
P250-12	P250-12-20	BOMB8-7	70552-02102-045	
P251-1	X89A24	P215-A	70552-02103-045	
P251-2	X90A24	P215-B	70552-02103-045	
P251-3	X91A24	P215-C	70552-02103-045	
P251-4	X92A20	P215-D	70552-02103-045	
P251-5	X93A20	P215-E	70552-02103-045	
P251-6	X131A24	P209-U	70552-02103-045	
P251-7	P251-7-20	BOMB7-2	70552-02103-045	
P251-8	P251-8-20	BOMB7-3	70552-02103-045	
P251-9	P251-9-20	BOMB7-4	70552-02103-045	
P251-10	P251-10-20	BOMB7-5	70552-02103-045	
P251-11	P251-11-20	BOMB7-6	70552-02103-045	
P251-12	P251-12-20	BOMB7-7	70552-02103-045	
P252-A	X40C20	P301-T	70552-03101-045	
P252-B	X41C20	P301-S	70552-03101-045	
P252-D	X42C24	P301-R	70552-03101-045	
P252-E	X43C24	P301-P	70552-03101-045	
P252-F	X44C24	P301-N	70552-03101-045	
P253-A	L4505S20	P247-E	S7052-12007-041	
P253-B	L4508A20N	GND253-1	S7052-12007-041	
P254-A	L4505L20	P248-E	S7052-12007-041	
P254-B	L4509A20N	GND254-1	S7052-12007-041	
P255-A	Q4067B24	J311-N	S7052-12005-041	
P255-B	Q4066B24	J311-M	S7052-12005-041	
P255-C	Q4065B24	J311-L	S7052-12005-041	
P255-D	Q4073A24N	GG5-5	S7052-12005-041	
P255-E	Q4070C24	P922-H	S7052-12005-041	
P255-F	Q4069C24	P922-G	S7052-12005-041	
P255-G	Q4068C24	P922-F	S7052-12005-041	
P255-H	Q4072A24N	GG5-3	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P255-J	Q4061B24	P914-J	S7052-12005-041	
P255-K	Q4062B24	P914-K	S7052-12005-041	
P255-M	Q4071A24N	GG5-3	S7052-12005-041	
P255-N	Q4060C24	SG255-1	S7052-12005-041	
P255-P	Q4063B24	P111-W	S7052-12005-041	
P255-S	Q4060D24	SG255-1	S7052-12005-041	
P255-T	Q4064B24	P111-X	S7052-12005-041	
P256-1	M357E20	SG256-1	70552-02111-042	
P256-2	M358D20	SG256-2	70552-02111-042	
P256-3	M357D20	SG256-1	70552-02111-042	
P256-4	M358E20	SG256-2	70552-02111-042	
P26R-A	F450E22	J2R-A	70602-02110-042	
P26R-B	*CBL1 (J2R/P26R)	-	70602-02110-042	
P26R-C	F440B22	J2R-C	70602-02110-042	
P26R-D	F441B22	J2R-D	70602-02110-042	
P26R-E	F442B22	J2R-E	70602-02110-042	
P26R-G	F443B22	J2R-G	70602-02110-042	
P26R-H	*CBL2 (J2R/P26R)	-	70602-02110-042	
P260-1	V277B24	P200-R	S7052-12005-041	
P260-2	V276B24	P200-P	S7052-12005-041	
P260-3	V281B24	P111-p	S7052-12005-041	
P260-4	V282B24	P111-q	S7052-12005-041	
P260-5	V275D24	SG242-4	S7052-12005-041	
P260-6	V302A20N	GND260-1	S7052-12005-041	
P260-9	V284A20	J311-r	S7052-12005-041	
P260-10	V283A24	P244-S	S7052-12005-041	
P260-11	V280B24	P111-n	S7052-12005-041	
P261-1	V296A20	J301-f	70552-05101-051	
P261-2	V297A20	J301-g	70552-05101-051	
P261-3	*CBL001 (J301/P261)	-	70552-05101-051	
P261-7	V295A24	J301-e	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P261-8	V294A24	J301-d	70552-05101-051	
P261-9	V301A24	J301-c	70552-05101-051	
P261-10	V299B24	J301-m	70552-05101-051	
P261-11	V298B24	J301-k	70552-05101-051	
P261-12	V291A24	J301-b	70552-05101-051	
P261-13	V290A24	J301-a	70552-05101-051	
P261-14	*CBL2 (J301/P261)	-	70552-05101-051	
P261-15	V289A24	J301-Z	70552-05101-051	
P261-16	V288A24	J301-Y	70552-05101-051	
P261-17	V287A24	J301-X	70552-05101-051	
P261-18	V286A24	J301-W	70552-05101-051	
P261-19	V285A24	J301-V	70552-05101-051	
P261-23	V303B24	J301-L	70552-05101-051	
P265-A	M785A20	J251-A	S7052-12001-042	
P265-B	M783A20	J251-B	S7052-12001-042	
P265-C	M781A20	J251-C	S7052-12001-042	
P265-D	M780A20	J251-D	S7052-12001-042	
P265-E	M779A20	J251-E	S7052-12001-042	
P265-F	M777A20	J251-F	S7052-12001-042	
P265-G	M775A20	J251-G	S7052-12001-042	
P265-H	M773A20	J251-H	S7052-12001-042	
P265-J	M771A20	J251-J	S7052-12001-042	
P265-K	M769A20	J251-K	S7052-12001-042	
P265-L	M767A20	J251-L	S7052-12001-042	
P265-M	M765A20	J251-M	S7052-12001-042	
P265-N	M763A20	J251-N	S7052-12001-042	
P265-P	M761A20	J251-P	S7052-12001-042	
P265-R	M759A20	J251-R	S7052-12001-042	
P265-S	M757A20	J251-S	S7052-12001-042	
P265-T	M755A20	J251-T	S7052-12001-042	
P265-U	M753A20	J251-U	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P265-V	M751A20	J251-V	S7052-12001-042	
P265-W	M749A20	J251-W	S7052-12001-042	
P265-X	M747A20	J251-X	S7052-12001-042	
P265-Y	M745A20	J251-Y	S7052-12001-042	
P265-Z	M743A20	J251-Z	S7052-12001-042	
P265-a	M741A20	J251-a	S7052-12001-042	
P265-b	M739A20	J251-b	S7052-12001-042	
P265-c	M737A20	J251-c	S7052-12001-042	
P265-d	M735A20	J251-d	S7052-12001-042	
P265-e	M733A20	J251-e	S7052-12001-042	
P265-f	M731A20	J251-f	S7052-12001-042	
P265-g	M729A20	J251-g	S7052-12001-042	
P265-h	M727A20	J251-h	S7052-12001-042	
P265-i	M725A20	J251-i	S7052-12001-042	
P265-j	M723A20	J251-j	S7052-12001-042	
P265-k	M721A20	J251-k	S7052-12001-042	
P265-m	M719A20	J251-m	S7052-12001-042	
P265-n	M717A20	J251-n	S7052-12001-042	
P265-p	M715A20	J251-p	S7052-12001-042	
P265-q	M713A20	J251-q	S7052-12001-042	
P265-r	M711A20	J251-r	S7052-12001-042	
P265-s	M709A20	J251-s	S7052-12001-042	
P265-t	M707A20	J251-t	S7052-12001-042	
P266-A	E3302B20	SGP266-1	S7052-12006-041	
P266-G	P547B24	P217-E	S7052-12006-041	
P266-H	P522E24	SG230-9	S7052-12006-041	
P266-J	D5864B20	P137-CC	S7052-12006-041	
P266-K	D5865B20N	P137-DD	S7052-12006-041	
P266-L	D5866B22	P137-AA	S7052-12006-041	
P266-M	L3602B24	P243-N	S7052-12006-041	
P266-N	H702B24	J220-W	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P266-P	K3004B24	SG106-2	S7052-12006-041	
P266-R	SN10874B24	J20R-L	S7052-12006-041	
P266-S	ARN89-8B22	P112-H	S7052-12006-041	
P266-T	F451B24	P110-s	S7052-12006-041	
P266-U	1ARC186-4B20	J20R-T	S7052-12006-041	
P266-V	2F3801B24	P110-BB	S7052-12006-041	
P266-W	2F3836B24	P110-CC	S7052-12006-041	
P266-X	ASN128-11B22	P110-MM	S7052-12006-041	
P266-Y	ALQ144-3BB22	SG110-2	S7052-12006-041	
P266-Z	1F3912B24	P110-y	S7052-12006-041	
P266-b	2F3912B24	P110-AA	S7052-12006-041	
P266-c	2F3889B24	P110-EE	S7052-12006-041	
P266-e	M350D20	J247-L	S7052-12006-041	
P266-f	X63D24	P203-e	S7052-12006-041	
P266-g	X65C24	P203-h	S7052-12006-041	
P266-h	X66B24	SAP203-1	S7052-12006-041	
P266-i	X67C24	P203-g	S7052-12006-041	
P266-j	X68C24	P203-f	S7052-12006-041	
P266-k	H4318C24	P900-D	S7052-12006-041	
P266-m	M351B16	P900-r	S7052-12006-041	
P266-n	H4314B20A	P217-r	S7052-12006-041	
P266-p	H4315B20B	P217-s	S7052-12006-041	
P266-q	H4316B20C	P217-t	S7052-12006-041	
P267-A	M784A20	J250-A	S7052-12001-042	
P267-B	M782A20	J250-B	S7052-12001-042	
P267-C	M907A20	J250-C	S7052-12001-042	
P267-D	M778A20	J250-D	S7052-12001-042	
P267-E	M776A20	J250-E	S7052-12001-042	
P267-F	M774A20	J250-F	S7052-12001-042	
P267-G	M772A20	J250-G	S7052-12001-042	
P267-H	M770A20	J250-H	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P267-J	M768A20	J250-J	S7052-12001-042	
P267-K	M766A20	J250-K	S7052-12001-042	
P267-L	M764A20	J250-L	S7052-12001-042	
P267-M	M762A20	J250-M	S7052-12001-042	
P267-N	M760A20	J250-N	S7052-12001-042	
P267-P	M758A20	J250-P	S7052-12001-042	
P267-R	M756A20	J250-R	S7052-12001-042	
P267-S	M754A20	J250-S	S7052-12001-042	
P267-T	M704A20	J250-T	S7052-12001-042	
P267-U	M752A20	J250-U	S7052-12001-042	
P267-V	M750A20	J250-V	S7052-12001-042	
P267-W	M748A20	J250-W	S7052-12001-042	
P267-X	M746A20	J250-X	S7052-12001-042	
P267-Y	M744A20	J250-Y	S7052-12001-042	
P267-Z	M742A20	J250-Z	S7052-12001-042	
P267-a	M740A20	J250-a	S7052-12001-042	
P267-b	M738A20	J250-b	S7052-12001-042	
P267-c	M736A20	J250-c	S7052-12001-042	
P267-d	M734A20	J250-d	S7052-12001-042	
P267-e	M732A20	J250-e	S7052-12001-042	
P267-f	M730A20	J250-f	S7052-12001-042	
P267-g	M728A20	J250-g	S7052-12001-042	
P267-h	M726A20	J250-h	S7052-12001-042	
P267-i	M724A20	J250-i	S7052-12001-042	
P267-j	M722A20	J250-j	S7052-12001-042	
P267-k	M720A20	J250-k	S7052-12001-042	
P267-m	M718A20	J250-m	S7052-12001-042	
P267-n	M716A20	J250-n	S7052-12001-042	
P267-p	M714A20	J250-p	S7052-12001-042	
P267-q	M712A20	J250-q	S7052-12001-042	
P267-r	M710A20	J250-r	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P267-s	M708A20	J250-s	S7052-12001-042	
P267-t	M706A20	J250-t	S7052-12001-042	
P268-A	F3962A20	P241-c	S7052-12006-041	
P268-B	F3960A18	P241-r	S7052-12006-041	
P268-C	F3961A20N	GND268-1	S7052-12006-041	
P268-D	F3961B20N	GND268-1	S7052-12006-041	
P269-A	F3963A20	P242-K	S7052-12005-041	
P269-B	F3958A18	P242-m	S7052-12005-041	
P269-C	F3959A20N	GND269-1	S7052-12005-041	
P269-D	F3959B20N	GND269-1	S7052-12005-041	
P270-A	H4300A14A	TB1C-2	S7052-12006-041	
P270-B	H4290B14A	P234-D	S7052-12006-041	
P270-C	H4291B14B	P234-E	S7052-12006-041	
P270-D	H4303A14N	GG4-3	S7052-12006-041	
P270-E	H4292B14C	P234-F	S7052-12006-041	
P270-F	H4302A14C	TB1D-6	S7052-12006-041	
P270-G	H4301A14B	TB1B-5	S7052-12006-041	
P271-A	H4304A20	TB1B-8	S7052-12006-041	
P271-C	H4306A24	P900-E	S7052-12006-041	
P271-E	H4305A20	TB1B-7	S7052-12006-041	
P273-A	M357C20	SG256-1	70552-02111-042	
P273-B	M358C20	SG256-2	70552-02111-042	
P274-A	H4309A14A	TB1C-2	S7052-12005-041	
P274-B	H4295B14A	P235-E	S7052-12005-041	
P274-C	H4296B14B	P235-F	S7052-12005-041	
P274-D	H4313A14N	GG7-5	S7052-12005-041	
P274-E	H4297B14C	P235-G	S7052-12005-041	
P274-F	H4307A14C	TB1D-6	S7052-12005-041	
P274-G	H4308A14B	TB1B-5	S7052-12005-041	
P275-A	H4311A20	TB1B-8	S7052-12005-041	
P275-C	H4312A24	P244-F	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P275-E	H4310A20	TB1B-7	S7052-12005-041	
P276-A	X4004C18A	P217-Z	S7052-12006-041	
P276-B	X4005C18B	P217-a	S7052-12006-041	
P276-C	X4006C18C	P217-c	S7052-12006-041	
P276-D	X4007A16N	GND276-1	S7052-12006-041	
P277-1	X73A24	P214-X	70552-02102-045	
P277-2	X19C24	SG214-3	70552-02102-045	
P277-3	X20C24	SG214-2	70552-02102-045	
P277-4	X21C24	SG214-1	70552-02102-045	
P277-5	P277-5-20	BOMB8-1	70552-02102-045	
P278-1	X94A24	P215-X	70552-02103-045	
P278-2	X83C24	SG215-3	70552-02103-045	
P278-3	X85C24	SG215-2	70552-02103-045	
P278-4	X87C24	SG215-1	70552-02103-045	
P278-5	P278-5-20	BOMB7-1	70552-02103-045	
P279-A	X34F24	P301-K	70552-03101-045	
P279-B	X127F24	SG279-1	70552-03101-045	
P279-C	X36F24	P301-J	70552-03101-045	
P279-D	X127E24	SG279-1	70552-03101-045	
P279-E	X38F24	P301-H	70552-03101-045	
P279-F	X127D24	SG279-1	70552-03101-045	
P280-A	M4357B20	P108-F	S7052-12005-041	
P280-B	M4358C20	P108-E	S7052-12005-041	
P280-C	M4359B20	P108-D	S7052-12005-041	
P280-D	M4360D20	P108-C	S7052-12005-041	
P280-E	M4356B20	P108-A	S7052-12005-041	
P280-F	M4355C20	P108-G	S7052-12005-041	
P280-G	M4354B20	P108-B	S7052-12005-041	
P280-H	M4353B20	P108-H	S7052-12005-041	
P280-K	L3645E18	SG280-1	S7052-12005-041	
P280-L	L3646B18	SG280-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P280-M	L4528H20	SGJ395-1	S7052-12005-041	
P283-1	W3097B24	J221-F	S7052-12005-041	
P283-2	W3100A24	P286-C	S7052-12005-041	
P283-9	W3102A24	P902-M	S7052-12005-041	
P283-10	W3118A20N	GG5-4	S7052-12005-041	
P283-11	W3081C24	SG283-1	S7052-12005-041	
P284-1	W3096C24	P231-T	S7052-12005-041	
P284-2	W3099B24	P922-E	S7052-12005-041	
P284-9	W3101B24	J217-b	S7052-12005-041	
P284-10	W3119A20N	GG5-4	S7052-12005-041	
P284-11	W3080C24	P231-P	S7052-12005-041	
P285-1	W3098C24	J311-G	S7052-12005-041	
P285-9	W3103A24	P902-L	S7052-12005-041	
P285-10	W3110A20N	GG5-4	S7052-12005-041	
P285-11	W3082D24	SG285-1	S7052-12005-041	
P286-A	W3081E24	SG286-1	S7052-12005-041	
P286-B	W3120A20N	GND286-1	S7052-12005-041	
P286-C	W3100A24	P283-2	S7052-12005-041	
P286-D	W3120B20N	GND286-1	S7052-12005-041	
P286-E	W3089B24	P231-M	S7052-12005-041	
P286-F	W3120C20N	GND286-1	S7052-12005-041	
P287-A	W3080J24	SG287-1	S7052-12006-041	
P287-B	W3114A20N	GND287-1	S7052-12006-041	
P287-C	W3099A24	J922-E	S7052-12006-041	
P287-D	W3114B20N	GND287-1	S7052-12006-041	
P287-E	W3087B24	P230-V	S7052-12006-041	
P287-F	W3114C20N	GND287-1	S7052-12006-041	
P288-C	L4465A24	CB310-1	S7052-11010-041	
P288-D	L4462A24N	GG2-1	S7052-11010-041	
P288-E	L4528A20	TLT3LV-1	S7052-11010-041	
P289-1	V296B20	P301-f	70552-03101-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P289-2	V297B20	P301-g	70552-03101-045	
P289-3	*CBL001 (P289/P301)	-	70552-03101-045	
P289-7	V295B24	P301-e	70552-03101-045	
P289-8	V294B24	P301-d	70552-03101-045	
P289-9	V301B24	P301-c	70552-03101-045	
P289-10	V299A24	P301-m	70552-03101-045	
P289-11	V298A24	P301-k	70552-03101-045	
P289-12	V291B24	P301-b	70552-03101-045	
P289-13	V290B24	P301-a	70552-03101-045	
P289-14	*CBL2 (P289/P301)	-	70552-03101-045	
P289-15	V289B24	P301-Z	70552-03101-045	
P289-16	V288B24	P301-Y	70552-03101-045	
P289-17	V287B24	P301-X	70552-03101-045	
P289-18	V286B24	P301-W	70552-03101-045	
P289-19	V285B24	P301-V	70552-03101-045	
P289-23	V303A24	P301-L	70552-03101-045	
P290-1	V284B20	P311-r	70552-05101-051	
P290-2	V306A20N	GND307-1	70552-05101-051	
P292-A	M693A20	J239-9	S7052-12001-042	
P292-B	M692A20	J239-10	S7052-12001-042	
P292-C	M905A20	J239-11	S7052-12001-042	
P293-A	M702A20	J238-9	S7052-12001-042	
P293-B	M701A20	J238-10	S7052-12001-042	
P293-C	M700A20	J238-11	S7052-12001-042	
P297-A	JMPRP297-A-16	SGP297-1	S7052-12001-042	
P297-B	JMPRP297-B-16	SGP297-2	S7052-12001-042	
P297-C	JMPRP297-C-16	SGP297-3	S7052-12001-042	
P297-D	JMPRP297-D-16	SGP297-4	S7052-12001-042	
P297-E	JMPRP297-E-16	SGP297-5	S7052-12001-042	
P297-F	JMPRP297-F-16	SGP297-6	S7052-12001-042	
P297-G	JMPRP297-G-16	SGP297-7	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P297-H	JMPRP297-H-16	SGP297-8	S7052-12001-042	
P297-J	JMPRP297-J-16	SGP297-9	S7052-12001-042	
P297-K	JMPRP297-K-16	SGP297-12	S7052-12001-042	
P297-L	JMPRP297-L-16	SGP297-11	S7052-12001-042	
P297-M	JMPRP297-M-16	SGP297-10	S7052-12001-042	
P297-N	JMPRP297-N-16	SGP297-13	S7052-12001-042	
P297-P	JMPRP297-P-16	SGP297-14	S7052-12001-042	
P297-R	JMPRP297-R-16	SGP297-15	S7052-12001-042	
P297-S	JMPRP297-S-16	SGP297-16	S7052-12001-042	
P297-T	M66516N	GND297-1	S7052-12001-042	
P298-A	H806C20	SGP298-2	S7052-12001-042	
P298-B	JMPRP298-B-20	SGP298-1	S7052-12001-042	
P298-C	M664A20	K300-X2	S7052-12001-042	
P298-D	M665A20N	GND298-1	S7052-12001-042	
P298-E	M631A20	P226-g	S7052-12001-042	
P298-F	M632A20	P226-f	S7052-12001-042	
P298-H	M790B20	SA1000-1	S7052-12001-042	
P298-J	M669A20	P170-F	S7052-12001-042	
P298-K	M670A20	P170-S	S7052-12001-042	
P298-L	H202B20	K300-23	S7052-12001-042	
P298-M	X55DD22	SAP203-2	S7052-12001-042	
P298-N	M603B20	SGP170-3	S7052-12001-042	
P298-P	M611A22	P207-5	S7052-12001-042	
P298-R	M789B20	SAP210-1	S7052-12001-042	
P298-S	X66D22	SAP203-1	S7052-12001-042	
P298-T	JMPRP298-T-20	P298-m	S7052-12001-042	
P298-U	L417E20	P199-f	S7052-12001-042	
P298-X	AJB-331A22N	GND298-1	S7052-12001-042	
P298-Y	CDU-50A22N	GND298-1	S7052-12001-042	
P298-Z	W3103B22	SAP242-1	S7052-12001-042	
P298-a	W3389M20	SAP902-1	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P298-c	CDU-040A22	SG1011-5	S7062-11014-043	
P298-e	AJB-31A22	P139R-1	S7062-12001-041	
P298-j	X80CC22	SAP203-3	S7052-12001-042	
P298-k	M602A20N	GND298-2	S7052-12001-042	
P298-m	JMPRP298-T-20	P298-T	S7052-12001-042	
P3R-A	C4705F22	SG4R-3	S7052-11011-041	
P3R-B	C6190A24	P428R-J	S7052-11011-041	
P3R-C	C6179A24	P428R-K	S7052-11011-041	
P3R-D	C6178A24	P428R-e	S7052-11011-041	
P3R-E	C6153A24	P428R-z	S7052-11011-041	
P3R-F	C4603B24	J914-g	S7052-11011-041	
P3R-H	C4626N22	SG3R-2	S7052-11011-041	
P3R-L	C6243A24	P427R-B	S7052-11011-041	
P3R-M	C6183C22	SG1105-12	S7052-11011-041	
P3R-N	C4630A22	P5R-C	S7052-11011-041	
P3R-P	JUMPERP315R2-20	SG3R-1	S7052-11011-041	
P3R-R	JUMPERP315R1-20	SG3R-1	S7052-11011-041	
P3R-S	C6175A24	P428R-F	S7052-11011-041	
P3R-U	C6226A24	J419R-c	S7052-11011-041	
P3R-V	C6193A24	P428R-g	S7052-11011-041	
P3R-W	C6154A24	P428R-GG	S7052-11011-041	
P3R-X	C6229A24	J420R-Y	S7052-11011-041	
P3R-Y	C6176A24	P428R-M	S7052-11011-041	
P3R-Z	C6177A24	P428R-w	S7052-11011-041	
P3R-a	C6192A24	P428R-i	S7052-11011-041	
P3R-b	C6191A24	P428R-P	S7052-11011-041	
P3R-c	C6213A24	J420R-U	S7052-11011-041	
P3R-g	C6146B24	SG1105-4	S7052-11011-041	
P3R-h	C6214E22	SG4R-2	S7052-11011-041	
P300-B	W3160A20	DCV-1	70552-03100-043	
P300-D	W3164A20	FE2M-3	70552-03100-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P300-E	W3165A20N	FE2M-4	70552-03100-043	
P300-G	W3166A20N	FE1R-2	70552-03100-043	
P300-H	W3167A20	FE1R-1	70552-03100-043	
P300-J	W3169A16N	FE2R-4	70552-03100-043	
P300-K	W3168A16	FE2R-3	70552-03100-043	
P300-L	W3162A16N	FE1M-2	70552-03100-043	
P300-M	W3163A16	FE1M-1	70552-03100-043	
P300R-4	ARN89-9C24	SGK33-2	S7052-11008-042	
P300R-5	1F3770A24	P302R-P	S7052-11008-042	
P300R-9	ARN123-76D22	SGM33-6	S7052-11008-042	
P300R-10	ARN89-15C24	SGK33-3	S7052-11008-042	
P300R-12	1F3767A24	P302R-FF	S7052-11008-042	
P300R-13	1F3764A24	P302R-u	S7052-11008-042	
P300R-14	NIU015B24	J16R-k	S7052-11008-042	
P300R-15	JUMPERP300R-1-22	SG300R-1	S7052-11008-042	
P300R-16	NIU017A24	J16R-n	S7052-11008-042	
P300R-17	ARN89-10C24	SGK33-4	S7052-11008-042	
P300R-18	1F3915A24	P301R-c	S7052-11008-042	
P300R-19	2F3910D24	SG317R-2	S7052-11008-042	
P300R-20	1F3917A24	P301R-e	S7052-11008-042	
P300R-21	2F3905D24	SGR317-8	S7052-11008-042	
P300R-22	1F3796A24	P302R-y	S7052-11008-042	
P300R-23	1F3795A24	P302R-x	S7052-11008-042	
P300R-24	NIU020D24	SGM33-10	S7052-11008-042	
P300R-25	L3931E24	SGP300-1	S7052-11008-042	
P300R-26	NIU018A24	J16R-p	S7052-11008-042	
P300R-27	L407F24	SG33T-1	S7052-11008-042	
P300R-28	1F3908C24	SG16R-4	S7052-11008-042	
P300R-29	1F3918A24	P301R-f	S7052-11008-042	
P300R-30	1F3909C24	SG16R-3	S7052-11008-042	
P300R-31	2F3909D24	SG317R-3	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P300R-32	1F3905C24	SG16R-7	S7052-11008-042	
P300R-33	1F3843A24	P301R-p	S7052-11008-042	
P300R-34	1F3709A24	P301R-W	S7052-11008-042	
P300R-35	NIU008D24	SGM33-12	S7052-11008-042	
P300R-36	L3661D22	J112-J	S7052-11008-042	
P300R-37	ARN123-77D22	SGM33-7	S7052-11008-042	
P300R-38	1F3819G24	SGR317-14	S7052-11008-042	
P300R-39	2F3908D24	SG317R-4	S7052-11008-042	
P300R-40	1F3911C24	SG16R-1	S7052-11008-042	
P300R-41	1F3797A24N	GG33-6	S7052-11008-042	
P300R-42	ARN123-78D22	SGM33-8	S7052-11008-042	
P300R-43	1F3910C24	SG16R-2	S7052-11008-042	
P300R-44	1F3919A24	P301R-j	S7052-11008-042	
P300R-46	JMPRP300R-46-24	SG300R-5	S7052-11008-042	
P300R-47	NIU019D24	SGM33-11	S7052-11008-042	
P300R-48	1F3772A24	P302R-S	S7052-11008-042	
P300R-50	1F3916A24	P301R-d	S7052-11008-042	
P300R-52	1F3769A24	P302R-v	S7052-11008-042	
P300R-55	2F3911D24	SG317R-1	S7052-11008-042	
P300R-56	1F3907C24	SG16R-5	S7052-11008-042	
P300R-57	1F3768A24	P302R-w	S7052-11008-042	
P300R-58	2ARC201-140B24	SGR317-1	S7052-11008-042	
P300R-59	1F3771A24	P302R-R	S7052-11008-042	
P300R-63	CDU-008D22	SGLHS-9	S7052-11008-042	
P300R-64	NIU011D24	SGM33-15	S7052-11008-042	
P300R-66	1F3765A24	P302R-t	S7052-11008-042	
P300R-67	1F3914A24	P301R-b	S7052-11008-042	
P300R-68	1F3906C24	SG16R-6	S7052-11008-042	
P300R-70	1F3854A24	P301R-E	S7052-11008-042	
P300R-71	NIU016B24	J16R-m	S7052-11008-042	
P300R-77	1F3816A24	SG300R-8	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P300R-78	1F3801C24	J111-f	S7052-11008-042	
P300R-79	2F3906D24	SG317R-6	S7052-11008-042	
P300R-80	1F3913A24	P301R-a	S7052-11008-042	
P300R-81	2ARC201-100C24	SG300R-2	S7052-11008-042	
P300R-82	NIU014D24	SGM33-1	S7052-11008-042	
P300R-83	ARN123-71F24	SGLHS-6	S7052-11008-042	
P300R-87	1F3852C24	SGV33-4	S7052-11008-042	
P300R-89	1F3704A24	P301R-H	S7052-11008-042	
P300R-91	2F3907D24	SG317R-5	S7052-11008-042	
P300R-92	1F3794A24	P302R-n	S7052-11008-042	
P300R-93	NIU012D24	SGM33-14	S7052-11008-042	
P300R-94	1F3799A24	P319R-3	S7052-11008-042	
P300R-95	ARN123-08F22	SGRHS-16	S7052-11008-042	
P300R-96	1F3773A24	P319R-1	S7052-11008-042	
P300R-103	1F3793A24	P302R-m	S7052-11008-042	
P300R-104	NIU013D24	SGM33-13	S7052-11008-042	
P300R-105	NIU023B24	J16R-C	S7052-11008-042	
P300R-107	JUMPERP300R-3-22	SG300R-4	S7052-11008-042	
P300R-112	1F3853C24	SGV33-3	S7052-11008-042	
P300R-113	2ARC201-8G24	SGK33-5	S7052-11008-042	
P300R-114	JUMPERP300R-2-22	SG300R-4	S7052-11008-042	
P300R-116	1F3800A24	P319R-17	S7052-11008-042	
P300R-117	1F3824A24	SG317R-7	S7052-11008-042	
P300R-118	JUMPERP300R-12-24	SG300R-3	S7052-11008-042	
P300R-119	JUMPERP300R-11-24	SG300R-3	S7052-11008-042	
P300R-120	2F3852C24	SGV33-2	S7052-11008-042	
P300R-121	1F3703A24	P301R-G	S7052-11008-042	
P300R-123	2F3853C24	SGV33-1	S7052-11008-042	
P300R-124	1F3766A24	P302R-EE	S7052-11008-042	
P300R-125	1F3710A24	P301R-X	S7052-11008-042	
P300R-127	1F3855A24	P301R-F	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P300R-128	1F3778A24N	GG33-5	S7052-11008-042	
P301-A	P301-A-20	BOMB25-1	70552-03101-045	
P301-B	P301-B-20	BOMB25-2	70552-03101-045	
P301-C	L3611N24	J454-1	70552-03101-045	
P301-D	L3613N24	J454-3	70552-03101-045	
P301-E	W3090D24	P414-E	70552-03101-045	
P301-F	W3082H24	P414-A	70552-03101-045	
P301-G	W3098A24	P414-C	70552-03101-045	
P301-H	X38F24	P279-E	70552-03101-045	
P301-J	X36F24	P279-C	70552-03101-045	
P301-K	X34F24	P279-A	70552-03101-045	
P301-L	V303A24	P289-23	70552-03101-045	
P301-M	X127C24	SG279-1	70552-03101-045	
P301-N	X44C24	P252-F	70552-03101-045	
P301-P	X43C24	P252-E	70552-03101-045	
P301-R	X42C24	P252-D	70552-03101-045	
P301-S	X41C20	P252-B	70552-03101-045	
P301-T	X40C20	P252-A	70552-03101-045	
P301-U	L3609M24	J402-A	70552-03101-045	
P301-V	V285B24	P289-19	70552-03101-045	
P301-W	V286B24	P289-18	70552-03101-045	
P301-X	V287B24	P289-17	70552-03101-045	
P301-Y	V288B24	P289-16	70552-03101-045	
P301-Z	V289B24	P289-15	70552-03101-045	
P301-a	V290B24	P289-13	70552-03101-045	
P301-b	V291B24	P289-12	70552-03101-045	
P301-c	V301B24	P289-9	70552-03101-045	
P301-d	V294B24	P289-8	70552-03101-045	
P301-e	V295B24	P289-7	70552-03101-045	
P301-f	V296B20	P289-1	70552-03101-045	
P301-g	V297B20	P289-2	70552-03101-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P301-h	*CBL001 (P289/P301)	-	70552-03101-045	
P301-i	P301-1I-20	BOMB25-5	70552-03101-045	
P301-j	*CBL2 (P289/P301)	-	70552-03101-045	
P301-k	V298A24	P289-11	70552-03101-045	
P301-m	V299A24	P289-10	70552-03101-045	
P301-n	P301-1N-20	BOMB25-6	70552-03101-045	
P301-p	P301-1P-20	BOMB25-7	70552-03101-045	
P301-q	P301-1Q-20	BOMB25-8	70552-03101-045	
P301-r	P301-1R-20	BOMB25-9	70552-03101-045	
P301-s	P301-1S-20	BOMB25-10	70552-03101-045	
P301-t	P301-1T-20	BOMB26-1	70552-03101-045	
P301R-A	1F3833A24N	GG33-9	S7052-11008-042	
P301R-B	1F3912D24	SG16R-8	S7052-11008-042	
P301R-E	1F3854A24	P300R-70	S7052-11008-042	
P301R-F	1F3855A24	P300R-127	S7052-11008-042	
P301R-G	1F3703A24	P300R-121	S7052-11008-042	
P301R-H	1F3704A24	P300R-89	S7052-11008-042	
P301R-J	JUMPERP301R-2-20	SG301R-1	S7052-11008-042	
P301R-K	1F3838D24	SGLHS-2	S7052-11008-042	
P301R-L	JUMPERP301R-3-24	SG301R-2	S7052-11008-042	
P301R-M	JUMPERP301R-624	SG301R-3	S7052-11008-042	
P301R-N	1F3840D24	SGLHS-4	S7052-11008-042	
P301R-P	JUMPERP301R-4-24	SG301R-2	S7052-11008-042	
P301R-R	1F3839D24	SGLHS-3	S7052-11008-042	
P301R-S	NIU038B24	J14R-L	S7052-11008-042	
P301R-T	NIU039A24	J14R-M	S7052-11008-042	
P301R-U	NIU040B24	J14R-P	S7052-11008-042	
P301R-V	NIU045B24	J14R-b	S7052-11008-042	
P301R-W	1F3709A24	P300R-34	S7052-11008-042	
P301R-X	1F3710A24	P300R-125	S7052-11008-042	
P301R-Y	1F3841D24	SGLHS-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P301R-Z	JUMPERP301R-7-24	SG301R-3	S7052-11008-042	
P301R-1	STORM108-A22N	GD301-3	S7062-11012-041	
P301R-2	STORM109-A22N	GD301-3	S7062-11012-041	
P301R-3	STORM118-A22	P101R-19	S7062-11012-041	
P301R-5	*CBL009 (P101R/P301R)	-	S7062-11012-041	
P301R-6	STORM112-A22	P101R-6	S7062-11012-041	
P301R-7	STORM115-A22	P101R-10	S7062-11012-041	
P301R-8	STORM105-A22	SACOMP-1	S7062-11012-041	
P301R-9	STORM121-A22	P101R-13	S7062-11012-041	
P301R-a	1F3913A24	P300R-80	S7052-11008-042	
P301R-b	1F3914A24	P300R-67	S7052-11008-042	
P301R-c	1F3915A24	P300R-18	S7052-11008-042	
P301R-d	1F3916A24	P300R-50	S7052-11008-042	
P301R-e	1F3917A24	P300R-20	S7052-11008-042	
P301R-f	1F3918A24	P300R-29	S7052-11008-042	
P301R-h	1F3835A24N	SGR33-1	S7052-11008-042	
P301R-j	1F3919A24	P300R-44	S7052-11008-042	
P301R-k	JUMPERP301R-1-24	SG301R-1	S7052-11008-042	
P301R-m	L3934B24	SG301R-5	S7052-11008-042	
P301R-n	ARN123-71G22	SGLHS-6	S7052-11008-042	
P301R-p	1F3843A24	P300R-33	S7052-11008-042	
P301R-q	1F3819F24	SGR317-14	S7052-11008-042	
P301R-s	1F3842A24	P319R-19	S7052-11008-042	
P301R-10	STORM136-A22	P100R-30	S7062-11012-041	
P301R-11	STORM101-22	SA26AC-1	S7062-11012-041	
P301R-12	*STORM101-	-	S7062-11012-041	
P301R-13	*CBL014 (P201R/P301R)	-	S7062-11012-041	
P301R-14	STORM133-A22	P201R-D	S7062-11012-041	
P301R-15	STORM129-A22	P201R-E	S7062-11012-041	
P301R-17	STORM126-A22	P201R-H	S7062-11012-041	
P301R-20	STORM117-A22	P101R-23	S7062-11012-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P301R-21	STORM116-A22	P101R-22	S7062-11012-041	
P301R-22	STORM111-A22	P101R-7	S7062-11012-041	
P301R-23	STORM113-A22	P101R-5	S7062-11012-041	
P301R-24	STORM132-A22	P201R-C	S7062-11012-041	
P301R-25	STORM106-A22	SACOMP-3	S7062-11012-041	
P301R-26	STORM122-A22	P101R-12	S7062-11012-041	
P301R-27	STORM102-A22	P100R-34	S7062-11012-041	
P301R-28	STORM103-A22N	GD301-2	S7062-11012-041	
P301R-30	STORM134-A22	P201R-A	S7062-11012-041	
P301R-33	STORM145-A22	P201R-G	S7062-11012-041	
P301R-34	STORM107-C22	SG301-1	S7062-11012-041	
P301R-35	JMPRP301-35-22	SG301-1	S7062-11012-041	
P301R-36	STORM120-A22	P101R-14	S7062-11012-041	
P301R-38	STORM119-A22	P101R-18	S7062-11012-041	
P301R-39	STORM110-A22	P101R-8	S7062-11012-041	
P301R-40	STORM114-A22	P101R-9	S7062-11012-041	
P301R-41	STORM104-A22	SACOMP-2	S7062-11012-041	
P301R-42	STORM100-A22N	GD301-1	S7062-11012-041	
P301R-43	STORM123-A22	P101R-25	S7062-11012-041	
P301R-44	STORM125-A22	P101R-24	S7062-11012-041	
P301R-45	STORM131-A22	P201R-B	S7062-11012-041	
P301R-47	STORM135-A22	P201R-J	S7062-11012-041	
P301R-48	STORM130-A22	P201R-F	S7062-11012-041	
P301R-49	STORM127-A22	P201R-M	S7062-11012-041	
P301R-50	STORM128-A22	P201R-L	S7062-11012-041	
P302-1	W3387A20	SG302-1	S7052-12005-041	
P302-2	W3389G20	SG302-2	S7052-12005-041	
P302R-C	1F3829A24N	GG33-9	S7052-11008-042	
P302R-F	F447E22	SGA33-2	S7052-11008-042	
P302R-G	F446E22	SGA33-3	S7052-11008-042	
P302R-H	F448E22	SGA33-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P302R-J	JUMPERP302R-3-20	SG302R-2	S7052-11008-042	
P302R-M	2F3869A24	P319R-12	S7052-11008-042	
P302R-N	2F3870A24	P319R-4	S7052-11008-042	
P302R-P	1F3770A24	P300R-5	S7052-11008-042	
P302R-R	1F3771A24	P300R-59	S7052-11008-042	
P302R-S	1F3772A24	P300R-48	S7052-11008-042	
P302R-U	JUMPERP302R-2-24	SG302R-2	S7052-11008-042	
P302R-W	2F3871A24	P319R-10	S7052-11008-042	
P302R-X	2F3872A24	P319R-9	S7052-11008-042	
P302R-Y	1F3830A24N	SGR33-2	S7052-11008-042	
P302R-a	2F3746A24	P317R-61	S7052-11008-042	
P302R-b	2F3747A24	P317R-102	S7052-11008-042	
P302R-c	JUMPERP302R-124	SG302R-1	S7052-11008-042	
P302R-d	2F3749A24	P317R-99	S7052-11008-042	
P302R-e	2F3750B24	SGR317-12	S7052-11008-042	
P302R-f	2F3750A24	SGR317-12	S7052-11008-042	
P302R-g	2F3751A24	P317R-98	S7052-11008-042	
P302R-h	1F3777A24	GG33-2	S7052-11008-042	
P302R-j	NIU030B24	J14R-J	S7052-11008-042	
P302R-m	1F3793A24	P300R-103	S7052-11008-042	
P302R-n	1F3794A24	P300R-92	S7052-11008-042	
P302R-r	NIU031B24	J14R-K	S7052-11008-042	
P302R-s	*CBL098 (J14R/P302R)	-	S7052-11008-042	
P302R-t	1F3765A24	P300R-66	S7052-11008-042	
P302R-u	1F3764A24	P300R-13	S7052-11008-042	
P302R-v	1F3769A24	P300R-52	S7052-11008-042	
P302R-w	1F3768A24	P300R-57	S7052-11008-042	
P302R-x	1F3795A24	P300R-23	S7052-11008-042	
P302R-y	1F3796A24	P300R-22	S7052-11008-042	
P302R-AA	1F3831A24N	GG33-3	S7052-11008-042	
P302R-BB	2F3836D24	SGV33-5	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P302R-EE	1F3766A24	P300R-124	S7052-11008-042	
P302R-FF	1F3767A24	P300R-12	S7052-11008-042	
P302R-GG	F453D24	SGA33-4	S7052-11008-042	
P302R-26	JMPRP302R-26-22	P302R-43	S7062-11014-043	
P302R-27	JMPRP302R-27-22	P302R-44	S7062-11014-043	
P302R-33	*CBL040 (P302R/SGP140)	-	S7062-11014-043	
P302R-34	CDU-057C22	SGP140-2	S7062-11014-043	
P302R-35	CDU-058C22	SGP140-3	S7062-11014-043	
P302R-43	JMPRP302R-26-22	P302R-26	S7062-11014-043	
P302R-44	JMPRP302R-27-22	P302R-27	S7062-11014-043	
P303-A	Q3201GG20	P311-K	70552-05101-051	
P303-B	Q3207B20N	SG303-1	70552-05101-051	
P303-C	Q3207A20N	SG303-1	70552-05101-051	
P304-A	Q3204G20	P310-Z	70552-05100-052	
P304-B	Q3210A20N	SG304-2	70552-05100-052	
P304-C	Q3210B20N	SG304-2	70552-05100-052	
P304R-A	2F3833A24N	GG33-7	S7052-11008-042	
P304R-B	2F3912D24	SG16R-9	S7052-11008-042	
P304R-E	2F3854A24	P317R-70	S7052-11008-042	
P304R-F	2F3855A24	P317R-127	S7052-11008-042	
P304R-G	2F3703A24	SGRHS-1	S7052-11008-042	
P304R-H	2F3704A24	SGRHS-2	S7052-11008-042	
P304R-J	JUMPERP304R-2-20	SGR304-1	S7052-11008-042	
P304R-K	1F3838C24	SGLHS-2	S7052-11008-042	
P304R-L	JUMPERP304R-324	SGR304-2	S7052-11008-042	
P304R-M	JUMPERP304R-624	SGR304-3	S7052-11008-042	
P304R-N	1F3840C24	SGLHS-4	S7052-11008-042	
P304R-P	JUMPERP304R-4-24	SGR304-2	S7052-11008-042	
P304R-R	1F3839C24	SGLHS-3	S7052-11008-042	
P304R-S	2F3705A24	J14R-f	S7052-11008-042	
P304R-T	2F3706A24	J14R-h	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P304R-U	2F3707A24	J14R-g	S7052-11008-042	
P304R-V	2F3708A24	J14R-i	S7052-11008-042	
P304R-W	2F3709A24	SGRHS-7	S7052-11008-042	
P304R-X	2F3710A24	SGRHS-8	S7052-11008-042	
P304R-Y	1F3841C24	SGLHS-1	S7052-11008-042	
P304R-Z	JUMPERP304R-724	SGR304-3	S7052-11008-042	
P304R-a	2F3913B24	SGRHS-9	S7052-11008-042	
P304R-b	2F3914B24	SGRHS-10	S7052-11008-042	
P304R-c	2F3915B24	SGRHS-11	S7052-11008-042	
P304R-d	2F3916B24	SGRHS-12	S7052-11008-042	
P304R-e	2F3917B24	SGRHS-13	S7052-11008-042	
P304R-f	2F3918B24	SGRHS-14	S7052-11008-042	
P304R-h	2F3835A24N	SGR33-1	S7052-11008-042	
P304R-j	2F3919B24	SGRHS-15	S7052-11008-042	
P304R-k	JUMPERP304R-1-24	SGR304-1	S7052-11008-042	
P304R-m	L3934C24	SG301R-5	S7052-11008-042	
P304R-n	ARN123-71C22	SGM33-9	S7052-11008-042	
P304R-p	2F3843A24	P317R-33	S7052-11008-042	
P304R-q	1F3819D24	SGR317-10	S7052-11008-042	
P304R-s	2F3841A24	P319R-22	S7052-11008-042	
P305-A	Q3213D20	P310-B	70552-05100-052	
P305-B	Q3209B20N	SG305-1	70552-05100-052	
P305-C	Q3209A20N	SG305-1	70552-05100-052	
P305R-C	2F3829A24N	GG33-6	S7052-11008-042	
P305R-F	F447D22	SGA33-2	S7052-11008-042	
P305R-G	F446D22	SGA33-3	S7052-11008-042	
P305R-H	F448D22	SGA33-1	S7052-11008-042	
P305R-J	JUMPERP305R-3-20	SGR305-2	S7052-11008-042	
P305R-M	2F3861A24	P319R-5	S7052-11008-042	
P305R-N	2F3862A24	P319R-15	S7052-11008-042	
P305R-P	2F3770A24	P317R-5	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P305R-R	2F3771A24	P317R-59	S7052-11008-042	
P305R-S	2F3772A24	P317R-48	S7052-11008-042	
P305R-U	JUMPERP305R-2-24	SGR305-2	S7052-11008-042	
P305R-W	2F3863A24	P319R-7	S7052-11008-042	
P305R-X	2F3864A24	P319R-11	S7052-11008-042	
P305R-Y	2F3830A24N	SGR33-2	S7052-11008-042	
P305R-a	2F3752A24	P317R-90	S7052-11008-042	
P305R-b	2F3755A24	P317R-73	S7052-11008-042	
P305R-c	JUMPERP305R-1-24	SGR305-1	S7052-11008-042	
P305R-d	2F3756A24	P317R-74	S7052-11008-042	
P305R-e	2F3754A24	SGR317-6	S7052-11008-042	
P305R-f	2F3754B24	SGR317-6	S7052-11008-042	
P305R-g	2F3753A24	P317R-108	S7052-11008-042	
P305R-h	2F3777A24N	GG33-1	S7052-11008-042	
P305R-j	NIU028B24	J14R-A	S7052-11008-042	
P305R-m	2F3793A24	P317R-103	S7052-11008-042	
P305R-n	2F3794A24	P317R-92	S7052-11008-042	
P305R-r	NIU029B24	J14R-B	S7052-11008-042	
P305R-s	*CBL099 (J14R/P305R)	-	S7052-11008-042	
P305R-t	2F3765A24	P317R-66	S7052-11008-042	
P305R-u	2F3764A24	P317R-13	S7052-11008-042	
P305R-v	2F3769A24	P317R-52	S7052-11008-042	
P305R-w	2F3768A24	P317R-57	S7052-11008-042	
P305R-x	2F3795A24	P317R-23	S7052-11008-042	
P305R-y	2F3796A24	P317R-22	S7052-11008-042	
P305R-AA	2F3831A24N	GG33-4	S7052-11008-042	
P305R-BB	2F3836E24	SGV33-5	S7052-11008-042	
P305R-EE	2F3766A24	P317R-124	S7052-11008-042	
P305R-FF	2F3767A24	P317R-12	S7052-11008-042	
P305R-GG	F453C24	SGA33-4	S7052-11008-042	
P306-A	Q3205A20	P310-X	70552-05100-052	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P306-B	Q3208B20N	SG306-1	70552-05100-052	
P306-C	Q3208A20N	SG306-1	70552-05100-052	
P306R-A	APX100-016A20	P1R-t	S7052-11008-042	
P306R-B	APX100-013B24	P1R-i	S7052-11008-042	
P306R-C	APX100-012B24	P1R-h	S7052-11008-042	
P306R-D	APX100-011B24	P1R-g	S7052-11008-042	
P306R-E	APX100-010B24	P1R-f	S7052-11008-042	
P306R-F	APX100-009B24	P1R-e	S7052-11008-042	
P306R-G	APX100-008B24	P1R-d	S7052-11008-042	
P306R-H	APX100-007B24	P1R-c	S7052-11008-042	
P306R-J	APX100-006B24	P1R-b	S7052-11008-042	
P306R-K	APX100-005B24	P1R-a	S7052-11008-042	
P306R-L	APX100-015B24	P1R-j	S7052-11008-042	
P306R-M	JUMPERP306R-3-24	SGR306-2	S7052-11008-042	
P306R-P	JUMPERP306R-1-24	SGR306-1	S7052-11008-042	
P306R-a	JUMPERP306-5-20	SGR306-3	S7052-11008-042	
P306R-b	JUMPERP306R-4-24	SGR306-2	S7052-11008-042	
P306R-c	JUMPERP306R-2-24	SGR306-1	S7052-11008-042	
P307R-A	1ARC201-34A22	P1001R-U	S7062-11002-041	
P307R-B	1ARC201-33A22	P1001R-D	S7062-11002-041	
P307R-D	1ARC201-32A22	P1001R-P	S7062-11002-041	
P307R-F	1AR201-40A20N	GD307R-3	S7062-11002-041	
P307R-M	1ARC201-39A20N	GD307R-1	S7062-11002-041	
P307R-N	1ARC201-38A20N	GD307R-1	S7062-11002-041	
P307R-P	JMPRP307R-P-20	SG307R-1	S7062-11002-041	
P307R-R	JMPRP307R-R-20	SG307R-1	S7062-11002-041	
P307R-S	1ARC201-30A22	P1001R-A	S7062-11002-041	
P307R-T	1ARC201-31A22	P1001R-R	S7062-11002-041	
P307R-V	1ARC201-36A22	P1001R-Z	S7062-11002-041	
P307R-X	1ARC201-37A20N	GD307R-2	S7062-11002-041	
P307R-Y	1ARC201-35A22	P1001R-L	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P308R-1	1ARC201-CX218	P160R-1	S7060-11001-046	
P309-A	X4013A12	SG273-1	S7052-12006-041	
P309-B	X4012A12	SG273-2	S7052-12006-041	
P309R-1	1ARC201-CX1A18	P609R-1	S7060-11001-042	
P310-B	Q3213D20	P305-A	70552-05100-052	
P310-C	*C4156B	-	70552-05100-052	
P310-D	C4145B20	P600-q	70552-05100-052	
P310-F	L4450G20	J509-A	70552-05100-052	
P310-H	W4775D24	P600-G	70552-05100-052	
P310-J	W4776B24	P600-H	70552-05100-052	
P310-K	W3160B20	J300-B	70552-05100-052	
P310-L	D4554F24N	P600-M	70552-05100-052	
P310-M	*W3160B	-	70552-05100-052	
P310-N	C4132Q20	P600-k	70552-05100-052	
P310-P	M4258C22	SG500-1	70552-05100-052	
P310-R	M4251C22	J500-8	70552-05100-052	
P310-S	M4252C22	J500-7	70552-05100-052	
P310-T	M4253C22	J500-6	70552-05100-052	
P310-U	M4254C22	J500-3	70552-05100-052	
P310-V	D5890C24	J308-D	70552-05100-052	
P310-W	Q3208C20N	SG306-1	70552-05100-052	
P310-X	Q3205A20	P306-A	70552-05100-052	
P310-Y	Q3209C20N	SG305-1	70552-05100-052	
P310-Z	Q3204G20	P304-A	70552-05100-052	
P310-a	Q3210C20N	SG304-2	70552-05100-052	
P310-b	M467B24	P600-N	70552-05100-052	
P310-c	M468B24	P600-P	70552-05100-052	
P310-d	W4403B24	P600-R	70552-05100-052	
P310-e	W4404B24	P600-S	70552-05100-052	
P310-f	Q4068A24	J308-A	70552-05100-052	
P310-g	Q4069A24	J308-B	70552-05100-052	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P310-h	Q4070A24	J308-C	70552-05100-052	
P310-i	D4551C24	P600-T	70552-05100-052	
P310-j	D4552C24	P600-U	70552-05100-052	
P310-k	D4553C24	P600-V	70552-05100-052	
P310-m	D4550F24	P600-W	70552-05100-052	
P310-n	L3460C20	P503-A	70552-05100-052	
P310-p	L3461C20	P503-D	70552-05100-052	
P310-q	L3462D20	P503-B	70552-05100-052	
P310-r	L3463C20	P503-E	70552-05100-052	
P310-s	C4155B20	P600-n	70552-05100-052	
P310-t	C4156B20	P600-p	70552-05100-052	
P311-A	Q6749C20	J322-A	70552-05101-051	
P311-B	Q6748C20	J322-B	70552-05101-051	
P311-C	Q6747C20	J322-C	70552-05101-051	
P311-D	C4619B22	SGP601-1	70552-05101-051	
P311-E	W3090C24	J301-E	70552-05101-051	
P311-F	W3082G24	J301-F	70552-05101-051	
P311-G	W3098B24	J301-G	70552-05101-051	
P311-H	D5891C24	J307-D	70552-05101-051	
P311-J	Q3207C20N	SG303-1	70552-05101-051	
P311-K	Q3201GG20	P303-A	70552-05101-051	
P311-L	Q4065A24	J307-A	70552-05101-051	
P311-M	Q4066A24	J307-B	70552-05101-051	
P311-N	Q4067A24	J307-C	70552-05101-051	
P311-P	X38E24	J301-H	70552-05101-051	
P311-R	X36E24	J301-J	70552-05101-051	
P311-S	X34E24	J301-K	70552-05101-051	
P311-T	X127B24	J301-M	70552-05101-051	
P311-U	X44B24	J301-N	70552-05101-051	
P311-V	X43B24	J301-P	70552-05101-051	
P311-W	X42B24	J301-R	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P311-X	X41B20	J301-S	70552-05101-051	
P311-Y	X40B20	J301-T	70552-05101-051	
P311-a	Q6746C20	P321-1	70552-05101-051	
P311-b	*C4617C	-	70552-05101-051	
P311-c	C4617C24	P601-H	70552-05101-051	
P311-d	*CBL5 (J322/P311)	-	70552-05101-051	
P311-e	C4618C24	P601-K	70552-05101-051	
P311-f	L3611M24	J301-C	70552-05101-051	
P311-g	C4621E24	P601-M	70552-05101-051	
P311-h	*C4632B	-	70552-05101-051	
P311-i	C4632B22	P601-P	70552-05101-051	
P311-j	L3613M24	J301-D	70552-05101-051	
P311-k	C4634B22	P601-S	70552-05101-051	
P311-n	L3609L24	J301-U	70552-05101-051	
P311-p	C4626G22	SGP601-2	70552-05101-051	
P311-q	C4620B22	SGP601-3	70552-05101-051	
P311-r	V284B20	P290-1	70552-05101-051	
P312-A	W3169B16N	J300-J	70552-05100-052	
P312-B	W3162B16N	J300-L	70552-05100-052	
P312-C	W3163B16	J300-M	70552-05100-052	
P312-D	W3164B20	J300-D	70552-05100-052	
P312-E	W3165B20N	J300-E	70552-05100-052	
P312-F	W3166B20N	J300-G	70552-05100-052	
P312-G	W3167B20	J300-H	70552-05100-052	
P312-H	W3168B16	J300-K	70552-05100-052	
P313-A	W3169C16N	J312-A	S7052-12006-041	
P313-B	W3162C16N	J312-B	S7052-12006-041	
P313-C	W3163C16	J312-C	S7052-12006-041	
P313-D	W3164C20	J312-D	S7052-12006-041	
P313-E	W3165C20N	J312-E	S7052-12006-041	
P313-F	W3166C20N	J312-F	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P313-G	W3167C20	J312-G	S7052-12006-041	
P313-H	W3168C16	J312-H	S7052-12006-041	
P314-A	*CBL19 (J221/P314)	-	S7052-12005-041	
P314-B	K3023A20N	GG5-3	S7052-12005-041	
P314-C	K3006C24	SG314-1	S7052-12005-041	
P314-D	K3013A24	SG242-1	S7052-12005-041	
P314-E	K3021A24	J221-V	S7052-12005-041	
P314-F	K3022A24	J221-W	S7052-12005-041	
P314-G	*CBL20 (J217/P314)	-	S7052-12005-041	
P314-H	K3024A20N	GG5-5	S7052-12005-041	
P314-J	K3007H24	J217-Y	S7052-12005-041	
P314-K	K3010A24	J217-A	S7052-12005-041	
P314-L	K3019A24	J217-f	S7052-12005-041	
P314-M	K3020A24	J217-h	S7052-12005-041	
P315-A	L3930E24	J200-j	S7052-11010-041	
P315-B	L3943A24N	J246-S	S7052-11010-041	
P315-C	L3944A24N	J246-T	S7052-11010-041	
P315-D	L3946B24	J200-c	S7052-11010-041	
P315-E	L3945A24N	J246-U	S7052-11010-041	
P315R-A	C4668K24	J1R-FF	S7062-11014-043	
P315R-B	C4679K24	SG315-1	S7062-11014-043	
P315R-C	C4667K24	J1R-DD	S7062-11014-043	
P315R-D	2F3840A20N	GG14-2	S7062-11014-043	
P315R-E	JUMPERP315R-E24	P315R-P	S7062-11014-043	
P315R-F	2F3883A24	SG318B-9	S7062-11014-043	
P315R-G	2F3882A24	SG1014-5	S7062-11014-043	
P315R-H	2F3881A24	SG318B-8	S7062-11014-043	
P315R-K	C4655D24	J1R-KK	S7062-11014-043	
P315R-L	JUMPERP315R-L24	P315R-M	S7062-11014-043	
P315R-M	JUMPERP315R-L24	P315R-L	S7062-11014-043	
P315R-P	JUMPERP315R-E24	P315R-E	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P316-A	Q6753C20	P320-1	70552-05100-052	
P316-B	Q6752C20	J323-A	70552-05100-052	
P316-C	Q6751C20	J323-B	70552-05100-052	
P316-D	Q6750C20	J323-C	70552-05100-052	
P316-E	C4148E20	P600-D	70552-05100-052	
P316-F	C4138F20	P600-C	70552-05100-052	
P316-G	C4667C24	P600-K	70552-05100-052	
P316-H	*CBL9 (J323/P316)	-	70552-05100-052	
P316-J	C4668C24	P600-Z	70552-05100-052	
P316-L	C4672E24	P600-c	70552-05100-052	
P316-M	*C4672E	-	70552-05100-052	
P316-N	C4682B22	P600-e	70552-05100-052	
P316-R	C4684B22	P600-g	70552-05100-052	
P316-S	*C4684B	-	70552-05100-052	
P316-T	C4669B22	SGP600-1	70552-05100-052	
P316-U	C4676G22	SGP600-2	70552-05100-052	
P316-V	C4670B22	SGP600-3	70552-05100-052	
P316R-1	2F3890B24	J14R-S	S7052-11008-042	
P316R-2	2F3891B24	J14R-T	S7052-11008-042	
P316R-3	2F3892B24	J14R-U	S7052-11008-042	
P316R-6	2F3896B24	J14R-N	S7052-11008-042	
P316R-7	JMPRP316R-1-22	SGR316-1	S7052-11008-042	
P316R-8	L3931G24	SGP300-2	S7052-11008-042	
P316R-9	2F3739A24	P317R-8	S7052-11008-042	
P316R-11	2F3893B24	J14R-V	S7052-11008-042	
P316R-12	2F3894B24	J14R-W	S7052-11008-042	
P316R-13	2F3895B24	J14R-X	S7052-11008-042	
P317R-4	ARN89-9D24	SGK33-2	S7052-11008-042	
P317R-5	2F3770A24	P305R-P	S7052-11008-042	
P317R-8	2F3739A24	P316R-9	S7052-11008-042	
P317R-9	ARN123-76C22	SGM33-6	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P317R-10	ARN89-15D24	SGK33-3	S7052-11008-042	
P317R-12	2F3767A24	P305R-FF	S7052-11008-042	
P317R-13	2F3764A24	P305R-u	S7052-11008-042	
P317R-15	JUMPERP317R-5-22	SGR317-4	S7052-11008-042	
P317R-17	ARN89-10D24	SGK33-4	S7052-11008-042	
P317R-18	2F3915A24	SGRHS-11	S7052-11008-042	
P317R-19	1F3910D24	SG16R-2	S7052-11008-042	
P317R-20	2F3917A24	SGRHS-13	S7052-11008-042	
P317R-21	1F3905D24	SG16R-7	S7052-11008-042	
P317R-22	2F3796A24	P305R-y	S7052-11008-042	
P317R-23	2F3795A24	P305R-x	S7052-11008-042	
P317R-24	NIU020C24	SGM33-10	S7052-11008-042	
P317R-25	L3931H24	SGP300-2	S7052-11008-042	
P317R-27	L407G24	SG33T-1	S7052-11008-042	
P317R-28	2F3908C24	SG317R-4	S7052-11008-042	
P317R-29	2F3918A24	SGRHS-14	S7052-11008-042	
P317R-30	2F3909C24	SG317R-3	S7052-11008-042	
P317R-31	1F3909D24	SG16R-3	S7052-11008-042	
P317R-32	2F3905C24	SGR317-8	S7052-11008-042	
P317R-33	2F3843A24	P304R-p	S7052-11008-042	
P317R-34	2F3709B24	SGRHS-7	S7052-11008-042	
P317R-35	NIU008C24	SGM33-12	S7052-11008-042	
P317R-36	L3662F24	SG40-1	S7052-11008-042	
P317R-37	ARN123-77C22	SGM33-7	S7052-11008-042	
P317R-38	1F3819C24	SGR317-10	S7052-11008-042	
P317R-39	1F3908D24	SG16R-4	S7052-11008-042	
P317R-40	2F3911C24	SG317R-1	S7052-11008-042	
P317R-41	2F3797A24N	GG33-6	S7052-11008-042	
P317R-42	ARN123-78C22	SGM33-8	S7052-11008-042	
P317R-43	2F3910C24	SG317R-2	S7052-11008-042	
P317R-44	2F3919A24	SGRHS-15	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P317R-46	2F3798A24	J14R-GG	S7052-11008-042	
P317R-47	NIU019C24	SGM33-11	S7052-11008-042	
P317R-48	2F3772A24	P305R-S	S7052-11008-042	
P317R-49	NIU010B24	J16R-f	S7052-11008-042	
P317R-50	2F3916A24	SGRHS-12	S7052-11008-042	
P317R-52	2F3769A24	P305R-v	S7052-11008-042	
P317R-55	1F3911D24	SG16R-1	S7052-11008-042	
P317R-56	2F3907C24	SG317R-5	S7052-11008-042	
P317R-57	2F3768A24	P305R-w	S7052-11008-042	
P317R-58	2ARC201-140A24	SGR317-1	S7052-11008-042	
P317R-59	2F3771A24	P305R-R	S7052-11008-042	
P317R-61	2F3746A24	P302R-a	S7052-11008-042	
P317R-62	JUMPERP317R-9-24	SGR317-11	S7052-11008-042	
P317R-63	CDU-008C22	SGLHS-9	S7052-11008-042	
P317R-64	NIU011C24	SGM33-15	S7052-11008-042	
P317R-66	2F3765A24	P305R-t	S7052-11008-042	
P317R-67	2F3914A24	SGRHS-10	S7052-11008-042	
P317R-68	2F3906C24	SG317R-6	S7052-11008-042	
P317R-70	2F3854A24	P304R-E	S7052-11008-042	
P317R-73	2F3755A24	P305R-b	S7052-11008-042	
P317R-74	2F3756A24	P305R-d	S7052-11008-042	
P317R-77	2F3816A24	SGR317-9	S7052-11008-042	
P317R-78	2F3801C24	J110-BB	S7052-11008-042	
P317R-79	1F3906D24	SG16R-6	S7052-11008-042	
P317R-80	2F3913A24	SGRHS-9	S7052-11008-042	
P317R-81	2ARC201-100D24	SG300R-2	S7052-11008-042	
P317R-82	NIU014C24	SGM33-1	S7052-11008-042	
P317R-83	ARN123-71D22	SGM33-9	S7052-11008-042	
P317R-85	NIU003B24	J16R-V	S7052-11008-042	
P317R-86	JUMPERP317R-10-24	SGR317-12	S7052-11008-042	
P317R-87	2F3852D24	SGV33-2	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P317R-89	2F3704B24	SGRHS-2	S7052-11008-042	
P317R-90	2F3752A24	P305R-a	S7052-11008-042	
P317R-91	1F3907D24	SG16R-5	S7052-11008-042	
P317R-92	2F3794A24	P305R-n	S7052-11008-042	
P317R-93	NIU012C24	SGM33-14	S7052-11008-042	
P317R-94	2F3799A24	J14R-HH	S7052-11008-042	
P317R-95	ARN123-08E22	SGRHS-16	S7052-11008-042	
P317R-97	NIU006B24	J16R-Y	S7052-11008-042	
P317R-98	2F3751A24	P302R-g	S7052-11008-042	
P317R-99	2F3749A24	P302R-d	S7052-11008-042	
P317R-100	JUMPERP317R-3-24	SGR317-5	S7052-11008-042	
P317R-101	NIU022B24	J16R-x	S7052-11008-042	
P317R-102	2F3747A24	P302R-b	S7052-11008-042	
P317R-103	2F3793A24	P305R-m	S7052-11008-042	
P317R-104	NIU013C24	SGM33-13	S7052-11008-042	
P317R-105	2F3775A24	J14R-FF	S7052-11008-042	
P317R-106	2F3774A24	J14R-EE	S7052-11008-042	
P317R-107	JUMPERP317R-6-22	SGR317-7	S7052-11008-042	
P317R-108	2F3753A24	P305R-g	S7052-11008-042	
P317R-109	JUMPERP317R-2-24	SGR317-3	S7052-11008-042	
P317R-110	JUMPERP317R-4-24	SGR317-6	S7052-11008-042	
P317R-111	JUMPERP317R-1-24	SGR317-2	S7052-11008-042	
P317R-112	2F3853D24	SGV33-1	S7052-11008-042	
P317R-113	2ARC201-8F24	SGK33-5	S7052-11008-042	
P317R-114	JUMPERP317R-7-22	SGR317-7	S7052-11008-042	
P317R-116	2F3800A24	J14R-JJ	S7052-11008-042	
P317R-117	JUMPERP317R-12-24	SG317R-7	S7052-11008-042	
P317R-118	JUMPERP317R-11-24	SG317R-7	S7052-11008-042	
P317R-119	1F3823A24	SG300R-3	S7052-11008-042	
P317R-120	1F3852D24	SGV33-4	S7052-11008-042	
P317R-121	2F3703B24	SGRHS-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P317R-123	1F3853D24	SGV33-3	S7052-11008-042	
P317R-124	2F3766A24	P305R-EE	S7052-11008-042	
P317R-125	2F3710B24	SGRHS-8	S7052-11008-042	
P317R-127	2F3855A24	P304R-F	S7052-11008-042	
P317R-128	2F3778A24N	GG33-5	S7052-11008-042	
P318RA-1	2F3889D24	P14R-D	S7062-11014-043	
P318RA-2	2F3888A22N	GG14-2	S7062-11014-043	
P318RA-6	2F3896A24	P14R-N	S7062-11014-043	
P318RA-7	2F3897A22N	GG14-4	S7062-11014-043	
P318RA-9	1F3819A24	P14R-LL	S7062-11014-043	
P318RA-10	NIU042B24	SG318A-5	S7062-11014-043	
P318RA-11	JMPRP318RA-11-24	SG318A-7	S7062-11014-043	
P318RA-12	2F3842A24	P14R-NN	S7062-11014-043	
P318RA-13	NIU041B24	SG318A-4	S7062-11014-043	
P318RA-14	2F3876B24	P14R-PP	S7062-11014-043	
P318RA-15	2F4754A24N	GG14-3	S7062-11014-043	
P318RA-16	2F3799B24	P14R-HH	S7062-11014-043	
P318RA-17	2F3774B24	P14R-EE	S7062-11014-043	
P318RA-18	2F3775B24	SGP14R-1	S7062-11014-043	
P318RA-19	2F3800B24	P14R-JJ	S7062-11014-043	
P318RA-20	1F3816D24	P14R-MM	S7062-11014-043	
P318RA-21	2F3879A24	P14R-R	S7062-11014-043	
P318RA-28	JMPRP318RA-28-22	SG318A-3	S7062-11014-043	
P318RA-29	JMPRP318RA-29-22	SG318A-1	S7062-11014-043	
P318RA-30	*CBL021 (P102R/ SG318A)	-	S7062-11014-043	
P318RA-31	2F3890A24	P14R-S	S7062-11014-043	
P318RA-32	2F3891A24	P14R-T	S7062-11014-043	
P318RA-33	2F3892A24	P14R-U	S7062-11014-043	
P318RA-34	1F3840A24	P14R-DD	S7062-11014-043	
P318RA-35	JUMPERP318RA-224	SG318A-6	S7062-11014-043	
P318RA-39	2F3798B24	SGP14R-2	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P318RA-41	2F3893A24	P14R-V	S7062-11014-043	
P318RA-42	2F3894A24	P14R-W	S7062-11014-043	
P318RA-43	JUMPERP318RA-324	SG318A-2	S7062-11014-043	
P318RA-48	JUMPERP318RA-424	SG318A-2	S7062-11014-043	
P318RB-1	NIU043B24	SG318B-4	S7062-11014-043	
P318RB-6	2F3875A24	P20R-H	S7062-11014-043	
P318RB-7	2F3877A24N	GG14-2	S7062-11014-043	
P318RB-8	2F3878A24	P20R-J	S7062-11014-043	
P318RB-9	2F3919D24	P14R-x	S7062-11014-043	
P318RB-11	NIU044B24	SG318B-5	S7062-11014-043	
P318RB-12	2F3874A24	P20R-G	S7062-11014-043	
P318RB-18	2F3865B24	P14R-p	S7062-11014-043	
P318RB-19	2F3866B24	P14R-q	S7062-11014-043	
P318RB-20	2F3916D24	P14R-r	S7062-11014-043	
P318RB-21	2F3917D24	P14R-s	S7062-11014-043	
P318RB-22	2F3918D24	P14R-t	S7062-11014-043	
P318RB-24	2F3913D24	P14R-u	S7062-11014-043	
P318RB-25	2F3914D24	P14R-v	S7062-11014-043	
P318RB-26	2F3915D24	P14R-w	S7062-11014-043	
P318RB-28	2F3867B24	P14R-m	S7062-11014-043	
P318RB-29	2F3868B24	P14R-n	S7062-11014-043	
P318RB-30	2F3883B24	SG318B-9	S7062-11014-043	
P318RB-31	JMPRP318RB-31-24	SG318B-2	S7062-11014-043	
P318RB-32	F439D24	SGR8-1	S7062-11014-043	
P318RB-33	ARN147-72A24	P149R-a	S7062-11009-042	
P318RB-34	ARN147-73A24	P149R-c	S7062-11009-042	
P318RB-35	ARN147-74A24	P149R-v	S7062-11009-042	
P318RB-36	ARN147-75A24	P149R-HH	S7062-11009-042	
P318RB-37	2F3703D24	P14R-d	S7062-11014-043	
P318RB-38	2F3704D24	P14R-e	S7062-11014-043	
P318RB-39	CIS003A24	P14R-j	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P318RB-40	CIS004A24	P14R-k	S7062-11014-043	
P318RB-41	2F3882C24	SG318B-10	S7062-11014-043	
P318RB-42	JMPRP318RB-42-24	SG318B-3	S7062-11014-043	
P318RB-44	1F3841A24	P14R-BB	S7062-11014-043	
P318RB-50	JUMPERP318RB-324	SG318B-1	S7062-11014-043	
P318RB-54	JUMPERP318RB-224	SG318B-1	S7062-11014-043	
P318RB-55	1F3839A24	P14R-AA	S7062-11014-043	
P318RB-56	JUMPERP318RB-124	SG318B-1	S7062-11014-043	
P318RB-57	1F3838A24	P14R-z	S7062-11014-043	
P318RB-58	JMPRP318RB-58-24	SGP102-2	S7062-11014-043	
P318RB-59	JMPRP318RB-59-24	SG318B-2	S7062-11014-043	
P318RB-60	C4647F24	SG1014-8	S7062-11014-043	
P318RB-61	2F3885A24	SAPCS-1	S7062-11014-043	
P318RB-63	JMPRP318RB-63-24	SG318B-6	S7062-11014-043	
P318RB-64	JMPRP318RB-64-24	SG318B-7	S7062-11014-043	
P319R-1	1F3773A24	P300R-96	S7052-11008-042	
P319R-2	2F3879B24	J14R-R	S7052-11008-042	
P319R-3	1F3799A24	P300R-94	S7052-11008-042	
P319R-4	2F3870A24	P302R-N	S7052-11008-042	
P319R-5	2F3861A24	P305R-M	S7052-11008-042	
P319R-6	2F3867A24	J14R-m	S7052-11008-042	
P319R-7	2F3863A24	P305R-W	S7052-11008-042	
P319R-8	2F3865A24	J14R-p	S7052-11008-042	
P319R-9	2F3872A24	P302R-X	S7052-11008-042	
P319R-10	2F3871A24	P302R-W	S7052-11008-042	
P319R-11	2F3864A24	P305R-X	S7052-11008-042	
P319R-12	2F3869A24	P302R-M	S7052-11008-042	
P319R-13	2F3868A24	J14R-n	S7052-11008-042	
P319R-14	2F3866A24	J14R-q	S7052-11008-042	
P319R-15	2F3862A24	P305R-N	S7052-11008-042	
P319R-17	1F3800A24	P300R-116	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P319R-18	2F3876A24	J14R-PP	S7052-11008-042	
P319R-19	1F3842A24	P301R-s	S7052-11008-042	
P319R-20	2F3842B24	J14R-NN	S7052-11008-042	
P319R-21	NIU024B24	SG300R-5	S7052-11008-042	
P319R-22	2F3841A24	P304R-s	S7052-11008-042	
P320-1	Q6753C20	P316-A	70552-05100-052	
P320-2	Q6761A20N	GND320-1	70552-05100-052	
P321-1	Q6746C20	P311-a	70552-05101-051	
P321-2	Q6759A20N	GND321-1	70552-05101-051	
P323R-15	ARC220-212-A22	P364R-31	S7062-11004-041	
P323R-16	2ARC201-13A24	P1103R-28	S7062-11003-041	
P323R-17	1ARC201-16A24	P1006R-28	S7062-11002-041	
P323R-18	1ARC201-17A24	P1006R-27	S7062-11002-041	
P323R-28	ARC220-211-A22	P364R-27	S7062-11004-041	
P323R-29	2ARC201-12A24	P1103R-13	S7062-11003-041	
P323R-30	1ARC201-15A24	P1006R-13	S7062-11002-041	
P323R-36	2ARC201-14A24	P1103R-27	S7062-11003-041	
P324-A	H6389B14	P332-F	70552-02170-041	
P324-B	H6388B14	P332-E	70552-02170-041	
P324-C	H6387B14	P332-D	70552-02170-041	
P324-D	H6390C14	SGP324-1	70552-02170-041	
P324-E	H6391C14	SGP324-2	70552-02170-041	
P324-H	H6392C14	SGP324-3	70552-02170-041	
P324R-13	ARC220-210-A22	P364R-26	S7062-11004-041	
P324R-19	1ARC201-18A24	P1006R-3	S7062-11002-041	
P324R-21	2ARC201-15A24	P1103R-3	S7062-11003-041	
P324R-23	ARC220-209-A22	P364R-25	S7062-11004-041	
P325-A	H6460C20	P908-L	70552-02170-041	
P325-B	H6461C20	P908-K	70552-02170-041	
P325-C	H6370B20	P329-A	70552-02170-041	
P325-D	H6371B20	P329-B	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P325-E	H6372B20	P329-C	70552-02170-041	
P325-F	H6410C20	P906-E	70552-02170-041	
P325-G	H6423J20	SGP906-1	70552-02170-041	
P325-H	H6409D20	SG325-4	70552-02170-041	
P325-J	H6374A20	P908-F	70552-02170-041	
P325-K	H6377B20	P329-H	70552-02170-041	
P325-L	H6376B20	P329-G	70552-02170-041	
P325-M	H6378E20	P329-J	70552-02170-041	
P325-N	H6375B20	P329-F	70552-02170-041	
P325-P	H6422C20	SG325-3	70552-02170-041	
P325-R	H6420D20	SG325-1	70552-02170-041	
P325-T	H6414C20	P906-J	70552-02170-041	
P325-V	H6456A20	P908-A	70552-02170-041	
P325-W	H6457A20	P908-B	70552-02170-041	
P325-Y	H6383C20	SG325-2	70552-02170-041	
P325-Z	H6383D20	SG325-2	70552-02170-041	
P325-a	H6373B20	P329-D	70552-02170-041	
P325-b	H6399A20	P906-C	70552-02170-041	
P325-c	H6397A20	P906-A	70552-02170-041	
P325-d	H6398A20	P906-B	70552-02170-041	
P325-e	H6411C20	P906-F	70552-02170-041	
P325-f	H6412C20	P906-G	70552-02170-041	
P325-g	H6413C20	P906-H	70552-02170-041	
P325-h	H6382A20	P329-M	70552-02170-041	
P325-j	H6393A20	P329-U	70552-02170-041	
P325R-1	1ARC201-12B24	BOMB5-1	S7062-11002-041	
P325R-3	2ARC201-09A24	BOMB5-1	S7062-11003-041	
P325R-9	1ARC201-13A24	P1006R-7	S7062-11002-041	
P325R-10	2ARC201-10A24	P1103R-7	S7062-11003-041	
P325R-16	ARC220-213-A22	P364R-40	S7062-11004-041	
P325R-18	1ARC201-14A24	P1006R-20	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P325R-19	2ARC201-11A24	P1103R-20	S7062-11003-041	
P326-1	H6418D20	P819-7	70552-02123-047	
P326-2	H6417D20	P819-6	70552-02123-047	
P326-3	H6416D20	P819-5	70552-02123-047	
P326-4	H6415D20	P819-4	70552-02123-047	
P326-5	H6429D20	P819-2	70552-02123-047	
P326-6	H6430D20	P819-3	70552-02123-047	
P326-7	*CBL2 (P326/P819)	-	70552-02123-047	
P326-8	H6426A20N	SG326-1	70552-02123-047	
P326-9	H6426B20N	SG326-1	70552-02123-047	
P326R-1	JMPRP326R-1-22	SG326R-2	S7062-11005-041	
P326R-2	JMPRP326R-2-22	SG326R-2	S7062-11005-041	
P326R-12	JMPRP326R-12-A24	SG326R-1	S7062-11005-041	
P326R-16	JMPRP326R-16-A24	SG326R-1	S7062-11005-041	
P326R-17	JMPRP326R-17-A24	SG326R-1	S7062-11005-041	
P326R-18	JMPRP326R-18-A24	SG326R-1	S7062-11005-041	
P326R-19	IDM118-A24N	GD326R-1	S7062-11005-041	
P326R-31	IDM119-A24N	GD326R-1	S7062-11005-041	
P326R-36	JMPRP326R-36-22	SG326R-3	S7062-11005-041	
P326R-37	JMPRP326R-37-22	SG326R-3	S7062-11005-041	
P327-1	H6390A14	J615-A	70552-02123-046	
P327-2	H6391A14	J615-B	70552-02123-046	
P327-3	H6392A14	J615-C	70552-02123-046	
P329-A	H6370B20	P325-C	70552-02170-041	
P329-B	H6371B20	P325-D	70552-02170-041	
P329-C	H6372B20	P325-E	70552-02170-041	
P329-D	H6373B20	P325-a	70552-02170-041	
P329-E	H6458C20	P908-G	70552-02170-041	
P329-F	H6375B20	P325-N	70552-02170-041	
P329-G	H6376B20	P325-L	70552-02170-041	
P329-H	H6377B20	P325-K	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P329-J	H6378E20	P325-M	70552-02170-041	
P329-K	H6421F20	P906-T	70552-02170-041	
P329-L	H6422B20	SG325-3	70552-02170-041	
P329-M	H6382A20	P325-h	70552-02170-041	
P329-N	H6383B20	SG325-2	70552-02170-041	
P329-P	H6452C20	P906-Y	70552-02170-041	
P329-R	H6453B20	P906-a	70552-02170-041	
P329-S	H6454B20	P906-b	70552-02170-041	
P329-T	H6455B20	P906-c	70552-02170-041	
P329-U	H6393A20	P325-j	70552-02170-041	
P329-V	H6459B20	P333-B	70552-02170-041	
P329-W	W3415C20	P908-J	70552-02170-041	
P329-X	H6463B20	P333-A	70552-02170-041	
P329-Y	H6420H20	SG325-1	70552-02170-041	
P329-Z	H6409E20	SG325-4	70552-02170-041	
P329-a	H6471B20	P906-K	70552-02170-041	
P329R-1	ARN153-CX110	P334R-1	S7060-11001-058	
P330R-1	ARN153-CX318	P664R-1	S7060-11001-043	
P331R-1	ARN153-CX418	P664R-1	S7060-11001-044	
P332-A	H6384B14A	P907-A	70552-02170-041	
P332-B	H6385B14B	P907-B	70552-02170-041	
P332-C	H6386B14C	P907-C	70552-02170-041	
P332-D	H6387B14	P324-C	70552-02170-041	
P332-E	H6388B14	P324-B	70552-02170-041	
P332-F	H6389B14	P324-A	70552-02170-041	
P332R-1	ARN153-CX210	P335R-1	S7060-11001-057	
P333-A	H6463B20	P329-X	70552-02170-041	
P333-B	H6459B20	P329-V	70552-02170-041	
P333-C	X39C20	T3-T6	70552-02170-041	
P333-D	X38G20	T3-T3	70552-02170-041	
P333-E	X37C20	T3-T5	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P333-F	X36G20	T3-T2	70552-02170-041	
P333-G	X35C20	T3-T4	70552-02170-041	
P333-H	X34G20	T3-T1	70552-02170-041	
P333R-1	ARN153-101C22	J129-D	S7062-11008-041	
P333R-2	ARN153-100C22	J129-C	S7062-11008-041	
P333R-3	ARN153-102A22N	GND129-3	S7062-11008-041	
P333R-4	ARN153-103A22N	GND129-3	S7062-11008-041	
P333R-7	ARN153-137A22N	GND333-3	S7062-11008-041	
P333R-8	ARN153-136A22	SA26AC-2	S7062-11008-041	
P333R-13	ARN153-138A22	P139R-43	S7062-11008-041	
P333R-14	ARN153-139A22	P139R-44	S7062-11008-041	
P333R-17	ARN153-106A22N	GND333-1	S7062-11008-041	
P333R-18	ARN153-151A22N	GND333-4	S7062-11008-041	
P333R-19	ARN153-152A22N	GND333-5	S7062-11008-041	
P333R-28	ARN153-109A22N	GND333-8	S7062-11008-041	
P333R-32	ARN153-132A22	SG333R-3	S7062-11008-041	
P333R-33	ARN153-133A22	SG333R-3	S7062-11008-041	
P333R-34	ARN153-134A22	SG333R-3	S7062-11008-041	
P333R-35	ARN153-135A22	SG333R-3	S7062-11008-041	
P333R-49	ARN153-107A22N	GND333-2	S7062-11008-041	
P333R-93	ARN153-150A22N	GND333-6	S7062-11008-041	
P333R-94	ARN153-111A22	P100R-51	S7062-11008-041	
P333R-95	ARN153-112A22	P100R-52	S7062-11008-041	
P333R-97	ARN153-108A22N	GND333-2	S7062-11008-041	
P333R-102	ARN153-131A22	SACOMP-3	S7062-11008-041	
P333R-103	ARN153-130A22	SACOMP-2	S7062-11008-041	
P333R-104	ARN153-129A22	SACOMP-1	S7062-11008-041	
P333R-114	ARN153-128A22	P100R-65	S7062-11008-041	
P333R-120	ARN153-118A22	P100R-55	S7062-11008-041	
P333R-121	ARN153-120A22	P100R-56	S7062-11008-041	
P333R-122	JMPRSG333R-2A22	SG333R-2	S7062-11008-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P333R-123	ARN153-122A22	P100R-60	S7062-11008-041	
P333R-124	ARN153-124A22	P100R-62	S7062-11008-041	
P333R-126	ARN153-126A22	P100R-64	S7062-11008-041	
P333R-127	ARN153-125A22	P100R-58	S7062-11008-041	
P333R-128	ARN153-127A22	P100R-66	S7062-11008-041	
P334-A	Q6576C20	J347-1	70552-05101-051	
P334-B	Q6575D20	J347-2	70552-05101-051	
P334-C	Q6577C20	J347-5	70552-05101-051	
P334-D	Q6575H20	J347-6	70552-05101-051	
P334-E	Q6578C20	J347-3	70552-05101-051	
P334-F	Q6575M20	J347-4	70552-05101-051	
P334-G	*CBL4 (J347/P334)	-	70552-05101-051	
P334-H	Q6759C20	J347-8	70552-05101-051	
P334-J	Q6580C20	J347-9	70552-05101-051	
P334-K	*CBL3 (J347/P334)	-	70552-05101-051	
P334-L	Q6581C20	J347-11	70552-05101-051	
P334-M	Q6582C20	J347-12	70552-05101-051	
P334-N	Q6777C20	J376-B	70552-05101-051	
P334-P	Q6778C20	J376-A	70552-05101-051	
P334-R	Q6779C20	J376-C	70552-05101-051	
P334-S	L3609C24	SGP601-6	70552-05101-051	
P334-T	L4505D22	P601-E	70552-05101-051	
P334-U	L4501L20	P601-R	70552-05101-051	
P334-V	L4512L20	P601-L	70552-05101-051	
P334-W	L3611D24	SGP601-4	70552-05101-051	
P334-X	L3613D24	SGP601-5	70552-05101-051	
P334R-1	ARN153-CX110	P329R-1	S7060-11001-058	
P335R-1	ARN153-CX210	P332R-1	S7060-11001-057	
P340-1	L4512D20	P248-N	S7052-12007-041	
P340-2	M605A22N	GDP340-1	S7052-12001-042	
P340-2	L4509B20N	GND254-1	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P340-3	L4501D20	P248-W	S7052-12007-041	
P340-8	M606A22N	GDP340-2	S7052-12001-042	
P340-11	M604B22	SGP170-1	S7052-12001-042	
P341-1	M613A22N	GDP341-5	S7052-12001-042	
P341-1	L4512H20	P247-B	S7052-12007-041	
P341-2	M608A22	P207-13	S7052-12001-042	
P341-2	L4508B20N	GND253-1	S7052-12007-041	
P341-3	M609A22N	GDP341-2	S7052-12001-042	
P341-3	L4501H20	P247-R	S7052-12007-041	
P341-5	JMPRP341-5-22-22	P341-22	S7052-12001-042	
P341-10	M800A22	P207-4	S7052-12001-042	
P341-12	M604A22	P170-B	S7052-12001-042	
P341-13	M607A22N	GDP341-1	S7052-12001-042	
P341-14	M610A22N	GDP341-3	S7052-12001-042	
P341-22	JMPRP341-5-22-22	P341-5	S7052-12001-042	
P342R-A	ARC222-109A22N	GD342R-1	S7062-11001-041	
P342R-E	ARC222-106A22	P152R-5	S7062-11001-041	
P342R-F	ARC222-115A22	P110R-V	S7062-11001-041	
P342R-G	ARC222-107A22	P152R-6	S7062-11001-041	
P342R-J	ARC222-111A22	P110R-T	S7062-11001-041	
P342R-K	ARC222-112A22	P110R-G	S7062-11001-041	
P342R-L	ARC222-113A22	P110R-CC	S7062-11001-041	
P342R-M	ARC222-114A22	P110R-BB	S7062-11001-041	
P342R-N	JMPRP342R-N-22	SG342R-1	S7062-11001-041	
P342R-P	ARC222-120A-22	SG1013-6	S7062-11014-043	
P342R-S	ARC222-117A22	P110R-X	S7062-11001-041	
P342R-T	ARC222-116A22	P110R-J	S7062-11001-041	
P342R-U	ARC222-108A22N	GD342R-2	S7062-11001-041	
P343R-D	ARC222-100A22	J129-E	S7062-11001-041	
P343R-E	ARC222-101A22N	GD343R-1	S7062-11001-041	
P343R-K	ARC222-103A22	P152R-1	S7062-11001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P343R-L	ARC222-104A22	P152R-10	S7062-11001-041	
P343R-P	ARC222-102A22N	GD343R-2	S7062-11001-041	
P343R-h	ARC222-105A22	P152R-9	S7062-11001-041	
P344R-1	ARC222-CX118	P201R-1	S7060-11001-051	
P346-1	Q6774B20N	SGP346-3	S7052-12002-041	
P346-2	Q6554B20	P360-n	S7052-12002-041	
P346-3	06553B20	P360-r	S7052-12002-041	
P346-4	Q6565B20N	SGP804-1	S7052-12002-041	
P346-5	Q6555C20	SGP346-5	S7052-12002-041	
P346-6	Q6588B20N	P833-1	S7052-12002-041	
P346-7	Q6556C20	SGP346-6	S7052-12002-041	
P346-8	Q6775B20N	SGP346-2	S7052-12002-041	
P346-9	Q6566B20N	SGP804-2	S7052-12002-041	
P346-10	Q6552C20	P360-X	S7052-12002-041	
P346-11	Q6568A20N	SGP805-1	S7052-12002-041	
P346-12	L4524K24	P360-D	S7052-12002-041	
P346-13	L408N24	P360-A	S7052-12002-041	
P346-14	Q6576A20	P360-q	S7052-12002-041	
P346-15	Q6575B20	SGP346-1	S7052-12002-041	
P346-16	Q6578A20	P360-e	S7052-12002-041	
P346-17	Q6575K20	SGP346-1	S7052-12002-041	
P346-18	Q6577A20	P360-c	S7052-12002-041	
P346-19	Q6575F20	SGP346-1	S7052-12002-041	
P346-20	Q6579A20	P361-U	S7052-12002-041	
P346-21	Q6580A20	P361-S	S7052-12002-041	
P346-22	*CBL011 (P346/P361)	-	S7052-12002-041	
P346-23	Q6581A20	P361-X	S7052-12002-041	
P346-24	Q6582A20	P361-Y	S7052-12002-041	
P346-26	*CBL012 (P346/P361)	-	S7052-12002-041	
P346-27	D5880H20	P360-J	S7052-12002-041	
P346-28	D5879H20	P360-K	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P346-29	*CBL013 (P346/P360)	-	S7052-12002-041	
P346-30	D5883J20	P360-M	S7052-12002-041	
P346-31	D5882J20	P360-N	S7052-12002-041	
P346-32	Q6598B20N	P834-1	S7052-12002-041	
P346-33	Q6550B20	P360-V	S7052-12002-041	
P346-34	Q6567B20N	SGP805-2	S7052-12002-041	
P346-35	Q6010E20	P360-W	S7052-12002-041	
P346-36	L4529K20	P360-T	S7052-12002-041	
P346-37	Q6776C20N	SGP346-4	S7052-12002-041	
P346-38	Q6040E20	P360-f	S7052-12002-041	
P346-41	Q6557C20	SGP346-7	S7052-12002-041	
P346-42	Q6593B20N	P834-6	S7052-12002-041	
P346-43	Q6558C20	SGP346-8	S7052-12002-041	
P346-44	Q6583B20N	P833-6	S7052-12002-041	
P346-45	Q6551B20	P360-C	S7052-12002-041	
P346-46	Q6777A20	P361-V	S7052-12002-041	
P346-47	Q6778A20	P361-W	S7052-12002-041	
P346-48	Q6779A20	P361-Z	S7052-12002-041	
P349-A	H803A10A	CB525-A2	S7052-12001-042	
P349-B	H804A10B	CB525-B2	S7052-12001-042	
P349-C	H805A10C	CB525-C2	S7052-12001-042	
P349-D	H800A10A	CB512-A2	S7052-12001-042	
P349-E	H801A10B	CB512-B2	S7052-12001-042	
P349-F	H802A10C	CB512-C2	S7052-12001-042	
P350-A	H906A08A	K310-A2	S7052-11001-043	
P350-B	H907A08B	K310-B2	S7052-11001-043	
P350-C	H908A08C	K310-C2	S7052-11001-043	
P350-D	H911A08N	GND350-1	S7052-11001-043	
P350-E	H103D08A	P357-A	S7052-11001-043	
P350-F	H104D08B	P357-B	S7052-11001-043	
P350-G	H105D08C	P357-C	S7052-11001-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P351-D	H113D12A	P353-A	S7052-12001-042	
P351-E	H116D12B	P353-B	S7052-12001-042	
P351-F	H119D12C	P353-C	S7052-12001-042	
P351-G	H111B12N	P353-D	S7052-12001-042	
P351-H	H114D12A	P355-H	S7052-12001-042	
P351-J	H117D12B	P355-J	S7052-12001-042	
P351-K	H120D12C	P355-K	S7052-12001-042	
P351-L	H107D12A	P355-L	S7052-12001-042	
P351-M	H108D12C	P355-M	S7052-12001-042	
P351-N	H109D12C	P355-N	S7052-12001-042	
P352-A	H112D16A	P354-A	S7052-12001-042	
P352-B	H115D16B	P354-B	S7052-12001-042	
P352-C	H118D16C	P354-C	S7052-12001-042	
P352-D	H110B16N	P354-D	S7052-12001-042	
P352-E	H204BB20	SGP298-3	S7052-12001-042	
P352-F	H205C20	P356-B	S7052-12001-042	
P352-G	H206B20	P356-C	S7052-12001-042	
P352-H	H207B20	P356-E	S7052-12001-042	
P352-J	H203B20N	GDP352-1	S7052-12001-042	
P352-L	H806D20	SGP298-2	S7052-12001-042	
P352-M	H228J20	P354-M	S7052-12001-042	
P352-N	H230C20	P354-N	S7052-12001-042	
P352-P	H245B20	P354-P	S7052-12001-042	
P352-Q	H233C20	P354-R	S7052-12001-042	
P352-R	H231C20	P354-K	S7052-12001-042	
P352-S	H231F20	P354-L	S7052-12001-042	
P352-T	H226C20	P354-J	S7052-12001-042	
P352-U	H226F20	P354-S	S7052-12001-042	
P352-V	H229C16	SGP352-1	S7052-12001-042	
P352-W	H229F16	SGP352-2	S7052-12001-042	
P352-X	H239G20	P354-E	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P352-Y	H239P20	P354-F	S7052-12001-042	
P353-A	H113D12A	P351-D	S7052-12001-042	
P353-B	H116D12B	P351-E	S7052-12001-042	
P353-C	H119D12C	P351-F	S7052-12001-042	
P353-D	H111B12N	P351-G	S7052-12001-042	
P353-E	H229E14	SGP352-1	S7052-12001-042	
P353-F	H229D14	SGP352-2	S7052-12001-042	
P354-A	H112D16A	P352-A	S7052-12001-042	
P354-B	H115D16B	P352-B	S7052-12001-042	
P354-C	H118D16C	P352-C	S7052-12001-042	
P354-D	H110B16N	P352-D	S7052-12001-042	
P354-E	H239G20	P352-X	S7052-12001-042	
P354-F	H239P20	P352-Y	S7052-12001-042	
P354-J	H226C20	P352-T	S7052-12001-042	
P354-K	H231C20	P352-R	S7052-12001-042	
P354-L	H231F20	P352-S	S7052-12001-042	
P354-M	H228J20	P352-M	S7052-12001-042	
P354-N	H230C20	P352-N	S7052-12001-042	
P354-P	H245B20	P352-P	S7052-12001-042	
P354-R	H233C20	P352-Q	S7052-12001-042	
P354-S	H226F20	P352-U	S7052-12001-042	
P354R-3	JMPRP354R-3-22	SG354R-1	S7062-11001-041	
P354R-4	JMPRP354R-4-22	SG354R-1	S7062-11001-041	
P354R-5	JMPRP354R-5-22	SG354R-1	S7062-11001-041	
P354R-20	JMPRP354R-20-22	SG354R-1	S7062-11001-041	
P355-H	H114D12A	P351-H	S7052-12001-042	
P355-J	H117D12B	P351-J	S7052-12001-042	
P355-K	H120D12C	P351-K	S7052-12001-042	
P355-L	H107D12A	P351-L	S7052-12001-042	
P355-M	H108D12C	P351-M	S7052-12001-042	
P355-N	H109D12C	P351-N	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P356-A	H204B20	SGP298-3	S7052-12001-042	
P356-B	H205C20	P352-F	S7052-12001-042	
P356-C	H206B20	P352-G	S7052-12001-042	
P356-D	H202A20	K300-22	S7052-12001-042	
P356-E	H207B20	P352-H	S7052-12001-042	
P356-G	JMPRP356-G-20	SGP356-1	S7052-12001-042	
P356-J	JMPRP356-J-20	SGP356-1	S7052-12001-042	
P356-N	H808A22	TJ5VB-L	S7052-12001-042	
P356-P	H809A22N	GND356-1	S7052-12001-042	
P356-R	H810A22	GND356-1	S7052-12001-042	
P356-S	H811A22	GND356-1	S7052-12001-042	
P357-A	H103D08A	P350-E	S7052-11001-043	
P357-B	H104D08B	P350-F	S7052-11001-043	
P357-C	H105D08C	P350-G	S7052-11001-043	
P360-A	L408N24	P346-13	S7052-12002-041	
P360-B	Q6775C20N	SGP346-2	S7052-12002-041	
P360-C	Q6551B20	P346-45	S7052-12002-041	
P360-D	L4524K24	P346-12	S7052-12002-041	
P360-E	Q6572A20	P805-8	S7052-12002-041	
P360-F	Q6573A20	P805-9	S7052-12002-041	
P360-G	Q6571A20	P805-7	S7052-12002-041	
P360-H	Q6556D20	SGP346-6	S7052-12002-041	
P360-J	D5880H20	P346-27	S7052-12002-041	
P360-K	D5879H20	P346-28	S7052-12002-041	
P360-L	*CBL014 (P346/P360)	-	S7052-12002-041	
P360-M	D5883J20	P346-30	S7052-12002-041	
P360-N	D5882J20	P346-31	S7052-12002-041	
P360-P	Q6564A20	P804-9	S7052-12002-041	
P360-R	Q6562A20	P804-7	S7052-12002-041	
P360-S	Q6776A20N	SGP346-4	S7052-12002-041	
P360-T	L4529K20	P346-36	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P360-U	Q6557D20	SGP346-7	S7052-12002-041	
P360-V	Q6550B20	P346-33	S7052-12002-041	
P360-W	Q6010E20	P346-35	S7052-12002-041	
P360-X	Q6552C20	P346-10	S7052-12002-041	
P360-Y	Q6569A20	P805-3	S7052-12002-041	
P360-Z	Q6570A20	P805-4	S7052-12002-041	
P360-a	Q6558D20	SGP346-8	S7052-12002-041	
P360-c	Q6577A20	P346-18	S7052-12002-041	
P360-d	Q6575A20	SGP346-1	S7052-12002-041	
P360-e	Q6578A20	P346-16	S7052-12002-041	
P360-f	Q6040E20	P346-38	S7052-12002-041	
P360-g	Q6563A20	P804-8	S7052-12002-041	
P360-h	Q6555D20	SGP346-5	S7052-12002-041	
P360-i	Q6561A20	P804-4	S7052-12002-041	
P360-j	Q6560A20	P804-3	S7052-12002-041	
P360-k	Q6774C20N	SGP346-3	S7052-12002-041	
P360-m	Q6574A20	P805-2	S7052-12002-041	
P360-n	Q6554B20	P346-2	S7052-12002-041	
P360-q	Q6576A20	P346-14	S7052-12002-041	
P360-r	06553B20	P346-3	S7052-12002-041	
P360-s	Q6559A20	P804-2	S7052-12002-041	
P361-A	*CBL011 (P346/P361)	-	S7052-12002-041	
P361-B	Q6592A20	P833-5	S7052-12002-041	
P361-C	Q6591A20	P833-4	S7052-12002-041	
P361-D	Q6590A20	P833-3	S7052-12002-041	
P361-E	Q6587A20	P833-10	S7052-12002-041	
P361-F	Q6586A20	P833-9	S7052-12002-041	
P361-G	Q6585A20	P833-8	S7052-12002-041	
P361-J	Q6776B20N	SGP346-4	S7052-12002-041	
P361-K	Q6595A20	P834-8	S7052-12002-041	
P361-L	Q6596A20	P834-9	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P361-M	Q6597A20	P834-10	S7052-12002-041	
P361-N	Q6771A20	P834-3	S7052-12002-041	
P361-P	Q6772A20	P834-4	S7052-12002-041	
P361-R	Q6773A20	P834-5	S7052-12002-041	
P361-S	Q6580A20	P346-21	S7052-12002-041	
P361-U	Q6579A20	P346-20	S7052-12002-041	
P361-V	Q6777A20	P346-46	S7052-12002-041	
P361-W	Q6778A20	P346-47	S7052-12002-041	
P361-X	Q6581A20	P346-23	S7052-12002-041	
P361-Y	Q6582A20	P346-24	S7052-12002-041	
P361-Z	Q6779A20	P346-48	S7052-12002-041	
P361-a	*CBL012 (P346/P361)	-	S7052-12002-041	
P361-b	Q6774D20N	SGP346-3	S7052-12002-041	
P361-c	Q6775D20N	SGP346-2	S7052-12002-041	
P361R-A	ARC220-156-A22	P366R-W	S7062-11004-041	
P361R-B	ARC220-158-A22N	GD361R-1	S7062-11004-041	
P361R-E	ARC220-157-A22	P366R-E	S7062-11004-041	
P361R-F	ARC220-155-A22	P366R-D	S7062-11004-041	
P361R-G	ARC220-154-A22	P366R-A	S7062-11004-041	
P363R-A	ARC220-121-A22	P369R-R	S7062-11004-041	
P363R-C	ARC220-200-A22N	GD363R-1	S7062-11004-041	
P363R-D	ARC220-124-A22	P369R-X	S7062-11004-041	
P363R-E	ARC220-119-A22	P369R-A	S7062-11004-041	
P363R-K	ARC220-122-A22	SG369R-4	S7062-11004-041	
P363R-L	ARC220-217-A22N	GD363R-5	S7062-11004-041	
P363R-M	ARC220-203-A22N	GD363R-4	S7062-11004-041	
P363R-V	ARC220-144-A22	P366R-G	S7062-11004-041	
P363R-W	ARC220-143-A22	P366R-J	S7062-11004-041	
P363R-Z	ARC220-147-A22	P366R-e	S7062-11004-041	
P363R-c	ARC220-141-A22	P140R-20	S7062-11004-041	
P363R-f	ARC220-120-A22	SG369R-4	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P363R-m	ARC220-202-A22N	GD363R-3	S7062-11004-041	
P363R-q	ARC220-150-A22	P366R-d	S7062-11004-041	
P363R-r	ARC220-201-A22N	GD363R-2	S7062-11004-041	
P363R-s	ARC220-123-A22	P369R-G	S7062-11004-041	
P363R-CC	ARC220-142-A22	P366R-s	S7062-11004-041	
P363R-DD	ARC220-149-A22	P366R-F	S7062-11004-041	
P363R-EE	ARC220-145-A22	P366R-f	S7062-11004-041	
P363R-JJ	ARC220-146-A22	P366R-P	S7062-11004-041	
P363R-LL	ARC220-148-A22	P366R-N	S7062-11004-041	
P364R-4	ARC220-102-A22	P369R-F	S7062-11004-041	
P364R-5	ARC220-103-A22	SG369R-1	S7062-11004-041	
P364R-6	ARC220-104-A22	P369R-b	S7062-11004-041	
P364R-8	ARC220-109A22	P369R-V	S7062-11004-041	
P364R-10	ARC220-111-A22	P369R-U	S7062-11004-041	
P364R-11	ARC220-112-A22	SG369R-1	S7062-11004-041	
P364R-12	ARC220-107-A22	P369R-N	S7062-11004-041	
P364R-14	ARC220-105-A22	P369R-c	S7062-11004-041	
P364R-25	ARC220-209-A22	P324R-23	S7062-11004-041	
P364R-26	ARC220-210-A22	P324R-13	S7062-11004-041	
P364R-27	ARC220-211-A22	P323R-28	S7062-11004-041	
P364R-31	ARC220-212-A22	P323R-15	S7062-11004-041	
P364R-40	ARC220-213-A22	P325R-16	S7062-11004-041	
P364R-41	ARC220-215A22	P197R-5	S7062-11004-041	
P364R-42	ARC220-216A22N	GD364R-1	S7062-11004-041	
P364R-47	ARC220-160-A22	P370R-D	S7062-11004-041	
P364R-48	ARC220-125-A22	SG370R-1	S7062-11004-041	
P364R-49	ARC220-128-A22	P370R-C	S7062-11004-041	
P364R-50	ARC220-129-A22	SG370R-2	S7062-11004-041	
P364R-52	ARC220-126-A22	P370R-U	S7062-11004-041	
P364R-53	ARC220-127-A22	SG370R-1	S7062-11004-041	
P364R-54	ARC220-130-A22	P370R-V	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P364R-55	ARC220-131-A22	SG370R-2	S7062-11004-041	
P364R-56	ARC220-134-A22	P370R-T	S7062-11004-041	
P364R-58	ARC220-132-A22	P370R-H	S7062-11004-041	
P364R-59	ARC220-133-A22	SG370R-3	S7062-11004-041	
P364R-62	ARC220-162A22	SAGPS-1	S7062-11004-041	
P364R-64	*ARC220-162A	-	S7062-11004-041	
P366R-A	ARC220-154-A22	P361R-G	S7062-11004-041	
P366R-D	ARC220-155-A22	P361R-F	S7062-11004-041	
P366R-E	ARC220-157-A22	P361R-E	S7062-11004-041	
P366R-F	ARC220-149-A22	P363R-DD	S7062-11004-041	
P366R-G	ARC220-144-A22	P363R-V	S7062-11004-041	
P366R-J	ARC220-143-A22	P363R-W	S7062-11004-041	
P366R-N	ARC220-148-A22	P363R-LL	S7062-11004-041	
P366R-P	ARC220-146-A22	P363R-JJ	S7062-11004-041	
P366R-W	ARC220-156-A22	P361R-A	S7062-11004-041	
P366R-c	ARC220-151-A22N	GD366R-1	S7062-11004-041	
P366R-d	ARC220-150-A22	P363R-q	S7062-11004-041	
P366R-e	ARC220-147-A22	P363R-Z	S7062-11004-041	
P366R-f	ARC220-145-A22	P363R-EE	S7062-11004-041	
P366R-k	ARC220-153-A22N	GD366R-2	S7062-11004-041	
P366R-s	ARC220-142-A22	P363R-CC	S7062-11004-041	
P368R-A	ARC220-159-A10N	GD368R-1	S7062-11004-041	
P368R-B	ARC220-101-A10	CB514-1	S7062-11004-041	
P369R-A	ARC220-119-A22	P363R-E	S7062-11004-041	
P369R-B	ARC220-117-A22	P1012R-67	S7062-11004-041	
P369R-C	ARC220-116-A22	SG140R-1	S7062-11004-041	
P369R-F	ARC220-102-A22	P364R-4	S7062-11004-041	
P369R-G	ARC220-123-A22	P363R-s	S7062-11004-041	
P369R-J	ARC220-114-A22N	GD369R-2	S7062-11004-041	
P369R-K	ARC220-113-A22N	GD369R-1	S7062-11004-041	
P369R-L	ARC220-100-B22	J129-G	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P369R-N	ARC220-107-A22	P364R-12	S7062-11004-041	
P369R-P	ARC220-115-A22N	GD369R-3	S7062-11004-041	
P369R-R	ARC220-121-A22	P363R-A	S7062-11004-041	
P369R-S	JMPRP369R-S-22	SG369R-1	S7062-11004-041	
P369R-T	JMPRP369R-T-22	SG369R-4	S7062-11004-041	
P369R-U	ARC220-111-A22	P364R-10	S7062-11004-041	
P369R-V	ARC220-109A22	P364R-8	S7062-11004-041	
P369R-X	ARC220-124-A22	P363R-D	S7062-11004-041	
P369R-a	ARC220-118-A22	P1012R-68	S7062-11004-041	
P369R-b	ARC220-104-A22	P364R-6	S7062-11004-041	
P369R-c	ARC220-105-A22	P364R-14	S7062-11004-041	
P370R-A	ARC220-140-A-22	SG137R-5	S7062-11004-041	
P370R-B	ARC220-139-A-22	SG137R-4	S7062-11004-041	
P370R-C	ARC220-128-A22	P364R-49	S7062-11004-041	
P370R-D	ARC220-160-A22	P364R-47	S7062-11004-041	
P370R-F	JMPRP370R-F-22	SG370R-1	S7062-11004-041	
P370R-H	ARC220-132-A22	P364R-58	S7062-11004-041	
P370R-J	ARC220-137-A-22	SG137R-2	S7062-11004-041	
P370R-K	ARC220-138-A-22	SG137R-3	S7062-11004-041	
P370R-P	ARC220-136-A22	SG137R-1	S7062-11004-041	
P370R-T	ARC220-134-A22	P364R-56	S7062-11004-041	
P370R-U	ARC220-126-A22	P364R-52	S7062-11004-041	
P370R-V	ARC220-130-A22	P364R-54	S7062-11004-041	
P371R-1	ARC220-CX118	P372R-1	S7060-11001-052	
P372R-1	ARC220-CX118	P371R-1	S7060-11001-052	
P373R-1	ARC220-CX2	P374R-1	S7060-11001-053	
P374R-1	ARC220-CX2	P373R-1	S7060-11001-053	
P375R-A	ARC220-206A20	J1013R-A	S7062-11004-041	
P375R-B	ARC220-207A20	J1013R-B	S7062-11004-041	
P375R-C	ARC220-208A20	J1013R-C	S7062-11004-041	
P376R-A	ARC220-200A22	J1012R-A	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P376R-B	ARC220-201A22	J1012R-B	S7062-11004-041	
P376R-C	ARC220-202A22	J1012R-C	S7062-11004-041	
P376R-D	ARC220-203A22	J1012R-D	S7062-11004-041	
P376R-E	ARC220-204A22	J1012R-E	S7062-11004-041	
P376R-F	ARC220-205A22	J1012R-F	S7062-11004-041	
P381-A	E3307A20N	GND381-1	S7052-12005-041	
P381-B	E3307B20N	GND381-1	S7052-12005-041	
P381-C	E3306A20	J221-A	S7052-12005-041	
P381-D	E3305D20	SGP231-1	S7052-12005-041	
P381-E	*J3003D	-	S7052-12005-041	
P381-F	J3003D20	J221-T	S7052-12005-041	
P381-G	J3003DD20	SG242-2	S7052-12005-041	
P381-H	*J3003DD	-	S7052-12005-041	
P382-A	E3303A20N	GND382-1	S7052-12006-041	
P382-B	E3303B20N	GND382-1	S7052-12006-041	
P382-C	E3304A20	J220-A	S7052-12006-041	
P382-D	E3302C20	SGP266-1	S7052-12006-041	
P382-E	*J3001D	-	S7052-12006-041	
P382-F	J3001D20	J220-e	S7052-12006-041	
P382-G	J30001DD20	SG241-3	S7052-12006-041	
P382-H	*J30001DD	-	S7052-12006-041	
P383-A	H4319A14A	TB7A-2	S7052-12005-041	
P383-B	H4314C14A	SG383-1	S7052-12005-041	
P383-C	H4315C14B	SG383-2	S7052-12005-041	
P383-D	H4325A14N	GND383-1	S7052-12005-041	
P383-E	H4316C14C	SG383-3	S7052-12005-041	
P383-F	H4321A14C	TB7B-6	S7052-12005-041	
P383-G	H4320A14B	TB7D-5	S7052-12005-041	
P384-A	H4322A20	TB7B-8	S7052-12005-041	
P384-C	H4324B24	P922-D	S7052-12005-041	
P384-E	H4323A20	TB7B-7	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P386-A	L3647B20	P246-a	S7052-12006-041	
P386-B	L3666B20N	GND386-1	S7052-12006-041	
P386-C	L3662A20	SG386-1	S7052-12006-041	
P386-D	L3671A20N	GND386-1	S7052-12006-041	
P386-E	L3672A20N	GND386-1	S7052-12006-041	
P387-A	L3645B20	P246-g	S7052-12006-041	
P387-B	L3669A20N	GND387-1	S7052-12006-041	
P387-C	L3661A20	SG387-1	S7052-12006-041	
P387-D	L3665A20N	GND387-1	S7052-12006-041	
P387-E	L3670A20N	GND387-1	S7052-12006-041	
P388-A	L3663A20	P113-K	S7052-12005-041	
P388-B	L3667A20N	GND388-1	S7052-12005-041	
P388-C	L3646D20	SG280-2	S7052-12005-041	
P388-D	L3664A20N	GND388-1	S7052-12005-041	
P388-E	L3668A20N	GND388-1	S7052-12005-041	
P392-1	L6961D20	J389-2	70552-02181-042	
P392-2	L6964D20N	SG392-2	70552-02181-042	
P393-A	L3937AA20N	GND393-1	S7052-11011-041	
P393-B	L3936B24	J914-T	S7052-11011-041	
P393-C	L417D20N	SGJ914-6	S7052-11011-041	
P393-D	L3934N24	J914-S	S7052-11011-041	
P4R-A	L3933A24N	GND4R-1	S7052-11011-041	
P4R-C	C4709A24N	GG1-1	S7052-11011-041	
P4R-D	L407J24	J142-d	S7052-11011-041	
P4R-E	L3931N24	SGP139-1	S7052-11011-041	
P4R-F	C6111A24	P428R-x	S7052-11011-041	
P4R-H	C6194B24	SG1105-14	S7052-11011-041	
P4R-J	C4706A20N	GG1-1	S7052-11011-041	
P4R-K	C6196G22	SG1105-2	S7052-11011-041	
P4R-L	C4635A22	P6R-E	S7052-11011-041	
P4R-M	C4705G22	SG4R-3	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P4R-N	C6242A24	P426R-B	S7052-11011-041	
P4R-P	C6222A24	P423R-G	S7052-11011-041	
P4R-U	C4676N22	SG3R-3	S7052-11011-041	
P4R-X	C4653B24	J916-C	S7052-11011-041	
P4R-Z	C6219A20	S105-COM	S7052-11011-041	
P4R-b	C6151B24	SG1105-3	S7052-11011-041	
P4R-c	C6211A24	J420R-T	S7052-11011-041	
P4R-e	L4529E22	SG4R-1	S7052-11011-041	
P4R-g	C6234A24	J419R-f	S7052-11011-041	
P4R-h	C6218A24	J916-U	S7052-11011-041	
P400-A	E3308B20	SG401-2	70552-08100-043	
P400-B	E3309B20	SG401-1	70552-08100-043	
P400-C	E3313B20	P401-C	70552-08100-043	
P400-D	E3314B20	P401-D	70552-08100-043	
P400-E	*CBL4 (P400/P444)	-	70552-08100-043	
P400-F	D5841C20	P444-1	70552-08100-043	
P400-G	D5840C20	P444-2	70552-08100-043	
P400-H	D5839C20	P444-3	70552-08100-043	
P400-J	D5838C20	P412-C	70552-08100-043	
P400-K	D5837C20	P412-D	70552-08100-043	
P400-L	D5835G20	P443-1	70552-08100-043	
P400-M	D5836G20	P443-2	70552-08100-043	
P400-N	E2057C20	P401-H	70552-08100-043	
P400-P	E2056C20	P401-J	70552-08100-043	
P400-R	E2055E20	P401-K	70552-08100-043	
P400-S	D5859F20	P401-L	70552-08100-043	
P400-T	D5860F20	P401-M	70552-08100-043	
P400-U	*CBL1 (P400/P401)	-	70552-08100-043	
P400-V	M462A20	P412-A	70552-08100-043	
P400-W	M463A20	P404-A	70552-08100-043	
P400-X	M464A20	P403-A	70552-08100-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P400-Y	M465A20	P405-A	70552-08100-043	
P400-Z	M466A20	P406-A	70552-08100-043	
P400-a	*E2057C	-	70552-08100-043	
P400-b	E3315B20	P401-V	70552-08100-043	
P401-A	E3308D20	SG401-2	70552-08100-043	
P401-B	E3309D20	SG401-1	70552-08100-043	
P401-C	E3313B20	P400-C	70552-08100-043	
P401-D	E3314B20	P400-D	70552-08100-043	
P401-E	W4400D20	SG409-1	70552-08100-043	
P401-F	W4401A20	P409-3	70552-08100-043	
P401-G	W4402A20	P408-C	70552-08100-043	
P401-H	E2057C20	P400-N	70552-08100-043	
P401-J	E2056C20	P400-P	70552-08100-043	
P401-K	E2055E20	P400-R	70552-08100-043	
P401-L	D5859F20	P400-S	70552-08100-043	
P401-M	D5860F20	P400-T	70552-08100-043	
P401-N	*CBL1 (P400/P401)	-	70552-08100-043	
P401-P	M473A20N	P412-B	70552-08100-043	
P401-R	M477A20N	P404-B	70552-08100-043	
P401-S	M478A20N	P403-B	70552-08100-043	
P401-T	M479A20N	P405-B	70552-08100-043	
P401-U	M480A20N	P406-B	70552-08100-043	
P401-V	E3315B20	P400-b	70552-08100-043	
P401R-A	C4618H24	SG905-1	S7052-12005-041	
P401R-B	C4617H24	SG905-3	S7052-12005-041	
P401R-C	C4629D24	SG903-1	S7052-12005-041	
P401R-D	C4605A24	P405R-w	S7052-12005-041	
P401R-E	C4703A20N	GND401-1	S7052-12005-041	
P401R-F	P401R-F-20	BOMB45-1	S7052-12005-041	
P401R-G	P401R-G-20	BOMB45-2	S7052-12005-041	
P401R-H	P401R-H-20	BOMB45-3	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P401R-J	P401R-J-20	BOMB45-4	S7052-12005-041	
P401R-K	P401R-K-20	BOMB45-5	S7052-12005-041	
P402R-A	PLS-47A20	P147R-A	S7062-11011-041	
P402R-B	PLS-46A20	P147R-B	S7062-11011-041	
P402R-C	PLS-51A20	P147R-C	S7062-11011-041	
P402R-D	PLS-45A20	P147R-D	S7062-11011-041	
P402R-E	PLS-44A20	P147R-E	S7062-11011-041	
P402R-F	PLS-43A24	P147R-F	S7062-11011-041	
P402R-G	PLS-42A24	P147R-G	S7062-11011-041	
P402R-P	PLS-52A20N	GD402R-1	S7062-11011-041	
P402R-R	PLS-41A24	P147R-R	S7062-11011-041	
P402R-S	PLS-40A24	P147R-S	S7062-11011-041	
P402R-T	PLS-39A24	P147R-T	S7062-11011-041	
P402R-U	PLS-38A24	P147R-U	S7062-11011-041	
P402R-V	PLS-37A24	P147R-V	S7062-11011-041	
P402R-W	PLS-36A24	P147R-W	S7062-11011-041	
P402R-a	PLS-50A24	P147R-a	S7062-11011-041	
P402R-b	PLS-48A24	P147R-b	S7062-11011-041	
P402R-f	PLS-49A20	P147R-f	S7062-11011-041	
P403-A	M464A20	P400-X	70552-08100-043	
P403-B	M478A20N	P401-S	70552-08100-043	
P403R-1	PLS-11A22	P229R-1	S7062-11011-041	
P403R-2	PLS-12A22	P229R-2	S7062-11011-041	
P403R-3	PLS-13A22	P229R-3	S7062-11011-041	
P403R-4	PLS-14A24	P229R-4	S7062-11011-041	
P403R-5	PLS-15A24	P229R-5	S7062-11011-041	
P404-A	M463A20	P400-W	70552-08100-043	
P404-B	M477A20N	P401-R	70552-08100-043	
P404R-A	C4664B22	J922-c	S7052-12006-041	
P404R-B	C4612C22	SG925-6	S7052-12006-041	
P404R-C	C4636B22	J922-b	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P404R-D	JUMPERP404R-D22	SG404-6	S7052-12006-041	
P404R-E	JUMPERP404R-E22	SG404-7	S7052-12006-041	
P404R-F	JUMPERP404R-F22	SG404-7	S7052-12006-041	
P404R-H	C4751B24	P420R-r	S7052-12006-041	
P404R-J	JUMPERP404R-J22	P404R-AA	S7052-12006-041	
P404R-K	C4690A24	P424R-G	S7052-12006-041	
P404R-L	C4677A24	P916-L	S7052-12006-041	
P404R-M	C4651B24	P236-d	S7052-12006-041	
P404R-R	C4679J24	SGA404-1	S7052-12006-041	
P404R-T	C4671A20N	GND404-1	S7052-12006-041	
P404R-U	JUMPERP404R-U22	SG404-4	S7052-12006-041	
P404R-V	C4610C22	SG925-3	S7052-12006-041	
P404R-W	C4659A24	P916-D	S7052-12006-041	
P404R-X	C4667A24	SG925-2	S7052-12006-041	
P404R-Y	JUMPERP404R-Y22	SG404-6	S7052-12006-041	
P404R-Z	C4672D24	J316-L	S7052-12006-041	
P404R-a	JUMPERP404R1A22	P404R-e	S7052-12006-041	
P404R-b	C4665A20N	GND404-1	S7052-12006-041	
P404R-c	C4648B24	J922-i	S7052-12006-041	
P404R-d	C4654A24	SG924-2	S7052-12006-041	
P404R-e	JUMPERP404R1A22	P404R-a	S7052-12006-041	
P404R-g	C4647C24	SG404-2	S7052-12006-041	
P404R-h	C4712A20N	GNDS2A-1	S7052-12006-041	
P404R-j	C4649B24	J922-p	S7052-12006-041	
P404R-m	C4673A20N	GND4A4-1	S7052-12006-041	
P404R-n	JUMPERP404R1N22	SG404-4	S7052-12006-041	
P404R-q	C4658A24	P916-E	S7052-12006-041	
P404R-r	C4668A24	SG925-1	S7052-12006-041	
P404R-s	C4670A22	J316-V	S7052-12006-041	
P404R-t	C4669A22	J316-T	S7052-12006-041	
P404R-u	C4642A24	P144-7	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P404R-v	C4613B24	J922-k	S7052-12006-041	
P404R-w	C4655B24	P110-NN	S7052-12006-041	
P404R-z	C4641A24	P144-6	S7052-12006-041	
P404R-AA	JUMPERP404R-J22	P404R-J	S7052-12006-041	
P404R-BB	C4607A22	J922-d	S7052-12006-041	
P404R-CC	C4675B22	P916-G	S7052-12006-041	
P404R-EE	C4623B24	J922-q	S7052-12006-041	
P404R-GG	C4606A22	J220-w	S7052-12006-041	
P404R-HH	C4653A24	P916-C	S7052-12006-041	
P405-A	M465A20	P400-Y	70552-08100-043	
P405-B	M479A20N	P401-T	70552-08100-043	
P405R-A	C4636A22	P922-b	S7052-12005-041	
P405R-B	C4610A22	P922-h	S7052-12005-041	
P405R-C	C4664A22	P922-c	S7052-12005-041	
P405R-D	JUMPERP405R-D22	SG405-7	S7052-12005-041	
P405R-E	JUMPERP405R-E22	SG405-8	S7052-12005-041	
P405R-F	JUMPERP405R-F22	SG405-8	S7052-12005-041	
P405R-H	C6208B24	P914-m	S7052-12005-041	
P405R-J	JUMPERP405R-J22	P405R-AA	S7052-12005-041	
P405R-K	C4640A24	P425R-G	S7052-12005-041	
P405R-L	C4627A24	P914-X	S7052-12005-041	
P405R-M	C4601C24	P200-g	S7052-12005-041	
P405R-R	C4629J24	SG4A5-1	S7052-12005-041	
P405R-T	C4624A20N	GND405-1	S7052-12005-041	
P405R-U	JUMPERP405R-U22	SG405-5	S7052-12005-041	
P405R-V	C4612A22	P922-e	S7052-12005-041	
P405R-W	C4609A24	P914-f	S7052-12005-041	
P405R-X	C4617A24	SG906-1	S7052-12005-041	
P405R-Y	JUMPERP405R-Y22	SG405-7	S7052-12005-041	
P405R-Z	C4621D24	J311-g	S7052-12005-041	
P405R-a	JUMPERP405R1A22	P405R-e	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P405R-b	C4615A20N	GND405-1	S7052-12005-041	
P405R-c	C4649A24	P922-p	S7052-12005-041	
P405R-d	C4604C24	SG905-2	S7052-12005-041	
P405R-e	JUMPERP405R1A22	P405R-a	S7052-12005-041	
P405R-g	C4646A24	SG903-2	S7052-12005-041	
P405R-h	C4711A20N	GNDS1A-1	S7052-12005-041	
P405R-j	C4648A24	P922-i	S7052-12005-041	
P405R-m	C4674A20N	GND4A5-1	S7052-12005-041	
P405R-n	JUMPERP405R1N22	SG405-5	S7052-12005-041	
P405R-p	C4602A24	P914-h	S7052-12005-041	
P405R-q	C4608A24	P914-e	S7052-12005-041	
P405R-r	C4618A24	SG906-2	S7052-12005-041	
P405R-s	C4620A22	J311-q	S7052-12005-041	
P405R-t	C4619A22	J311-D	S7052-12005-041	
P405R-u	C4644A24	P145-5	S7052-12005-041	
P405R-v	C4623A24	P922-q	S7052-12005-041	
P405R-w	C4605A24	P401R-D	S7052-12005-041	
P405R-z	C4643A24	P145-1	S7052-12005-041	
P405R-AA	JUMPERP405R-J22	P405R-J	S7052-12005-041	
P405R-BB	C4614A22	J221-c	S7052-12005-041	
P405R-CC	C4625B22	P914-b	S7052-12005-041	
P405R-EE	C4613A24	P922-k	S7052-12005-041	
P405R-FF	JMPRP405R-FF24	SG405-2	S7052-12005-041	
P405R-GG	C4607B22	P922-d	S7052-12005-041	
P405R-HH	C4603A24	P914-g	S7052-12005-041	
P406-A	M466A20	P400-Z	70552-08100-043	
P406-B	M480A20N	P401-U	70552-08100-043	
P407-1	E3309C20	SG401-1	70552-08100-043	
P407-2	E3308C20	SG401-2	70552-08100-043	
P407-3	*CBL008 (P407/SG401)	-	70552-08100-043	
P408-A	W4400F20	SG409-1	70552-08100-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P408-C	W4402A20	P401-G	70552-08100-043	
P409-2	W4400E20	SG409-1	70552-08100-043	
P409-3	W4401A20	P401-F	70552-08100-043	
P412-A	M462A20	P400-V	70552-08100-043	
P412-B	M473A20N	P401-P	70552-08100-043	
P412-C	D5838C20	P400-J	70552-08100-043	
P412-D	D5837C20	P400-K	70552-08100-043	
P413-A	W3081G24	P221-E	70552-02107-051	
P413-B	W3116A20N	GND413-1	70552-02107-051	
P413-C	W3097A24	P221-F	70552-02107-051	
P413-D	W3116B20N	GND413-1	70552-02107-051	
P413-E	W3088B24	P225-E	70552-02107-051	
P413-F	W3116C20N	GND413-1	70552-02107-051	
P414-A	W3082H24	P301-F	70552-03101-045	
P414-B	W3117A20N	GND414-1	70552-03101-045	
P414-C	W3098A24	P301-G	70552-03101-045	
P414-D	W3117B20N	GND414-1	70552-03101-045	
P414-E	W3090D24	P301-E	70552-03101-045	
P414-F	W3117C20N	GND414-1	70552-03101-045	
P415-A	W3080F24	SG415-1	70552-02108-053	
P415-B	W3115A20N	GND415-1	70552-02108-053	
P415-C	W3096A24	P222-G	70552-02108-053	
P415-D	W3115B20N	GND415-1	70552-02108-053	
P415-E	W3086B24	P222-E	70552-02108-053	
P415-F	W3115C20N	GND415-1	70552-02108-053	
P416-1	C4162A20	P426-4	70552-02107-051	
P416-2	C4168A20N	GND299-1	70552-02107-051	
P417-1	C4163A20	P429-4	70552-02108-053	
P417-2	C4166A20N	GND285-1	70552-02108-053	
P419R-A	F9020B22	J11R-C	S7052-12005-041	
P419R-B	F9019B22	J11R-D	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P419R-C	*CBL217 (J11R/P419R)	-	S7052-12005-041	
P419R-D	D5854E20	SG138-16	S7052-12005-041	
P419R-E	D5853E20	SG138-15	S7052-12005-041	
P419R-F	C6251B24	J221-LL	S7052-12005-041	
P419R-G	C6252B24	J221-MM	S7052-12005-041	
P419R-H	C6103B24	J221-x	S7052-12005-041	
P419R-J	C6106B24	J221-y	S7052-12005-041	
P419R-K	C6109B24	J221-AA	S7052-12005-041	
P419R-L	C6123B24	J221-j	S7052-12005-041	
P419R-M	*CBL218 (P419R/SG138)	-	S7052-12005-041	
P419R-N	C6141B24	J221-t	S7052-12005-041	
P419R-P	C6142B24	J221-u	S7052-12005-041	
P419R-R	C6143B24	J223-f	S7052-12005-041	
P419R-S	C6124B24	J223-e	S7052-12005-041	
P419R-T	C6148B24	J221-i	S7052-12005-041	
P419R-U	C6149B24	J221-z	S7052-12005-041	
P419R-V	C6156B24	J223-h	S7052-12005-041	
P419R-W	C6144B24	J223-g	S7052-12005-041	
P419R-X	C6159B24	J221-k	S7052-12005-041	
P419R-Z	C6171B24	J221-p	S7052-12005-041	
P419R-a	C6180B24	J221-r	S7052-12005-041	
P419R-b	C6181B24	J221-s	S7052-12005-041	
P419R-c	C6226B24	J221-v	S7052-12005-041	
P419R-d	C6231B24N	J221-n	S7052-12005-041	
P419R-e	C6225B24N	J221-EE	S7052-12005-041	
P419R-f	C6234B24	J221-q	S7052-12005-041	
P419R-g	C6200B20	P249-q	S7052-12005-041	
P419R-h	C6155B24	P902-e	S7052-12005-041	
P419R-p	*C4629E	-	S7052-12005-041	
P419R-q	C4629E24	SG903-1	S7052-12005-041	
P419R-r	C4646AA24	SG903-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P419R-s	C6158B24	J223-i	S7052-12005-041	
P419R-t	C6160B24	J223-j	S7052-12005-041	
P420-1	W3385A20	P220-NN	70552-02108-053	
P420-4	W3408B20	P220-D	70552-02108-053	
P420-6	W3380F20	P220-MM	70552-02108-053	
P420-9	W3394B20	P222-S	70552-02108-053	
P420R-A	D5875E20	SG137-6	S7052-12006-041	
P420R-B	D5874E20	SG137-7	S7052-12006-041	
P420R-C	*CBL225 (P420R/SG137)	-	S7052-12006-041	
P420R-E	JMPRP420R-E-24	SA420R-1	S7052-12006-041	
P420R-F	C6184B24	J220-KK	S7052-12006-041	
P420R-G	C6122B24	J224-p	S7052-12006-041	
P420R-H	C6147B24	J224-n	S7052-12006-041	
P420R-J	C6168B24	J224-j	S7052-12006-041	
P420R-K	C6196D22	SG230-7	S7052-12006-041	
P420R-L	C6201B24	J220-CC	S7052-12006-041	
P420R-M	C6202B24	J220-DD	S7052-12006-041	
P420R-N	C6203B24	J220-EE	S7052-12006-041	
P420R-P	C6204B24	J220-FF	S7052-12006-041	
P420R-R	C6205B24	J220-GG	S7052-12006-041	
P420R-S	C6206B24	J220-HH	S7052-12006-041	
P420R-T	C6211B24	J220-LL	S7052-12006-041	
P420R-U	C6213B24	J220-y	S7052-12006-041	
P420R-V	C6214C22	SG230-6	S7052-12006-041	
P420R-W	*C6228B	-	S7052-12006-041	
P420R-X	C6228B24	J224-q	S7052-12006-041	
P420R-Y	C6229B24	J224-N	S7052-12006-041	
P420R-Z	*C6162B	-	S7052-12006-041	
P420R-a	C6162B24	P236-g	S7052-12006-041	
P420R-b	C6163B24	P236-h	S7052-12006-041	
P420R-c	C6164B24	P236-i	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P420R-d	C4679D24	SG2106-1	S7052-12006-041	
P420R-g	*C4679D	-	S7052-12006-041	
P420R-i	C4612D22	SG925-6	S7052-12006-041	
P420R-p	C6255B24	J224-AA	S7052-12006-041	
P420R-q	*C4751B	-	S7052-12006-041	
P420R-r	C4751B24	P404R-H	S7052-12006-041	
P420R-s	C6250B22	P236-n	S7052-12006-041	
P420R-t	*C6250B	-	S7052-12006-041	
P421-1	W3386A20	P221-GG	70552-02107-051	
P421-4	W3405D20	P221-JJ	70552-02107-051	
P421-6	W3381D20	P221-HH	70552-02107-051	
P421-9	W3389E20	P221-FF	70552-02107-051	
P421R-A	C6162C24	J420R-a	S7052-11011-041	
P421R-B	C6163C24	J420R-b	S7052-11011-041	
P421R-C	C6164C24	J420R-c	S7052-11011-041	
P421R-D	C6167A20N	GG1-3	S7052-11011-041	
P421R-E	C6200D20	SG1105-1	S7052-11011-041	
P421R-F	C6196F20	SG1105-2	S7052-11011-041	
P421R-G	C6197A20N	GG1-2	S7052-11011-041	
P421R-H	C6165A24N	GG1-3	S7052-11011-041	
P422-1	W3411A20N	GND299-1	70552-02107-051	
P422-2	W3396E20	P221-BB	70552-02107-051	
P422R-A	C6109A24	J419R-K	S7052-11011-041	
P422R-C	C6143A24	J419R-R	S7052-11011-041	
P422R-D	JMPRP422R-D-22	SG422R-1	S7052-11011-041	
P422R-E	C4647A24	J420R-E	S7052-11011-041	
P422R-F	C6149A24	J419R-U	S7052-11011-041	
P422R-H	C4751A24	J420R-r	S7052-11011-041	
P422R-K	C6180A24	J419R-a	S7052-11011-041	
P422R-M	C6251A24	J419R-F	S7052-11011-041	
P422R-N	C6255A24	J420R-p	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P422R-R	C6241A24	P427R-G	S7052-11011-041	
P422R-S	C6156A24	J419R-V	S7052-11011-041	
P422R-T	C6104A24N	GG1-1	S7052-11011-041	
P422R-U	C6148A24	J419R-T	S7052-11011-041	
P422R-V	C6253A24N	GG1-5	S7052-11011-041	
P422R-W	C6141A24	J419R-N	S7052-11011-041	
P422R-X	C6124A24	J419R-S	S7052-11011-041	
P422R-Y	C4646B24	J419R-r	S7052-11011-041	
P422R-Z	JMPRP422R-Z-22	SG422R-2	S7052-11011-041	
P422R-a	C4654E24	J916-J	S7052-11011-041	
P422R-b	C6239A24	P426R-H	S7052-11011-041	
P422R-f	C6181A24	J419R-b	S7052-11011-041	
P422R-g	C6252A24	J419R-G	S7052-11011-041	
P422R-i	C6159A24	J419R-X	S7052-11011-041	
P422R-j	C6142A24	J419R-P	S7052-11011-041	
P422R-m	C6144A24	J419R-W	S7052-11011-041	
P422R-n	C6147A24	J420R-H	S7052-11011-041	
P422R-p	C6254A24N	GG1-5	S7052-11011-041	
P422R-q	C6160A24	J419R-t	S7052-11011-041	
P422R-r	C6123A24	J419R-L	S7052-11011-041	
P422R-t	C4629H24	SG1105-7	S7052-11011-041	
P422R-v	C6240A24	P427R-H	S7052-11011-041	
P422R-w	C4604E24	J914-Z	S7052-11011-041	
P422R-y	C6238A24	P426R-G	S7052-11011-041	
P422R-AA	C6106A24	J419R-J	S7052-11011-041	
P422R-BB	C6158A24	J419R-s	S7052-11011-041	
P422R-CC	C4627C24	SG1105-8	S7052-11011-041	
P422R-FF	C6122A24	J420R-G	S7052-11011-041	
P422R-GG	C6103A24	J419R-H	S7052-11011-041	
P423-A	W3401A08	K19-A2	70552-02109-067	
P423-B	W3402A08	K19-B2	70552-02109-067	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P423-C	W3403A08	K19-C2	70552-02109-067	
P423-D	W3412A08N	GND423-1	70552-02109-067	
P423R-A	C6250C22	J420R-s	S7052-11011-041	
P423R-B	C6220A20N	GG1-4	S7052-11011-041	
P423R-C	C6214F22	SG4R-2	S7052-11011-041	
P423R-E	C6151C24	SG1105-3	S7052-11011-041	
P423R-F	C6146C24	SG1105-4	S7052-11011-041	
P423R-G	C6222A24	P4R-P	S7052-11011-041	
P423R-K	C4627D24	SG1105-8	S7052-11011-041	
P423R-L	C4631E24	SG1105-5	S7052-11011-041	
P423R-M	C6208A24	J914-m	S7052-11011-041	
P423R-N	C4629G24	SG1105-7	S7052-11011-041	
P423R-S	C6202A24	J420R-M	S7052-11011-041	
P423R-Z	C6131C24	SG1105-9	S7052-11011-041	
P423R-a	C6203A24	J420R-N	S7052-11011-041	
P423R-b	C6132C24	SG1105-10	S7052-11011-041	
P423R-e	C6201A24	J420R-L	S7052-11011-041	
P423R-f	C6205A24	J420R-R	S7052-11011-041	
P423R-g	C6206A24	J420R-S	S7052-11011-041	
P423R-h	C6204A24	J420R-P	S7052-11011-041	
P423R-j	C6133C24	SG1105-11	S7052-11011-041	
P424-1	C4140A20	SG425-1	70552-02107-051	
P424-4	C4160A20	P425-9	70552-02107-051	
P424-6	C4137F20	SG425-2	70552-02107-051	
P424-9	C4152E20	P221-KK	70552-02107-051	
P424R-A	C4668L24	SG925-1	S7052-12006-041	
P424R-C	JMPRP424R-C-24	SG424R-1	S7052-12006-041	
P424R-E	C4667L24	SG925-2	S7052-12006-041	
P424R-G	C4690A24	P404R-K	S7052-12006-041	
P424R-J	JMPRP424R-J-24	SG424R-1	S7052-12006-041	
P425-1	C4140B20	SG425-1	70552-02107-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P425-4	C4161A20	P426-9	70552-02107-051	
P425-6	C4137G20	SG425-2	70552-02107-051	
P425-9	C4160A20	P424-4	70552-02107-051	
P425R-A	C4618J24	SG906-2	S7052-12005-041	
P425R-C	JMPRP425R-C-24	SG425R-1	S7052-12005-041	
P425R-E	C4617J24	SG906-1	S7052-12005-041	
P425R-G	C4640A24	P405R-K	S7052-12005-041	
P425R-J	JMPRP425R-J-24	SG425R-1	S7052-12005-041	
P426-1	C4140C20	SG425-1	70552-02107-051	
P426-4	C4162A20	P416-1	70552-02107-051	
P426-6	C4137H20	SG425-2	70552-02107-051	
P426-9	C4161A20	P425-4	70552-02107-051	
P426R-A	JMPRP426R1-22	SG426R-1	S7052-11011-041	
P426R-B	C6242A24	P4R-N	S7052-11011-041	
P426R-C	C6246A20N	GND426-1	S7052-11011-041	
P426R-D	JMPRP426R2-22	SG426R-1	S7052-11011-041	
P426R-E	C6248A20N	GND426-1	S7052-11011-041	
P426R-F	C6244A20N	GND426-1	S7052-11011-041	
P426R-G	C6238A24	P422R-y	S7052-11011-041	
P426R-H	C6239A24	P422R-b	S7052-11011-041	
P427-1	C4139A20	SG428-1	70552-02108-053	
P427-4	C4164A20	P428-9	70552-02108-053	
P427-6	C4131F20	SG428-2	70552-02108-053	
P427-9	C4151E20	P224-D	70552-02108-053	
P427R-A	JMPRP427R1-22	SG427R-1	S7052-11011-041	
P427R-B	C6243A24	P3R-L	S7052-11011-041	
P427R-C	C6247A20N	GND427-1	S7052-11011-041	
P427R-D	JMPRP427R2-22	SG427R-1	S7052-11011-041	
P427R-E	C6249A20N	GND427-1	S7052-11011-041	
P427R-F	C6245A20N	GND427-1	S7052-11011-041	
P427R-G	C6241A24	P422R-R	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P427R-H	C6240A24	P422R-v	S7052-11011-041	
P428-1	C4139B20	SG428-1	70552-02108-053	
P428-4	C4165A20	P429-9	70552-02108-053	
P428-6	C4131G20	SG428-2	70552-02108-053	
P428-9	C4164A20	P427-4	70552-02108-053	
P428R-A	C6139A24	J142-h	S7052-11011-041	
P428R-B	C6130A24	J142-p	S7052-11011-041	
P428R-C	C6129A24	J142-n	S7052-11011-041	
P428R-D	C6136A24	J142-j	S7052-11011-041	
P428R-E	C6134A24	J142-k	S7052-11011-041	
P428R-F	C6175A24	P3R-S	S7052-11011-041	
P428R-H	C6151A24	SG1105-3	S7052-11011-041	
P428R-J	C6190A24	P3R-B	S7052-11011-041	
P428R-K	C6179A24	P3R-C	S7052-11011-041	
P428R-L	C6121A24	J916-V	S7052-11011-041	
P428R-M	C6176A24	P3R-Y	S7052-11011-041	
P428R-N	C6112A24	J916-P	S7052-11011-041	
P428R-P	C6191A24	P3R-b	S7052-11011-041	
P428R-R	C6173A24	J142-y	S7052-11011-041	
P428R-V	C6138A24	J142-g	S7052-11011-041	
P428R-W	C6137A24	J142-f	S7052-11011-041	
P428R-X	C6128A24	J142-m	S7052-11011-041	
P428R-Y	C6127A24	J142-t	S7052-11011-041	
P428R-Z	C6135A24	J142-i	S7052-11011-041	
P428R-a	C6168A24	J420R-J	S7052-11011-041	
P428R-c	C6184A24	J420R-F	S7052-11011-041	
P428R-d	C6115A24	J916-T	S7052-11011-041	
P428R-e	C6178A24	P3R-D	S7052-11011-041	
P428R-f	C6114A24	J916-S	S7052-11011-041	
P428R-g	C6193A24	P3R-V	S7052-11011-041	
P428R-h	C6150A20	S108-NC	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P428R-i	C6192A24	P3R-a	S7052-11011-041	
P428R-j	C6172A24	J142-x	S7052-11011-041	
P428R-p	C6155A24	J419R-h	S7052-11011-041	
P428R-q	C6132A24	SG1105-10	S7052-11011-041	
P428R-r	C6126A24	J142-v	S7052-11011-041	
P428R-s	C6125A24	J142-u	S7052-11011-041	
P428R-t	C6194A24	SG1105-14	S7052-11011-041	
P428R-u	C6171A24	J419R-Z	S7052-11011-041	
P428R-v	C6146A24	SG1105-4	S7052-11011-041	
P428R-w	C6177A24	P3R-Z	S7052-11011-041	
P428R-x	C6111A24	P4R-F	S7052-11011-041	
P428R-z	C6153A24	P3R-E	S7052-11011-041	
P428R-BB	C6131A24	SG1105-9	S7052-11011-041	
P428R-CC	C6133A24	SG1105-11	S7052-11011-041	
P428R-DD	C6183A22	SG1105-12	S7052-11011-041	
P428R-FF	C6113A24	J916-R	S7052-11011-041	
P428R-GG	C6154A24	P3R-W	S7052-11011-041	
P428R-HH	C4631D24	SG1105-5	S7052-11011-041	
P429-1	C4139C20	SG428-1	70552-02108-053	
P429-4	C4163A20	P417-1	70552-02108-053	
P429-6	C4131H20	SG428-2	70552-02108-053	
P429-9	C4165A20	P428-4	70552-02108-053	
P432-1	C4157B20	SG432-1	70552-02108-053	
P432-2	C4171B20	P222-V	70552-02108-053	
P432-3	C4130L20	P222-U	70552-02108-053	
P433-1	C4158B20	P224-u	70552-02108-053	
P433-2	C4169A20N	GND433-1	70552-02108-053	
P434-1	H3343B20	P221-M	70552-02107-051	
P434-2	H3350A20N	GND434-1	70552-02107-051	
P434-3	P434-3-20	EC434-1	70552-02107-051	
P435-1	H3346B20	P220-U	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P435-2	H3349A20N	GND435-1	70552-02108-053	
P435-3	P435-3-20	EC435-1	70552-02108-053	
P436-1	H3347B20	P220-V	70552-02108-053	
P436-2	H3348A20N	GND285-1	70552-02108-053	
P436-3	H3348B20N	GND285-1	70552-02108-053	
P436-4	H3352C20	P220-C	70552-02108-053	
P440-1	K3018A20	P221-g	70552-02107-051	
P440-2	K3025A20N	GND440-1	70552-02107-051	
P440-3	K3017A20	P221-h	70552-02107-051	
P440-5	K3006A20	P221-Y	70552-02107-051	
P441-1	C4154B20	P223-u	70552-02107-051	
P441-2	C4167A20N	GND299-1	70552-02107-051	
P442-1	C4131L20	P225-T	70552-02107-051	
P442-2	C4135E20	P223-y	70552-02107-051	
P442-3	C4159B20	P223-v	70552-02107-051	
P443-1	D5835G20	P400-L	70552-08100-043	
P443-2	D5836G20	P400-M	70552-08100-043	
P443-3	*CBL3 (P400/P443)	-	70552-08100-043	
P444-1	D5841C20	P400-F	70552-08100-043	
P444-2	D5840C20	P400-G	70552-08100-043	
P444-3	D5839C20	P400-H	70552-08100-043	
P445-1	W3388A20	P221-DD	70552-02107-051	
P445-3	W3380C20	P225-P	70552-02107-051	
P446-1	W3406B20	P221-CC	70552-02107-051	
P446-2	W3410A20N	GND446-1	70552-02107-051	
P446-3	P446-3-20	EC446-1	70552-02107-051	
P447-1	C4153A20	SG447-1	70552-02107-051	
P447-2	C4170C20	P223-x	70552-02107-051	
P447-3	C4148H20	P223-w	70552-02107-051	
P448-1	W3407B20	P220-PP	70552-02108-053	
P448-2	W3409A20N	GND285-1	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P450-1	K3015A20	P220-h	70552-02108-053	
P450-2	K3016A20N	GND450-1	70552-02108-053	
P450-3	K3014A20	P220-g	70552-02108-053	
P450-5	K3007A20	P220-x	70552-02108-053	
P458R-1	*CBL018 (P458R/P462R)	-	70552-02108-053	
P458R-2	*C6180G	-	70552-02108-053	
P458R-3	C6181G24	P465R-8	70552-02108-053	
P458R-4	C6180G24	P465R-9	70552-02108-053	
P458R-5	C6124D24	P460R-2	70552-02108-053	
P458R-6	C6143D24	P460R-1	70552-02108-053	
P458R-7	C6144D24	P461R-1	70552-02108-053	
P458R-8	C6156D24	P461R-2	70552-02108-053	
P458R-9	C6158D24	P462R-1	70552-02108-053	
P458R-10	C6160D24	P462R-2	70552-02108-053	
P458R-11	C6215F20	P463R-2	70552-02108-053	
P458R-12	C6214L22	SG2108-1	70552-02108-053	
P460R-1	C6143D24	P458R-6	70552-02108-053	
P460R-2	C6124D24	P458R-5	70552-02108-053	
P460R-3	C6201C24	P220-CC	70552-02108-053	
P460R-4	C6202C24	P220-DD	70552-02108-053	
P460R-5	P460R-5-20	BOMB10-1	70552-02108-053	
P461R-1	C6144D24	P458R-7	70552-02108-053	
P461R-2	C6156D24	P458R-8	70552-02108-053	
P461R-3	C6203C24	P220-EE	70552-02108-053	
P461R-4	C6204C24	P220-FF	70552-02108-053	
P461R-5	P461R-5-20	BOMB11-1	70552-02108-053	
P462R-1	C6158D24	P458R-9	70552-02108-053	
P462R-2	C6160D24	P458R-10	70552-02108-053	
P462R-3	C6205C24	P220-GG	70552-02108-053	
P462R-4	C6206C24	P220-HH	70552-02108-053	
P462R-5	P462R-5-20	BOMB12-1	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P463R-1	C6214J20	SG2108-1	70552-02108-053	
P463R-2	C6215F20	P458R-11	70552-02108-053	
P464R-2	C6103C24	P221-x	70552-02107-051	
P464R-3	C6106C24	P221-y	70552-02107-051	
P464R-4	JUMPERP464R4-24	SG464R-1	70552-02107-051	
P464R-5	JUMPERP464R5-24	SG464R-2	70552-02107-051	
P464R-6	C6149C24	P221-z	70552-02107-051	
P464R-7	JUMPERP464R7-24	SG464R-1	70552-02107-051	
P464R-8	JUMPERP464R8-24	SG464R-2	70552-02107-051	
P464R-9	C6109C24	P221-AA	70552-02107-051	
P465R-1	C6168C24	P224-j	70552-02108-053	
P465R-2	P465R-2-20	BOMB4-1	70552-02108-053	
P465R-3	C6147C24	P224-n	70552-02108-053	
P465R-4	C6229C24	P224-N	70552-02108-053	
P465R-5	C6227A20N	GND260-1	70552-02108-053	
P465R-6	C6228A24N	P224-q	70552-02108-053	
P465R-7	C6255C24	P224-AA	70552-02108-053	
P465R-8	C6181G24	P458R-3	70552-02108-053	
P465R-9	C6180G24	P458R-4	70552-02108-053	
P465R-10	C6122C24	P224-p	70552-02108-053	
P465R-11	P465R-11-20	BOMB4-2	70552-02108-053	
P465R-12	P465R-12-20	BOMB4-3	70552-02108-053	
P466R-1	C6194E20	P220-AA	70552-02108-053	
P466R-2	C6184C20	P220-KK	70552-02108-053	
P467R-1	C6214K20	SG2108-1	70552-02108-053	
P467R-2	C6216C20	P220-BB	70552-02108-053	
P468R-1	C6213C20	P220-y	70552-02108-053	
P468R-2	C6212A20N	GND260-1	70552-02108-053	
P468R-3	3-20	BOMB5-1	70552-02108-053	
P469R-1	C6211C20	P220-LL	70552-02108-053	
P469R-2	C6210A20N	GND260-1	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P470R-1	C6214M20	J458R-12	70552-02107-051	
P470R-2	C6215D20	SG458R-1	70552-02107-051	
P471R-A	D4551A24	J110-d	S7052-11008-042	
P471R-B	D4552A24	J110-e	S7052-11008-042	
P471R-C	D4553A24	J110-f	S7052-11008-042	
P471R-D	D4550D24	J110-HH	S7052-11008-042	
P471R-E	D4554H24N	SG471R-1	S7052-11008-042	
P471R-G	D4555C24N	SG471R-2	S7052-11008-042	
P471R-H	D4555D24N	SG471R-2	S7052-11008-042	
P476R-1	C6171C24	P221-p	70552-02107-051	
P476R-2	P476R-2-20	BOMB22-1	70552-02107-051	
P476R-3	C6148C24	P221-i	70552-02107-051	
P476R-4	C6234C24	P221-q	70552-02107-051	
P476R-5	C6230A20N	GND446-1	70552-02107-051	
P476R-6	C6231A24N	P221-n	70552-02107-051	
P476R-7	C6159C24	P221-k	70552-02107-051	
P476R-8	C6181D24	SG2107-1	70552-02107-051	
P476R-9	C6180D24	SG2107-2	70552-02107-051	
P476R-10	C6123C24	P221-j	70552-02107-051	
P476R-11	P476R-11-20	BOMB22-2	70552-02107-051	
P476R-12	P476R-12-20	BOMB22-3	70552-02107-051	
P5R-A	C4602B24	J914-h	S7052-11011-041	
P5R-B	JMPRP5R-B22	SG5R-1	S7052-11011-041	
P5R-C	C4630A22	P3R-N	S7052-11011-041	
P5R-D	C4608B24	J914-e	S7052-11011-041	
P5R-E	C4612E22	J420R-i	S7052-11011-041	
P5R-F	JMPRP5R-F22	SG5R-2	S7052-11011-041	
P5R-G	JMPRP5R-G22	SG5R-3	S7052-11011-041	
P502-A	L3466A16	P505-A	70552-05100-052	
P502-B	L3467A20	P505-B	70552-05100-052	
P502-C	L3468A20	P505-C	70552-05100-052	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P502-D	L3469A20	P505-D	70552-05100-052	
P502-E	L3470A16	P505-E	70552-05100-052	
P503-A	L3460C20	P310-n	70552-05100-052	
P503-B	L3462D20	P310-q	70552-05100-052	
P503-C	L3464A20N	GND503-1	70552-05100-052	
P503-D	L3461C20	P310-p	70552-05100-052	
P503-E	L3463C20	P310-r	70552-05100-052	
P504-A	L3471A16	P600-m	70552-05100-052	
P504-B	L3472A20	P600-X	70552-05100-052	
P504-C	L3473A20	P600-Y	70552-05100-052	
P504-D	L3474A20	P600-b	70552-05100-052	
P504-E	L3475A16	P600-r	70552-05100-052	
P505-A	L3466A16	P502-A	70552-05100-052	
P505-B	L3467A20	P502-B	70552-05100-052	
P505-C	L3468A20	P502-C	70552-05100-052	
P505-D	L3469A20	P502-D	70552-05100-052	
P505-E	L3470A16	P502-E	70552-05100-052	
P6R-B	JMPRP6R-B22	SG6R-1	S7052-11011-041	
P6R-C	C4631A24	SG1105-5	S7052-11011-041	
P6R-D	C4658B24	J916-E	S7052-11011-041	
P6R-E	C4635A22	P4R-L	S7052-11011-041	
P6R-F	JMPRP6R-F22	SG6R-2	S7052-11011-041	
P6R-H	JMPRP6R-H22	SG6R-3	S7052-11011-041	
P6R-J	C4610E22	J916-H	S7052-11011-041	
P600-A	C4701B20N	GDP600-2	70552-05100-052	
P600-B	C4669E22	SGP600-1	70552-05100-052	
P600-C	C4138F20	P316-F	70552-05100-052	
P600-D	C4148E20	P316-E	70552-05100-052	
P600-G	W4775D24	P310-H	70552-05100-052	
P600-H	W4776B24	P310-J	70552-05100-052	
P600-J	*C4156B	-	70552-05100-052	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P600-K	C4667C24	P316-G	70552-05100-052	
P600-L	C4676K22	SGP600-2	70552-05100-052	
P600-M	D4554F24N	P310-L	70552-05100-052	
P600-N	M467B24	P310-b	70552-05100-052	
P600-P	M468B24	P310-c	70552-05100-052	
P600-R	W4403B24	P310-d	70552-05100-052	
P600-S	W4404B24	P310-e	70552-05100-052	
P600-T	D4551C24	P310-i	70552-05100-052	
P600-U	D4552C24	P310-j	70552-05100-052	
P600-V	D4553C24	P310-k	70552-05100-052	
P600-W	D4550F24	P310-m	70552-05100-052	
P600-X	L3472A20	P504-B	70552-05100-052	
P600-Y	L3473A20	P504-C	70552-05100-052	
P600-Z	C4668C24	P316-J	70552-05100-052	
P600-a	*C4672E	-	70552-05100-052	
P600-b	L3474A20	P504-D	70552-05100-052	
P600-c	C4672E24	P316-L	70552-05100-052	
P600-d	C4670E22	SGP600-3	70552-05100-052	
P600-e	C4682B22	P316-N	70552-05100-052	
P600-f	*C4684B	-	70552-05100-052	
P600-g	C4684B22	P316-R	70552-05100-052	
P600-h	C4669C22	SGP600-1	70552-05100-052	
P600-i	C4676H22	SGP600-2	70552-05100-052	
P600-j	C4670C22	SGP600-3	70552-05100-052	
P600-k	C4132Q20	P310-N	70552-05100-052	
P600-m	L3471A16	P504-A	70552-05100-052	
P600-n	C4155B20	P310-s	70552-05100-052	
P600-p	C4156B20	P310-t	70552-05100-052	
P600-q	C4145B20	P310-D	70552-05100-052	
P600-r	L3475A16	P504-E	70552-05100-052	
P601-A	C4702B20N	GND601-1	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P601-B	C4619E22	SGP601-1	70552-05101-051	
P601-C	C4626K22	SGP601-2	70552-05101-051	
P601-D	C4620E22	SGP601-3	70552-05101-051	
P601-E	L4505D22	P334-T	70552-05101-051	
P601-F	L3609E24	SGP601-6	70552-05101-051	
P601-G	*C4617C	-	70552-05101-051	
P601-H	C4617C24	P311-c	70552-05101-051	
P601-J	L3613F24	SGP601-5	70552-05101-051	
P601-K	C4618C24	P311-e	70552-05101-051	
P601-L	L4512L20	P334-V	70552-05101-051	
P601-M	C4621E24	P311-g	70552-05101-051	
P601-N	*C4632B	-	70552-05101-051	
P601-P	C4632B22	P311-i	70552-05101-051	
P601-R	L4501L20	P334-U	70552-05101-051	
P601-S	C4634B22	P311-k	70552-05101-051	
P601-T	C4619C22	SGP601-1	70552-05101-051	
P601-U	C4626H22	SGP601-2	70552-05101-051	
P601-V	C4620C22	SGP601-3	70552-05101-051	
P601-W	L3611F24	SGP601-4	70552-05101-051	
P602-A	L3471B16	J600-m	70552-06100-046	
P602-B	L3472B20	J600-X	70552-06100-046	
P602-C	L3473B20	J600-Y	70552-06100-046	
P602-D	L3474B20	J600-b	70552-06100-046	
P602-E	L3475B16	J600-r	70552-06100-046	
P607R-1	ARC164-101A12	P612R-1	S7060-11001-050	
P609-1	C4138G20	J600-C	70552-06100-046	
P609-3	C4145A20	J600-q	70552-06100-046	
P609R-1	1ARC201-CX1A18	P309R-1	S7060-11001-042	
P610-1	C4148F20	J600-D	70552-06100-046	
P610-4	C4155C20	J600-n	70552-06100-046	
P610-6	C4156C20	J600-p	70552-06100-046	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P610-7	C4132R20	J600-k	70552-06100-046	
P612R-1	ARC164-101A12	P607R-1	S7060-11001-050	
P613-A	M468A20	J600-P	70552-06100-046	
P613-B	M475A20N	GND613-1	70552-06100-046	
P613-C	W4404A20	J600-S	70552-06100-046	
P614-A	M467A20	J600-N	70552-06100-046	
P614-B	M474A20N	GND614-1	70552-06100-046	
P614-C	W4403A20	J600-R	70552-06100-046	
P615R-1	1ARC201-CX1B18	J609R-1	S7060-11001-054	
P618R-1	ARN147-52A20	P622R-1	S7060-11001-066	
P622R-1	ARN147-52A20	P618R-1	S7060-11001-066	
P635R-1	APR39-17ARD316	P688R-7	S7062-11014-043	
P636R-1	APR39-01ARD316	P688R-8	S7062-11014-043	
P637R-1	APR39-04ARD316	P688R-9	S7062-11014-043	
P638R-1	APR39-15ARD316	P688R-5	S7062-11014-043	
P639R-1	APR39-03ARD316	P688R-19	S7062-11014-043	
P640R-1	APR39-02ARD316	P688R-18	S7062-11014-043	
P641R-1	APR39-23ARD316	P688R-17	S7062-11014-043	
P645-A	W6630A20	J660-G	S7052-11011-041	
P645-C	W6630T20	J660-J	S7052-11011-041	
P645-E	W6631A20	J660-N	S7052-11011-041	
P645-G	W6629G20	J660-L	S7052-11011-041	
P645-J	W6628L20	J660-E	S7052-11011-041	
P645-L	W6628A20	J660-C	S7052-11011-041	
P645-N	W6626A20	J660-R	S7052-11011-041	
P645-R	W6627A20	J660-A	S7052-11011-041	
P645-V	L4531A22	TJ115A-K	S7052-11011-041	
P645-W	W6642A20N	GND645-1	S7052-11011-041	
P645-X	W6634A20N	GND645-1	S7052-11011-041	
P645-c	W6635A20N	GND645-1	S7052-11011-041	
P645-f	W6601C20	J913-C	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P645-g	Q6555A20	J913-J	S7052-11011-041	
P645-h	Q6556A20	J913-K	S7052-11011-041	
P645-i	Q6557A20	J913-L	S7052-11011-041	
P645-j	Q6558A20	J913-M	S7052-11011-041	
P645-k	W6604C20	J219-f	S7052-11011-041	
P645-n	W6600C20	J913-A	S7052-11011-041	
P645-p	W6600F20	J913-B	S7052-11011-041	
P645-q	W6601F20	J913-D	S7052-11011-041	
P646-A	W6630L20	J661-P	S7052-11011-041	
P646-C	W6630P20	J661-S	S7052-11011-041	
P646-E	W6633A20	J661-K	S7052-11011-041	
P646-G	W6629A20	J661-M	S7052-11011-041	
P646-J	W6628P20	J661-W	S7052-11011-041	
P646-L	W6628T20	J661-U	S7052-11011-041	
P646-N	W6632A20	J661-H	S7052-11011-041	
P646-R	W6627G20	J661-Y	S7052-11011-041	
P646-c	W6636A20N	GND646-1	S7052-11011-041	
P646-d	W6637A20N	GND646-1	S7052-11011-041	
P646-e	W6605C20	J913-H	S7052-11011-041	
P646-f	W6602C20	J913-F	S7052-11011-041	
P646-g	W6602F20	J913-G	S7052-11011-041	
P646-h	W6603F20	J219-e	S7052-11011-041	
P646-j	W6603C20	J219-d	S7052-11011-041	
P659R-D	1F3901A24	P193R-N	S7062-11014-043	
P659R-E	1F3902B24	SGR193-3	S7062-11014-043	
P659R-F	2F3901A24	P191R-N	S7062-11014-043	
P659R-G	L3113A22	TJ115A-B	S7062-11014-043	
P659R-H	L3112A22N	GG12-5	S7062-11014-043	
P660-A	W6627B20	P677-1	70552-01152-041	
P660-B	*W6627B	-	70552-01152-041	
P660-C	W6628B20	P677-3	70552-01152-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P660-D	*W6628B	-	70552-01152-041	
P660-E	W6628K20	P677-5	70552-01152-041	
P660-F	*W6628K	-	70552-01152-041	
P660-G	W6630B20	P678-7	70552-01152-041	
P660-H	*W6630B	-	70552-01152-041	
P660-J	W6630S20	P678-1	70552-01152-041	
P660-K	*W6630S	-	70552-01152-041	
P660-L	W6629F20	P678-3	70552-01152-041	
P660-M	*W6629F	-	70552-01152-041	
P660-N	W6631B20	P678-5	70552-01152-041	
P660-P	*W6631B	-	70552-01152-041	
P660-R	W6626B20	P677-7	70552-01152-041	
P660-S	*W6626B	-	70552-01152-041	
P660R-1	ASN128-CX120	P661R-1	S7060-11001-055	
P661-H	W6632B20	P679-14	70552-01153-041	
P661-J	*W6632B	-	70552-01153-041	
P661-K	W6633B20	P680-5	70552-01153-041	
P661-L	*W6633B	-	70552-01153-041	
P661-M	W6629B20	P680-8	70552-01153-041	
P661-N	*W6629B	-	70552-01153-041	
P661-P	W6630K20	P680-12	70552-01153-041	
P661-R	*W6630K	-	70552-01153-041	
P661-S	W6630N20	P680-14	70552-01153-041	
P661-T	*W6630N	-	70552-01153-041	
P661-U	W6628S20	P679-5	70552-01153-041	
P661-V	*W6628S	-	70552-01153-041	
P661-W	W6628N20	P679-8	70552-01153-041	
P661-X	*W6628N	-	70552-01153-041	
P661-Y	W6627F20	P679-12	70552-01153-041	
P661-Z	*W6627F	-	70552-01153-041	
P661R-1	ASN128-CX120	P660R-1	S7060-11001-055	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P664R-1	ARN153-CX318	P330R-1	S7060-11001-043	
P664R-1	ARN153-CX418	P331R-1	S7060-11001-044	
P664R-1	JUMPERP201-1-24	P664R-2	S7062-11014-043	
P664R-2	JUMPERP201-1-24	P664R-1	S7062-11014-043	
P664R-9	CDU-019A22	P140R-38	S7062-11014-043	
P664R-13	APX100-043A22N	GG13-2	S7062-11014-043	
P664R-21	APX100-210F22	P139R-59	S7062-11007-041	
P664R-22	*CBL006 (P139R/P664R)	-	S7062-11007-041	
P664R-23	APX100-21F22	P139R-60	S7062-11007-041	
P664R-25	JUMPERP664R-2-22	SGR664-1	S7062-11014-043	
P664R-26	JUMPERP664R-1-22	SGR664-1	S7062-11014-043	
P664R-27	APX100-50B22N	GG13-1	S7062-11014-043	
P664R-28	APX100-50A22N	GG13-1	S7062-11014-043	
P664R-29	ASN128-84B22	SG664R-6	S7062-11006-041	
P664R-30	ASN128-85B22	SG664R-7	S7062-11006-041	
P664R-31	ASN128-86B22	SG664R-8	S7062-11006-041	
P664R-32	ASN128-87B22	SG664R-9	S7062-11006-041	
P664R-33	ASN128-33B22	SG664R-10	S7062-11006-041	
P664R-34	ASN128-89B22	SG664R-11	S7062-11006-041	
P664R-35	ASN128-90B22	SG664R-12	S7062-11006-041	
P664R-36	ASN128-91B22	SG664R-13	S7062-11006-041	
P664R-37	ASN128-92B22	SG664R-14	S7062-11006-041	
P664R-39	APX100-015A24	J1R-j	S7062-11014-043	
P664R-40	APX100-029A22	P103R-31	S7062-11014-043	
P664R-43	APX100017ARG180	P103R-4	S7062-11014-043	
P664R-45	APX100018ARG180	P103R-2	S7062-11014-043	
P664R-47	APX100019ARG180	P103R-3	S7062-11014-043	
P664R-49	APX100020ARG180	P103R-1	S7062-11014-043	
P664R-51	APX100-021A22	P103R-28	S7062-11014-043	
P664R-52	APX100-022A24	P103R-17	S7062-11014-043	
P664R-53	APX100-023A24	P103R-9	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P664R-54	APX100-024A24	P103R-14	S7062-11014-043	
P664R-55	CDU-020A22	P140R-10	S7062-11014-043	
P664R-56	CDU-018A26A24	SG140R-1	S7062-11014-043	
P664R-57	APX100-027A24	P103R-19	S7062-11014-043	
P666R-1	ASN128-100A22	P140R-16	S7062-11006-041	
P666R-3	JMPRP666-3-22	SAGPS-1	S7062-11006-041	
P666R-4	JMPRP666-4-22	SAGPS-2	S7062-11006-041	
P666R-5	JMPRP666R-5-22	P666R-6	S7062-11006-041	
P666R-6	JMPRP666R-5-22	P666R-5	S7062-11006-041	
P666R-7	ASN128-84A22	SG664R-6	S7062-11006-041	
P666R-8	ASN128-85A22	SG664R-7	S7062-11006-041	
P666R-9	ASN128-86A22	SG664R-8	S7062-11006-041	
P666R-10	ASN128-87A22	SG664R-9	S7062-11006-041	
P666R-11	ASN128-88A22	SG664R-10	S7062-11006-041	
P666R-12	ASN128-89A22	SG664R-11	S7062-11006-041	
P666R-13	ASN128-90A22	SG664R-12	S7062-11006-041	
P666R-14	ASN128-91A22	SG664R-13	S7062-11006-041	
P666R-15	ASN128-92A22	SG664R-14	S7062-11006-041	
P666R-16	ASN128-93A22N	GD666R-1	S7062-11006-041	
P666R-22	ASN128-68F22	P686R-52	S7062-11006-041	
P666R-23	ASN128-69A22	P686R-53	S7062-11006-041	
P667R-1	ASN128-20A22	P695R-J	S7062-11006-041	
P667R-2	ASN128-32A22	P695R-i	S7062-11006-041	
P667R-3	ASN128-33A22	P695R-j	S7062-11006-041	
P667R-4	ASN128-34A22	P695R-k	S7062-11006-041	
P667R-5	ASN128-19A22	P695R-H	S7062-11006-041	
P667R-6	ASN128-35A22	P695R-m	S7062-11006-041	
P667R-7	ASN128-36A22	P695R-n	S7062-11006-041	
P667R-8	ASN128-37A22	P695R-p	S7062-11006-041	
P667R-9	ASN128-38A22	P695R-q	S7062-11006-041	
P667R-10	ASN128-17A22	P695R-F	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P667R-11	ASN128-24A22	P695R-N	S7062-11006-041	
P667R-12	ASN128-30A22	P695R-g	S7062-11006-041	
P667R-13	ASN128-31A22	P695R-h	S7062-11006-041	
P667R-14	ASN128-39A22	P695R-r	S7062-11006-041	
P667R-15	ASN128-22A22	P695R-L	S7062-11006-041	
P667R-16	ASN128-21A22	P695R-K	S7062-11006-041	
P667R-17	ASN128-73A22	P695R-Y	S7062-11006-041	
P667R-18	ASN128-23A22	P695R-M	S7062-11006-041	
P667R-19	ASN128-74A22	P695R-Z	S7062-11006-041	
P667R-20	ASN128-75A22	P695R-a	S7062-11006-041	
P667R-21	ASN128-26A22	P695R-R	S7062-11006-041	
P667R-22	ASN128-27A22	P695R-S	S7062-11006-041	
P667R-23	ASN128-28A22	P695R-X	S7062-11006-041	
P667R-24	ASN128-25A22	P695R-P	S7062-11006-041	
P667R-25	ASN128-18A22	P695R-G	S7062-11006-041	
P667R-26	*CBL004 (P667R/P695R)	-	S7062-11006-041	
P667R-29	*CBL103 (P667R/P695R)	-	S7062-11006-041	
P667R-30	ASN128-76A22	P695R-b	S7062-11006-041	
P667R-31	ASN128-77A22	P695R-c	S7062-11006-041	
P667R-34	ASN128-15A22	P695R-C	S7062-11006-041	
P667R-35	ASN128-16A22	P695R-D	S7062-11006-041	
P667R-36	ASN128-78A22	P695R-d	S7062-11006-041	
P667R-37	ASN128-29A22	P695R-e	S7062-11006-041	
P668R-A	ASN128-40A16	P687R-E	S7062-11006-041	
P668R-B	ASN128-41A16	P687R-F	S7062-11006-041	
P668R-C	ASN128-42A16	P687R-G	S7062-11006-041	
P668R-K	ASN128-48A16	P687R-N	S7062-11006-041	
P668R-L	ASN128-46A16	P687R-P	S7062-11006-041	
P668R-M	ASN128-47A16	P687R-R	S7062-11006-041	
P668R-R	ASN128-61A16	SG686R-9	S7062-11006-041	
P668R-S	ASN128-62A16	P687R-L	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P668R-T	ASN128-53A16	P687R-A	S7062-11006-041	
P668R-V	JMPRP668R-V-16	P668R-W	S7062-11006-041	
P668R-W	JMPRP668R-V-16	P668R-V	S7062-11006-041	
P668R-X	ASN128-55A20	SG686R-3	S7062-11006-041	
P668R-Y	ASN128-56A20	SG686R-4	S7062-11006-041	
P668R-Z	ASN128-54A16	P687R-B	S7062-11006-041	
P668R-b	ASN128-57A1616	SG686R-5	S7062-11006-041	
P668R-c	ASN128-58A16	SG686R-6	S7062-11006-041	
P668R-d	ASN128-59A16	SG686R-7	S7062-11006-041	
P668R-e	*CBL009 (P668R/ SG686R)	-	S7062-11006-041	
P668R-f	ASN128-60A16	SG686R-8	S7062-11006-041	
P669R-A	XM130-7A24	J671R-H	S7062-11014-043	
P669R-B	XM130-8A24	J671R-J	S7062-11014-043	
P669R-C	XM130-9A22	S1-4	S7062-11014-043	
P669R-D	XM130-10A22	S1-3	S7062-11014-043	
P669R-F	XM130-13C24	J671R-C	S7062-11014-043	
P669R-H	XM130-1C20	P21R-P	S7062-11014-043	
P669R-P	XM130-4A20	J671R-K	S7062-11014-043	
P669R-R	JUMPERP669R-1-22	SG669R-1	S7062-11014-043	
P669R-T	XM130-6A24	J671R-G	S7062-11014-043	
P669R-V	JUMPERP669R-2-22	SG669R-1	S7062-11014-043	
P671R-C	XM130-13B24	J672R-E	70602-02111-044	
P671R-G	XM130-6B24	J672R-G	70602-02111-044	
P671R-H	XM130-7B24	J672R-H	70602-02111-044	
P671R-J	XM130-8B24	J672R-J	70602-02111-044	
P671R-K	XM130-4B20	J672R-K	70602-02111-044	
P672R-E	XM130-13A24	J673R-F	70602-03111-043	
P672R-G	XM130-6C24	J673R-T	70602-03111-043	
P672R-H	XM130-7C24	J673R-A	70602-03111-043	
P672R-J	XM130-8C24	J673R-B	70602-03111-043	
P672R-K	XM130-4C20	J673R-P	70602-03111-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P674R-1	APN209-119A24	P676R-10	S7052-11008-042	
P674R-2	APN209-16B24	SGR676-2	S7052-11008-042	
P674R-3	APN209-15A24	P676R-15	S7052-11008-042	
P674R-4	APN209-19A24	P676R-11	S7052-11008-042	
P674R-5	APN209-23A24	P676R-3	S7052-11008-042	
P674R-6	APN209-24A24	P676R-4	S7052-11008-042	
P674R-7	APN209-A01A24	P1R-PP	S7052-11008-042	
P674R-8	APN209-13A24	P676R-16	S7052-11008-042	
P674R-10	APN209-118A24	P676R-20	S7052-11008-042	
P674R-11	JUMPERP674R-1-24	SGR674-1	S7052-11008-042	
P674R-12	APN209-18A24	P676R-19	S7052-11008-042	
P674R-13	APN209-14A24	P676R-21	S7052-11008-042	
P675R-1	APN209-10A24	SG300R-8	S7052-11008-042	
P675R-2	P675R-2-22	BOMB44-1	S7052-11008-042	
P675R-3	JUMPERP675R-1-24	SGR675-1	S7052-11008-042	
P675R-4	P675R-4-22	BOMB44-2	S7052-11008-042	
P675R-5	JUMPERP675R-2-24	SGR675-1	S7052-11008-042	
P675R-6	P675R-6-22	BOMB44-3	S7052-11008-042	
P675R-7	L3939B24	J113-Z	S7052-11008-042	
P675R-8	P675R-8-22	BOMB44-4	S7052-11008-042	
P675R-9	APN209-7E22	SGF33-2	S7052-11008-042	
P675R-10	P675R-10-22	BOMB44-5	S7052-11008-042	
P675R-11	P675R-11-22	BOMB44-6	S7052-11008-042	
P675R-12	APN209-2A24	J14R-F	S7052-11008-042	
P675R-13	P675R-13-22	BOMB44-7	S7052-11008-042	
P676R-1	APN209-7D22	SGF33-2	S7052-11008-042	
P676R-2	JUMPERP676R-1-22	SGR676-1	S7052-11008-042	
P676R-3	APN209-23A24	P674R-5	S7052-11008-042	
P676R-4	APN209-24A24	P674R-6	S7052-11008-042	
P676R-5	APN209-17A24	SGR674-2	S7052-11008-042	
P676R-6	L3942B24	J113-c	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P676R-7	APN209-12A24	SGR317-9	S7052-11008-042	
P676R-9	APN209-16A24	SGR676-2	S7052-11008-042	
P676R-10	APN209-119A24	P674R-1	S7052-11008-042	
P676R-11	APN209-19A24	P674R-4	S7052-11008-042	
P676R-15	APN209-15A24	P674R-3	S7052-11008-042	
P676R-16	APN209-13A24	P674R-8	S7052-11008-042	
P676R-18	JUMPERP676R-2-24	SGR676-1	S7052-11008-042	
P676R-19	APN209-18A24	P674R-12	S7052-11008-042	
P676R-20	APN209-118A24	P674R-10	S7052-11008-042	
P676R-21	APN209-14A24	P674R-13	S7052-11008-042	
P677-1	W6627B20	P660-A	70552-01152-041	
P677-2	*W6627B	-	70552-01152-041	
P677-3	W6628B20	P660-C	70552-01152-041	
P677-4	*W6628B	-	70552-01152-041	
P677-5	W6628K20	P660-E	70552-01152-041	
P677-6	*W6628K	-	70552-01152-041	
P677-7	W6626B20	P660-R	70552-01152-041	
P677-8	*W6626B	-	70552-01152-041	
P678-1	W6630S20	P660-J	70552-01152-041	
P678-2	*W6630S	-	70552-01152-041	
P678-3	W6629F20	P660-L	70552-01152-041	
P678-4	*W6629F	-	70552-01152-041	
P678-5	W6631B20	P660-N	70552-01152-041	
P678-6	*W6631B	-	70552-01152-041	
P678-7	W6630B20	P660-G	70552-01152-041	
P678-8	*W6630B	-	70552-01152-041	
P679-5	W6628S20	P661-U	70552-01153-041	
P679-6	*W6628S	-	70552-01153-041	
P679-8	W6628N20	P661-W	70552-01153-041	
P679-9	*W6628N	-	70552-01153-041	
P679-12	W6627F20	P661-Y	70552-01153-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P679-13	*W6627F	-	70552-01153-041	
P679-14	W6632B20	P661-H	70552-01153-041	
P679-15	*W6632B	-	70552-01153-041	
P680-5	W6633B20	P661-K	70552-01153-041	
P680-6	*W6633B	-	70552-01153-041	
P680-8	W6629B20	P661-M	70552-01153-041	
P680-9	*W6629B	-	70552-01153-041	
P680-12	W6630K20	P661-P	70552-01153-041	
P680-13	*W6630K	-	70552-01153-041	
P680-14	W6630N20	P661-S	70552-01153-041	
P680-15	*W6630N	-	70552-01153-041	
P681-1	L4505P20	P230-F	S7052-12006-041	
P681-2	JUMPERP681-2-20	SGP681-1	S7052-12006-041	
P681-4	L4512F20	SGJ922-2	S7052-12006-041	
P681-5	L4501F20	SGJ922-3	S7052-12006-041	
P682-1	L4505N20	P231-G	S7052-12005-041	
P682-2	JUMPERP682-2-20	SGP682-1	S7052-12005-041	
P682-4	L4512B20	P200-b	S7052-12005-041	
P682-5	L4501B20	P200-V	S7052-12005-041	
P683R-1	ALQ144-8A22N	GG33-6	S7062-11014-043	
P683R-2	ALQ144-6A24	P199-Y	S7062-11014-043	
P683R-3	ALQ144-7A24	P199-Z	S7062-11014-043	
P683R-4	ALQ144-4A24	P199-a	S7062-11014-043	
P683R-6	ALQ144-5A24	P199-b	S7062-11014-043	
P683R-7	ALQ144-3C22	P199-c	S7062-11014-043	
P683R-9	ALQ144-9A22	P199-d	S7062-11014-043	
P684R-A	JUMPERP684R-A20	BOMB1-1	70552-02108-053	
P684R-B	JUMPERP684R-B20	BOMB1-2	70552-02108-053	
P684R-C	JUMPERP684R-C20	BOMB1-3	70552-02108-053	
P684R-D	JUMPERP684R-D20	BOMB1-4	70552-02108-053	
P684R-E	JUMPERP684R-E20	BOMB1-5	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P684R-F	JUMPERP684R-F20	BOMB2-1	70552-02108-053	
P684R-G	JUMPERP684R-G20	BOMB2-2	70552-02108-053	
P684R-H	JUMPERP684R-H20	BOMB2-3	70552-02108-053	
P684R-J	JUMPERP684R-J20	BOMB2-4	70552-02108-053	
P684R-K	JUMPERP684R-K20	BOMB2-5	70552-02108-053	
P684R-L	JUMPERP684R-L20	BOMB3-1	70552-02108-053	
P684R-M	JUMPERP684R-M20	BOMB3-2	70552-02108-053	
P684R-N	JUMPERP684R-N20	BOMB3-3	70552-02108-053	
P684R-P	JUMPERP684R-P20	BOMB17-1	70552-02108-053	
P684R-R	ALQ144-6C24	P220-j	70552-02108-053	
P684R-S	ALQ144-5C24	P220-k	70552-02108-053	
P684R-T	ALQ144-4C24	P220-i	70552-02108-053	
P684R-U	JUMPERP684R-U20	BOMB3-4	70552-02108-053	
P684R-V	ALQ144-7C24	P220-m	70552-02108-053	
P685R-A	ALQ144-1A06	CB402-1	70602-02112-042	
P685R-C	ALQ144-2A06N	GND685-1	70602-02112-042	
P685R-D	JUMPERP685R-2-12	BOMB1-2	70602-02112-042	
P685R-E	JUMPERP685R-3-12	BOMB1-3	70602-02112-042	
P686R-19	JMPRP686R-19-22N	GD686R-1	S7062-11006-041	
P686R-21	JMPRP686R-21-22	SG686R-8	S7062-11006-041	
P686R-43	JMPRP686R-43-22	SG686R-6	S7062-11006-041	
P686R-44	JMPRP686R-44-22	SG686R-5	S7062-11006-041	
P686R-51	*CBL005 (P666R/P686R)	-	S7062-11006-041	
P686R-52	ASN128-68F22	P666R-22	S7062-11006-041	
P686R-53	ASN128-69A22	P666R-23	S7062-11006-041	
P686R-58	*CBL009 (P668R/ SG686R)	-	S7062-11006-041	
P686R-59	JMPRP686R-59-22	SG686R-3	S7062-11006-041	
P686R-60	JMPRP686R-60-22	SG686R-4	S7062-11006-041	
P686R-65	JMPRP686R-65-22	SG686R-9	S7062-11006-041	
P686R-66	JMPRP686R-66-22	SG686R-7	S7062-11006-041	
P687R-A	ASN128-53A16	P668R-T	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P687R-B	ASN128-54A16	P668R-Z	S7062-11006-041	
P687R-C	ASN128-13D16	SGP696-1	S7062-11006-041	
P687R-D	ASN128-66A20N	GG13-4	S7062-11006-041	
P687R-E	ASN128-40A16	P668R-A	S7062-11006-041	
P687R-F	ASN128-41A16	P668R-B	S7062-11006-041	
P687R-G	ASN128-42A16	P668R-C	S7062-11006-041	
P687R-J	ASN128-67A20	J1R-K	S7062-11006-041	
P687R-L	ASN128-62A16	P668R-S	S7062-11006-041	
P687R-N	ASN128-48A16	P668R-K	S7062-11006-041	
P687R-P	ASN128-46A16	P668R-L	S7062-11006-041	
P687R-R	ASN128-47A16	P668R-M	S7062-11006-041	
P688R-1	APR39-11A24	J1R-W	S7062-11014-043	
P688R-2	APR39-12A24	J1R-X	S7062-11014-043	
P688R-3	APR39-13A24	J1R-Y	S7062-11014-043	
P688R-4	APR39-14A24	J1R-Z	S7062-11014-043	
P688R-5	APR39-15ARD316	P638R-1	S7062-11014-043	
P688R-7	APR39-17ARD316	P635R-1	S7062-11014-043	
P688R-8	APR39-01ARD316	P636R-1	S7062-11014-043	
P688R-9	APR39-04ARD316	P637R-1	S7062-11014-043	
P688R-12	APR39-18A22	P690R-2	S7062-11014-043	
P688R-13	APR39-19A24	P690R-3	S7062-11014-043	
P688R-14	APR39-20A24	P690R-4	S7062-11014-043	
P688R-15	APR39-21A24	P690R-5	S7062-11014-043	
P688R-16	APR39-22A22N	GG13-3	S7062-11014-043	
P688R-17	APR39-23ARD316	P641R-1	S7062-11014-043	
P688R-18	APR39-02ARD316	P640R-1	S7062-11014-043	
P688R-19	APR39-03ARD316	P639R-1	S7062-11014-043	
P689R-1	APR39-11B24	P1R-W	S7052-11008-042	
P689R-2	APR39-12B24	P1R-X	S7052-11008-042	
P689R-3	APR39-13B24	P1R-Y	S7052-11008-042	
P689R-4	APR39-14B24	P1R-Z	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P689R-5	APR39-15BRD316	J638R-1	S7052-11008-042	
P689R-7	APR39-24B24	P1R-T	S7052-11008-042	
P689R-8	APR39-25B24	P1R-U	S7052-11008-042	
P689R-9	APR39-26B24	P1R-V	S7052-11008-042	
P689R-10	APR39-16A22N	GG33-7	S7052-11008-042	
P690R-2	APR39-18A22	P688R-12	S7062-11014-043	
P690R-3	APR39-19A24	P688R-13	S7062-11014-043	
P690R-4	APR39-20A24	P688R-14	S7062-11014-043	
P690R-5	APR39-21A24	P688R-15	S7062-11014-043	
P690R-7	APR39-24A24	J1R-T	S7062-11014-043	
P690R-8	APR39-25A24	J1R-U	S7062-11014-043	
P690R-9	APR39-26A24	J1R-V	S7062-11014-043	
P690R-10	JUMPER690R-1-24	SGR190-1	S7062-11014-043	
P690R-11	APR39-130A24	P139R-7	S7062-11014-043	
P690R-12	APR39-28C22	P21R-F	S7062-11014-043	
P690R-14	APR39-30A24	P139R-6	S7062-11014-043	
P691R-A	1F3851A20N	GG14-3	S7062-11014-043	
P691R-B	1F3850C24	P21R-G	S7062-11014-043	
P691R-C	1F3852A24	J1R-N	S7062-11014-043	
P691R-D	1F3853A24	J1R-P	S7062-11014-043	
P692R-A	2F3851A20N	GG14-1	S7062-11014-043	
P692R-B	2F3850C24	P20R-V	S7062-11014-043	
P692R-C	2F3852A24	J1R-R	S7062-11014-043	
P692R-D	2F3853A24	J1R-S	S7062-11014-043	
P695R-C	ASN128-15A22	P667R-34	S7062-11006-041	
P695R-D	ASN128-16A22	P667R-35	S7062-11006-041	
P695R-E	*CBL004 (P667R/P695R)	-	S7062-11006-041	
P695R-F	ASN128-17A22	P667R-10	S7062-11006-041	
P695R-G	ASN128-18A22	P667R-25	S7062-11006-041	
P695R-H	ASN128-19A22	P667R-5	S7062-11006-041	
P695R-J	ASN128-20A22	P667R-1	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P695R-K	ASN128-21A22	P667R-16	S7062-11006-041	
P695R-L	ASN128-22A22	P667R-15	S7062-11006-041	
P695R-M	ASN128-23A22	P667R-18	S7062-11006-041	
P695R-N	ASN128-24A22	P667R-11	S7062-11006-041	
P695R-P	ASN128-25A22	P667R-24	S7062-11006-041	
P695R-R	ASN128-26A22	P667R-21	S7062-11006-041	
P695R-S	ASN128-27A22	P667R-22	S7062-11006-041	
P695R-W	*CBL103 (P667R/P695R)	-	S7062-11006-041	
P695R-X	ASN128-28A22	P667R-23	S7062-11006-041	
P695R-Y	ASN128-73A22	P667R-17	S7062-11006-041	
P695R-Z	ASN128-74A22	P667R-19	S7062-11006-041	
P695R-a	ASN128-75A22	P667R-20	S7062-11006-041	
P695R-b	ASN128-76A22	P667R-30	S7062-11006-041	
P695R-c	ASN128-77A22	P667R-31	S7062-11006-041	
P695R-d	ASN128-78A22	P667R-36	S7062-11006-041	
P695R-e	ASN128-29A22	P667R-37	S7062-11006-041	
P695R-g	ASN128-30A22	P667R-12	S7062-11006-041	
P695R-h	ASN128-31A22	P667R-13	S7062-11006-041	
P695R-i	ASN128-32A22	P667R-2	S7062-11006-041	
P695R-j	ASN128-33A22	P667R-3	S7062-11006-041	
P695R-k	ASN128-34A22	P667R-4	S7062-11006-041	
P695R-m	ASN128-35A22	P667R-6	S7062-11006-041	
P695R-n	ASN128-36A22	P667R-7	S7062-11006-041	
P695R-p	ASN128-37A22	P667R-8	S7062-11006-041	
P695R-q	ASN128-38A22	P667R-9	S7062-11006-041	
P695R-r	ASN128-39A22	P667R-14	S7062-11006-041	
P696R-A	ASN128-1A20	SACOMP-2	S7062-11006-041	
P696R-B	ASN128-2A20	SACOMP-3	S7062-11006-041	
P696R-C	ASN128-3A20	SACOMP-1	S7062-11006-041	
P696R-D	ASN128-4A22	SGP16R-2	S7062-11014-043	
P696R-E	ASN128-5A22	SGP16R-1	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P696R-F	ASN128-6A22	SGP16R-3	S7062-11014-043	
P696R-G	ASN128-7A22	SGP16R-5	S7062-11014-043	
P696R-H	ASN128-8A22	SGP16R-4	S7062-11014-043	
P696R-J	ASN128-9A22	SGP16R-6	S7062-11014-043	
P696R-P	ASN128-10A20N	GG14-3	S7062-11006-041	
P696R-T	ASN128-11D20	P16R-T	S7062-11006-041	
P696R-U	ASN128-12A20N	GG14-4	S7062-11006-041	
P696R-W	JMPRP696R-W-20	SGP696-1	S7062-11006-041	
P696R-Z	ASN128-14A20N	GG14-4	S7062-11006-041	
P699R-A	ASN128-200A22	J1014R-A	S7062-11006-041	
P699R-B	ASN128-201A22	J1014R-B	S7062-11006-041	
P699R-C	ASN128-202A22	J1014R-C	S7062-11006-041	
P699R-D	ASN128-203A22	J1014R-D	S7062-11006-041	
P699R-E	ASN128-204A22	J1014R-E	S7062-11006-041	
P699R-F	ASN128-205A22	J1014R-F	S7062-11006-041	
P804-1	Q6565C20N	SGP804-1	S7052-12002-041	
P804-2	Q6559A20	P360-s	S7052-12002-041	
P804-3	Q6560A20	P360-j	S7052-12002-041	
P804-4	Q6561A20	P360-i	S7052-12002-041	
P804-5	Q6566C20N	SGP804-2	S7052-12002-041	
P804-6	Q6565E20N	SGP804-1	S7052-12002-041	
P804-7	Q6562A20	P360-R	S7052-12002-041	
P804-8	Q6563A20	P360-g	S7052-12002-041	
P804-9	Q6564A20	P360-P	S7052-12002-041	
P804-10	Q6566E20N	SGP804-2	S7052-12002-041	
P805-1	Q6568E20N	SGP805-1	S7052-12002-041	
P805-2	Q6574A20	P360-m	S7052-12002-041	
P805-3	Q6569A20	P360-Y	S7052-12002-041	
P805-4	Q6570A20	P360-Z	S7052-12002-041	
P805-5	Q6567C20N	SGP805-2	S7052-12002-041	
P805-6	Q6568C20N	SGP805-1	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P805-7	Q6571A20	P360-G	S7052-12002-041	
P805-8	Q6572A20	P360-E	S7052-12002-041	
P805-9	Q6573A20	P360-F	S7052-12002-041	
P805-10	Q6567E20N	SGP805-2	S7052-12002-041	
P819-1	H6426C20N	SG326-1	70552-02123-047	
P819-2	H6429D20	P326-5	70552-02123-047	
P819-3	H6430D20	P326-6	70552-02123-047	
P819-4	H6415D20	P326-4	70552-02123-047	
P819-5	H6416D20	P326-3	70552-02123-047	
P819-6	H6417D20	P326-2	70552-02123-047	
P819-7	H6418D20	P326-1	70552-02123-047	
P819-8	*CBL2 (P326/P819)	-	70552-02123-047	
P820-2	5-20	J823-5	70552-10102-042	
P820-5	6-20N	J823-6	70552-10102-042	
P821-A	7-20	J823-7	70552-10102-042	
P821-B	8-20	J823-8	70552-10102-042	
P823R-1	1ARC201-CX318	P1002R-1	S7060-11001-047	
P833-1	Q6588B20N	P346-6	S7052-12002-041	
P833-2	Q6556E20	SGP346-6	S7052-12002-041	
P833-3	Q6590A20	P361-D	S7052-12002-041	
P833-4	Q6591A20	P361-C	S7052-12002-041	
P833-5	Q6592A20	P361-B	S7052-12002-041	
P833-6	Q6583B20N	P346-44	S7052-12002-041	
P833-7	Q6555E20	SGP346-8	S7052-12002-041	
P833-8	Q6585A20	P361-G	S7052-12002-041	
P833-9	Q6586A20	P361-F	S7052-12002-041	
P833-10	Q6587A20	P361-E	S7052-12002-041	
P834-1	Q6598B20N	P346-32	S7052-12002-041	
P834-2	Q6558E20	SGP346-5	S7052-12002-041	
P834-3	Q6771A20	P361-N	S7052-12002-041	
P834-4	Q6772A20	P361-P	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P834-5	Q6773A20	P361-R	S7052-12002-041	
P834-6	Q6593B20N	P346-42	S7052-12002-041	
P834-7	Q6557E20	SGP346-7	S7052-12002-041	
P834-8	Q6595A20	P361-K	S7052-12002-041	
P834-9	Q6596A20	P361-L	S7052-12002-041	
P834-10	Q6597A20	P361-M	S7052-12002-041	
P900-C	H4324A24	J922-D	S7052-12006-041	
P900-D	H4318C24	P266-k	S7052-12006-041	
P900-E	H4306A24	P271-C	S7052-12006-041	
P900-F	H4294B24	P230-N	S7052-12006-041	
P900-G	P549A24	P110-G	S7052-12006-041	
P900-H	P516C24	P219-M	S7052-12006-041	
P900-J	P551B24	P230-d	S7052-12006-041	
P900-K	H701B24	P230-m	S7052-12006-041	
P900-L	H713A24	J220-Z	S7052-12006-041	
P900-M	W3170B20N	GG4-5	S7052-12006-041	
P900-N	W3170A20N	GG4-4	S7052-12006-041	
P900-P	W3158A24	P106-M	S7052-12006-041	
P900-S	W3159A20	P243-Z	S7052-12006-041	
P900-T	W3156B24	P230-GG	S7052-12006-041	
P900-U	W3153B24	P230-DD	S7052-12006-041	
P900-V	W3154B24	P230-EE	S7052-12006-041	
P900-W	W3155B24	P230-FF	S7052-12006-041	
P900-X	W3152B24	P230-CC	S7052-12006-041	
P900-Y	*W3155B	-	S7052-12006-041	
P900-Z	M367B20	J247-M	S7052-12006-041	
P900-a	C4157A20	J224-t	S7052-12006-041	
P900-b	C4158A20	J224-u	S7052-12006-041	
P900-c	C4130C20	SG236-2	S7052-12006-041	
P900-d	C4131B20	P236-E	S7052-12006-041	
P900-e	C4156A20	J310-t	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P900-g	H716B24	P230-Z	S7052-12006-041	
P900-h	C4146A20	P243-H	S7052-12006-041	
P900-i	C4174A20	P243-K	S7052-12006-041	
P900-j	M373A20N	GG4-5	S7052-12006-041	
P900-k	L4566D24	J247-d	S7052-12006-041	
P900-m	M368A16	J247-m	S7052-12006-041	
P900-n	L4560L24	J247-c	S7052-12006-041	
P900-p	L4562E24	J247-b	S7052-12006-041	
P900-r	M351B16	P266-m	S7052-12006-041	
P901-A	E2054A24	J223-a	S7052-12005-041	
P901-B	E2053A24	J223-Z	S7052-12005-041	
P901-C	E2052A24	J223-Y	S7052-12005-041	
P901-D	E2051A24	SG901-1	S7052-12005-041	
P901-E	E2050A24	J217-M	S7052-12005-041	
P901-F	E2049A24	J217-L	S7052-12005-041	
P901-G	E2048A24	J217-K	S7052-12005-041	
P901-H	E2047A24	SG901-2	S7052-12005-041	
P901-J	E2043D24	P922-U	S7052-12005-041	
P901-K	E2041D24	P922-T	S7052-12005-041	
P901-L	E2046A24N	GG5-5	S7052-12005-041	
P902-A	JMPRP902-A-20	SAP902-1	S7052-12005-041	
P902-C	Q6553A20	J346-3	S7052-12005-041	
P902-D	Q6554A20	J346-2	S7052-12005-041	
P902-E	W3083C24	P231-J	S7052-12005-041	
P902-F	W3084C24	P231-K	S7052-12005-041	
P902-G	W3085B24	P231-L	S7052-12005-041	
P902-H	W3092A24	SGP111-1	S7052-12005-041	
P902-J	W3093A24	P105-A	S7052-12005-041	
P902-K	W3095B24	P231-S	S7052-12005-041	
P902-L	W3103A24	P285-9	S7052-12005-041	
P902-M	W3102A24	P283-9	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P902-N	W3082E24	SG285-1	S7052-12005-041	
P902-P	W3081H24	SG286-1	S7052-12005-041	
P902-R	W3080K24	J217-d	S7052-12005-041	
P902-S	L408K24	SG902-4	S7052-12005-041	
P902-T	L3938A24	P113-Y	S7052-12005-041	
P902-V	L3930C24	SG902-5	S7052-12005-041	
P902-W	L3937A24	P113-X	S7052-12005-041	
P902-X	L3931A24	P114-d	S7052-12005-041	
P902-Y	L3939A24	P113-Z	S7052-12005-041	
P902-Z	L3946A24	P200-c	S7052-12005-041	
P902-a	H3336C24	SG902-1	S7052-12005-041	
P902-b	H3338B24	P231-c	S7052-12005-041	
P902-c	H3343A24	J221-M	S7052-12005-041	
P902-d	H3344A24	P244-K	S7052-12005-041	
P902-e	C6155B24	P419R-h	S7052-12005-041	
P902-f	L3940A24	P113-a	S7052-12005-041	
P902-g	W3151K20	SG902-2	S7052-12005-041	
P902-h	L3934R24	SG902-7	S7052-12005-041	
P902-n	L3942A24	P113-c	S7052-12005-041	
P902-p	L3941A24	P113-b	S7052-12005-041	
P902-q	L417C24	P914-V	S7052-12005-041	
P902-r	C4134B20	P200-X	S7052-12005-041	
P902-s	C4137B20	P249-s	S7052-12005-041	
P902-t	C4153C20	SG223-1	S7052-12005-041	
P902-u	L406G24	SG138-1	S7052-12005-041	
P902-v	C4147B20	P914-q	S7052-12005-041	
P902-w	W3405B20	SG244-1	S7052-12005-041	
P902-x	C4154A20	J223-u	S7052-12005-041	
P902-y	C4141A20	P113-M	S7052-12005-041	
P902-z	C4142A20	P111-z	S7052-12005-041	
P902-AA	C4138B20	P249-e	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P902-BB	W3396B20	SG210-2	S7052-12005-041	
P902-CC	JMPRP902-CC-20	SAP902-1	S7052-12005-041	
P902-DD	C4132H20	SG902-3	S7052-12005-041	
P902-EE	C4133B20	P200-W	S7052-12005-041	
P902-GG	H3350B24N	GG5-5	S7052-12005-041	
P903-A	P557B14A	P235-B	S7052-12005-041	
P903-B	P558B14B	P235-C	S7052-12005-041	
P903-C	P559B14C	P235-D	S7052-12005-041	
P903-D	P560A14N	GG7-3	S7052-12005-041	
P904-A	P553B14A	P234-A	S7052-12006-041	
P904-B	P554B14B	P234-B	S7052-12006-041	
P904-C	P555B14C	P234-C	S7052-12006-041	
P904-D	P556A14N	GG4-4	S7052-12006-041	
P905-A	*D5887A	-	S7052-12006-041	
P905-B	D5887A20	J307-G	S7052-12006-041	
P905-D	D5888A20	J308-G	S7052-12006-041	
P905-E	*D5888A	-	S7052-12006-041	
P905-F	D5889A24N	GG4-4	S7052-12006-041	
P905-G	D5889C24N	GG4-4	S7052-12006-041	
P905-H	D5878C24	P217-H	S7052-12006-041	
P905-J	D5889B24N	GG4-5	S7052-12006-041	
P905-K	D5883F20	SG905-4	S7052-12006-041	
P905-L	D5882F20	SG905-3	S7052-12006-041	
P905-M	D5885A24	P219-Z	S7052-12006-041	
P905-N	D5886A24	P219-Y	S7052-12006-041	
P905-P	*D5887A	-	S7052-12006-041	
P905-R	*D5888A	-	S7052-12006-041	
P905-U	D5879E20	SG905-1	S7052-12006-041	
P905-V	D5880E20	SG905-2	S7052-12006-041	
P906-A	H6397A20	P325-c	70552-02170-041	
P906-B	H6398A20	P325-d	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P906-C	H6399A20	P325-b	70552-02170-041	
P906-D	H6409C20	SG325-4	70552-02170-041	
P906-E	H6410C20	P325-F	70552-02170-041	
P906-F	H6411C20	P325-e	70552-02170-041	
P906-G	H6412C20	P325-f	70552-02170-041	
P906-H	H6413C20	P325-g	70552-02170-041	
P906-J	H6414C20	P325-T	70552-02170-041	
P906-K	H6471B20	P329-a	70552-02170-041	
P906-M	H6425BB20	P906-X	70552-02170-041	
P906-N	H6423AA20	SGP906-1	70552-02170-041	
P906-P	H6420E20	SG325-1	70552-02170-041	
P906-S	H6420C20	SG325-1	70552-02170-041	
P906-T	H6421F20	P329-K	70552-02170-041	
P906-U	H6423B20	SGP906-1	70552-02170-041	
P906-V	H6424B20	P906-W	70552-02170-041	
P906-W	H6424B20	P906-V	70552-02170-041	
P906-X	H6425BB20	P906-M	70552-02170-041	
P906-Y	H6452C20	P329-P	70552-02170-041	
P906-Z	H6422D20	SG325-3	70552-02170-041	
P906-a	H6453B20	P329-R	70552-02170-041	
P906-b	H6454B20	P329-S	70552-02170-041	
P906-c	H6455B20	P329-T	70552-02170-041	
P907-A	H6384B14A	P332-A	70552-02170-041	
P907-B	H6385B14B	P332-B	70552-02170-041	
P907-C	H6386B14C	P332-C	70552-02170-041	
P908-A	H6456A20	P325-V	70552-02170-041	
P908-B	H6457A20	P325-W	70552-02170-041	
P908-C	H6390D20	SGP324-1	70552-02170-041	
P908-D	H6391D20	SGP324-2	70552-02170-041	
P908-E	H6392D20	SGP324-3	70552-02170-041	
P908-F	H6374A20	P325-J	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P908-G	H6458C20	P329-E	70552-02170-041	
P908-H	H6383E20	SG325-2	70552-02170-041	
P908-J	W3415C20	P329-W	70552-02170-041	
P908-K	H6461C20	P325-B	70552-02170-041	
P908-L	H6460C20	P325-A	70552-02170-041	
P908-M	*CBL1 (P325/P908)	-	70552-02170-041	
P908-N	*H6457A	-	70552-02170-041	
P913-A	W6600B20	P249-A	S7052-12005-041	
P913-B	W6600E20	P249-B	S7052-12005-041	
P913-C	W6601B20	P249-D	S7052-12005-041	
P913-D	W6601E20	P249-G	S7052-12005-041	
P913-E	W6640A20N	GND913-1	S7052-12005-041	
P913-F	W6602B20	P231-A	S7052-12005-041	
P913-G	W6602E20	P231-B	S7052-12005-041	
P913-H	W6605B20	J248-L	S7052-12005-041	
P913-J	Q6555B20	J346-5	S7052-12005-041	
P913-K	Q6556B20	J346-7	S7052-12005-041	
P913-L	Q6557B20	J346-41	S7052-12005-041	
P913-M	Q6558B20	J346-43	S7052-12005-041	
P914-A	Q6749B24	J311-A	S7052-12005-041	
P914-B	Q6748B24	J311-B	S7052-12005-041	
P914-C	Q6747B24	J311-C	S7052-12005-041	
P914-D	Q6746B24	J311-a	S7052-12005-041	
P914-E	W3082C24	SG285-1	S7052-12005-041	
P914-G	D5891B24	J311-H	S7052-12005-041	
P914-H	Q4060E24	SG255-1	S7052-12005-041	
P914-J	Q4061B24	P255-J	S7052-12005-041	
P914-K	Q4062B24	P255-K	S7052-12005-041	
P914-L	APX100-130B20	J248-M	S7052-12005-041	
P914-M	Q6742A20C	SAB-1	S7052-12005-041	
P914-N	Q6741A20B	SAB-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P914-P	Q6740A20A	SAB-3	S7052-12005-041	
P914-R	Q6743A20A	SAB-4	S7052-12005-041	
P914-S	L3934M24	SG902-6	S7052-12005-041	
P914-T	L3936A24	SG902-5	S7052-12005-041	
P914-V	L417C24	P902-q	S7052-12005-041	
P914-W	*C4627A	-	S7052-12005-041	
P914-X	C4627A24	P405R-L	S7052-12005-041	
P914-Y	W3151C20	SG914-2	S7052-12005-041	
P914-Z	C4604D24	SG905-2	S7052-12005-041	
P914-a	Q6744A20B	SAB-5	S7052-12005-041	
P914-b	C4625B22	P405R-CC	S7052-12005-041	
P914-c	C4626D22	SG906-7	S7052-12005-041	
P914-d	C4631C24	SG405-2	S7052-12005-041	
P914-e	C4608A24	P405R-q	S7052-12005-041	
P914-f	C4609A24	P405R-W	S7052-12005-041	
P914-g	C4603A24	P405R-HH	S7052-12005-041	
P914-h	C4602A24	P405R-p	S7052-12005-041	
P914-i	V278C24	P242-p	S7052-12005-041	
P914-j	V279C24	P242-q	S7052-12005-041	
P914-k	*W3151C	-	S7052-12005-041	
P914-m	C6208B24	P405R-H	S7052-12005-041	
P914-n	Q6745A20C	SAB-6	S7052-12005-041	
P914-q	C4147B20	P902-v	S7052-12005-041	
P914-r	W3389J20	SG200-1	S7052-12005-041	
P914-s	C4132E20	SG249-1	S7052-12005-041	
P914-t	*C6208B	-	S7052-12005-041	
P914-u	M3441B20	J229-D	S7052-12005-041	
P914-v	M3440B20	J229-E	S7052-12005-041	
P914-w	M3439B20	J229-F	S7052-12005-041	
P914-x	M3438B20	J229-G	S7052-12005-041	
P914-y	M3437B20	J229-H	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P914-z	M3436B20	J229-J	S7052-12005-041	
P914-AA	M3435B20	P210-h	S7052-12005-041	
P914-BB	M3431C20	J229-C	S7052-12005-041	
P914-DD	L4529G20	SG299-1	S7052-12005-041	
P914-EE	L3934J24	SG902-6	S7052-12005-041	
P914-FF	*M3441B	-	S7052-12005-041	
P914-GG	*CBL26 (P914/SAB)	-	S7052-12005-041	
P916-B	*C6194D	-	S7052-12006-041	
P916-C	C4653A24	P404R-HH	S7052-12006-041	
P916-D	C4659A24	P404R-W	S7052-12006-041	
P916-E	C4658A24	P404R-q	S7052-12006-041	
P916-F	C4676D22	SG923-1	S7052-12006-041	
P916-G	C4675B22	P404R-CC	S7052-12006-041	
P916-H	C4610D22	SG925-3	S7052-12006-041	
P916-J	C4654D24	SG924-2	S7052-12006-041	
P916-K	C6194D24	J220-AA	S7052-12006-041	
P916-L	C4677A24	P404R-L	S7052-12006-041	
P916-M	*C4677A	-	S7052-12006-041	
P916-N	M3440F20	J247-f	S7052-12006-041	
P916-P	C6112B24	J247-W	S7052-12006-041	
P916-R	C6113B24	J247-V	S7052-12006-041	
P916-S	C6114B24	J247-S	S7052-12006-041	
P916-T	C6115B24	J247-T	S7052-12006-041	
P916-U	C6218B24	J247-U	S7052-12006-041	
P916-V	C6121B24	J247-X	S7052-12006-041	
P922-A	L3611L24	J311-f	S7052-12005-041	
P922-B	L3613L24	J311-j	S7052-12005-041	
P922-C	L3609K24	J311-n	S7052-12005-041	
P922-D	H4324B24	P384-C	S7052-12005-041	
P922-E	W3099B24	P284-2	S7052-12005-041	
P922-F	Q4068C24	P255-G	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
P922-G	Q4069C24	P255-F	S7052-12005-041	
P922-H	Q4070C24	P255-E	S7052-12005-041	
P922-K	W4775B24	P249-N	S7052-12005-041	
P922-L	W3160D20	P244-N	S7052-12005-041	
P922-M	*W3160D	-	S7052-12005-041	
P922-N	C4138D20	P249-c	S7052-12005-041	
P922-P	L3611CC24	J334-W	S7052-12005-041	
P922-R	L3613CC24	J334-X	S7052-12005-041	
P922-S	L3609BB24	J334-S	S7052-12005-041	
P922-T	E2041D24	P901-K	S7052-12005-041	
P922-U	E2043D24	P901-J	S7052-12005-041	
P922-a	L4501K20	J334-U	S7052-12005-041	
P922-b	C4636A22	P405R-A	S7052-12005-041	
P922-c	C4664A22	P405R-C	S7052-12005-041	
P922-d	C4607B22	P405R-GG	S7052-12005-041	
P922-e	C4612A22	P405R-V	S7052-12005-041	
P922-f	L4505C22	J334-T	S7052-12005-041	
P922-g	L4512K20	J334-V	S7052-12005-041	
P922-h	C4610A22	P405R-B	S7052-12005-041	
P922-i	C4648A24	P405R-j	S7052-12005-041	
P922-j	*C4648A	-	S7052-12005-041	
P922-k	C4613A24	P405R-EE	S7052-12005-041	
P922-n	*C4649A	-	S7052-12005-041	
P922-p	C4649A24	P405R-c	S7052-12005-041	
P922-q	C4623A24	P405R-v	S7052-12005-041	
P922-r	C4148C20	SG922-1	S7052-12005-041	
P961-A	W419A20	P242-H	S7052-12005-041	
P961-B	W420A20N	GND961-1	S7052-12005-041	
P961-D	W418A20	P242-G	S7052-12005-041	
P961-F	W417A20	P242-F	S7052-12005-041	
Q1-B	101-9123-24	J1-1	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
Q1-E	149-9246-24	J1-19	70552-02131-042	
Q1-E	98-9067-24	F1-1	70552-02131-042	
Q1-C1	100-9078-24	R1-1	70552-02131-042	
Q1-C2	150-9247-24	J1-20	70552-02131-042	
Q2-B	103-9125-24	J1-14	70552-02131-042	
Q2-E	151-9248-24	J1-18	70552-02131-042	
Q2-E	99-9068-24	F2-1	70552-02131-042	
Q2-C1	102-9124-24	R2-1	70552-02131-042	
Q2-C2	152-9256-24	J1-21	70552-02131-042	
R1-1	100-9078-24	Q1-C1	70552-02131-042	
R1-2	184-935-24	K53-A1	70552-02131-042	
R2-1	102-9124-24	Q2-C1	70552-02131-042	
R2-2	JMPR2-22	SGR2-2	S7052-11008-042	
R2-2	180-918-24	K53-X1	70552-02131-042	
R2-2	62-956-24	J1-3	70552-02131-042	
R2-3	JMPR1-22	SGR2-1	S7052-11008-042	
R3-2	JMPR4-22	SGR3-2	S7052-11008-042	
R3-3	JMPR3-22	SGR3-1	S7052-11008-042	
R4-1	L3937B24	J113-X	S7052-11008-042	
R4-2	L3938B24	J113-Y	S7052-11008-042	
R4-3	L3654R24N	SGH33-4	S7052-11008-042	
R5-1	L3940B24	J113-a	S7052-11008-042	
R5-2	L3941B24	J113-b	S7052-11008-042	
R5-3	L3651S24N	SGF33-4	S7052-11008-042	
SAA-1	M325B20	P249-J	S7052-12005-041	
SAA-2	M326A20	P111-G	S7052-12005-041	
SAB-1	Q6742A20C	P914-M	S7052-12005-041	
SAB-1	Q6742A20C	CB4A-C2	70552-02121-046	
SAB-2	Q6741A20B	P914-N	S7052-12005-041	
SAB-2	Q6741A20B	CB4A-B2	70552-02121-046	
SAB-3	Q6740A20A	P914-P	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SAB-3	Q6740A20A	CB4A-A2	70552-02121-046	
SAB-4	Q6743A20A	P914-R	S7052-12005-041	
SAB-4	Q6743A20A	CB26A-A1	70552-02121-046	
SAB-5	Q6744A20B	P914-a	S7052-12005-041	
SAB-5	Q6744A20B	CB26A-B1	70552-02121-046	
SAB-6	Q6745A20C	P914-n	S7052-12005-041	
SAB-6	Q6745A20C	CB26A-C1	70552-02121-046	
SACOMP-1	ASN128-3A20	P696R-C	S7062-11006-041	
SACOMP-1	ARN153-129A22	P333R-104	S7062-11008-041	
SACOMP-1	ARN147-66A22	SG149R-8	S7062-11009-042	
SACOMP-1	STORM105-A22	P301R-8	S7062-11012-041	
SACOMP-1	F447AA22	SGR8-5	S7062-11014-043	
SACOMP-2	ASN128-1A20	P696R-A	S7062-11006-041	
SACOMP-2	ARN153-130A22	P333R-103	S7062-11008-041	
SACOMP-2	ARN147-67A22	SG149R-9	S7062-11009-042	
SACOMP-2	STORM104-A22	P301R-41	S7062-11012-041	
SACOMP-2	F446AA22	SGR8-6	S7062-11014-043	
SACOMP-3	ASN128-2A20	P696R-B	S7062-11006-041	
SACOMP-3	ARN153-131A22	P333R-102	S7062-11008-041	
SACOMP-3	ARN147-68A22	SG149R-10	S7062-11009-042	
SACOMP-3	STORM106-A22	P301R-25	S7062-11012-041	
SACOMP-3	F448AA22	SGR8-4	S7062-11014-043	
SAGPS-1	ASN128-81A22	P1006R-4	S7062-11002-041	
SAGPS-1	ASN128-81E22	P1103R-4	S7062-11003-041	
SAGPS-1	ARC220-162A22	P364R-62	S7062-11004-041	
SAGPS-1	JMPRP666-3-22	P666R-3	S7062-11006-041	
SAGPS-1	ARC164-81B22	P196R-5	S7062-11014-043	
SAGPS-2	*ARC220-162A	-	S7062-11004-041	
SAGPS-2	JMPRP666-4-22	P666R-4	S7062-11006-041	
SAJ333-1	H6463C20	J333-A	70552-02124-058	
SAJ333-1	H6463E20	K62-X1	70552-02124-058	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SAJ333-1	H6463D20	K63-X1	70552-02124-059	
SAPCS-1	2F4750C24	J120-Y	S7052-12007-041	
SAPCS-1	2F4750D20	P108R-A	S7052-12007-041	
SAPCS-1	2F3885A24	P318RB-61	S7062-11014-043	
SAP203-1	X66D22	P298-S	S7052-12001-042	
SAP203-1	JMPRP203-W-20	P203-W	S7052-12006-041	
SAP203-1	X66B24	P266-h	S7052-12006-041	
SAP203-2	X55DD22	P298-M	S7052-12001-042	
SAP203-2	JMPRP203-T-20	P203-T	S7052-12006-041	
SAP203-2	X55D24	SG230-4	S7052-12006-041	
SAP203-3	X80CC22	P298-j	S7052-12001-042	
SAP203-3	JMPRP203-N-20	P203-N	S7052-12006-041	
SAP203-3	X80C24	P217-S	S7052-12006-041	
SAP210-1	M789B20	P298-R	S7052-12001-042	
SAP210-1	JMPRP210-V-20	P210-V	S7052-12005-041	
SAP210-1	V107B24	P231-f	S7052-12005-041	
SAP242-1	W3103B22	P298-Z	S7052-12001-042	
SAP242-1	JMPRP242-L-20	P242-L	S7052-12005-041	
SAP242-1	W3395B20	J248-V	S7052-12005-041	
SAP902-1	W3389M20	P298-a	S7052-12001-042	
SAP902-1	JMPRP902-A-20	P902-A	S7052-12005-041	
SAP902-1	JMPRP902-CC-20	P902-CC	S7052-12005-041	
SAP902-1	W3389H20	SG302-2	S7052-12005-041	
SATJ5V-1	LT501A16	T15-LV	S7052-11008-042	
SATJ5V-1	LT501C16	T15-LV	S7052-11008-042	
SATJ5V-1	LT501B16	SGTJ5A-1	S7062-11014-043	
SATJ5V-1	LT501D16	SGTJ5A-2	S7062-11014-043	
SATJ5V-2	LT501E16	T15-LV	S7052-11008-042	
SATJ5V-2	LT501G16	T15-LV	S7052-11008-042	
SATJ5V-2	LT501F16	SGTJ5B-1	S7062-11014-043	
SATJ5V-2	LT501H16	SGTJ5B-2	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SATR1-1	D5855B24	SG138-2	S7052-12005-041	
SATR1-1	JMPRP114-H-22	P114-H	S7052-12005-041	
SATR1-1	CDU-023B22	SG1014-9	S7062-11014-043	
SATR1-2	D5856B24	SG138-3	S7052-12005-041	
SATR1-2	JMPRP114-J-22	P114-J	S7052-12005-041	
SATR1-2	CDU-024B22	SG1014-10	S7062-11014-043	
SATR2-1	D5859B24	SG138-6	S7052-12005-041	
SATR2-1	JMPRP114-M-22	P114-M	S7052-12005-041	
SATR2-1	CDU-070A22	SG1014-1	S7062-11014-043	
SATR2-2	D5860B24	SG138-7	S7052-12005-041	
SATR2-2	JMPRP114-N-22	P114-N	S7052-12005-041	
SATR2-2	CDU-071A22	SG1014-2	S7062-11014-043	
SA1000-1	M790B20	P298-H	S7052-12001-042	
SA1000-1	W3399B20	P244-E	S7052-12005-041	
SA1000-1	W3399BB20	P210-g	S7052-12005-041	
SA1000-1	H6471A20	J906-K	S7052-12006-041	
SA139R-1	ARC220-136-B-22	SG137R-1	S7062-11004-041	
SA139R-1	ARC220-136-C-22	P139R-31	S7062-11004-041	
SA139R-1	IDM116-C24	SGP131-1	S7062-11005-041	
SA143-1	L3657A24	S39-3	S7052-12006-041	
SA26AC-1	ARN149-8G22	P149R-e	S7062-11009-042	
SA26AC-1	ARN149-8F22	P195R-F	S7062-11010-041	
SA26AC-1	JMPRJ1R-D-22	J1R-D	S7062-11010-041	
SA26AC-1	STORM101-22	P301R-11	S7062-11012-041	
SA26AC-2	ARN153-136A22	P333R-8	S7062-11008-041	
SA307R-1	1ARC201-5B16	P237-M	S7052-12005-041	
SA420R-1	C4647B24	SG404-2	S7052-12006-041	
SA420R-1	JMPRP420R-E-24	P420R-E	S7052-12006-041	
SA420R-1	C4647E24	SG1014-8	S7062-11014-043	
SGA33-1	F448C22	P1R-m	S7052-11008-042	
SGA33-1	F448D22	P305R-H	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGA33-1	F448E22	P302R-H	S7052-11008-042	
SGA33-1	F448F22	P142-h	S7052-11008-042	
SGA33-2	F447C22	P1R-n	S7052-11008-042	
SGA33-2	F447D22	P305R-F	S7052-11008-042	
SGA33-2	F447E22	P302R-F	S7052-11008-042	
SGA33-2	F447F22	P142-f	S7052-11008-042	
SGA33-3	F446C22	P1R-p	S7052-11008-042	
SGA33-3	F446D22	P305R-G	S7052-11008-042	
SGA33-3	F446E22	P302R-G	S7052-11008-042	
SGA33-3	F446F22	P142-g	S7052-11008-042	
SGA33-4	F453B24	P1R-q	S7052-11008-042	
SGA33-4	F453C24	P305R-GG	S7052-11008-042	
SGA33-4	F453D24	P302R-GG	S7052-11008-042	
SGA404-1	C4679A24	SG925-5	S7052-12006-041	
SGA404-1	C4679AA20N	GNDS2-1	S7052-12006-041	
SGA404-1	C4679J24	P404R-R	S7052-12006-041	
SGB33-1	L3651B20N	J113-H	S7052-11008-042	
SGB33-1	L3651C20N	P189-B	S7052-11008-042	
SGB33-1	L3651D20N	SGF33-1	S7052-11008-042	
SGB33-1	L3651H20N	COPJ11-GND	S7052-11008-042	
SGC33-1	L3645J18	J113-m	S7052-11008-042	
SGC33-1	L3645M24	P190-A	S7052-11008-042	
SGC33-1	L3645X20	P189-A	S7052-11008-042	
SGF33-1	L3651D20N	SGB33-1	S7052-11008-042	
SGF33-1	L3651J20N	SGF33-3	S7052-11008-042	
SGF33-1	L3651K20N	SGT33-1	S7052-11008-042	
SGF33-2	APN209-7C22	J111-d	S7052-11008-042	
SGF33-2	APN209-7D22	P676R-1	S7052-11008-042	
SGF33-2	APN209-7E22	P675R-9	S7052-11008-042	
SGF33-3	L3651E20N	P194-B	S7052-11008-042	
SGF33-3	L3651J20N	SGF33-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGF33-3	L3651T20N	SGF33-4	S7052-11008-042	
SGF33-3	L3651TT22N	P1017R-22	S7052-11008-042	
SGF33-4	L3651F22N	P195-4	S7052-11008-042	
SGF33-4	L3651S24N	R5-3	S7052-11008-042	
SGF33-4	L3651T20N	SGF33-3	S7052-11008-042	
SGGG2-1	L4527A20N	T3-G	S7052-11010-041	
SGGG2-1	L4527BB20N	T11-G	S7052-11010-041	
SGGG2-1	L4527C20N	GG2-4	S7052-11010-041	
SGG33-1	L3645P24	P192-A	S7052-11008-042	
SGG33-1	L3645R24	P193-A	S7052-11008-042	
SGG33-1	L3645S22	P195-3	S7052-11008-042	
SGG33-1	L3645T24	SGS33-1	S7052-11008-042	
SGH33-1	L3654B20N	SGJ112-5	S7052-11008-042	
SGH33-1	L3654C20N	SGH33-2	S7052-11008-042	
SGH33-1	L3654G22N	P186-4	S7052-11008-042	
SGH33-1	L3654S20N	SGH33-4	S7052-11008-042	
SGH33-2	L3654C20N	SGH33-1	S7052-11008-042	
SGH33-2	L3654D22N	P187-B	S7052-11008-042	
SGH33-2	L3654F20N	P181-B	S7052-11008-042	
SGH33-2	L3654J22N	SGH33-3	S7052-11008-042	
SGH33-3	L3654E22N	P183-B	S7052-11008-042	
SGH33-3	L3654J22N	SGH33-2	S7052-11008-042	
SGH33-3	L3654K22N	SG44-2	S7052-11008-042	
SGH33-4	L3654R24N	R4-3	S7052-11008-042	
SGH33-4	L3654S20N	SGH33-1	S7052-11008-042	
SGJ1-1	JMPRSGJ1-1-22	J1-T	S7062-11004-042	
SGJ1-1	KY-100-02-A22	J2-B	S7062-11004-042	
SGJ1-1	KY-100-040A22	J2-K	S7062-11004-042	
SGJ1R-1	JMPRP100R-D-20	P1000R-D	S7062-11002-041	
SGJ1R-1	1ARC201-06A20	J1R-w	S7062-11002-041	
SGJ1R-1	1ARC201-06B20	P20R-N	S7062-11002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGJ103-1	JMPRJ103-G-20	J103-G	S7052-12007-041	
SGJ103-1	JUMPER103-1-20	SGJ103-2	S7052-12007-041	
SGJ103-1	*M365E	-	S7052-12007-041	
SGJ103-2	JMPRJ103-a-20	J103-a	S7052-12007-041	
SGJ103-2	JMPRJ103-b-20	J103-b	S7052-12007-041	
SGJ103-2	JMPRJ103-E-20	J103-E	S7052-12007-041	
SGJ103-2	JUMPER103-1-20	SGJ103-1	S7052-12007-041	
SGJ103-11	L3561N24	SGJ104-11	S7052-12007-041	
SGJ103-11	L3561P24	J103-C	S7052-12007-041	
SGJ103-11	L3561R24	J103-K	S7052-12007-041	
SGJ103-11	L3561S24	J103-M	S7052-12007-041	
SGJ104-1	JMPRJ104-b-20	J104-b	S7052-12007-041	
SGJ104-1	JMPRJ104-G-20	J104-G	S7052-12007-041	
SGJ104-1	JUMPER104-1-20	SGJ104-2	S7052-12007-041	
SGJ104-1	*M365F	-	S7052-12007-041	
SGJ104-2	JMPRJ104-a-20	J104-a	S7052-12007-041	
SGJ104-2	JMPRJ104-E-20	J104-E	S7052-12007-041	
SGJ104-2	JUMPER104-1-20	SGJ104-1	S7052-12007-041	
SGJ104-2	JUMPER104-5-20	GND104-2	S7052-12007-041	
SGJ104-11	L3561F24	SGJ104-12	S7052-12007-041	
SGJ104-11	L3561L24	J104-K	S7052-12007-041	
SGJ104-11	L3561M24	J104-M	S7052-12007-041	
SGJ104-11	L3561N24	SGJ103-11	S7052-12007-041	
SGJ104-12	L3561E24	P247-F	S7052-12007-041	
SGJ104-12	L3561F24	SGJ104-11	S7052-12007-041	
SGJ104-12	L3561G24	J104-C	S7052-12007-041	
SGJ104-13	L3567A24	J104-N	S7052-12007-041	
SGJ104-13	L3567B24	J103-N	S7052-12007-041	
SGJ104-13	L3567C20	P167-D	S7052-12007-041	
SGJ104-14	L3566A20	J109-D	S7052-12007-041	
SGJ104-14	L3566B24	J104-A	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGJ104-14	L3566C24	J103-A	S7052-12007-041	
SGJ104-15	L3565A20	J109-C	S7052-12007-041	
SGJ104-15	L3565B24	J104-D	S7052-12007-041	
SGJ104-15	L3565C24	J103-D	S7052-12007-041	
SGJ104-16	L3564A20	J109-E	S7052-12007-041	
SGJ104-16	L3564B24	J104-B	S7052-12007-041	
SGJ104-16	L3564C24	J103-B	S7052-12007-041	
SGJ104-17	L3563A20	J109-A	S7052-12007-041	
SGJ104-17	L3563B24	J104-e	S7052-12007-041	
SGJ104-17	L3563C24	J103-e	S7052-12007-041	
SGJ104-18	L3568A24	J104-P	S7052-12007-041	
SGJ104-18	L3568B24	J103-P	S7052-12007-041	
SGJ104-18	L3568C24	P247-A	S7052-12007-041	
SGJ104-19	L3569A24	J104-L	S7052-12007-041	
SGJ104-19	L3569B24	J103-L	S7052-12007-041	
SGJ104-19	L3569C20	P167-C	S7052-12007-041	
SGJ109-1	L3560C14	P245-C	S7052-12007-041	
SGJ109-1	L3560D14	J109-B	S7052-12007-041	
SGJ109-1	L3560E14	P167-B	S7052-12007-041	
SGJ109-2	L3562E20	P247-P	S7052-12007-041	
SGJ109-2	L3562F20	P167-A	S7052-12007-041	
SGJ109-2	L3562G20	P167-E	S7052-12007-041	
SGJ109-2	L3562H20	J109-G	S7052-12007-041	
SGJ110-1	F9018A22	J14R-Z	S7052-11008-042	
SGJ110-1	JMPRJ110-FF-20	J110-FF	S7052-11008-042	
SGJ110-1	M366A20	SG1019-32	S7052-11008-042	
SGJ112-1	JMPRJ112-E-24	J112-E	S7052-11008-042	
SGJ112-1	L499A24	P1000-E	S7052-11008-042	
SGJ112-1	L499B24	S120-1	S7052-11008-042	
SGJ112-2	JMPRJ112-C-24	J112-C	S7052-11008-042	
SGJ112-2	JMPRSGJ112-A-24	SGJ112-3	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGJ112-2	L402G24	S120-2	S7052-11008-042	
SGJ112-3	JMPRSJ112-A-24	SGJ112-2	S7052-11008-042	
SGJ112-3	L402F24	P1000-C	S7052-11008-042	
SGJ112-3	L402H24	P131-7	S7052-11008-042	
SGJ112-3	L402J24	P130-7	S7052-11008-042	
SGJ112-4	JMPRJ112-m-18	J112-m	S7052-11008-042	
SGJ112-4	L3647S18	SGJ33-1	S7052-11008-042	
SGJ112-4	L3647SS22	P1018R-21	S7052-11008-042	
SGJ112-5	JMPRJ112-L20	J112-L	S7052-11008-042	
SGJ112-5	L3554BB22N	P1018R-22	S7052-11008-042	
SGJ112-5	L3654B20N	SGH33-1	S7052-11008-042	
SGJ113-1	JMPRJ113-r-18	J113-r	S7052-11008-042	
SGJ113-1	L3645N18	SGS33-1	S7052-11008-042	
SGJ113-1	L3645NN22	P1017R-21	S7052-11008-042	
SGJ119-1	JMPRJ119-H-24	J119-H	S7062-11007-041	
SGJ119-1	JMPRJ119-J-24	J119-J	S7062-11007-041	
SGJ119-1	2C11746-91A24	SGP175-1	S7062-11007-041	
SGJ120-1	JMPRJ120-H-24	J120-H	S7062-11007-041	
SGJ120-1	JMPRJ120-J-24	J120-J	S7062-11007-041	
SGJ120-1	1C11746-80A24	SG124R-2	S7062-11007-041	
SGJ198-1	JMPRJ198-A-22	J198-A	S7062-11014-043	
SGJ198-1	V282C24	P1014R-8	S7062-11014-043	
SGJ198-1	V282D24	P1013R-8	S7062-11014-043	
SGJ198-2	C4142D22	P1013R-13	S7062-11014-043	
SGJ198-2	C4142E22	P1014R-13	S7062-11014-043	
SGJ198-2	JMPRJ198-E-22	J198-E	S7062-11014-043	
SGJ198-3	C4145G22	P1013R-14	S7062-11014-043	
SGJ198-3	C4145H22	P1014R-14	S7062-11014-043	
SGJ198-3	JMPRJ198-G-22	J198-G	S7062-11014-043	
SGJ219-1	L4450B24	P107-E	S7052-11011-041	
SGJ219-1	L4450C24	TB6-1	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGJ219-1	L4450D24	J219-E	S7052-11011-041	
SGJ247-1	L3562B24	P110-A	S7052-12006-041	
SGJ247-1	L3562C24	P243-V	S7052-12006-041	
SGJ247-1	L3562D22	J247-P	S7052-12006-041	
SGJ311-1	X38B24	P202-E	S7052-12005-041	
SGJ311-1	X38C24	P216-S	S7052-12005-041	
SGJ311-1	X38D24	J311-P	S7052-12005-041	
SGJ311-2	X36B24	P202-C	S7052-12005-041	
SGJ311-2	X36C24	P216-R	S7052-12005-041	
SGJ311-2	X36D24	J311-R	S7052-12005-041	
SGJ311-3	X34B24	P202-A	S7052-12005-041	
SGJ311-3	X34C24	P216-P	S7052-12005-041	
SGJ311-3	X34D24	J311-S	S7052-12005-041	
SGJ33-1	L3647S18	SGJ112-4	S7052-11008-042	
SGJ33-1	L3647U22	P186-3	S7052-11008-042	
SGJ33-1	L3647W24	P187-A	S7052-11008-042	
SGJ374-1	JMPRJ374-11-20	J374-11	S7052-12001-042	
SGJ374-1	JMPRJ374-12-20	J374-12	S7052-12001-042	
SGJ374-1	JMPRSGJ374-2-20	SGJ374-2	S7052-12001-042	
SGJ374-1	*CBL005 (J374/P23)	-	S7052-12001-042	
SGJ374-2	JMPRJ374-13-20	J374-13	S7052-12001-042	
SGJ374-2	JMPRJ374-26-20	J374-26	S7052-12001-042	
SGJ374-2	JMPRSGJ374-2-20	SGJ374-1	S7052-12001-042	
SGJ395-1	L4528H20	P280-M	S7052-12005-041	
SGJ395-1	L4528J20	J394-1	S7052-12005-041	
SGJ395-1	L4528K20	J395-1	S7052-12005-041	
SGJ395-1	L4528L20	P114-b	S7052-12005-041	
SGJ914-1	M3440BB20	J914-v	S7052-11011-041	
SGJ914-1	M3440C20	J226-S	S7052-11011-041	
SGJ914-1	M3440E20	J916-N	S7052-11011-041	
SGJ914-2	M3439BB20	J914-w	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGJ914-2	M3439C20	J226-R	S7052-11011-041	
SGJ914-2	M3439E20	J219-h	S7052-11011-041	
SGJ914-3	M3438BB20	J914-x	S7052-11011-041	
SGJ914-3	M3438C20	J226-P	S7052-11011-041	
SGJ914-3	M3438E20	J219-i	S7052-11011-041	
SGJ914-4	M3437BB20	J914-y	S7052-11011-041	
SGJ914-4	M3437C20	J226-N	S7052-11011-041	
SGJ914-4	M3437E20	J219-n	S7052-11011-041	
SGJ914-5	M3436BB20	J914-z	S7052-11011-041	
SGJ914-5	M3436C20	J226-M	S7052-11011-041	
SGJ914-5	M3436E20	J219-p	S7052-11011-041	
SGJ914-6	L417B24	J115-K	S7052-11011-041	
SGJ914-6	L417D20N	P393-C	S7052-11011-041	
SGJ914-6	L417E24	J914-V	S7052-11011-041	
SGJ922-1	L3609A24	P243-L	S7052-12006-041	
SGJ922-1	L3609B24	J922-S	S7052-12006-041	
SGJ922-1	L3609J24	J922-C	S7052-12006-041	
SGJ922-2	L4512E20	P246-R	S7052-12006-041	
SGJ922-2	L4512F20	P681-4	S7052-12006-041	
SGJ922-2	L4512J20	J922-g	S7052-12006-041	
SGJ922-3	L4501E20	P246-f	S7052-12006-041	
SGJ922-3	L4501F20	P681-5	S7052-12006-041	
SGJ922-3	L4501J20	J922-a	S7052-12006-041	
SGK201-1	JMPRK201-B2-22	K201-B2	70552-02142-041	
SGK201-1	JMPRK201-X1-22	K201-X1	70552-02142-041	
SGK201-1	JMPRK201-Y1-22	K201-Y1	70552-02142-041	
SGK201-1	JMPRSGK201-1-2-24	SGK201-2	70552-02142-041	
SGK201-2	JMPRSGK201-1-2-24	SGK201-1	70552-02142-041	
SGK201-2	P537D24	J2008-D	70552-02142-041	
SGK201-2	P537E24	K200-X1	70552-02142-041	
SGK24-1	JMPRK24-A1-20	K24-A1	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGK24-1	JMPRK24-X1-20	K24-X1	70552-02132-044	
SGK24-1	1-90-20	J900-S	70552-02132-044	
SGK301-1	SGK301-1-J298-D20	J298-D	S7052-12003-041	
SGK301-1	SGK301-1SGK302120	SGK302-1	S7052-12003-041	
SGK301-1	SGK301-1XK301B220	XK301-B2	S7052-12003-041	
SGK301-1	SGK301-1XK301X220	XK301-X2	S7052-12003-041	
SGK302-1	SGK301-1SGK302120	SGK301-1	S7052-12003-041	
SGK302-1	SGK302-1SGK304120	SGK304-1	S7052-12003-041	
SGK302-1	SGK302-1XK302X220	XK302-X2	S7052-12003-041	
SGK302-3	J298-LSGK302-320	J298-L	S7052-12003-041	
SGK302-3	SGK302-3XK302B220	XK302-B2	S7052-12003-041	
SGK302-3	SGK302-3XK304B120	XK304-B1	S7052-12003-041	
SGK304-1	SGK302-1SGK304120	SGK302-1	S7052-12003-041	
SGK304-1	SGK304-1SGK305120	SGK305-1	S7052-12003-041	
SGK304-1	SGK304-1XK304X220	XK304-X2	S7052-12003-041	
SGK305-1	SGK304-1SGK305120	SGK304-1	S7052-12003-041	
SGK305-1	SGK305-1SGK306116	SGK306-1	S7052-12003-041	
SGK305-1	SGK305-1XK305X220	XK305-X2	S7052-12003-041	
SGK305-2	J298-T-SGK305-220	J298-T	S7052-12003-041	
SGK305-2	SGK305-2XK312B220	XK312-B2	S7052-12003-041	
SGK305-2	XK305-B2SGK305220	XK305-B2	S7052-12003-041	
SGK306-1	SGK305-1SGK306116	SGK305-1	S7052-12003-041	
SGK306-1	SGK306-1-K307X216	XK307-X2	S7052-12003-041	
SGK306-1	SGK306-1XK306X216	XK306-X2	S7052-12003-041	
SGK306-1	SGK308-1SGK306116	SGK308-1	S7052-12003-041	
SGK306-2	J298-J-SGK306-220	J298-J	S7052-12003-041	
SGK306-2	SGK306-2XK306X116	XK306-X1	S7052-12003-041	
SGK306-2	SGK306-2XK307X116	XK307-X1	S7052-12003-041	
SGK308-1	SGK308-1SGK306116	SGK306-1	S7052-12003-041	
SGK308-1	SGK308-1SGK309116	SGK309-1	S7052-12003-041	
SGK308-1	SGK308-1XK308X220	XK308-X2	S7052-12003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGK309-1	SGK308-1SGK309116	SGK308-1	S7052-12003-041	
SGK309-1	SGK309-1XK309A120	XK309-A1	S7052-12003-041	
SGK309-1	SGK309-1XK309X220	XK309-X2	S7052-12003-041	
SGK309-1	SGK312-1SGK309120	SGK312-1	S7052-12003-041	
SGK312-1	J298-ksGK312-120	J298-k	S7052-12003-041	
SGK312-1	SGK312-1SGK309120	SGK309-1	S7052-12003-041	
SGK312-1	SGK312-1XK312X220	XK312-X2	S7052-12003-041	
SGK33-1	ARN89-8C22	J112-H	S7052-11008-042	
SGK33-1	ARN89-8D22	P1R-D	S7052-11008-042	
SGK33-1	C6183G22	P142-e	S7052-11008-042	
SGK33-2	ARN89-9B24	P1R-H	S7052-11008-042	
SGK33-2	ARN89-9C24	P300R-4	S7052-11008-042	
SGK33-2	ARN89-9D24	P317R-4	S7052-11008-042	
SGK33-3	ARN89-15B24	P1R-G	S7052-11008-042	
SGK33-3	ARN89-15C24	P300R-10	S7052-11008-042	
SGK33-3	ARN89-15D24	P317R-10	S7052-11008-042	
SGK33-4	ARN89-10B24	P1R-F	S7052-11008-042	
SGK33-4	ARN89-10C24	P300R-17	S7052-11008-042	
SGK33-4	ARN89-10D24	P317R-17	S7052-11008-042	
SGK33-5	2ARC201-8E24	P1R-v	S7052-11008-042	
SGK33-5	2ARC201-8F24	P317R-113	S7052-11008-042	
SGK33-5	2ARC201-8G24	P300R-113	S7052-11008-042	
SGK33-6	2ARC201-111A24	SG300R-4	S7052-11008-042	
SGK33-6	2ARC201-111B24	SGR317-7	S7052-11008-042	
SGK33-6	2ARC201-111C24	P1R-w	S7052-11008-042	
SGLHS-1	1F3841B24	J14R-BB	S7052-11008-042	
SGLHS-1	1F3841C24	P304R-Y	S7052-11008-042	
SGLHS-1	1F3841D24	P301R-Y	S7052-11008-042	
SGLHS-2	1F3838B24	J14R-z	S7052-11008-042	
SGLHS-2	1F3838C24	P304R-K	S7052-11008-042	
SGLHS-2	1F3838D24	P301R-K	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGLHS-3	1F3839B24	J14R-AA	S7052-11008-042	
SGLHS-3	1F3839C24	P304R-R	S7052-11008-042	
SGLHS-3	1F3839D24	P301R-R	S7052-11008-042	
SGLHS-4	1F3840B24	J14R-DD	S7052-11008-042	
SGLHS-4	1F3840C24	P304R-N	S7052-11008-042	
SGLHS-4	1F3840D24	P301R-N	S7052-11008-042	
SGLHS-5	1F3837B24	J14R-CC	S7052-11008-042	
SGLHS-5	1F3837C24	SGR304-2	S7052-11008-042	
SGLHS-5	1F3837D24	SG301R-2	S7052-11008-042	
SGLHS-6	ARN123-71E22	SGM33-9	S7052-11008-042	
SGLHS-6	ARN123-71F24	P300R-83	S7052-11008-042	
SGLHS-6	ARN123-71G22	P301R-n	S7052-11008-042	
SGLHS-9	CDU-008B22	J14R-C	S7052-11008-042	
SGLHS-9	CDU-008C22	P317R-63	S7052-11008-042	
SGLHS-9	CDU-008D22	P300R-63	S7052-11008-042	
SGM33-1	NIU014B24	J16R-j	S7052-11008-042	
SGM33-1	NIU014C24	P317R-82	S7052-11008-042	
SGM33-1	NIU014D24	P300R-82	S7052-11008-042	
SGM33-6	ARN123-76B20	J16R-u	S7052-11008-042	
SGM33-6	ARN123-76C22	P317R-9	S7052-11008-042	
SGM33-6	ARN123-76D22	P300R-9	S7052-11008-042	
SGM33-7	ARN123-77B20	J16R-c	S7052-11008-042	
SGM33-7	ARN123-77C22	P317R-37	S7052-11008-042	
SGM33-7	ARN123-77D22	P300R-37	S7052-11008-042	
SGM33-8	ARN123-78B20	J16R-v	S7052-11008-042	
SGM33-8	ARN123-78C22	P317R-42	S7052-11008-042	
SGM33-8	ARN123-78D22	P300R-42	S7052-11008-042	
SGM33-9	ARN123-71B22	J16R-s	S7052-11008-042	
SGM33-9	ARN123-71C22	P304R-n	S7052-11008-042	
SGM33-9	ARN123-71D22	P317R-83	S7052-11008-042	
SGM33-9	ARN123-71E22	SGLHS-6	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGM33-10	NIU020B24	J16R-t	S7052-11008-042	
SGM33-10	NIU020C24	P317R-24	S7052-11008-042	
SGM33-10	NIU020D24	P300R-24	S7052-11008-042	
SGM33-11	NIU019B24	J16R-q	S7052-11008-042	
SGM33-11	NIU019C24	P317R-47	S7052-11008-042	
SGM33-11	NIU019D24	P300R-47	S7052-11008-042	
SGM33-12	NIU008B24	J16R-b	S7052-11008-042	
SGM33-12	NIU008C24	P317R-35	S7052-11008-042	
SGM33-12	NIU008D24	P300R-35	S7052-11008-042	
SGM33-13	NIU013B24	J16R-i	S7052-11008-042	
SGM33-13	NIU013C24	P317R-104	S7052-11008-042	
SGM33-13	NIU013D24	P300R-104	S7052-11008-042	
SGM33-14	NIU012B24	J16R-h	S7052-11008-042	
SGM33-14	NIU012C24	P317R-93	S7052-11008-042	
SGM33-14	NIU012D24	P300R-93	S7052-11008-042	
SGM33-15	NIU011B24	J16R-g	S7052-11008-042	
SGM33-15	NIU011C24	P317R-64	S7052-11008-042	
SGM33-15	NIU011D24	P300R-64	S7052-11008-042	
SGPD5R-1	JMPRPD5R-5-24	PD5R-5	S7060-11002-047	
SGPD5R-1	JMPRPD5R-6-24	PD5R-6	S7060-11002-047	
SGPD5R-1	JMPRPD5R-7-24	PD5R-7	S7060-11002-047	
SGPD5R-1	JMPRSGPD5R-A-24	SGPD5R-2	S7060-11002-047	
SGPD5R-2	JMPRPD5R-15-24	PD5R-15	S7060-11002-047	
SGPD5R-2	JMPRSGPD5R-A-24	SGPD5R-1	S7060-11002-047	
SGPD5R-2	JMPRSGPD5R-B-24	SGPD5R-3	S7060-11002-047	
SGPD5R-3	JMPRPD5R-10-24	PD5R-10	S7060-11002-047	
SGPD5R-3	JMPRPD5R-8-24	PD5R-8	S7060-11002-047	
SGPD5R-3	JMPRSGPD5R-B-24	SGPD5R-2	S7060-11002-047	
SGP1-1	F251A24N	P1-M	S7052-11008-042	
SGP1-1	F251B24N	P1-a	S7052-11008-042	
SGP1-1	F251C24N	P1-X	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP1-1	F251D24N	GG33-4	S7052-11008-042	
SGP1-2	D7002A22	P195-1	S7052-11008-042	
SGP1-2	F250C24	J111-F	S7052-11008-042	
SGP1-2	F250D24	P1-P	S7052-11008-042	
SGP102-1	CDU-607A24	P1014R-7	S7062-11014-043	
SGP102-1	CDU-607B24	P1013R-7	S7062-11014-043	
SGP102-1	JMPRP102R-55-24	P102R-55	S7062-11014-043	
SGP102-2	APN209-2B24	P14R-F	S7062-11014-043	
SGP102-2	APN209-2C24	P102R-54	S7062-11014-043	
SGP102-2	JMPRP318RB-58-24	P318RB-58	S7062-11014-043	
SGP111-1	E9007A22	J21R-D	S7052-12005-041	
SGP111-1	JMPRP111-E-24	P111-E	S7052-12005-041	
SGP111-1	W3092A24	P902-H	S7052-12005-041	
SGP112-1	L3931B24	J114-d	S7052-12006-041	
SGP112-1	L3931C24	P112-K	S7052-12006-041	
SGP112-1	M4258D22	J310-P	S7052-12006-041	
SGP112-1	JMPRPD112R-11-22	PD112R-11	S7060-11002-058	
SGP112-1	JMPRPD112R-13-22	PD112R-13	S7060-11002-058	
SGP112-1	JMPRPD112R-8-22	PD112R-8	S7060-11002-058	
SGP112-1	JMPRPD112R-9-22	PD112R-9	S7060-11002-058	
SGP112-2	JMPRPD112R-14-22	PD112R-14	S7060-11002-058	
SGP112-2	JMPRPD112R-15-22	PD112R-15	S7060-11002-058	
SGP112-2	JMPRPD112R-16-22	PD112R-16	S7060-11002-058	
SGP112-2	JMPRPD112R-20-22	PD112R-20	S7060-11002-058	
SGP123-1	ARC164-04A20	P120R-e	S7062-11014-043	
SGP123-1	ARC164-04AA20N	GD123R-3	S7062-11014-043	
SGP123-1	JMPRP123R-T-20	P123R-T	S7062-11014-043	
SGP131-1	IDM116-A24	BOMB6-1	S7062-11005-041	
SGP131-1	IDM116-B24	P100R-27	S7062-11005-041	
SGP131-1	IDM116-C24	SA139R-1	S7062-11005-041	
SGP131-2	IDM117-A24	BOMB4-1	S7062-11005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP131-2	IDM117-B24	P100R-26	S7062-11005-041	
SGP131-2	JMPRP131R-19-A24	P131R-19	S7062-11005-041	
SGP131-3	IDM114-A24	BOMB2-1	S7062-11005-041	
SGP131-3	IDM114-B24	P100R-23	S7062-11005-041	
SGP131-3	JMPRP131R-37-A24	P131R-37	S7062-11005-041	
SGP133-1	L3934A24	P133-K	S7062-11014-043	
SGP133-1	L3934E24	P134-H	S7062-11014-043	
SGP133-1	L3934G24	P199-e	S7062-11014-043	
SGP134-1	H6423G20	P133-L	S7062-11014-043	
SGP134-1	H6423S20	J121-A	S7062-11014-043	
SGP134-1	H6423T20	P134-K	S7062-11014-043	
SGP134-1	H6423V20	P133-R	S7062-11014-043	
SGP134-2	H6399C22	P199-h	S7062-11014-043	
SGP134-2	H6399D22	J121-Y	S7062-11014-043	
SGP134-2	H6399E22	P134-J	S7062-11014-043	
SGP134-3	H6398D22	J121-X	S7062-11014-043	
SGP134-3	H6398DD22	P199-g	S7062-11014-043	
SGP134-3	H6398E22	P134-G	S7062-11014-043	
SGP134-4	H6402A20	P132-H	S7062-11014-043	
SGP134-4	H6402B20	P133-T	S7062-11014-043	
SGP134-4	H6402C20	P134-M	S7062-11014-043	
SGP134-5	H6424D20	P132-S	S7062-11014-043	
SGP134-5	H6424E20	J121-V	S7062-11014-043	
SGP134-5	H6424F20	P134-L	S7062-11014-043	
SGP134-6	H6465A20N	P134-T	S7062-11014-043	
SGP134-6	H6465B20N	P134-c	S7062-11014-043	
SGP134-6	H6465C20N	J1R-LL	S7062-11014-043	
SGP135-1	ARC164-25A22	P120R-h	S7062-11014-043	
SGP135-1	ARC164-25B22	P131R-15	S7062-11014-043	
SGP135-1	JMPRP135R-9-22	P135R-9	S7062-11014-043	
SGP139-1	L3931K24	J115-F	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP139-1	L3931L24	P139-R	S7052-11011-041	
SGP139-1	L3931M24	P139-P	S7052-11011-041	
SGP139-1	L3931N24	P4R-E	S7052-11011-041	
SGP14R-1	JMPRP14R-FF-22	P14R-FF	S7062-11014-043	
SGP14R-1	2F3775B24	P318RA-18	S7062-11014-043	
SGP14R-1	2F3775C24	P102R-7	S7062-11014-043	
SGP14R-2	JMPRP14R-GG-22	P14R-GG	S7062-11014-043	
SGP14R-2	2F3798B24	P318RA-39	S7062-11014-043	
SGP14R-2	2F3798C24	P102R-11	S7062-11014-043	
SGP140-1	ARC164-19A22	P123R-C	S7062-11014-043	
SGP140-1	ARC164-19B22	P1011R-23	S7062-11014-043	
SGP140-1	JMPRP140R-13-22	P140R-13	S7062-11014-043	
SGP140-2	ASN128-900A22	P2002R-36	S7062-11014-043	
SGP140-2	CDU-057C22	P302R-34	S7062-11014-043	
SGP140-2	CDU-058B22	SG318A-3	S7062-11014-043	
SGP140-2	JMPRP140R-65-22	P140R-65	S7062-11014-043	
SGP140-3	ASN128-901A22	P2002R-25	S7062-11014-043	
SGP140-3	CDU-057B22	SG318A-1	S7062-11014-043	
SGP140-3	CDU-058C22	P302R-35	S7062-11014-043	
SGP140-3	JMPRP140R-66-22	P140R-66	S7062-11014-043	
SGP16R-1	ASN128-5A22	P696R-E	S7062-11014-043	
SGP16R-1	F9004A22	P2002R-12	S7062-11014-043	
SGP16R-1	1F3911A24	P16R-E	S7062-11014-043	
SGP16R-1	1F3911AA24	P193R-F	S7062-11014-043	
SGP16R-2	ASN128-4A22	P696R-D	S7062-11014-043	
SGP16R-2	F9005A22	P2002R-5	S7062-11014-043	
SGP16R-2	1F3910A24	P16R-G	S7062-11014-043	
SGP16R-2	1F3910AA24	P193R-E	S7062-11014-043	
SGP16R-3	ASN128-6A22	P696R-F	S7062-11014-043	
SGP16R-3	F9003A22	P2002R-6	S7062-11014-043	
SGP16R-3	1F3909A24	P16R-J	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP16R-3	1F3909AA24	P193R-D	S7062-11014-043	
SGP16R-4	ASN128-8A22	P696R-H	S7062-11014-043	
SGP16R-4	F9001A22	P2002R-3	S7062-11014-043	
SGP16R-4	1F3908A24	P16R-L	S7062-11014-043	
SGP16R-4	1F3908AA24	P193R-P	S7062-11014-043	
SGP16R-5	ASN128-7A22	P696R-G	S7062-11014-043	
SGP16R-5	F9002A22	P2002R-30	S7062-11014-043	
SGP16R-5	1F3907A24	P16R-N	S7062-11014-043	
SGP16R-5	1F3907AA24	P193R-H	S7062-11014-043	
SGP16R-6	ASN128-9A22	P696R-J	S7062-11014-043	
SGP16R-6	F9000A22	P2002R-4	S7062-11014-043	
SGP16R-6	1F3906A24	P16R-R	S7062-11014-043	
SGP16R-6	1F3906AA24	P193R-R	S7062-11014-043	
SGP170-1	M600A20	P170-A	S7052-12001-042	
SGP170-1	M600B20	J129-X	S7052-12001-042	
SGP170-1	M604B22	P340-11	S7052-12001-042	
SGP170-2	JMPRP170-E-20	P170-E	S7052-12001-042	
SGP170-2	JMPRP170-R-20	P170-R	S7052-12001-042	
SGP170-2	M791B20	J129-W	S7052-12001-042	
SGP170-3	M603A20	P170-D	S7052-12001-042	
SGP170-3	M603B20	P298-N	S7052-12001-042	
SGP170-3	M603C22	P207-10	S7052-12001-042	
SGP175-1	JMPRP175R-c-24	P175R-c	S7062-11007-041	
SGP175-1	2C11746-91A24	SGJ119-1	S7062-11007-041	
SGP175-1	2C11746-91B24	S88-G	S7062-11007-041	
SGP175-2	JMPRP175R-e-24	P175R-e	S7062-11007-041	
SGP175-2	JMPRP175R-H-24	P175R-H	S7062-11007-041	
SGP175-2	2C11746-501A24N	GND175-2	S7062-11007-041	
SGP175-3	JMPRP175R-C-22	P175R-C	S7062-11007-041	
SGP175-3	2C11746-60C20	P21R-M	S7062-11007-041	
SGP175-3	2C11746-60D22	P139R-15	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP175-3	2C11746-60G22	P139R-41	S7062-11007-041	
SGP175-4	JMPRP175R-d-24	P175R-d	S7062-11007-041	
SGP175-4	2C11746-81A24	J119-G	S7062-11007-041	
SGP175-4	2C11746-81B24	S88-1	S7062-11007-041	
SGP175-4	2C11746-81C24	P1013R-74	S7062-11007-041	
SGP192-1	ARC164-26A22	P140R-31	S7062-11014-043	
SGP192-1	JMPRP192R-d-20	P192R-d	S7062-11014-043	
SGP192-1	JMPRP192R-H-20	P192R-H	S7062-11014-043	
SGP192-2	JMPRP192R-A-20	P192R-A	S7062-11014-043	
SGP192-2	JMPRP192R-D-20	P192R-D	S7062-11014-043	
SGP192-2	JMPRP192R-F-20	P192R-F	S7062-11014-043	
SGP192-2	JMPRP192R-G-20	P192R-G	S7062-11014-043	
SGP196-1	JMPRP196-A-20	P196-A	S7052-11008-042	
SGP196-1	L3646G20	COPJ11-PWR	S7052-11008-042	
SGP196-1	L3663B20	J113-K	S7052-11008-042	
SGP203-1	P545C24	P217-D	S7052-12006-041	
SGP203-1	P545D24	P203-E	S7052-12006-041	
SGP203-1	P545F24	P236-G	S7052-12006-041	
SGP203-3	H6423C20	J906-U	S7052-12006-041	
SGP203-3	H6423D20	P203-C	S7052-12006-041	
SGP203-3	H6423F20	P121-A	S7052-12006-041	
SGP203-3	H6423N20	P230-A	S7052-12006-041	
SGP204-1	JMPRP204R-c-24	P204R-c	S7062-12001-041	
SGP204-1	4C11746-18A24	J211R-C	S7062-12001-041	
SGP204-1	4C11746-18B24	J203R-C	S7062-12001-041	
SGP204-3	JMPRP204R-e-24	P204R-e	S7062-12001-041	
SGP204-3	JMPRP204R-H-24	P204R-H	S7062-12001-041	
SGP204-3	4C11746-504A24N	GND204-2	S7062-12001-041	
SGP207-1	JMPRP207R-c-24	P207R-c	S7062-12001-041	
SGP207-1	5C11746-18A24	J201R-C	S7062-12001-041	
SGP207-1	5C11746-18B24	P226-X	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP207-2	JMPRP207R-e-24	P207R-e	S7062-12001-041	
SGP207-2	JMPRP207R-H-24	P207R-H	S7062-12001-041	
SGP207-2	5C11746-506A24N	GND207-1	S7062-12001-041	
SGP210-1	FLIR-01A20	J129-Z	S7062-11013-042	
SGP210-1	JMPRP210R-A-14	P210R-A	S7062-11013-042	
SGP210-1	JMPRP210R-C-14	P210R-C	S7062-11013-042	
SGP210-1	JMPR210-1-2-20	SGP210-2	S7062-11013-042	
SGP210-2	FLIR-01B20	J129-a	S7062-11013-042	
SGP210-2	JMPRP210R-E-14	P210R-E	S7062-11013-042	
SGP210-2	JMPR210-1-2-20	SGP210-1	S7062-11013-042	
SGP220-1	JMPRP220R-c-24	P220R-c	S7062-12001-041	
SGP220-1	3C11746-18A-24	J223R-C	S7062-12001-041	
SGP220-1	3C1174618B-24	J222R-C	S7062-12001-041	
SGP220-2	JMPRP220R-C-24	P220R-C	S7062-12001-041	
SGP220-2	3C11746-60B20	J129-H	S7062-12001-041	
SGP220-2	3C11746-60C20	P207R-C	S7062-12001-041	
SGP220-2	3C11746-60D20	P204R-C	S7062-12001-041	
SGP220-3	JMPRP220R-e-24	P220R-e	S7062-12001-041	
SGP220-3	JMPRP220R-H-24	P220R-H	S7062-12001-041	
SGP220-3	3C11746-508A24N	GND220-2	S7062-12001-041	
SGP226-1	JMPRP226-c-20	P226-c	S7052-12001-042	
SGP226-1	JMPRP226-j-20	P226-j	S7052-12001-042	
SGP226-1	JMPRP226-n-20	P226-n	S7052-12001-042	
SGP226-1	M619B20	J129-S	S7052-12001-042	
SGP230-1	L3561B24	P230-L	S7052-12006-041	
SGP230-1	L3561C24	P243-W	S7052-12006-041	
SGP230-1	L3561D24	J247-F	S7052-12006-041	
SGP231-1	E3305B20	P231-W	S7052-12005-041	
SGP231-1	E3305C20	J221-B	S7052-12005-041	
SGP231-1	E3305D20	P381-D	S7052-12005-041	
SGP246-1	L3611B24	P246-L	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP246-1	L3611C24	J922-P	S7052-12006-041	
SGP246-1	L3611K24	J922-A	S7052-12006-041	
SGP246-2	L3613B24	P246-K	S7052-12006-041	
SGP246-2	L3613C24	J922-R	S7052-12006-041	
SGP246-2	L3613K24	J922-B	S7052-12006-041	
SGP266-1	E3302B20	P266-A	S7052-12006-041	
SGP266-1	E3302C20	P382-D	S7052-12006-041	
SGP266-1	E3302D20	J220-B	S7052-12006-041	
SGP297-1	JMPRP297-A-16	P297-A	S7052-12001-042	
SGP297-1	M786A14	CB528-A2	S7052-12001-042	
SGP297-2	JMPRP297-B-16	P297-B	S7052-12001-042	
SGP297-2	M787A14	CB528-B2	S7052-12001-042	
SGP297-3	JMPRP297-C-16	P297-C	S7052-12001-042	
SGP297-3	M788A14	CB528-C2	S7052-12001-042	
SGP297-4	JMPRP297-D-16	P297-D	S7052-12001-042	
SGP297-4	M667A14	CB544-A2	S7052-12001-042	
SGP297-5	JMPRP297-E-16	P297-E	S7052-12001-042	
SGP297-5	M666A14	CB544-B2	S7052-12001-042	
SGP297-6	JMPRP297-F-16	P297-F	S7052-12001-042	
SGP297-6	M668A14	CB544-C2	S7052-12001-042	
SGP297-7	JMPRP297-G-16	P297-G	S7052-12001-042	
SGP297-7	M679A14	J239-18	S7052-12001-042	
SGP297-8	JMPRP297-H-16	P297-H	S7052-12001-042	
SGP297-8	M680A14	J239-16	S7052-12001-042	
SGP297-9	JMPRP297-J-16	P297-J	S7052-12001-042	
SGP297-9	M681A14	J239-14	S7052-12001-042	
SGP297-10	JMPRP297-M-16	P297-M	S7052-12001-042	
SGP297-10	M686A14	J238-18	S7052-12001-042	
SGP297-11	JMPRP297-L-16	P297-L	S7052-12001-042	
SGP297-11	M687A14	J238-16	S7052-12001-042	
SGP297-12	JMPRP297-K-16	P297-K	S7052-12001-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP297-12	M688A14	J238-14	S7052-12001-042	
SGP297-13	JMPRP297-N-16	P297-N	S7052-12001-042	
SGP297-13	M682A14	J239-22	S7052-12001-042	
SGP297-14	JMPRP297-P-16	P297-P	S7052-12001-042	
SGP297-14	M685A14	J238-22	S7052-12001-042	
SGP297-15	JMPRP297-R-16	P297-R	S7052-12001-042	
SGP297-15	M7891A14	CB536-1	S7052-12001-042	
SGP297-16	JMPRP297-S-16	P297-S	S7052-12001-042	
SGP297-16	M790A14	CB537-1	S7052-12001-042	
SGP298-1	JMPRP298-B-20	P298-B	S7052-12001-042	
SGP298-1	M617B20	J129-R	S7052-12001-042	
SGP298-1	M617C20	K300-11	S7052-12001-042	
SGP298-1	M617D20	P218-F	S7052-12001-042	
SGP298-2	H806B20	J129-b	S7052-12001-042	
SGP298-2	H806C20	P298-A	S7052-12001-042	
SGP298-2	H806D20	P352-L	S7052-12001-042	
SGP298-3	H204B20	P356-A	S7052-12001-042	
SGP298-3	H204BB20	P352-E	S7052-12001-042	
SGP298-3	H204CC20	K310-X1	S7052-12001-042	
SGP300-1	L3931D24	J112-K	S7052-11008-042	
SGP300-1	L3931E24	P300R-25	S7052-11008-042	
SGP300-1	L3931F24	SGP300-2	S7052-11008-042	
SGP300-1	L3931P24	SGP300-3	S7052-11008-042	
SGP300-2	L3931F24	SGP300-1	S7052-11008-042	
SGP300-2	L3931G24	P316R-8	S7052-11008-042	
SGP300-2	L3931H24	P317R-25	S7052-11008-042	
SGP300-2	L3931J24	P115-F	S7052-11008-042	
SGP300-3	L3931FF24	SGS121-2	S7052-11008-042	
SGP300-3	L3931P24	SGP300-1	S7052-11008-042	
SGP300-3	L3931R22	P198-K	S7052-11008-042	
SGP324-1	H6390BB14	J399-A	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP324-1	H6390C14	P324-D	70552-02170-041	
SGP324-1	H6390D20	P908-C	70552-02170-041	
SGP324-2	H6391BB14	J399-B	70552-02170-041	
SGP324-2	H6391C14	P324-E	70552-02170-041	
SGP324-2	H6391D20	P908-D	70552-02170-041	
SGP324-3	H6392BB14	J399-C	70552-02170-041	
SGP324-3	H6392C14	P324-H	70552-02170-041	
SGP324-3	H6392D20	P908-E	70552-02170-041	
SGP346-1	Q6575A20	P360-d	S7052-12002-041	
SGP346-1	Q6575B20	P346-15	S7052-12002-041	
SGP346-1	Q6575F20	P346-19	S7052-12002-041	
SGP346-1	Q6575K20	P346-17	S7052-12002-041	
SGP346-2	Q6775B20N	P346-8	S7052-12002-041	
SGP346-2	Q6775C20N	P360-B	S7052-12002-041	
SGP346-2	Q6775D20N	P361-c	S7052-12002-041	
SGP346-3	Q6774B20N	P346-1	S7052-12002-041	
SGP346-3	Q6774C20N	P360-k	S7052-12002-041	
SGP346-3	Q6774D20N	P361-b	S7052-12002-041	
SGP346-4	Q6776A20N	P360-S	S7052-12002-041	
SGP346-4	Q6776B20N	P361-J	S7052-12002-041	
SGP346-4	Q6776C20N	P346-37	S7052-12002-041	
SGP346-5	Q6555C20	P346-5	S7052-12002-041	
SGP346-5	Q6555D20	P360-h	S7052-12002-041	
SGP346-5	Q6558E20	P834-2	S7052-12002-041	
SGP346-6	Q6556C20	P346-7	S7052-12002-041	
SGP346-6	Q6556D20	P360-H	S7052-12002-041	
SGP346-6	Q6556E20	P833-2	S7052-12002-041	
SGP346-7	Q6557C20	P346-41	S7052-12002-041	
SGP346-7	Q6557D20	P360-U	S7052-12002-041	
SGP346-7	Q6557E20	P834-7	S7052-12002-041	
SGP346-8	Q6555E20	P833-7	S7052-12002-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP346-8	Q6558C20	P346-43	S7052-12002-041	
SGP346-8	Q6558D20	P360-a	S7052-12002-041	
SGP352-1	H229C16	P352-V	S7052-12001-042	
SGP352-1	H229E14	P353-E	S7052-12001-042	
SGP352-2	H229D14	P353-F	S7052-12001-042	
SGP352-2	H229F16	P352-W	S7052-12001-042	
SGP356-1	JMPRP356-G-20	P356-G	S7052-12001-042	
SGP356-1	JMPRP356-J-20	P356-J	S7052-12001-042	
SGP356-1	L3931S20	J198-K	S7052-12001-042	
SGP600-1	C4669B22	P316-T	70552-05100-052	
SGP600-1	C4669C22	P600-h	70552-05100-052	
SGP600-1	C4669E22	P600-B	70552-05100-052	
SGP600-2	C4676G22	P316-U	70552-05100-052	
SGP600-2	C4676H22	P600-i	70552-05100-052	
SGP600-2	C4676K22	P600-L	70552-05100-052	
SGP600-3	C4670B22	P316-V	70552-05100-052	
SGP600-3	C4670C22	P600-j	70552-05100-052	
SGP600-3	C4670E22	P600-d	70552-05100-052	
SGP601-1	C4619B22	P311-D	70552-05101-051	
SGP601-1	C4619C22	P601-T	70552-05101-051	
SGP601-1	C4619E22	P601-B	70552-05101-051	
SGP601-2	C4626G22	P311-p	70552-05101-051	
SGP601-2	C4626H22	P601-U	70552-05101-051	
SGP601-2	C4626K22	P601-C	70552-05101-051	
SGP601-3	C4620B22	P311-q	70552-05101-051	
SGP601-3	C4620C22	P601-V	70552-05101-051	
SGP601-3	C4620E22	P601-D	70552-05101-051	
SGP601-4	L3611D24	P334-W	70552-05101-051	
SGP601-4	L3611E24	J547-1	70552-05101-051	
SGP601-4	L3611F24	P601-W	70552-05101-051	
SGP601-5	L3613D24	P334-X	70552-05101-051	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGP601-5	L3613E24	J547-3	70552-05101-051	
SGP601-5	L3613F24	P601-J	70552-05101-051	
SGP601-6	L3609C24	P334-S	70552-05101-051	
SGP601-6	L3609D24	J506-A	70552-05101-051	
SGP601-6	L3609E24	P601-F	70552-05101-051	
SGP681-1	JUMPERP681-20	GND681-1	S7052-12006-041	
SGP681-1	JUMPERP681-2-20	P681-2	S7052-12006-041	
SGP681-1	L4510A20N	GND2-1	S7052-12006-041	
SGP682-1	JUMPERP682-1-20	GND682-1	S7052-12005-041	
SGP682-1	JUMPERP682-2-20	P682-2	S7052-12005-041	
SGP682-1	L4511A20N	GND3-1	S7052-12005-041	
SGP696-1	ASN128-13C20	P21R-H	S7062-11006-041	
SGP696-1	ASN128-13D16	P687R-C	S7062-11006-041	
SGP696-1	JMPRP696R-W-20	P696R-W	S7062-11006-041	
SGP804-1	Q6565B20N	P346-4	S7052-12002-041	
SGP804-1	Q6565C20N	P804-1	S7052-12002-041	
SGP804-1	Q6565E20N	P804-6	S7052-12002-041	
SGP804-2	Q6566B20N	P346-9	S7052-12002-041	
SGP804-2	Q6566C20N	P804-5	S7052-12002-041	
SGP804-2	Q6566E20N	P804-10	S7052-12002-041	
SGP805-1	Q6568A20N	P346-11	S7052-12002-041	
SGP805-1	Q6568C20N	P805-6	S7052-12002-041	
SGP805-1	Q6568E20N	P805-1	S7052-12002-041	
SGP805-2	Q6567B20N	P346-34	S7052-12002-041	
SGP805-2	Q6567C20N	P805-5	S7052-12002-041	
SGP805-2	Q6567E20N	P805-10	S7052-12002-041	
SGP906-1	H6423AA20	P906-N	70552-02170-041	
SGP906-1	H6423B20	P906-U	70552-02170-041	
SGP906-1	H6423J20	P325-G	70552-02170-041	
SGRHS-1	2F3703A24	P304R-G	S7052-11008-042	
SGRHS-1	2F3703B24	P317R-121	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGRHS-1	2F3703C24	J14R-d	S7052-11008-042	
SGRHS-2	2F3704A24	P304R-H	S7052-11008-042	
SGRHS-2	2F3704B24	P317R-89	S7052-11008-042	
SGRHS-2	2F3704C24	J14R-e	S7052-11008-042	
SGRHS-7	2F3709A24	P304R-W	S7052-11008-042	
SGRHS-7	2F3709B24	P317R-34	S7052-11008-042	
SGRHS-7	2F3709C24	J14R-j	S7052-11008-042	
SGRHS-8	2F3710A24	P304R-X	S7052-11008-042	
SGRHS-8	2F3710B24	P317R-125	S7052-11008-042	
SGRHS-8	2F3710C24	J14R-k	S7052-11008-042	
SGRHS-9	2F3913A24	P317R-80	S7052-11008-042	
SGRHS-9	2F3913B24	P304R-a	S7052-11008-042	
SGRHS-9	2F3913C24	J14R-u	S7052-11008-042	
SGRHS-10	2F3914A24	P317R-67	S7052-11008-042	
SGRHS-10	2F3914B24	P304R-b	S7052-11008-042	
SGRHS-10	2F3914C24	J14R-v	S7052-11008-042	
SGRHS-11	2F3915A24	P317R-18	S7052-11008-042	
SGRHS-11	2F3915B24	P304R-c	S7052-11008-042	
SGRHS-11	2F3915C24	J14R-w	S7052-11008-042	
SGRHS-12	2F3916A24	P317R-50	S7052-11008-042	
SGRHS-12	2F3916B24	P304R-d	S7052-11008-042	
SGRHS-12	2F3916C24	J14R-r	S7052-11008-042	
SGRHS-13	2F3917A24	P317R-20	S7052-11008-042	
SGRHS-13	2F3917B24	P304R-e	S7052-11008-042	
SGRHS-13	2F3917C24	J14R-s	S7052-11008-042	
SGRHS-14	2F3918A24	P317R-29	S7052-11008-042	
SGRHS-14	2F3918B24	P304R-f	S7052-11008-042	
SGRHS-14	2F3918C24	J14R-t	S7052-11008-042	
SGRHS-15	2F3919A24	P317R-44	S7052-11008-042	
SGRHS-15	2F3919B24	P304R-j	S7052-11008-042	
SGRHS-15	2F3919C24	J14R-x	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGRHS-16	ARN123-08D20	J16R-a	S7052-11008-042	
SGRHS-16	ARN123-08E22	P317R-95	S7052-11008-042	
SGRHS-16	ARN123-08F22	P300R-95	S7052-11008-042	
SGRHS-17	C4705B24	P142-KK	S7052-11008-042	
SGRHS-17	C4705C24	SG1019-25	S7052-11008-042	
SGRHS-17	C4705D24	J199-B	S7052-11008-042	
SGR134-1	F445A24N	GG12-3	S7062-11014-043	
SGR134-1	JMPRP134R-1-24	P134R-W	S7062-11014-043	
SGR134-1	*CBL028 (P134R/SGR8)	-	S7062-11014-043	
SGR136-1	F451E22	SGR8-2	S7062-11014-043	
SGR136-1	JUMPERP136R-8-22	P136R-C	S7062-11014-043	
SGR136-1	JUMPERP136R-9-22	P136R-L	S7062-11014-043	
SGR136-1	JUMPERP136R-10-22	P136R-R	S7062-11014-043	
SGR136-2	F450C22	SGR8-3	S7062-11014-043	
SGR136-2	JUMPERP136R-5-22	SGR136-3	S7062-11014-043	
SGR136-2	JUMPERP136R-6-22	P136R-D	S7062-11014-043	
SGR136-2	JUMPERP136R-7-22	P136R-A	S7062-11014-043	
SGR136-3	F450D22	P2R-A	S7062-11014-043	
SGR136-3	JUMPERP136R-4-22	P136R-K	S7062-11014-043	
SGR136-3	JUMPERP136R-5-22	SGR136-2	S7062-11014-043	
SGR136-3	JUMPERP136R-3-22	P136R-S	S7062-11014-043	
SGR190-1	APR39-27A24N	GG13-3	S7062-11014-043	
SGR190-1	JUMPER690R-1-24	P690R-10	S7062-11014-043	
SGR190-1	*CBL067 (P139R/P690R)	-	S7062-11014-043	
SGR191-1	JMPR191R-4-24	SGR191-2	S7062-11014-043	
SGR191-1	JMPR191R-5-24	P191R-Y	S7062-11014-043	
SGR191-1	JMPR191R-6-24	P191R-L	S7062-11014-043	
SGR191-1	2F3902A20N	GG14-1	S7062-11014-043	
SGR191-2	JMPR191R-1-24	P191R-A	S7062-11014-043	
SGR191-2	JMPR191R-2-24	P191R-K	S7062-11014-043	
SGR191-2	JMPR191R-3-24	P191R-V	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGR191-2	JMPR191R-4-24	SGR191-1	S7062-11014-043	
SGR193-1	JMPRP193R-5-24	SGR193-2	S7062-11014-043	
SGR193-1	JMPRP193R-6-24	P193R-Y	S7062-11014-043	
SGR193-1	JMPRP193R-7-24	P193R-L	S7062-11014-043	
SGR193-1	1F3902A20N	GND193-1	S7062-11014-043	
SGR193-2	JMPRP193R-3-24	P193R-V	S7062-11014-043	
SGR193-2	JMPRP193R-4-24	SGR193-3	S7062-11014-043	
SGR193-2	JMPRP193R-5-24	SGR193-1	S7062-11014-043	
SGR193-3	JMPRP193R-1-24	P193R-A	S7062-11014-043	
SGR193-3	JMPRP193R-2-24	P193R-K	S7062-11014-043	
SGR193-3	JMPRP193R-4-24	SGR193-2	S7062-11014-043	
SGR193-3	1F3902B24	P659R-E	S7062-11014-043	
SGR2-1	JMPR1-22	R2-3	S7052-11008-042	
SGR2-1	L420A20	P1000-B	S7052-11008-042	
SGR2-2	JMPR2-22	R2-2	S7052-11008-042	
SGR2-2	L421A20	P1000-A	S7052-11008-042	
SGR3-1	JMPR3-22	R3-3	S7052-11008-042	
SGR3-1	L418A20	P1000-G	S7052-11008-042	
SGR3-2	JMPR4-22	R3-2	S7052-11008-042	
SGR3-2	L419A20	P1000-H	S7052-11008-042	
SGR304-1	JUMPERP304R-1-24	P304R-k	S7052-11008-042	
SGR304-1	JUMPERP304R-2-20	P304R-J	S7052-11008-042	
SGR304-1	2F3834A20N	GG33-7	S7052-11008-042	
SGR304-2	JUMPERP304R-324	P304R-L	S7052-11008-042	
SGR304-2	JUMPERP304R-4-24	P304R-P	S7052-11008-042	
SGR304-2	JUMPERP304R-524	SGR304-3	S7052-11008-042	
SGR304-2	1F3837C24	SGLHS-5	S7052-11008-042	
SGR304-3	JUMPERP304R-524	SGR304-2	S7052-11008-042	
SGR304-3	JUMPERP304R-624	P304R-M	S7052-11008-042	
SGR304-3	JUMPERP304R-724	P304R-Z	S7052-11008-042	
SGR305-1	JUMPERP305R-1-24	P305R-c	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGR305-1	2F3757A24	SGR317-5	S7052-11008-042	
SGR305-1	2F3757B24	SGR317-5	S7052-11008-042	
SGR305-2	JUMPERP305R-2-24	P305R-U	S7052-11008-042	
SGR305-2	JUMPERP305R-3-20	P305R-J	S7052-11008-042	
SGR305-2	2F3832A20N	GG33-9	S7052-11008-042	
SGR306-1	D7003A22	P186-1	S7052-11008-042	
SGR306-1	JUMPERP306R-1-24	P306R-P	S7052-11008-042	
SGR306-1	JUMPERP306R-2-24	P306R-c	S7052-11008-042	
SGR306-1	SN10874D24	P1R-z	S7052-11008-042	
SGR306-2	H6465C20N	P1R-LL	S7052-11008-042	
SGR306-2	JUMPERP306R-3-24	P306R-M	S7052-11008-042	
SGR306-2	JUMPERP306R-4-24	P306R-b	S7052-11008-042	
SGR306-2	SN10875A24N	GG33-7	S7052-11008-042	
SGR306-3	JUMPERP306-5-20	P306R-a	S7052-11008-042	
SGR306-3	SN10878A18N	GG33-11	S7052-11008-042	
SGR316-1	JMPRP316R-1-22	P316R-7	S7052-11008-042	
SGR316-1	2F3898A18N	GG33-10	S7052-11008-042	
SGR317-1	2ARC201-140A24	P317R-58	S7052-11008-042	
SGR317-1	2ARC201-140B24	P300R-58	S7052-11008-042	
SGR317-1	2ARC201-140C24	P1R-y	S7052-11008-042	
SGR317-2	JUMPERP317R-1-24	P317R-111	S7052-11008-042	
SGR317-2	NIU009B24	J16R-e	S7052-11008-042	
SGR317-2	NIU021B24	J16R-w	S7052-11008-042	
SGR317-3	JUMPERP317R-2-24	P317R-109	S7052-11008-042	
SGR317-3	NIU004B24	J16R-W	S7052-11008-042	
SGR317-3	NIU095B24	J16R-X	S7052-11008-042	
SGR317-4	JUMPERP317R-5-22	P317R-15	S7052-11008-042	
SGR317-4	2F3792A18N	GG33-10	S7052-11008-042	
SGR317-5	JUMPERP317R-3-24	P317R-100	S7052-11008-042	
SGR317-5	2F3757A24	SGR305-1	S7052-11008-042	
SGR317-5	2F3757B24	SGR305-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGR317-6	JUMPERP317R-4-24	P317R-110	S7052-11008-042	
SGR317-6	2F3754A24	P305R-e	S7052-11008-042	
SGR317-6	2F3754B24	P305R-f	S7052-11008-042	
SGR317-7	JUMPERP317R-6-22	P317R-107	S7052-11008-042	
SGR317-7	JUMPERP317R-7-22	P317R-114	S7052-11008-042	
SGR317-7	2ARC201-111B24	SGK33-6	S7052-11008-042	
SGR317-8	2F3905B24	J16R-z	S7052-11008-042	
SGR317-8	2F3905C24	P317R-32	S7052-11008-042	
SGR317-8	2F3905D24	P300R-21	S7052-11008-042	
SGR317-9	APN209-12A24	P676R-7	S7052-11008-042	
SGR317-9	2F3816A24	P317R-77	S7052-11008-042	
SGR317-9	2F3816B24	J14R-KK	S7052-11008-042	
SGR317-10	1F3819B24	J14R-LL	S7052-11008-042	
SGR317-10	1F3819C24	P317R-38	S7052-11008-042	
SGR317-10	1F3819D24	P304R-q	S7052-11008-042	
SGR317-10	1F3819E24	SGR317-14	S7052-11008-042	
SGR317-11	JUMPERP317R-9-24	P317R-62	S7052-11008-042	
SGR317-11	2F3748A24	SG302R-1	S7052-11008-042	
SGR317-11	2F3748B24	SG302R-1	S7052-11008-042	
SGR317-12	JUMPERP317R-10-24	P317R-86	S7052-11008-042	
SGR317-12	2F3750A24	P302R-f	S7052-11008-042	
SGR317-12	2F3750B24	P302R-e	S7052-11008-042	
SGR317-14	1F3819E24	SGR317-10	S7052-11008-042	
SGR317-14	1F3819F24	P301R-q	S7052-11008-042	
SGR317-14	1F3819G24	P300R-38	S7052-11008-042	
SGR33-1	1F3835A24N	P301R-h	S7052-11008-042	
SGR33-1	2F3835A24N	P304R-h	S7052-11008-042	
SGR33-1	2F3835B22N	GG33-9	S7052-11008-042	
SGR33-2	1F3830A24N	P302R-Y	S7052-11008-042	
SGR33-2	1F3830B18N	GG33-1	S7052-11008-042	
SGR33-2	2F3830A24N	P305R-Y	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGR664-1	APX100-049C22	P21R-N	S7062-11014-043	
SGR664-1	JUMPERP664R-1-22	P664R-26	S7062-11014-043	
SGR664-1	JUMPERP664R-2-22	P664R-25	S7062-11014-043	
SGR674-1	APN209-17B24	SGR674-2	S7052-11008-042	
SGR674-1	JUMPERP674R-1-24	P674R-11	S7052-11008-042	
SGR674-1	*APN209-24A	-	S7052-11008-042	
SGR674-2	APN209-17A24	P676R-5	S7052-11008-042	
SGR674-2	APN209-17B24	SGR674-1	S7052-11008-042	
SGR674-2	APN209-17D24	J14R-H	S7052-11008-042	
SGR675-1	APN209-34A24N	GG33-3	S7052-11008-042	
SGR675-1	JUMPERP675R-1-24	P675R-3	S7052-11008-042	
SGR675-1	JUMPERP675R-2-24	P675R-5	S7052-11008-042	
SGR676-1	APN209-37A18N	GG33-4	S7052-11008-042	
SGR676-1	JUMPERP676R-1-22	P676R-2	S7052-11008-042	
SGR676-1	JUMPERP676R-2-24	P676R-18	S7052-11008-042	
SGR676-2	APN209-16A24	P676R-9	S7052-11008-042	
SGR676-2	APN209-16B24	P674R-2	S7052-11008-042	
SGR676-2	APN209-16C24	J14R-G	S7052-11008-042	
SGR8-1	F439A24	P134R-T	S7062-11014-043	
SGR8-1	F439B24	P136R-P	S7062-11014-043	
SGR8-1	F439C24	P100R-35	S7062-11014-043	
SGR8-1	F439D24	P318RB-32	S7062-11014-043	
SGR8-2	F451D24	J1R-r	S7062-11014-043	
SGR8-2	F451E22	SGR136-1	S7062-11014-043	
SGR8-2	F451F22	P134R-X	S7062-11014-043	
SGR8-3	F450A22	P134R-Y	S7062-11014-043	
SGR8-3	F450B22N	GG12-3	S7062-11014-043	
SGR8-3	F450C22	SGR136-2	S7062-11014-043	
SGR8-4	F448A22	P134R-L	S7062-11014-043	
SGR8-4	F448AA22	SACOMP-3	S7062-11014-043	
SGR8-4	F448B22	J1R-m	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGR8-5	F447A22	P134R-M	S7062-11014-043	
SGR8-5	F447AA22	SACOMP-1	S7062-11014-043	
SGR8-5	F447B22	J1R-n	S7062-11014-043	
SGR8-6	F446A22	P134R-N	S7062-11014-043	
SGR8-6	F446AA22	SACOMP-2	S7062-11014-043	
SGR8-6	F446B22	J1R-p	S7062-11014-043	
SGS121-1	JMPRS121-A-22	SGS121-2	S7052-11008-042	
SGS121-1	JMPRS121-1-22	S121-1	S7052-11008-042	
SGS121-1	JMPRS121-2-22	S121-2	S7052-11008-042	
SGS121-1	L3931X24	SGS122-2	S7052-11008-042	
SGS121-2	JMPRS121-A-22	SGS121-1	S7052-11008-042	
SGS121-2	JMPRS121-3-22	S121-3	S7052-11008-042	
SGS121-2	JMPRS121-4-22	S121-4	S7052-11008-042	
SGS121-2	L3931FF24	SGP300-3	S7052-11008-042	
SGS122-1	JMPRS122-A-22	SGS122-2	S7052-11008-042	
SGS122-1	JMPRS122-1-22	S122-1	S7052-11008-042	
SGS122-1	JMPRS122-2-22	S122-2	S7052-11008-042	
SGS122-1	L3931Y24	SGS123-2	S7052-11008-042	
SGS122-2	JMPRS122-A-22	SGS122-1	S7052-11008-042	
SGS122-2	JMPRS122-3-22	S122-3	S7052-11008-042	
SGS122-2	JMPRS122-4-22	S122-4	S7052-11008-042	
SGS122-2	L3931X24	SGS121-1	S7052-11008-042	
SGS123-1	JMPRS123-A-22	SGS123-2	S7052-11008-042	
SGS123-1	JMPRS123-1-22	S123-1	S7052-11008-042	
SGS123-1	JMPRS123-2-22	S123-2	S7052-11008-042	
SGS123-2	JMPRS123-A-22	SGS123-1	S7052-11008-042	
SGS123-2	JMPRS123-3-22	S123-3	S7052-11008-042	
SGS123-2	JMPRS123-4-22	S123-4	S7052-11008-042	
SGS123-2	L3931Y24	SGS122-1	S7052-11008-042	
SGS33-1	L3645N18	SGJ113-1	S7052-11008-042	
SGS33-1	L3645T24	SGG33-1	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGS33-1	L3645U24	JJ3-2	S7052-11008-042	
SGS33-1	L3645V20	P194-A	S7052-11008-042	
SGTJ5A-1	JMPRTJ5VA-A-20	TJ5VA-A	S7062-11014-043	
SGTJ5A-1	JMPRTJ5VA-B-20	TJ5VA-B	S7062-11014-043	
SGTJ5A-1	LT501B16	SATJ5V-1	S7062-11014-043	
SGTJ5A-2	JMPRTJ5VA-C-20	TJ5VA-C	S7062-11014-043	
SGTJ5A-2	JMPRTJ5VA-D-20	TJ5VA-D	S7062-11014-043	
SGTJ5A-2	LT501D16	SATJ5V-1	S7062-11014-043	
SGTJ5B-1	JMPRTJ5VB-A-20	TJ5VB-A	S7062-11014-043	
SGTJ5B-1	JMPRTJ5VB-B-20	TJ5VB-B	S7062-11014-043	
SGTJ5B-1	LT501F16	SATJ5V-2	S7062-11014-043	
SGTJ5B-2	JMPRTJ5VB-C-20	TJ5VB-C	S7062-11014-043	
SGTJ5B-2	JMPRTJ5VB-D-20	TJ5VB-D	S7062-11014-043	
SGTJ5B-2	LT501H16	SATJ5V-2	S7062-11014-043	
SGT14-1	H6378A20	T14-T6	70552-02124-062	
SGT14-1	H6378B20	T14-T5	70552-02124-062	
SGT14-1	H6378C20	T14-T4	70552-02124-062	
SGT14-1	H6378D20	J329-J	70552-02124-062	
SGT3-1	L4528E20	TLT3LV-3	S7052-11010-041	
SGT3-1	L4528F20	SG1J3-1	S7052-11010-041	
SGT3-1	L4528G20	J280-M	S7052-11010-041	
SGT33-1	L3651G20N	SG50-2	S7052-11008-042	
SGT33-1	L3651K20N	SGF33-1	S7052-11008-042	
SGT33-1	L3651L20N	P192-B	S7052-11008-042	
SGT33-1	L3651M20N	P193-B	S7052-11008-042	
SGU2-1	JMPR-U2-1-20	U2-1	70552-02132-044	
SGU2-1	104-2-20	J244-X	70552-02132-044	
SGU2-1	160-9238-20	E31-T	70552-02132-044	
SGU2-2	JMPR-U2-7-20	U2-7	70552-02132-044	
SGU2-2	108-9067-20	J244-a	70552-02132-044	
SGU2-2	148-9167-20	E26-T	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SGU2-3	JMPR-U2-10-20	U2-10	70552-02132-044	
SGU2-3	162-2-20	E32-T	70552-02132-044	
SGU2-3	91-2-20	J900-c	70552-02132-044	
SGU2-4	JMPR-U2-17-20	U2-17	70552-02132-044	
SGU2-4	110-9068-20	J241-L	70552-02132-044	
SGU2-4	159-9068-20	E29-T	70552-02132-044	
SGU2-5	JMPR-U2-18-20	U2-18	70552-02132-044	
SGU2-5	114-9125-20	J241-p	70552-02132-044	
SGU2-5	154-9155-20	K31-A3	70552-02132-044	
SGV33-1	2F3853B24	P1R-S	S7052-11008-042	
SGV33-1	2F3853C24	P300R-123	S7052-11008-042	
SGV33-1	2F3853D24	P317R-112	S7052-11008-042	
SGV33-2	2F3852B24	P1R-R	S7052-11008-042	
SGV33-2	2F3852C24	P300R-120	S7052-11008-042	
SGV33-2	2F3852D24	P317R-87	S7052-11008-042	
SGV33-3	1F3853B24	P1R-P	S7052-11008-042	
SGV33-3	1F3853C24	P300R-112	S7052-11008-042	
SGV33-3	1F3853D24	P317R-123	S7052-11008-042	
SGV33-4	1F3852B24	P1R-N	S7052-11008-042	
SGV33-4	1F3852C24	P300R-87	S7052-11008-042	
SGV33-4	1F3852D24	P317R-120	S7052-11008-042	
SGV33-5	2F3836C24	J110-CC	S7052-11008-042	
SGV33-5	2F3836D24	P302R-BB	S7052-11008-042	
SGV33-5	2F3836E24	P305R-BB	S7052-11008-042	
SG1-1	41-926-24	J902-H	70552-02131-042	
SG1-1	42-926-24	J243-G	70552-02131-042	
SG1-1	43-926-24	J2-17	70552-02131-042	
SG1-1	115-0-20	U2-23	70552-02132-044	
SG1-1	119-0-20	GND2-E	70552-02132-044	
SG1-1	41-0-20	E15-T	70552-02132-044	
SG1J1-1	JMPRSG1J1-20	1J1-PWR	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1J1-1	L4528C20	SG1J2-1	S7052-11010-041	
SG1J1-1	L4528D20	SG1J3-1	S7052-11010-041	
SG1J1-1	L4528N20	1J4-PWR	S7052-11010-041	
SG1J2-1	JMPRSG1J2-20	1J2-PWR	S7052-11010-041	
SG1J2-1	L4528B20	TLT3LV-2	S7052-11010-041	
SG1J2-1	L4528C20	SG1J1-1	S7052-11010-041	
SG1J3-1	JMPRSG1J3-20	1J3-PWR	S7052-11010-041	
SG1J3-1	L4528D20	SG1J1-1	S7052-11010-041	
SG1J3-1	L4528F20	SGT3-1	S7052-11010-041	
SG1000-1	JMPRP1000-D-24	P1000-D	S7052-11008-042	
SG1000-1	L417A24	P115-K	S7052-11008-042	
SG1000-1	L417D24	J199-f	S7052-11008-042	
SG1006-1	JMPRP1006R-15-22	P1006R-15	S7062-11002-041	
SG1006-1	JMPRP1006R-21-22	P1006R-21	S7062-11002-041	
SG1006-1	JMPRP1006R-44-A22	P1006R-44	S7062-11002-041	
SG1006-1	JMPRP1006R-51-22	P1006R-51	S7062-11002-041	
SG1006-2	JMPRP1006R-35-22	P1006R-35	S7062-11002-041	
SG1006-2	1ARC201-12A24	P100R-20	S7062-11002-041	
SG1011-1	CDU-002B20	CB501-1	S7062-11014-043	
SG1011-1	CDU-002C22	P1011R-28	S7062-11014-043	
SG1011-1	CDU-002D22	P1011R-29	S7062-11014-043	
SG1011-4	CDU-005B20	P107-P	S7062-11014-043	
SG1011-4	CDU-005C22	P1011R-26	S7062-11014-043	
SG1011-4	CDU-005D22	P1012R-26	S7062-11014-043	
SG1011-5	CDU-040A22	P298-c	S7062-11014-043	
SG1011-5	CDU-040B22	P1012R-37	S7062-11014-043	
SG1011-5	CDU-040C22	P1011R-37	S7062-11014-043	
SG1011-6	CDU-015B22	P140R-61	S7062-11014-043	
SG1011-6	CDU-015C22	P1012R-62	S7062-11014-043	
SG1011-6	JMPRP1011R-42-22	P1011R-42	S7062-11014-043	
SG1011-7	CDU-016B22	P140R-62	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1011-7	CDU-016C22	P1012R-42	S7062-11014-043	
SG1011-7	JMPRP1011R-62-22	P1011R-62	S7062-11014-043	
SG1011-8	JMPRP1011R-A-22	SG1011-11	S7062-11014-043	
SG1011-8	JMPRP1011R-31-22	P1011R-31	S7062-11014-043	
SG1011-8	JMPRP1011R-32-22	P1011R-32	S7062-11014-043	
SG1011-8	JMPRP1011R-33-22	P1011R-33	S7062-11014-043	
SG1011-9	CDU-021A20	P1021R-5	S7062-11014-043	
SG1011-9	JMPRP1101R-70-22	P1011R-70	S7062-11014-043	
SG1011-10	CDU-022A20	P1021R-2	S7062-11014-043	
SG1011-10	JMPRP1011R-69-22	P1011R-69	S7062-11014-043	
SG1011-11	JMPRP1011R-A-22	SG1011-8	S7062-11014-043	
SG1011-11	JMPRP1011R-34-22	P1011R-34	S7062-11014-043	
SG1011-11	JMPRP1011R-35-22	P1011R-35	S7062-11014-043	
SG1011-11	JMPRP1011R-36-22	P1011R-36	S7062-11014-043	
SG1012-1	CDU-004B20	J129-M	S7062-11014-043	
SG1012-1	CDU-004C22	P1012R-28	S7062-11014-043	
SG1012-1	CDU-004D22	P1012R-29	S7062-11014-043	
SG1012-6	CDU-060A20	P1021R-4	S7062-11014-043	
SG1012-6	JMPRP1012R-69-22	P1012R-69	S7062-11014-043	
SG1012-7	CDU-061A20	P1021R-3	S7062-11014-043	
SG1012-7	JMPRP1012R-70-22	P1012R-70	S7062-11014-043	
SG1013-1	CDU-029A22	P1013R-69	S7062-11014-043	
SG1013-1	CDU-029B22	P140R-36	S7062-11014-043	
SG1013-1	CDU-029C22	P1014R-69	S7062-11014-043	
SG1013-2	JMPRP1013R-32-22	P1013R-32	S7062-11014-043	
SG1013-2	NIU800A22	P100R-47	S7062-11014-043	
SG1013-2	NIU800B22	P1014R-32	S7062-11014-043	
SG1013-3	JMPRP1013R-64-22	P1013R-64	S7062-11014-043	
SG1013-3	NIU801A22	P100R-49	S7062-11014-043	
SG1013-3	NIU801B22	P1014R-64	S7062-11014-043	
SG1013-4	JMPRP1013R-31-22	P1013R-31	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1013-4	NIU802A22	P1014R-31	S7062-11014-043	
SG1013-4	NIU802B22	P100R-39	S7062-11014-043	
SG1013-5	JMPRP1013R-33-22	P1013R-33	S7062-11014-043	
SG1013-5	NIU803A22	P100R-41	S7062-11014-043	
SG1013-5	NIU803B22	P1014R-33	S7062-11014-043	
SG1013-6	ARC222-120A-22	P342R-P	S7062-11014-043	
SG1013-6	CDU-100A22	P1014R-6	S7062-11014-043	
SG1013-6	CDU-101A22	P1013R-6	S7062-11014-043	
SG1014-1	CDU-032A22	P1013R-49	S7062-11014-043	
SG1014-1	CDU-070A22	SATR2-1	S7062-11014-043	
SG1014-1	JMPRP1014R-4922	P1014R-49	S7062-11014-043	
SG1014-2	CDU-033A22	P1013R-50	S7062-11014-043	
SG1014-2	CDU-071A22	SATR2-2	S7062-11014-043	
SG1014-2	JMPRP1014R-5022	P1014R-50	S7062-11014-043	
SG1014-3	APN209-17E24	P14R-H	S7062-11014-043	
SG1014-3	CDU-035A24	P1013R-10	S7062-11014-043	
SG1014-3	CDU-035B24	SG318B-7	S7062-11014-043	
SG1014-3	JMPRP1014R-10-22	P1014R-10	S7062-11014-043	
SG1014-4	APN209-16D24	P14R-G	S7062-11014-043	
SG1014-4	CDU-034A24	P1013R-12	S7062-11014-043	
SG1014-4	CDU-034B24	SG318B-6	S7062-11014-043	
SG1014-4	JMPRP1014R-12-22	P1014R-12	S7062-11014-043	
SG1014-5	CDU-047A22	P1013R-67	S7062-11014-043	
SG1014-5	JMPRP1014R-67-22	P1014R-67	S7062-11014-043	
SG1014-5	2F3882A24	P315R-G	S7062-11014-043	
SG1014-5	2F3882B24	SG318B-10	S7062-11014-043	
SG1014-6	CDU-048A22	P1013R-68	S7062-11014-043	
SG1014-6	JMPRP1014R-68-22	P1014R-68	S7062-11014-043	
SG1014-6	JMPRSG1014-A-22	SG1014-7	S7062-11014-043	
SG1014-6	2F3881C24	SG318B-3	S7062-11014-043	
SG1014-7	CDU-045A22	P1013R-66	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1014-7	JMPRP1014R-66-22	P1014R-66	S7062-11014-043	
SG1014-7	JMPRSG1014-A-22	SG1014-6	S7062-11014-043	
SG1014-8	CDU-049A22	P1013R-65	S7062-11014-043	
SG1014-8	C4647E24	SA420R-1	S7062-11014-043	
SG1014-8	C4647F24	P318RB-60	S7062-11014-043	
SG1014-8	JMPRP1014R-65-22	P1014R-65	S7062-11014-043	
SG1014-9	CDU-023A22	P1013R-70	S7062-11014-043	
SG1014-9	CDU-023B22	SATR1-1	S7062-11014-043	
SG1014-9	JMPRP1014R-70-22	P1014R-70	S7062-11014-043	
SG1014-10	CDU-024A22	P1013R-71	S7062-11014-043	
SG1014-10	CDU-024B22	SATR1-2	S7062-11014-043	
SG1014-10	JMPRP1014R-71-22	P1014R-71	S7062-11014-043	
SG1017-1	JMPRP1017R-1-22	P1017R-1	S7052-11008-042	
SG1017-1	JMPRP1017R-3-22	P1017R-3	S7052-11008-042	
SG1017-1	MFD003C24	P198-R	S7052-11008-042	
SG1017-2	JMPRP1017R-2-22	P1017R-2	S7052-11008-042	
SG1017-2	JMPRP1017R-4-22	P1017R-4	S7052-11008-042	
SG1017-2	MFD004C24	P198-P	S7052-11008-042	
SG1017-2	MFD00822N	P1017R-5	S7052-11008-042	
SG1018-1	JMPRP1018R-1-22	P1018R-1	S7052-11008-042	
SG1018-1	JMPRP1018R-3-22	P1018R-3	S7052-11008-042	
SG1018-1	MFD001C20	P1R-C	S7052-11008-042	
SG1018-2	JMPRP1018R-2-22	P1018R-2	S7052-11008-042	
SG1018-2	JMPRP1018R-4-22	P1018R-4	S7052-11008-042	
SG1018-2	JMPRP1018R-5-22	P1018R-5	S7052-11008-042	
SG1018-2	MFD002C20	P1R-M	S7052-11008-042	
SG1019-1	JMPRP1019R-1-22	P1019R-1	S7052-11008-042	
SG1019-1	M464D24	J110-S	S7052-11008-042	
SG1019-1	M464DD24	P1020R-1	S7052-11008-042	
SG1019-2	JMPRP1019R-2-22	P1019R-2	S7052-11008-042	
SG1019-2	M466D24	J110-U	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1019-2	M466DD24	P1020R-2	S7052-11008-042	
SG1019-3	JMPRP1019R-3-22	P1019R-3	S7052-11008-042	
SG1019-3	M467D24	J110-V	S7052-11008-042	
SG1019-3	M467DD24	P1020R-3	S7052-11008-042	
SG1019-4	JMPRP1019R-4-22	P1019R-4	S7052-11008-042	
SG1019-4	M463D24	J110-R	S7052-11008-042	
SG1019-4	M463DD24	P1020R-4	S7052-11008-042	
SG1019-5	JMPRP1019R-5-22	P1019R-5	S7052-11008-042	
SG1019-5	M465D24	J110-T	S7052-11008-042	
SG1019-5	M465DD24	P1020R-5	S7052-11008-042	
SG1019-6	JMPRP1019R-6-22	P1019R-6	S7052-11008-042	
SG1019-6	M470D24	J111-S	S7052-11008-042	
SG1019-6	M470DD24	P1020R-6	S7052-11008-042	
SG1019-7	JMPRP1019R-7-22	P1019R-7	S7052-11008-042	
SG1019-7	M471D24	J110-N	S7052-11008-042	
SG1019-7	M471DD24	P1020R-7	S7052-11008-042	
SG1019-8	JMPRP1017R-116-22	P1019R-116	S7052-11008-042	
SG1019-8	JMPRP1017R-117-22	P1019R-117	S7052-11008-042	
SG1019-8	JMPRP1019R-118-22	P1019R-118	S7052-11008-042	
SG1019-8	JMPRP1019R-121-22	P1019R-121	S7052-11008-042	
SG1019-10	JMPRP1019R-10-22	P1019R-10	S7052-11008-042	
SG1019-10	M468D24	J111-h	S7052-11008-042	
SG1019-10	M468DD24	P1020R-10	S7052-11008-042	
SG1019-11	JMPRP1019R-11-22	P1019R-11	S7052-11008-042	
SG1019-11	M462D24	J110-P	S7052-11008-042	
SG1019-11	M462DD24	P1020R-11	S7052-11008-042	
SG1019-12	JMPRP1019R-12-22	P1019R-12	S7052-11008-042	
SG1019-12	JMPRSG1019-121322	SG1019-13	S7052-11008-042	
SG1019-12	L409C24	P131-6	S7052-11008-042	
SG1019-12	L409E24	P198-S	S7052-11008-042	
SG1019-13	JMPRP1019R-13-22	P1019R-13	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1019-13	JMPRSG1019-121322	SG1019-12	S7052-11008-042	
SG1019-13	L409CC24	SG1020-13	S7052-11008-042	
SG1019-15	JMPRP1019R-15-22	P1019R-15	S7052-11008-042	
SG1019-15	L411A24	P131-5	S7052-11008-042	
SG1019-15	L411AA24	P1020R-15	S7052-11008-042	
SG1019-16	JMPRP1019R-16-22	P1019R-16	S7052-11008-042	
SG1019-16	W3387B22	J111-v	S7052-11008-042	
SG1019-16	W3387D22	P1020R-16	S7052-11008-042	
SG1019-16	W3387E22	P198-F	S7052-11008-042	
SG1019-24	ALQ144-10A22	J110-B	S7052-11008-042	
SG1019-24	ALQ144-10AA22	P1020R-24	S7052-11008-042	
SG1019-24	JMPRP1019R-24-22	P1019R-24	S7052-11008-042	
SG1019-25	C4705C24	SGRHS-17	S7052-11008-042	
SG1019-25	C4705CC24	P1020R-25	S7052-11008-042	
SG1019-25	JMPRP1019R-25-22	P1019R-25	S7052-11008-042	
SG1019-26	C6173B24	P142-y	S7052-11008-042	
SG1019-26	C6173BB24	P1020R-26	S7052-11008-042	
SG1019-26	JMPRP1019R-26-22	P1019R-26	S7052-11008-042	
SG1019-27	H6397C22	J199-A	S7052-11008-042	
SG1019-27	H6397CC22	P1020R-27	S7052-11008-042	
SG1019-27	JMPRP1019R-27-22	P1019R-27	S7052-11008-042	
SG1019-29	H711A24	J111-a	S7052-11008-042	
SG1019-29	H711AA24	P1020R-29	S7052-11008-042	
SG1019-29	JMPRP1019R-29-22	P1019R-29	S7052-11008-042	
SG1019-30	JMPRP1019R-30-22	P1019R-30	S7052-11008-042	
SG1019-30	X53F24	J110-j	S7052-11008-042	
SG1019-30	X53FF24	P1020R-30	S7052-11008-042	
SG1019-32	JMPRP1019R-32-22	P1019R-32	S7052-11008-042	
SG1019-32	M366A20	SGJ110-1	S7052-11008-042	
SG1019-32	M366AA22	P1020R-32	S7052-11008-042	
SG1019-33	JMPRP1019R-33-22	P1019R-33	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1019-33	L3981D24	P115-J	S7052-11008-042	
SG1019-33	L3981DD24	P1020R-33	S7052-11008-042	
SG1019-36	C6174BB24	P1020R-36	S7052-11008-042	
SG1019-36	JMPRP1019R-36-22	P1019R-36	S7052-11008-042	
SG1019-37	JMPRP1019R-37-22	P1019R-37	S7052-11008-042	
SG1019-37	Q6552A22	J113-B	S7052-11008-042	
SG1019-37	Q6552AA22	P1020R-37	S7052-11008-042	
SG1019-38	C6216A22	J110-i	S7052-11008-042	
SG1019-38	C6216AA22	P1020R-38	S7052-11008-042	
SG1019-38	JMPRP1019R-38-22	P1019R-38	S7052-11008-042	
SG1019-39	APX100-032B20	P1R-AA	S7052-11008-042	
SG1019-39	APX100-032BB22	P1020R-39	S7052-11008-042	
SG1019-39	JMPRP1019R-39-22	P1019R-39	S7052-11008-042	
SG1019-41	H6398C22	J199-g	S7052-11008-042	
SG1019-41	H6398CC22	P1020R-41	S7052-11008-042	
SG1019-41	JMPRP1019R-41-22	P1019R-41	S7052-11008-042	
SG1019-42	JMPRP1019R-42-22	P1019R-42	S7052-11008-042	
SG1019-42	Q3201A24	J111-N	S7052-11008-042	
SG1019-42	Q3201AA24	P1020R-42	S7052-11008-042	
SG1019-43	JMPRP1019R-43-22	P1019R-43	S7052-11008-042	
SG1019-43	L4562A24	J110-p	S7052-11008-042	
SG1019-43	L4562AA24	P1020R-43	S7052-11008-042	
SG1019-44	JMPRP1019R-44-22	P1019R-44	S7052-11008-042	
SG1019-44	M352A20	J111-g	S7052-11008-042	
SG1019-44	M352AA22	P1020R-44	S7052-11008-042	
SG1019-45	JMPRP1019R-45-22	P1019R-45	S7052-11008-042	
SG1019-45	V16B20	J110-h	S7052-11008-042	
SG1019-45	V16BB22	P1020R-45	S7052-11008-042	
SG1019-47	C6172B24	P142-x	S7052-11008-042	
SG1019-47	C6172BB24	P1020R-47	S7052-11008-042	
SG1019-47	JMPRP1019R-47-22	P1019R-47	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1019-48	F3956B24	J110-r	S7052-11008-042	
SG1019-48	F3956BB24	P1020R-48	S7052-11008-042	
SG1019-48	JMPRP1019R-48-22	P1019R-48	S7052-11008-042	
SG1019-51	JMPRP1019R-51-22	P1019R-51	S7052-11008-042	
SG1019-51	W3388C22	J111-w	S7052-11008-042	
SG1019-51	W3388CC22	P1020R-51	S7052-11008-042	
SG1019-63	H708A24	J110-m	S7052-11008-042	
SG1019-63	H708AA24	P1020R-63	S7052-11008-042	
SG1019-63	JMPRP1019R-63-22	P1019R-63	S7052-11008-042	
SG1019-65	H709A24	J110-n	S7052-11008-042	
SG1019-65	H709AA24	P1020R-65	S7052-11008-042	
SG1019-65	JMPRP1019R-65-22	P1019R-65	S7052-11008-042	
SG1019-67	C4145E22	J111-AA	S7052-11008-042	
SG1019-67	C4145EE22	P1020R-67	S7052-11008-042	
SG1019-67	C4145F22	P198-G	S7052-11008-042	
SG1019-67	JMPRP1019R-67-22	P1019R-67	S7052-11008-042	
SG1019-77	JMPRP1019R-77-22	P1019R-77	S7052-11008-042	
SG1019-77	W4776D24	J112-G	S7052-11008-042	
SG1019-77	W4776DD24	P1020R-77	S7052-11008-042	
SG1019-80	C6215A22	J113-E	S7052-11008-042	
SG1019-80	C6215AA22	P1020R-80	S7052-11008-042	
SG1019-80	JMPRP1019R-80-22	P1019R-80	S7052-11008-042	
SG1019-81	F3957B24	J111-c	S7052-11008-042	
SG1019-81	F3957BB24	P1020R-81	S7052-11008-042	
SG1019-81	JMPRP1019R-81-22	P1019R-81	S7052-11008-042	
SG1019-82	HH6399CC22	P1020R-82	S7052-11008-042	
SG1019-82	H6399C22	J199-h	S7052-11008-042	
SG1019-82	JMPRP1019R-82-22	P1019R-82	S7052-11008-042	
SG1019-83	H710A24	P1020R-83	S7052-11008-042	
SG1019-83	H710AA24	J111-Z	S7052-11008-042	
SG1019-83	JMPRP1019R-83-22	P1019R-83	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1019-84	JMPRP1019R-84-22	P1019R-84	S7052-11008-042	
SG1019-84	V280A24	J111-n	S7052-11008-042	
SG1019-84	V280AA24	P1020R-84	S7052-11008-042	
SG1020-8	JMPRP1020R-8-22	P1020R-8	S7052-11008-042	
SG1020-8	X130D24	J110-DD	S7052-11008-042	
SG1020-8	X130DD24	P1019R-8	S7052-11008-042	
SG1020-9	JMPRP1020R-9-22	P1020R-9	S7052-11008-042	
SG1020-9	X131D24	J111-r	S7052-11008-042	
SG1020-9	X131DD24	P1019R-9	S7052-11008-042	
SG1020-12	JMPRP1020R-12-22	P1020R-12	S7052-11008-042	
SG1020-12	JMPRSG1020-131222	SG1020-13	S7052-11008-042	
SG1020-12	L409A24	P130-6	S7052-11008-042	
SG1020-13	JMPRP1020R-13-22	P1020R-13	S7052-11008-042	
SG1020-13	JMPRSG1020-131222	SG1020-12	S7052-11008-042	
SG1020-13	L409CC24	SG1019-13	S7052-11008-042	
SG1020-13	L409D24	J199-C	S7052-11008-042	
SG1020-14	JMPRP1020R-14-22	P1020R-14	S7052-11008-042	
SG1020-14	L411C24	SG130-7	S7052-11008-042	
SG1020-14	L411CC24	P1019R-14	S7052-11008-042	
SG1020-17	JMPRP1020R-17-22	P1020R-17	S7052-11008-042	
SG1020-17	X95D24	J111-Y	S7052-11008-042	
SG1020-17	X95DD24	P1019R-17	S7052-11008-042	
SG1020-18	JMPRP1020R-18-22	P1020R-18	S7052-11008-042	
SG1020-18	P543C24	P1019R-18	S7052-11008-042	
SG1020-18	P543CC24	J111-H	S7052-11008-042	
SG1020-19	JMPRP1020R-19-22	P1020R-19	S7052-11008-042	
SG1020-19	V75C24	J110-g	S7052-11008-042	
SG1020-19	V75CC24	P1019R-19	S7052-11008-042	
SG1020-19	V75D24	P198-B	S7052-11008-042	
SG1020-20	JMPRP1020R-20-22	P1020R-20	S7052-11008-042	
SG1020-20	P540B24	P115-G	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1020-20	P540BB24	P1019R-20	S7052-11008-042	
SG1020-21	JMPRP1020R-21-22	P1020R-21	S7052-11008-042	
SG1020-21	M326B24	J111-G	S7052-11008-042	
SG1020-21	M326BB24	P1019R-21	S7052-11008-042	
SG1020-22	JMPRP1020R-22-22	P1020R-22	S7052-11008-042	
SG1020-22	Q3242D24	J111-P	S7052-11008-042	
SG1020-22	Q3242DD24	P1019R-22	S7052-11008-042	
SG1020-23	JMPRP1020R-23-22	P1020R-23	S7052-11008-042	
SG1020-23	W3386C22	J111-u	S7052-11008-042	
SG1020-23	W3386CC22	P1019R-23	S7052-11008-042	
SG1020-28	C4141B22	J113-M	S7052-11008-042	
SG1020-28	C4141BB22	P1019R-28	S7052-11008-042	
SG1020-28	JMPRP1020R-28-22	P1020R-28	S7052-11008-042	
SG1020-31	JMPRP1020R-31-22	P1020R-31	S7052-11008-042	
SG1020-31	L3562A24	J110-A	S7052-11008-042	
SG1020-31	L3562AA24	P1019R-31	S7052-11008-042	
SG1020-34	JMPRP1020R-34-22	P1020R-34	S7052-11008-042	
SG1020-34	P549B24	J110-G	S7052-11008-042	
SG1020-34	P549BB24	P1019R-34	S7052-11008-042	
SG1020-40	JMPRP1020R-40-22	P1020R-40	S7052-11008-042	
SG1020-40	V281A24	J111-p	S7052-11008-042	
SG1020-40	V281AA24	P1019R-40	S7052-11008-042	
SG1020-46	JMPRP1020R-46-22	P1020R-46	S7052-11008-042	
SG1020-46	V282A24	J111-q	S7052-11008-042	
SG1020-46	V282AA24	P1019R-46	S7052-11008-042	
SG1020-46	V282C24	P198-A	S7052-11008-042	
SG1020-49	H6396A22	J199-D	S7052-11008-042	
SG1020-49	H6396AA22	P1019R-49	S7052-11008-042	
SG1020-49	JMPRP1020R-49-22	P1020R-49	S7052-11008-042	
SG1020-50	C4144B22	J111-y	S7052-11008-042	
SG1020-50	C4144BB22	P1019R-50	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1020-50	JMPRP1020R-50-22	P1020R-50	S7052-11008-042	
SG1020-52	JMPRP1020R-52-22	P1020R-52	S7052-11008-042	
SG1020-52	Q3240D24	J110-L	S7052-11008-042	
SG1020-52	Q3240DD24	P1019R-52	S7052-11008-042	
SG1020-53	JMPRP1020R-53-22	P1020R-53	S7052-11008-042	
SG1020-53	W3385C22	J110-D	S7052-11008-042	
SG1020-53	W3385CC22	P1019R-53	S7052-11008-042	
SG1020-54	JMPRP1020R-54-22	P1020R-54	S7052-11008-042	
SG1020-54	Q4064A24	J111-X	S7052-11008-042	
SG1020-54	Q4064AA24	P1019R-54	S7052-11008-042	
SG1020-55	JMPRP1020R-55-22	P1020R-55	S7052-11008-042	
SG1020-55	W2001D24	J110-a	S7052-11008-042	
SG1020-55	W2001DD24	P1019R-55	S7052-11008-042	
SG1020-56	JMPRP1020R-56-22	P1020R-56	S7052-11008-042	
SG1020-56	W2002B24	P1019R-56	S7052-11008-042	
SG1020-56	W2002BB24	J110-b	S7052-11008-042	
SG1020-57	JMPRP1020R-57-22	P1020R-57	S7052-11008-042	
SG1020-57	W2003B24	J110-c	S7052-11008-042	
SG1020-57	W2003BB24	P1019R-57	S7052-11008-042	
SG1020-58	JMPRP1020R-58-22	P1020R-58	S7052-11008-042	
SG1020-58	Q3241D24	J110-M	S7052-11008-042	
SG1020-58	Q3241DD24	P1019R-58	S7052-11008-042	
SG1020-59	JMPRP1020R-59-22	P1020R-59	S7052-11008-042	
SG1020-59	K3007F24	J110-q	S7052-11008-042	
SG1020-59	K3007FF24	P1019R-59	S7052-11008-042	
SG1020-60	C4139G22	J113-C	S7052-11008-042	
SG1020-60	C4139GG22	P1019R-60	S7052-11008-042	
SG1020-60	C4139H22	P198-D	S7052-11008-042	
SG1020-60	JMPRP1020R-60-22	P1020R-60	S7052-11008-042	
SG1020-61	JMPRP1020R-61-22	P1020R-61	S7052-11008-042	
SG1020-61	X69F24	J110-k	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1020-61	X69FF24	P1019R-61	S7052-11008-042	
SG1020-62	JMPRP1020R-62-22	P1020R-62	S7052-11008-042	
SG1020-62	P550C24	J110-H	S7052-11008-042	
SG1020-62	P550CC24	P1019R-62	S7052-11008-042	
SG1020-64	C4143B22	P1019R-64	S7052-11008-042	
SG1020-64	C4143BB22	J111-x	S7052-11008-042	
SG1020-64	JMPRP1020R-64-22	P1020R-64	S7052-11008-042	
SG1020-66	C4142B22	J111-z	S7052-11008-042	
SG1020-66	C4142BB22	P1019R-66	S7052-11008-042	
SG1020-66	C4142C22	P198-E	S7052-11008-042	
SG1020-66	JMPRP1020R066-22	P1020R-66	S7052-11008-042	
SG1020-68	JMPRP1020R-68-22	P1020R-68	S7052-11008-042	
SG1020-68	W4404D24	P1019R-68	S7052-11008-042	
SG1020-68	W4404DD24	J110-Z	S7052-11008-042	
SG1020-69	JMPRP1020R-69-22	P1020R-69	S7052-11008-042	
SG1020-69	W4403D24	P1019R-69	S7052-11008-042	
SG1020-69	W4403DD24	J110-Y	S7052-11008-042	
SG1020-70	JMPRP1020R-70-22	P1020R-70	S7052-11008-042	
SG1020-70	Q4063A24	J111-W	S7052-11008-042	
SG1020-70	Q4063AA24	P1019R-70	S7052-11008-042	
SG1020-71	JMPRP1020R-71-22	P1020R-71	S7052-11008-042	
SG1020-71	W2005D24	J111-V	S7052-11008-042	
SG1020-71	W2005DD24	P1019R-71	S7052-11008-042	
SG1020-72	JMPRP1020R-72-22	P1020R-72	S7052-11008-042	
SG1020-72	W2006B24	J111-U	S7052-11008-042	
SG1020-72	W2006BB24	P1019R-72	S7052-11008-042	
SG1020-73	JMPRP1020R-73-22	P1020R-73	S7052-11008-042	
SG1020-73	W2007B24	J111-T	S7052-11008-042	
SG1020-73	W2007BB24	P1019R-73	S7052-11008-042	
SG1020-74	JMPRP1020R-74-22	P1020R-74	S7052-11008-042	
SG1020-74	Q3243D24	J111-R	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1020-74	Q3243DD24	P1019R-74	S7052-11008-042	
SG1020-75	JMPRP1020R-75-22	P1020R-75	S7052-11008-042	
SG1020-75	K3006H24	J111-b	S7052-11008-042	
SG1020-75	K3006HH24	P1019R-75	S7052-11008-042	
SG1020-76	C4140F22	J113-D	S7052-11008-042	
SG1020-76	C4140FF22	P1019R-76	S7052-11008-042	
SG1020-76	C4140G22	P198-C	S7052-11008-042	
SG1020-76	JMPRP1020R-76-22	P1020R-76	S7052-11008-042	
SG1020-78	JMPRP1020R-78-22	P1020R-78	S7052-11008-042	
SG1020-78	W4401D24	J111-J	S7052-11008-042	
SG1020-78	W4401DD24	P1019R-78	S7052-11008-042	
SG1020-79	JMPRP1020R-79-22	P1020R-79	S7052-11008-042	
SG1020-79	W4402D24	J111-K	S7052-11008-042	
SG1020-79	W4402DD24	P1019R-79	S7052-11008-042	
SG103-3	L4560E24	SG104-6	S7052-12007-041	
SG103-3	L4560F24	J103-U	S7052-12007-041	
SG103-3	L4560G24	J103-Y	S7052-12007-041	
SG103-4	L4563A20	J128-E	S7052-12007-041	
SG103-4	L4563B24	J104-S	S7052-12007-041	
SG103-4	L4563C24	J103-S	S7052-12007-041	
SG103-5	L4564A20	J128-F	S7052-12007-041	
SG103-5	L4564B24	J104-W	S7052-12007-041	
SG103-5	L4564C24	J103-W	S7052-12007-041	
SG103-6	L4562C24	P247-K	S7052-12007-041	
SG103-6	L4562D24	P247-b	S7052-12007-041	
SG103-6	L4562F20	J128-B	S7052-12007-041	
SG103-9	M363F20	P248-S	S7052-12007-041	
SG103-9	M363G20	J103-H	S7052-12007-041	
SG103-9	M363H20	J104-H	S7052-12007-041	
SG103-10	M365D20	P248-T	S7052-12007-041	
SG103-10	M365E20	J103-F	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG103-10	M365F20	J104-F	S7052-12007-041	
SG103-11	L4566A24	J103-X	S7052-12007-041	
SG103-11	L4566B24	J104-X	S7052-12007-041	
SG103-11	L4566C24	P247-d	S7052-12007-041	
SG104-5	L4560D24	SG104-6	S7052-12007-041	
SG104-5	L4560H24	J104-U	S7052-12007-041	
SG104-5	L4560J24	J104-Y	S7052-12007-041	
SG104-6	L4560C24	P248-D	S7052-12007-041	
SG104-6	L4560D24	SG104-5	S7052-12007-041	
SG104-6	L4560E24	SG103-3	S7052-12007-041	
SG104-6	L4560K24	P247-c	S7052-12007-041	
SG104-7	C4132K20	P248-C	S7052-12007-041	
SG104-7	C4132L20	J104-f	S7052-12007-041	
SG104-7	C4132M20	J103-f	S7052-12007-041	
SG104-8	C4130E20	P247-a	S7052-12007-041	
SG104-8	C4130F20	J104-c	S7052-12007-041	
SG104-8	C4130G20	J103-c	S7052-12007-041	
SG104-9	C4152A20	J103-d	S7052-12007-041	
SG104-9	C4152B20	J104-d	S7052-12007-041	
SG104-9	C4152C20	P248-G	S7052-12007-041	
SG104-10	C4151A20	J103-J	S7052-12007-041	
SG104-10	C4151B20	J104-J	S7052-12007-041	
SG104-10	C4151C20	P247-Y	S7052-12007-041	
SG105-1	K3005B24	P231-n	S7052-12005-041	
SG105-1	K3005C24	P105-G	S7052-12005-041	
SG105-1	K3005D24	P105-K	S7052-12005-041	
SG105-2	K3006D24	SG314-1	S7052-12005-041	
SG105-2	K3006E24	P244-M	S7052-12005-041	
SG105-2	K3006F24	P105-S	S7052-12005-041	
SG105-2	K3006G24	P111-b	S7052-12005-041	
SG106-2	K3004B24	P266-P	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG106-2	K3004C24	P106-G	S7052-12006-041	
SG106-2	K3004D24	P106-K	S7052-12006-041	
SG106-3	K3007B24	J220-x	S7052-12006-041	
SG106-3	K3007C24	P241-W	S7052-12006-041	
SG106-3	K3007D24	P106-S	S7052-12006-041	
SG106-3	K3007EE24	SG106-4	S7052-12006-041	
SG106-4	K3007E24	P110-q	S7052-12006-041	
SG106-4	K3007EE24	SG106-3	S7052-12006-041	
SG106-4	K3007G24	P217-Y	S7052-12006-041	
SG110-1	D4550B24	P236-p	S7052-12006-041	
SG110-1	D4550C24	P110-HH	S7052-12006-041	
SG110-1	D4550E24	J310-m	S7052-12006-041	
SG110-2	ALQ144-3B22	P110-t	S7052-12006-041	
SG110-2	ALQ144-3BB22	P266-Y	S7052-12006-041	
SG110-2	ALQ144-3D22	P243-B	S7052-12006-041	
SG110-3	E9006A22	J20R-D	S7052-12006-041	
SG110-3	JMPRP110-J-24	P110-J	S7052-12006-041	
SG110-3	L405C24	SG137-2	S7052-12006-041	
SG1103-1	JMPRP1103-15-22	P1103R-15	S7062-11003-041	
SG1103-1	JMPRP1103R-18-22	P1103R-18	S7062-11003-041	
SG1103-1	JMPRP1103R-36-22	P1103R-36	S7062-11003-041	
SG1103-1	JMPRP1103R-44-22	P1103R-44	S7062-11003-041	
SG1103-2	JMPRP1103R-35-22	P1103R-35	S7062-11003-041	
SG1103-2	2ARC201-09B24	P100R-21	S7062-11003-041	
SG1105-1	C6200C20	J419R-g	S7052-11011-041	
SG1105-1	C6200D20	P421R-E	S7052-11011-041	
SG1105-1	C6200E20	SG3R-1	S7052-11011-041	
SG1105-2	C6196E22	J420R-K	S7052-11011-041	
SG1105-2	C6196F20	P421R-F	S7052-11011-041	
SG1105-2	C6196G22	P4R-K	S7052-11011-041	
SG1105-3	C6151A24	P428R-H	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1105-3	C6151B24	P4R-b	S7052-11011-041	
SG1105-3	C6151C24	P423R-E	S7052-11011-041	
SG1105-4	C6146A24	P428R-v	S7052-11011-041	
SG1105-4	C6146B24	P3R-g	S7052-11011-041	
SG1105-4	C6146C24	P423R-F	S7052-11011-041	
SG1105-5	C4631A24	P6R-C	S7052-11011-041	
SG1105-5	C4631B24	J914-d	S7052-11011-041	
SG1105-5	C4631D24	P428R-HH	S7052-11011-041	
SG1105-5	C4631E24	P423R-L	S7052-11011-041	
SG1105-7	C4629F24	J419R-q	S7052-11011-041	
SG1105-7	C4629G24	P423R-N	S7052-11011-041	
SG1105-7	C4629H24	P422R-t	S7052-11011-041	
SG1105-8	C4627B24	J914-X	S7052-11011-041	
SG1105-8	C4627C24	P422R-CC	S7052-11011-041	
SG1105-8	C4627D24	P423R-K	S7052-11011-041	
SG1105-9	C6131A24	P428R-BB	S7052-11011-041	
SG1105-9	C6131B24	J142-q	S7052-11011-041	
SG1105-9	C6131C24	P423R-Z	S7052-11011-041	
SG1105-10	C6132A24	P428R-q	S7052-11011-041	
SG1105-10	C6132B24	J142-r	S7052-11011-041	
SG1105-10	C6132C24	P423R-b	S7052-11011-041	
SG1105-11	C6133A24	P428R-CC	S7052-11011-041	
SG1105-11	C6133B24	J142-s	S7052-11011-041	
SG1105-11	C6133C24	P423R-j	S7052-11011-041	
SG1105-12	C6183A22	P428R-DD	S7052-11011-041	
SG1105-12	C6183C22	P3R-M	S7052-11011-041	
SG1105-12	C6183D22	SG1105-13	S7052-11011-041	
SG1105-12	C6183B22	J142-e	S7052-11011-041	
SG1105-13	C6183D22	SG1105-12	S7052-11011-041	
SG1105-13	C6183E22	SG426R-1	S7052-11011-041	
SG1105-13	C6183F22	SG427R-1	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG1105-14	C6194A24	P428R-t	S7052-11011-041	
SG1105-14	C6194B24	P4R-H	S7052-11011-041	
SG1105-14	C6194C24	J916-K	S7052-11011-041	
SG119-1	L422C24	P247-k	S7052-12007-041	
SG119-1	L422D24	J119-b	S7052-12007-041	
SG119-1	L422E24	J119-P	S7052-12007-041	
SG119-2	C6218D24	SG247-5	S7052-12007-041	
SG119-2	JUMPERJ119-1-22	J119-D	S7052-12007-041	
SG119-2	JUMPERJ119-2-22	J119-T	S7052-12007-041	
SG120-1	M353E20	P248-R	S7052-12007-041	
SG120-1	M353F20	J119-E	S7052-12007-041	
SG120-1	M353G20	J120-E	S7052-12007-041	
SG120-2	M350E20	P247-L	S7052-12007-041	
SG120-2	M350F20	J119-F	S7052-12007-041	
SG120-2	M350G20	J120-F	S7052-12007-041	
SG120-2	M350H20	J218-D	S7052-12007-041	
SG120-3	L400H20	P248-F	S7052-12007-041	
SG120-3	L400J20	J120-N	S7052-12007-041	
SG120-3	L400K20	J120-a	S7052-12007-041	
SG124R-1	JMPRP124R-C-20	P124R-C	S7062-11007-041	
SG124R-1	1C11746-60C20	P20R-P	S7062-11007-041	
SG124R-1	1C11746-60D22	P139R-12	S7062-11007-041	
SG124R-2	JMPRP124R-c-24	P124R-c	S7062-11007-041	
SG124R-2	1C11746-80A24	SGJ120-1	S7062-11007-041	
SG124R-2	1C11746-84A24	S87-G	S7062-11007-041	
SG124R-3	JMPRP124R-e-24	P124R-e	S7062-11007-041	
SG124R-3	JMPRP124R-H-24	P124R-H	S7062-11007-041	
SG124R-3	1C11746-501A24N	GND124-2	S7062-11007-041	
SG124R-4	1C11746-85C24	J120-G	S7062-11007-041	
SG124R-4	JMPRP124R-d-24	P124R-d	S7062-11007-041	
SG124R-4	1C11746-85A24	S87-1	S7062-11007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG124R-4	1C11746-85B24	P1014R-74	S7062-11007-041	
SG126-1	C4131D20	J222-T	S7052-11010-041	
SG126-1	C4131DD20	J126-e	S7052-11010-041	
SG126-1	C4131K20	J225-T	S7052-11010-041	
SG130-1	L407A24	S120-3	S7052-11008-042	
SG130-1	L407B24	P130-2	S7052-11008-042	
SG130-1	L407C24	SG33B-1	S7052-11008-042	
SG130-1	L407J24	P1000-F	S7052-11008-042	
SG130-2	L404B24	J111-L	S7052-11008-042	
SG130-2	L404C24	J110-K	S7052-11008-042	
SG130-2	L404F24	P130-9	S7052-11008-042	
SG130-2	L404G24	P131-9	S7052-11008-042	
SG130-3	L406C24	J111-M	S7052-11008-042	
SG130-3	L406D24	P131-3	S7052-11008-042	
SG130-3	L406E24	P130-3	S7052-11008-042	
SG130-4	L405D24	J110-J	S7052-11008-042	
SG130-4	L405E24	P130-10	S7052-11008-042	
SG130-4	L405F24	P131-10	S7052-11008-042	
SG130-7	F9017A22	J14R-Y	S7052-11008-042	
SG130-7	JMPRP130-5-22	P130-5	S7052-11008-042	
SG130-7	L411C24	SG1020-14	S7052-11008-042	
SG133-1	H6400A20N	P133-E	S7062-11014-043	
SG133-1	H6400B20N	P133-F	S7062-11014-043	
SG133-1	H6400C20N	GG12-5	S7062-11014-043	
SG133-2	H6407B20N	P133-D	S7062-11014-043	
SG133-2	H6407C20N	P132-G	S7062-11014-043	
SG133-2	H6407D20N	GG12-5	S7062-11014-043	
SG135-1	Q4060F24	J914-H	S7052-11011-041	
SG135-1	Q4060G24	P135-R	S7052-11011-041	
SG135-1	Q4060H24	P135-N	S7052-11011-041	
SG137-1	L404D24	P110-K	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG137-1	L404E24	P137-u	S7052-12006-041	
SG137-1	L404H24	P243-h	S7052-12006-041	
SG137-2	L405A24	P137-n	S7052-12006-041	
SG137-2	L405B24	P243-a	S7052-12006-041	
SG137-2	L405C24	SG110-3	S7052-12006-041	
SG137-2	L405G24	P243-J	S7052-12006-041	
SG137-3	D5841A24	J224-F	S7052-12006-041	
SG137-3	D5841D24	P137-j	S7052-12006-041	
SG137-3	D5841E24	J224-Y	S7052-12006-041	
SG137-4	D5876A24	P137-Y	S7052-12006-041	
SG137-4	D5876B24	J114-R	S7052-12006-041	
SG137-4	D5876D24	J224-Z	S7052-12006-041	
SG137-5	D5877A24	P137-Z	S7052-12006-041	
SG137-5	D5877B24	J114-P	S7052-12006-041	
SG137-5	D5877D24	J224-a	S7052-12006-041	
SG137-6	D5875A20	J224-r	S7052-12006-041	
SG137-6	D5875D20	P137-f	S7052-12006-041	
SG137-6	D5875E20	P420R-A	S7052-12006-041	
SG137-7	D5874A20	J224-m	S7052-12006-041	
SG137-7	D5874D20	P137-e	S7052-12006-041	
SG137-7	D5874E20	P420R-B	S7052-12006-041	
SG137R-1	ARC220-136-A22	P370R-P	S7062-11004-041	
SG137R-1	ARC220-136-B-22	SA139R-1	S7062-11004-041	
SG137R-1	JMPRP137R-9-22	P137R-9	S7062-11004-041	
SG137R-2	ARC220-137-A-22	P370R-J	S7062-11004-041	
SG137R-2	ARC220-137-B-22	P139R-2	S7062-11004-041	
SG137R-2	JMPRP137R-5-22	P137R-5	S7062-11004-041	
SG137R-3	ARC220-138-A-22	P370R-K	S7062-11004-041	
SG137R-3	ARC220-138-B-22	P139R-3	S7062-11004-041	
SG137R-3	JMPRP137R-6-22	P137R-6	S7062-11004-041	
SG137R-4	ARC220-139-A-22	P370R-B	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG137R-4	ARC220-139-B-22	P139R-30	S7062-11004-041	
SG137R-4	JMPRP137R-1-22	P137R-1	S7062-11004-041	
SG137R-5	ARC220-140-A-22	P370R-A	S7062-11004-041	
SG137R-5	ARC220-140-B-22	P139R-29	S7062-11004-041	
SG137R-5	JMPRP137R-10-22	P137R-10	S7062-11004-041	
SG138-1	L406A24	SG138-9	S7052-12005-041	
SG138-1	L406B24	P111-M	S7052-12005-041	
SG138-1	L406F24	P242-a	S7052-12005-041	
SG138-1	L406G24	P902-u	S7052-12005-041	
SG138-2	D5855A24	P138-E	S7052-12005-041	
SG138-2	D5855B24	SATR1-1	S7052-12005-041	
SG138-2	D5855D24	J223-M	S7052-12005-041	
SG138-2	E9000A22	J11R-M	S7052-12005-041	
SG138-3	D5856A24	P138-F	S7052-12005-041	
SG138-3	D5856B24	SATR1-2	S7052-12005-041	
SG138-3	D5856D24	J223-N	S7052-12005-041	
SG138-3	E9001A22	J11R-L	S7052-12005-041	
SG138-4	D5857A24	P138-C	S7052-12005-041	
SG138-4	D5857B24	P114-K	S7052-12005-041	
SG138-4	D5857D24	J223-P	S7052-12005-041	
SG138-5	D5858A24	P138-D	S7052-12005-041	
SG138-5	D5858B24	P114-L	S7052-12005-041	
SG138-5	D5858D24	J223-R	S7052-12005-041	
SG138-6	D5859A24	P138-a	S7052-12005-041	
SG138-6	D5859B24	SATR2-1	S7052-12005-041	
SG138-6	D5859D24	J223-S	S7052-12005-041	
SG138-6	E9002A22	J11R-J	S7052-12005-041	
SG138-7	D5860A24	P138-b	S7052-12005-041	
SG138-7	D5860B24	SATR2-2	S7052-12005-041	
SG138-7	D5860D24	J223-T	S7052-12005-041	
SG138-7	E9003A22	J11R-H	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG138-8	D5881B24	P114-S	S7052-12005-041	
SG138-8	D5881C24	P138-p	S7052-12005-041	
SG138-8	D5881D20	S43-2	S7052-12005-041	
SG138-9	E9004A22	J11R-U	S7052-12005-041	
SG138-9	JMPRP138-n-24	P138-n	S7052-12005-041	
SG138-9	L406A24	SG138-1	S7052-12005-041	
SG138-10	E9005A22	J11R-V	S7052-12005-041	
SG138-10	JMPRP138-u-24	P138-u	S7052-12005-041	
SG138-10	L404A24	P111-L	S7052-12005-041	
SG138-15	D5853A20	J223-m	S7052-12005-041	
SG138-15	D5853D20	P138-e	S7052-12005-041	
SG138-15	D5853E20	P419R-E	S7052-12005-041	
SG138-16	D5854A20	J223-r	S7052-12005-041	
SG138-16	D5854D20	P138-f	S7052-12005-041	
SG138-16	D5854E20	P419R-D	S7052-12005-041	
SG140R-1	ARC220-116-A22	P369R-C	S7062-11004-041	
SG140R-1	ARC220-116-B22	P1012R-60	S7062-11004-041	
SG140R-1	JMPRP140R-14-22	P140R-14	S7062-11004-041	
SG140R-1	CDU-018A22	P103R-37	S7062-11014-043	
SG140R-1	CDU-018A26A24	P664R-56	S7062-11014-043	
SG140R-1	JMPRP140R-39-22	P140R-39	S7062-11014-043	
SG140R-2	CDU-017A22	P140R-12	S7062-11014-043	
SG140R-2	CDU-017B16	P103R-33	S7062-11014-043	
SG149R-1	ARN147-06C20	P20R-K	S7062-11009-042	
SG149R-1	ARN147-08B24	P16R-a	S7062-11009-042	
SG149R-1	JMPRP149R-D-20	P149R-D	S7062-11009-042	
SG149R-2	ARN147-61A24	P100R-4	S7062-11009-042	
SG149R-2	ARN147-61C24	P100R-14	S7062-11009-042	
SG149R-2	JMPRP149R-M-24	P149R-M	S7062-11009-042	
SG149R-3	JMPRP149R-R-22	P149R-R	S7062-11009-042	
SG149R-3	JMPRP149R-p-22	P149R-p	S7062-11009-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG149R-3	JMPRSG149R-3-1022	SG149R-10	S7062-11009-042	
SG149R-3	JMPRSG149R-3-5-22	SG149R-5	S7062-11009-042	
SG149R-4	ARN147-78A20	P16R-v	S7062-11009-042	
SG149R-4	ARN147-78E20N	GD149R-1	S7062-11009-042	
SG149R-4	JMPRP149R-d-20	P149R-d	S7062-11009-042	
SG149R-5	ARN147-70A20N	GD149R-2	S7062-11009-042	
SG149R-5	JMPRP149R-x-22	P149R-x	S7062-11009-042	
SG149R-5	JMPRSG149R-3-5-22	SG149R-3	S7062-11009-042	
SG149R-7	ARN147-71A22	P16R-s	S7062-11009-042	
SG149R-7	JMPRP149R-CC-22	P149R-CC	S7062-11009-042	
SG149R-7	JMPRP149R-KK-22	P149R-KK	S7062-11009-042	
SG149R-7	JMPRP149R-LL-22	P149R-LL	S7062-11009-042	
SG149R-8	ARN147-66A22	SACOMP-1	S7062-11009-042	
SG149R-8	F9007A22	P2002R-13	S7062-11009-042	
SG149R-8	JMPRP149R-P-22	P149R-P	S7062-11009-042	
SG149R-9	ARN147-67A22	SACOMP-2	S7062-11009-042	
SG149R-9	F9009A22	P2002R-40	S7062-11009-042	
SG149R-9	JMPRP149R-n-22	P149R-n	S7062-11009-042	
SG149R-10	ARN147-68A22	SACOMP-3	S7062-11009-042	
SG149R-10	F9008A22	P2002R-20	S7062-11009-042	
SG149R-10	JMPRSG149R-3-1022	SG149R-3	S7062-11009-042	
SG16R-1	1F3911B24	J16R-E	S7052-11008-042	
SG16R-1	1F3911C24	P300R-40	S7052-11008-042	
SG16R-1	1F3911D24	P317R-55	S7052-11008-042	
SG16R-1	1F3911E24	P142-j	S7052-11008-042	
SG16R-2	1F3910B24	J16R-G	S7052-11008-042	
SG16R-2	1F3910C24	P300R-43	S7052-11008-042	
SG16R-2	1F3910D24	P317R-19	S7052-11008-042	
SG16R-2	1F3910E24	P142-i	S7052-11008-042	
SG16R-3	1F3909B24	J16R-J	S7052-11008-042	
SG16R-3	1F3909C24	P300R-30	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG16R-3	1F3909D24	P317R-31	S7052-11008-042	
SG16R-3	1F3909E24	P142-k	S7052-11008-042	
SG16R-4	1F3908B24	J16R-L	S7052-11008-042	
SG16R-4	1F3908C24	P300R-28	S7052-11008-042	
SG16R-4	1F3908D24	P317R-39	S7052-11008-042	
SG16R-4	1F3908E24	P142-p	S7052-11008-042	
SG16R-5	1F3907B24	J16R-N	S7052-11008-042	
SG16R-5	1F3907C24	P300R-56	S7052-11008-042	
SG16R-5	1F3907D24	P317R-91	S7052-11008-042	
SG16R-5	1F3907E24	P142-n	S7052-11008-042	
SG16R-6	1F3906B24	J16R-R	S7052-11008-042	
SG16R-6	1F3906C24	P300R-68	S7052-11008-042	
SG16R-6	1F3906D24	P317R-79	S7052-11008-042	
SG16R-6	1F3906E24	P142-m	S7052-11008-042	
SG16R-7	1F3905B24	J16R-HH	S7052-11008-042	
SG16R-7	1F3905C24	P300R-32	S7052-11008-042	
SG16R-7	1F3905D24	P317R-21	S7052-11008-042	
SG16R-8	1F3912C24	J110-y	S7052-11008-042	
SG16R-8	1F3912D24	P301R-B	S7052-11008-042	
SG16R-8	1F3912E24	J16R-U	S7052-11008-042	
SG16R-9	2F3912C24	J110-AA	S7052-11008-042	
SG16R-9	2F3912D24	P304R-B	S7052-11008-042	
SG16R-9	2F3912E24	J16R-DD	S7052-11008-042	
SG162-1	L4463E24	J110-E	S7052-11008-042	
SG162-1	L4463F24	J162-A	S7052-11008-042	
SG162-1	L4463L24	J162-C	S7052-11008-042	
SG162-1	L4463G24	P162-A	70602-01114-045	
SG162-1	L4463H20	DS2-1	70602-01114-045	
SG162-1	L4463J20	DS3-1	70602-01114-045	
SG162-1	L4463K20	DS4-1	70602-01114-045	
SG162-2	L4466B24N	P162-B	70602-01114-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG162-2	L4466C24N	DS3-A	70602-01114-045	
SG162-2	L4466D24N	DS2-A	70602-01114-045	
SG162-2	L4466E24N	DS4-A	70602-01114-045	
SG162-3	L4463M24	P162-C	70602-01114-045	
SG162-3	L4463N20	DS5-1	70602-01114-045	
SG162-3	L4463P20	DS6-1	70602-01114-045	
SG162-3	L4463Q20	DS7-1	70602-01114-045	
SG162-4	L4466G24N	P162-D	70602-01114-045	
SG162-4	L4466H24N	DS6-A	70602-01114-045	
SG162-4	L4466J24N	DS5-A	70602-01114-045	
SG162-4	L4466K24N	DS7-A	70602-01114-045	
SG163-1	X114A20N	J163-A	S7052-12007-041	
SG163-1	X114B20N	J163-D	S7052-12007-041	
SG163-1	X114C20N	GND163-1	S7052-12007-041	
SG164-1	X123A20N	J164-A	S7052-12007-041	
SG164-1	X123B20N	J164-D	S7052-12007-041	
SG164-1	X123C20N	GND164-1	S7052-12007-041	
SG189R-1	JMPRP189R-5-20	P189R-5	S7062-11002-041	
SG189R-1	1ARC201-45A20	P1000R-F	S7062-11002-041	
SG189R-1	1ARC201-45B20	P1100R-F	S7062-11002-041	
SG193R-1	F9006A22	P2002R-71	S7062-11014-043	
SG193R-1	JMPRP193R-J-24	P193R-J	S7062-11014-043	
SG193R-1	1F3905A24	P16R-HH	S7062-11014-043	
SG194R-1	JMPRP-A-22	SG194R-2	S7062-11010-041	
SG194R-1	JMPRP194R-B-22	P194R-B	S7062-11010-041	
SG194R-1	JMPRP194R-H-22	P194R-H	S7062-11010-041	
SG194R-2	JMPRP-A-22	SG194R-1	S7062-11010-041	
SG194R-2	JMPRP194R-J-22	P194R-J	S7062-11010-041	
SG194R-2	JMPRP194R-K-22	P194R-K	S7062-11010-041	
SG195R-1	JMPRP195R-BB-24	P195R-BB	S7062-11010-041	
SG195R-1	JMPRP195R-DD-24	P195R-DD	S7062-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG195R-1	JMPRP195R-EE-24	P195R-EE	S7062-11010-041	
SG195R-1	JMPRP195R-HH-24	P195R-HH	S7062-11010-041	
SG195R-2	JMPRP195R-m-24	P195R-m	S7062-11010-041	
SG195R-2	JMPRP195R-P-24	P195R-P	S7062-11010-041	
SG195R-2	JMPRP195R-U-24	P195R-U	S7062-11010-041	
SG2-1	JMPR-1-22	GND1-K	70552-02132-044	
SG2-1	29-0-20	J313-B	70552-02132-044	
SG2-2	JMPR-2-22	GND1-P	70552-02132-044	
SG2-2	26-0-20	J313-E	70552-02132-044	
SG2-3	JMPR-3-22	GND1-S	70552-02132-044	
SG2-3	27-0-20	J313-F	70552-02132-044	
SG2-4	JMPR-4-22	GND1-F	70552-02132-044	
SG2-4	30-0-20	J313-A	70552-02132-044	
SG200-1	JMPRTB200-3-14	TB200-3	S7052-12001-042	
SG200-1	JMPRTB200-9-14	TB200-9	S7052-12001-042	
SG200-1	M620A12	CB518-2	S7052-12001-042	
SG200-1	W3389C20	P200-M	S7052-12005-041	
SG200-1	W3389D20	J221-FF	S7052-12005-041	
SG200-1	W3389F20	SG302-2	S7052-12005-041	
SG200-1	W3389J20	P914-r	S7052-12005-041	
SG200-2	W3391B20	P200-U	S7052-12005-041	
SG200-2	W3391C20	P210-c	S7052-12005-041	
SG200-2	W3391F20	P202-T	S7052-12005-041	
SG2000-1	JMPRP2000R-A-20	P2000R-A	S7052-12005-041	
SG2000-1	JMPRP2000R-B-20	P2000R-B	S7052-12005-041	
SG2000-1	JMPRP2000R-G-20	P2000R-G	S7052-12005-041	
SG2000-1	M9002B20	P249-i	S7052-12005-041	
SG2000-2	JMPRP2000R-E-20	P2000R-E	S7052-12005-041	
SG2000-2	JMPRP2000R-F-20	P2000R-F	S7052-12005-041	
SG2000-2	M9003A20N	GD2000-1	S7052-12005-041	
SG2002-1	JMPRP2002R-39-22	P2002R-39	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG2002-1	JMPRP2002R-77-22	P2002R-77	S7062-11014-043	
SG2002-1	JMPRSG2002-1-2-22	SG2002-2	S7062-11014-043	
SG2002-2	JMPRP2002R-69-22	P2002R-69	S7062-11014-043	
SG2002-2	JMPRP2002R-78-22	P2002R-78	S7062-11014-043	
SG2002-2	JMPRP2002R-86-22	P2002R-86	S7062-11014-043	
SG2002-2	JMPRSG2002-1-2-22	SG2002-1	S7062-11014-043	
SG2005-1	F9029A22	P2001R-6	70602-01137-041	
SG2005-1	F9029B22	P2005R-8	70602-01137-041	
SG2005-1	F9029C22	P17R-N	70602-01137-041	
SG2005-2	F9030A22	P2001R-14	70602-01137-041	
SG2005-2	F9030B22	P2005R-9	70602-01137-041	
SG2005-2	F9030C22	P17R-B	70602-01137-041	
SG2005-3	F9031A22	P2001R-31	70602-01137-041	
SG2005-3	F9031B22	P2005R-12	70602-01137-041	
SG2005-3	F9031C22	P17R-P	70602-01137-041	
SG2005-4	F9032A22	P2001R-15	70602-01137-041	
SG2005-4	F9032B22	P2005R-13	70602-01137-041	
SG2005-4	F9032C22	P17R-M	70602-01137-041	
SG2005-5	F9033A22	P2001R-19	70602-01137-041	
SG2005-5	F9033B22	P2005R-3	70602-01137-041	
SG2005-5	F9033C22	P17R-A	70602-01137-041	
SG2005-5	F9033E22	P10R-A	70602-01137-041	
SG2005-6	F9034A22	P2001R-13	70602-01137-041	
SG2005-6	F9034B22	P2005R-10	70602-01137-041	
SG2005-6	F9034C22	P10R-N	70602-01137-041	
SG2005-7	F9035A22	P2001R-7	70602-01137-041	
SG2005-7	F9035B22	P2005R-11	70602-01137-041	
SG2005-7	F9035C22	P10R-B	70602-01137-041	
SG2005-8	F9036A22	P2001R-33	70602-01137-041	
SG2005-8	F9036B22	P2005R-14	70602-01137-041	
SG2005-8	F9036C22	P10R-P	70602-01137-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG2005-9	F9037A22	P2001R-23	70602-01137-041	
SG2005-9	F9037B22	P2005R-15	70602-01137-041	
SG2005-9	F9037C22	P10R-M	70602-01137-041	
SG203-1	W3397D20	P217-i	S7052-12006-041	
SG203-1	W3397E20	P203-D	S7052-12006-041	
SG203-1	W3397J20	P241-p	S7052-12006-041	
SG203-2	X82B24	J247-C	S7052-12006-041	
SG203-2	X82BB24	P217-U	S7052-12006-041	
SG203-2	X82G24	P203-L	S7052-12006-041	
SG209R-1	DTRO1C24	P209R-32	S7062-11014-043	
SG209R-1	DTR01B24	J129-P	S7062-11014-043	
SG209R-1	DTR01D24	P209R-33	S7062-11014-043	
SG209R-2	JMPRP205R-6-24	P209R-6	S7062-11014-043	
SG209R-2	JMPRP209R-2-24	P209R-2	S7062-11014-043	
SG209R-2	JMPRP209R-5-24	P209R-5	S7062-11014-043	
SG209R-2	JMPRP209R-724	P209R-7	S7062-11014-043	
SG210-2	JMPR210-1-20	P210-d	S7052-12005-041	
SG210-2	W3396B20	P902-BB	S7052-12005-041	
SG210-2	W3396D20	J221-BB	S7052-12005-041	
SG2106-1	C4679C24	SG925-5	S7052-12006-041	
SG2106-1	C4679D24	P420R-d	S7052-12006-041	
SG2106-1	C4679F24	P110-GG	S7052-12006-041	
SG2107-1	C6181C24	P221-s	70552-02107-051	
SG2107-1	C6181D24	P476R-8	70552-02107-051	
SG2107-1	C6181F24	J458R-3	70552-02107-051	
SG2107-2	C6180C24	P221-r	70552-02107-051	
SG2107-2	C6180D24	P476R-9	70552-02107-051	
SG2107-2	C6180F24	J458R-4	70552-02107-051	
SG2108-1	C6214H22	P220-z	70552-02108-053	
SG2108-1	C6214J20	P463R-1	70552-02108-053	
SG2108-1	C6214K20	P467R-1	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG2108-1	C6214L22	P458R-12	70552-02108-053	
SG214-1	X21B24	P201-T	70552-02102-045	
SG214-1	X21C24	P277-4	70552-02102-045	
SG214-1	X21D24	P214-S	70552-02102-045	
SG214-2	X20B24	P201-S	70552-02102-045	
SG214-2	X20C24	P277-3	70552-02102-045	
SG214-2	X20D24	P214-R	70552-02102-045	
SG214-3	X19B24	P201-R	70552-02102-045	
SG214-3	X19C24	P277-2	70552-02102-045	
SG214-3	X19D24	P214-P	70552-02102-045	
SG215-1	X87B24	P209-E	70552-02103-045	
SG215-1	X87C24	P278-4	70552-02103-045	
SG215-1	X87D24	P215-S	70552-02103-045	
SG215-2	X85B24	P209-C	70552-02103-045	
SG215-2	X85C24	P278-3	70552-02103-045	
SG215-2	X85D24	P215-R	70552-02103-045	
SG215-3	X83B24	P209-A	70552-02103-045	
SG215-3	X83C24	P278-2	70552-02103-045	
SG215-3	X83D24	P215-P	70552-02103-045	
SG219-1	L4450E24	P219-E	S7052-12006-041	
SG219-1	L4450F24	SG259-1	S7052-12006-041	
SG219-1	L4450H24	P230-K	S7052-12006-041	
SG223-1	C4153B20	J223-t	S7052-12005-041	
SG223-1	C4153C20	P902-t	S7052-12005-041	
SG223-1	C4153D20	P244-d	S7052-12005-041	
SG224-1	D5835C24	P224-P	70552-02108-053	
SG224-1	D5835D24	P224-L	70552-02108-053	
SG224-1	D5835F24	J400-L	70552-02108-053	
SG224-2	D5836C24	P224-R	70552-02108-053	
SG224-2	D5836D24	P224-M	70552-02108-053	
SG224-2	D5836F24	J400-M	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG230-3	P517C24	P219-N	S7052-12006-041	
SG230-3	P517D24	P230-f	S7052-12006-041	
SG230-3	P517F24	P217-B	S7052-12006-041	
SG230-4	X55D24	SAP203-2	S7052-12006-041	
SG230-4	X55E24	P230-r	S7052-12006-041	
SG230-4	X55G24	P241-J	S7052-12006-041	
SG230-5	X53B24	P203-V	S7052-12006-041	
SG230-5	X53C24	P230-s	S7052-12006-041	
SG230-5	X53E24	P110-j	S7052-12006-041	
SG230-6	C6214B22	P230-T	S7052-12006-041	
SG230-6	C6214C22	P420R-V	S7052-12006-041	
SG230-6	C6214G22	J220-z	S7052-12006-041	
SG230-7	C6196B22	P236-m	S7052-12006-041	
SG230-7	C6196C22	P243-c	S7052-12006-041	
SG230-7	C6196D22	P420R-K	S7052-12006-041	
SG230-8	C4132P20	J310-N	S7052-12006-041	
SG230-8	C4132S20	P241-D	S7052-12006-041	
SG230-8	JMPRP230-D-20	P230-D	S7052-12006-041	
SG230-9	P522B24	P230-h	S7052-12006-041	
SG230-9	P522C24	P219-W	S7052-12006-041	
SG230-9	P522E24	P266-H	S7052-12006-041	
SG231-1	W3151E24	J231-p	S7052-11010-041	
SG231-1	W3151F24	S20-2	S7052-11010-041	
SG231-1	W3151G24	S103-COM	S7052-11010-041	
SG232-1	L4503C24	P230-H	S7052-12006-041	
SG232-1	L4503D20	P232-D	S7052-12006-041	
SG232-1	L4503E20	P232-C	S7052-12006-041	
SG236-1	V78B24	P203-Y	S7052-12006-041	
SG236-1	V78BB24	P236-M	S7052-12006-041	
SG236-1	V78G24	P112-D	S7052-12006-041	
SG236-2	C4130B20	P236-F	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG236-2	C4130C20	P900-c	S7052-12006-041	
SG236-2	C4130D20	J247-a	S7052-12006-041	
SG237-1	V97B24	P210-W	S7052-12005-041	
SG237-1	V97BB24	P237-B	S7052-12005-041	
SG237-1	V97G24	P111-s	S7052-12005-041	
SG241-1	F3955B24	P230-u	S7052-12006-041	
SG241-1	F3955C24	P241-d	S7052-12006-041	
SG241-1	F3955D24	P243-X	S7052-12006-041	
SG241-2	J3000B20	P121-b	S7052-12006-041	
SG241-2	J3000C20	P241-X	S7052-12006-041	
SG241-2	J3000D20	J220-d	S7052-12006-041	
SG241-3	J30001DD20	P382-G	S7052-12006-041	
SG241-3	J3001B20	P121-d	S7052-12006-041	
SG241-3	J3001C20	P241-Y	S7052-12006-041	
SG241-5	K3010B24	P217-A	S7052-12006-041	
SG241-5	K3010C24	P241-U	S7052-12006-041	
SG241-5	K3010D24	P106-T	S7052-12006-041	
SG241-6	K3015B24	J220-h	S7052-12006-041	
SG241-6	K3015BB24	P241-a	S7052-12006-041	
SG241-6	Q3211A24	P246-A	S7052-12006-041	
SG241-7	Q3200BB24	P246-B	S7052-12006-041	
SG241-7	Q3200D24	P219-a	S7052-12006-041	
SG241-7	Q3200E20	P241-B	S7052-12006-041	
SG242-1	K3013A24	P314-D	S7052-12005-041	
SG242-1	K3013B24	P242-V	S7052-12005-041	
SG242-1	K3013C24	P105-T	S7052-12005-041	
SG242-2	J3003B20	P111-BB	S7052-12005-041	
SG242-2	J3003C20	P242-W	S7052-12005-041	
SG242-2	J3003DD20	P381-G	S7052-12005-041	
SG242-3	J3002B20	P111-CC	S7052-12005-041	
SG242-3	J3002C20	P242-X	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG242-3	J3002D20	J221-S	S7052-12005-041	
SG242-4	V275C24	P242-n	S7052-12005-041	
SG242-4	V275D24	P260-5	S7052-12005-041	
SG242-4	V275E24	P231-V	S7052-12005-041	
SG242-6	K3018B24	J221-g	S7052-12005-041	
SG242-6	K3018BB24	P242-Y	S7052-12005-041	
SG242-6	Q3214A24	P231-C	S7052-12005-041	
SG244-1	W3405A20	P244-Y	S7052-12005-041	
SG244-1	W3405B20	P902-w	S7052-12005-041	
SG244-1	W3405C20	J221-JJ	S7052-12005-041	
SG244-2	C4135B20	P200-Y	S7052-12005-041	
SG244-2	C4135C20	P244-H	S7052-12005-041	
SG244-2	C4135D20	J223-y	S7052-12005-041	
SG246-1	L3647E18	P246-n	S7052-12006-041	
SG246-1	L3647F18	P112-m	S7052-12006-041	
SG246-1	L3647H18	P112-r	S7052-12006-041	
SG246-2	L4529AA18	P246-Z	S7052-12006-041	
SG246-2	L4529B18	P219-m	S7052-12006-041	
SG246-2	L4529D20	P217-g	S7052-12006-041	
SG247-1	C6113C24	P247-V	S7052-12007-041	
SG247-1	C6113D24	J119-W	S7052-12007-041	
SG247-1	C6113E24	J120-W	S7052-12007-041	
SG247-2	C6112C24	P247-W	S7052-12007-041	
SG247-2	C6112D24	J119-V	S7052-12007-041	
SG247-2	C6112E24	J120-V	S7052-12007-041	
SG247-3	C6114C24	P247-S	S7052-12007-041	
SG247-3	C6114D24	J119-U	S7052-12007-041	
SG247-3	C6114E24	J120-U	S7052-12007-041	
SG247-4	C6115C24	P247-T	S7052-12007-041	
SG247-4	C6115D24	J119-X	S7052-12007-041	
SG247-4	C6115E24	J120-X	S7052-12007-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG247-5	C6218C24	P247-U	S7052-12007-041	
SG247-5	C6218D24	SG119-2	S7052-12007-041	
SG247-5	C6218E24	J120-T	S7052-12007-041	
SG247-6	XM130-9C22	P247-n	S7052-12007-041	
SG247-6	XM130-9D22	J120-C	S7052-12007-041	
SG247-6	XM130-9E22	J119-C	S7052-12007-041	
SG247-7	XM130-10C22	P247-p	S7052-12007-041	
SG247-7	XM130-10D22	J120-B	S7052-12007-041	
SG247-7	XM130-10E22	J119-B	S7052-12007-041	
SG248-1	L3646M24	P248-P	S7052-12007-041	
SG248-1	L3646N24	J103-T	S7052-12007-041	
SG248-1	L3646P24	J104-T	S7052-12007-041	
SG249-1	C4132D20	P249-r	S7052-12005-041	
SG249-1	C4132E20	P914-s	S7052-12005-041	
SG249-1	C4132G20	SG902-3	S7052-12005-041	
SG255-1	Q4060B24	P249-S	S7052-12005-041	
SG255-1	Q4060C24	P255-N	S7052-12005-041	
SG255-1	Q4060D24	P255-S	S7052-12005-041	
SG255-1	Q4060E24	P914-H	S7052-12005-041	
SG256-1	M357C20	P273-A	70552-02111-042	
SG256-1	M357D20	P256-3	70552-02111-042	
SG256-1	M357E20	P256-1	70552-02111-042	
SG256-2	M358C20	P273-B	70552-02111-042	
SG256-2	M358D20	P256-2	70552-02111-042	
SG256-2	M358E20	P256-4	70552-02111-042	
SG257-1	X4000B20A	P236-Z	S7052-12006-041	
SG257-1	X4000C12A	J257-A	S7052-12006-041	
SG257-2	X4001B20B	P236-a	S7052-12006-041	
SG257-2	X4001C12B	J257-B	S7052-12006-041	
SG257-3	X4002B20C	P236-c	S7052-12006-041	
SG257-3	X4002C12C	J257-C	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG258-1	P4008C20	P217-e	S7052-12006-041	
SG258-1	P4008D12	J258-B	S7052-12006-041	
SG259-1	L4450F24	SG219-1	S7052-12006-041	
SG259-1	L4450G20	J259-A	S7052-12006-041	
SG259-1	L4450L24	J310-F	S7052-12006-041	
SG26-1	X61A24N	P206-R	70552-02100-045	
SG26-1	X61B24N	P206-N	70552-02100-045	
SG26-1	X61C24N	GG4-1	70552-02100-045	
SG26-2	X69B24	J201-G	70552-02100-045	
SG26-2	X69C24	P204-A	70552-02100-045	
SG26-2	X69D24	J203-X	70552-02100-045	
SG26-3	X62A24N	P204-R	70552-02100-045	
SG26-3	X62B24N	P204-N	70552-02100-045	
SG26-3	X62C24N	GG4-2	70552-02100-045	
SG26-4	X71A24N	P205-R	70552-02100-045	
SG26-4	X71B24N	P205-N	70552-02100-045	
SG26-4	X71C24N	GG4-2	70552-02100-045	
SG26-5	X55A24	P205-P	70552-02100-045	
SG26-5	X55B24	P205-K	70552-02100-045	
SG26-5	X55C24	J203-T	70552-02100-045	
SG26-7	V78C24	J203-Y	70552-02100-045	
SG26-7	V78D20	J208-E	70552-02100-045	
SG26-7	V78E24	J201-E	70552-02100-045	
SG26-8	W3391GG20	J202-T	70552-02100-045	
SG26-8	W3391H20	P204-E	70552-02100-045	
SG26-8	W3391J20	P206-E	70552-02100-045	
SG26-9	W3397F20	J203-D	70552-02100-045	
SG26-9	W3397G20	P204-F	70552-02100-045	
SG26-9	W3397H20	P206-F	70552-02100-045	
SG26-10	H6423K20	J203-C	70552-02100-045	
SG26-10	H6423M20	P206-M	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG26-11	X80D24	J203-N	70552-02100-045	
SG26-11	X80DD24	P206-P	70552-02100-045	
SG26-11	X80E24	P205-H	70552-02100-045	
SG267-1	M365A20	J267-C	S7052-12005-041	
SG267-1	M365B20	TB1-5	S7052-12005-041	
SG267-1	M365C20	J248-T	S7052-12005-041	
SG267-2	M363C20	P200-J	S7052-12005-041	
SG267-2	M363D20	J267-E	S7052-12005-041	
SG267-2	M363E20	J248-S	S7052-12005-041	
SG267-3	M353B20	P200-B	S7052-12005-041	
SG267-3	M353C20	J267-B	S7052-12005-041	
SG267-3	M353D20	J248-R	S7052-12005-041	
SG27-1	V97C24	J210-W	70552-02101-043	
SG27-1	V97D20	J211-E	70552-02101-043	
SG27-1	V97E24	J209-M	70552-02101-043	
SG27-2	V108A24N	P212-R	70552-02101-043	
SG27-2	V108B24N	P212-N	70552-02101-043	
SG27-2	V108C24N	GG5-2	70552-02101-043	
SG27-3	X95A24	P212-A	70552-02101-043	
SG27-3	X95B24	J210-R	70552-02101-043	
SG27-3	X95E24	J209-K	70552-02101-043	
SG27-4	P548A24	P239-K	70552-02101-043	
SG27-4	P548B24	P240-A	70552-02101-043	
SG27-4	P548C24	J210-K	70552-02101-043	
SG273-1	X4013A12	P309-A	S7052-12006-041	
SG273-1	X4013B12	J281-PWR	S7052-12006-041	
SG273-1	X4013C12	J282-PWR	S7052-12006-041	
SG273-2	X4012A12	P309-B	S7052-12006-041	
SG273-2	X4012B12	J281-GND	S7052-12006-041	
SG273-2	X4012C12	J282-GND	S7052-12006-041	
SG279-1	X127C24	P301-M	70552-03101-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG279-1	X127D24	P279-F	70552-03101-045	
SG279-1	X127E24	P279-D	70552-03101-045	
SG279-1	X127F24	P279-B	70552-03101-045	
SG280-1	L3645E18	P280-K	S7052-12005-041	
SG280-1	L3645F18	P113-m	S7052-12005-041	
SG280-1	L3645G18	P113-r	S7052-12005-041	
SG280-2	L3646B18	P280-L	S7052-12005-041	
SG280-2	L3646C22	P138-GG	S7052-12005-041	
SG280-2	L3646D20	P388-C	S7052-12005-041	
SG280-2	L3646F20	P113-L	S7052-12005-041	
SG281-1	X4014A12N	J282-ACG	S7052-12006-041	
SG281-1	X4014B12N	J281-ACG	S7052-12006-041	
SG281-1	X4014C12N	GND271-1	S7052-12006-041	
SG283-1	W3081B24	P231-R	S7052-12005-041	
SG283-1	W3081C24	P283-11	S7052-12005-041	
SG283-1	W3081D24	SG286-1	S7052-12005-041	
SG285-1	W3082C24	P914-E	S7052-12005-041	
SG285-1	W3082D24	P285-11	S7052-12005-041	
SG285-1	W3082E24	P902-N	S7052-12005-041	
SG285-1	W3082F24	J311-F	S7052-12005-041	
SG286-1	W3081D24	SG283-1	S7052-12005-041	
SG286-1	W3081E24	P286-A	S7052-12005-041	
SG286-1	W3081F24	J221-E	S7052-12005-041	
SG286-1	W3081H24	P902-P	S7052-12005-041	
SG287-1	W3080H24	J220-E	S7052-12006-041	
SG287-1	W3080J24	P287-A	S7052-12006-041	
SG287-1	W3080L24	P217-d	S7052-12006-041	
SG299-1	L4529E20	J299-J	S7052-12005-041	
SG299-1	L4529EE20	J217-g	S7052-12005-041	
SG299-1	L4529G20	P914-DD	S7052-12005-041	
SG299-1	L4529J20	J346-36	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG299-2	D5882D20	J299-H	S7052-12005-041	
SG299-2	D5882G20	J217-k	S7052-12005-041	
SG299-2	D5882H20	J346-31	S7052-12005-041	
SG299-3	D5883D20	J299-G	S7052-12005-041	
SG299-3	D5883G20	J217-m	S7052-12005-041	
SG299-3	D5883H20	J346-30	S7052-12005-041	
SG299-4	D5879C20	J299-F	S7052-12005-041	
SG299-4	D5879F20	J217-n	S7052-12005-041	
SG299-4	D5879G20	J346-28	S7052-12005-041	
SG299-5	D5880C20	J299-E	S7052-12005-041	
SG299-5	D5880F20	J217-p	S7052-12005-041	
SG299-5	D5880G20	J346-27	S7052-12005-041	
SG3R-1	C6200E20	SG1105-1	S7052-11011-041	
SG3R-1	JUMPERP315R1-20	P3R-R	S7052-11011-041	
SG3R-1	JUMPERP315R2-20	P3R-P	S7052-11011-041	
SG3R-2	C4626E22	J914-c	S7052-11011-041	
SG3R-2	C4626M22	SG5R-3	S7052-11011-041	
SG3R-2	C4626N22	P3R-H	S7052-11011-041	
SG3R-3	C4676E22	J916-F	S7052-11011-041	
SG3R-3	C4676M22	SG6R-3	S7052-11011-041	
SG3R-3	C4676N22	P4R-U	S7052-11011-041	
SG300R-1	JUMPERP300R-1-22	P300R-15	S7052-11008-042	
SG300R-1	1F3792A18N	GG33-5	S7052-11008-042	
SG300R-2	2ARC201-100B24	P1R-u	S7052-11008-042	
SG300R-2	2ARC201-100C24	P300R-81	S7052-11008-042	
SG300R-2	2ARC201-100D24	P317R-81	S7052-11008-042	
SG300R-3	JUMPERP300R-11-24	P300R-119	S7052-11008-042	
SG300R-3	JUMPERP300R-12-24	P300R-118	S7052-11008-042	
SG300R-3	1F3823A24	P317R-119	S7052-11008-042	
SG300R-4	JUMPERP300R-2-22	P300R-114	S7052-11008-042	
SG300R-4	JUMPERP300R-3-22	P300R-107	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG300R-4	2ARC201-111A24	SGK33-6	S7052-11008-042	
SG300R-5	JMPRP300R-46-24	P300R-46	S7052-11008-042	
SG300R-5	NIU024B24	P319R-21	S7052-11008-042	
SG300R-5	NIU024C24	J14R-c	S7052-11008-042	
SG300R-8	APN209-10A24	P675R-1	S7052-11008-042	
SG300R-8	1F3816A24	P300R-77	S7052-11008-042	
SG300R-8	1F3816B24	J14R-MM	S7052-11008-042	
SG301-1	JMPRP301-35-22	P301R-35	S7062-11012-041	
SG301-1	STORM107-B22	J129-F	S7062-11012-041	
SG301-1	STORM107-C22	P301R-34	S7062-11012-041	
SG301R-1	JUMPERP301R-1-24	P301R-k	S7052-11008-042	
SG301R-1	JUMPERP301R-2-20	P301R-J	S7052-11008-042	
SG301R-1	1F3834A20N	GG33-3	S7052-11008-042	
SG301R-2	JUMPERP301R-3-24	P301R-L	S7052-11008-042	
SG301R-2	JUMPERP301R-4-24	P301R-P	S7052-11008-042	
SG301R-2	JUMPERP301R-524	SG301R-3	S7052-11008-042	
SG301R-2	1F3837D24	SGLHS-5	S7052-11008-042	
SG301R-3	JUMPERP301R-524	SG301R-2	S7052-11008-042	
SG301R-3	JUMPERP301R-624	P301R-M	S7052-11008-042	
SG301R-3	JUMPERP301R-7-24	P301R-Z	S7052-11008-042	
SG301R-4	L3934D24	SG301R-5	S7052-11008-042	
SG301R-4	L3934F24	P1R-K	S7052-11008-042	
SG301R-4	L3934G24	J111-k	S7052-11008-042	
SG301R-4	L3934GG24	J199-c	S7052-11008-042	
SG301R-5	L3931Z24	J199-E	S7052-11008-042	
SG301R-5	L3934B24	P301R-m	S7052-11008-042	
SG301R-5	L3934C24	P304R-m	S7052-11008-042	
SG301R-5	L3934D24	SG301R-4	S7052-11008-042	
SG302-1	W3387A20	P302-1	S7052-12005-041	
SG302-1	W3387BB20	P111-v	S7052-12005-041	
SG302-1	W3387C20	P244-B	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG302-2	W3389F20	SG200-1	S7052-12005-041	
SG302-2	W3389G20	P302-2	S7052-12005-041	
SG302-2	W3389H20	SAP902-1	S7052-12005-041	
SG302-2	W3389L20	P244-C	S7052-12005-041	
SG302R-1	JUMPERP302R-124	P302R-c	S7052-11008-042	
SG302R-1	2F3748A24	SGR317-11	S7052-11008-042	
SG302R-1	2F3748B24	SGR317-11	S7052-11008-042	
SG302R-2	JUMPERP302R-2-24	P302R-U	S7052-11008-042	
SG302R-2	JUMPERP302R-3-20	P302R-J	S7052-11008-042	
SG302R-2	1F3832A20N	GG33-3	S7052-11008-042	
SG303-1	W3080A24	CB303-1	S7052-11010-041	
SG303-1	W3080B24	J222-F	S7052-11010-041	
SG303-1	W3080D24	J231-P	S7052-11010-041	
SG303-1	Q3207A20N	P303-C	70552-05101-051	
SG303-1	Q3207B20N	P303-B	70552-05101-051	
SG303-1	Q3207C20N	P311-J	70552-05101-051	
SG304-2	Q3210A20N	P304-B	70552-05100-052	
SG304-2	Q3210B20N	P304-C	70552-05100-052	
SG304-2	Q3210C20N	P310-a	70552-05100-052	
SG305-1	Q3209A20N	P305-C	70552-05100-052	
SG305-1	Q3209B20N	P305-B	70552-05100-052	
SG305-1	Q3209C20N	P310-Y	70552-05100-052	
SG306-1	Q3208A20N	P306-C	70552-05100-052	
SG306-1	Q3208B20N	P306-B	70552-05100-052	
SG306-1	Q3208C20N	P310-W	70552-05100-052	
SG307R-1	JMPRP307R-P-20	P307R-P	S7062-11002-041	
SG307R-1	JMPRP307R-R-20	P307R-R	S7062-11002-041	
SG307R-1	1ARC201-29C20	P21R-R	S7062-11002-041	
SG314-1	K3006B24	J221-Y	S7052-12005-041	
SG314-1	K3006C24	P314-C	S7052-12005-041	
SG314-1	K3006D24	SG105-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG315-1	C4679H24	J1R-BB	S7062-11014-043	
SG315-1	C4679K24	P315R-B	S7062-11014-043	
SG315-1	C4679L20N	GND191-1	S7062-11014-043	
SG317R-1	2F3911B24	J16R-CC	S7052-11008-042	
SG317R-1	2F3911C24	P317R-40	S7052-11008-042	
SG317R-1	2F3911D24	P300R-55	S7052-11008-042	
SG317R-1	2F3911E24	P142-s	S7052-11008-042	
SG317R-2	2F3910B24	J16R-BB	S7052-11008-042	
SG317R-2	2F3910C24	P317R-43	S7052-11008-042	
SG317R-2	2F3910D24	P300R-19	S7052-11008-042	
SG317R-2	2F3910E24	P142-r	S7052-11008-042	
SG317R-3	2F3909B24	J16R-AA	S7052-11008-042	
SG317R-3	2F3909C24	P317R-30	S7052-11008-042	
SG317R-3	2F3909D24	P300R-31	S7052-11008-042	
SG317R-3	2F3909E24	P142-q	S7052-11008-042	
SG317R-4	2F3908B24	J16R-GG	S7052-11008-042	
SG317R-4	2F3908C24	P317R-28	S7052-11008-042	
SG317R-4	2F3908D24	P300R-39	S7052-11008-042	
SG317R-4	2F3908E24	P142-t	S7052-11008-042	
SG317R-5	2F3907B24	J16R-FF	S7052-11008-042	
SG317R-5	2F3907C24	P317R-56	S7052-11008-042	
SG317R-5	2F3907D24	P300R-91	S7052-11008-042	
SG317R-5	2F3907E24	P142-v	S7052-11008-042	
SG317R-6	2F3906B24	J16R-JJ	S7052-11008-042	
SG317R-6	2F3906C24	P317R-68	S7052-11008-042	
SG317R-6	2F3906D24	P300R-79	S7052-11008-042	
SG317R-6	2F3906E24	P142-u	S7052-11008-042	
SG317R-7	JUMPERP317R-11-24	P317R-118	S7052-11008-042	
SG317R-7	JUMPERP317R-12-24	P317R-117	S7052-11008-042	
SG317R-7	1F3824A24	P300R-117	S7052-11008-042	
SG318A-1	CDU-057A22	P102R-43	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG318A-1	CDU-057B22	SGP140-3	S7062-11014-043	
SG318A-1	JMPRP318RA-29-22	P318RA-29	S7062-11014-043	
SG318A-2	JUMPERP318RA-324	P318RA-43	S7062-11014-043	
SG318A-2	JUMPERP318RA-424	P318RA-48	S7062-11014-043	
SG318A-2	2F3895A24	P14R-X	S7062-11014-043	
SG318A-3	CDU-058A22	P102R-42	S7062-11014-043	
SG318A-3	CDU-058B22	SGP140-2	S7062-11014-043	
SG318A-3	JMPRP318RA-28-22	P318RA-28	S7062-11014-043	
SG318A-4	NIU041A24	P102R-5	S7062-11014-043	
SG318A-4	NIU041B24	P318RA-13	S7062-11014-043	
SG318A-4	NIU041C24	P14R-f	S7062-11014-043	
SG318A-5	NIU042A24	P102R-6	S7062-11014-043	
SG318A-5	NIU042B24	P318RA-10	S7062-11014-043	
SG318A-5	NIU042C24	P14R-h	S7062-11014-043	
SG318A-6	JUMPERP318RA-124	SG318B-1	S7062-11014-043	
SG318A-6	JUMPERP318RA-224	P318RA-35	S7062-11014-043	
SG318A-6	1F3837A24	P14R-CC	S7062-11014-043	
SG318A-7	F9016A22	P2002R-70	S7062-11014-043	
SG318A-7	JMPRP318RA-11-24	P318RA-11	S7062-11014-043	
SG318A-7	2F3816D24	P14R-KK	S7062-11014-043	
SG318B-1	JUMPERP318RA-124	SG318A-6	S7062-11014-043	
SG318B-1	JUMPERP318RB-124	P318RB-56	S7062-11014-043	
SG318B-1	JUMPERP318RB-224	P318RB-54	S7062-11014-043	
SG318B-1	JUMPERP318RB-324	P318RB-50	S7062-11014-043	
SG318B-2	JMPRP318RB-31-24	P318RB-31	S7062-11014-043	
SG318B-2	JMPRP318RB-59-24	P318RB-59	S7062-11014-043	
SG318B-2	JMPRSG318B-A-24	SG318B-3	S7062-11014-043	
SG318B-2	2F3881B24	SG318B-8	S7062-11014-043	
SG318B-3	JMPRP318RB-42-24	P318RB-42	S7062-11014-043	
SG318B-3	JMPRSG318B-A-24	SG318B-2	S7062-11014-043	
SG318B-3	2F3881C24	SG1014-6	S7062-11014-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG318B-4	NIU043A24	P102R-9	S7062-11014-043	
SG318B-4	NIU043B24	P318RB-1	S7062-11014-043	
SG318B-4	NIU043C24	P14R-g	S7062-11014-043	
SG318B-5	NIU044A24	P102R-10	S7062-11014-043	
SG318B-5	NIU044B24	P318RB-11	S7062-11014-043	
SG318B-5	NIU044C24	P14R-i	S7062-11014-043	
SG318B-6	CDU-034B24	SG1014-4	S7062-11014-043	
SG318B-6	F9012A22	P2002R-34	S7062-11014-043	
SG318B-6	JMPRP318RB-63-24	P318RB-63	S7062-11014-043	
SG318B-7	CDU-035B24	SG1014-3	S7062-11014-043	
SG318B-7	F9013A22	P2002R-33	S7062-11014-043	
SG318B-7	JMPRP318RB-64-24	P318RB-64	S7062-11014-043	
SG318B-8	F9011A22	P2002R-92	S7062-11014-043	
SG318B-8	F9015A22	P2002R-98	S7062-11014-043	
SG318B-8	2F3881A24	P315R-H	S7062-11014-043	
SG318B-8	2F3881B24	SG318B-2	S7062-11014-043	
SG318B-9	F9014A22	P2002R-97	S7062-11014-043	
SG318B-9	2F3883A24	P315R-F	S7062-11014-043	
SG318B-9	2F3883B24	P318RB-30	S7062-11014-043	
SG318B-10	F9010A22	P2002R-83	S7062-11014-043	
SG318B-10	2F3882B24	SG1014-5	S7062-11014-043	
SG318B-10	2F3882C24	P318RB-41	S7062-11014-043	
SG325-1	H6420C20	P906-S	70552-02170-041	
SG325-1	H6420D20	P325-R	70552-02170-041	
SG325-1	H6420E20	P906-P	70552-02170-041	
SG325-1	H6420H20	P329-Y	70552-02170-041	
SG325-2	H6383B20	P329-N	70552-02170-041	
SG325-2	H6383C20	P325-Y	70552-02170-041	
SG325-2	H6383D20	P325-Z	70552-02170-041	
SG325-2	H6383E20	P908-H	70552-02170-041	
SG325-3	H6422B20	P329-L	70552-02170-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG325-3	H6422C20	P325-P	70552-02170-041	
SG325-3	H6422D20	P906-Z	70552-02170-041	
SG325-4	H6409C20	P906-D	70552-02170-041	
SG325-4	H6409D20	P325-H	70552-02170-041	
SG325-4	H6409E20	P329-Z	70552-02170-041	
SG326-1	H6426A20N	P326-8	70552-02123-047	
SG326-1	H6426B20N	P326-9	70552-02123-047	
SG326-1	H6426C20N	P819-1	70552-02123-047	
SG326R-1	JMPRP326R-12-A24	P326R-12	S7062-11005-041	
SG326R-1	JMPRP326R-16-A24	P326R-16	S7062-11005-041	
SG326R-1	JMPRP326R-17-A24	P326R-17	S7062-11005-041	
SG326R-1	JMPRP326R-18-A24	P326R-18	S7062-11005-041	
SG326R-2	IDM100-C24	J129-B	S7062-11005-041	
SG326R-2	JMPRP326R-1-22	P326R-1	S7062-11005-041	
SG326R-2	JMPRP326R-2-22	P326R-2	S7062-11005-041	
SG326R-3	IDM101-D24N	GD129-1	S7062-11005-041	
SG326R-3	JMPRP326R-36-22	P326R-36	S7062-11005-041	
SG326R-3	JMPRP326R-37-22	P326R-37	S7062-11005-041	
SG33B-1	L407C24	SG130-1	S7052-11008-042	
SG33B-1	L407D24	P131-2	S7052-11008-042	
SG33B-1	L407E24	SG33T-1	S7052-11008-042	
SG33G-1	L3647J18	J112-r	S7052-11008-042	
SG33G-1	L3647K24	SG33N-1	S7052-11008-042	
SG33G-1	L3647L20	P181-A	S7052-11008-042	
SG33G-1	L3647M24	JJ1-2	S7052-11008-042	
SG33N-1	L3647K24	SG33G-1	S7052-11008-042	
SG33N-1	L3647N24	P184-A	S7052-11008-042	
SG33N-1	L3647P24	P182-A	S7052-11008-042	
SG33N-1	L3647R24	P183-A	S7052-11008-042	
SG33T-1	L407E24	SG33B-1	S7052-11008-042	
SG33T-1	L407F24	P300R-27	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG33T-1	L407G24	P317R-27	S7052-11008-042	
SG33T-1	L407H24	P142-d	S7052-11008-042	
SG333R-1	ARN153-117A22	P100R-54	S7062-11008-041	
SG333R-1	ARN153-119A22	P100R-57	S7062-11008-041	
SG333R-1	JMPRSG333R-1-A-22	SG333R-2	S7062-11008-041	
SG333R-2	ARN153-121A22	P100R-61	S7062-11008-041	
SG333R-2	ARN153-123A22	P100R-63	S7062-11008-041	
SG333R-2	JMPRSG333R-1-A-22	SG333R-1	S7062-11008-041	
SG333R-2	JMPRSG333R-2A22	P333R-122	S7062-11008-041	
SG333R-3	ARN153-132A22	P333R-32	S7062-11008-041	
SG333R-3	ARN153-133A22	P333R-33	S7062-11008-041	
SG333R-3	ARN153-134A22	P333R-34	S7062-11008-041	
SG333R-3	ARN153-135A22	P333R-35	S7062-11008-041	
SG342R-1	ARC222-110B22	P110R-p	S7062-11001-041	
SG342R-1	ARC222-110C22	P140R-37	S7062-11001-041	
SG342R-1	JMPRP342R-N-22	P342R-N	S7062-11001-041	
SG354R-1	JMPRP354R-20-22	P354R-20	S7062-11001-041	
SG354R-1	JMPRP354R-3-22	P354R-3	S7062-11001-041	
SG354R-1	JMPRP354R-4-22	P354R-4	S7062-11001-041	
SG354R-1	JMPRP354R-5-22	P354R-5	S7062-11001-041	
SG36-1	Q3201C20	J231-Y	S7052-11010-041	
SG36-1	Q3201D20	S101-COM	S7052-11010-041	
SG36-1	Q3201E20	J231-Z	S7052-11010-041	
SG36-1	Q3201G20	J246-E	S7052-11010-041	
SG36-3	Q3202A20	S19-4	S7052-11010-041	
SG36-3	Q3202AA20	S101-NC	S7052-11010-041	
SG36-3	Q3202BB20	J246-G	S7052-11010-041	
SG364R-1	ARC220-214-B22	BOMB2-1	S7062-11004-041	
SG364R-1	ARC220-214-C22	P100R-22	S7062-11004-041	
SG364R-1	JMPRP364-63-22	BOMB1-1	S7062-11004-041	
SG369R-1	ARC220-103-A22	P364R-5	S7062-11004-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG369R-1	ARC220-112-A22	P364R-11	S7062-11004-041	
SG369R-1	JMPRP369R-S-22	P369R-S	S7062-11004-041	
SG369R-4	ARC220-120-A22	P363R-f	S7062-11004-041	
SG369R-4	ARC220-122-A22	P363R-K	S7062-11004-041	
SG369R-4	JMPRP369R-T-22	P369R-T	S7062-11004-041	
SG370R-1	ARC220-125-A22	P364R-48	S7062-11004-041	
SG370R-1	ARC220-127-A22	P364R-53	S7062-11004-041	
SG370R-1	JMPRP370R-F-22	P370R-F	S7062-11004-041	
SG370R-1	JMPRSG370R-1-22	SG370R-2	S7062-11004-041	
SG370R-2	ARC220-129-A22	P364R-50	S7062-11004-041	
SG370R-2	ARC220-131-A22	P364R-55	S7062-11004-041	
SG370R-2	JMPRSG370R-1-22	SG370R-1	S7062-11004-041	
SG370R-2	JMPRSG370R-2-22	SG370R-3	S7062-11004-041	
SG370R-3	ARC220-133-A22	P364R-59	S7062-11004-041	
SG370R-3	JMPRSG370R-2-22	SG370R-2	S7062-11004-041	
SG383-1	H4314C14A	P383-B	S7052-12005-041	
SG383-1	H4314CC20A	J217-r	S7052-12005-041	
SG383-2	H4315C14B	P383-C	S7052-12005-041	
SG383-2	H4315CC20B	J217-s	S7052-12005-041	
SG383-3	H4316C14C	P383-E	S7052-12005-041	
SG383-3	H4316CC20C	J217-t	S7052-12005-041	
SG386-1	L3662A20	P386-C	S7052-12006-041	
SG386-1	L3662B22	P137-FF	S7052-12006-041	
SG386-1	L3662C20	P112-B	S7052-12006-041	
SG387-1	L3661A20	P387-C	S7052-12006-041	
SG387-1	L3661B20	J114-e	S7052-12006-041	
SG387-1	L3661C20	P112-J	S7052-12006-041	
SG392-1	L6962A20	J389-3	70552-02181-042	
SG392-1	L6962B20	J390-1	70552-02181-042	
SG392-1	L6962C20	J391-1	70552-02181-042	
SG392-2	L6964A20N	J391-2	70552-02181-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG392-2	L6964B20N	J390-2	70552-02181-042	
SG392-2	L6964C20N	J389-1	70552-02181-042	
SG392-2	L6964D20N	P392-2	70552-02181-042	
SG4A5-1	C4629A24	SG906-3	S7052-12005-041	
SG4A5-1	C4629AA20N	GNDS1-1	S7052-12005-041	
SG4A5-1	C4629J24	P405R-R	S7052-12005-041	
SG4R-1	L4529C18	J219-m	S7052-11011-041	
SG4R-1	L4529D22	SG4R-4	S7052-11011-041	
SG4R-1	L4529E22	P4R-e	S7052-11011-041	
SG4R-1	L6754A22	P139-L	S7052-11011-041	
SG4R-2	C6214D22	J420R-V	S7052-11011-041	
SG4R-2	C6214E22	P3R-h	S7052-11011-041	
SG4R-2	C6214F22	P423R-C	S7052-11011-041	
SG4R-3	C4705A24	J142-KK	S7052-11011-041	
SG4R-3	C4705F22	P3R-A	S7052-11011-041	
SG4R-3	C4705G22	P4R-M	S7052-11011-041	
SG4R-4	L4529D22	SG4R-1	S7052-11011-041	
SG4R-4	L4529F22	TJ115A-G	S7052-11011-041	
SG4R-4	L4529G22	TJ115A-H	S7052-11011-041	
SG40-1	L3662D20	J112-B	S7052-11008-042	
SG40-1	L3662F24	P317R-36	S7052-11008-042	
SG401-1	E3309B20	P400-B	70552-08100-043	
SG401-1	E3309C20	P407-1	70552-08100-043	
SG401-1	E3309D20	P401-B	70552-08100-043	
SG401-2	E3308B20	P400-A	70552-08100-043	
SG401-2	E3308C20	P407-2	70552-08100-043	
SG401-2	E3308D20	P401-A	70552-08100-043	
SG404-2	C4647B24	SA420R-1	S7052-12006-041	
SG404-2	C4647C24	P404R-g	S7052-12006-041	
SG404-2	C4647D24	J20R-A	S7052-12006-041	
SG404-4	C4676C22	SG923-1	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG404-4	C4676F22	J316-U	S7052-12006-041	
SG404-4	JUMPERP404R-U22	P404R-U	S7052-12006-041	
SG404-4	JUMPERP404R1N22	P404R-n	S7052-12006-041	
SG404-6	C4682A22	J316-N	S7052-12006-041	
SG404-6	JUMPERP404R-D22	P404R-D	S7052-12006-041	
SG404-6	JUMPERP404R-Y22	P404R-Y	S7052-12006-041	
SG404-7	C4684A22	J316-R	S7052-12006-041	
SG404-7	JUMPERP404R-E22	P404R-E	S7052-12006-041	
SG404-7	JUMPERP404R-F22	P404R-F	S7052-12006-041	
SG405-2	C4631C24	P914-d	S7052-12005-041	
SG405-2	C4631F24	P145-6	S7052-12005-041	
SG405-2	JMPRP405R-FF24	P405R-FF	S7052-12005-041	
SG405-5	C4626C22	SG906-7	S7052-12005-041	
SG405-5	C4626F22	J311-p	S7052-12005-041	
SG405-5	JUMPERP405R-U22	P405R-U	S7052-12005-041	
SG405-5	JUMPERP405R1N22	P405R-n	S7052-12005-041	
SG405-7	C4632A22	J311-i	S7052-12005-041	
SG405-7	JUMPERP405R-D22	P405R-D	S7052-12005-041	
SG405-7	JUMPERP405R-Y22	P405R-Y	S7052-12005-041	
SG405-8	C4634A22	J311-k	S7052-12005-041	
SG405-8	JUMPERP405R-E22	P405R-E	S7052-12005-041	
SG405-8	JUMPERP405R-F22	P405R-F	S7052-12005-041	
SG409-1	W4400D20	P401-E	70552-08100-043	
SG409-1	W4400E20	P409-2	70552-08100-043	
SG409-1	W4400F20	P408-A	70552-08100-043	
SG415-1	W3080E24	P222-F	70552-02108-053	
SG415-1	W3080F24	P415-A	70552-02108-053	
SG415-1	W3080G24	P220-E	70552-02108-053	
SG422R-1	C4677B24	J916-L	S7052-11011-041	
SG422R-1	F9020A22	J419R-A	S7052-11011-041	
SG422R-1	JMPRP422R-D-22	P422R-D	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG422R-2	C4679E24	J420R-d	S7052-11011-041	
SG422R-2	F9019A22	J419R-B	S7052-11011-041	
SG422R-2	JMPRP422R-Z-22	P422R-Z	S7052-11011-041	
SG424R-1	C4679B24	SG925-5	S7052-12006-041	
SG424R-1	JMPRP424R-C-24	P424R-C	S7052-12006-041	
SG424R-1	JMPRP424R-J-24	P424R-J	S7052-12006-041	
SG425-1	C4140A20	P424-1	70552-02107-051	
SG425-1	C4140B20	P425-1	70552-02107-051	
SG425-1	C4140C20	P426-1	70552-02107-051	
SG425-1	C4140D20	P223-s	70552-02107-051	
SG425-2	C4137E20	P225-R	70552-02107-051	
SG425-2	C4137F20	P424-6	70552-02107-051	
SG425-2	C4137G20	P425-6	70552-02107-051	
SG425-2	C4137H20	P426-6	70552-02107-051	
SG425R-1	C4629B24	SG906-3	S7052-12005-041	
SG425R-1	JMPRP425R-C-24	P425R-C	S7052-12005-041	
SG425R-1	JMPRP425R-J-24	P425R-J	S7052-12005-041	
SG426R-1	C6183E22	SG1105-13	S7052-11011-041	
SG426R-1	JMPRP426R1-22	P426R-A	S7052-11011-041	
SG426R-1	JMPRP426R2-22	P426R-D	S7052-11011-041	
SG427R-1	C6183F22	SG1105-13	S7052-11011-041	
SG427R-1	JMPRP427R1-22	P427R-A	S7052-11011-041	
SG427R-1	JMPRP427R2-22	P427R-D	S7052-11011-041	
SG428-1	C4139A20	P427-1	70552-02108-053	
SG428-1	C4139B20	P428-1	70552-02108-053	
SG428-1	C4139C20	P429-1	70552-02108-053	
SG428-1	C4139D20	P224-s	70552-02108-053	
SG428-2	C4131E20	P222-T	70552-02108-053	
SG428-2	C4131F20	P427-6	70552-02108-053	
SG428-2	C4131G20	P428-6	70552-02108-053	
SG428-2	C4131H20	P429-6	70552-02108-053	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG432-1	C4157B20	P432-1	70552-02108-053	
SG432-1	C4157BB20	P224-t	70552-02108-053	
SG432-1	C4157C20	P222-W	70552-02108-053	
SG44-2	L3654K22N	SGH33-3	S7052-11008-042	
SG44-2	L3654L22N	P184-B	S7052-11008-042	
SG44-2	L3654M22N	JJ2-2	S7052-11008-042	
SG44-2	L3654N22N	P182-B	S7052-11008-042	
SG447-1	C4153A20	P447-1	70552-02107-051	
SG447-1	C4153AA20	P223-t	70552-02107-051	
SG447-1	C4153E20	P225-S	70552-02107-051	
SG458R-1	C6215C20	P223-k	70552-02107-051	
SG458R-1	C6215D20	P470R-2	70552-02107-051	
SG458R-1	C6215E20	J458R-11	70552-02107-051	
SG464R-1	C6251C24	P221-LL	70552-02107-051	
SG464R-1	JUMPERP464R4-24	P464R-4	70552-02107-051	
SG464R-1	JUMPERP464R7-24	P464R-7	70552-02107-051	
SG464R-2	C6252C24	P221-MM	70552-02107-051	
SG464R-2	JUMPERP464R5-24	P464R-5	70552-02107-051	
SG464R-2	JUMPERP464R8-24	P464R-8	70552-02107-051	
SG471R-1	D4554B24N	GG33-8	S7052-11008-042	
SG471R-1	D4554C24N	J111-e	S7052-11008-042	
SG471R-1	D4554H24N	P471R-E	S7052-11008-042	
SG471R-2	D4555C24N	P471R-G	S7052-11008-042	
SG471R-2	D4555D24N	P471R-H	S7052-11008-042	
SG471R-2	D4555E24N	GG33-8	S7052-11008-042	
SG5R-1	C4625A22	J914-b	S7052-11011-041	
SG5R-1	C4625C22	J7R-C	S7052-11011-041	
SG5R-1	C4625D22	J8R-C	S7052-11011-041	
SG5R-1	JMPRP5R-B22	P5R-B	S7052-11011-041	
SG5R-2	C4609B22	J914-f	S7052-11011-041	
SG5R-2	C4609C22	J7R-D	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG5R-2	C4609D22	J8R-D	S7052-11011-041	
SG5R-2	JMPRP5R-F22	P5R-F	S7052-11011-041	
SG5R-3	C4626M22	SG3R-2	S7052-11011-041	
SG5R-3	C4626P22	J7R-E	S7052-11011-041	
SG5R-3	C4626Q22	J8R-E	S7052-11011-041	
SG5R-3	JMPRP5R-G22	P5R-G	S7052-11011-041	
SG50-2	L3651G20N	SGT33-1	S7052-11008-042	
SG50-2	L3651N20N	P190-B	S7052-11008-042	
SG50-2	L3651P22N	JJ4-2	S7052-11008-042	
SG50-2	L3651R20N	P196-B	S7052-11008-042	
SG500-1	M4258A22	J500-12	70552-05100-052	
SG500-1	M4258B22	J500-4	70552-05100-052	
SG500-1	M4258C22	P310-P	70552-05100-052	
SG6R-1	C4659B22	J916-D	S7052-11011-041	
SG6R-1	C4659C22	J7R-A	S7052-11011-041	
SG6R-1	C4659D22	J8R-A	S7052-11011-041	
SG6R-1	JMPRP6R-B22	P6R-B	S7052-11011-041	
SG6R-2	C4675A22	J916-G	S7052-11011-041	
SG6R-2	C4675C22	J7R-H	S7052-11011-041	
SG6R-2	C4675D22	J8R-H	S7052-11011-041	
SG6R-2	JMPRP6R-F22	P6R-F	S7052-11011-041	
SG6R-3	C4676M22	SG3R-3	S7052-11011-041	
SG6R-3	C4676P22	J7R-G	S7052-11011-041	
SG6R-3	C4676Q22	J8R-G	S7052-11011-041	
SG6R-3	JMPRP6R-H22	P6R-H	S7052-11011-041	
SG611-1	W4775E20	J600-G	70552-06100-046	
SG611-1	W4775F20	J611-B	70552-06100-046	
SG611-1	W4775G20	J611-A	70552-06100-046	
SG664R-6	APX100-005A24	J1R-a	S7062-11006-041	
SG664R-6	ASN128-84A22	P666R-7	S7062-11006-041	
SG664R-6	ASN128-84B22	P664R-29	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG664R-7	APX100-006A24	J1R-b	S7062-11006-041	
SG664R-7	ASN128-85A22	P666R-8	S7062-11006-041	
SG664R-7	ASN128-85B22	P664R-30	S7062-11006-041	
SG664R-8	APX100-007A24	J1R-c	S7062-11006-041	
SG664R-8	ASN128-86A22	P666R-9	S7062-11006-041	
SG664R-8	ASN128-86B22	P664R-31	S7062-11006-041	
SG664R-9	APX100-008A24	J1R-d	S7062-11006-041	
SG664R-9	ASN128-87A22	P666R-10	S7062-11006-041	
SG664R-9	ASN128-87B22	P664R-32	S7062-11006-041	
SG664R-10	APX100-009A24	J1R-e	S7062-11006-041	
SG664R-10	ASN128-33B22	P664R-33	S7062-11006-041	
SG664R-10	ASN128-88A22	P666R-11	S7062-11006-041	
SG664R-11	APX100-010A24	J1R-f	S7062-11006-041	
SG664R-11	ASN128-89A22	P666R-12	S7062-11006-041	
SG664R-11	ASN128-89B22	P664R-34	S7062-11006-041	
SG664R-12	APX100-011A24	J1R-g	S7062-11006-041	
SG664R-12	ASN128-90A22	P666R-13	S7062-11006-041	
SG664R-12	ASN128-90B22	P664R-35	S7062-11006-041	
SG664R-13	APX100-012A24	J1R-h	S7062-11006-041	
SG664R-13	ASN128-91A22	P666R-14	S7062-11006-041	
SG664R-13	ASN128-91B22	P664R-36	S7062-11006-041	
SG664R-14	APX100-013A24	J1R-i	S7062-11006-041	
SG664R-14	ASN128-92A22	P666R-15	S7062-11006-041	
SG664R-14	ASN128-92B22	P664R-37	S7062-11006-041	
SG669R-1	JUMPERP669R-1-22	P669R-R	S7062-11014-043	
SG669R-1	JUMPERP669R-2-22	P669R-V	S7062-11014-043	
SG669R-1	XM130-3A22N	GG13-2	S7062-11014-043	
SG686R-3	ASN128-55A20	P668R-X	S7062-11006-041	
SG686R-3	JMPRP686R-59-22	P686R-59	S7062-11006-041	
SG686R-4	ASN128-56A20	P668R-Y	S7062-11006-041	
SG686R-4	JMPRP686R-60-22	P686R-60	S7062-11006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG686R-5	ASN128-57A1616	P668R-b	S7062-11006-041	
SG686R-5	JMPRP686R-44-22	P686R-44	S7062-11006-041	
SG686R-6	ASN128-58A16	P668R-c	S7062-11006-041	
SG686R-6	JMPRP686R-43-22	P686R-43	S7062-11006-041	
SG686R-7	ASN128-59A16	P668R-d	S7062-11006-041	
SG686R-7	JMPRP686R-66-22	P686R-66	S7062-11006-041	
SG686R-8	ASN128-60A16	P668R-f	S7062-11006-041	
SG686R-8	JMPRP686R-21-22	P686R-21	S7062-11006-041	
SG686R-9	ASN128-61A16	P668R-R	S7062-11006-041	
SG686R-9	JMPRP686R-65-22	P686R-65	S7062-11006-041	
SG702-1	L3611G24	J601-W	70552-06101-045	
SG702-1	L3611H24	J702-C	70552-06101-045	
SG702-1	L3611J24	J703-C	70552-06101-045	
SG702-2	L3613G24	J601-J	70552-06101-045	
SG702-2	L3613H24	J702-D	70552-06101-045	
SG702-2	L3613J24	J703-D	70552-06101-045	
SG702-3	L3609F24	J601-F	70552-06101-045	
SG702-3	L3609G24	J702-A	70552-06101-045	
SG702-3	L3609H24	J703-A	70552-06101-045	
SG703-1	C4676L22	J600-L	70552-06100-046	
SG703-1	C4676M22	J604-G	70552-06100-046	
SG703-1	C4676N22	J604-J	70552-06100-046	
SG704-1	C4626L22	J601-C	70552-06101-045	
SG704-1	C4626M22	J605-A	70552-06101-045	
SG704-1	C4626N22	J605-C	70552-06101-045	
SG901-1	E2051A24	P901-D	S7052-12005-041	
SG901-1	E2051B24	P138-N	S7052-12005-041	
SG901-1	E2051C24	J223-X	S7052-12005-041	
SG901-2	E2047A24	P901-H	S7052-12005-041	
SG901-2	E2047B24	P114-W	S7052-12005-041	
SG901-2	E2047D24	J217-J	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG902-1	H3336B24	P231-a	S7052-12005-041	
SG902-1	H3336C24	P902-a	S7052-12005-041	
SG902-1	H3336D24	P244-J	S7052-12005-041	
SG902-2	W3151J20	SG914-2	S7052-12005-041	
SG902-2	W3151K20	P902-g	S7052-12005-041	
SG902-2	W3151L20	P244-W	S7052-12005-041	
SG902-3	C4132G20	SG249-1	S7052-12005-041	
SG902-3	C4132H20	P902-DD	S7052-12005-041	
SG902-3	C4132J20	J248-C	S7052-12005-041	
SG902-4	L408K24	P902-S	S7052-12005-041	
SG902-4	L408L24	J299-K	S7052-12005-041	
SG902-4	L408M24	J346-13	S7052-12005-041	
SG902-5	L3930B24	P249-P	S7052-12005-041	
SG902-5	L3930C24	P902-V	S7052-12005-041	
SG902-5	L3930D24	P200-j	S7052-12005-041	
SG902-5	L3936A24	P914-T	S7052-12005-041	
SG902-6	L3934H24	P111-k	S7052-12005-041	
SG902-6	L3934J24	P914-EE	S7052-12005-041	
SG902-6	L3934M24	P914-S	S7052-12005-041	
SG902-6	L3934P24	SG902-7	S7052-12005-041	
SG902-7	L3934P24	SG902-6	S7052-12005-041	
SG902-7	L3934R24	P902-h	S7052-12005-041	
SG902-7	L3934S24	P200-S	S7052-12005-041	
SG903-1	C4629C24	SG906-3	S7052-12005-041	
SG903-1	C4629D24	P401R-C	S7052-12005-041	
SG903-1	C4629E24	P419R-q	S7052-12005-041	
SG903-1	F9022A22	J11R-B	S7052-12005-041	
SG903-2	C4646A24	P405R-g	S7052-12005-041	
SG903-2	C4646AA24	P419R-r	S7052-12005-041	
SG903-2	F9021A22	J11R-A	S7052-12005-041	
SG905-1	C4618E24	SG906-2	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG905-1	C4618F24	J221-e	S7052-12005-041	
SG905-1	C4618H24	P401R-A	S7052-12005-041	
SG905-1	D5879A24	P137-G	S7052-12006-041	
SG905-1	D5879B20	P217-n	S7052-12006-041	
SG905-1	D5879E20	P905-U	S7052-12006-041	
SG905-2	C4604B24	J221-d	S7052-12005-041	
SG905-2	C4604C24	P405R-d	S7052-12005-041	
SG905-2	C4604D24	P914-Z	S7052-12005-041	
SG905-2	D5880A24	P137-H	S7052-12006-041	
SG905-2	D5880B20	P217-p	S7052-12006-041	
SG905-2	D5880E20	P905-V	S7052-12006-041	
SG905-3	C4617E24	SG906-1	S7052-12005-041	
SG905-3	C4617F24	J221-b	S7052-12005-041	
SG905-3	C4617H24	P401R-B	S7052-12005-041	
SG905-3	D5882B24	J114-T	S7052-12006-041	
SG905-3	D5882C20	P217-k	S7052-12006-041	
SG905-3	D5882F20	P905-L	S7052-12006-041	
SG905-4	D5883B24	J114-U	S7052-12006-041	
SG905-4	D5883C20	P217-m	S7052-12006-041	
SG905-4	D5883F20	P905-K	S7052-12006-041	
SG906-1	C4617A24	P405R-X	S7052-12005-041	
SG906-1	C4617B24	J311-c	S7052-12005-041	
SG906-1	C4617E24	SG905-3	S7052-12005-041	
SG906-1	C4617J24	P425R-E	S7052-12005-041	
SG906-2	C4618A24	P405R-r	S7052-12005-041	
SG906-2	C4618B24	J311-e	S7052-12005-041	
SG906-2	C4618E24	SG905-1	S7052-12005-041	
SG906-2	C4618J24	P425R-A	S7052-12005-041	
SG906-3	C4629A24	SG4A5-1	S7052-12005-041	
SG906-3	C4629B24	SG425R-1	S7052-12005-041	
SG906-3	C4629C24	SG903-1	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG906-7	C4626B22	P200-f	S7052-12005-041	
SG906-7	C4626C22	SG405-5	S7052-12005-041	
SG906-7	C4626D22	P914-c	S7052-12005-041	
SG914-2	W3151C20	P914-Y	S7052-12005-041	
SG914-2	W3151D24	P231-p	S7052-12005-041	
SG914-2	W3151H24	P105-N	S7052-12005-041	
SG914-2	W3151J20	SG902-2	S7052-12005-041	
SG922-1	C4148A20	P244-X	S7052-12005-041	
SG922-1	C4148C20	P922-r	S7052-12005-041	
SG922-1	C4148G20	J223-w	S7052-12005-041	
SG923-1	C4676B22	P236-f	S7052-12006-041	
SG923-1	C4676C22	SG404-4	S7052-12006-041	
SG923-1	C4676D22	P916-F	S7052-12006-041	
SG924-1	C4667E24	SG925-2	S7052-12006-041	
SG924-1	C4667F24	J220-v	S7052-12006-041	
SG924-1	C4667H24	P110-JJ	S7052-12006-041	
SG924-2	C4654A24	P404R-d	S7052-12006-041	
SG924-2	C4654B24	J220-u	S7052-12006-041	
SG924-2	C4654D24	P916-J	S7052-12006-041	
SG924-3	C4668E24	SG925-1	S7052-12006-041	
SG924-3	C4668F24	J220-s	S7052-12006-041	
SG924-3	C4668H24	P110-LL	S7052-12006-041	
SG925-1	C4668A24	P404R-r	S7052-12006-041	
SG925-1	C4668B24	J316-J	S7052-12006-041	
SG925-1	C4668E24	SG924-3	S7052-12006-041	
SG925-1	C4668L24	P424R-A	S7052-12006-041	
SG925-2	C4667A24	P404R-X	S7052-12006-041	
SG925-2	C4667B24	J316-G	S7052-12006-041	
SG925-2	C4667E24	SG924-1	S7052-12006-041	
SG925-2	C4667L24	P424R-E	S7052-12006-041	
SG925-3	C4610B22	J922-h	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
SG925-3	C4610C22	P404R-V	S7052-12006-041	
SG925-3	C4610D22	P916-H	S7052-12006-041	
SG925-5	C4679A24	SGA404-1	S7052-12006-041	
SG925-5	C4679B24	SG424R-1	S7052-12006-041	
SG925-5	C4679C24	SG2106-1	S7052-12006-041	
SG925-6	C4612B22	J922-e	S7052-12006-041	
SG925-6	C4612C22	P404R-B	S7052-12006-041	
SG925-6	C4612D22	P420R-i	S7052-12006-041	
SMC143-1	L3658A20N	GND143-1	S7052-12006-041	
SPLY2-1	P574A10	CNTRA1-1	S7052-11002-041	
SPLY2-2	P574B10	CNTRA1-2	S7052-11002-041	
SPLY2-3	P574C10	CNTRA1-3	S7052-11002-041	
S1-1	M355A20N	GG2-5	S7052-11010-041	
S1-1	M355B20N	S3-5	S7052-11010-041	
S1-1	57-2-22	J902-g	70552-02131-042	
S1-2	M354A20	J200-C	S7052-11010-041	
S1-2	58-946-22	J243-Z	70552-02131-042	
S1-3	M353A20	J200-B	S7052-11010-041	
S1-3	XM130-10A22	P669R-D	S7062-11014-043	
S1-4	XM130-9A22	P669R-C	S7062-11014-043	
S1-5	M352AA20	J200-A	S7052-11010-041	
S1-6	M350B20	J126-W	S7052-11010-041	
S1-6	M370A20	S2-3	S7052-11010-041	
S10-2	P538A24	J230-e	S7052-11010-041	
S10-3	P522A24	J230-h	S7052-11010-041	
S10-5	P517E24	J230-f	S7052-11010-041	
S10-6	P537A24	J230-g	S7052-11010-041	
S101-NC	Q3202AA20	SG36-3	S7052-11010-041	
S101-COM	Q3201D20	SG36-1	S7052-11010-041	
S102-NC	V275G24	S4-2	S7052-11010-041	
S102-NO	V276C24	S4-1	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S102-COM	V275F24	J231-V	S7052-11010-041	
S103-NO	W3152A24	J230-CC	S7052-11010-041	
S103-COM	W3151G24	SG231-1	S7052-11010-041	
S105-NC	C6236A20	S107-COM	S7052-11011-041	
S105-COM	C6219A20	P4R-Z	S7052-11011-041	
S106-NC	C6235A20	S108-COM	S7052-11011-041	
S106-COM	C6237A20	S107-NC	S7052-11011-041	
S107-NC	C6237A20	S106-COM	S7052-11011-041	
S107-COM	C6236A20	S105-NC	S7052-11011-041	
S108-NC	C6150A20	P428R-h	S7052-11011-041	
S108-COM	C6235A20	S106-NC	S7052-11011-041	
S11-2	X49A24	J230-M	S7052-11010-041	
S11-3	X46D24	J230-q	S7052-11010-041	
S11-4	X47D24	J230-p	S7052-11010-041	
S11-5	X48A24N	GG2-3	S7052-11010-041	
S12-1	L3532A24	J231-E	S7052-11010-041	
S12-1	L3532G24	J126-g	S7052-11010-041	
S12-2	L3531B24	J246-Y	S7052-11010-041	
S12-3	L3533A24	J231-F	S7052-11010-041	
S12-3	L3533G24	J126-f	S7052-11010-041	
S120-1	L499B24	SGJ112-1	S7052-11008-042	
S120-2	L402G24	SGJ112-2	S7052-11008-042	
S120-3	L407A24	SG130-1	S7052-11008-042	
S121-C	NIU027B24	P1R-JJ	S7052-11008-042	
S121-D	NIU025B24	P1R-GG	S7052-11008-042	
S121-1	JMPRS121-1-22	SGS121-1	S7052-11008-042	
S121-2	JMPRS121-2-22	SGS121-1	S7052-11008-042	
S121-3	JMPRS121-3-22	SGS121-2	S7052-11008-042	
S121-4	JMPRS121-4-22	SGS121-2	S7052-11008-042	
S121-1C	NIU026A24	P1R-HH	S7052-11008-042	
S121-1NO	PLT-BRG1-22N	GG33-6	S7052-11008-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S122-C	NIU046B24	P1R-A	S7052-11008-042	
S122-D	NIU047B24	P1R-B	S7052-11008-042	
S122-1	JMPRS122-1-22	SGS122-1	S7052-11008-042	
S122-2	JMPRS122-2-22	SGS122-1	S7052-11008-042	
S122-3	JMPRS122-3-22	SGS122-2	S7052-11008-042	
S122-4	JMPRS122-4-22	SGS122-2	S7052-11008-042	
S122-1C	NIU032B24	J14R-a	S7052-11008-042	
S122-1NO	CLPT-NO-22N	GG33-9	S7052-11008-042	
S123-C	NIU005B24	P1R-L	S7052-11008-042	
S123-D	NIU002B24	J16R-B	S7052-11008-042	
S123-1	JMPRS123-1-22	SGS123-1	S7052-11008-042	
S123-2	JMPRS123-2-22	SGS123-1	S7052-11008-042	
S123-3	JMPRS123-3-22	SGS123-2	S7052-11008-042	
S123-4	JMPRS123-4-22	SGS123-2	S7052-11008-042	
S123-1C	NIU001A24	J16R-A	S7052-11008-042	
S123-1NO	VTAC-NC-22N	GG33-8	S7052-11008-042	
S13-1	E3283A24	J222-K	S7052-11010-041	
S13-2	E3284A24	S14-2	S7052-11010-041	
S13-2	E3284B24	J222-M	S7052-11010-041	
S14-1	E3282A24	J222-J	S7052-11010-041	
S14-2	E3284A24	S13-2	S7052-11010-041	
S15-A1	W3104A24N	S15-A3	S7052-11010-041	
S15-A2	W3083A24	S15-A8	S7052-11010-041	
S15-A2	W3083B24	J231-J	S7052-11010-041	
S15-A3	W3104A24N	S15-A1	S7052-11010-041	
S15-A3	W3104B24N	S15-A6	S7052-11010-041	
S15-A6	W3104B24N	S15-A3	S7052-11010-041	
S15-A6	W3104C24N	S15-A7	S7052-11010-041	
S15-A7	W3104C24N	S15-A6	S7052-11010-041	
S15-A8	W3083A24	S15-A2	S7052-11010-041	
S15-B1	W3105A24N	S15-B3	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S15-B2	W3084A24	S15-B8	S7052-11010-041	
S15-B2	W3084B24	J231-K	S7052-11010-041	
S15-B3	W3105A24N	S15-B1	S7052-11010-041	
S15-B3	W3105B24N	S15-B6	S7052-11010-041	
S15-B6	W3105B24N	S15-B3	S7052-11010-041	
S15-B6	W3105C24N	S15-B7	S7052-11010-041	
S15-B7	W3105C24N	S15-B6	S7052-11010-041	
S15-B8	W3084A24	S15-B2	S7052-11010-041	
S15-C1	W3121A24N	S15-C3	S7052-11010-041	
S15-C2	W3085A24	J231-L	S7052-11010-041	
S15-C3	W3121A24N	S15-C1	S7052-11010-041	
S15-AC1	W3086A24	J222-E	S7052-11010-041	
S15-AC2	W3087A24	J230-V	S7052-11010-041	
S15-BC1	W3088A24	J225-E	S7052-11010-041	
S15-BC2	W3089A24	J231-M	S7052-11010-041	
S15-CC1	W3090A24	J231-N	S7052-11010-041	
S16-1	E3288A24	J225-J	S7052-11010-041	
S16-2	E3289A24	S17-2	S7052-11010-041	
S16-2	E3289B24	J225-K	S7052-11010-041	
S17-1	E3287A24	J225-H	S7052-11010-041	
S17-2	E3289A24	S16-2	S7052-11010-041	
S18-1	H3337A20	J231-b	S7052-11010-041	
S18-2	H3335B20	J127-N	S7052-11010-041	
S18-2	H3335C20	S5-2	S7052-11010-041	
S18-2	H3350D20	S24-5	S7052-11010-041	
S18-3	H3336A20	J231-a	S7052-11010-041	
S19-1	Q3212B20	TB2-9	S7052-11010-041	
S19-2	Q3200C20	J246-B	S7052-11010-041	
S19-2	Q3200D20	S19-5	S7052-11010-041	
S19-4	Q3202A20	SG36-3	S7052-11010-041	
S19-4	Q3202B20	S19-6	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S19-5	Q3200D20	S19-2	S7052-11010-041	
S19-6	Q3202B20	S19-4	S7052-11010-041	
S2-2	M361A20	J200-G	S7052-11010-041	
S2-3	M370A20	S1-6	S7052-11010-041	
S20-1	W3156A24	J230-GG	S7052-11010-041	
S20-2	W3151F24	SG231-1	S7052-11010-041	
S20-3	W3155A24	J230-FF	S7052-11010-041	
S20-4	W3153A24	J230-DD	S7052-11010-041	
S20-5	W3150B24	J126-U	S7052-11010-041	
S20-5	W3171B24	J230-BB	S7052-11010-041	
S20-6	W3154A24	J230-EE	S7052-11010-041	
S21-2	H4293B24	J126-J	S7052-11010-041	
S21-3	H4294A24	J230-N	S7052-11010-041	
S22-2	H4298B24	J127-G	S7052-11010-041	
S22-3	H4299A24	J231-H	S7052-11010-041	
S23-1	H701A24	J230-m	S7052-11010-041	
S23-1	H703A24	J231-k	S7052-11010-041	
S23-1	H703C24	J222-R	S7052-11010-041	
S23-2	H700B24	J126-S	S7052-11010-041	
S23-2	H716A24	J230-Z	S7052-11010-041	
S23-4	H3352A20	J230-C	S7052-11010-041	
S23-5	H3351A20	S24-4	S7052-11010-041	
S24-1	H704A24	J231-j	S7052-11010-041	
S24-1	H704C24	J225-N	S7052-11010-041	
S24-2	H705B24	J127-P	S7052-11010-041	
S24-4	H3351A20	S23-5	S7052-11010-041	
S24-5	H3350D20	S18-2	S7052-11010-041	
S25-1	C4134A20	J200-X	S7052-11010-041	
S25-2	C4170A20	J200-a	S7052-11010-041	
S25-2	C4172A20	S25-5	S7052-11010-041	
S25-3	C4133A20	J200-W	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S25-5	C4172A20	S25-2	S7052-11010-041	
S25-6	C4153F20	J225-S	S7052-11010-041	
S25-7	C4136A20	J200-Z	S7052-11010-041	
S25-8	C4171A20	J222-V	S7052-11010-041	
S25-8	C4173A20	S25-11	S7052-11010-041	
S25-9	C4135A20	J200-Y	S7052-11010-041	
S25-11	C4173A20	S25-8	S7052-11010-041	
S25-12	C4157D20	J222-W	S7052-11010-041	
S26-1	L3465B24N	GG2-5	S7052-11010-041	
S26-2	L3463A24	J230-S	S7052-11010-041	
S26-3	L3462A24	S27-1	S7052-11010-041	
S27-1	L3462A24	S26-3	S7052-11010-041	
S27-1	L3462B24	J230-R	S7052-11010-041	
S27-2	L3461A24	J230-P	S7052-11010-041	
S27-3	L3465A24N	GG2-5	S7052-11010-041	
S28-1	L4503B24	J230-H	S7052-11010-041	
S28-1	L4503F24	J230-W	S7052-11010-041	
S28-2	L4500B24	J126-F	S7052-11010-041	
S28-3	L4502A24	J230-J	S7052-11010-041	
S29-1	L4501A24	J200-V	S7052-11010-041	
S29-1	L4501D24	J246-f	S7052-11010-041	
S29-2	L4513A24	J246-P	S7052-11010-041	
S29-3	L4512A24	J200-b	S7052-11010-041	
S29-3	L4512D24	J246-R	S7052-11010-041	
S29-4	L4504A24	TB2-3	S7052-11010-041	
S29-5	L4514A24	J246-N	S7052-11010-041	
S29-6	L4505E24	TB2-4	S7052-11010-041	
S29-6	L4505F24	J231-G	S7052-11010-041	
S3-1	M357A20	TB2-5	S7052-11010-041	
S3-1	M374A20	J200-e	S7052-11010-041	
S3-2	M364A20	TB1-4	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S3-3	M356A20	J200-D	S7052-11010-041	
S3-4	M358A20	TB2-6	S7052-11010-041	
S3-4	M360A20	J200-F	S7052-11010-041	
S3-5	M355B20N	S1-1	S7052-11010-041	
S3-6	M359A20	J200-E	S7052-11010-041	
S30-2	F3950B18	J126-m	S7052-11010-041	
S30-3	F3953A18	J246-m	S7052-11010-041	
S30-5	F3951B18	J127-m	S7052-11010-041	
S30-6	F3954A18	J231-m	S7052-11010-041	
S30-8	F3952B24	J127-R	S7052-11010-041	
S30-9	F3955A24	J230-u	S7052-11010-041	
S31-1	W3393A20	S31-5	S7052-11010-041	
S31-2	W3389A20	CB324-1	S7052-11010-041	
S31-2	W3394A20	J222-S	S7052-11010-041	
S31-3	W3391A20	J200-U	S7052-11010-041	
S31-3	W3391G20	J230-B	S7052-11010-041	
S31-5	W3393A20	S31-1	S7052-11010-041	
S31-6	W3390A20	J200-T	S7052-11010-041	
S33-1	E2043C24	J246-X	S7052-11010-041	
S33-2	E2040C24	J246-V	S7052-11010-041	
S33-3	E2041C24	J246-W	S7052-11010-041	
S35-1	J3002BB20	J198-H	S7062-11014-043	
S35-5	J3001A20	J121-d	S7062-11014-043	
S35-C1	J3003AA20	J198-J	S7062-11014-043	
S35-C2	J3000A20	J121-b	S7062-11014-043	
S39-2	L4465C24	P230-X	S7052-12006-041	
S39-3	L3657A24	SA143-1	S7052-12006-041	
S4-1	V276A24	J200-P	S7052-11010-041	
S4-1	V276C24	S102-NO	S7052-11010-041	
S4-2	V275G24	S102-NC	S7052-11010-041	
S4-3	Q3206B20	J246-C	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S4-3	V277A24	J200-R	S7052-11010-041	
S42-NC	L3981A20	P247-H	S7052-12007-041	
S42-COM	L3980C20	P248-H	S7052-12007-041	
S43-1	D5884A20N	GNDS43-1	S7052-12005-041	
S43-2	D5881D20	SG138-8	S7052-12005-041	
S47-11	M4352B24A	J127-K	S7052-11010-041	
S47-12	M4355A24	S47-41	S7052-11010-041	
S47-12	M4355B24	J280-F	S7052-11010-041	
S47-13	M4354A24	J280-G	S7052-11010-041	
S47-18	M4353A24	J280-H	S7052-11010-041	
S47-21	M4351B24B	J127-J	S7052-11010-041	
S47-22	M4358A24	S47-43	S7052-11010-041	
S47-22	M4358B24	J280-B	S7052-11010-041	
S47-23	M4357A24	J280-A	S7052-11010-041	
S47-28	M4356A24	J280-E	S7052-11010-041	
S47-31	M4350B24C	J127-H	S7052-11010-041	
S47-32	M4360A24	S47-38	S7052-11010-041	
S47-33	M4359A24	J280-C	S7052-11010-041	
S47-38	M4360A24	S47-32	S7052-11010-041	
S47-38	M4360B24	S47-47	S7052-11010-041	
S47-41	M4355A24	S47-12	S7052-11010-041	
S47-43	M4358A24	S47-22	S7052-11010-041	
S47-47	M4360B24	S47-38	S7052-11010-041	
S47-47	M4360C24	J280-D	S7052-11010-041	
S5-2	H3335C20	S18-2	S7052-11010-041	
S5-3	H3338A20	J231-c	S7052-11010-041	
S6-2	H3333B20	J126-R	S7052-11010-041	
S6-3	H3334A20	J222-N	S7052-11010-041	
S66-2	H4317B24	J126-p	S7052-11010-041	
S66-3	H4318A24	J126-q	S7052-11010-041	
S67-2	L6960B24	J126-D	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S67-3	L6961A24	J200-N	S7052-11010-041	
S69-2	L3608B24	J126-C	S7052-11010-041	
S69-3	L3616A24	J246-b	S7052-11010-041	
S7-1	X63E24	J126-X	S7052-11010-041	
S7-1	X63F20	S7-3	S7052-11010-041	
S7-2	X68D24	J126-b	S7052-11010-041	
S7-3	X63F20	S7-1	S7052-11010-041	
S7-4	X65D24	J126-Y	S7052-11010-041	
S7-5	X67D24	J126-a	S7052-11010-041	
S7-6	X66A24	J126-Z	S7052-11010-041	
S8-1	V99A20	S8-3	S7052-11010-041	
S8-1	V99B24	J231-d	S7052-11010-041	
S8-2	X105D24	J231-h	S7052-11010-041	
S8-3	V99A20	S8-1	S7052-11010-041	
S8-4	V98A24	J231-e	S7052-11010-041	
S8-5	V106D24	J231-g	S7052-11010-041	
S8-6	V107A24	J231-f	S7052-11010-041	
S87-G	JMPRS87-G-24	S87-G	S7062-11007-041	
S87-G	JMPRS87-G-24	S87-G	S7062-11007-041	
S87-G	1C11746-84A24	SG124R-2	S7062-11007-041	
S87-1	JMPRS87-1-24	S87-2	S7062-11007-041	
S87-1	1C11746-85A24	SG124R-4	S7062-11007-041	
S87-2	JMPRS87-1-24	S87-1	S7062-11007-041	
S88-G	JMPRS88-G-24	S88-G	S7062-11007-041	
S88-G	JMPRS88-G-24	S88-G	S7062-11007-041	
S88-G	2C11746-91B24	SGP175-1	S7062-11007-041	
S88-1	JMPRS88-1-24	S88-2	S7062-11007-041	
S88-1	2C11746-81B24	SGP175-4	S7062-11007-041	
S88-2	JMPRS88-1-24	S88-1	S7062-11007-041	
S9-1	X56A20	S9-3	S7052-11010-041	
S9-1	X56B24	J230-t	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
S9-2	X57A24	J230-a	S7052-11010-041	
S9-3	X56A20	S9-1	S7052-11010-041	
S9-4	X53D24	J230-s	S7052-11010-041	
S9-5	X58A24	J230-b	S7052-11010-041	
S9-6	X55F24	J230-r	S7052-11010-041	
TB1-1	L4450J24	J230-K	S7052-11010-041	
TB1-1	L4450K24	TB2-1	S7052-11010-041	
TB1-2	*M364A	-	S7052-11010-041	
TB1-2	L4451B24N	GG2-2	S7052-11010-041	
TB1-3	L3560A14	CB309-1	S7052-11010-041	
TB1-3	L3560B14	J245-C	S7052-12005-041	
TB1-4	M364A20	S3-2	S7052-11010-041	
TB1-5	M365B20	SG267-1	S7052-12005-041	
TB1-7	Q3214B20	J231-C	S7052-11010-041	
TB1-8	Q3204D20	J231-D	S7052-11010-041	
TB1A-1	H4308B18B	TB1B-5	S7052-12005-041	
TB1A-1	H4301B18B	TB1B-5	S7052-12006-041	
TB1A-3	H4311B20	TB1B-8	S7052-12005-041	
TB1A-3	H4304B20	TB1B-8	S7052-12006-041	
TB1A-4	H4310B20	TB1B-7	S7052-12005-041	
TB1A-4	H4305B20	TB1B-7	S7052-12006-041	
TB1B-5	H4308A14B	P274-G	S7052-12005-041	
TB1B-5	H4308B18B	TB1A-1	S7052-12005-041	
TB1B-5	H4301A14B	P270-G	S7052-12006-041	
TB1B-5	H4301B18B	TB1A-1	S7052-12006-041	
TB1B-7	H4310A20	P275-E	S7052-12005-041	
TB1B-7	H4310B20	TB1A-4	S7052-12005-041	
TB1B-7	H4305A20	P271-E	S7052-12006-041	
TB1B-7	H4305B20	TB1A-4	S7052-12006-041	
TB1B-8	H4311A20	P275-A	S7052-12005-041	
TB1B-8	H4311B20	TB1A-3	S7052-12005-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TB1B-8	H4304A20	P271-A	S7052-12006-041	
TB1B-8	H4304B20	TB1A-3	S7052-12006-041	
TB1C-2	H4309A14A	P274-A	S7052-12005-041	
TB1C-2	H4300A14A	P270-A	S7052-12006-041	
TB1D-6	H4307A14C	P274-F	S7052-12005-041	
TB1D-6	H4302A14C	P270-F	S7052-12006-041	
TB10-1	X117B10C	K2-C2	70552-02109-072	
TB10-1	X117C10C	CB1A-C2	70552-02121-046	
TB10-2	X116B10B	K2-B2	70552-02109-072	
TB10-2	X116C10B	CB1A-B2	70552-02121-046	
TB10-3	X115B10A	K2-A2	70552-02109-072	
TB10-3	X115C10A	CB1A-A2	70552-02121-046	
TB10-4	P575G10	CB12A-2	70552-02121-046	
TB11-1	P577G10	CB18A-2	70552-02121-046	
TB11-2	X109B10A	CB404-A1	70552-02109-074	
TB11-2	X109C10A	CB33A-A1	70552-02121-046	
TB11-3	X110B10B	CB404-B1	70552-02109-074	
TB11-3	X110C10B	CB33A-B1	70552-02121-046	
TB11-4	X111B10C	CB404-C1	70552-02109-074	
TB11-4	X111C10C	CB33A-C1	70552-02121-046	
TB2-1	L4450K24	TB1-1	S7052-11010-041	
TB2-2	L4451A24N	GG2-2	S7052-11010-041	
TB2-2	L4527B20N	1J3-GND	S7052-11010-041	
TB2-3	L4504A24	S29-4	S7052-11010-041	
TB2-4	L4505A24	J230-G	S7052-11010-041	
TB2-4	L4505E24	S29-6	S7052-11010-041	
TB2-4	L4505J24	J230-F	S7052-11010-041	
TB2-5	M357A20	S3-1	S7052-11010-041	
TB2-5	M357B20	J273-A	S7052-12006-041	
TB2-6	M358A20	S3-4	S7052-11010-041	
TB2-6	M358B20	J273-B	S7052-12006-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TB2-7	Q3211B20	J246-A	S7052-11010-041	
TB2-8	Q3213B20	J246-D	S7052-11010-041	
TB2-9	Q3212B20	S19-1	S7052-11010-041	
TB200-1	M970A12N	GDT200-1	S7052-12001-042	
TB200-2	M630A20	P226-k	S7052-12001-042	
TB200-3	JMPRTB200-3-14	SG200-1	S7052-12001-042	
TB200-4	M627A20	P226-Y	S7052-12001-042	
TB200-5	M625A20	P226-Z	S7052-12001-042	
TB200-6	M628A20	P226-a	S7052-12001-042	
TB200-7	M626A20	P226-b	S7052-12001-042	
TB200-8	M629A20	P226-p	S7052-12001-042	
TB200-9	JMPRTB200-9-14	SG200-1	S7052-12001-042	
TB24-1	JMPRTB24-06	TLCR96-1	70552-02142-041	
TB3-1	H6458E20	TB7-1	70552-02116-041	
TB3-1	H6458D20	J329-E	70552-02124-062	
TB3-2	H6370C08A	TB7-2	70552-02116-041	
TB3-2	H6370A20	J329-A	70552-02124-062	
TB3-3	H6373C20	TB7-3	70552-02116-041	
TB3-3	H6373A20	J329-D	70552-02124-062	
TB3-4	H6371C08B	TB7-4	70552-02116-041	
TB3-4	H6371A20	J329-B	70552-02124-062	
TB3-5	H6372C08C	TB7-5	70552-02116-041	
TB3-5	H6372A20	J329-C	70552-02124-062	
TB5-1	X8E06A	GENAPU-T1	70552-02110-041	
TB5-1	X8D06A	K3-C1	70552-02110-042	
TB5-3	X9E06B	GENAPU-T2	70552-02110-041	
TB5-3	X9D06B	K3-B1	70552-02110-042	
TB5-5	X10E06C	GENAPU-T3	70552-02110-041	
TB5-5	X10D06C	K3-A1	70552-02110-042	
TB6-1	L4450C24	SGJ219-1	S7052-11011-041	
TB6-2	L4454A20N	GG1-5	S7052-11011-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TB7-1	H6458E20	TB3-1	70552-02116-041	
TB7-2	H6370C08A	TB3-2	70552-02116-041	
TB7-3	H6373C20	TB3-3	70552-02116-041	
TB7-4	H6371C08B	TB3-4	70552-02116-041	
TB7-5	H6372C08C	TB3-5	70552-02116-041	
TB7-6	H6369A20N	GNDS3-1	70552-02116-041	
TB7A-2	H4319A14A	P383-A	S7052-12005-041	
TB7A-3	H4322B20	TB7B-8	S7052-12005-041	
TB7A-4	H4323B20	TB7B-7	S7052-12005-041	
TB7B-6	H4321A14C	P383-F	S7052-12005-041	
TB7B-7	H4323A20	P384-E	S7052-12005-041	
TB7B-7	H4323B20	TB7A-4	S7052-12005-041	
TB7B-8	H4322A20	P384-A	S7052-12005-041	
TB7B-8	H4322B20	TB7A-3	S7052-12005-041	
TB7C-1	H4320B18B	TB7D-5	S7052-12005-041	
TB7D-5	H4320A14B	P383-G	S7052-12005-041	
TB7D-5	H4320B18B	TB7C-1	S7052-12005-041	
TJ115A-A	L3111A22	P134R-U	S7062-11014-043	
TJ115A-B	L3113A22	P659R-G	S7062-11014-043	
TJ115A-C	APX100-044A22	BOMB98-1	S7062-11014-043	
TJ115A-D	APR39-29A24	BOMB93-1	S7062-11014-043	
TJ115A-E	L9099A22	P124R-J	S7062-11007-041	
TJ115A-F	XM130-15A22	BOMB94-1	S7062-11014-043	
TJ115A-G	L4529F22	SG4R-4	S7052-11011-041	
TJ115A-H	L4529G22	SG4R-4	S7052-11011-041	
TJ115A-J	L3646H22	P134-b	S7062-11014-043	
TJ115A-K	L4531A22	P645-V	S7052-11011-041	
TJ115A-L	L4636J24	P133-A	S7062-11014-043	
TJ115A-N	L9099C22	P220R-J	S7062-12001-041	
TJ115A-P	L9099D22	P204R-J	S7062-12001-041	
TJ115A-R	L9099E22	P207R-J	S7062-12001-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TJ115A-S	L9099B22	P175R-J	S7062-11007-041	
TJ115A-Z	PLA-03A22	P145R-C	S7062-11011-041	
TJ5VA-A	JMPRTJ5VA-A-20	SGTJ5A-1	S7062-11014-043	
TJ5VA-B	JMPRTJ5VA-B-20	SGTJ5A-1	S7062-11014-043	
TJ5VA-C	JMPRTJ5VA-C-20	SGTJ5A-2	S7062-11014-043	
TJ5VA-D	JMPRTJ5VA-D-20	SGTJ5A-2	S7062-11014-043	
TJ5VA-E	CDU-600A22	P1011R-1	S7062-11014-043	
TJ5VA-F	CDU-605A22	P140R-1	S7062-11014-043	
TJ5VA-G	L3663B22	P132-M	S7062-11014-043	
TJ5VA-H	LHSTCTL22	P218-C	S7052-12001-042	
TJ5VA-J	APX100-044A22	BOMB98-1	S7062-11006-041	
TJ5VA-K	L1003A22	P207-1	S7052-12001-042	
TJ5VB-A	JMPRTJ5VB-A-20	SGTJ5B-1	S7062-11014-043	
TJ5VB-B	JMPRTJ5VB-B-20	SGTJ5B-1	S7062-11014-043	
TJ5VB-C	JMPRTJ5VB-C-20	SGTJ5B-2	S7062-11014-043	
TJ5VB-D	JMPRTJ5VB-D-20	SGTJ5B-2	S7062-11014-043	
TJ5VB-E	CDU-603A22	P1012R-1	S7062-11014-043	
TJ5VB-F	ARC222-200A22	P110R-n	S7062-11001-041	
TJ5VB-G	FLIR-16A22	P214R-9	S7062-11013-042	
TJ5VB-H	L1005A22	P226-h	S7052-12001-042	
TJ5VB-J	L9946K24	BOMB30-1	S7062-11014-043	
TJ5VB-K	M63030A22	P170-N	S7052-12001-042	
TJ5VB-L	H808A22	P356-N	S7052-12001-042	
TK16A2-1	P577D10	TLTB11-1	70552-02109-075	
TK16A2-2	P577E10	TLTB11-2	70552-02109-075	
TK16A2-3	P577F10	TLTB11-3	70552-02109-075	
TLCR96-1	JMPRTB24-06	TB24-1	70552-02142-041	
TLGG4-1	*D5887A	-	S7052-12006-041	
TLGG4-2	*D5888A	-	S7052-12006-041	
TLGND-1	P569A10N	1CONVN-1	70552-02109-062	
TLGND-2	P569B10N	1CONVN-2	70552-02109-062	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TLGND-3	P569C10N	1CONVN-3	70552-02109-062	
TLGND1-1	P570A10N	2CONVN-1	70552-02109-069	
TLGND1-2	P570B10N	2CONVN-2	70552-02109-069	
TLGND1-3	P570C10N	2CONVN-3	70552-02109-069	
TLK200-1	P582A10	TL25-1-1	S7052-11001-045	
TLK200-1	P582B10	TL25-1-1	S7052-11001-045	
TLK6A1-1	P575D10	TLTB10-1	70552-02109-073	
TLK6A1-2	P575E10	TLTB10-2	70552-02109-073	
TLK6A1-3	P575F10	TLTB10-3	70552-02109-073	
TLNEG-1	P524A10N	GND140-1	S7052-11001-044	
TLNEG-1	P524B10N	GND140-1	S7052-11001-044	
TLPOS-1	P519A10	K7-A2	S7052-11001-044	
TLPOS-1	P519D10	TLTB24-1	S7052-11001-044	
TLPOS-1	P519E10	TLTB24-1	S7052-11001-044	
TLTB10-1	P575D10	TLK6A1-1	70552-02109-073	
TLTB10-2	P575E10	TLK6A1-2	70552-02109-073	
TLTB10-3	P575F10	TLK6A1-3	70552-02109-073	
TLTB11-1	P577D10	TK16A2-1	70552-02109-075	
TLTB11-2	P577E10	TK16A2-2	70552-02109-075	
TLTB11-3	P577F10	TK16A2-3	70552-02109-075	
TLTB24-1	P519D10	TLPOS-1	S7052-11001-044	
TLTB24-1	P519E10	TLPOS-1	S7052-11001-044	
TLT3LV-1	L4528A20	P288-E	S7052-11010-041	
TLT3LV-2	L4528B20	SG1J2-1	S7052-11010-041	
TLT3LV-3	L4528E20	SGT3-1	S7052-11010-041	
TLT5LV-1	L3645A18	J246-g	S7052-11010-041	
TLT5LV-2	L3645D18	J280-K	S7052-11010-041	
TLT6LV-1	L3647A18	J246-a	S7052-11010-041	
TLT6LV-2	L3647D18	J246-n	S7052-11010-041	
TLT7LV-1	L3646K24	J231-U	S7052-11010-041	
TLT7LV-2	L3646A18	J280-L	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
TL25-1-1	P582A10	TLK200-1	S7052-11001-045	
TL25-1-1	P582B10	TLK200-1	S7052-11001-045	
TL25-2-1	P583A10	CNTRA2-1	70552-02109-078	
TL25-2-1	P583B10	CNTRA2-1	70552-02109-078	
TL33-A-1	MFD00122N	P1018R-9	S7052-11008-042	
TL33-A-1	MFD00222N	P1018R-6	S7052-11008-042	
TL33-A-1	MFD00322N	P1018R-7	S7052-11008-042	
TL33-A-1	MFD9922N	P1018R-10	S7052-11008-042	
TL33-B-1	MFD00922N	P1017R-6	S7052-11008-042	
TL33-B-1	MFD01022N	P1017R-7	S7052-11008-042	
TL33-B-1	MFD01322N	P1017R-10	S7052-11008-042	
TL33-B-1	MFD01422N	P1017R-9	S7052-11008-042	
TL33-C-1	MFD00422N	P1018R-8	S7052-11008-042	
TL33-C-1	MFD00522N	P1018R-20	S7052-11008-042	
TL33-C-1	MFD01122N	P1017R-8	S7052-11008-042	
TL33-C-1	MFD01222N	P1017R-20	S7052-11008-042	
TL33-1-1	D7000A22N	P195-2	S7052-11008-042	
TL33-1-2	D7001A22N	P195-5	S7052-11008-042	
TL33-8-1	D7004A22N	P186-2	S7052-11008-042	
TL33-8-2	D7005A22N	P186-5	S7052-11008-042	
TL331A-1	LT502A20N	T15-G	S7052-11008-042	
TL331A-1	L4466A24N	J162-B	S7052-11008-042	
TL331A-2	L4466F24N	J162-D	S7052-11008-042	
TR501-A	F442C22	J26R-E	70602-03410-041	
TR501-B	F441C22	J26R-D	70602-03410-041	
TR501-C	F440C22	J26R-C	70602-03410-041	
TR501-D	F450F22	J26R-A	70602-03410-041	
TR501-E	F443C22	J26R-G	70602-03410-041	
TR501-F	*CBL1 (J26R/TR501)	-	70602-03410-041	
T1-G	154-0-24	GND1-P	70552-02131-042	
T1-G	147-0-24	GND1-T	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
T1-A1	49-935-24	J243-X	70552-02131-042	
T1-A1	57-936-24	J241-d	70552-02132-044	
T1-A2	72-9015-24	J242-b	70552-02131-042	
T1-A2	61-946-24	J241-f	70552-02132-044	
T1-X1	JMPR3-18	T1-X3	70552-02131-042	
T1-X1	JMPR7-18	T1-X3	70552-02132-044	
T1-X1	58-937-18	J241-m	70552-02132-044	
T1-X2	73-9016-20	J242-K	70552-02131-042	
T1-X2	60-945-20	J241-c	70552-02132-044	
T1-X3	JMPR3-18	T1-X1	70552-02131-042	
T1-X3	75-9018-18	J242-r	70552-02131-042	
T1-X3	JMPR7-18	T1-X1	70552-02132-044	
T1-X4	74-9017-18	J242-m	70552-02131-042	
T1-X4	90-938-18	J241-r	70552-02132-044	
T10-T1	X34H24	J333-H	70552-02124-058	
T10-T2	X36H24	J333-F	70552-02124-058	
T10-T3	X38H24	J333-D	70552-02124-058	
T10-T4	X35D24	J333-G	70552-02124-058	
T10-T5	X37D24	J333-E	70552-02124-058	
T10-T6	X39D24	J333-C	70552-02124-058	
T11-G	L4527BB20N	SGGG2-1	S7052-11010-041	
T11-HV	L4521B20	J127-D	S7052-11010-041	
T11-LV	L4529A20	J246-Z	S7052-11010-041	
T12-HV	X18D20	J210-M	70552-02101-043	
T12-LV	X64A20	J210-N	70552-02101-043	
T12-GND	X54A20N	GG5-2	70552-02101-043	
T13-T1	X83A20	J209-A	70552-02101-043	
T13-T2	X85A20	J209-C	70552-02101-043	
T13-T3	X87A20	J209-E	70552-02101-043	
T13-T4	X84A20	J209-B	70552-02101-043	
T13-T5	X86A20	J209-D	70552-02101-043	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
T13-T6	X88A20	J209-F	70552-02101-043	
T14-T1	H6377A20	J329-H	70552-02124-062	
T14-T2	H6376A20	J329-G	70552-02124-062	
T14-T3	H6375A20	J329-F	70552-02124-062	
T14-T4	H6378C20	SGT14-1	70552-02124-062	
T14-T5	H6378B20	SGT14-1	70552-02124-062	
T14-T6	H6378A20	SGT14-1	70552-02124-062	
T14A-T1	H6395B20N	GND51-1	70552-02124-062	
T14A-T1	JMPRT14A-220	T14A-T2	70552-02124-062	
T14A-T2	JMPRT14A-120	T14A-T3	70552-02124-062	
T14A-T2	JMPRT14A-220	T14A-T1	70552-02124-062	
T14A-T3	JMPRT14A-120	T14A-T2	70552-02124-062	
T14A-T4	H6455A20	J329-T	70552-02124-062	
T14A-T5	H6454A20	J329-S	70552-02124-062	
T14A-T6	H6453A20	J329-R	70552-02124-062	
T15-G	LT502A20N	TL331A-1	S7052-11008-042	
T15-HV	LT500C20	P198-M	S7052-11008-042	
T15-LV	LT501A16	SATJ5V-1	S7052-11008-042	
T15-LV	LT501C16	SATJ5V-1	S7052-11008-042	
T15-LV	LT501E16	SATJ5V-2	S7052-11008-042	
T15-LV	LT501G16	SATJ5V-2	S7052-11008-042	
T2-T1	X19A20	J201-R	70552-02100-045	
T2-T2	X20A20A	J201-S	70552-02100-045	
T2-T3	X21A20	J201-T	70552-02100-045	
T2-T4	X22A20	J201-N	70552-02100-045	
T2-T5	X23A20	J201-M	70552-02100-045	
T2-T6	X24A20	J201-L	70552-02100-045	
T3-G	L4527A20N	SGGG2-1	S7052-11010-041	
T3-G	L4527D20N	1J4-GND	S7052-11010-041	
T3-HV	L4520B20	J127-W	S7052-11010-041	
T3-T1	X38A20	J202-E	70552-02100-045	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
T3-T1	X34G20	P333-H	70552-02170-041	
T3-T2	X36A20	J202-C	70552-02100-045	
T3-T2	X36G20	P333-F	70552-02170-041	
T3-T3	X34A20	J202-A	70552-02100-045	
T3-T3	X38G20	P333-D	70552-02170-041	
T3-T4	X39A20	J202-F	70552-02100-045	
T3-T4	X35C20	P333-G	70552-02170-041	
T3-T5	X37A20	J202-D	70552-02100-045	
T3-T5	X37C20	P333-E	70552-02170-041	
T3-T6	X35A20	J202-B	70552-02100-045	
T3-T6	X39C20	P333-C	70552-02170-041	
T4-G	L4462B24N	GG2-1	S7052-11010-041	
T4-HV	L4461B24	J127-F	S7052-11010-041	
T4-LV	L4463A24	J230-E	S7052-11010-041	
T5-G	L3653B22N	GG2-4	S7052-11010-041	
T5-HV	L3642B22	J127-V	S7052-11010-041	
T6-A	L402A20	J230-j	S7052-11010-041	
T6-B	L401A20	J230-i	S7052-11010-041	
T6-G	L3653C22N	GG2-4	S7052-11010-041	
T6-HV	L3640B22	J126-h	S7052-11010-041	
T7-G	L3653A22N	GG2-4	S7052-11010-041	
T7-HV	L3641B22	J126-i	S7052-11010-041	
T9-A	L3611A24	J246-L	S7052-11010-041	
T9-B	L3610A24	J246-M	S7052-11010-041	
T9-C	L3613A24	J246-K	S7052-11010-041	
T9-G	L3603A24N	GG2-1	S7052-11010-041	
T9-HV	L3600B24	J126-G	S7052-11010-041	
T9-LV	L3601A24	J126-H	S7052-11010-041	
U1-1	127-2-24	K46-D1	70552-02131-042	
U1-1	39-916-22	J244-P	70552-02132-044	
U1-2	130-9156-24	J243-M	70552-02131-042	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
U1-2	9-95-24	J900-P	70552-02132-044	
U1-3	129-9148-24	J902-t	70552-02131-042	
U1-3	10-96-24	J900-X	70552-02132-044	
U1-4	128-9147-24	K46-D2	70552-02131-042	
U1-4	85-906-20	K24-C1	70552-02132-044	
U1-5	131-9157-24	J902-v	70552-02131-042	
U1-5	22-907-20	J313-D	70552-02132-044	
U1-6	132-9146-24	J902-u	70552-02131-042	
U1-6	156-9146-20	J243-H	70552-02131-042	
U1-6	23-908-20	J313-G	70552-02132-044	
U1-7	133-9158-24	J902-EE	70552-02131-042	
U1-7	25-912-20	K24-B1	70552-02132-044	
U1-8	134-9167-24	J902-r	70552-02131-042	
U1-8	38-0-22	J244-N	70552-02132-044	
U1-9	135-9168-24	J902-w	70552-02131-042	
U1-9	11-97-22	J900-U	70552-02132-044	
U1-10	136-2-24	J902-AA	70552-02131-042	
U1-10	12-98-22	J900-T	70552-02132-044	
U1-11	137-9178-24	J902-x	70552-02131-042	
U1-11	13-901-22	J900-W	70552-02132-044	
U1-12	138-9234-24	J902-y	70552-02131-042	
U1-12	14-902-22	J900-V	70552-02132-044	
U1-13	139-9235-24	J902-z	70552-02131-042	
U1-13	31-0-22	GND1-M	70552-02132-044	
U1-13	32-0-22	K24-X2	70552-02132-044	
U1-14	140-2-24	J902-s	70552-02131-042	
U1-15	141-9236-24	J1-23	70552-02131-042	
U1-16	142-0-24	GND1-J	70552-02131-042	
U1-17	45-928-24	J243-J	70552-02131-042	
U1-17	46-928-20	J243-K	70552-02131-042	
U2-1	JMPR-U2-1-20	SGU2-1	70552-02132-044	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
U2-2	98-9037-20	J900-e	70552-02132-044	
U2-3	94-9034-20	J244-d	70552-02132-044	
U2-4	105-9056-20	J244-Y	70552-02132-044	
U2-5	106-9057-20	J241-K	70552-02132-044	
U2-6	111-9078-20	J244-b	70552-02132-044	
U2-7	JMPR-U2-7-20	SGU2-2	70552-02132-044	
U2-8	95-9035-20	J244-H	70552-02132-044	
U2-9	96-9036-20	J244-D	70552-02132-044	
U2-10	JMPR-U2-10-20	SGU2-3	70552-02132-044	
U2-11	92-9027-20	J900-a	70552-02132-044	
U2-12	97-2-20	J900-d	70552-02132-044	
U2-13	93-9028-20	J244-e	70552-02132-044	
U2-14	103-9048-20	J241-k	70552-02132-044	
U2-15	99-9038-20	J900-f	70552-02132-044	
U2-16	100-9045-20	J900-b	70552-02132-044	
U2-17	JMPR-U2-17-20	SGU2-4	70552-02132-044	
U2-18	JMPR-U2-18-20	SGU2-5	70552-02132-044	
U2-19	107-9058-20	J244-Z	70552-02132-044	
U2-20	113-9124-20	J244-c	70552-02132-044	
U2-21	118-9128-20	E14-T	70552-02132-044	
U2-22	112-9123-20	J241-M	70552-02132-044	
U2-23	115-0-20	SG1-l	70552-02132-044	
U2-24	101-9046-20	J244-g	70552-02132-044	
U2-25	102-9047-20	J244-f	70552-02132-044	
U2-26	139-9156-20	J900-h	70552-02132-044	
U2-27	146-917-20	J900-i	70552-02132-044	
XK301-A2	J298-AXK301-A2-20	J298-A	S7052-12003-041	
XK301-A3	J298-mxK301-A320	J298-m	S7052-12003-041	
XK301-B2	SGK301-1XK301B220	SGK301-1	S7052-12003-041	
XK301-B3	J298-CXK301-B3-20	J298-C	S7052-12003-041	
XK301-X1	XK301-X1E2-T-20	E2-T	S7052-12003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
XK301-X2	SGK301-1XK301X220	SGK301-1	S7052-12003-041	
XK302-B2	SGK302-3XK302B220	SGK302-3	S7052-12003-041	
XK302-B3	XK302B3XK312-B120	XK312-B1	S7052-12003-041	
XK302-X1	J298-MXK302-X1-20	J298-M	S7052-12003-041	
XK302-X2	SGK302-1XK302X220	SGK302-1	S7052-12003-041	
XK303-A1	J298-EXK303-A1-20	J298-E	S7052-12003-041	
XK303-A2	J298-FXK303-A2-20	J298-F	S7052-12003-041	
XK303-X1	J298-BXK303-X1-20	J298-B	S7052-12003-041	
XK303-X2	XK303-X2-E5-T-20	E5-T	S7052-12003-041	
XK304-B1	SGK302-3XK304B120	SGK302-3	S7052-12003-041	
XK304-B2	XK304-B2XK305B120	XK305-B1	S7052-12003-041	
XK304-X1	J298-RXK304-X1-20	J298-R	S7052-12003-041	
XK304-X2	SGK304-1XK304X220	SGK304-1	S7052-12003-041	
XK305-B1	XK304-B2XK305B120	XK304-B2	S7052-12003-041	
XK305-B2	XK305-B2SGK305220	SGK305-2	S7052-12003-041	
XK305-X1	J298-SXK305-X1-20	J298-S	S7052-12003-041	
XK305-X2	SGK305-1XK305X220	SGK305-1	S7052-12003-041	
XK306-A1	J297-AXK306-A1-16	J297-A	S7052-12003-041	
XK306-A2	J297-KXK306-C2-16	J297-K	S7052-12003-041	
XK306-B1	J297-BXK306-B1-16	J297-B	S7052-12003-041	
XK306-B2	J297-LXK306-B2-16	J297-L	S7052-12003-041	
XK306-C1	J297-CXK306-C1-16	J297-C	S7052-12003-041	
XK306-C2	J297-MXK306-C2-16	J297-M	S7052-12003-041	
XK306-X1	SGK306-2XK306X116	SGK306-2	S7052-12003-041	
XK306-X2	SGK306-1XK306X216	SGK306-1	S7052-12003-041	
XK307-A1	J297-RXK307-A1-16	J297-R	S7052-12003-041	
XK307-A2	J297-PXK307-A2-16	J297-P	S7052-12003-041	
XK307-B1	J297-SXK307-B1-16	J297-S	S7052-12003-041	
XK307-B2	J297-NXK307-B2-16	J297-N	S7052-12003-041	
XK307-X1	SGK306-2XK307X116	SGK306-2	S7052-12003-041	
XK307-X2	SGK306-1-K307X216	SGK306-1	S7052-12003-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
XK308-A1	J297-DXK308-A1-16	J297-D	S7052-12003-041	
XK308-A2	J297-JXK308-A2-16	J297-J	S7052-12003-041	
XK308-B1	J297-EXK308-B1-16	J297-E	S7052-12003-041	
XK308-B2	J297-HXK308-B2-16	J297-H	S7052-12003-041	
XK308-C1	J297-FXK308-C1-16	J297-F	S7052-12003-041	
XK308-C2	J297-GXK308-B2-16	J297-G	S7052-12003-041	
XK308-X1	J298-KXK308-X1-20	J298-K	S7052-12003-041	
XK308-X2	SGK308-1XK308X220	SGK308-1	S7052-12003-041	
XK309-A1	SGK309-1XK309A120	SGK309-1	S7052-12003-041	
XK309-A2	J298-PXK309-A2-20	J298-P	S7052-12003-041	
XK309-X1	J298-NXK309-X1-20	J298-N	S7052-12003-041	
XK309-X2	SGK309-1XK309X220	SGK309-1	S7052-12003-041	
XK311-A1	J298-bxK311-A120	J298-b	S7052-12003-041	
XK311-A2	J298-YXK311-X1-20	J298-Y	S7052-12003-041	
XK311-A3	J298-cxK311-A320	J298-c	S7052-12003-041	
XK311-B1	J298-dxK311-B120	J298-d	S7052-12003-041	
XK311-B2	J298-XXK311-B2-20	J298-X	S7052-12003-041	
XK311-B3	J298-exK311-B320	J298-e	S7052-12003-041	
XK311-C1	J298-fxK311-C120	J298-f	S7052-12003-041	
XK311-C2	J298-WXK311-C2-20	J298-W	S7052-12003-041	
XK311-C3	J298-gxK311-C320	J298-g	S7052-12003-041	
XK311-D1	J298-hxK311-D120	J298-h	S7052-12003-041	
XK311-D2	J298-VXK311-D2-20	J298-V	S7052-12003-041	
XK311-D3	J298-ixK311-D320	J298-i	S7052-12003-041	
XK311-X1	J298-axK311X1-20	J298-a	S7052-12003-041	
XK311-X2	J298-ZXK311-X2-20	J298-Z	S7052-12003-041	
XK312-B1	XK302B3XK312-B120	XK302-B3	S7052-12003-041	
XK312-B2	SGK305-2XK312B220	SGK305-2	S7052-12003-041	
XK312-X1	J298-jxK312-X120	J298-j	S7052-12003-041	
XK312-X2	SGK312-1XK312X220	SGK312-1	S7052-12003-041	
XTB8-1	W3095A24	J231-S	S7052-11010-041	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
XTB8-2	W3107A24N	GG2-2	S7052-11010-041	
1CNTOR-1	P578A10	1CONVP-1	70552-02109-062	
1CNTOR-2	P578B10	1CONVP-2	70552-02109-062	
1CNTOR-3	P578C10	1CONVP-3	70552-02109-062	
1CONVN-1	P569A10N	TLGND-1	70552-02109-062	
1CONVN-2	P569B10N	TLGND-2	70552-02109-062	
1CONVN-3	P569C10N	TLGND-3	70552-02109-062	
1CONVP-1	P578A10	1CNTOR-1	70552-02109-062	
1CONVP-2	P578B10	1CNTOR-2	70552-02109-062	
1CONVP-3	P578C10	1CNTOR-3	70552-02109-062	
1GEN-G	X104A06N	GD1GEN-1	70552-02113-047	
1GEN-T1	X101A06A	K1-A1	70552-02113-047	
1GEN-T2	X102A06B	K1-B1	70552-02113-047	
1GEN-T3	X103A06C	K1-C1	70552-02113-047	
1J1-PWR	JMPRSG1J1-20	SG1J1-1	S7052-11010-041	
1J2-PWR	JMPRSG1J2-20	SG1J2-1	S7052-11010-041	
1J3-GND	L4527B20N	TB2-2	S7052-11010-041	
1J3-PWR	JMPRSG1J3-20	SG1J3-1	S7052-11010-041	
1J4-GND	L4527D20N	T3-G	S7052-11010-041	
1J4-PWR	L4528N20	SG1J1-1	S7052-11010-041	
1STUD-E1	P518C10	CB6-2	S7052-11007-041	
1STUD-E1	P518B10	K7-A1	70552-02109-064	
1STUD-E2	P519C18	CB2-2	S7052-11007-041	
1STUD-E2	P519B18	K7-A2	70552-02109-064	
1STUD-E3	P515A10	CB6-1	S7052-11007-041	
1STUD-E3	P515B10	K9-A2	70552-02109-064	
2CNTOR-1	P571A10	2CONVP-1	70552-02109-061	
2CNTOR-2	P571B10	2CONVP-2	70552-02109-061	
2CNTOR-3	P571C10	2CONVP-3	70552-02109-061	
2CONVN-1	P570A10N	TLGND1-1	70552-02109-069	
2CONVN-2	P570B10N	TLGND1-2	70552-02109-069	

EH-60L HELICOPTERS WIRE DATA LIST BY REFERENCE DESIGNATOR - Continued

REFERENCE DESIGNATOR	WIRE NUMBER	TO REFERENCE DESIGNATOR	CABLE/HARNESS PART NUMBER	MODEL EFFECTIVITY FROM/TO
2CONVN-3	P570C10N	TLGND1-3	70552-02109-069	
2CONVP-1	P571A10	2CNTOR-1	70552-02109-061	
2CONVP-2	P571B10	2CNTOR-2	70552-02109-061	
2CONVP-3	P571C10	2CNTOR-3	70552-02109-061	
2GEN-G	X4A06N	GD2GEN-1	70552-02113-048	
2GEN-T1	X1A06A	K2-A1	70552-02113-048	
2GEN-T2	X2A06B	K2-B1	70552-02113-048	
2GEN-T3	X3A06C	K2-C1	70552-02113-048	

ABBREVIATION

None Required

END OF WORK PACKAGE

By Order of the Secretary of the Army

Official:

GEORGE W. CASEY, JR.
General, United States Army
Chief of Staff

A handwritten signature in black ink, reading "Joyce E. Morrow". The signature is written in a cursive style with a large, stylized "J" and "M".

JOYCE E. MORROW
Administrative Assistant to the
Secretary of the Army
0708617

DISTRIBUTION:

To be distributed in accordance with Initial Distribution Number (IDN) 313749 requirements for TM 1-1520-237-23-18.

These are the instructions for sending an electronic 2028

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17, and 27.

From: "Whomever" <whomever@wherever.army.mil>

To: 2028@redstone.army.mil

Subject: DA Form 2028

1. From: Joe Smith
2. Unit: home
3. Address: 4300 Park
4. City: Hometown
5. St: MO
6. Zip: 77777
7. Date Sent: 19--OCT--93
8. Pub no: 55--2840--229--23
9. Pub Title: TM
10. Publication Date: 04--JUL--85
11. Change Number: 7
12. Submitter Rank: MSG
13. Submitter FName: Joe
14. Submitter MName: T
15. Submitter LName: Smith
16. Submitter Phone: 123-123-1234
17. Problem: 1
18. Page: 2
19. Paragraph: 3
20. Line: 4
21. NSN: 5
22. Reference: 6
23. Figure: 7
24. Table: 8
25. Item: 9
26. Total: 123
27. Text:

This is the text for the problem below line 27.

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is ODISC4.						Use Par reverse) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM)	DATE 8/30/02
TO: (Forward to proponent of publication or form)(Include ZIP Code) Commander, U.S. Army Aviation and Missile Command ATTN: AMSAM-MMC-MA-NP Redstone Arsenal, 35898						FROM: (Activity and location)(Include ZIP Code) MSG, Jane Q. Doe 1234 Any Street Nowhere Town, AL 34565	
PART 1 - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TM 9-1005-433-24						DATE 16 Sep 2002	TITLE Organizational, Direct Support, And General Support Maintenance Manual for Machine Gun, .50 Caliber M3P and M3P Machine Gun Electrical Test Set Used On Avenger Air Defense Weapon System
ITEM NO.	PAGE NO.	PARA-GRAPH	LINE NO. *	FIGURE NO.	TABLE NO.	RECOMMENDED CHANGES AND REASON	
1	W PG 3		2			Test or Corrective Action column should identify a different WP number.	
EXAMPLE							
* Reference to line numbers within the paragraph or subparagraph.							
TYPED NAME, GRADE OR TITLE MSG, Jane Q. Doe, SFC						TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION 788--1234	SIGNATURE

TO: (Forward direct to addressee listed in publication) Commander, U.S. Army Aviation and Missile Command ATTN: AMSAM-MMC-MA-NP Redstone Arsenal, 35898	FROM: (Activity and location) (Include ZIP Code) MSG, Jane Q. Doe 1234 Any Street Nowhere Town, AL 34565	DATE 8/30/02
--	---	------------------------

PART II – REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS

PUBLICATION NUMBER				DATE		TITLE		
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

PART III – REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)

TYPED NAME, GRADE OR TITLE MSG, Jane Q. Doe, SFC	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION 788-1234	SIGNATURE
---	---	-----------

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is ODISC4.						Use Par reverse) for Repair Parts and Spe- cial Tool Lists (RPSTL) and Supply Catalogs/ Supply Manuals (SC/SM)	DATE
TO: (Forward to proponent of publication or form)(Include ZIP Code) Commander, U.S. Army Aviation and Missile Command ATTN: AMSAM-MMC-MA-NP Redstone Arsenal, AL 35898 - 5000						FROM: (Activity and location)(Include ZIP Code)	
PART 1 - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TM 1-1520-237-23						DATE	TITLE UH-60 Maintenance
ITEM NO.	PAGE NO.	PARA- GRAPH	LINE NO. *	FIGURE NO.	TABLE NO.	RECOMMENDED CHANGES AND REASON	
* Reference to line numbers within the paragraph or subparagraph.							
TYPED NAME, GRADE OR TITLE					TELEPHONE EXCHANGE/ AUTOVON, PLUS EXTEN- SION		SIGNATURE

TO: (Forward direct to addressee listed in publication) Commander, U.S. Army Aviation and Missile Command ATTN: AMSAM-MMC-MA-NP Redstone Arsenal, AL 35898				FROM: (Activity and location) (Include ZIP Code)			DATE	
PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS								
PUBLICATION NUMBER TM 1-1520-237-23				DATE		TITLE UH-60 Maintenance		
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION
PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)								
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION			SIGNATURE	

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch
 1 decimeter = 10 centimeters = 3.94 inches
 1 meter = 10 decimeters = 39.37 inches
 1 dekameter = 10 meters = 32.8 feet
 1 hectometer = 10 dekameters = 328.08 feet
 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain
 1 decigram = 10 centigrams = 1.54 grains
 1 gram = 10 decigrams = .035 ounce
 1 decagram = 10 grams = .35 ounce
 1 hectogram = 10 decagrams = 3.52 ounces
 1 kilogram = 10 hectograms = 2.2 pounds
 1 quintal = 100 kilograms = 220.46 pounds
 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliliters = .34 fl. ounce
 1 deciliter = 10 centiliters = 3.38 fl. ounces
 1 liter = 10 deciliters = 33.81 fl. ounces
 1 dekaliter = 10 liters = 2.64 gallons
 1 hectoliter = 10 dekaliters = 26.42 gallons
 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

<i>To change</i>	<i>To</i>	<i>Multiply by</i>	<i>To change</i>	<i>To</i>	<i>Multiply by</i>
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29.573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

Temperature (Exact)

F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C
----------	---------------------------	-------------------------------	------------------------	-----------

PIN: 083236-000