

SECTION IV
PIN LISTS

SECTION IV

PIN LIST

The pin list makes it possible to identify the signals appearing on all pins of any given circuit device or printed circuit board connector. The pin list is sorted by location name and pin name. Listed with each pin group are: location name, device names, and device types. With this information, the signal on any network or connector pin can be identified. Pin numbers for the particular devices are listed along with signal names and respective pin comments. These pin comments are the same as those found in the load list for each pin.

The pin list is arranged with the bottom edge card connectors first in order by location. Following these, the

top edge card connectors are found. The top edge card connectors are also found in location order. Then, the PC board locations are given, first with the rack connector for the particular board (which matches the bottom edge connector) and then with circuit devices found on the board for the connector. The pin groups for each circuit device are listed by device location on the board. The load list groups signals found on pins that are wired together; whereas, the pin list groups different signals found on the pins of the same device or connector.

**PIN LIST FOR:
PRODUCT CODE 980A**

**DRAWING NUMBER 960687-9902
REVISION LTR A**

LOCATION				101	CIRCUIT TYPE DISC1				GATE A00*				
1	MRESETRC-	AU1A01	CCUT		8	GROUND	AU1A01	CIN		9	MRESET-	AU1A01	R2IN
12	MRESETRC-	AU1A01	R2OT		13	MRESET-	AU1A01	R1IN		16	MRESETRC-	AU1A01	R1OT
LOCATION				111	CIRCUIT TYPE 74H51N				GATE A02				
1	FORCE00	AU1A11	INA1		2			INA2		3			INB2
4			INC2		5			IND2		6			OUT2
7			GRD		8	SELOP	AU1A11	OUT1		9	SELOP-	AU1A11	INC1
10	FORCE00-	AU1A11	IND1		13	VCC1	AU1A11	INB1		14			VCC
LOCATION				112	CIRCUIT TYPE TEST				GATE A00				
1	SELJ0	AU1A12	INA		2	SELJ1	AU1A12	INB		3	SELJ2	AU1A12	INC
4	SFLJ3	AU1A12	IND		5	SELPA	AU1A12	INE		6	SELPA1	AU1A12	INF
7	SELOP	AU1A12	ING		8	SELBFR	AU1A12	INH		9	FORCE00	AU1A12	INI
10	GROUND	AU1A12	INJ		11	GROUND	AU1A12	INK		12	GROUND	AU1A12	INL
13	GROUND	AU1A12	INM		14	VCC1	AU1A12	INN		15	VCC1	AU1A12	INO
16	VCC1	AU1A12	INP										
LOCATION				113	CIRCUIT TYPE 74H51N				GATE A02				
1	FORCE00	AU1A13	INA1		2	SELJ1-	AU1A13	INA2		3	FORCE00-	AU1A13	INB2
4	VCC1	AU1A13	INC2		5	FORCE00	AU1A13	IND2		6	SELJ1	AU1A13	OUT2
7			GRD		8	SELJ2	AU1A13	OUT1		9	SELJ2-	AU1A13	INC1
10	FORCE00-	AU1A13	IND1		13	VCC1	AU1A13	INB1		14			VCC
LOCATION				115	CIRCUIT TYPE 74H52N				GATE A03				
1	SELJ0	AU1A15	INA		2	R59	AU1A15	INB		3	VCC1	AU1A15	INC
4	SELJ3	AU1A15	IND		5	R67	AU1A15	INE		7			GRD
8	NRA2	AU1A15	OUT		9	\$00001242	AU1A15	EXP		10	SELJ1	AU1A15	INF
11	R59	AU1A15	ING		12	SELJ2	AU1A15	INH		13	R59	AU1A15	INI
14			VCC										
LOCATION				118	CIRCUIT TYPE 74H52N				GATE A03				
1	SFLJ0	AU1A18	INA		2	R57	AU1A18	INB		3	VCC1	AU1A18	INC
4	SELJ3	AU1A18	IND		5	R65	AU1A18	INE		7			GRD

P I N L I S T FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72

PAGE

3

8	NRA0	AU1A18	OUT		9	\$00001251	AU1A18	EXP		10	SELJ1	AU1A18	INF
11	R57	AU1A18	ING		12	SELJ2	AU1A18	INH		13	R57	AU1A18	INI
14			VCC										

LOCATION 201

CIRCUIT TYPE 7404N

GATE A02

1	RUNFFQ-	AU1B01	IN1		2	RUNIND	AU1B01	OUT1		3	BKPTQ-	AU1B01	IN2
4	BKIND	AU1B01	OUT2		5	IDLQ-	AU1B01	IN3		6	IDLIND	AU1B01	OUT3
7			GRD		8	BKCLR-	AU1B01	OUT4		9	BKCLRSW	AU1B01	IN4
10	LRAMAX-	AU1B01	OUT5		11	LRAMAX	AU1B01	IN5		12	TERMIO-	AU1B01	OUT6
13	TERM	AU1B01	IN6		14			VCC					

LOCATION 202

CIRCUIT TYPE DISC1

GATE A00*

1	LOCKRC	AU1B02	CCUT		8	GROUND	AU1B02	CIN		9	VCC1	AU1B02	R2IN
12	LOCK	AU1B02	R2OT		13	LOCKRC	AU1B02	R1IN		16	LOCK	AU1B02	R1OT

LOCATION 208

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1B08	INA1		2	SELPA1	AU1B08	INB1		3	RAC1	AU1B08	INC1
4	VCC1	AU1B08	INA2		5	SELBFR	AU1B08	INB2		6	BFR4	AU1B08	INC2
7			GRD		8	\$00001232	AU1B08	EXP2		9	\$00001247	AU1B08	EXP1
10	\$00001247	AU1B08	EXP3		11	VCC1	AU1B08	INA3		12	SELPA	AU1B08	INB3
13	RAC1	AU1B08	INC3		14			VCC					

LOCATION 209

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC1	AU1B09	INA
2	VCC1	AU1B09	INA		3	VCC1	AU1B09	INA		4	VCC1	AU1B09	INA
5	VCC1	AU1B09	INA		6	VCC1	AU1B09	INA		7	VCC1	AU1B09	INA
8	VCC1	AU1B09	INA		9	BFR5	AU1B09	OTA*		10	ILLOP	AU1B09	OTA*
11	BFR4	AU1B09	OTA*		12	BFR1	AU1B09	OTA*		13	BFR0	AU1B09	OTA*
14	BFR2	AU1B09	OTA*		15	R59	AU1B09	OTA*		16	R57	AU1B09	OTA*

LOCATION 211

CIRCUIT TYPE 74H51N

GATE A02

1	FORCE00	AU1B11	INA1		2	SELPA-	AU1B11	INA2		3	FORCE00-	AU1B11	INB2
4	VCC1	AU1B11	INC2		5	FORCE00	AU1B11	IND2		6	SELPA	AU1B11	OUT2
7			GRD		8	SELBFR	AU1B11	OUT1		9	SELBFR-	AU1B11	INC1
10	FORCE00-	AU1B11	IND1		13	VCC1	AU1B11	INB1		14			VCC

LOCATION 212

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1B12	INA1		2	SELBFR	AU1B12	INB1		3	BFR2	AU1B12	INC1
4	VCC1	AU1B12	INA2		5	SELBFR	AU1B12	INB2		6	BFR0	AU1B12	INC2
7			GRD		8	\$00001251	AU1B12	EXP2		9	\$00001242	AU1B12	EXP1
10	\$00001251	AU1B12	EXP3		11	VCC1	AU1B12	INA3		12	SELPA1	AU1B12	INB3
13	RAC0	AU1B12	INC3		14			VCC					

LOCATION 213

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1B13	INA1		2	SELPA	AU1B13	INB1		3	RAC0	AU1B13	INC1
4	VCC1	AU1B13	INA2		5	SELPA	AU1B13	INB2		6	RAC3	AU1B13	INC2
7			GRD		8	\$00001237	AU1B13	EXP2		9	\$00001251	AU1B13	EXP1
10	\$00001242	AU1B13	EXP3		11	VCC1	AU1B13	INA3		12	SELPA	AU1B13	INB3
13	RAC2	AU1B13	INC3		14			VCC					

LOCATION 214

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1B14	INA1		2	SELPA1	AU1B14	INB1		3	RAC2	AU1B14	INC1
4	VCC1	AU1B14	INA2		5	SELPA1	AU1B14	INB2		6	RAC3	AU1B14	INC2
7			GRD		8	\$00001237	AU1B14	EXP2		9	\$00001242	AU1B14	EXP1
10	\$00001242	AU1B14	EXP3		11	RM	AU1B14	INA3		12	SELOP	AU1B14	INB3
13	VCC1	AU1B14	INC3		14			VCC					

LOCATION 215

CIRCUIT TYPE 74H52N

GATE A03

1	SELJ0	AU1B15	INA		2	R61	AU1B15	INR		3	VCC1	AU1B15	INC
4	SELJ3	AU1B15	IND		5	R69	AU1B15	INE		7			GRD
8	NRA4	AU1B15	OUT		9	\$00001232	AU1B15	EXP		10	SELJ1	AU1B15	INF
11	R65	AU1B15	ING		12	SELJ2	AU1B15	INH		13	R69	AU1B15	INI
14			VCC										

LOCATION 216

CIRCUIT TYPE 74187N

GATE A12

G			G		V			V		1	RAC1	AU1B16	ING
2	RAC2	AU1B16	INF		3	RAC3	AU1B16	INE		4	RAC4	AU1B16	IND
5	RAC7B	AU1B16	INA		6	RAC6	AU1B16	INB		7	RAC5B	AU1B16	INC
8			GRD		9	P57	AU1B16	OUT1		10	R58	AU1B16	OUT2
11	R59	AU1B16	OUT3		12	R60	AU1B16	OUT4		13	GROUND	AU1B16	ENB
14	GROUND	AU1B16	ENA		15	RAC0	AU1B16	INH		16			VCC

LOCATION 217

CIRCUIT TYPE 74187N

GATE A12

G			G		V														
2	RAC2	AU1B17	INF		3	RAC3	AU1B17	INE		4	RAC1	AU1B17	ING						
5	RAC7B	AU1B17	INA		6	RAC6	AU1B17	INB		7	RAC4	AU1B17	IND						
8			GRD		9	R65	AU1B17	OUT1		10	RAC5B	AU1B17	INC						
11	R67	AU1B17	OUT3		12	R68	AU1B17	OUT4		13	R66	AU1B17	OUT2						
14	GROUND	AU1B17	ENA		15	RAC0	AU1B17	INH		16	GROUND	AU1B17	ENB						
													VCC						

LOCATION 218

CIRCUIT TYPE 74H52N

GATE A03

1	SELJ0	AU1B18	INA		2	R60	AU1B18	INB		3	VCC1	AU1B18	INC						
4	SELJ3	AU1B18	IND		5	R68	AU1B18	INE		7			GRD						
8	NRA3	AU1B18	OUT		9	\$00001237	AU1B18	EXP		10	SELJ1	AU1B18	INF						
11	R60	AU1B18	ING		12	SELJ2	AU1B18	INH		13	R60	AU1B18	INI						
14			VCC																

LOCATION 219

CIRCUIT TYPE 74175N

GATE \$148

G			G		V														
2	RAC4	AU1B19	1Q		3	RAC4-	AU1B19	1Q-		4	VCC1	AU1B19	CLR						
5	NRA5	AU1B19	INB		6	RAC5-	AU1B19	2Q-		7	NRA4	AU1B19	INA						
8			GRD		9	GCLKF:1-	AU1B19	CLK		10	RAC5	AU1B19	2Q						
11	RAC6-	AU1B19	3Q-		12	NRA6	AU1B19	INC		13	RAC6	AU1B19	3Q						
14	RAC7-	AU1B19	4Q-		15	RAC7	AU1B19	4Q		16	NRA7	AU1B19	IND						
													VCC						

LOCATION 220

CIRCUIT TYPE TEST

GATE A00

1	NRA0	AU1B20	INA		2	NRA1	AU1B20	INB		3	NRA2	AU1B20	INC						
4	NRA3	AU1B20	IND		5	NRA4	AU1B20	INE		6	NRA5	AU1B20	INF						
7	NRA6	AU1B20	ING		8	NRA7	AU1B20	INH		9	RAC0-	AU1B20	INI						
10	RAC1-	AU1B20	INJ		11	RAC2-	AU1B20	INK		12	RAC3-	AU1B20	INL						
13	RAC4-	AU1B20	INM		14	RAC5-	AU1B20	INN		15	RAC6-	AU1B20	INO						
16	RAC7-	AU1B20	INP																

LOCATION 221

CIRCUIT TYPE 74175N

GATE \$148

G			G		V														
2	RAC0	AU1B21	1Q		3	RAC0-	AU1B21	1Q-		4	VCC1	AU1B21	CLR						
5	NRA1	AU1B21	INB		6	RAC1-	AU1B21	2Q-		7	NRA0	AU1B21	INA						
8			GRD		9	GCLKF:1-	AU1B21	CLK		10	RAC1	AU1B21	2Q						
11	RAC2-	AU1B21	3Q-		12	NRA2	AU1B21	INC		13	RAC2	AU1B21	3Q						
14	RAC3-	AU1B21	4Q-		15	RAC3	AU1B21	4Q		16	NRA3	AU1B21	IND						
													VCC						

LOCATION 301

CIRCUIT TYPE RES

GATE A02

6			GRD		V			VCC		1	VCC1	AU1C01	INA
2	VCC1	AU1C01	INA		3	VCC1	AU1C01	INA		4	VCC1	AU1C01	INA
5	VCC1	AU1C01	INA		6	VCC1	AU1C01	INA		7	VCC1	AU1C01	INA
8	VCC1	AU1C01	INA		9	RSTSW-	AU1C01	OTA*		10	SELJ3-	AU1C01	OTA*
11	MAESW-	AU1C01	OTA*		12	MADSW-	AU1C01	OTA*		13	R61	AU1C01	OTA*
14	BFR3	AU1C01	OTA*		15	LDBTSW-	AU1C01	OTA*		16	SELJ1-	AU1C01	OTA*

L O C A T I O N 302

C I R C U I T T Y P E 7413N

G A T E A02

1	VCC1	AU1C02	INA1		2	VCC1	AU1C02	INB1		4	VCC1	AU1C02	INC1
5	MRESETRC-	AU1C02	IND1		6	MRESET	AU1C02	OUT1		7			GRD
8	LOCK-	AU1C02	OUT2		9	VCC1	AU1C02	INA2		10	VCC1	AU1C02	INB2
12	VCC1	AU1C02	INC2		13	LOCKRC	AU1C02	IND2		14			VCC

L O C A T I O N 306

C I R C U I T T Y P E 74H61N

G A T E A02

1	VCC1	AU1C06	INA1		2	SELBFR	AU1C06	INB1		3	BFR3	AU1C06	INC1
4	SELBFR	AU1C06	INA2		5	VCC1	AU1C06	INB2		6	BFR7	AU1C06	INC2
7			GRD		8	\$00001217	AU1C06	EXP2		9	\$00001237	AU1C06	EXP1
10	\$00001217	AU1C06	EXP3		11	VCC1	AU1C06	INA3		12	SELPA	AU1C06	INB3
13	RAC7	AU1C06	INC3		14			VCC					

L O C A T I O N 307

C I R C U I T T Y P E 74H61N

G A T E A02

1	VCC1	AU1C07	INA1		2	SELPA	AU1C07	INB1		3	RAC5	AU1C07	INC1
4	VCC1	AU1C07	INA2		5	SELBFR	AU1C07	INB2		6	BFR5	AU1C07	INC2
7			GRD		8	\$00001227	AU1C07	EXP2		9	\$00001227	AU1C07	EXP1
10	\$00001227	AU1C07	EXP3		11	VCC1	AU1C07	INA3		12	SELPA1	AU1C07	INB3
13	RAINCS	AU1C07	INC3		14			VCC					

L O C A T I O N 308

C I R C U I T T Y P E 74H61N

G A T E A02

1	VCC1	AU1C08	INA1		2	SELPA	AU1C08	INB1		3	RAC6	AU1C08	INC1
4	VCC1	AU1C08	INA2		5	SELPA1	AU1C08	INB2		6	RAINCS	AU1C08	INC2
7			GRD		8	\$00001222	AU1C08	EXP2		9	\$00001222	AU1C08	EXP1
10	\$00001232	AU1C08	EXP3		11	VCC1	AU1C08	INA3		12	SELPA1	AU1C08	INB3
13	RAINCS	AU1C08	INC3		14			VCC					

L O C A T I O N 309

C I R C U I T T Y P E 7483N

G A T E A11

6			GND		V			VCC		1	RAC4	AU1C09	A4IN
2	RAINCS	AU1C09	SUM3		3	RAC5	AU1C09	A3IN		4	GROUND	AU1C09	B3IN
5			VCC		6	RAINCS	AU1C09	SUM2		7	GROUND	AU1C09	B2IN

N E X T P A G E I S 7

D R A W I N G N U M B E R 960687-9902 R E V I S I O N L T R A

P I N L I S T FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72 PAGE 7

8	RAC6	AU1C09	A2IN		9	RAIN7	AU1C09	SUM1		10	RAC7	AU1C09	A1IN
11	GROUND	AU1C09	B1IN		12			GND		13	VCC1	AU1C09	C IN
14			COUT		15	RAIN4	AU1C09	SUM4		16	GROUND	AU1C09	B4IN

LOCATION 310

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1C10	INA1		2	SELBFR	AU1C10	INB1		3	BFR1	AU1C10	INC1
4	VCC1	AU1C10	INA2		5	SELPA1	AU1C10	INB2		6	RAIN7	AU1C10	INC2
7			GRD		8	\$00001217	AU1C10	EXP2		9	\$00001247	AU1C10	EXP1
10	\$00001232	AU1C10	EXP3		11	VCC1	AU1C10	INA3		12	SELPA	AU1C10	INB3
13	RAC4	AU1C10	INC3		14			VCC					

LOCATION 311

CIRCUIT TYPE 74H51N

GATE A02

1	FORCE00	AU1C11	INA1		2	SELPA1-	AU1C11	INA2		3	FORCE00-	AU1C11	INB2
4	VCC1	AU1C11	INC2		5	FORCE00	AU1C11	IND2		6	SELPA1	AU1C11	OUT2
7			GRD		8	SELJO	AU1C11	OUT1		9	SELJO-	AU1C11	INC1
10	FORCE00-	AU1C11	IND1		13	VCC1	AU1C11	INB1		14			VCC

LOCATION 312

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1C12	INA1		2	SELOP	AU1C12	INB1		3	VCC1	AU1C12	INC1
4	VCC1	AU1C12	INA2		5	SELOP	AU1C12	INB2		6	SELOPRM5	AU1C12	INC2
7			GRD		8	\$00001227	AU1C12	EXP2		9	\$00001247	AU1C12	EXP1
10	\$00001232	AU1C12	EXP3		11	VCC1	AU1C12	INA3		12	SELOP	AU1C12	INB3
13	SELOPRM4	AU1C12	INC3		14			VCC					

LOCATION 314

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1C14	INA1		2	SELOP	AU1C14	INB1		3	SELOPRM6	AU1C14	INC1
4	VCC1	AU1C14	INA2		5	SELOP	AU1C14	INB2		6	SELOPRM7	AU1C14	INC2
7			GRD		8	\$00001217	AU1C14	EXP2		9	\$00001222	AU1C14	EXP1
10	\$00001237	AU1C14	EXP3		11	RM	AU1C14	INA3		12	SELOP	AU1C14	INB3
13	IRO	AU1C14	INC3		14			VCC					

LOCATION 315

CIRCUIT TYPE 74187N

GATE A12

G			G		V			V		1	RAC1	AU1C15	ING
2	RAC2	AU1C15	INF		3	RAC3	AU1C15	INE		4	RAC4	AU1C15	IND
5	RAC7B	AU1C15	INA		6	RAC6	AU1C15	INB		7	RAC5B	AU1C15	INC
8			GRD		9	R61	AU1C15	OUT1		10	R62	AU1C15	OUT2
11	R63	AU1C15	OUT3		12	R64	AU1C15	OUT4		13	GROUND	AU1C15	ENB
14	GROUND	AU1C15	ENA		15	RAC0	AU1C15	INH		16			VCC

LOCATION 316

CIRCUIT TYPE 74H04N

GATE A02

1	RAC7-	AU1C16	IN1		2	RAC7B	AU1C16	OUT1		3	SELBFR-	AU1C16	IN2
4	SELBFR	AU1C16	OUT2		5			IN3		6			OUT3
7			GRD		8	RM-	AU1C16	OUT4		9	RM	AU1C16	IN4
10	RAC5B	AU1C16	OUT5		11	RAC5-	AU1C16	IN5		12			OUT6
13			IN6		14			VCC					

LOCATION 317

CIRCUIT TYPE 74187N

GATE A12

G			G		V			V		1	RAC1	AU1C17	ING
2	RAC2	AU1C17	INF		3	RAC3	AU1C17	INE		4	RAC4	AU1C17	IND
5	RAC7B	AU1C17	INA		6	RAC6	AU1C17	INB		7	RAC5B	AU1C17	INC
8			GRD		9	R69	AU1C17	OUT1		10	R70	AU1C17	OUT2
11	R71	AU1C17	OUT3		12	R72	AU1C17	OUT4		13	GROUND	AU1C17	ENB
14	GROUND	AU1C17	ENA		15	RAC0	AU1C17	INH		16			VCC

LOCATION 318

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC1	AU1C18	INA
2	VCC1	AU1C18	INA		3	VCC1	AU1C18	INA		4	VCC1	AU1C18	INA
5	VCC1	AU1C18	INA		6	VCC1	AU1C18	INA		7	VCC1	AU1C18	INA
8	VCC1	AU1C18	INA		9	R58	AU1C18	OTA*		10	R70	AU1C18	OTA*
11	R71	AU1C18	OTA*		12	F72	AU1C18	OTA*		13	R66	AU1C18	OTA*
14	R60	AU1C18	OTA*		15	R68	AU1C18	OTA*		16	R65	AU1C18	OTA*

LOCATION 319

CIRCUIT TYPE 7432N

GATE B02

1			INA1		2			INB1		3			OUT1
4	STRT	AU1C19	INA2		5	BKCLRSW	AU1C19	INB2		6	BKFFK	AU1C19	OUT2
7			GRD		8			OUT3		9			INA3
10			INB3		11	MCL4-	AU1C19	OUT4		12	MC-	AU1C19	INA4
13	L4-	AU1C19	INB4		14			VCC					

LOCATION 320

CIRCUIT TYPE 74H30N

GATE A02

1	MPEM-	AU1C20	INA		2	ST15-	AU1C20	INB		3	ST5-	AU1C20	INC
4	ST6-	AU1C20	IND		5	ILOPQ-	AU1C20	INE		6	VCC1	AU1C20	INF
7			GRD		8	INTINT	AU1C20	OUT		11	VCC1	AU1C20	ING
12	VCC1	AU1C20	INH		14			VCC					

LOCATION 321

CIRCUIT TYPE 74S22N

GATE A02

1	ALUOT-	AU1C21	INA1		2	URO	AU1C21	INB1		4	ST2T-	AU1C21	INC1
5	MBLA	AU1C21	IND1		6	SELPA1-	AU1C21	OUT1		7			GRD
8	SELPA1-	AU1C21	OUT2		9	ALUEQ8K-	AU1C21	INA2		10	AR15T-	AU1C21	INB2
12	MBL1	AU1C21	INC2		13	VCC1	AU1C21	IND2		14			VCC

LOCATION 401

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC1	AU1D01	INA
2	VCC1	AU1D01	INA		3	VCC1	AU1D01	INA		4	VCC1	AU1D01	INA
5	VCC1	AU1D01	INA		6	VCC1	AU1D01	INA		7	VCC1	AU1D01	INA
8	VCC1	AU1D01	INA		9	MRDSW-	AU1D01	OTA*		10	MDIDSW-	AU1D01	OTA*
11	MDIESW-	AU1D01	OTA*		12	SIESW-	AU1D01	OTA*		13	STESW-	AU1D01	OTA*
14	DEVTHRE-	AU1D01	OTA*		15	XRDSW-	AU1D01	OTA*		16	POFF-	AU1D01	OTA*

LOCATION 402

CIRCUIT TYPE 7420N

GATE A02

1	RUNFFQ-	AU1D02	INA1		2	RSTSW-	AU1D02	INB1		4	LDBTSW-	AU1D02	INC1
5	L1	AU1D02	IND1		6	MDL1PA1-	AU1D02	OUT1		7			GRD
8	MDL8PA1-	AU1D02	OUT2		9	XRDSW-	AU1D02	INA2		10	MADSW-	AU1D02	INB2
12	MAESW-	AU1D02	INC2		13	L8	AU1D02	IND2		14			VCC

LOCATION 403

CIRCUIT TYPE 7474N

GATE A05

1	VCC1	AU1D03	1CLR		2	LOCK-	AU1D03	1D		3	GCLKF:2-	AU1D03	1CLK
4	VCC1	AU1D03	1PRE		5	PNLENQ	AU1D03	1Q		6	PNLENQ-	AU1D03	1Q-
7			GRD		8	MRESETQ-	AU1D03	2Q-		9	MRESETQ	AU1D03	2Q
10	VCC1	AU1D03	2PRE		11	GCLKF:2-	AU1D03	2CLK		12	MRESET	AU1D03	2D
13	VCC1	AU1D03	2CLR		14			VCC					

LOCATION 404

CIRCUIT TYPE 74H10N

GATE A02

1	PNLENQ	AU1D04	INA1		2	CLKONQ-	AU1D04	INB1		3	SETRUN-	AU1D04	INA2
4	RSTRUN-	AU1D04	INB2		5	RSTSW-	AU1D04	INC2		6	IDLK	AU1D04	OUT2
7			GRD		8			OUT3		9			INA3
10			INB3		11			INC3		12	STPIOCLK-	AU1D04	OUT1
13	STEPULS-	AU1D04	INC1		14			VCC					

LOCATION 405

CIRCUIT TYPE 74H103N

GATE A05

1	GCLKE:1	AU1D05	1CLK		2	VCC1	AU1D05	1CLR		3	R22	AU1D05	1K
---	---------	--------	------	--	---	------	--------	------	--	---	-----	--------	----

4			VCC		5	GCLK:1	AU1D05	2CLK		6	VCC1	AU1D05	2CLR
7	IDLJ	AU1D05	2J		8	IDLQ-	AU1D05	2Q-		9	IDLQ	AU1D05	2Q
10	IDLK	AU1D05	2K		11			GRD		12	BYTFLAG	AU1D05	1Q
13	BYTFLAG-	AU1D05	1Q-		14	MCL6	AU1D05	1J					

L O C A T I O N 406

C I R C U I T T Y P E 74S03N

G A T E B02

1			INA1		2			INB1		3			OUT1
4	MCL3	AU1D06	INA2		5	DEVTHRE-	AU1D06	INB2		6	SELJ3-	AU1D06	OUT2
7			GRD		8	SELJ3-	AU1D06	OUT3		9	ALUEQ8K	AU1D06	INA3
10	M8L1	AU1D06	INB3		11			OUT4		12			INA4
13			INB4		14			VCC					

L O C A T I O N 408

C I R C U I T T Y P E 74187N

G A T E A12

G			G		V			V		1	OPB	AU1D08	ING
2	MEM5A	AU1D08	INF		3	MEM6A	AU1D08	INE		4	MEM7A	AU1D08	IND
5	MEM10A	AU1D08	INA		6	MEM9A	AU1D08	INB		7	MEM8A	AU1D08	INC
8			GRD		9	BFR4	AU1D08	OUT1		10	BFR5	AU1D08	OUT2
11	BFR6	AU1D08	OUT3		12	BFR7	AU1D08	OUT4		13	ILLOPA	AU1D08	ENB
14	ILLOP	AU1D08	ENA		15	OPA	AU1D08	INH		16			VCC

L O C A T I O N 409

C I R C U I T T Y P E 74187N

G A T E A12

G			G		V			V		1	OPB	AU1D09	ING
2	MEM5A	AU1D09	INF		3	MEM6A	AU1D09	INE		4	MEM7A	AU1D09	IND
5	MEM10A	AU1D09	INA		6	MEM9A	AU1D09	INB		7	MEM8A	AU1D09	INC
8			GRD		9	BFR0	AU1D09	OUT1		10	BFR1	AU1D09	OUT2
11	BFR2	AU1D09	OUT3		12	BFR3	AU1D09	OUT4		13	ILLOPA	AU1D09	ENB
14	ILLOP	AU1D09	ENA		15	OPA	AU1D09	INH		16			VCC

L O C A T I O N 411

C I R C U I T T Y P E 74H30N

G A T E A02

1	SELJ1-	AU1D11	INA		2	SELJ2-	AU1D11	INB		3	SELJ3-	AU1D11	INC
4	SELPA-	AU1D11	IND		5	SELPA1-	AU1D11	INE		6	SELOP-	AU1D11	INF
7			GRD		8	SELJ0-	AU1D11	OUT		11	SELBFR-	AU1D11	ING
12	VCC1	AU1D11	INH		14			VCC					

L O C A T I O N 412

C I R C U I T T Y P E R E S

G A T E A02

G			GRD		V			VCC		1	VCC1	AU1D12	INA
2	VCC1	AU1D12	INA		3	VCC1	AU1D12	INA		4	VCC1	AU1D12	INA
5	VCC1	AU1D12	INA		6	VCC1	AU1D12	INA		7	VCC1	AU1D12	INA

8	VCC1	AU1D12	INA		9	SPLIMM-	AU1D12	OTA*		10	INSRTOPA-	AU1D12	OTA*
11	BFR6	AU1D12	OTA*		12	R62	AU1D12	OTA*		13	R63	AU1D12	OTA*
14	R64	AU1D12	OTA*		15	R67	AU1D12	OTA*		16	R69	AU1D12	OTA*

LOCATION 413

CIRCUIT TYPE 74S11N

GATE A02

1	SELJ2A-	AU1D13	INA1		2	SELJ2B-	AU1D13	INB1		3			INA2
4			INB2		5			INC2		6			OUT2
7			GRD		8	IR6EXTF	AU1D13	OUT3		9	EXTFORM	AU1D13	INA3
10	IR6T-	AU1D13	INB3		11	VCC1	AU1D13	INC3		12	SELJ2-	AU1D13	OUT1
13	SELJ2C-	AU1D13	INC1		14			VCC					

LOCATION 414

CIRCUIT TYPE 7402N

GATE A01*

1	MCL6	AU1D14	OUT1		2	MC-	AU1D14	INA1		3	L6-	AU1D14	INB1
4	MCL3	AU1D14	OUT2		5	MC-	AU1D14	INA2		6	L3-	AU1D14	INB2
7			GRD		8	MF-	AU1D14	INA3		9	LF-	AU1D14	INB3
10	MFLF	AU1D14	OUT3		11	MB-	AU1D14	INA4		12	L1-	AU1D14	INB4
13	MBL1	AU1D14	OUT4		14			VCC					

LOCATION 415

CIRCUIT TYPE 74H103N

GATE A05

1	GCLKE:1	AU1D15	1CLK		2	MRESETQA-	AU1D15	1CLR		3	BKFFK	AU1D15	1K
4			VCC		5	GCLKE:1	AU1D15	2CLK		6	VCC1	AU1D15	2CLR
7	SETRUN	AU1D15	2J		8	RUNFFQ-	AU1D15	2Q-		9	RUNFFQ	AU1D15	2Q
10	RSTRUN	AU1D15	2K		11			GRD		12	BKPTQ	AU1D15	1Q
13	BKPTQ-	AU1D15	1Q-		14	BKPTJ	AU1D15	1J					

LOCATION 416

CIRCUIT TYPE 74H11N

GATE A02

1	MOL4BFR-	AU1D16	INA1		2	MALEBFR-	AU1D16	INB1		3	MFLF	AU1D16	INA2
4	T4OR6-	AU1D16	INB2		5	T2OR6-	AU1D16	INC2		6	EXRECD	AU1D16	OUT2
7			GRD		8	FORCE00-	AU1D16	OUT3		9	MRESETQ-	AU1D16	INA3
10	EN00-	AU1D16	INB3		11	INSTV-	AU1D16	INC3		12	SELBFR-	AU1D16	OUT1
13	IAQBFR-	AU1D16	INC1		14			VCC					

LOCATION 417

CIRCUIT TYPE 74H30N

GATE A02

1	EXPM-	AU1D17	INA		2	DMAM-	AU1D17	INB		3	IOM-	AU1D17	INC
4	MPM-	AU1D17	IND		5	ST15-	AU1D17	INE		6	ST5-	AU1D17	INF
7			GRD		8	INT	AU1D17	OUT		11	ST6-	AU1D17	ING
12	VCC1	AU1D17	INH		14			VCC					

L O C A T I O N 418

C I R C U I T T Y P E 74H00N

G A T E A02

1	ADPV	AU1D18	INA1		2	BYTFLAG-	AU1D18	INB1		3	EN00-	AU1D18	OUT1
4	INT	AU1D18	INA2		5	IFLAGQ-	AU1D18	INB2		6	INTM-	AU1D18	OUT2
7			GRD		8	ENPCOUT	AU1D18	OUT3		9	IAQBFR-	AU1D18	INA3
10	MALBFR-	AU1D18	INB3		11	INHMA1-	AU1D18	OUT4		12	M5L8	AU1D18	INA4
13	SR16	AU1D18	INB4		14			VCC					

L O C A T I O N 419

C I R C U I T T Y P E 7402N

G A T E A01*

1	M8LA	AU1D19	OUT1		2	M8-	AU1D19	INA1		3	LA-	AU1D19	INB1
4	M8LE	AU1D19	OUT2		5	M8-	AU1D19	INA2		6	LE-	AU1D19	INB2
7			GRD		8	MA-	AU1D19	INA3		9	L4-	AU1D19	INB3
10	MAL4	AU1D19	OUT3		11	MC-	AU1D19	INA4		12	L6-	AU1D19	INB4
13	ENAR16LD	AU1D19	OUT4		14			VCC					

L O C A T I O N 420

C I R C U I T T Y P E 7410N

G A T E A02

1	M5	AU1D20	INA1		2	L9	AU1D20	INB1		3	M6	AU1D20	INA2
4	L8	AU1D20	INB2		5	XRMAX	AU1D20	INC2		6	ALUEQA-	AU1D20	OUT2
7			GRD		8	INHMB2-	AU1D20	OUT3		9	M5	AU1D20	INA3
10	L9	AU1D20	INB3		11	SR16T-	AU1D20	INC3		12	INHMB1-	AU1D20	OUT1
13	SR16	AU1D20	INC1		14			VCC					

L O C A T I O N 421

C I R C U I T T Y P E 7432N

G A T E A02

1	MA-	AU1D21	INA1		2	L8-	AU1D21	INB1		3	MAL8-	AU1D21	OUT1
4	IR0T-	AU1D21	INA2		5	IR1T-	AU1D21	INB2		6	RM	AU1D21	OUT2
7			GRD		8	M4LF-	AU1D21	OUT3		9	M4-	AU1D21	INA3
10	LF-	AU1D21	INB3		11	M2LC-	AU1D21	OUT4		12	M2-	AU1D21	INA4
13	LC-	AU1D21	INB4		14			VCC					

L O C A T I O N 501

C I R C U I T T Y P E R E S

G A T E A02

G			GRD		V			VCC		1	VCC1	AU1E01	INA
2	VCC1	AU1E01	INA		3	VCC1	AU1E01	INA		4	VCC1	AU1E01	INA
5	VCC1	AU1E01	INA		6	VCC1	AU1E01	INA		7	VCC1	AU1E01	INA
8	VCC1	AU1E01	INA		9	EXPINT-	AU1E01	OTA*		10	ARESW-	AU1E01	OTA*
11	PCESW-	AU1E01	OTA*		12	ARDSW-	AU1E01	OTA*		13	MDESW-	AU1E01	OTA*
14	RUNSW-	AU1E01	OTA*		15	BRESW-	AU1E01	OTA*		16	STD SW-	AU1E01	OTA*

L O C A T I O N 502

C I R C U I T T Y P E 7400N

G A T E A02

P I N L I S T FOR: PRODUCT CODE 990A

MODULE

DATE 05/23/72 PAGE 13

1	ME	AU1E02	INA1		2	L1	AU1E02	INB1		3	LRACLR-	AU1E02	OUT1
4	MDFSW-	AU1E02	INA2		5	MDIESW-	AU1E02	INB2		6	MDE	AU1E02	OUT2
7			GRD		8	MDI	AU1E02	OUT3		9	MDIESW-	AU1E02	INA3
10	MDIDSW-	AU1E02	INB3		11	HLTMD-	AU1E02	OUT4		12	RUNSW-	AU1E02	INA4
13	SIESW-	AU1E02	INB4		14			VCC					

LOCATION 503

CIRCUIT TYPE 7420N

GATE A02

1	MRDSW-	AU1E03	INA1		2	STDSW-	AU1E03	INB1		4	STESW-	AU1E03	INC1
5	L6	AU1E03	IND1		6	MDL6PA1-	AU1E03	OUT1		7			GRD
8	MDL3PA1-	AU1E03	OUT2		9	ARES-	AU1E03	INA2		10	ARDSW-	AU1E03	INB2
12	BRESW-	AU1E03	INC2		13	L3	AU1E03	IND2		14			VCC

LOCATION 504

CIRCUIT TYPE 7474N

GATE A05

1	VCC1	AU1E04	1CLR		2	EXRECD	AU1E04	1D		3	GCLKF:2-	AU1E04	1CLK
4	VCC1	AU1E04	1PRE		5	EXRECQ	AU1E04	1Q		6	EXRECQ-	AU1E04	1Q-
7			GRD		8	EXPQ-	AU1E04	2Q-		9	EXPQ	AU1E04	2Q
10	VCC1	AU1E04	2PRE		11	GCLKF:2-	AU1E04	2CLK		12	EXPINT	AU1E04	2D
13	VCC1	AU1E04	2CLR		14			VCC					

LOCATION 506

CIRCUIT TYPE 74H52N

GATE A03

1	VCC1	AU1E06	INA		2	MRESETQ	AU1E06	INB		3	PNLENQ	AU1E06	INC
4	HLTMD-	AU1E06	IND		5	STRT	AU1E06	INE		7			GRD
8	SETRUN	AU1E06	OUT		9			EXP		10	ME	AU1E06	INF
11	L1	AU1E06	ING		12	IDLQ	AU1E06	INH		13	INTM	AU1E06	INI
14			VCC										

LOCATION 507

CIRCUIT TYPE 74H51N

GATE A02

1	DEVTHRE-	AU1E07	INA1		2	SELJ3-	AU1E07	INA2		3	FORCE00-	AU1E07	INB2
4	VCC1	AU1E07	INC2		5	FORCE00	AU1E07	IND2		6	SELJ3	AU1E07	OUT2
7			GRD		8	ILOPD-	AU1E07	OUT1		9	SELBFRC	AU1E07	INC1
10	VCC1	AU1E07	IND1		13	MCL3	AU1E07	INB1		14			VCC

LOCATION 508

CIRCUIT TYPE 74S04N

GATE A02

1	ALUEQ8K-	AU1E08	IN1		2	ALUEQ8K	AU1E08	OUT1		3			IN2
4			OUT2		5	BFR0	AU1E08	IN3		6	BFR0-	AU1E08	OUT3
7			GRD		8	ALUOT-	AU1E08	OUT4		9	ALUOT	AU1E08	IN4
10			OUT5		11			IN5		12			OUT6
13			IN6		14			VCC					

NEXT PAGE 15 14

DRAWING NUMBER 960687-9902 REVISION LTR A

LOCATION 509

CIRCUIT TYPE 74H04N

GATE A02

1	SETRUN	AU1E09	IN1		2	SETRUN-	AU1E09	OUT1		3	FORCE00-	AU1E09	IN2
4	FORCE00	AU1E09	OUT2		5	MEM8-	AU1E09	IN3		6	MEM8A	AU1E09	OUT3
7			GRD		8	ILOPD	AU1E09	OUT4		9	ILOPD-	AU1E09	IN4
10	L3	AU1E09	OUT5		11	L3-	AU1E09	IN5		12	INTM	AU1E09	OUT6
13	INTM-	AU1E09	IN6		14			VCC					

LOCATION 510

CIRCUIT TYPE 7430N

GATE A02

1	L2-	AU1E10	INA		2	L3-	AU1E10	INB		3	L4-	AU1E10	INC
4	L5-	AU1E10	IND		5	L6-	AU1E10	INE		6	VCC1	AU1E10	INF
7			GRD		8	L23456	AU1E10	OUT		11	VCC1	AU1E10	ING
12	VCC1	AU1E10	INH		14			VCC					

LOCATION 511

CIRCUIT TYPE 74154N

GATE A00*

G			GND		V			VCC		1	L0-	AU1E11	O 00
2	L1-	AU1E11	O 01		3	L2-	AU1E11	O 02		4	L3-	AU1E11	O 03
5	L4-	AU1E11	O 04		6	L5-	AU1E11	O 05		7	L6-	AU1E11	O 06
8	L7-	AU1E11	O 07		9	L8-	AU1E11	O 08		10	L9-	AU1E11	O 09
11	LA-	AU1E11	O 10		12			GND		13	LB-	AU1E11	O 11
14	LC-	AU1E11	O 12		15	LD-	AU1E11	O 13		16	LE-	AU1E11	O 14
17	LF-	AU1E11	O 15		18	GROUND	AU1E11	ING1		19	GROUND	AU1E11	ING2
20	RAC4	AU1E11	IN D		21	RAC5	AU1E11	IN C		22	RAC6	AU1E11	IN B
23	RAC7	AU1E11	IN A		24			VCC					

LOCATION 514

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC	AU1E14	INA
2			INA		3			INA		4			INA
5			INA		6			INA		7			INA
8			INA		9			OTA*		10			OTA*
11			OTA*		12			OTA*		13			OTA*
14			OTA*		15			OTA*		16	SELPA-	AU1E14	OTA*

LOCATION 515

CIRCUIT TYPE 7402N

GATE A01*

1	M8LB	AU1E15	OUT1		2	M8-	AU1E15	INA1		3	LB-	AU1E15	INB1
4	MOL4	AU1E15	OUT2		5	MO-	AU1E15	INA2		6	L4-	AU1E15	INB2
7			GRD		8	M8-	AU1E15	INA3		9	LD-	AU1E15	INB3
10	M8LD	AU1E15	OUT3		11	MA-	AU1E15	INA4		12	LE-	AU1E15	INB4

13 MALE AU1E15 OUT4 | 14 VCC |

LOCATION 516

CIRCUIT TYPE 7404N

GATE A02

1 T2OR6 AU1E16 IN1 | 2
4 LD AU1E16 OUT2 | 5
7 GRD | 8
10 M1 AU1E16 OUT5 | 11
13 M5- AU1E16 IN6 | 14

T2OR6- AU1E16 OUT1 | 3
T4OR6 AU1E16 IN3 | 6
ME AU1E16 OUT4 | 9
M1- AU1E16 IN5 | 12
VCC |

LD- AU1E16 IN2
T4OR6- AU1E16 OUT3
ME- AU1E16 IN4
M5 AU1E16 OUT6

LOCATION 517

CIRCUIT TYPE 7402N

GATE A01*

1 M9LC AU1E17 OUT1 | 2
4 EXEJ AU1E17 OUT2 | 5
7 GRD | 8
10 EXEK AU1E17 OUT3 | 11
13 M5L8 AU1E17 OUT4 | 14

M8- AU1E17 INA1 | 3
ME- AU1E17 INA2 | 6
M0- AU1E17 INA3 | 9
M5- AU1E17 INA4 | 12
VCC |

LC- AU1E17 INB1
L01- AU1E17 INB2
L1- AU1E17 INB3
L8- AU1E17 INB4

LOCATION 518

CIRCUIT TYPE 74H20N

GATE A02

1 M67910 AU1E18 INA1 | 2
5 MEM11A AU1E18 IND1 | 6
8 MAD01T AU1E18 OUT2 | 9
12 M0L4BFF- AU1E18 INC2 | 13

MEM5A AU1E18 INB1 | 4
ILLSKIP- AU1E18 OUT1 | 7
ENPCOUT- AU1E18 INA2 | 10
PCISAD- AU1E18 IND2 | 14

C80P AU1E18 INC1
MAISDE- AU1E18 GRD
INB2
VCC

LOCATION 519

CIRCUIT TYPE 7451N

GATE A02

1 M1 AU1E19 INA1 | 2
4 INB2 | 5
7 GRD | 8
10 ME AU1E19 INB1 | 13

BRLD- AU1E19 INA2 | 3
LD AU1E19 INB2 | 6
OUT1 | 9
INA1 | 14

L9 AU1E19 INB1
VCC

LOCATION 520

CIRCUIT TYPE 74S10N

GATE A02

1 ALOF1U0- AU1E20 INA1 | 2
4 IFLAGQ- AU1E20 INB2 | 5
7 GRD | 8
10 ER1 AU1E20 INB3 | 11
13 M9LBC AU1E20 INC1 | 14

SCO AU1E20 INB1 | 3
VCC1 AU1E20 INC2 | 6
ALOEF1U0- AU1E20 OUT3 | 9
URO AU1E20 INC3 | 12
VCC |

INTINT AU1E20 INA2
INTINT- AU1E20 OUT2
ALU0T AU1E20 INA3
SELJ2C- AU1E20 OUT1

LOCATION 521

CIRCUIT TYPE 7402N

GATE A01*

1	ENSR16LD	AUIE21	OUT1		2	MC-	AUIE21	INA1		3	LC-	AUIE21	INB1
4	MALA	AUIE21	OUT2		5	MA-	AUIE21	INA2		6	LA-	AUIE21	INB2
7			GRD		8	MO-	AUIE21	INA3		9	LF-	AUIE21	INB3
10	MOLF	AUIE21	OUT3		11	M1-	AUIE21	INA4		12	LE-	AUIE21	INB4
13	MILE	AUIE21	OUT4		14			VCC					

LOCATION 601

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC1	AUIF01	INA
2	VCC1	AUIF01	INA		3	VCC1	AUIF01	INA		4	VCC1	AUIF01	INA
5	VCC1	AUIF01	INA		6	VCC1	AUIF01	INA		7	VCC1	AUIF01	INA
8	VCC1	AUIF01	INA		9	LRESW-	AUIF01	OTA*		10	IRDSW-	AUIF01	OTA*
11	BRDSW-	AUIF01	OTA*		12	PCDSW-	AUIF01	OTA*		13	ERESW-	AUIF01	OTA*
14	MDDSW-	AUIF01	OTA*		15	ERDSW-	AUIF01	OTA*		16	STRTSW-	AUIF01	OTA*

LOCATION 602

CIRCUIT TYPE 7420N

GATE A02

1	BRDSW-	AUIF02	INA1		2	ERDSW-	AUIF02	INB1		4	ERESW-	AUIF02	INC1
5	L4	AUIF02	IND1		6	MDL4PA1-	AUIF02	OUT1		7			GRD
8	MDL2PA1-	AUIF02	OUT2		9	IRDSW-	AUIF02	INA2		10	PCDSW-	AUIF02	INB2
12	PCESW-	AUIF02	INC2		13	L2	AUIF02	IND2		14			VCC

LOCATION 603

CIRCUIT TYPE 7404N

GATE A02

1	MAESW-	AUIF03	IN1		2	MAESW	AUIF03	OUT1		3	ARDSW-	AUIF03	IN2
4	ARDSW	AUIF03	OUT2		5	ERESW-	AUIF03	IN3		6	ERESW	AUIF03	OUT3
7			GRD		8	STESW	AUIF03	OUT4		9	STESW-	AUIF03	IN4
10	HLTMD	AUIF03	OUT5		11	HLTMD-	AUIF03	IN5		12	EXPINT	AUIF03	OUT6
13	EXPINT-	AUIF03	IN6		14			VCC					

LOCATION 604

CIRCUIT TYPE 7430N

GATE A02

1	MDL1PA1-	AUIF04	INA		2	MDL2PA1-	AUIF04	INB		3	MDL3PA1-	AUIF04	INC
4	MDL4PA1-	AUIF04	IND		5	MDL5PA1-	AUIF04	INE		6	MDL6PA1-	AUIF04	INF
7			GRD		8	MDPA1	AUIF04	OUT		11	MDL7PA1-	AUIF04	ING
12	MDL8PA1-	AUIF04	INH		14			VCC					

LOCATION 605

CIRCUIT TYPE 7404N

GATE A02

1	STRTSW-	AUIF05	IN1		2	STRT	AUIF05	OUT1		3	MDDSW-	AUIF05	IN2
4	MDDSW	AUIF05	OUT2		5	XRDSW-	AUIF05	IN3		6	XRDSW	AUIF05	OUT3
7			GRD		8	IRDSW	AUIF05	OUT4		9	IRDSW-	AUIF05	IN4
10	BRDSW	AUIF05	OUT5		11	BRDSW-	AUIF05	IN5		12	PCESW	AUIF05	OUT6

13	PCESW-	AUIF05	IN6		14		VCC						
	LOCATION	606				CIRCUIT TYPE 7400N					GATE A02		
1	VCC1	AUIF06	INA1		2	MRDSW-	AUIF06	INB1		3	MRDSW	AUIF06	OUT1
4	MDDSW-	AUIF06	INA2		5	MDIDSW-	AUIF06	INB2		6	MDDID	AUIF06	OUT2
7			GRD		8	M1PA	AUIF06	OUT3		9	M1L4PA-	AUIF06	INA3
10	M1PAA-	AUIF06	INB3		11			OUT4		12			INA4
13			INB4		14			VCC					
	LOCATION	607				CIRCUIT TYPE 7474N					GATE A05		
1	VCC1	AUIF07	1CLR		2	FORALA	AUIF07	1D		3	GCLKF:1-	AUIF07	1CLK
4	VCC1	AUIF07	1PRE		5	FORALAQ	AUIF07	1Q		6	FORALAQ-	AUIF07	1Q-
7			GRD		8			2Q-		9			2Q
10			2PRE		11			2CLK		12			2D
13			2CLR		14			VCC					
	LOCATION	608				CIRCUIT TYPE 7410N					GATE A02		
1	MD	AUIF08	INA1		2	LE	AUIF08	INB1		3	SCNT1E-	AUIF08	INA2
4	LO-	AUIF08	INB2		5	L4-	AUIF08	INC2		6	M1PAA-	AUIF08	OUT2
7			GRD		8	M1L4PA-	AUIF08	OUT3		9	A0XA1-	AUIF08	INA3
10	SCNT1E-	AUIF08	INB3		11	L4	AUIF08	INC3		12	MAISDE-	AUIF08	OUT1
13	MDI	AUIF08	INC1		14			VCC					
	LOCATION	609				CIRCUIT TYPE 74H00N					GATE A02		
1	RRILLOP-	AUIF09	INA1		2	ILLSKIP-	AUIF09	INB1		3	ILLOPA	AUIF09	OUT1
4	SELBFRCK	AUIF09	INA2		5	GCLKF:1	AUIF09	INB2		6	SELBFRCK-	AUIF09	OUT2
7			GRD		8	INTIAQ	AUIF09	OUT3		9	INTST-	AUIF09	INA3
10	INAQ-	AUIF09	INB3		11	TRPCLK-	AUIF09	OUT4		12	INTIAQ	AUIF09	INA4
13	GCLKF:1	AUIF09	INB4		14			VCC					
	LOCATION	611				CIRCUIT TYPE 7474N					GATE A05		
1	VCC1	AUIF11	1CLR		2	ILOPD	AUIF11	1D		3	GCLKF:2-	AUIF11	1CLK
4	VCC1	AUIF11	1PRE		5	ILOPQ	AUIF11	1Q		6	ILOPQ-	AUIF11	1Q-
7			GRD		8	TRP14Q-	AUIF11	2Q-		9	TRP14Q	AUIF11	2Q
10	VCC1	AUIF11	2PRE		11	TRPCLK-	AUIF11	2CLK		12	T2OR6	AUIF11	2D
13	VCC1	AUIF11	2CLR		14			VCC					

LOCATION 612				CIRCUIT TYPE 7402N				GATE A01*					
1	MFLC	AU1F12	OUT1		2	MF-	AU1F12	INA1		3	LC-	AU1F12	INB1
4	MFLB	AU1F12	OUT2		5	MF-	AU1F12	INA2		6	L8-	AU1F12	INB2
7			GRD		8	M7-	AU1F12	INA3		9	L3-	AU1F12	INB3
10	M7L3	AU1F12	OUT3		11	MF-	AU1F12	INA4		12	LF-	AU1F12	INB4
13	INTST	AU1F12	OUT4		14			VCC					

LOCATION 613				CIRCUIT TYPE 7404N				GATE A02					
1	MEM11-	AU1F13	IN1		2	MEM11A	AU1F13	OUT1		3	INTST	AU1F13	IN2
4	INTST-	AU1F13	OUT2		5	MF-	AU1F13	IN3		6	MF	AU1F13	OUT3
7			GRD		8	M7	AU1F13	OUT4		9	M7-	AU1F13	IN4
10	LF	AU1F13	OUT5		11	LF-	AU1F13	IN5		12	L9	AU1F13	OUT6
13	L9-	AU1F13	IN6		14			VCC					

LOCATION 614				CIRCUIT TYPE 7400N				GATE A02					
1	L9-	AU1F14	INA1		2	LD-	AU1F14	INB1		3	L9D	AU1F14	OUT1
4	MDF	AU1F14	INA2		5	L9	AU1F14	INB2		6	MDL9J2-	AU1F14	OUT2
7			GRD		8	BYTEINCB-	AU1F14	OUT3		9	M5	AU1F14	INA3
10	L9	AU1F14	INB3		11	MDL4BFR-	AU1F14	OUT4		12	VCC1	AU1F14	INA4
13	MDL4	AU1F14	INB4		14			VCC					

LOCATION 615				CIRCUIT TYPE 7404N				GATE A02					
1	MD-	AU1F15	IN1		2	MD	AU1F15	OUT1		3	MDE	AU1F15	IN2
4	MDE-	AU1F15	OUT2		5	LE-	AU1F15	IN3		6	LE	AU1F15	OUT3
7			GRD		8	LA	AU1F15	OUT4		9	LA-	AU1F15	IN4
10	M9	AU1F15	OUT5		11	M9-	AU1F15	IN5		12	L5	AU1F15	OUT6
13	L5-	AU1F15	IN6		14			VCC					

LOCATION 616				CIRCUIT TYPE 7410N				GATE A02					
1	RUNFFQ	AU1F16	INA1		2	INTINT-	AU1F16	INB1		3	MDE-	AU1F16	INA2
4	MODID	AU1F16	INB2		5	L9	AU1F16	INC2		6	MDL9J1-	AU1F16	OUT2
7			GRD		8	MPYIT-	AU1F16	OUT3		9	M8	AU1F16	INA3
10	L23456	AU1F16	INB3		11	SCNTOF-	AU1F16	INC3		12	MALEBFR-	AU1F16	OUT1
13	MALE	AU1F16	INC1		14			VCC					

LOCATION 617				CIRCUIT TYPE 74154N				GATE A00*			
--------------	--	--	--	---------------------	--	--	--	-----------	--	--	--

6			GND		V			VCC		1	M0-	AU1F17	O 00
2	M1-	AU1F17	O 01		3	M2-	AU1F17	O 02		4	M3-	AU1F17	O 03
5	M4-	AU1F17	O 04		6	M5-	AU1F17	O 05		7	M6-	AU1F17	O 06
8	M7-	AU1F17	O 07		9	M8-	AU1F17	O 08		10	M9-	AU1F17	O 09
11	MA-	AU1F17	O 10		12			GND		13	MB-	AU1F17	O 11
14	MC-	AU1F17	O 12		15	MD-	AU1F17	O 13		16	ME-	AU1F17	O 14
17	MF-	AU1F17	O 15		18	GROUND	AU1F17	ING1		19	GROUND	AU1F17	ING2
20	RAC0	AU1F17	IN D		21	RAC1	AU1F17	IN C		22	RAC2	AU1F17	IN B
23	RAC3	AU1F17	IN A		24			VCC					

LOCATION 620

CIRCUIT TYPE 7404N

GATE A02

1	M3-	AU1F20	IN1		2	M3	AU1F20	OUT1		3	POFF-	AU1F20	IN2
4	PFAIL	AU1F20	OUT2		5	M6-	AU1F20	IN3		6	M6	AU1F20	OUT3
7			GRD		8	TRP13-	AU1F20	OUT4		9	TRP13Q	AU1F20	IN4
10	SP16T-	AU1F20	OUT5		11	SR16	AU1F20	IN5		12	M4	AU1F20	OUT6
13	M4-	AU1F20	IN6		14			VCC					

LOCATION 621

CIRCUIT TYPE 7410N

GATE A02

1	M8	AU1F21	INA1		2	LBC	AU1F21	INB1		3	M5	AU1F21	INA2
4	L5	AU1F21	INB2		5	SAMEBYTE-	AU1F21	INC2		6	BYTESHFT-	AU1F21	OUT2
7			GRD		8	MBLAST2-	AU1F21	OUT3		9	M8	AU1F21	INA3
10	LA	AU1F21	INB3		11	ST2T-	AU1F21	INC3		12	DIVIT-	AU1F21	OUT1
13	SC0-	AU1F21	INC1		14			VCC					

LOCATION 701

CIRCUIT TYPE CAP1

GATE

1	VCC1	AU1G01	CAP+		2	GND1	AU1G01	CAP-					
---	------	--------	------	--	---	------	--------	------	--	--	--	--	--

LOCATION 702

CIRCUIT TYPE 74H52N

GATE A03

1	VCC1	AU1G02	INA		2	IDLJ	AU1G02	INB		3	BKPTJ	AU1G02	INC
4	BKPTSW	AU1G02	IND		5	PNLENQ	AU1G02	INE		7			GRD
8	RSTRUN	AU1G02	OUT		9	\$00001255	AU1G02	EXP		10	HLTMD	AU1G02	INF
11	PNLENQ	AU1G02	ING		12	SIEHLT	AU1G02	INH		13	SELBFRB	AU1G02	INI
14			VCC										

LOCATION 703

CIRCUIT TYPE 7410N

GATE A02

1	BRDSW-	AU1G03	INA1		2	ERESW	AU1G03	INB1		3	XRDSW-	AU1G03	INA2
4	MAESW	AU1G03	INB2		5	L8	AU1G03	INC2		6	MDL8J1-	AU1G03	OUT2
7			GRD		8	MDL6J1-	AU1G03	OUT3		9			INA3

P I N L I S T FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72 PAGE 20

10	STESW	AU1G03	INR3		11	L6	AU1G03	INC3		12	MDL4J1-	AU1G03	OUT1
13	L4	AU1G03	INC1		14			VCC					

LOCATION 704

CIRCUIT TYPE 7430N

GATE A02

1	MDJ1A-	AU1G04	INA		2	MDL2J1-	AU1G04	INB		3	MDL4J1-	AU1G04	INC
4	MDL6J1-	AU1G04	IND		5	MDL7J1-	AU1G04	INE		6	MDL8J1-	AU1G04	INF
7			GRD		8	MDJ1	AU1G04	OUT		11	MDL9J1-	AU1G04	ING
12	VCC1	AU1G04	INH		14			VCC					

LOCATION 706

CIRCUIT TYPE 7410N

GATE A02

1	IRDSW-	AU1G06	INA1		2	PCFSW	AU1G06	INB1		3	MEM5A	AU1G06	INA2
4	MEM6A	AU1G06	INB2		5	MEM7A	AU1G06	INC2		6	IMM-	AU1G06	OUT2
7			GRD		8	MDJ2	AU1G06	OUT3		9	MDJ2A-	AU1G06	INA3
10	MDJ2B-	AU1G06	INB3		11	MDL9J2-	AU1G06	INC3		12	MDL2J1-	AU1G06	OUT1
13	L2	AU1G06	INC1		14			VCC					

LOCATION 707

CIRCUIT TYPE 74H54N

GATE A02

1	RUNFFQ	AU1G07	INA		2	IRDSW	AU1G07	INC		3	L2	AU1G07	IND
4	VCC1	AU1G07	INE		5	BRDSW	AU1G07	INF		6	L4	AU1G07	ING
7			GRD		8	MDJ2A-	AU1G07	OUT		9	ARESW	AU1G07	INH
10	L3	AU1G07	INI		13	L1	AU1G07	INB		14			VCC

LOCATION 708

CIRCUIT TYPE 7474N

GATE A05

1	MRESETQA-	AU1G08	1CLR		2	PF1Q	AU1G08	1D		3	GCLKF:2-	AU1G08	1CLK
4	VCC1	AU1G08	1PRE		5	PF2Q	AU1G08	1Q		6	PF2Q-	AU1G08	1Q-
7			GRD		8	PF1Q-	AU1G08	2Q-		9	PF1Q	AU1G08	2Q
10	VCC1	AU1G08	2PRE		11	GCLKF:2-	AU1G08	2CLK		12	PFAIL	AU1G08	2D
13	MRESETQA-	AU1G08	2CLR		14			VCC					

LOCATION 709

CIRCUIT TYPE 74H61N

GATE A02

1	VCC1	AU1G09	INA1		2	SELBFR	AU1G09	INB1		3	BFR6	AU1G09	INC1
4	PF1Q-	AU1G09	INA2		5	PF2Q	AU1G09	INB2		6	VCC1	AU1G09	INC2
7			GRD		8	\$00001255	AU1G09	EXP2		9	\$00001222	AU1G09	EXP1
10	\$00001255	AU1G09	EXP3		11	INTST	AU1G09	INA3		12	TRP1413	AU1G09	INB3
13	ILOPQ	AU1G09	INC3		14			VCC					

LOCATION 710

CIRCUIT TYPE 7402N

GATE A01*

NEXT PAGE IS 21

DRAWING NUMBER 960687-9902 REVISION LTR A

1	SIEHLT	AU1G10	OUT1		2	SIESW-	AU1G10	INA1		3	PNLENQ-	AU1G10	INB1
4	CFZ	AU1G10	OUT2		5	RRDESZ-	AU1G10	INA2		6	MEM12	AU1G10	INB2
7			GRD		8	INSRTOPA-	AU1G10	INA3		9	IMM-	AU1G10	INB3
10	INSRTOP	AU1G10	OUT3		11	MC-	AU1G10	INA4		12	L5-	AU1G10	INB4
13	IDLJ	AU1G10	OUT4		14			VCC					

LOCATION 711

CIRCUIT TYPE 74H54N

GATE A02

1	MOPP	AU1G11	INA		2	MO	AU1G11	INC		3	MOLEOP	AU1G11	IND
4	GROUND	AU1G11	INF		5	GROUND	AU1G11	INF		6	GROUND	AU1G11	ING
7			GRD		8	SELOP-	AU1G11	OUT		9	LF	AU1G11	INH
10	M7	AU1G11	INI		13	MO	AU1G11	INB		14			VCC

LOCATION 712

CIRCUIT TYPE 74H21N

GATE A02

1	ILOPQ	AU1G12	INA1		2	TRP14Q	AU1G12	INB1		4	TRP13-	AU1G12	INC1
5	LF	AU1G12	IND1		6	MFLFJ3	AU1G12	OUT1		7			GRD
8	DMARECD	AU1G12	OUT2		9	TRP13Q	AU1G12	INA2		10	TRP14Q-	AU1G12	INB2
12	MO	AU1G12	INC2		13	L3	AU1G12	IND2		14			VCC

LOCATION 714

CIRCUIT TYPE 74H21N

GATE A02

1	INAQ-	AU1G14	INA1		2	INTINT-	AU1G14	INB1		4	EXPM-	AU1G14	INC1
5	DMAID	AU1G14	IND1		6	T4OR6	AU1G14	OUT1		7			GRD
8	M8L4J1	AU1G14	OUT2		9	SCNTOF-	AU1G14	INA2		10	ER15T-	AU1G14	INB2
12	ER14	AU1G14	INC2		13	L4	AU1G14	IND2		14			VCC

LOCATION 715

CIRCUIT TYPE 7410N

GATE A02

1	L5-	AU1G15	INA1		2	L6-	AU1G15	INB1		3	MO	AU1G15	INA2
4	L8	AU1G15	INB2		5	IR6EXTF	AU1G15	INC2		6	PCISOB-	AU1G15	OUT2
7			GRD		8	PCISOB-	AU1G15	OUT3		9	MO	AU1G15	INA3
10	LB	AU1G15	INB3		11	EXTFORM	AU1G15	INC3		12	L567	AU1G15	OUT1
13	L7-	AU1G15	INC1		14			VCC					

LOCATION 716

CIRCUIT TYPE 7410N

GATE A02

1	ADRV-	AU1G16	INA1		2	M5	AU1G16	INB1		3	M7	AU1G16	INA2
4	LD	AU1G16	INB2		5	ALUEQZ	AU1G16	INC2		6	PCIS7D-	AU1G16	OUT2
7			GRD		8	M8J1	AU1G16	OUT3		9	M8LOJ1-	AU1G16	INA3
10	M8L456J1-	AU1G16	INB3		11	M8LEJ1-	AU1G16	INC3		12	BYTEINCA-	AU1G16	OUT1

13	L8	AU1G16	INC1		14	VCC							
LOCATION		717	CIRCUIT TYPE 74H103N				GATE A05						
1	GCLKE:1	AU1G17	1CLK		2	VCC1	AU1G17	1CLR		3	INAQ	AU1G17	1K
4			VCC		5	GCLKE:1	AU1G17	2CLK		6	MRESETQA-	AU1G17	2CLR
7	EXEK	AU1G17	2J		8	EXECQ	AU1G17	2Q-		9	EXECQ-	AU1G17	2Q
10	EXEJ	AU1G17	2K		11			GRD		12	IFLAGQ	AU1G17	1Q
13	IFLAGQ-	AU1G17	1Q-		14	INTST	AU1G17	1J					
LOCATION		718	CIRCUIT TYPE 7408N				GATE A02						
1	L0-	AU1G18	INA1		2	L1-	AU1G18	INB1		3	L01-	AU1G18	OUT1
4	IR56BSD	AU1G18	INA2		5	LE	AU1G18	INB2		6	MOLEOP	AU1G18	OUT2
7			GRD		8	M3L567J1	AU1G18	OUT3		9	L567	AU1G18	INA3
10	IR8	AU1G18	INB3		11	M8LBC	AU1G18	OUT4		12	M8	AU1G18	INA4
13	LBC	AU1G18	INB4		14			VCC					
LOCATION		719	CIRCUIT TYPE 7437N				GATE A02						
1	M8-	AU1G19	INA1		2	VCC1	AU1G19	INB1		3	M8	AU1G19	OUT1
4	MO-	AU1G19	INA2		5	VCC1	AU1G19	INB2		6	MO	AU1G19	OUT2
7			GRD		8	GCLKF:3-	AU1G19	OUT3		9	AU2CLK	AU1G19	INA3
10	VCC1	AU1G19	INB3		11	BYTEINC	AU1G19	OUT4		12	BYTEINCA-	AU1G19	INA4
13	BYTEINCB-	AU1G19	INB4		14			VCC					
LOCATION		720	CIRCUIT TYPE 7408N				GATE A02						
1	M8L1ALU-	AU1G20	INA1		2	M8LO-	AU1G20	INB1		3	ENARCLR-	AU1G20	OUT1
4	IR9T	AU1G20	INA2		5	IR11	AU1G20	INB2		6	IR911	AU1G20	OUT2
7			GRD		8	SCNT06	AU1G20	OUT3		9	SC3	AU1G20	INA3
10	SC2	AU1G20	INB3		11	TRP1413	AU1G20	OUT4		12	TRP14Q	AU1G20	INA4
13	TRP13-	AU1G20	INB4		14			VCC					
LOCATION		721	CIRCUIT TYPE 74H04N				GATE A02						
1	INAQ	AU1G21	IN1		2	INAQ-	AU1G21	OUT1		3	IR1	AU1G21	IN2
4	IR1T-	AU1G21	OUT2		5	CYCOMP	AU1G21	IN3		6	CYC-	AU1G21	OUT3
7			GRD		8	IROT-	AU1G21	OUT4		9	IRO	AU1G21	IN4
10	ER15T-	AU1G21	OUT5		11	ER15	AU1G21	IN5		12	ENPCOUT-	AU1G21	OUT6
13	ENPCOUT	AU1G21	IN6		14			VCC					

LOCATION 801				CIRCUIT TYPE RES				GATE A02			
6			GRD		V			VCC1	AU1H01	INA	
2	VCC1	AU1H01	INA		3	VCC1	AU1H01	INA	AU1H01	INA	
5	VCC1	AU1H01	INA		6	VCC1	AU1H01	INA	AU1H01	INA	
8	VCC1	AU1H01	INA		9	IOINT-	AU1H01	OTA*	AU1H01	OTA*	
11	RDYIO-	AU1H01	OTA*		12	SRDSW-	AU1H01	OTA*	AU1H01	OTA*	
14	XPRESW-	AU1H01	OTA*		15	SRESW-	AU1H01	OTA*	AU1H01	OTA*	
LOCATION 802				CIRCUIT TYPE 74H54N				GATE A02			
1	FSWON	AU1H02	INA		2	ARDSW	AU1H02	INC	L3	AU1H02	IND
4	RUNFFQ-	AU1H02	INE		5	RSTSW	AU1H02	INF	L1	AU1H02	ING
7			GRD		8	MDJ1A-	AU1H02	OUT	LRDSW	AU1H02	INH
10	L5	AU1H02	INI		13	L0	AU1H02	INB			VCC
LOCATION 803				CIRCUIT TYPE 7420N				GATE A02			
1	LRESW-	AU1H03	INA1		2	LRDSW-	AU1H03	INB1	MRESW-	AU1H03	INC1
5	L5	AU1H03	IND1		6	MDL5PA1-	AU1H03	OUT1			GRD
8	MDL7PA1-	AU1H03	OUT2		9	SRFSW-	AU1H03	INA2	SRDSW-	AU1H03	INB2
12	XPRESW-	AU1H03	INC2		13	L7	AU1H03	IND2			VCC
LOCATION 804				CIRCUIT TYPE 7437N				GATE A02			
1	MRESETQ	AU1H04	INA1		2	VCC1	AU1H04	INB1	MRESETQA-	AU1H04	OUT1
4	AU2CLK-	AU1H04	INA2		5	VCC1	AU1H04	INB2	GCLK2	AU1H04	OUT2
7			GRD		8	L4	AU1H04	OUT3	L4-	AU1H04	INA3
10	VCC1	AU1H04	INB3		11	GCLK2:1	AU1H04	OUT4	AU2CLK-	AU1H04	INA4
13	VCC1	AU1H04	INB4		14			VCC			
LOCATION 805				CIRCUIT TYPE 74H54N				GATE A02			
1	LRESW	AU1H05	INA		2	MRDSW	AU1H05	INC	L6	AU1H05	IND
4	VCC1	AU1H05	INE		5	XRDSW	AU1H05	INF	L8	AU1H05	ING
7			GRD		8	MDJ2B-	AU1H05	OUT	SRESW	AU1H05	INH
10	L7	AU1H05	INI		13	L5	AU1H05	INB			VCC
LOCATION 807				CIRCUIT TYPE 7430N				GATE A02			
1	IR8T-	AU1H07	INA		2	IR8T	AU1H07	INB	IR7T-	AU1H07	INC
4	IR6T-	AU1H07	IND		5	IR5T-	AU1H07	INE	FORALAQ	AU1H07	INF

7 12	IR10-	AUIH07	GRD INH	8 14	DVRST-	AUIH07	OUT VCC	11	VCC1	AUIH07	ING
LOCATION		808	CIRCUIT TYPE 7404N				GATE A02				
1 4 7 10 13	ARESW- L7 IMM AOXA1	AUIH08 AUIH08 AUIH08 AUIH08	IN1 OUT2 GRD OUT5 IN6	2 5 8 11 14	ARESW L6- M2L15J3 IMM-	AUIH08 AUIH08 AUIH08 AUIH08	OUT1 IN3 OUT4 IN5 VCC	3 6 9 12	L7- L6 M2L15J3- AOXA1-	AUIH08 AUIH08 AUIH08 AUIH08	IN2 OUT3 IN4 OUT6
LOCATION		809	CIRCUIT TYPE 7451N				GATE A02				
1 4 7 10	AROXIR9 L5 AROXAR1	AUIH09 AUIH09 AUIH09	INA1 INB2 GRD INB1	2 5 8 13	M2 M2 M2L15J3- L1	AUIH09 AUIH09 AUIH09 AUIH09	INA2 INB2 OUT1 INA1	3 6 9 14	L1 M2L15- L5	AUIH09 AUIH09 AUIH09	INA2 OUT2 INB1 VCC
LOCATION		811	CIRCUIT TYPE 7410N				GATE A02				
1 4 7 10 13	L4- LD SCNTOF- L6-	AUIH11 AUIH11 AUIH11 AUIH11	INA1 INB2 GRD INB3 INC1	2 5 8 11 14	L5- RDYQ M3L4PA- L4	AUIH11 AUIH11 AUIH11 AUIH11	INB1 INC2 OUT3 INC3 VCC	3 6 9 12	MA PCISAD- E14XE15- L456	AUIH11 AUIH11 AUIH11 AUIH11	INA2 OUT2 INA3 OUT1
LOCATION		812	CIRCUIT TYPE 74H54N				GATE A02				
1 4 7 10	MFL8 GROUND M8	AUIH12 AUIH12 AUIH12	INA INE GRD INI	2 5 8 13	MDJ2 GROUND SELJ2B- IR9T-	AUIH12 AUIH12 AUIH12 AUIH12	INC INF OUT INB	3 6 9 14	MD GROUND M8J2	AUIH12 AUIH12 AUIH12	IND ING INH VCC
LOCATION		813	CIRCUIT TYPE 7437N				GATE A02				
1 4 7 10 13	L2- AU2CLK VCC1 VCC1	AUIH13 AUIH13 AUIH13 AUIH13	INA1 INA2 GRD INB3 INB4	2 5 8 11 14	VCC1 VCC1 MA GCLKF:1-	AUIH13 AUIH13 AUIH13 AUIH13	INB1 INB2 OUT3 OUT4 VCC	3 6 9 12	L2 GCLKF:2- MA- AU2CLK	AUIH13 AUIH13 AUIH13 AUIH13	OUT1 OUT2 INA3 INA4
LOCATION		814	CIRCUIT TYPE 7400N				GATE A02				

1	L2-	AU1H14	INA1		2	L3-	AU1H14	INB1		3	L23	AU1H14	OUT1
4	LA-	AU1H14	INA2		5	LB-	AU1H14	INB2		6	LAB	AU1H14	OUT2
7			GRD		8	L8A	AU1H14	OUT3		9	L8-	AU1H14	INA3
10	LA-	AU1H14	INB3		11	DMAIO	AU1H14	OUT4		12	DMAM-	AU1H14	INA4
13	IOM-	AU1H14	INB4		14			VCC					

LOCATION 815

CIRCUIT TYPE 7400N

GATE A02

1	MR	AU1H15	INA1		2	L0	AU1H15	INB1		3	M8L0-	AU1H15	OUT1
4	L6-	AU1H15	INA2		5	L5-	AU1H15	INB2		6	L56	AU1H15	OUT2
7			GRD		8	INT14A-	AU1H15	OUT3		9	INTINT	AU1H15	INA3
10	INAQ-	AU1H15	INB3		11	LBC	AU1H15	OUT4		12	LB-	AU1H15	INA4
13	LC-	AU1H15	INB4		14			VCC					

LOCATION 816

CIRCUIT TYPE 7404N

GATE A02

1	MB-	AU1H16	IN1		2	MB	AU1H16	OUT1		3	L0-	AU1H16	IN2
4	L0	AU1H16	OUT2		5	IOM-	AU1H16	IN3		6	IOM	AU1H16	OUT3
7			GRD		8	M2	AU1H16	OUT4		9	M2-	AU1H16	IN4
10	MC	AU1H16	OUT5		11	MC-	AU1H16	IN5		12	LB	AU1H16	OUT6
13	LB-	AU1H16	IN6		14			VCC					

LOCATION 817

CIRCUIT TYPE 7402N

GATE A01*

1	M8L456J1-	AU1H17	OUT1		2	M8L4J1	AU1H17	INA1		3	M8L56J1	AU1H17	INB1
4	MEL3	AU1H17	OUT2		5	ME-	AU1H17	INA2		6	L3-	AU1H17	INB2
7			GRD		8			INA3		9			INB3
10			OUT3		11	M6-	AU1H17	INA4		12	LB-	AU1H17	INB4
13	M6LB	AU1H17	OUT4		14			VCC					

LOCATION 818

CIRCUIT TYPE 74S22N

GATE A02

1	M8LC	AU1H18	INA1		2	SCO-	AU1H18	INB1		4	ALUOT-	AU1H18	INC1
5	UROT-	AU1H18	IND1		6	SELPA-	AU1H18	OUT1		7			GRD
8	SELPA-	AU1H18	OUT2		9	M8LB	AU1H18	INA2		10	SCO-	AU1H18	INB2
12	ALUOT-	AU1H18	INC2		13	UROT	AU1H18	IND2		14			VCC

LOCATION 819

CIRCUIT TYPE 74S22N

GATE A02

1	M8LC	AU1H19	INA1		2	SCO-	AU1H19	INB1		4	ALUOT	AU1H19	INC1
5	UROT	AU1H19	IND1		6	SELPA-	AU1H19	OUT1		7			GRD

8			OUT2		9			INA2		10			INB2
12			INC2		13			IND2		14			VCC

LOCATION 820

CIRCUIT TYPE 74H30N

GATE A02

1	PCIS08-	AUIH20	INA		2	PCIS08-	AUIH20	INB		3	PCIS7D-	AUIH20	INC
4	PCISAD-	AUIH20	IND		5	ENPCOUT-	AUIH20	INE		6	SKIP-	AUIH20	INF
7			GRD		8	ENPCINC	AUIH20	OUT		11	R36-	AUIH20	ING
12	PCISA3-	AUIH20	INH		14			VCC					

LOCATION 821

CIRCUIT TYPE 74H11N

GATE A02

1	SELBFR	AUIH21	INA1		2	VCC1	AUIH21	INB1		3	ALU0T	AUIH21	INA2
4	ER1	AUIH21	INB2		5	URO	AUIH21	INC2		6	ALOE1U0	AUIH21	OUT2
7			GRD		8	ENIOUT-	AUIH21	OUT3		9	CLKONQ	AUIH21	INA3
10	ENPCOUT-	AUIH21	INB3		11	R19-	AUIH21	INC3		12	SELBFRB	AUIH21	OUT1
13	VCC1	AUIH21	INC1		14			VCC					

LOCATION 901

CIRCUIT TYPE CAP1

GATE

1	VCC1	AUIJ01	CAP+		2	GND1	AUIJ01	CAP-					
---	------	--------	------	--	---	------	--------	------	--	--	--	--	--

LOCATION 902

CIRCUIT TYPE 7404N

GATE A02

1	RSTSW-	AUIJ02	IN1		2	RSTSW	AUIJ02	OUT1		3	ADRV-	AUIJ02	IN2
4	ADRV	AUIJ02	OUT2		5	ICINT-	AUIJ02	IN3		6	IOINT	AUIJ02	OUT3
7			GRD		8			OUT4		9			IN4
10	RDYIO	AUIJ02	OUT5		11	RDYIO-	AUIJ02	IN5		12	LRDSW	AUIJ02	OUT6
13	LRDSW-	AUIJ02	IN6		14			VCC					

LOCATION 903

CIRCUIT TYPE 74H10N

GATE A02

1	RR	AUIJ03	INA1		2	MEM12	AUIJ03	INB1		3	MC	AUIJ03	INA2
4	L2	AUIJ03	INB2		5	CYCOMP	AUIJ03	INC2		6	ENAPI1-	AUIJ03	OUT2
7			GRD		8	MOLEJ1-	AUIJ03	OUT3		9	IR5	AUIJ03	INA3
10	IR6T-	AUIJ03	INB3		11	LE	AUIJ03	INC3		12	RRILLOP-	AUIJ03	OUT1
13	RRDESZ-	AUIJ03	INC1		14			VCC					

LOCATION 904

CIRCUIT TYPE 7404N

GATE A02

1	LRESW-	AUIJ04	IN1		2	LRESW	AUIJ04	OUT1		3	SRDSW-	AUIJ04	IN2
---	--------	--------	-----	--	---	-------	--------	------	--	---	--------	--------	-----

4	SRDSW	AU1J04	OUT2		5	MEM15-	AU1J04	IN3		6	MEM15A	AU1J04	OUT3
7			GRD		8	INTABORT	AU1J04	OUT4		9	INTABORT-	AU1J04	IN4
10	SRESW	AU1J04	OUT5		11	SRESW-	AU1J04	IN5		12	DMAINT	AU1J04	OUT6
13	DMAINT-	AU1J04	IN6		14			VCC					

LOCATION 906

CIRCUIT TYPE 7420N

GATE A02

1	L2-	AU1J06	INA1		2	L6-	AU1J06	INB1		4	L4-	AU1J06	INC1
5	L7-	AU1J06	IND1		6	L2467	AU1J06	OUT1		7			GRD
8	CLCNT-	AU1J06	OUT2		9	LDSC-	AU1J06	INA2		10	CNT-	AU1J06	INB2
12	M2L15-	AU1J06	INC2		13	M3L1-	AU1J06	IND2		14			VCC

LOCATION 907

CIRCUIT TYPE 7400N

GATE A02

1	SELBFRB	AU1J07	INA1		2	C80P	AU1J07	INB1		3	LDSC-	AU1J07	OUT1
4	SRDSW	AU1J07	INA2		5	L7	AU1J07	INB2		6	MDL7J1-	AU1J07	OUT2
7			GRD		8	MCJ1	AU1J07	OUT3		9	MCL4J1-	AU1J07	INA3
10	MCLDJ1-	AU1J07	INB3		11	MCL4J1-	AU1J07	OUT4		12	INTABORT	AU1J07	INA4
13	L4	AU1J07	INB4		14			VCC					

LOCATION 908

CIRCUIT TYPE 74H52N

GATE A03

1	M3	AU1J08	INA		2	M3L1CJ3	AU1J08	INB		3	M0	AU1J08	INC
4	MOLOJ3	AU1J08	IND		5	VCC1	AU1J08	INE		7			GRD
8	SELJ3A	AU1J08	OUT		9			EXP		10	M2	AU1J08	INF
11	M2L15J3	AU1J08	ING		12	M1	AU1J08	INH		13	M1L4J3	AU1J08	INI
14			VCC										

LOCATION 909

CIRCUIT TYPE 7408N

GATE A02

1	SCNT1E	AU1J09	INA1		2	L4	AU1J09	INB1		3	M1L4J3	AU1J09	OUT1
4	SCNT1E	AU1J09	INA2		5	L2	AU1J09	INB2		6	M5L2J3	AU1J09	OUT2
7			GRD		8	SC3B	AU1J09	OUT3		9	SC3	AU1J09	INA3
10	VCC1	AU1J09	INB3		11	MOLOPA	AU1J09	OUT4		12	MRESETQ	AU1J09	INA4
13	L0	AU1J09	INB4		14			VCC					

LOCATION 910

CIRCUIT TYPE 74H52N

GATE A03

1	M8	AU1J10	INA		2	M8L24PA	AU1J10	INB		3	M0	AU1J10	INC
4	MOLOPA	AU1J10	IND		5	VCC1	AU1J10	INE		7			GRD
8	SELPAA	AU1J10	OUT		9			EXP		10	M5	AU1J10	INF
11	M5L12PA	AU1J10	ING		12	M1	AU1J10	INH		13	M1PA	AU1J10	INI
14			VCC										

LOCATION 911				CIRCUIT TYPE 7400N				GATE A02					
1	M3	AUIJ11	INA1		2	L1	AUIJ11	INB1		3	M3L1-	AUIJ11	OUT1
4	L456	AUIJ11	INA2		5	SCNT0F	AUIJ11	INB2		6	M8J2A-	AUIJ11	OUT2
7			GRD		8	MALCPA1-	AUIJ11	OUT3		9	MEM8A	AUIJ11	INA3
10	LC	AUIJ11	INB3		11	M8L24PA	AUIJ11	OUT4		12	M8L2PA-	AUIJ11	INA4
12	M3L4PA-	AUIJ11	INB4		14			VCC					

LOCATION 912				CIRCUIT TYPE 74H52N				GATE A03					
1	MF	AUIJ12	INA		2	MFLFJ3	AUIJ12	INB		3	M5	AUIJ12	INC
4	M5L2J3	AUIJ12	IND		5	VCC1	AUIJ12	INE		7			GRD
8	SELJ3B	AUIJ12	OUT		9			EXP		10	MB	AUIJ12	INF
11	M3L6CJ3	AUIJ12	ING		12	MA	AUIJ12	INH		13	MALEFJ3	AUIJ12	INI
14			VCC										

LOCATION 914				CIRCUIT TYPE 7400N				GATE A02					
1	LAB	AUIJ14	INA1		2	SCNT1E-	AUIJ14	INB1		3	M3LABPA-	AUIJ14	OUT1
4	M8J2A-	AUIJ14	INA2		5	M8LEJ2-	AUIJ14	INB2		6	M8J2	AUIJ14	OUT2
7			GRD		8	M0L7J1-	AUIJ14	OUT3		9	IR5	AUIJ14	INA3
10	L7	AUIJ14	INB3		11	M5L1PA-	AUIJ14	OUT4		12	SCNT1E-	AUIJ14	INA4
13	L1	AUIJ14	INB4		14			VCC					

LOCATION 915				CIRCUIT TYPE 7400N				GATE A02					
1	L8-	AUIJ15	INA1		2	LE-	AUIJ15	INB1		3	L8E	AUIJ15	OUT1
4	M5L1PA-	AUIJ15	INA2		5	M5L2PA-	AUIJ15	INB2		6	M5L12PA	AUIJ15	OUT2
7			GRD		8	M8LOJ1-	AUIJ15	OUT3		9	AR15	AUIJ15	INA3
10	LO	AUIJ15	INB3		11	T2OR6	AUIJ15	OUT4		12	INT14A-	AUIJ15	INA4
13	INT14B-	AUIJ15	INB4		14			VCC					

LOCATION 916				CIRCUIT TYPE 7420N				GATE A02					
1	EXPM-	AUIJ16	INA1		2	DMAM-	AUIJ16	INB1		4	IOM	AUIJ16	INC1
5	INAQ-	AUIJ16	IND1		6	INT14B-	AUIJ16	OUT1		7			GRD
8	IAQBFR-	AUIJ16	OUT2		9	MA-	AUIJ16	INA2		10	R22	AUIJ16	INB2
12	RUNFFQ	AUIJ16	INC2		13	INTM-	AUIJ16	IND2		14			VCC

LOCATION 917				CIRCUIT TYPE 74S65N				GATE A02			
-----------------	--	--	--	---------------------	--	--	--	----------	--	--	--

P I N L I S T FOR: PRODUCT CODE 980A

MODULE

DATE 05/23/72 PAGE 29

1	ALUOT-	AUIJ17	INA		2	GROUND	AUIJ17	INE		3	GROUND	AUIJ17	INF
4	ALUOT	AUIJ17	ING		5	AROT-	AUIJ17	INH		6	M6LB	AUIJ17	INI
7			GRD		8	SELJ1-	AUIJ17	OUT1		9	IR911	AUIJ17	INJ
10	MFL8	AUIJ17	INK		11	ARO	AUIJ17	INB		12	M6LB	AUIJ17	INC
13	VCC1	AUIJ17	IND		14			VCC					

LOCATION 918

CIRCUIT TYPE 7404N

GATE A02

1	SCO	AUIJ18	IN1		2	SCO-	AUIJ18	OUT1		3	URO	AUIJ18	IN2
4	UROT-	AUIJ18	OUT2		5	MBL6CJ3-	AUIJ18	IN3		6	MBL6CJ3	AUIJ18	OUT3
7			GRD		8	IR9T-	AUIJ18	OUT4		9	IR9T	AUIJ18	IN4
10	UROT	AUIJ18	OUT5		11	UROT-	AUIJ18	IN5		12	LC	AUIJ18	OUT6
13	LC-	AUIJ18	IN6		14			VCC					

LOCATION 919

CIRCUIT TYPE 7474N

GATE A05

1	VCC1	AUIJ19	1CLR		2	T40P6	AUIJ19	1D		3	TRPCLK-	AUIJ19	1CLK
4	VCC1	AUIJ19	1PRE		5	TRP13Q	AUIJ19	1Q		6	TRP13Q-	AUIJ19	1Q-
7			GRD		3	DMAQ-	AUIJ19	2Q-		9	DMAQ	AUIJ19	2Q
10	VCC1	AUIJ19	2PRE		11	GCLKF:3-	AUIJ19	2CLK		12	DMAINT	AUIJ19	2D
13	VCC1	AUIJ19	2CLR		14			VCC					

LOCATION 920

CIRCUIT TYPE 7486N

GATE A02

1	ARO	AUIJ20	INA1		2	IR9T	AUIJ20	INB1		3	AROXIR9	AUIJ20	OUT1
4			INA2		5			INB2		6			OUT2
7			GRD		8			OUT3		9			INA3
10			INB3		11	AR1XIR9	AUIJ20	OUT4		12	IR9T	AUIJ20	INA4
13	AR1	AUIJ20	INB4		14			VCC					

LOCATION 921

CIRCUIT TYPE 7402N

GATE A01*

1	SCNTZ	AUIJ21	OUT1		2	SC4	AUIJ21	INA1		3	SC3	AUIJ21	INB1
4	ENNSCO	AUIJ21	OUT2		5	M2-	AUIJ21	INA2		6	LO-	AUIJ21	INB2
7			GRD		8	M3-	AUIJ21	INA3		9	LO-	AUIJ21	INB3
10	ENNSC15	AUIJ21	OUT3		11	IR10T	AUIJ21	INA4		12	IR11	AUIJ21	INB4
13	EXTFORMB	AUIJ21	OUT4		14			VCC					

LOCATION 1001

CIRCUIT TYPE 74H11N

GATE A02

1	APOPCOMP-	AUIK01	INA1		2	INTABORT-	AUIK01	INB1		3	ME	AUIK01	INA2
4	L3	AUIK01	INB2		5	CYCOMP	AUIK01	INC2		6	ENLRAIN	AUIK01	OUT2
7			GRD		8	ENATI2	AUIK01	OUT3		9	MC	AUIK01	INA3

NEXT PAGE IS 30

DRAWING NUMBER 960687-9902 REVISION LTR A

10	L0	AU1K01	INB3		11	CYCOMP	AU1K01	INC3		12	MCL4PA	AU1K01	OUT1
13	L4	AU1K01	INC1		14			VCC					

LOCATION 1002

CIRCUIT TYPE 74H05N

GATE A02

1	J1SELA	AU1K02	IN1		2	SELJ1-	AU1K02	OUT1		3	POFF	AU1K02	IN2
4	POFF-	AU1K02	OUT2		5	J1SELB	AU1K02	IN3		6	SELJ1-	AU1K02	OUT3
7			GRD		8	SELPA1-	AU1K02	OUT4		9	SELPA1A	AU1K02	IN4
10	SELJ3-	AU1K02	OUT5		11	SELJ3B	AU1K02	IN5		12	SELJ3-	AU1K02	OUT6
13	SELJ3A	AU1K02	IN6		14			VCC					

LOCATION 1003

CIRCUIT TYPE 74H01N

GATE A02

1	INSRTOP	AU1K03	INA1		2	MEM0-	AU1K03	INB1		3	BFR3	AU1K03	OUT1
4	INSRTOP	AU1K03	INA2		5	MEM4-	AU1K03	INB2		6	BFR7	AU1K03	OUT2
7			GRD		8	BFR6	AU1K03	OUT3		9	INSRTOP	AU1K03	INA3
10	MEM3-	AU1K03	INB3		11	BFR4	AU1K03	OUT4		12	INSRTOP	AU1K03	INA4
13	MEM1-	AU1K03	INB4		14			VCC					

LOCATION 1004

CIRCUIT TYPE 7410N

GATE A02

1	MEM13-	AU1K04	INA1		2	MEM14-	AU1K04	INB1		3	IR8T	AU1K04	INA2
4	M5T	AU1K04	INB2		5	L0	AU1K04	INC2		6	M5LOIR8-	AU1K04	OUT2
7			GRD		8	SCNT1E-	AU1K04	OUT3		9	SCNT06	AU1K04	INA3
10	SC1	AU1K04	INB3		11	SC0	AU1K04	INC3		12	RRDESZ-	AU1K04	OUT1
13	MEM15-	AU1K04	INC1		14			VCC					

LOCATION 1005

CIRCUIT TYPE RES

GATE A02

G			GRD		V			VCC		1	VCC1	AU1K05	INA
2	VCC1	AU1K05	INA		3	VCC1	AU1K05	INA		4	VCC1	AU1K05	INA
5	VCC1	AU1K05	INA		6	VCC1	AU1K05	INA		7	VCC1	AU1K05	INA
8	VCC1	AU1K05	INA		9	DBL	AU1K05	OTA*		10	SELPA1-	AU1K05	OTA*
11	EXTSTCK-	AU1K05	OTA*		12	BSDQD	AU1K05	OTA*		13	C80P	AU1K05	OTA*
14	BFR7	AU1K05	OTA*		15	RR	AU1K05	OTA*		16	INTABORT-	AU1K05	OTA*

LOCATION 1006

CIRCUIT TYPE 7474N

GATE A05

1	VCC1	AU1K06	1CLR		2	BSDQD	AU1K06	1D		3	SELBFRCK-	AU1K06	1CLK
4	VCC1	AU1K06	1PRE		5	BSDQ	AU1K06	1Q		6	BSDQ-	AU1K06	1Q-
7			GRD		8	RDYQ-	AU1K06	2Q-		9	RDYQ	AU1K06	2Q
10	VCC1	AU1K06	2PRE		11	GCLKF:1-	AU1K06	2CLK		12	RDYIO	AU1K06	2D
13	VCC1	AU1K06	2CLR		14			VCC					