Sender Deliveries

32,790

authenticated ACK accepted

Receiver Decryptions

32,789

authenticated + decrypted

Delivery / Decryption Gap

1

absolute event-count difference

Security / Reliability Failures

0

fail-closed / rejected events

Observed Run Duration

24.00 h

first-to-last firmware event

24-Hour Progress

100%

elapsed time toward 24 h

Sender Final Success Rate

100%

delivered / terminal sender outcomes

End-to-End Match

100%

delivery/decryption parity

Latest Successful Sequence

37,660

persistent protocol sequence

Retries

49

send errors / ACK timeouts

Invalid Serial Events

7

host bridge rejected/malformed lines

HEC Delivery Failures

0

firmware events not delivered live


Current Device Health and Identity Context

Device	Role	Status	Last Event	LastSeen	SenderID	Generation	Max Sequence	Event Counter	Capture ID
gateway-01	gateway	OFFLINE	MSG_DECRYPTED	2026-09-15 20:52:35	0x53454E31	1	37660	263198	50a4e6e1aaf2461abc5f5756c8d1c9a3
sender-53454E31	sender	OFFLINE	MSG_DELIVERED	2026-09-15 20:52:35	0x53454E31	1	37660	131238	91f9820a264546988473916 90142ace9


Boot, Provisioning and Readiness Events

No results found.


Successful Cryptographic Pipeline — Stage-by-Stage Evidence



End-to-End Message Throughput



Persistent Sequence Progression



Security Rejections and Fail-Closed Events

No results found.

Threat / Rejection Timeline

No results found.

Duplicate ACK Recovery

194

safe retransmission acknowledgements

Replay Rejects

0

sequence / nonce replay

Rate-Limit Hits

0

meta / temporary throttle

Persistent-State Failures

0

must remain zero


Retries / Blocking / Throttling by Action

Role	Event	Action	Count	LastSeen
gateway	DUPLICATE_ACK	previous_commit_acknowledged	194	2026-09-15 20:50:58
sender	MSG_RETRY	ack_timeout	49	2026-09-15 17:33:56


Key, Pairing, Fingerprint and Replay-State Lifecycle

No results found.

Gateway Service Requests



24-Hour Endurance — Delivery / Decryption / Retry Rate (30 min bins)



24-Hour Research Summary

24-Hour Research Summary (Columns 1-12 of 16)

#	Start	End	Duration h	Delivered	Decrypted	E2E Gap	E2E Match %	Delivered / h	Retries	Send Failures	Auth Failures	Replay Rejects
1	2026-09-14 20:52:37	2026-09-15 20:52:35	23.999	32790	32789	1	99.9970	1366.31	49	0	0	0

24-Hour Research Summary (Columns 13-16 of 16)

#	Persist Failures	Max Sequence	Devices	Capture Streams
1	0	37660	2	2

Live Capture Bridge Health

LastUpdate	Capture Uptime	Valid Firmware Events	Queued	HEC Sent	HEC Failed	Invalid / Rejected Serial	Capture ID
2026-09-15 20:52:37	24.00 h	394338	394338	394338	0	7	c40cd0047772460e99841965057cf798

Firmware Evidence Feed

Time	Device	Role	SenderID	Generation	Sequence	Event	Severity	Action	Event Counter	Event ID
1789498355	sender-53454E31	sender	0x53454E31	1	37660	MSG_DELIVERED	INFO	message_delivered	131238	91f9820a264546988473 91690142ace9:131207
1789498355	gateway-01	gateway	0x53454E31	1	37660	MSG_DECRYPTED	INFO	message_decrypted	263198	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263131
1789498355	gateway-01	gateway	0x53454E31	1	37660	AEAD_DECRYPT_OK	INFO	aes_256_ccm_message_authenticated	263197	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263130
1789498355	gateway-01	gateway	0x53454E31	1	37660	HKDF_DONE	INFO	aes_256_ccm_key_derived	263196	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263129
1789498355	gateway-01	gateway	0x53454E31	1	37660	KEM_DECAP_OK	INFO	shared_secret_decapsulated	263195	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263128
1789498355	gateway-01	gateway	0x53454E31	1	37660	DEVICE_AUTH_OK	INFO	hmac_sha256_verified	263194	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263127
1789498355	gateway-01	gateway	-	0	0	DATA_REQUEST	INFO	encrypted_data_received	263193	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263126
1789498355	sender-53454E31	sender	0x53454E31	1	37660	AEAD_ENCRYPT_DONE	INFO	aes_256_ccm_message_encrypted	131237	91f9820a264546988473 91690142ace9:131206
1789498355	sender-53454E31	sender	0x53454E31	1	37659	KEM_HKDF_DONE	INFO	aes_256_ccm_key_derived	131236	91f9820a264546988473 91690142ace9:131205
1789498355	gateway-01	gateway	-	0	0	META_REQUEST	INFO	meta_served	263192	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263125
1789498355	sender-53454E31	sender	0x53454E31	1	37659	PK_AUTH_OK	INFO	fingerprint_verified	131235	91f9820a264546988473 91690142ace9:131204
1789498355	gateway-01	gateway	-	0	0	PK_REQUEST	INFO	pk_served	263191	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263124
1789498353	sender-53454E31	sender	0x53454E31	1	37659	MSG_DELIVERED	INFO	message_delivered	131234	91f9820a264546988473 91690142ace9:131203
1789498353	gateway-01	gateway	0x53454E31	1	37659	MSG_DECRYPTED	INFO	message_decrypted	263190	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263123
1789498352	gateway-01	gateway	0x53454E31	1	37659	AEAD_DECRYPT_OK	INFO	aes_256_ccm_message_authenticated	263189	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263122
1789498352	gateway-01	gateway	0x53454E31	1	37659	HKDF_DONE	INFO	aes_256_ccm_key_derived	263188	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263121
1789498352	gateway-01	gateway	0x53454E31	1	37659	KEM_DECAP_OK	INFO	shared_secret_decapsulated	263187	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263120
1789498352	gateway-01	gateway	0x53454E31	1	37659	DEVICE_AUTH_OK	INFO	hmac_sha256_verified	263186	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263119
1789498352	gateway-01	gateway	-	0	0	DATA_REQUEST	INFO	encrypted_data_received	263185	50a4e6e1aaf2461abc5f5 756c8d1c9a3:263118
1789498352	sender-53454E31	sender	0x53454E31	1	37659	AEAD_ENCRYPT_DONE	INFO	aes_256_ccm_message_encrypted	131233	91f9820a264546988473 91690142ace9:131202
1789498352	sender-53454E31	sender	0x53454E31	1	37658	KEM_HKDF_DONE	INFO	aes_256_ccm_key_derived	131232	91f9820a264546988473 91690142ace9:131201

Time	Device	Role	SenderID	Generation	Sequence	Event	Severity	Action	Event Counter	Event ID
1789498352	gateway-01	gateway	-	0	0	META_REQUEST	INFO	meta_served	263184	50a4e6e1aaf2461abc5f5756c8d1c9a3:263117
1789498352	sender-53454E31	sender	0x53454E31	1	37658	PK_AUTH_OK	INFO	fingerprint_verified	131231	91f9820a264546988473 91690142ace9:131200
1789498352	gateway-01	gateway	-	0	0	PK_REQUEST	INFO	pk_served	263183	50a4e6e1aaf2461abc5f5756c8d1c9a3:263116
1789498350	sender-53454E31	sender	0x53454E31	1	37658	MSG_DELIVERED	INFO	message_delivered	131230	91f9820a264546988473 91690142ace9:131199
1789498350	gateway-01	gateway	0x53454E31	1	37658	MSG_DECRYPTED	INFO	message_decrypted	263182	50a4e6e1aaf2461abc5f5756c8d1c9a3:263115
1789498350	gateway-01	gateway	0x53454E31	1	37658	AEAD_DECRYPT_OK	INFO	aes_256_ccm_message_authenticated	263181	50a4e6e1aaf2461abc5f5756c8d1c9a3:263114
1789498350	gateway-01	gateway	0x53454E31	1	37658	HKDF_DONE	INFO	aes_256_ccm_key_derived	263180	50a4e6e1aaf2461abc5f5756c8d1c9a3:263113
1789498350	gateway-01	gateway	0x53454E31	1	37658	KEM_DECAP_OK	INFO	shared_secret_decapsulated	263179	50a4e6e1aaf2461abc5f5756c8d1c9a3:263112
1789498350	gateway-01	gateway	0x53454E31	1	37658	DEVICE_AUTH_OK	INFO	hmac_sha256_verified	263178	50a4e6e1aaf2461abc5f5756c8d1c9a3:263111
1789498350	gateway-01	gateway	-	0	0	DATA_REQUEST	INFO	encrypted_data_received	263177	50a4e6e1aaf2461abc5f5756c8d1c9a3:263110
1789498349	sender-53454E31	sender	0x53454E31	1	37658	AEAD_ENCRYPT_DONE	INFO	aes_256_ccm_message_encrypted	131229	91f9820a264546988473 91690142ace9:131198
1789498349	sender-53454E31	sender	0x53454E31	1	37657	KEM_HKDF_DONE	INFO	aes_256_ccm_key_derived	131228	91f9820a264546988473 91690142ace9:131197
1789498349	gateway-01	gateway	-	0	0	META_REQUEST	INFO	meta_served	263176	50a4e6e1aaf2461abc5f5756c8d1c9a3:263109
1789498349	sender-53454E31	sender	0x53454E31	1	37657	PK_AUTH_OK	INFO	fingerprint_verified	131227	91f9820a264546988473 91690142ace9:131196
1789498349	gateway-01	gateway	-	0	0	PK_REQUEST	INFO	pk_served	263175	50a4e6e1aaf2461abc5f5756c8d1c9a3:263108
1789498347	sender-53454E31	sender	0x53454E31	1	37657	MSG_DELIVERED	INFO	message_delivered	131226	91f9820a264546988473 91690142ace9:131195
1789498347	gateway-01	gateway	0x53454E31	1	37657	MSG_DECRYPTED	INFO	message_decrypted	263174	50a4e6e1aaf2461abc5f5756c8d1c9a3:263107
1789498347	gateway-01	gateway	0x53454E31	1	37657	AEAD_DECRYPT_OK	INFO	aes_256_ccm_message_authenticated	263173	50a4e6e1aaf2461abc5f5756c8d1c9a3:263106
1789498347	gateway-01	gateway	0x53454E31	1	37657	HKDF_DONE	INFO	aes_256_ccm_key_derived	263172	50a4e6e1aaf2461abc5f5756c8d1c9a3:263105
1789498347	gateway-01	gateway	0x53454E31	1	37657	KEM_DECAP_OK	INFO	shared_secret_decapsulated	263171	50a4e6e1aaf2461abc5f5756c8d1c9a3:263104
1789498347	gateway-01	gateway	0x53454E31	1	37657	DEVICE_AUTH_OK	INFO	hmac_sha256_verified	263170	50a4e6e1aaf2461abc5f5756c8d1c9a3:263103
1789498347	gateway-01	gateway	-	0	0	DATA_REQUEST	INFO	encrypted_data_received	263169	50a4e6e1aaf2461abc5f5756c8d1c9a3:263102
1789498347	sender-53454E31	sender	0x53454E31	1	37657	AEAD_ENCRYPT_DONE	INFO	aes_256_ccm_message_encrypted	131225	91f9820a264546988473 91690142ace9:131194
1789498347	sender-53454E31	sender	0x53454E31	1	37656	KEM_HKDF_DONE	INFO	aes_256_ccm_key_derived	131224	91f9820a264546988473 91690142ace9:131193
1789498347	gateway-01	gateway	-	0	0	META_REQUEST	INFO	meta_served	263168	50a4e6e1aaf2461abc5f5756c8d1c9a3:263101
1789498347	sender-53454E31	sender	0x53454E31	1	37656	PK_AUTH_OK	INFO	fingerprint_verified	131223	91f9820a264546988473 91690142ace9:131192
1789498347	gateway-01	gateway	-	0	0	PK_REQUEST	INFO	pk_served	263167	50a4e6e1aaf2461abc5f5756c8d1c9a3:263100
1789498345	sender-53454E31	sender	0x53454E31	1	37656	MSG_DELIVERED	INFO	message_delivered	131222	91f9820a264546988473 91690142ace9:131191
1789498344	gateway-01	gateway	0x53454E31	1	37656	MSG_DECRYPTED	INFO	message_decrypted	263166	50a4e6e1aaf2461abc5f5756c8d1c9a3:263099
1789498344	gateway-01	gateway	0x53454E31	1	37656	AEAD_DECRYPT_OK	INFO	aes_256_ccm_message_authenticated	263165	50a4e6e1aaf2461abc5f5756c8d1c9a3:263098
1789498344	gateway-01	gateway	0x53454E31	1	37656	HKDF_DONE	INFO	aes_256_ccm_key_derived	263164	50a4e6e1aaf2461abc5f5756c8d1c9a3:263097

Time	Device	Role	SenderID	Generation	Sequence	Event	Severity	Action	Event Counter	Event ID
1789498344	gateway-01	gateway	0x53454E31	1	37656	KEM_DECAP_OK	INFO	shared_secret_decapsulated	263163	50a4e6e1aaf2461abc5f5756c8d1c9a3:263096
1789498344	gateway-01	gateway	0x53454E31	1	37656	DEVICE_AUTH_OK	INFO	hmac_sha256_verified	263162	50a4e6e1aaf2461abc5f5756c8d1c9a3:263095
1789498344	gateway-01	gateway	-	0	0	DATA_REQUEST	INFO	encrypted_data_received	263161	50a4e6e1aaf2461abc5f5756c8d1c9a3:263094
1789498344	sender-53454E31	sender	0x53454E31	1	37656	AEAD_ENCRYPT_DONE	INFO	aes_256_ccm_message_encrypted	131221	91f9820a264546988473 91690142ace9:131190
1789498344	sender-53454E31	sender	0x53454E31	1	37655	KEM_HKDF_DONE	INFO	aes_256_ccm_key_derived	131220	91f9820a264546988473 91690142ace9:131189
1789498344	gateway-01	gateway	-	0	0	META_REQUEST	INFO	meta_served	263160	50a4e6e1aaf2461abc5f5756c8d1c9a3:263093
1789498344	sender-53454E31	sender	0x53454E31	1	37655	PK_AUTH_OK	INFO	fingerprint_verified	131219	91f9820a264546988473 91690142ace9:131188
1789498344	gateway-01	gateway	-	0	0	PK_REQUEST	INFO	pk_served	263159	50a4e6e1aaf2461abc5f5756c8d1c9a3:263092

DTLS 1.2 Baseline — 24-Hour Research View

DTLS 1.2 / ECDHE P-256 / ECDSA P-256 / AES-256-CCM / CoAP over UDP :5684. DTLS uses its own Time Range and Run ID filters, so PQC and DTLS evidence stays separate.

DTLS Sender Successes

42,346

authenticated DTLS responses accepted

DTLS Receiver Successes

42,346

valid DTLS requests processed

DTLS End-to-End Gap

0

absolute sender/receiver count difference

DTLS Reliability Failures

66

message / handshake / runtime / serial

DTLS Observed Run Duration

24.000 h

full selected DTLS run; independent of time picker

DTLS 24-Hour Progress

100%

full selected run toward 24 h; independent of time picker

DTLS Sender Success Rate

100%

successful / terminal sender attempts

DTLS End-to-End Match

100%

sender/receiver success parity

DTLS Handshakes Successful

143

successful sender DTLS handshakes

DTLS Message Failures

2

sender DTLS message failures

DTLS Handshake Failures

0

failed sender DTLS handshakes

DTLS Active Run ID

DTLS-experiment-final

selected DTLS bridge run

DTLS Current Device Health and Run Context


DTLS Current Device Health and Run Context (Columns 1-10 of 11)

#	Device	Role	Status	Last Event	LastSeen	Messages OK	Messages Failed	Handshakes OK	Handshakes Failed	Serial Port
1	dtls-gateway-01	receiver	OFFLINE	DTLS_RUN_COMPLETE	2026-09-18 15:48:53	42346	0	143	0	/dev/ttyUSB2
2	dtls-sender-01	sender	OFFLINE	DTLS_RUN_COMPLETE	2026-09-18 15:48:53	42346	2	143	0	/dev/ttyUSB0


DTLS Current Device Health and Run Context (Column 11 of 11)

#	Run ID
1	DTLS-experiment-final
2	DTLS-experiment-final


DTLS Readiness and Session Events




DTLS Successful Protocol Pipeline — Stage-by-Stage Evidence




DTLS End-to-End Message Throughput




DTLS Session / Handshake Progression



DTLS Failures and Rejected Events



DTLS Failure Timeline



DTLS Handshake Timing

Role	Handshakes	Mean ms	Median ms	SD ms	P95 ms	P99 ms	Minimum ms	Maximum ms
receiver	136	1823.00	1732.00	1059.38	1746.25	1784.15	1712.00	14086.00
sender	136	1935.49	1743.00	2226.74	1762.50	1839.50	1722.00	27712.00


DTLS Per-Message RTT Statistics

Messages	Mean ms	Median ms	SD ms	P95 ms	P99 ms	Minimum ms	Maximum ms
40246	12.01	10.00	27.90	18.04	29.86	8.00	2458.00

DTLS Protocol / Wire Context

Role	Version	Cipher	Record Expansion B	App Payload B	CoAP B	Estimated DTLS Record B	DTLS vs App Overhead B
receiver	DTLSv1.2	TLS-ECDHE-ECDSA-WITH-AES-256-CCM	37	22	36		
sender	DTLSv1.2	TLS-ECDHE-ECDSA-WITH-AES-256-CCM	37	22	36	73	51

DTLS 24-Hour Endurance — Message Success / Failure Rate (30 min bins)



DTLS 24-Hour Research Summary

DTLS 24-Hour Research Summary (Columns 1-11 of 17)

#	Start	End	Duration h	SenderOK	ReceiverOK	E2E Gap	E2E Match %	Sender Success %	Sender OK / h	Sender Failures	Receiver Failures
1	2026-09-17 17:00:04	2026-09-18 15:48:53	22.813	40246	40246	0	100.0000	99.9950	1764.17	2	0

DTLS 24-Hour Research Summary (Columns 12-17 of 17)

#	Handshakes OK	Handshake Failures	Sessions Closed	Runtime / Serial Errors	Mean RTT ms	P95 RTT ms
1	136	0	164	64	12.01	18.07

DTLS Live Capture / Run Health

Role	LastUpdate	Capture Uptime	Messages OK	Messages Failed	Handshakes OK	Handshakes Failed	Session Summaries	Serial Port
receiver	2026-09-18 15:48:27	23.99 h	42333	0	143	0	0	/dev/ttyUSB2
sender	2026-09-18 15:48:27	23.99 h	42333	2	143	0	142	/dev/ttyUSB0

DTLS Evidence Feed

Time	Device	Role	Event	Severity	Action	Run ID	Details
1789739333.0720866	dtls-gateway-01	receiver	DTLS_RUN_COMPLETE	LOW	accepted	DTLS-experiment-final	DTLS ten-hour run complete
1789739333.071771	dtls-sender-01	sender	DTLS_RUN_COMPLETE	LOW	accepted	DTLS-experiment-final	DTLS ten-hour run complete
1789739332.556022	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739332.5556014	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739330.544324	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=9 / coap=36
1789739330.5421097	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739328.5337045	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=9 / coap=36
1789739328.5304422	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739326.5237067	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739326.5228193	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739324.5134666	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=10 / coap=36
1789739324.5094173	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739322.5019593	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=12 / coap=36
1789739322.4954782	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739320.4873254	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739320.4851358	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739318.477811	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=12 / coap=36
1789739318.476222	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739316.464915	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=12 / coap=36
1789739316.4634988	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739314.4524155	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739314.4506066	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739312.4430935	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=10 / coap=36
1789739312.439065	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739310.4310403	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739310.429301	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739308.421352	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=11 / coap=36
1789739308.4175322	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739307.9065268	dtls-gateway-01	receiver	DTLS_HEALTH	INFO	monitoring	DTLS-experiment-final	Periodic DTLS health event
1789739307.410251	dtls-sender-01	sender	DTLS_HEALTH	INFO	monitoring	DTLS-experiment-final	Periodic DTLS health event
1789739306.4087434	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=11 / coap=36
1789739306.404274	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739304.3962588	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739304.3952928	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739302.3864295	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=9 / coap=36

Time	Device	Role	Event	Severity	Action	Run ID	Details
1789739302.3840773	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739300.3759215	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=9 / coap=36
1789739300.372237	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739298.3657472	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739298.3640656	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739296.3561308	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739296.3548443	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739294.3465059	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=12 / coap=36
1789739294.3433373	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739292.333208	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739292.3315754	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739290.3233428	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739290.3212574	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739288.3143172	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739288.312499	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739286.3048131	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=10 / coap=36
1789739286.3035016	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739284.2942076	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739284.2926214	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739282.2846007	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=8 / coap=36
1789739282.2831376	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739280.2751617	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=10 / coap=36
1789739280.2707686	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36
1789739278.2639625	dtls-sender-01	sender	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=12 / coap=36
1789739278.2581985	dtls-gateway-01	receiver	DTLS_MESSAGE_OK	LOW	accepted	DTLS-experiment-final	rtt_ms=- / coap=36

PQC — All Firmware Event Types — Current Experiment

