[NO NAME ARTICLE]

Ilya Pchelintsev, Kamilla Faizullina, and Evgeni Burovski

HSE University, 101000 Moscow, Russia

This is an abstract and that's really abstract.

I. INTRODUCTION

This is cite-checking.[1]

II. MODELS AND METHODS

In the paper we consider several models: the first one is Ising model on interacting self-avoiding walk from the [2], on three different lattices: 2D-square lattice, 3D-square lattice and 2D-triangle lattice. The main difference between square and triangle lattice in defining two additional diagonal monomers on lattice as nearest too, see [FIGURE FOR 2D-SQUARE AND 2D-TRIANGLE LATTICE]. Considering the case of lack of outer magnetic field in this work, the Hamiltonian of the model of fixed conformation u with length N and strength of nearest-neighbors interaction J reads:


FIG. 1. Connections of nearest neighbors interaction in two-dimensional square lattice

FIG. 2. Connections of nearest neighbors interaction in two-dimensional triangular lattice

$$H_{u,N,\{\sigma\}} = -\sum_{\langle i,j \rangle} J\sigma_i\sigma_j, \quad i,j \in u, \ |u| = N \quad (1)$$

The summation runs through spins involved in conformation and only with the nearest neighbors.

The second model considered in this paper is the Ising model on the rectangular lattice from the [3]. Simulated lattices has $L \times rL$ spins and the Hamiltonian is calculated through interaction between all spins and their nearest neighbors respectively:

$$H_{L,r,\{\sigma\}} = -\sum_{\langle i,j \rangle} J\sigma_i\sigma_j \quad (2)$$

Here the i-th spin of the lattice has a pair of coordinates from $[1..L] \times [1..rL]$, so j-th spin can be called nearest neighbor in square or rectangular lattice, if one of the following conditions are true:

$$\begin{cases} x_i = x_j \\ |y_i - y_j| = 1 \end{cases} \quad \begin{cases} y_i = y_j \\ |x_i - x_j| = 1 \end{cases}$$

For comparing magnetic properties of models with similar geometric ones we also define shape factors, such as gyration tensor [4]:

$$Q_{N,\alpha\beta} = \frac{1}{N+1}\sum_{i=0}^{N}(w_{i,\alpha} - w_{c,\alpha})(w_{i,\beta} - w_{c,\beta}) \quad (3)$$

where N is length of the system (number of monomers in conformations of Ising-ISAW models and number of spins in the lattice in rectangular Ising), and α, β are coordinates (so, $Q_{N,xx}$ and $Q_{N,yy}$ can be defined as mean squares of coordinates of the points of the model in the cartesian coordinate system with the center in the center of model). Eugen values $q1$, $q2$ of given tensor can be interpreted as $Q_{N,xx}$ and $Q_{N,yy}$ in the coordinate system of eugen vectors, or more important - as square of semi-axes of ellipse of inertia of given system. The proportion of them for systems with length N will be[4]:

$$r = \sqrt{\frac{\langle q_1 \rangle_N}{\langle q_2 \rangle_N}} \quad (4)$$

Eugen values $q1$, $q2$ are also used in enumerating another important shape factor - mean asphericity[4]:

$$\mathcal{A} = \left\langle \frac{(q_1 - q_2)^2}{(q_1 + q_2)^2} \right\rangle_N \quad (5)$$

The compared magnetic property of our models is the fourth order cumulant of the magnetization of the Binder cumulant, defined as[3]:

$$U_4 = 1 - \frac{\langle m^4 \rangle}{3\langle m^2 \rangle^2} \quad (6)$$

Where $\langle m^4 \rangle$ and $\langle m^2 \rangle$ are mean fourth and second order of mean magnetization per spin respectively.

We also need to define mean proportion of monomers with fixed number i of nearest neighbors $\langle n_i \rangle$, which is

counted directly for every monomer in every simulated conformation of walk.

We are interested in comparing models in their respective critical regions. For each structure, critical temperatures of Ising models are known as [3, 5]:

Type of lattice	T_c
2D-square	1.199 ± 0.003[5]
3D-square	1.90 ± 0.02[5]
Rectangular	$2.26918...$[3]

TABLE I. Known values of critical temperature of different modifications of Ising-ISAW model and normal Ising on the rectangular lattice

III. RESULTS

A. Mean Asphericity and Critical Cumulant

We attempted to learn how magnetic properties of Ising-like models depend on their geometrical ones and to define their comparability in critical region, where observable values of models don't depend on the length of conformation N. The idea is to compare critical cumulants U_4 (6) of both models of Ising having equal asphericities. Both models are considered to have open boundary conditions (OBC). As we know, in the Ising model on rectangular lattice shape factors like aspect ratio r are the parameters, not observable values. Therefore, we can find (4) value of the aspect ratio of lattice for any asphericity $\mathcal{A}$ (5). Moreover, we know that value of Binder cumulant in Rectangular Ising[3] in critical region depends on aspect ratio r.


FIG. 3. Critical cumulant U_4(6) of Ising model on a rectangular lattice with open boundary conditions as function of aspect ratio r with side length $L = 50$ (blue), 100 (yellow), 200 (green) and 400 (red). Black markers define values from [3]

We enumerated values of asphericity (5) of Ising-ISAW model on 2D-square lattice in its critical region I for lengths N = 1000-4900. For simulations of this model we used method described in [2]. Vertical lines on figures define borders (according to statistical errors of known valuesI) of critical regions of Ising-ISAW (red lines) and


FIG. 4. Asphericity as function of aspect ratio r of the rectangular lattice with side length $= 500$ and approximate values for rectangular lattice with infinitely long side


FIG. 5. Asphericity of Ising-ISAW (empty squares) and ISAW-only models (stars) as function of $J = 1/T$, varying lengths of conformations $N = 1000$ (blue), 2500 (yellow), 3600 (green) and 4900 (red)

ISAW models (black line). Horizontal line define value of critical asphericity of ISAW model, which is known from [4].

We took mean values of asphericity of Ising-ISAW model in the borders of critical region and in the point of the best crossing of plots where we observe phase transition according to our numerical results. All these points are marked as black in zoomed figures 6 and **??**. Our following steps was to pick up values of aspect ratio, so the Rectangular Ising had the same asphericity and to enumerate critical cumulant of the model with the same shape factors. For simulations we used cluster update based on Wolff algorithm[6].

As a result, comparison with critical cumulant of

FIG. 6. Asphericity of Ising-ISAW model as function of zoomed in the critical region (red vertical lines), varying lengths of conformations N = 1000 (blue), 2500 (yellow), 3600 (green) and 4900 (red)

Ising-ISAW			
J	$\mathcal{A}$	r	U_4 Rectangular
0.831	0.415	0.465	0.340 ± 0.006
0.832	0.4072	0.47	0.343 ± 0.006
0.836	0.373	0.490 ± 0.002	0.348 ± 0.006

TABLE II. Values of critical cumulant for Ising model on rectangular lattice with mean asphericity related to Ising-ISAW model in its critical region

Ising-ISAW model, which was enumerated in [2] ($U_4 = 0.308(8)$) showed significant mismatch of values, which means that we had not took into account some other geometrical properties - for example, which will be considered in the next part - proportions of monomers with different quantities of nearest neighbors. It is obvious that in Ising model on the rectangular lattice most of monomers located inside the lattice and have 4 nearest neighbors, while monomers spread around the perimeter of the lattice have at least 2 (corners) and 3 nearest neighbors. Proportions in Ising-ISAW conformations are completely different.

B. Bulk

IV. DISCUSSION

V. ACKNOWLEDGMENTS

[1] A. Papale and A. Rosa. The Ising model in swollen vs. compact polymers: Mean-field approach and computer simulations. *Eur. Phys. J. E*, 41, 12 2018.

[2] Kamilla Faizullina, Ilya Pchelintsev, and Evgeni Burovski. Critical and geometric properties of magnetic polymers across the globule-coil transition, 2021.

[3] W. Selke. Critical Binder cumulant of two-dimensional Ising models. *Eur. Phys. J. B*, 51(2):223–228, 2006.

[4] Sergio Caracciolo, Marco Gherardi, Mauro Papinutto, and Andrea Pelissetto. Geometrical properties of two-dimensional interacting self-avoiding walks at the -point. *Journal of Physics A: Mathematical and Theoretical*, 44(11):115004, Feb 2011.

[5] D.P. Foster and D. Majumdar. Critical behavior of magnetic polymers in two and three dimensions. *Phys. Rev. E*, 104:024122, Aug 2021.

[6] M. E. J. Newman and G. T. Barkema. *Monte Carlo methods in statistical physics.* Clarendon Press, Oxford, 1999.