


# On-Car Checks



## Bearing End Play


### Front Wheel End Play

Standard: 0–0.05 mm (0–0.002 in)



### Rear Wheel End Play

Standard: 0–0.05 mm (0–0.002 in)




## Runout

### Front and Rear Wheel Axial Runout

Standard:

Aluminum Wheel: 0–0.7 mm (0–0.03 in)

Steel Wheel: 0–1.0 mm (0–0.04 in)



### Front and Rear Wheel Radial Runout

Standard:

Aluminum Wheel: 0–0.7 mm (0–0.03 in)

Steel Wheel: 0–1.0 mm (0–0.04 in)

