

CardiTrack - MVP 1 Screen Specifications

Extract -- do not edit directly. This file is extracted from the canonical uiscreensmauimobile.md (v3.1); make changes there and re-extract. Release sequencing is governed by the release matrix.

Project Overview

Product: CardiTrack - Remote health monitoring for elderly family members

Release: MVP 1 -- Core Monitoring (R1, Q4 2026) -- 17 designed screens / 37 designed states; 16 of 17 built as of August 14, 2026

Platform: iOS 17+ (iPhone 12+) & Android 12+ (API 31)

Minimum OS: iOS 17.0 . Android 12 (API level 31)

Target OS: iOS 18 . Android 15 (API level 35)

Orientation: Portrait primary, landscape supported

Target Users: Family caregivers across the US & EU monitoring elderly relatives' wearable health data

Document Version: 1.1 (extracted from full spec v3.1)

Last Updated: August 14, 2026

Build Status (as of August 9, 2026)

16 of 17 Figma M1 screens are built in CardiTrack.Mobile (M1-01 through M1-10, plus M1-11/M1-12/M1-16 Alert Details -- one AlertDetailPage branching on rule and severity -- M1-13 CardiMemberDetailPage, M1-14 EditCardiMemberPage, M1-15 DeviceManagementPage). The one unbuilt screen is M1-17 Health Data Export; its entry point shows a "Coming soon" dialog, as does anything else unbuilt, except the dashboard's Add-Member action, which pushes M1-04 (AddCardiMemberPage) directly. Four shipped screens have no Figma M1 frame -- needs design sync: SignInPage, ForgotPasswordPage, VerifyEmailPage, Onboarding/AccountSetupPage (specs in the canonical doc). Unbuilt screens below remain design intent, each marked with a status line.

What MVP 1 Delivers

A single user can sign up, add a CardiMember, connect devices, manage CardiMember profiles, view the health dashboard, receive and manage all alert types, and export health data in PDF, CSV, or FHIR R4 format. This is the essential monitoring loop -- everything needed for the app to be useful from day one. MVP 1 monitors one CardiMember -- the multi-member dashboard (M3-03) is an MVP 2 feature, and the shipped dashboard displays only the first active member.

Screen Index

ID	Screen	Variations	Built
M1-01	Splash Screen	2 (a-b)	? SplashPage
M1-02	Welcome / Landing	1	? WelcomePage
M1-03	Sign Up	4 (a-d)	? CreateAccountPage
M1-04	Add First CardiMember	3 (a-c)	? AddCardiMemberPage
M1-05	Device Connection - Selection	1	? DeviceSelectionPage
M1-06	Device Connection - OAuth	3 (a-c)	? DeviceConnectionPage
M1-07	Device Connection - Success	3 (a-c)	? ConnectionSuccessPage

M1-08	Baseline Learning Info	1	? BaselineLearningPage
M1-09	Main Dashboard	5 (a-e) + 2 as-built	? DashboardPage
M1-10	Alerts List	4 (a-d)	? AlertsPage
M1-11	Alert Detail - Activity	1	? AlertDetailPage
M1-12	Alert Detail - Critical	1	? AlertDetailPage (severity branch)
M1-13	CardiMember Detail	1 + 3 as-built	? CardiMemberDetailPage
M1-14	Edit CardiMember	1 + 2 as-built	? EditCardiMemberPage
M1-15	Device Management	1 + 3 as-built	? DeviceManagementPage
M1-16	Alert Detail - Heart Rate	1	? AlertDetailPage (rule branch)
M1-17	Health Data Export	4 (a-d)	? not built

Total: 17 designed screens . 37 designed states -- 16 of 17 built

Shipped screens without Figma M1 frames (need design sync; no M1 IDs assigned per project convention): SignInPage, ForgotPasswordPage, VerifyEmailPage, Onboarding/AccountSetupPage, NotificationsPage (nudge inbox), QuestionnairesPage -- see the canonical uiscreensmauimobile.md for full specs.

User Flows

Flow 1: First-Time Onboarding

As built: Welcome's only affordances lead to Sign Up; SignInPage is reached from CreateAccount's "Already have an account? Sign In" link. Email verification (VerifyEmailPage) gates entry, then PostLoginRouter routes to AccountSetupPage (if account type not yet set) or AddCardiMemberPage. Onboarding pages hide the tab bar (Shell.TabBarIsVisible=False).

```
[M1-01 Splash] ?????????????????????????????????????????> [M1-09 Dashboard]
?                                                                (returning user)
?

[M1-02 Welcome]
?          ?
"Start Free Trial" "Sign in" (top-right ? SignInPage)
?

[M1-03 Sign Up (CreateAccountPage)]
?          ?
?          "Already have an account? Sign In"
?          ?
?          [SignInPage] ?????????????????????> [M1-09 Dashboard]
?          (no Figma M1 frame)
[VerifyEmailPage] (email verification gate -- no Figma M1 frame)
?
?

[PostLoginRouter]
?          ?
account type not set    account type set
?          ?
[AccountSetupPage]      ?
(no Figma M1 frame)     ?
????????????????????????????????
?

[M1-04 Add CardiMember]
?          ?
"Continue"             "Skip"
?          ?????????????????????????????> [M1-09 Dashboard]
?          (empty state)

[M1-05 Device Selection]
?
?

[M1-06 OAuth Permission]
```

```

?
????????????????????
Success          Failure
?                ?
?                ???> Back to M1-05 | Help
[M1-07 Connection Success]
?                ?
"Continue"      "+ Add Another Device"
?                ???> [M1-05 Device Selection]
?
[M1-08 Baseline Learning Info]
?                ?
"Go to Dashboard"  "Invite Family Member First"
?                ???> [M3-02 Invite Family Modal] (MVP 2 --
?                link ships in MVP 1 but is a dead end today)
[M1-09 Dashboard]

```

The dashboard's Add-Member action (empty state and add-member button) pushes M1-04 directly; when pushed from the dashboard, "Skip" pops back to the dashboard.

Flow 2: Daily Monitoring

```

[App Launch / Tab: Home] ? [M1-09 Dashboard]
?
????????????????????????????????????????????
?                ?                ?
[Call/SMS]        [M1-10 Alerts]      [M1-13 CardiMember Detail]
?                ?                ?
????????????????????????????????????????????
?                ?                ?
[M1-11 Activity]  [M1-12 Critical]    [M1-16 Heart Rate]
?                ?                ?
Acknowledge      "Call Now"          "Suggest
/ Add Note      "On My Way"          Doctor Visit"
?                ?                ?
????????????????????????????????????????????
?
Back to M1-10
?
"View Trends" ???> [M2-03 Trend Charts] _(MVP 2)_

```

Flow 3: Data Export

```

Entry points:
[M1-13 CardiMember Detail] ? "Export Data" ???> [M1-17 Health Data Export]

[M1-17 Health Data Export]
?
????????????????????????????????????????????
?                ?                ?
[Save to Device]  [Email to...] [Share via...]

```

Flow 4: Critical Alert Response

```

Push notification (any time) ?????????????????????????????????????????> [M1-12 Alert Detail - Critical]
?
????????????????????????????????????????????
?                ?
"CALL NOW"        "I'M ON MY WAY"
(one tap dial)    (notifies family,
                  updates status)
?
"It's okay -- explain"
?
[Note field]

```

?

Alert dismissed
(explanation logged)

Navigation Structure

Bottom Tab Bar (always visible)

????????????????????????????????????

?

Content Area

?

????????????????????????????????????

Dashboard Alerts FamilySettings

????????????????????????????????????

- Badge count on Alerts tab for unread alerts
- Family tab shows placeholder / "Coming Soon" in MVP 1, or can be hidden
- As built, the Shell defines a TabBar only (Dashboard / Alerts / Family / Settings, SVG icons). Alerts opens the real M1-10 list; the Family tab is still a stub; Settings is minimal (account card, "More settings (M2-01) coming soon", Sign out). Onboarding pages hide the tab bar via Shell.TabBarIsVisible=False.

Flyout Menu

Not built -- there is no flyout menu in the shipped app. The Shell is TabBar-only, with no edge-swipe flyout. The flyout concept below is retired unless re-introduced through Figma:

- ~~User profile header, Dashboard, CardiMembers, Alerts, Family & Sharing, Subscription, Settings, Help & Support, Sign Out~~

Gesture Patterns

Gesture	Context	Action	Status
Pull down	Dashboard (and future scrollable s	Refresh data	Shipped (Dashboard)
Swipe left	List items	Reveal quick actions	Planned (no list-item swipes shipped)
Swipe right	List items	Reveal secondary actions	Planned (no list-item swipes shipped)
Pinch	Chart views	Zoom in/out	Planned (no chart gestures shipped)
Long press	Chart data points	Show tooltip	Planned (no chart gestures shipped)
Long press	CardiMember photo	Change photo	Planned (not shipped)

There is no edge-swipe flyout gesture (no flyout exists).

POC Screens

Five MVP 1 screens selected to validate the core design language -- covering branding, the primary monitoring experience, the alert management system, and critical safety interactions.

#	Screen	Why It's Here
1	M1-02 -- Welcome / Landing	Entry point; showcases brand identity, hero carousel, and m
2	M1-04 -- Add First CardiMember	Onboarding form; demonstrates photo picker, progressive di
3	M1-09 -- Main Dashboard	Core monitoring screen; shows status hero card, key-metric
4	M1-10 -- Alerts List	Alert management; demonstrates severity badges, grouped
5	M1-12 -- Alert Detail - Critical	Highest-stakes screen; validates urgency design, pulsing se

These five screens span onboarding ? daily use ? emergency response. Build status: M1-02, M1-04, M1-09, M1-10, and

M1-12 are built -- AlertDetailPage covers the emergency-response design language for red / no-morning-activity alerts.

Screens

M1-01: Splash Screen

Status: Built (SplashPage)

User Story: 1.1-1.3 Onboarding

Entry: App launch

Exit: ? M1-02 Welcome (first launch) | ? M1-09 Dashboard (returning user) | ? M4-02 Biometric Login (MVP 3, if enabled)

Duration: 2-3 seconds while app initializes

Layout:

- Full-screen gradient background (CardiTrack brand colors)
- Large CardiTrack logo (centered)
- App name beneath logo
- Loading spinner (bottom third)
- Version number (bottom, small text)

States:

- M1-01a -- Default: Logo + spinner animation
- M1-01b -- Error: If initialization fails ? "Hmm, something didn't work. Tap to try again." with retry button

M1-02: Welcome / Landing Screen

Status: Built (WelcomePage)

User Story: 1.1 First-Time Registration

Entry: ? M1-01 Splash (first launch only)

Exit: ? M1-03 Sign Up (primary CTA and top-right "Sign up" -- same destination). There is no Sign In affordance on Welcome; sign-in is reached via CreateAccount's "Already have an account? Sign In" link.

Layout:

Header (top 20%):

- CardiTrack logo (top-left, small)
- "Sign up" label (top-right) ? M1-03 (same destination as primary CTA)

Hero Carousel (middle 50%):

- 3 swipeable slides with pagination dots:

Slide	Illustration	Headline	Subtext
1	Happy elderly person with smartw	"Know They're Okay"	"Stay close to the people you love -- even from fa
2	Phone showing health dashboard	"Their Watch, Your Peace"	"Connects with Fitbit, Apple Watch, Garmin & mo
3	Family members on phones	"Care Together"	"Share the watch with your siblings -- you're not i

CTA Section (bottom 30%):

- Primary button (full width, bold): "Start Free 30-Day Trial"
- Pricing text (small, muted): "Then \$8/month - Cancel anytime"
- Secondary button (text style, subtle): "Sign In"
- Legal link (small): "By continuing, you agree to Terms & Privacy"

Interactions:

- Carousel is swipe-only (Loop=False, no auto-advance)
- Pagination dots indicate current slide
- Swipe left/right between slides

- Terms & Privacy link is a stub -- shows a placeholder alert ("Terms and privacy will open here.")
-

M1-03: Sign Up Screen

Status: Built (CreateAccountPage)

User Story: 1.1 Account Creation

Entry: ? M1-02 Welcome ("Start Free Trial" or "Sign up")

Exit: ? VerifyEmailPage (success; email verification gate) ? PostLoginRouter ? AccountSetupPage or M1-04 Add CardMember | ? SignInPage ("Already have an account? Sign In")

Header:

- Gradient header (no back button)
- Title: "Create Account"
- Progress indicator: "Step 1 of 4"

Form (scrollable):

- First field is required "Full Name" -- text input
- Label: "Email Address"
 - Text input, email keyboard, autocapitalization off
- Label: "Password"
 - Password input (masked)
 - Password strength bar below (weak ? medium ? strong)
 - Strength label: "Weak" / "Medium" / "Strong"
- Label: "Confirm Password"
 - Password input (masked)

Terms:

- Checkbox + label: "I agree to Terms of Service and Privacy Policy"
- "Terms of Service" and "Privacy Policy" are tappable links

CTA:

- Primary button: "Create Account" -- never disabled; tapping while invalid runs validation and shows inline errors; the button's gradient swaps to the active treatment when the form becomes valid
- Error banner area (reserved for weak-password, network, and generic errors)

Divider (below CTA): Horizontal line with "Or continue with" centered

Social Login (2-up icon grid):

- "Google" card (white background, Google logo)
- "Apple" card (dark background, Apple logo)
- Wired -- Google/Apple sign-in via Auth0's PKCE authorization-code flow in the system browser on Android/iOS; the Windows target falls back to an error message

Bottom:

- Link: "Already have an account? Sign In" ? SignInPage

Validation Rules:

- Full Name: required
- Email: valid format, real-time feedback
- Password: min 8 characters, 1 uppercase, 1 number
- Confirm password: must match
- Terms checkbox: must be checked

States:

- M1-03a -- Default: Empty form
- M1-03b -- Validating: Inline error messages appear beneath invalid fields
- M1-03c -- Loading: Button shows spinner, form disabled

- M1-03d -- Error: Duplicate email shows as an inline field error under Email; the top error banner is reserved for weak-password, network, and generic failures

Post-signup: Success pushes VerifyEmailPage (the email-verification gate); after verification, PostLoginRouter routes to AccountSetupPage (account type not yet set) or M1-04 AddCardiMemberPage.

M1-04: Add First CardiMember

Status: Built (Onboarding/AddCardiMemberPage)

User Story: 1.2 Adding First CardiMember

Entry: ? M1-03 Sign Up (success, after VerifyEmailPage/PostLoginRouter) | ? M1-09 Dashboard (Add-Member action pushes this page directly)

Exit: ? M1-05 Device Selection ("Continue") | ? M1-09 Dashboard ("Skip for Now"; when pushed from the dashboard, Skip pops back to it)

Header:

- Title: "Add First CardiMember"
- Progress indicator: "Step 2 of 4"

Introduction:

- Icon: person silhouette
- Text: "Who would you like to look after?"
- Subtext: "Tell us who you're looking after -- we'll take it from there"

Photo Section:

- Circular photo placeholder (large)
- "Add Photo" button below
- Gallery only (MediaPicker.PickPhotosAsync) -- no camera option shipped

Required Fields:

- "Full Name *" -- text input
- "Date of Birth *" -- date picker (format: MM/DD/YYYY)
 - As built, DOB silently defaults to today if not changed -- not validated (known limitation)
- "Sex *" -- picker (Male / Female), helper text: "Helps us read heart rate and sleep against the right range."
 - Deliberate divergence from the Figma M1-04/M1-13 comps -- the field is not in the design file but ships because DOB + sex set the reference range the summaries are read against; do not drop it on a pixel-match pass

Optional Field:

- "Relationship" -- dropdown picker (no asterisk): Parent, Grandparent, Spouse, Sibling, Other -- an unpicked relationship falls back to Other

Optional Fields (collapsible section):

- Toggle: "Add More Details (Optional)"
- When expanded:
 - "Medical Notes" -- multi-line text (max 500 chars, character counter shown)
 - Encrypted indicator icon visible
 - "Emergency Contact Name" -- text input
 - "Emergency Contact Phone" -- phone keyboard input
 - Placeholder is localized by device region (PR #8): US/CA "+1 555 000 0000", GB "+44 7700 900000"; all other regions fall back to the US format -- worth noting given the product's US + EU framing

Privacy Notice:

- ~~Info card with lock icon: "[Name] will know you're looking out for them and can give their okay"~~
- Not built -- the shipped screen has no privacy-notice card (product follow-up, relevant to the consent-first principle)

CTA:

- Primary button: "Continue" -- enabled by name ? 2 characters + sex selected only

- Text link: "Skip for now"

Draft persistence: a half-typed member (and its photo) survives app backgrounding -- the form saves to `CardiMemberDraftStore` on background/stop and restores on return; the draft is cleared on successful submit.

States:

- M1-04a -- Default: Empty form with photo placeholder
- M1-04b -- Photo added: Shows uploaded image in circle
- M1-04c -- Loading: Button shows spinner on submit

M1-05: Device Connection - Selection

Status: Built (Onboarding/DeviceSelectionPage)

User Story: 1.3 Device Connection Wizard

Entry: ? M1-04 Add CardiMember ("Continue")

Exit: ? M1-06 OAuth Permission ("Continue with [Device]")

Header:

- Back button
- Title: "Connect Device"
- Progress indicator: "Step 3 of 4"

Introduction:

- Heading: "What does [Name] wear?" (member name interpolated)
- Subtext: "We'll connect with their device to keep you in the loop"

Device Grid (fixed 2-column grid):

Each device card:

- Rounded frame with shadow
- Device logo (medium)
- Device name (bold)
- "Coming Soon" badge for future devices
- Coming Soon cards render at 0.55 opacity and are non-tappable

Supported Devices (MVP 1 -- Fitbit and Google Pixel Watch, both via the Google Health API; remaining devices shown as Coming Soon):

Device	Card text (models)	MVP Availability
Fitbit	Charge, Versa, Sense series	MVP 1
Google Pixel Watch	Pixel Watch 1-3	MVP 1
Garmin	Venu, Forerunner, etc.	MVP 2 (shown Coming Soon)
Apple Watch	Series 4+	Coming Soon
Samsung Galaxy	All models	Coming Soon
Withings	ScanWatch, Move	Coming Soon
Other	All models	Coming Soon

Bottom:

- Link: "Don't see their device? We can help"

Interactions:

- Fitbit and Google Pixel Watch are selectable (single-select; Fitbit is preselected on entry) -- re-tapping the selected card clears the selection, and there is no auto-advance
 - Explicit primary button: "Continue with [Device]" proceeds to M1-06; reads "Continue" and disables while nothing is selected
 - Coming Soon cards are greyed out (0.55 opacity) with "Coming Soon" badges
-

M1-06: Device Connection - OAuth Permission

Status: Built (Onboarding/DeviceConnectionPage) -- brand-agnostic; the selected device supplies the copy, logo, and wire name

User Story: 1.3 OAuth Flow

Entry: ? M1-05 Device Selection ("Continue with [Device]")

Exit: ? M1-07 Success (authorization complete) | ? M1-05 Device Selection ("Cancel")

Header:

- Back button
- Title: "[Device] Connection" (device name interpolated)

Visual Connection (centered):

- Heading: "Connect Your [Device]"
- Large device logo (interpolated per device)
- Arrow/connection icon
- Large CardiTrack logo

Permission List:

- Label: "To look after [Name], CardiTrack needs:" (member name interpolated)
- Each permission in its own row:

Icon	Permission	Info Tooltip
Heart	Heart Rate Data	"So we can spot if something's off"
Shoe	Activity & Steps	"To make sure they're staying active"
Moon	Sleep Data	"To know they're resting well"

- Each row has an (i) info button that shows the tooltip on tap

Privacy Notice:

- Card with light background
- Lock icon + text: "Your family's health data stays private always. We never sell or share it with third parties."

CTA:

- Primary button: "Authorize [Device Name]"
 - Tap opens device's OAuth login in a browser/webview
- Text link: "Cancel"

States:

- M1-06a -- Default: Permission list visible
- M1-06b -- Authorizing: Loading overlay with "Connecting to [Name]'s [Device]..." message
- M1-06c -- Error: "We couldn't connect -- let's try that again" with retry button

State-letter mismatch: the shipped code maps B = Error and C = Authorizing overlay -- the reverse of the lettering above. Figma is the arbiter of state letters; the code should be realigned (or the Figma frame updated) at the next design sync.

M1-07: Device Connection - Success

Status: Built (Onboarding/ConnectionSuccessPage)

User Story: 1.3 Connection Success

Entry: ? M1-06 OAuth (authorization complete)

Exit: ? M1-08 Baseline Info ("Continue to Dashboard", first device only) | ? wizard exit ("Done", additional device) | ? M1-05 Device Selection ("Add Another Device")

Checkmark:

- Static green circle with ? (no entry animation shipped)

Success Message:

- Heading: "You're all set!"

- Text: "\${name}'s {device.DisplayName} is now connected" (member name + selected device)
- Subtext: "We're pulling in their latest data -- just a moment"

Data Preview Card:

- Title: "Latest Data" with "SYNCING" badge
- Rows:
 - Steps Today: 4,250
 - Last Synced: Just now
 - Heart Rate: 72 bpm

Options:

- Outlined button: "+ Add Another Device"

CTA:

- Primary button: "Continue to Dashboard" -- connecting the member's first device; continues to M1-08
- Primary button: "Done" -- connecting an additional device (launched from M1-15 for a member who already had one); exits the wizard straight back to where it was launched from. M1-08 is the 30-day learning story, which is news once per member, not once per device; the label changes with it because this exit does not land on the dashboard.
- Which of the two shows is fixed when the wizard opens, by whether the member had a device then -- so a run that starts from none and connects two via "Add Another Device" still ends on M1-08.
- Helper text below the button: "You can sync multiple devices to get a more accurate picture of their health."

States:

- M1-07a -- Syncing: Preview card shows shimmer/skeleton loading
- M1-07b -- Synced: Preview card shows real data
- M1-07c -- Partial sync: Some values show, others show "Syncing..."

M1-08: Baseline Learning Info

Status: Built (Onboarding/BaselineLearningPage)

User Story: 1.3 Baseline Setup

Entry: ? M1-07 Device Success -- first connected device only; skipped when an additional device is added (see M1-07 CTA)

Exit: ? M1-09 Dashboard ("Go to Dashboard") | "Invite Family Member First" link (ships now; dead end until M3-02)

Header:

- Title: "Learning Phase"
- Progress indicator: "Step 4 of 4"

Illustration:

- Static emoji glyphs: ?? (no Lottie animation shipped)

Explanation:

- Heading: "Getting to know them" (singular, no name interpolation)
- Body: "Over the next 30 days, CardiTrack will learn what a normal day looks like for them:"
- Bullet list:
 - "When they usually wake up and go to sleep"
 - "How active they are day to day"
 - "What their resting heart rate looks like"

Progress:

- Progress bar: "Day 1 of 30"
- Label: "3% Complete"

Options Card:

- Toggle switch: "Keep me posted while CardiTrack is learning"
- Description: "You'll get basic alerts right away (like heart rate over 100)"

CTA:

- Primary button: "Go to Dashboard"
- Text link: "Invite Family Member First" -- ships now in MVP 1 (unconditional), but the invite flow (M3-02) does not exist yet, so the link is currently a dead end. Not an MVP 2 addition.

M1-09: Main Dashboard (Single CardiMember)

Status: Built (DashboardPage)

User Story: 2.1 Daily Health Overview

Entry: Tab bar (Home) | ? M1-08 Baseline Info (first time)

Exit: ? M1-10 Alerts List | ? M2-03 Trend Charts | ? M1-13 CardiMember Detail | ? Phone call / SMS

Header (fixed):

- Greeting: "Good Morning, [User First Name]"
- Notification bell icon (with unread badge count)
- Refresh icon (pull-to-refresh also supported)

Status Hero Card:

- Large card with gradient background colored by status
- CardiMember photo (circular, large)
- Name and age: "[Name], 78"
- Large status indicator:

Status	Label	Icon
Normal	"[Name] is doing well"	Checkmark
Caution	"Something looks a little different"	Warning triangle
Urgent	"You should check in"	Lightning bolt
Critical	"Reach out to [Name] now"	Siren
Paused	"Monitoring is paused for [Name]"	Pause

- Last synced: "Updated 10 minutes ago"
- Tap sync icon for manual refresh
- Tap the card body ? M1-13 CardiMember Detail
- The Paused row is outside the green/yellow/orange/red severity scale on purpose: it says "we are not watching", not "we looked and it's fine"

Quick Actions Row (4 tiles):

- "SOS" (red treatment, leads the row) ? dials the emergency contact number, not the CardiMember
- "Call" (phone icon) ? initiates phone call
- "Message" (SMS icon) ? opens SMS
- "Details" (chart icon) ? navigates to M1-13 (as does tapping the hero card)

Key Metrics (collapsible "Key Metrics" AccordionSection -- 2-column grid of up to six MetricCards):

Heart Rate, Sleep, Skin Temp, Steps, SpO2, and Breathing Rate -- the last three are visibility-gated on the device having a reading, and the grid re-packs at render time so no tile is left beside a gap.

Star rating (1-5) appears on every card that has something to compare against (Activity, Heart Rate, Sleep, Skin Temp): how the reading sits against this member's own normal -- except sleep, which is also held to the published recommended band for the member's age, because a habitually short sleeper's own normal is the very reading being watched for. The row takes the status pill's colour on cards whose pill is built from status (Heart Rate, Skin Temp) and colours itself from the star count (3-5 green, 2 yellow, 1 orange) elsewhere -- Activity, which shows no pill, and Sleep, whose GOOD/FAIR/POOR pill is itself named from those bands -- never from a status the card isn't showing, which is what would paint a short sleeper's two stars green. SpO2 and Breathing Rate have no baseline yet, so their star row stays hidden rather than rating a reading against an invented normal. See `qualityScore` in `health-data.md`.

Card 1: Activity

- Icon: shoe
- Large value: "4,250 steps"
- Visual progress bar (current vs. goal)
- Comparison text: "85% of normal" with trend arrow (up/down)
- Star rating (1-5) -- the shortfall against normal; walking further than usual is not marked down

Card 2: Heart Rate

- Icon: heart
- Large value: "72 bpm"
- Status: "Normal range"
- Star rating (1-5) -- deviation from normal in either direction
- Range text: "68-75 bpm typical"

Card 3: Sleep

- Icon: moon
- Large value: "7.2 hours"
- Status pill: GOOD / FAIR / POOR -- one word naming the band of the star rating (3-5 / 2 / 1), in the same pill chrome and status colours as the other cards; hidden when the night is unrated. From the rating, never from status: a quality vocabulary rather than NORMAL/UNUSUAL, because a 4.5-hour night is entirely usual for a member who always sleeps 4.5 hours -- and still FAIR
- Star rating (1-5) -- the worse of sleep efficiency and the shortfall in duration against baseline (either alone when the other is unavailable), capped on the length of the night against the published band for the member's age -- both ends, so neither 4.5 nor 12 hours can rate five stars
- Comparison: "Longer than usual" / "Shorter than usual" / "In line with usual" -- direction only, no verdict; the stars and pill carry the judgement

Recent Alerts (conditional -- only shown if alerts exist):

- Section heading: "Recent Alerts"
- Horizontal scrollable alert cards
- Each card: icon, title, time, status
- Tap any card ? M1-11 or M1-12 Alert Detail

Verify-Email Nudge (conditional):

- Dismissible banner prompting the user to verify their email address

Bottom:

- Button: "View Trends & History" ? M2-03 (MVP 2)

Interactions:

- Pull-to-refresh triggers data sync; manual refresh icon sits in the page header
- ~~Swipe left on metric card ? see detail view~~ (not shipped -- no metric-card swipe gesture)
- ~~Long-press on photo ? change photo option~~ (not shipped -- no photo long-press gesture)

States (8 as built):

- M1-09a -- Loading: Skeleton/shimmer cards
- M1-09b -- Normal: Full data displayed
- M1-09c -- Stale data / offline: Cached data with banner: "Last update was X hours ago -- pull down to check in". Suppressed while monitoring is paused -- the data is meant to be stale then, and "pull down to check in" is advice the app can't honour.
- Monitoring paused: amber banner naming the resume time; hero shows the paused status
- M1-09d -- No device connected: Prompt card: "Connect [Name]'s device so CardiTrack can start watching over them" ? M1-05
- M1-09e -- Baseline learning: Shows progress bar instead of "% of normal" comparisons
- Refresh / sync-error: RefreshView in-flight state, plus sync-error surface
- Error: "We couldn't load the dashboard" + "Try again" button
- No CardiMember: "Who are you watching over?" + "Add CardiMember" button ? pushes M1-04 (AddCardiMemberPage)

directly; its Skip pops back here

Single-member only: the dashboard shows the first IsActive CardiMember (cached in Preferences); there is no member switcher. Multi-member is deferred to M3-03 (MVP 2).

M1-10: Alerts List

Status: Built (AlertsPage, with FilterChipBar and AlertListCard)

User Story: 3.1 Alert Management | 3.3 Alert Acknowledgment & Notes

Entry: Tab bar (Alerts) | ? M1-09 Dashboard (Recent Alerts)

Exit: ? M1-11 Alert Detail (Activity) | ? M1-12 Alert Detail (Critical) | ? Phone call

Header:

- Title: "Alerts"
- Filter icon (funnel)
- Settings icon (gear) ? M2-04 Notification Settings (MVP 2)

Filter Chips (horizontal scroll):

- [All] [Unread] [Critical] [Today] [This Week]

Alert List (grouped by date):

Section headers: "Today" / "Yesterday" / "This Week" / "Older"

Alert Card Layout:

- Left border colored by severity
- Top row:
 - Severity badge: "CRITICAL" / "URGENT" / "INFO"
 - Timestamp: "2 hours ago"
 - Unread dot (if unread)
- Content:
 - CardiMember name + small photo (inline)
 - Alert title (bold): e.g., "Low Activity Detected"
 - Preview text (2 lines max): "Dad hasn't moved this morning. He usually wakes up around..."
- Bottom row:
 - Status label: "New" / "Acknowledged" / "Resolved"
 - Quick action icons: Call (phone) | Acknowledge (checkmark) | Expand (chevron)

Swipe Actions:

- Swipe right ? "Acknowledge"
- Swipe left ? "Call"

Bottom:

- Link: "View Archived Alerts"

States:

- M1-10a -- Default: Grouped alert list
- M1-10b -- Empty: Large bell icon (muted) + "Nothing to worry about" + "CardiTrack is keeping an eye on things -- we'll let you know if anything comes up"
- M1-10c -- Filtered empty: "No alerts match this filter"
- M1-10d -- Loading: Skeleton cards

Heart rate alerts tap ? M1-16

As built -- backed by GET /api/v1/alerts and POST /api/v1/alerts/{id}/acknowledge (see alerts.md), listing every CardiMember the caregiver may read, newest first. Differences from the frames, each deliberate:

- Header is as drawn -- back arrow, title, filter button. Alerts is a tab root, so the arrow goes to M1-09 rather than popping a stack that isn't there. The filter button offers the same five filters as a sheet, which is why M1-10b keeps it while dropping

the chip row.

- Chips are M1-10a's set in M1-10c's styling. The frames disagree -- M1-10a has [All] [Unread] [Critical] [Today] [This Week] as plain pills, M1-10c has [Recent] [High Priority] [Heart Rate] [Oxygen] with dropdown carets. The set is M1-10a's (the one this spec documents, and the one every chip can actually filter -- there is no SpO2 alert type); the pill, caret and spacing are M1-10c's.
- Loading is built as drawn -- the "Syncing with Device... / Refresh Now" card over four structured skeleton rows (AlertSkeletonCard, whose shimmer blocks sit where the avatar, badge, title and status pill will land). Refresh Now supersedes the in-flight request rather than being swallowed by it, so the button works in the one state it appears in.
- Severity badges are severity-coloured. Wording follows this spec (CRITICAL / URGENT / INFO); the colour follows the app's own scale, so a yellow alert can't show a yellow rail beside Figma's blue "Info" chip.
- The chevron expands the card in place. Kept from when M1-11 / M1-12 / M1-16 did not exist: expanding reveals the full message without leaving the list, which is still the faster read when scanning several alerts. The detail screen is reachable by tapping the card itself.
- "View Archived Alerts" switches this list to resolved alerts rather than pushing an archive screen, and flips back the same way. The chip row hides while archived -- it is a different list, not a narrower one.
- Avatars are initials. No member photo storage exists yet; cardiMemberPhotoUrl is on the wire and the tile keeps its designed box.
- Swipe actions are not implemented. The card's inline Call and Acknowledge buttons cover both gestures.

M1-11: Alert Detail - Activity

Status: ? Built -- AlertDetailPage. One page serves M1-11, M1-12 and M1-16; sections are shown by the alert's rule and severity rather than by three near-identical screens. Divergences from the design intent below are called out inline.

User Story: 11.1 Activity Decline | 3.3 Alert Acknowledgment & Notes

Entry: ? M1-10 Alerts List (tap alert card)

Exit: ? M1-10 Alerts List (back) | ? Phone call | ? SMS | ? M2-03 Trend Charts

Header:

- Back button
- Title: "Alert Details"
- Share button

Alert Header Card:

- Caution-level severity banner
- ~~Warning icon~~ -- as built: a reason icon (steps / heart / sleep / watch), in a translucent-white tile with white-stroke artwork. Severity is already the banner's colour, so a second severity glyph says nothing new -- and the one it replaced was stroked in the severity colour, which on the yellow and orange banners made it invisible against its own ground.
- Title: "Low Activity Alert"
- CardiMember photo + name
- Timestamp: "January 10, 2026 at 11:30 AM"

Description:

- Card with icon
- Large readable text: "Dad hasn't been as active as usual lately"

Mini Trend Chart:

- 2-week activity trend showing declining line
- Baseline range shaded, current data overlaid
- As built: the headline figure is the last finished day and says which day it is; today is drawn as a dashed run, unmarked (the day markers belong to the readings the window is made of, and a running total is not one of them), with a caption comparing it to the same elapsed stretch of yesterday ("865 steps so far today, 22% below the 1,102 by this time yesterday"). Plotting a

running total beside completed days made a normal lunchtime read as a collapse. See `AlertChartResponse.partialDayLabel` in the alerts API doc.

Comparison Card (2-column grid):

Current	Normal
"Recent Average"	"Normal Average"
2,500 steps/day	5,000 steps/day

- Full-width highlighted row: "-50% below normal"

Context Card:

- Lightbulb icon
- "Here's what might be going on:"
 - They could be feeling under the weather
 - They might be in pain or uncomfortable
 - They may be feeling low or tired

Recommended Actions -- as built: the Dashboard's SOS / Call / Message / Details quick-action row (Controls/QuickActionRow), not the three full-width buttons below. One control, so the two screens cannot drift into offering the same actions with different wording and different availability rules. "Book a Doctor Visit" is not offered at all -- no clinician or booking architecture exists.

- ~~~"Give Dad a Call" (primary, phone icon)~~~ ? Call tile
- ~~~"Send a Quick Message" (secondary, SMS icon)~~~ ? Message tile
- ~~~"Book a Doctor Visit" (secondary, calendar icon)~~~ ? not built

More Options -- as built: only the rows with a backend behind them.

- ~~~"Adjust Baseline" (if this is a new normal)~~~ -- no baseline-override endpoint
- ~~~"Add Note About This Alert"~~~ -- no AlertNote store
- "Share with Family" -- OS share sheet, carrying only the title, time and first name already on screen; no metric values
- "View Detailed Activity Data" ? M1-13 (moved up from the bottom of the screen)

Acknowledgment Section:

- If unread: Button "Mark as Acknowledged" ("I'm on my way" on a critical alert)
- If acknowledged: "Acknowledged by Sarah, 30 min ago", plus "Undo -- mark as not handled" (DELETE /alerts/{id}/acknowledge). Acknowledging is a claim a caregiver makes about themselves and they can make it by accident; the undo persists on the screen rather than living in a toast that is gone by the time they notice. Not offered once the system has resolved the alert. Notes are not built.

M1-12: Alert Detail - Critical (No Movement)

Status: Built (AlertDetailPage) -- nomorningactivity and red alerts; Call now + I'm on my way. Family-notify and notes are still not built.

User Story: 11.3 No Morning Activity | 3.3 Alert Acknowledgment & Notes

Entry: ? M1-10 Alerts List | Push notification (direct)

Exit: ? M1-10 Alerts List (back) | ? Phone call | ? Note input

This is the most safety-critical screen in the app. Design for urgency and immediate action.

Alert Header:

- Full-width critical severity banner (pulsing animation)
- Large siren icon
- Title: "We haven't seen Dad move today"

- CardiMember photo + name
- Timestamp

Urgent Message Card (thick border, critical severity):

- Large text: "Dad hasn't moved this morning"
- Details:
 - "He usually wakes up around 7:00 AM"
 - "It's now 11:00 AM"
 - "That's 4 hours with no movement"

Last Known Activity Card:

- "The last time we saw Dad move:"
- "Yesterday at 10:30 PM"
- "Bedroom area (based on his device)"

Immediate Actions (large, prominent buttons):

- "CALL NOW" -- critical severity, oversized, phone icon, one-tap to dial, shows phone number
- "I'M ON MY WAY" -- urgent severity, large -- updates status and lets your family know

Dismissal Option:

- Button: "It's okay -- he told me he'd sleep in"
 - Opens a note field for context
 - Dismisses alert with explanation logged

Family Notification Card:

- "Your family has been notified too:"
 - Sarah (via SMS) -- timestamp
 - John (via Push) -- timestamp

Event Timeline:

- Vertical timeline:
 - 10:30 PM -- Last movement
 - 7:00 AM -- Expected wake time
 - 9:00 AM -- Alert threshold reached
 - 11:30 AM -- You were notified

M1-13: CardiMember Detail

Status: Built (CardiMemberDetailPage)

User Story: 1.4 CardiMember Profile Management

Entry: ? M1-09 Dashboard (hero card tap or "View Details") | ? M2-01 Settings ("Manage CardiMembers") (MVP 2)

Exit: ? Previous screen (back) | ? M1-14 Edit CardiMember | ? M1-15 Device Management | ? M1-09 Dashboard | ? M1-10 Alerts

Backed by a single GET /api/v1/cardimembers/{id} round trip -- see cardimembers.md.

Profile Section:

- ~~Large photo~~ -- initials avatar as built. No photo storage exists server-side (PhotoUrl is always null and there is no upload path), so a photo would have nothing to render.
- Name and "78 years old * Dad" (the requesting caregiver's relationship, not the first link on the member)

Monitoring Info Card:

- Connected devices: "2 Devices" . Monitoring since: "Jan 1, 2026"
- Baseline status: "Learning" / "Established" with a daysCaptured/daysRequired progress bar

Key Metric Trends (carousel, one swipeable card per metric):

- Activity, Heart Rate, Sleep, Skin Temp, Blood Oxygen and Breathing Rate, over a caregiver-chosen 7 / 14 / 30-day window. The API always sends 30 days of series, so switching windows is a client-side slice rather than another round

trip.

- Each chart draws the daily line over the two things the reading is compared against: a dashed rule at this member's own learned baseline, and a shaded band at the published reference range for an adult of this member's age (60-100 bpm AHA, 7-9 h NSF -- 7-8 from age 65, 94-100 % WHO, 12-20 brpm WHO -- see health-data.md). A key under the chart names both and quotes their numbers; steps and skin temp have no published range, so they show the baseline alone.
- Both are drawn in neutral ink, never the status accent -- they are context, not a verdict. The band is presentational only: the card's pill still reads this member against their own normal, not against the population. The one exception is the sleep band, which caps the sleep card's stars at both ends -- a 4.5-hour night cannot be five stars however efficiently it was slept, nor can a 12-hour one, and a member whose own normal is 4.5 hours is the reason the cap cannot come off. It only ever lowers the rating; see health-data.md.
- The chart's axis makes room for them, but not at any price: where admitting the band or the baseline would flatten the readings into a straight line, the readings keep the scale and the band is drawn clipped to the plot edge. The baseline rule is dropped instead -- a rule pinned to the edge would read as a baseline sitting exactly there -- and its key loses the dash and reads "Baseline 9,000 (off chart)". The number stays: a window that far from the member's own normal is why the rule would not fit, which makes it the thing most worth reading.
- Fewer than two readings in the window shows "Not enough readings in this window yet." instead of an empty grid.

Contact Info Card:

- Emergency contact name and phone, with a call button (hidden when no number is stored)
- Falls back to "No emergency contact yet" rather than rendering an empty card

Medical Info Card (encrypted):

- Lock icon in card header; collapsible notes, collapsed by default
- Notes are encrypted at rest (AES-256-GCM) as of this screen -- rows written before that are still readable
- Biometric gating of medical notes remains deferred to R4 (per the release matrix) -- not an MVP 1 requirement

Action Buttons:

- "View Dashboard" ? M1-09 . "View Alerts" ? M1-10 . "Manage Device" ? M1-15

Management (danger zone):

- "Pause Monitoring" -- bounded 1 hour to 7 days, chosen from an action sheet then confirmed. The row becomes "Resume Monitoring" while paused. A pause stops data collection, not just the display: the sync worker skips paused members, and the dashboard hero shows a distinct paused status rather than a health colour.
- "Remove CardiMember" -- confirmed, then soft-deletes the member, their caregiver links and their device connections, discarding stored OAuth tokens. Health history is retained.

Permissions: editing, pausing and removing require the caller to be a primary caregiver; the edit button is hidden and the management rows explain themselves for view-only caregivers.

States (4 as built):

- Loading: skeleton cards
- Loaded: as above
- Error: "We couldn't load these details" with retry
- Paused: amber banner naming the resume time and reason

M1-14: Edit CardiMember

Status: Built (EditCardiMemberPage)

User Story: 1.4 CardiMember Profile Management

Entry: ? M1-13 CardiMember Detail (edit button)

Exit: ? M1-13 CardiMember Detail (cancel or save)

Saves via PUT /api/v1/cardimembers/{id} -- a full replacement, so clearing a field is expressed as an empty value rather than "leave it alone".

Header:

- Back/cancel button, title "Edit Profile", Save button

Form (scrollable):

Photo: initials avatar, live-updating as the name is typed. ~~"Change Photo" button~~ -- not shipped: there is no photo upload path, so the button would do nothing.

Basic Info: "Full Name", "Date of Birth" (picker), "Relationship*" (picker)

Medical & Emergency: "Medical Notes" (multi-line, ?2000 chars, encrypted at rest), "Emergency Contact Name", "Emergency Contact Number"

Monitoring Preferences:

- ~~Toggle: "Enable Monitoring"~~ -- not shipped here. Monitoring is paused from M1-13's Management section, where it is time-bounded; an open-ended toggle on an edit form is how someone stops being monitored without anyone deciding to.
- Dropdown: "Alert Sensitivity" -- Low / Medium / High. Stored but not consumed -- statistical alerting uses the established 30-day baseline, not this field. The in-app caption still says alerting isn't live (copy bug).

Behavior:

- Client-side validation mirrors the server's rules (name 2-100, age 18-120, phone format, notes ?2000)
- Tracks unsaved changes and warns before discarding them on cancel

States (3 as built): loading skeleton . form . error with retry

M1-15: Device Management

Status: Built (DeviceManagementPage)

User Story: 6.2 Devices

Entry: ? M1-13 CardMember Detail ("Manage Device") | ? M2-01 Settings ("Connected Devices") (MVP 2)

Exit: ? Previous screen (back) | ? M1-05 Device Selection (" + Add Device")

Header: back button, "Connected Devices", "+ Add Device" (launches the M1-05..M1-07 wizard modally; the wizard returns here on success -- it continues to M1-08 only when this member had no device yet)

Devices List: headed by the CardMember's name; one card per connection.

Device Card:

- Provider logo, device name, status chip (ACTIVE / NEEDS RECONNECT / DISCONNECTED), "synced 10m ago"
- Sharing row -- a "SHARING" caption, one pill per dataset family, and a chevron. Datasets are mapped from the granted OAuth scopes by DeviceDatasets (CardiTrack.Mobile.Core), then collapsed by family, so a fully-granted Fitbit reads Activity 5 . Heart 2 . Sleep 2 . Body 4 rather than thirteen pills. Pills are tinted by family (activity blue, heart rose, sleep purple, body teal, unrecognised grey) in the design's Activity, HR, Sleep order, Body and Other after.
 - Pill count is bounded by the five families, not by the grant. Every card is the same height whatever each device shares, so two devices can be compared down the column, and colour means one category rather than repeating across a block.
- A family carrying a single dataset names that dataset instead -- Weight, not Body 1 -- since the name costs the same width and says more. Families carrying several show the family name and the count.
- Tap the SHARING header to expand one detail line per family -- Heart Heart Rate . Resting HR -- which is where the individual reading names now live. The header is the only tap target: it is where the disclosure state is announced, so it has to be the element an assistive-technology activation reaches, and confining the gesture there keeps a tap on a pill or on the detail text from collapsing the panel out from under the reader. The chevron is hidden when every pill already names its one dataset. The expanded state is held by the page (_expandedSharing), so a pull-to-refresh or a device action does not snap it shut.
- A connection sharing nothing shows a single "Not sharing any data" pill in the caution tint the NEEDS RECONNECT chip uses -- it is a problem to fix, not a neutral fact.
- The mapping is deliberately narrower than the scopes: healthmetricsandmeasurements also covers HRV, which GoogleHealthApiClient does not fetch, so it is not named. Scopes we don't recognise are humanised (irregularrhythm ? "Irregular Rhythm") rather than rendered as raw URIs -- the pre-pill label printed the full googleapis.com/auth/... scope strings on the card -- and share the grey Other pill.

- SpO2, VO2 max, breathing rate and body temperature are named too, in the existing Body family -- GoogleHealthApiClient ingests all four under healthmetricsand_measurements, which is the same test every other name passes (issue #82). Under the family row the four cost one pill between them (none at all where Weight already put Body on the card) instead of four -- which is the point of collapsing the row: the mapping can keep growing without the card growing with it.
- Still open: those four have no M1-09 Key Metrics card. Each card needs a hand-authored icon and a Figma slot, and the Key Metrics section is specified as steps, heart rate and sleep -- so adding cards is a design decision, not a mapping fix. Detailed per-metric history remains M2-03.
- Primary device star when designated
- ~~Menu icon (three dots)~~ -- actions are inline rather than behind a menu, matching the Figma frame

Permissions: the three actions below require a primary caregiver; a view-only caregiver can see the list but not change it.

Actions (inline on each card):

- Refresh Connection -- renews the OAuth token and reports the result. Does not pull health data: syncing is the Worker's job per CLAUDE.md. A provider that can't be reached marks the connection token_expired so the screen agrees with what the user was told.
- Set as Primary -- switch; disabled on the device that already is primary, since turning it off would leave the member without one
- Remove Device -- confirmed, then soft-deletes the connection and discards its stored tokens. If it was the primary, another active device is promoted.

Stats row:

- Last sync . Next sync (derived from last sync + the connection's interval) . Today's data ("4 updates")
- Battery ("72%", or the provider's band when it reports no percentage) -- shipped, sourced from the Health API's pairedDevices resource. The tile and its grid column collapse whenever the server sends no reading, which is the normal case for any connection made before the settings scope was added, for a scale, and for a reading older than 24 hours. Four tiles when there is a battery to show, three when there is not. Red at or below 10%, the same threshold DEVICEBATTERYLOW fires at, so the tile never disagrees with a notification the caregiver has already had.
- ~~View Sync History~~ -- no sync-history endpoint exists

Troubleshooting (bottom, collapsible): "Having trouble?" with reconnect guidance. Wording avoids Bluetooth -- these are cloud OAuth connections, not paired peripherals.

States (4 as built): loading skeleton . device list . empty ("No devices connected yet" + connect CTA) . error with retry

M1-16: Alert Detail - Heart Rate

Status: Built (AlertDetailPage) -- elevatedheartrate uses the 7-day resting-HR series; realtime_hr uses that hour's granular HR.

User Story: 11.2 Elevated HR

Entry: ? M1-10 Alerts List

Exit: ? M1-10 Alerts List (back) | ? Phone call | ? M2-03 Trend Charts

Alert Header:

- Urgent severity banner
- Lightning bolt icon
- Title: "Elevated Heart Rate Alert"
- CardiMember photo + name + timestamp

Description:

- "Mom's heart rate has been running higher than usual for the past 3 days"

Chart:

- 7-day heart rate chart
- Shaded normal range (68-75 bpm)
- Elevated portion highlighted with urgent severity treatment

Comparison Grid:

Current	Normal	Difference
88 bpm	68 bpm	+29% above baseline

Context Card:

- "Here's what might be going on:"
 - She could be fighting off an illness
 - She might be feeling stressed or anxious
 - She may not be drinking enough water
 - It could be a side effect of her medication

Recommended Actions:

- "Suggest a Doctor Visit" (primary, urgent treatment)
- "Keep watching for a couple more days" (secondary)
- "Call Mom to ask how she's feeling" (secondary)

Medical History (collapsible):

- "Related Health Info"
- Shows medications, conditions from CardiMember profile

M1-17: Health Data Export

Status: Not built -- design intent below (P0 for MVP 1, still to be implemented)

User Story: 6.3 Health Data Export

Entry: ? M2-03 Trend Charts (Export icon) | ? M2-01 Settings ("Export Health Data") | ? M1-13 CardiMember Detail ("Export Data")

Exit: ? Previous screen (back) | ? Share sheet / email

Header:

- Back button
- Title: "Export Health Data"

CardiMember Selector:

- Dropdown: "Export data for: [Dad]"

Date Range:

- "From" date picker
- "To" date picker
- Quick presets: [Last 7 Days] [Last 30 Days] [Last 90 Days] [All Data]

Data Selection (checkboxes):

- Activity & Steps
- Heart Rate
- Sleep Data
- Alerts & Events
- Notes (if any)

Export Format (radio buttons):

Format	Description	Use Case	Available
PDF Report	Human-readable summary with charts	Sharing with family or personal record	MVP 1
CSV	Raw data spreadsheet	Personal analysis	MVP 1
FHIR (R4)	Fast Healthcare Interoperability Resource	Modern EHR integration, patient portals	MVP 1
HL7 v2	Health Level Seven messaging format	Hospital system integration	MVP 2

Format Info (expandable per format):

- Tap info icon next to FHIR ? explains format, typical recipients (hospitals, clinics, patient portals)

Delivery Method:

- "Save to Device" (default)
- "Email to..." -- email input with autocomplete (self, doctor, family)
- "Share via..." -- opens native share sheet

Preview Section:

- "Preview Export" button -- shows first page / sample of export
- Estimated file size: "~2.4 MB"

CTA:

- Primary button: "Export Data"
- Progress: "Generating export..." with progress bar
- Success: "Export complete!" with option to share or save

States:

- M1-17a -- Default: Format and date selection
- M1-17b -- Generating: Progress bar with cancel option
- M1-17c -- Complete: Success message with share/save actions
- M1-17d -- Error: "That didn't work -- let's try again" with retry

MVP 1 Asset Inventory

Illustrations (Storyset / Blush or custom)

#	Asset	Screen	Description
1	Onboarding Slide 1	M1-02	Happy elderly person wearing a smartwatch -- w
2	Onboarding Slide 2	M1-02	Phone showing a health dashboard -- conveys "
3	Onboarding Slide 3	M1-02	Family members on their phones -- conveys sha
4	Learning Phase	M1-08	Brain with gears concept. Animated (Lottie). Sou
5	Empty Alerts	M1-10	Muted bell or peaceful scene -- "nothing to worry
6	No Device Connected	M1-09	Prompt to connect a device -- friendly nudge, not

Style guidance: All 6 illustrations must use the same art style and brand color palette. Tone: warm, caring, approachable -- not clinical.

Brand Assets (custom -- must be unique)

#	Asset	Used On	Notes
1	CardiTrack logo	M1-01, M1-02, M1-06	Export at multiple sizes: large (splash), small (he
2	App icon	Home screen, app stores	Must work at all OS-required sizes. Follow Apple

Animations

#	Animation	Screen	Source
1	Success checkmark	M1-07	LottieFiles -- search "success checkmark" (free o
2	Shimmer / skeleton loading	M1-09, M1-10	As built: custom SkeletonView control (M1-09).
3	Critical alert pulse	M1-12	XAML/CSS animation -- opacity + scale loop on
4	Learning phase brain/gears	M1-08	LottieFiles -- search "machine learning" or "brain

Third-Party Logos (vendor-provided, no design needed)

#	Logo	Screen	Source
1	Google	M1-03	Google Identity branding guidelines (SVG provid
2	Apple	M1-03	Apple Sign In SDK (renders automatically)
3	Fitbit	M1-05, M1-06, M1-15	Fitbit/Google developer brand assets

4	Apple Watch	M1-05, M1-06, M1-15	Apple marketing assets (MFi partners)
5	Garmin	M1-05, M1-06, M1-15	Garmin Connect developer program
6	Samsung	M1-05, M1-06, M1-15	Samsung developer brand kit
7	Withings	M1-05, M1-06, M1-15	Withings Health API partner assets

Asset Summary

Category	Count
Custom illustrations	6
Brand assets (logo + icon)	2
Animations (Lottie / XAML)	4
Third-party logos	7
Total	19

Truly custom (must be designed): 2 -- CardiTrack logo and app icon.

Source: Extracted from uiscreensmauimobile.md v3.1 (manually re-synced August 9, 2026)

Total MVP 1 Screens: 17 designed screens . 37 designed states -- 16 of 17 built; 6 additional shipped screens have no Figma M1 frame (SignIn, ForgotPassword, VerifyEmail, AccountSetup, Notifications, Questionnaires)