

TABLE I. DASH NUMBERS.

DASH NO	A	TEMPER
001	.375	SOFT
003	.438	SOFT
005	.500	SOFT
007	.562	SOFT
009	.625	SOFT
011	.688	SOFT
013	.750	SOFT
015	.812	SOFT
017	.875	SOFT
019	.938	SOFT
021	1.000	SOFT
023	1.125	SOFT
025	1.250	SOFT
027	1.312	SOFT
029	1.375	SOFT
031	1.750	SOFT
033	1.875	SOFT
035	1.938	SOFT
037	2.000	SOFT
039	2.250	SOFT
041	2.375	SOFT
043	2.500	SOFT
045	2.750	SOFT
047	3.000	SOFT

REQUIREMENTS:

1. MATERIAL. COPPER BASE ALLOY 268 (UNS C26800), AS SPECIFIED IN PROCUREMENT DOCUMENT.
2. LENGTH. STANDARD LENGTH OF ROUND BAR IS 10 FEET MINIMUM, 12 FEET MAXIMUM.
3. FORMING PROCESS. COLD WORKED - CODE "C".
4. PART NUMBER. THE PART NUMBER CONSISTS OF THE BASIC MS NUMBER, PLUS A FORMING PROCESS CODE, PLUS A DASH NUMBER FROM TABLE I.

EXAMPLE: MS52016C001

- 001 — DASH NUMBER FROM TABLE I
- C — COLD WORKED (SEE REQUIREMENT 3)
- MS52016 — BASIC MS NUMBER

5. MARKING. COPPER AND COPPER BASE ALLOYS SHALL BE MARKED IN ACCORDANCE WITH FED-STD-185 WITH THE EXCEPTION THAT A PART NUMBER FROM THIS MILITARY STANDARD SHALL BE INCLUDED AS PART OF THE IDENTIFICATION MARKING.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL, EXCEPT THE REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
3. FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

USER ACTIVITIES:

REVIEWER ACTIVITIES:
AIR FORCE-84
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 25 OCT 84
REVISED

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
MR (Other Cust SH 99)		BAR, METAL, ROUND, COPPER BASE ALLOY 268	MS52016
PROCUREMENT SPECIFICATION: QQ-B-626	SUPERSEDES:		PAGE 1 OF 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:17Z
Check the source to verify that this is the current version before use.