INCH-POUND

MIL-C-43468G
INTERIM AMENDMENT 1 (GL)
15 October 1990

MILITARY SPECIFICATION

CLOTH, CAMOUFLAGE PATTERN; WIND RESISTANT POPLIN, COTTON

This interim amendment is approved for use within the Department of the Army, with MIL-C-43468G dated 17 July 1990.

PAGE 1

1.2, under "Type IV": Add the following:

"Type V - Desert Camouflage Pattern (3 color)"

PAGE 2

2.1.2, under DRAWINGS: Delete in its entirety and substitute the following:

"U.S. AMRY NATICK RESEARCH, DEVELOPMENT AND ENGINEERING CENTER

2-1-1516 - Woodland Pattern - 48 inches
2-1-1516B - Woodland Pattern - 60 inches
2-1-2240 - 3 Color Desert Pattern 48 & 60 inch pattern"

PAGE 3

3.4, paragraph identifier: Delete "Color" and substitute "Color, types III and IV".

PAGE 4

Under "3.4.1": Add the following new paragraph:

"3.4.1.1 Color, type V. The cloth shall be dyed to a ground shade approximating Light Tan 492. The three color Desert Camouflage pattern shall be obtained by roller or automatic screen printing using two or three rollers or screens as appropriate for the Light Tan 492, Light Brown 493 and Light Khaki 494 areas of the pattern. The use of two rollers or screens is appropriate when the ground shade matches Light Tan 492. The dyeing of the ground shade (Light Tan 492) and the printing of the cloth shall be accomplished with organic colorants (see 6.8.2) to provide a match to each of the three shades of the pattern and to provide the spectral reflectance levels specified in table IA. Each dyed and printed color area shall match the specific color on the standard sample (see 6.3). Resin bonded pigment printing will not be permitted."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:29Z
Check the source to verify that this is the current version before use.

3.4.2.1, paragraph identifier: Delete "Instrumental matching" and substitute "Instrumental matching, types III and IV only".

3.4.3, paragraph identifier: Delete "Colorfastness" and substitute "Colorfastness, types III and IV".

3.4.3.1, paragraph identifier: Delete "Colorfastness to light" and substitute "Colorfastness to light, types III and IV".

PAGE 5

Add the following new paragraph:

"3.4.3.2 Colorfastness type V. The type V printed and finished cloth shall show fastness to light (after 40 standard fading hours), laundering (after 3 cycles) and perspiration equal to or better than the standard sample or equal to or better than a rating of "good" for each of the pattern areas. The cloth shall show fastness to crocking equal to or better than the standard sample or shall have an AATCC Chromatic Transference Scale rating not lower than 3.5 for all the pattern areas. Testing shall be as specified in 4.4.3."

3.5, paragraph identifier: Delete "Pattern execution" and substitute "Pattern execution, types III and IV".

Under 3.5.1: Add the following new paragraph:

"3.5.1.1 Pattern execution, type V. The pattern shall reproduce the standard sample in respect to design, colors and registration of the respective areas. The warpwise pattern repeat of the dyed, printed and finished cloth shall be 16.75 +1.25 -2.25 inches. Each pattern area shall show solid coverage. Skitteriness exceeding that shown by the standard sample in any of the printed areas will not be acceptable. When the standard sample is not referenced for pattern execution, a pattern drawing shall be provided and the pattern on the finished cloth shall match that of drawing 2-1-2240 for type V (see 2.1.2, 6.2 and 6.4)."

Under table I: Add the following new paragraph and table:

"3.6.1 Spectral reflectance, type V. The spectral reflectance factors for Light Tan 492, Light Brown 493 and Light Khaki 494 for the three color camouflage pattern shall conform to the corresponding requirements specified in table IA, when tested as specified in 4.4.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:29Z
Check the source to verify that this is the current version before use.

TABLE IA. Spectral reflectance requirements, type V

Wavelengths nanometers	Reflectance values (percent)					
	Light Tan 492		Light Brown 493		Light Khaki 494	
	(min)	(max)	(min)	(max)	(min)	(max)
700	38	53	19	41	25	44
720	38	54	20	41	25	45
740	39	55	20	42	25	46
760	40	56	21	42	26	47
780	41	57	21	42	27	48
800	43	58	22	43	28	50
820	45	59	23	45	30	52
840	48	62	24	46	33	55
860	50	65	25	48	36	58"

PAGE 6

3.7, table II, under "Type": Delete "III" and substitute "III and IV".

PAGE 9

4.4.2.1.1, after line 20: Add new defect as follows:

"Pattern repeat less than 15.00 inches or more than 18.00 inches (type V)".

PAGE 10

4.4.3, line 7: Delete "type III" and substitute "types III and V".

PAGE 11

Table IV: Delete characteristics for "Colorfastness" and "Spectral reflectance" entirely and substitute the following:

"Colorfastness to:		
Laundering (after 3 cycles)	3.4.3 and 3.4.3.2	5610 and 4.5.2
Perspiration	3.4.3 and 3.4.3.2	5680 and 4.5.2
Crocking	3.4.3 and 3.4.3.2	5651 and 4.5.3
Light (after 40 standard fading hours)	3.4.3.1 and 3.4.3.2	5660
Spectral reflectance:		
types III and IV	3.6	4.5.4
type V	3.6.1	4.5.4"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:29Z
Check the source to verify that this is the current version before use.

PAGE 13

4.5.4, line 2, after "(nm)": Insert "for types III and IV and 700 nm to 860 nm for type V".

Line 19: Delete "Three" and substitute "For the types III and IV cloth three".

Line 21, after "Black 357.": Insert "For type V cloth the specimen shall be measured as a single layer backed with four layers of the same shade cut from the standard."

Delete the last sentence and substitute the following:

"When the measured reflectance values for any color at four or more of the listed wavelengths do not meet the limits for the Woodland pattern (types III and IV) in table I, and 3 color Desert pattern (type V) in table IB, it shall be considered a test failure."

PAGE 14

6.1, line 1, after "woodland": Insert "and desert".

6.2, e: Delete and substitute:

"e. Woodland or Desert camouflage pattern drawing if required (see 3.5 or 3.5.1.1)."

PAGE 15

6.4: Delete the first sentence and substitute the following:

"For access to the standard shade sample (see 3.2) and the Woodland camouflage pattern drawing or Desert camouflage pattern drawing, if applicable (see 3.5 and 3.5.1.1) address the contracting activity issuing the invitation for bids or request for proposal."

6.8: Delete paragraph identifier and substitute "Dye combination types III and IV".

PAGE 16

After 6.8.1: Add the following new paragraph:

"6.8.2 Dye combination type V. The areas of the pattern have been found to be satisfactory when dyed and printed with various combinations of the following dyes for the 3 colored areas:

Source: https://assist.dla.mil -- Downloaded: 202640-21T21:29Z
Check the source to verify that this is the currentversion before use.

Light Tan 492 (Ground Shade)

Vat Brown 1
Vat Black 25

Light Brown 493

Vat Yellow 1
Vat Yellow 33
Vat Brown 1
Vat Brown 57"

Light Khaki 494

Vat Yellow 1
Vat Yellow 33
Vat Brown 1
Vat Brown 25

Preparing activity:

Army - GL

(Project 8305-A415)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:29Z
Check the source to verify that this is the current version before use.