MIL-B-44133(GL)
29 June 1984

MILITARY SPECIFICATION

BEEF, WITH NATURAL JUICES, CORNED, CHUNKED, FORMED, PRECOOKED, FROZEN

This specification is approved for use by the Natick Research and Development Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers frozen, boneless, precooked corned beef in 6-pound unit packs for use by the Department of Defense in kitchens where facilities for frozen storage are available.

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-B-1163	-	Boxes, Corrugated, Fiberboard, High Compression Strength, Weather-Resistant, Wax Resin Impregnated

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research and Development Center, Natick, MA 01760 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8905

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks, and Sugars Used in the Preparation of Canned Foods for the Armed Forces

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

Laws and Regulations

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. DEPARTMENT OF AGRICULTURE (USDA)

Meat and Poultry Inspection Regulations

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Interim Primary Drinking Water Regulations

(Application for copies should be addressed to the Office of Drinking Water WH550, Environmental Protection Agency, Washington, DC 20460.)

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.

NATIONAL ACADEMY OF SCIENCE

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Ave., N.W., Washington, DC 20418.)

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION

Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, 251 Kearney Street, No. 410, San Francisco, CA 94108.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.4, 6.1 and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Beef. Beef shall be the only meat ingredient used and shall be from steers, heifers, or cows and shall be derived from any combination of the following recognizable primal and sub-primal cuts: square-cut chucks, chuck

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.

rolls, shoulder clods, ribs, ribeyes, trimmed full loins, trimmed short loins, striploins, sirloins, top rounds, knuckles, and bottom rounds. Recognizable cuts are those which, when compared to IMPS cuts, have no more than a minor amount of lean, fat, or bone included from an adjacent cut. All suitable lean meat shall be used except tenderloins may be excluded at the option of the contractor. The beef shall be in the fresh chilled state and shall be in excellent condition, i.e., exposed lean and fat surfaces shall be of a color and bloom normally associated with the class and cut of meat, and typical of meat which has been properly stored and handled; cut surfaces and naturally exposed lean surfaces shall show no more than slight darkening or discoloration due to dehydration, aging, or microbial activity. The fat shall show no more than very slight discoloration due to oxidation or microbial activity. No odors foreign to fresh meat shall be present. Changes in color and odor characteristically associated with vacuum-packaged meat in excellent condition shall be acceptable. Also, the meat shall show no evidence of freezing, defrosting or mishandling.

3.2.1.1 Boning and trimming. The beef shall be boned and trimmed to remove objectionable material such as bone, cartilage, heavy connective tissue, etc. The boneless trimmed beef shall meet the limitations specified in tables I and II.

3.2.1.2 Handling and storage of raw beef. Handling and storage of raw beef prior to processing into the finished product shall be in accordance with the following requirements:

a. Beef processed on the same day as boning and trimming shall not be allowed to exceed 50°F at any time prior to processing.

b. Holding in the fresh chilled state for not more than 96 hours is permitted provided that the beef is maintained at a temperature not to exceed 40°F at all times prior to processing. Beef shall not be frozen.

3.2.2 Salt. Salt shall be non-iodized, white, refined sodium chloride with or without anti-caking agents.

3.2.3 Sugar. Sugar shall be pure, granulated (fine or extra fine) sucrose produced from sugar cane or beet sugar or a combination thereof. The sugar shall comply with the requirements of MIL-STD-900.

3.2.4 Sodium tripolyphosphate. Sodium tripolyphosphate shall comply with the requirements of the Food Chemicals Codex.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

3.2.5 Black, pepper, ground. Ground black pepper shall have a penetrating odor, a hot-biting-pungent flavor, a light grey to speckled black-grey color and be free from adulterants. The volatile oil content shall be not less than 2.0 mL/100 g.

3.2.6 Sodium nitrite. Sodium nitrite shall comply with the requirements of the Food Chemicals Codex.

3.2.7 Bay leaf, ground. Ground bay leaves shall be derived from the dried leaves of Laurus nobilis L. and shall have a delicate aromatic odor and aromatic bitter flavor. A minimum of 95 percent by weight shall pass through a U.S. Standard No. 30 sieve. Volatile oil content shall be not less than 1 mL /100 g.

3.2.8 Garlic powder. Garlic powder shall be fancy grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products.

3.2.9 Clove, ground. Ground clove shall be prepared from the dried, unopened flavor buds of Caryohyllus aromaticus L. The powder shall be dark reddish-brown in color and shall possess a strong aromatic odor with a hot pungent taste. Volatile oil content shall be not less than 1.5 mL/100 g.

3.2.10 Ascorbic acid. Ascorbic acid shall comply with the requirements of the Food Chemicals Codex.

3.2.11 Water. Water used for formulation, ice making and washing shall conform to the National Interim Primary Drinking Water Regulations.

3.2.12 Preblended spice and seasoning mixture. Preblended spices and seasonings may be used. The spices and seasonings in the mixture shall comply with the requirements of this document. The containers used for the spice and seasoning blend shall be labeled with each ingredient and the percentage of each ingredient in the blend. The ingredients shall be in the same proportions as specified in the ingredient formula.

3.3 Preparation and processing.

3.3.1 Beef processing. The boned and trimmed beef shall be reduced in size to chunk-like pieces by mechanically grinding once through a kidney shape grinder plate having openings measuring 2-1/2 inches or more in the least dimension using a two-bladed knife. The meat pieces shall be mechanically mixed with the cure ingredients within 4 hours after grinding.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

3.3.2 Cure ingredients.

Ingredients	Pounds of ingredient per 100 pounds of beef
Water (or ice)	3.00
Salt	2.25
Sugar	1.00
Sodium tripolyphosphate	0.25
Black pepper, ground	0.05
Ascorbic acid	0.05
Bay leaf, ground	0.022
Garlic powder	0.017
Sodium nitrite	0.0156
Clove, ground	0.008

3.3.3 Mixing and curing. The beef pieces shall be mechanically mixed with the cure ingredients for approximately 15 minutes or until the mixture becomes moderately tacky. The mixture shall then be held at 40°F (± 2°F) for not less than 12 hours nor more than 72 hours prior to stuffing.

3.3.4 Stuffing and forming. The cured meat mixture shall be further mechanically mixed for 1 to 2 minutes or for sufficient time to plasticize the mixture sufficiently to assure continuous meat flow through the stuffing machine. The mixture shall then be immediately stuffed and formed as specified in 3.3.4.1 or 3.3.4.2.

3.3.4.1 Screen method. Six pounds of the cured meat mixture shall be mechanically stuffed into barrier material casings having an oxygen permeability of not more than 10cc of oxygen per square meter per 24 hours at 73°F and 0 percent relative humidity and secured at both ends with metal clips. The clip closures shall result in seals that remain water tight during and after cooking, cooling, and freezing of the product. The casing enclosed meat shall be restrained between stainless steel, spring-loaded flat screens so that cooked meat logs with two parallel, flattened surfaces are obtained (see figure 1 for cross-sectional dimensions).

3.3.4.2 Mold method. Six pounds of the cured meat mixture shall be mechanically stuffed into rectangular stainless steel molds lined with roll-stock barrier material that has an oxygen permeability of not more than 10cc of oxygen per square meter per 24 hours at 73°F and 0 percent relative humidity, then overlaid with the same barrier material. A continuous water-tight seal shall be obtained by heat sealing the top layer to the bottom layer in

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

a thermo-form process. Headspace shall have been evacuated prior to completion of the sealing operation. The casing enclosed meat shall remain in and be cooked in the molds (see figure 1 for cross-sectional dimensions).

3.3.5 Cooking. Within 4 hours after completion of stuffing and forming, the cured beef mixture shall be cooked as specified in 3.3.5.1 or 3.3.5.2.

3.3.5.1 Cook house method. Cook in a processing oven (cook house) without smoke at 160° to 162°F and 100 percent relative humidity until the product center temperature reaches 150° to 152°F.

3.3.5.2 Water cooker method. Cook in a water cooker at 160° to 162°F until the product center temperature reaches 150° to 152°F.

3.3.6 Cooling. Immediately after completion of cooking, the product shall be refrigerated and cooled to 40°F maximum. The cooled product shall be removed from the screens or molds prior to freezing. After completion of cooling, each log shall be unit packed as specified in 5.1.1. The casing material in which each log is encased shall remain intact with no evidence of holes, tears or splits in the material.

3.3.7 Freezing. Freezing shall not commence until the product center temperature has been cooled to 40°F or below (see note below). The product shall then be rapidly frozen to 0°F or below within 72 hours.

NOTE: Cooling prior to freezing is necessary to limit freezing expansion which may cause fracture of the casing.

3.3.8 Frozen storage. After the finished product has been packed and returned to the freezer, the following frozen storage conditions shall be met:

a. The product shall be held at a uniform temperature of 0°F or colder.

b. At time of shipment and delivery the product shall be in excellent condition and the internal temperature shall be not greater than 0°F (see 4.5.7).

3.4 Finished product requirements. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as but not limited to glass, metal, paint, wood, dirt, paper, or insect parts.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

b. There shall be no foreign odors or flavors such as but not limited to rancid, scorched, burnt, stale, sour, musty, or moldy.

c. There shall be no color foreign to the product.

d. There shall be no evidence of the product having been thawed and re-frozen.

e. There shall be not more than 1.5 percent purge by weight.

f. Corned beef logs shall be uniformly sized and shaped and provide a cross section throughout (except for extreme ends) as illustrated by figure 1.

g. The cut cross sectional surface of the cooked corned beef shall not exhibit air or gelatin pockets greater than 0.3 inches in any dimension. The freshly cut surface shall have a uniform cured color across the full plane of the freshly cut surface except for a gray/brown color at or slightly below the surfaces directly exposed to heat during the cooking process. Interspersed fat shall resemble fat "marbling" which occurs naturally in meat.

h. There shall be no pocket of fat measuring greater than 0.5 inch in any dimension.

i. Corned beef logs shall yield slices that when sliced 1/16 inch in thickness will remain intact under expected use conditions (sandwiches or entrees).

j. No individual log shall have a fat content greater than 14.0 percent and the average fat content shall not be greater than 12.0 percent.

k. No individual log shall have a salt content greater than 3.0 percent.

l. The net weight of the log (including purge) shall be not less than 5.5, nor more than 6.5 pounds.

3.4.1 Palatability. The product shall be equal to or better than the approved first article (preproduction) samples (see 6.1) in palatability and overall appearance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

3.5 Plant qualification. The beef component and the finished product shall originate and be produced, processed and stored in plants regularly operating under Meat Inspection Regulations of the U.S. Department of Agriculture.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all the requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and acceptance service. Product acceptability shall be determined by the USDA. The USDA will determine the degree of acceptance service necessary to assure compliance with the requirements of this document. The cost of grading and acceptance services performed by the USDA involving inspection, official documentation, and related services shall be borne by the contractor.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

4.5.1.1 Beef examination for condition and cut. All beef shall be examined in either the bone-in or boneless state for conformance to the condition and cut requirements in 3.2.1. Cuts initially examined in the boneless state shall be in the form of whole boneless recognizable cuts. Any nonconforming beef shall be rejected.

4.5.1.2 Boned and trimmed beef examination. After boning and trimming and prior to any further processing or to any freezing, the beef shall be examined for the defects listed in table II. The lot size expressed in terms of pounds shall be declared to the Agricultural Marketing Service (AMS) agent by the contractor. However, the AMS agent reserves the right to declare as a lot any portion of a declared lot, if, in his or her opinion, that portion may be out of compliance with any requirement. The sample unit shall be a minimum of 12 pounds of adjacent boneless beef. The sample size shall be as specified in table I. If all or a portion of the sample unit falls within a larger cut, the entire cut shall be examined. Failure of the beef to meet the acceptance criteria as indicated in table I shall be cause for rejection of the lot. Except for beef rejected because of freezing, defrosting, or presence of any off-condition, the beef may be reworked by the contractor and reoffered for examination. For reexamination, the sampling plan used shall be the one in table I designed for the next larger lot size than the one under which the lot was initially rejected. Beef shall not be reexamined more than one time.

TABLE I. Sampling plan for boned and trimmed beef

Lot size (pounds)	Sample size (No. of sample units)	Defect categories			
		Major		Minor	
		AC	RE	AC	RE
500 or less	13	1	2	3	4
501 to 1200	20	2	3	5	6
1201 to 3200	32	3	4	7	8
3201 to 10000	50	5	6	10	11
10001 to 35000	80	7	8	14	15
Reinspection lots of 10001 to 35000	125	10	11	21	22

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

TABLE II. Boned and trimmed beef defects

Category		Defect 1/ 2/
Major	Minor	
151		Presence of any portion of major lymph gland.
152		Presence of lymph gland measuring 1.0 inch or more in any dimension.
	201	Presence of lymph gland measuring more than 0.5 inch but less than 1.0 inch in any dimension.
153		Presence of blood clot measuring 1.0 inch or more in any dimension.
	202	Presence of blood clot measuring 0.5 inch or more but less than 1.0 inch in any dimension.
154		Presence of bruise measuring 1.0 inch or more in any dimension.
	203	Presence of bruise measuring 0.5 inch or more but less than 1.0 inch in any dimension.
155		Presence of bone measuring 0.3 inch or more in any dimension.
156		Presence of cartilage measuring 0.5 inch or more in any dimension.
157		Presence of backstrap or other ligament measuring 1.0 inch or more in one dimension and 0.2 inch or more in a second dimension (when measured at right angles to each other).
	204	Presence of backstrap or other ligament measuring 0.5 inch or more but less than 1.0 inch in one dimension and 0.2 inch or more in a second dimension (when measured at right angles to each other).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

TABLE II. Boned and trimmed beef defects (cont'd)

Category		Defect 1/ 2/
Major	Minor	
158		Presence of heavy connective tissue (for example, on the surface of the outside round adjacent to the knuckle, along the skin surface of the strip loin, or the gracilis membrane) measuring 2.0 square inches or more.
	205	Presence of heavy connective tissue (for example, on the surface of the outside round adjacent to the knuckle, along the skin surface of strip loin, or the gracilis membrane) measuring 0.5 square inches or more but less than 2.0 square inches.
	206	Presence of heavy connective tissue on lower edge of short plate or flank.
	207	Presence of heavy connective (abdominal tunic) tissue on the flank measuring 1.0 inch or more in any dimension.
	208	Presence of membranous portion of diaphragm or membranous covering from skirt, flank or abdominal section of short plate measuring 3 square inches or more.
159		Presence of knuckle cover.
160		Presence of kidney, pizzle eye, pre-pubic tendon, thymus gland or hanging tender measuring 1.0 inch or more in one dimension and 0.2 inch or more in a second dimension (when measured at right angles to each other).
	209	Presence of kidney, pizzle eye, pre-pubic tendon, hanging tender or thymus gland measuring less than 1.0 inch in one dimension and 0.2 inch or more in a second dimension (when measured at right angles to each other).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

TABLE II. Boned and trimmed beef defects (cont'd)

Category		Defect 1/ 2/
Major	Minor	
	210	Presence of calcified (scratchy) periosteum measuring 2.0 square inches or more.
	211	Presence of shank, clod, knuckle, or bottom (outside) round with tendinous end showing less than 75 percent lean tissue on a cross-sectional cut surface.
	212	Presence of dehydrated surface measuring 1.0 square inch or more.
	213	Presence of discolored meat (including blood discolored neck meat) measuring 1.0 square inch or more.
	214	Presence of exposed major blood vessel measuring 1.0 inch or more in any dimension.
	215	Presence of cod, udder, kidney or pelvic fat.

1/ Acceptability of product with respect to the presence of foreign material (for example: glass, dirt, insect parts, hair, wood, metal) shall be determined by a Meat and Poultry Inspection Operations employee.

2/ Evidence of freezing or defrosting, or presence of any off-condition (including but not restricted to being off-odor, slightly sticky, gassy, rancid, sour, or showing discoloration) shall cause rejection of the lot.

4.5.1.3 Other ingredient and material examination. Conformance of ingredients and barrier material to identity and condition requirements shall be determined by examination of pertinent labels, markings, invoices, certificates of analysis, or other valid documents. In addition, each ingredient shall be examined organoleptically as necessary to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or barrier material lot or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, handling, packaging, and freezing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Product inspection. After cooling and prior to freezing, the cooked logs shall be inspected for the defects listed in table III. Lot size shall be limited to the number of logs produced from one day's work shift. Lot size shall be expressed in units of logs. The sample unit shall be one log. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 2.5 for major defects and 10.0 for minor defects. The examination shall be performed as follows:

a. Weigh each corned beef log with casing on.
b. Remove casing and drain existing purge into a tared container.
c. Weigh corned beef log.
d. Weigh the purge and calculate the percent.
e. Divide each corned beef log into four approximately equal pieces by three straight cuts perpendicular to the cutting table surface and at an approximate right angle to the long axis of the corned beef log.
e. Examine the right-hand surfaces exposed by these cuts and record any defects.
g. Mechanically slice one 1/16-inch slice from each piece and examine for slice integrity.

TABLE III. Product defects 1/ 2/ 3/ 4/

Category		Defect
Major	Minor	
151		Weight of corned beef log (including the weight of purge) less than 5.5 or more than 6.5 pounds (casing removed).
152		Corned beef log not uniformly sized and shaped.
153		Purge greater than 1.5 percent by weight.
	201	Cut surface does not have a marbled fat appearance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

TABLE III. Product defects 1/ 2/ 3/ 4/ (cont'd)

Category		Defect
Major	Minor	
154		Log yields 1/16 inch slices which do not remain intact.
	202	Air or gelatin pockets greater than 0.3 inch in any dimension.
155		Fat clump (pocket) measuring more than 0.5 inch in any dimension (streaks of fat marbling shall not be considered as a clump of fat).
	203	Surface of a freshly cut slice does not display a uniform cured color. (A gray/brown color at the outer edge of the slice shall not be considered a defect.).

1/ Presence of foreign material (e.g. glass, dirt, insect part, hair, wood, metal, etc.), foreign odor or flavor (e.g. burnt, scorched, stale, sour, rancid, musty, moldy, etc.), or foreign color shall be cause for rejection of the lot.

2/ Evidence of thawed or refrozen product shall cause rejection of the lot.

3/ Product not equal to or better than the approved preproduction sample (see 6.1) in palatability or overall appearance shall be cause for rejection of the lot. (This comparison shall be performed only when deemed necessary by the AMS agent.)

4/ Defects shall be scored only once per sample unit.

4.5.4 Fat and salt content testing. The finished product shall be tested for fat content and salt content in accordance with the applicable methods of chemical analysis in the Official Methods of Analysis of the Association of Official Analytical Chemists, chapter: Meat and Meat Products, section: Meat. The lot size shall not exceed one day's production. The sample shall be three corned beef logs selected at random from the lot. The three logs shall be individually tested. The results for fat content shall be reported to the

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

nearest 0.1 percent. The results for salt content shall be reported to the nearest 0.1 percent. Any failure to conform to the fat content and salt content requirements in 3.4 j and k shall be cause for rejection of the lot.

4.5.5 Shipping container examination. Shipping containers shall be examined for defects in construction, packing, closure, and reinforcement in accordance with the appendix of PPP-B-636, except that the following additional defects shall apply:

Major

National stock number, item description, contract number, or date of pack markings missing, incorrect, or illegible.
Net weight less than marked on container.
Not snug-fitting or evidence of bulging.

Minor

Other required marking missing, incorrect, or illegible.
Reinforcement with nonmetallic strapping or tape not used.
Number of meat logs not as specified.
Color of reinforcing bands not as specified.

4.5.6 Barrier casing integrity and polyethylene bag examination. The solidly frozen corned beef logs shall be examined for the defects listed in table IV. The lot size shall be expressed in units of filled shipping containers. One log shall be inspected from each of the shipping containers indicated by inspection level S-4. The AQL expressed in terms of defects per hundred units shall be 4.0.

TABLE IV. Barrier casing integrity and polyethylene bag defects

Category	Defect
Major	
151	Polyethylene bag missing.
152	Polyethylene bag not of sufficient size to completely enclose product.
153	Tear or hole in polyethylene bag.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:06Z
Check the source to verify that this is the current version before use.

TABLE IV. Barrier casing integrity and polyethylene bag defects (cont'd)

Category	Defect
Major	
154	Split, tear, fracture, or hole in barrier casing. 1/

1/ Resealing of logs with defective casings into additional barrier casings is permitted provided the resealing is accomplished within 96 hours after placing the logs in the freezer.

4.5.7 Product frozen storage examination. Examination shall be made to determine conformance to the frozen storage requirements in 3.3.8. Any non-conformance revealed by actual examination or by review of records shall be cause for rejection of the involved product.

5. PACKAGING

5.1 Preservation. Preservation shall be level C.

5.1.1 Level C. Each log of product cooled after cooking shall be unit packed in a polyethylene bag in accordance with commercial practice. The polyethylene bag shall be of sufficient size to completely enclose the log.

5.2 Packing. Packing shall be level B or C as specified (see 6.1).

5.2.1 Level B packing. Eight logs of product preserved as specified in 5.1 shall be packed in a snug-fitting fiberboard box constructed and reinforced in accordance with style FTC, grade W5c or W5s of PPP-B-636. Alternatively, a wax-impregnated fiberboard box constructed in accordance with style RSC, class I, type SWCFI, grade 200 of PPP-B-1163 may be used. Closure of wax-impregnated boxes shall be with hot melt adhesive in accordance with the appendix of PPP-B-636. The wax-impregnated box shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636. Reinforcement of PPP-B-636 and PPP-B-1163 boxes shall be restricted to nonmetallic strapping of pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. All reinforcing bands shall be uncolored or of a color which contrasts with black.

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:06Z
Check the source to verify that this is the current version before use.

5.2.2 Level C packing. Eight logs of product, preserved as specified in 5.1, shall be packed in a fiberboard container complying with Uniform Freight Classification or National Motor Freight Classification, as applicable, except the closure of the fiberboard box shall be in accordance with method II as specified in the appendix of PPP-B-636.

5.3 Marking of shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129. In addition, the following precautionary markings shall be placed on the top of the container in capital letters between 1 and 1-1/2 inches high.

KEEP FROZEN
(0°F OR BELOW)

5.4 Labeling. Each log of product shall be labeled in accordance with the Federal Meat Inspection Act. The label shall include the following information:

BEEF, WITH NATURAL JUICES, CORNED, CHUNKED, FORMED, PRECOOKED, FROZEN - THAW BEFORE SLICING

DO NOT RE-COOK

DATE OF PACKAGING (MONTH/YEAR)

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number and date of this document.
b. When a first article is required (see 3.1, 4.4 and 6.3).
c. Level of packing required (see 5.2).

6.2 Award of contract. Award of contract for the product specified in this document will be limited to plants known to maintain the required sanitation conditions of 3.5.

6.3 First article. The item covered by this document requires first article test and approval under the appropriate provisions of FAR 52.209-4. The first article shall be a preproduction sample. The sample shall consist of two (2) corned beef logs which the contractor shall submit to the U.S. Army Natick Research and Development Center, ATTN: Food Engineering Laboratory,

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:06Z
Check the source to verify that this is the current version before use.

Office Code: STRNC-WTP, Natick, MA 01760 for evaluation for acceptance. The contracting officer shall include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article samples.

Custodian:

Army - GL

Review activities:

Army - MD, TS
DP - SS

Preparing activity:

Army - GL

Project no. 8905-AB05

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.




FIGURE 1

BEEF, WITH NATURAL JUICES, CORNED, CHUNKED, FORMED, PRECOOKED, FROZEN

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY
US Army Natick Research and Development Center
Natick, Massachusetts 01760

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STRNC-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Center
ATTN: STRNC-ES
Natick, MA 01760

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-B-44133(GL)	Beef with Natural Juices, Corned, Chunked, Formed, Precooked, Frozen

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP, 1 Apr 84

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:06Z
Check the source to verify that this is the current version before use.