MILITARY SPECIFICATION

DETERGENT, SKIN CLEANSING

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Detergent, Skin Cleansing (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 6508

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION.

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Material shall be a stable, homogeneous, detergent sudsing emulsion containing alkylphenoxypolyether sulfonate, lanolin cholesterols, and white petrolatum.

3.2 Physical properties of the finished product.

3.2.1 pH. The pH shall be 5.0 to 6.0 at 25°C when tested as specified in 4.5.1.

3.2.2 Viscosity. Viscosity shall be not more than 180 seconds at 25°C when tested as specified in 4.5.2.

3.2.3 Homogenicity. The detergent shall show a uniform dispersion when tested as specified in 4.5.3.

3.2.4 Total solids. The detergent shall contain 31.5 to 38.5 percent total solids by weight when tested as specified in 4.5.4.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

3.2.5 Stability. No separation shall occur when a bottle of the preparation is allowed to stand on a shelf for 5 days at room temperature.

3.3 Active ingredients.

3.3.1 Alkylphenoxypolyether sulfonate, lanolin cholesterols. The alkylphenoxypolyether sulfonate shall contain 28 percent ± 3 solids by weight and shall exhibit its identity and presence in the detergent when tested as specified in 4.5.5. In addition, the alkylphenoxypolyether sulfonate and lanolin chlosterols used in the manufacture of the product shall be of the highest pharmaceutical grade suitable for use in the manufacture of the product.

3.3.2 White petrolatum. The white petrolatum used in the manufacture of the product shall comply with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.4 Other ingredients. All other ingredients used in the preparation of the product shall be of U.S.P. or N.F. quality, or, if not included in either of these compendia, they shall be of the highest pharmaceutical grade suitable for use in the manufacture of the product.

3.5 Delivery. Not more than 6 months shall have elapsed from the date of manufacture of the product, to the date of delivery to the Government.

3.6 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of detergent produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

4.3.1 For raw material and end item testing. Non compliance with any of the following is cause for rejection. The acceptance number for each test shall be zero (0).

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:44Z
Check the source to verify that this is the current version before use.

TABLE II. For raw material and end item testing.

Characteristic	Requirement paragraph	Inspection level 1	Minimum Sample
pH	3.2.1	S-2	5 Composite
Viscosity	3.2.2		5
Homogenicity	3.2.3		5
Total solids	3.2.4		
Ingredients:			
alkylphenoxy-polyether sulfonate	3.3.1	2/	
lanolin cholesterols	3.3.1		
White petrolatum	3.3.2		

1/ Where possible, the samples shall be used for two or more tests.

2/ Sufficient quantities of each of the raw materials shall be selected from each lot to perform tests indicated in applicable test methods. Failure of any sample to comply with test requirements shall be cause for rejection of the lot represented.

4.4 Examination. The finished product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects.

TABLE III. Classification of defects.

Categories	Defects 1/
Major	
101	Detergent not homogeneous.
102	Detergent not free of foreign particulate matter.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:44Z
Check the source to verify that this is the current version before use.

4.4.2 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4.3 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests.

4.5.1 pH. Place 10 ml of the sample into a 25 ml graduated cylinder, and add 5 ml of purified water. Mix thoroughly and determine the pH of the mixture with a suitable pH meter using a glass electrode and a sleeve type calomel electrode.

4.5.2 Viscosity. Fill the viscosimeter 1/ tube with the sample and tamp gently to remove air. Place almost immersed in a water bath maintained at a temperature of 25° ± 1°C. for 15 minutes or until the contents of the tube have attained a temperature of 25° ± 1°C. when tested by the insertion of a thermometer. Remove from the bath, dry and clamp vertically in a burette clamp. Determine the viscosity by recording the time required for the standard balls to drop through the 10 inch zone marked off. A total of 3 or 4 balls, added one at a time, should be used. The average time in seconds for a selected part (top, bottom or middle) of the last two balls to pass from upper to lower lines of the tube shall be taken as the viscosity.

4.5.3 Homogenicity. Place a small amount of the undiluted sample on a microscope slide, using a glass rod, and cover with a cover slip. With a minimum amount of pressure, press the cover slip down and rotate slightly so as to form a thin film. Examine under the low power objective. The product should show a uniform dispersion.

1/ Viscosimeter: A glass tube about 15 inches long with an inside diameter of 15 mm ± 0.3 mm., which has a zone marked off exactly 10 inches ± 0.2 inches in length, equidistant from each end. This tube is used with 1/2 inch diameter anticorrosive metal balls, weighing between 8.46 and 8.50 grams.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:44Z
Check the source to verify that this is the current version before use.

4.5.4 Total solids. Into a tared, shallow, aluminum moisture dish, place about 4 or 5 ml of sample and accurately weigh. Place in an oven maintained at 105°C. and dry overnight, (approximately 18 hours). Cool in a dessicator and weigh. Calculate percent of total solids.

4.5.5 Identification of alkylphenoxypolyether sulfonate in the finished product. Prepare a sample solution using the following procedure. Accurately weigh about 250 mg of sample into a tared 25 ml volumetric flask then dilute with methanol to exactly 25 ml. Mix thoroughly and carefully filter through paper, or centrifuge taking adequate precaution to prevent evaporation. Discard the first portion of the filtrate and volumetrically transfer a 10 ml aliquot of the subsequent clear filtrate to a 100 ml volumetric flask. Add some methanol then 1.0 ml of 1N hydrochloric acid and finally add sufficient methanol to make exactly 100 ml; mix thoroughly. Using a suitable spectrophotometer the characteristic maxima due to the detergent are obtainable at wave lengths of 277 mu and 284 mu and a characteristic minimum at 280 mu.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 5 fl. oz. (148 ml) as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging. Twelve (12) units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (See 6.1).

5.3.1 Level A. Ninety-six (96) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Ninety-six (96) units of issue shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the date of manufacture.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:44Z
Check the source to verify that this is the current version before use.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. Date of manufacture shall be shown in lieu of date packed. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Date of manufacture shall be shown in lieu of date packed. Marking shall include the legend: "DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification
6508-00-727-2938	DETERGENT, SKIN CLEANSING, 5 fl. oz. (148 ml)

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6508-0002

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-D-37449(DSA-DM) DETERGENT, SKIN CLEANSING

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:44Z
Check the source to verify that this is the current version before use.