# MILITARY SPECIFICATION

## MINE, AT, PRACTICE M19, INERT AND FUZE, MINE, AT, PRACTICE, M606, INERT PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This specification is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 This specification covers the inspection of parts and loading, assembling, and packing for one type of mine designated as Mine, Antitank, Practice M19, Inert with Fuze, Mine, AT, Practice, M606, Inert.

## 2. APPLICABLE DOCUMENTS

2.1 Issues of documents. - The following documents of the issue in effect on date of invitation for bids, or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1168 - Lot Numbering of Ammunition.
MIL-STD-1169 - Packaging, Packing and Marking for Shipment for Inert Ammunition Components.

FSC: 1345

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self.addressed Standardization Document improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

DRAWINGS (see 6.5)

U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

| | |
|---|---|
| 8830878 | Support, Packing, Ammo For Mine, AT, NM, M19 w/Fuze M606 Or Mine, Practice, Ml 9, Inert |
| 9321539 | Packing and Marking for Support, Packing, Ammunition for Mine, AT, Practice, M19, Iner |
| 9321540 | Box , Wirebound, Packing, Ammunition for Mine AT, NM, M19 w/Fuze M606 or Mine Practice, Ml Inert |
| 9321541 | Packing and Marking for Box, Wirebound, Pack ing, Ammunition for Mine, AT, NM, M19 w/Fuze M606 or Mine Practice, M19, Inert |
| 9321449 | Mine, AT, Practice, M19, Inert |
| 9321448 | Fuze, Mine, AT, Practice, M606, Inert, Assembly |

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer. )

3. REQUIREMENTS

3.1 Materials. - Materials and parts shall be in accordante with applicable drawings and specifications.

3.1.1 Scrap. - Scrap formed in kettles, pails, risers, and loading machines used in the pouring and cooling operations, may be remelted and reused; however, the scrap shall not be contaminated in any way and shall comply with all requirements for the grade of filler specified except for form. Scrap from floor sweepings, ventilators, and suction apparatus shall not be used.

3.2 Parts and assemblies. - The parts and assemblies shall comply with all requirements specified on the applicable drawings and with all requirements specified on applicable specifications.

3.3 Workmanship. - All parts shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agent. All required markings shall be neat and sharply defined.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

‘4.2 Classification of inspections. - The following type of inspection shall be conducted on this item.

a. Quality Conformance Inspection

4.3 First article inspection. - None required.

4.4 Quality conformance inspection

4.4.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. - (See MIL-A-48078). Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.3.4.



Source: https://assist.dla.mil -- Downloaded: 202640-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

# CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63146(AR)

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.1 | Housing | | | | 9321443 |
| | | | | | NEXT HIGHER ASSEMELY 9321448 |
| CATEGORY | EXAMINATION OR TEST | NO OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | None defined | | | | |
| Minor | | | | | |
| 201 | Paint on "X" surfaces missing or improper | | 0.65% | 3.2 | Visual |
| 202 | Paint on interior surface | | 0.65% | 3.2 | Visual |
| 203 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 2026-02-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

# CLASSIFICATION OF DEFECTS & TESTS

MIL-M 63146(AR)

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.2 | Knob, Setting | | | | 9321445 |
| | | | | | NEXT HIGHER ASSEMBLY |
| | | | | | 9312448 |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | None defined | | | | |
| Minor | | | | | |
| 201 | Paint on "X" surfaces missing or improper | | 0.65% | 3.2 | Visual |
| 202 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

# CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63146(AR)

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.3 | Mine, AT, Practice, M19, Plastic Parts Assembly | | | | 9321447 |
| | | | | | NEXT HIGHER ASSEMBLY |
| | | | | | 9321449 |
| / CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | | | | | |
| 101 | Bottom activator well in same quadrant as filler hole | | 0.40% | 3.2 | Visual |
| 102 | Tape covering activator wells missing or improper | | 0.40% | 3.2 | Visual |
| 103 | Depth of fuzewell booster cavity, minimum | | 0.40% | 3.2 | Gage |
| 104 | Carrying cord missing or improperly assembled | | 0.40% | 3.2 | Visual |
| 105 | Assembly cracked or split | | 0.40% | 3.2 | Visual |
| Minor | | | | | |
| 201 | Tape covering activator wells missing or improper | | 0.65% | 3.2 | Visual |
| 202 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

**CLASSIFICATION OF DEFECTS & TESTS**

MIL-M-63146(AR)

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.4 | Mine, AT, M19, Loading & Marking Assy Practice, Inert | | | | 9321446 |
| | | | | | NEXT HIGHER ASSEMBLY 9321449 |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | | | | | |
| 101 | Weight, minimum | | 0.40% | 3.2 | Balance |
| Minor | | | | | |
| 201 | Paint on "X" surfaces missing or improper | | 0.65% | 3.2 | Visual |
| 202 | Marking missing, incorrect or illegible | | 0.65% | 3.2 | Visual |
| 203. | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

## CLASSIFICATION OF DEFECTS & TESTS

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.5 | Plate | | | | 9321444 |
| | | | | | NEXT HIGHER ASSEMBLY 9321448 |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | None defined | | | | |
| Minor | | | | | |
| 201 | Paint on "X" surfaces missing or improper | | 0.65% | 3.2 | Visual |
| 202 | Paint on interior or groove surfaces | | 0.65% | 3.2 | Visual |
| 203 | Marking missing, incorrect, or illegible | | 0.65% | 3.2 | Visual |
| 204 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

## CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63146(AR)

| PARAGRAPH | TITLE | SHEET | DRAWING NUMBER |
|---|---|---|---|
| 4.4.2.6 | Fuze, Mine AT, Practice, M606, Inert, Assembly | 1 OF 1 | 9321448 |
| | | | NEXT HIGHER ASSEMBLY 9321449 |

| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
|---|---|---|---|---|---|
| Critical | None defined | | | | |
| Major | | | | | |
| 101 | Cement, Plastic missing or improper | | 0.40% | 3.2 | Visual |
| 102 | Arming Torque incorrect | | 0.40% | 3.2 | Gage |
| 103 | Cord missing or improperly assembled | | 0.40% | 3.2 | Visual |
| Minor | | | | | |
| 201 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

**CLASSIFICATION OF DEFECTS & TESTS**

MIL-M-63146(AR)

| PARAGRAPH | TITLE | | SHEET 1 OF 1 | | DRAWING NUMBER |
|---|---|---|---|---|---|
| 4.4.2.7 | Mine, AT, Practice, M19, Inert | | | | 9321449 |
| | | | | | NEXT HIGHER ASSEMBLY |
| CATEGORY | EXAMINATION OR TEST | NO. OF SAMPLE UNITS | AQL OR 100% | REQUIREMENT PARAGRAPH | PARAGRAPH REFERENCE /INSPECTION METHOD |
| Critical | None defined | | | | |
| Major | | | | | |
| 101 | Lugs engaged for shipment | | 0.40% | 3.2 | Visual |
| 102 | Shipping plug missing | | 0.40% | 3.2 | Visual |
| Minor | | | | | |
| 201 | Evidence of poor workmanship | | 1.00% | 3.3 | Visual |

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete



Source: https://assist.dla.mil -- Downloaded: 20260-23T02:19Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. - None required.

4.4.4 Inspection equipment. - The inspection equipment required to perform the inspection and tests prescribed in this specification is identified in the 'Paragraph/Reference Inspection Method' column in the tables starting with paragraph 4.3.2.1. The contractor shall submit for approval, inspection equipment designs in accordance with the terms of the contract. See section 6 of MIL-A-48078 and section 6.3 herein.

5. PACKAGING

5.1 Preservation and Packaging. -

5.5.1 Level C. - Preservation and packaging shall be in accordance with Dwg. 8830878 and 9321539.

5.2 Packing. -

5.2.1 Level C. - The inert mine shall be packed in accordante with Dwg , 9321540 and 9321541.

5.3 Marking. - Marking of the cartons shall be in accordante with Dwg . 9321539 and 9321541.

6. NOTES

6.1 Intended use. - The inert mine covered by this specification is intended for demonstration purposes only.

6.2 Ordering data. - See MIL-A-48078

6.3 Submission of inspection equipment designs for approval. - See MIL-A-48078. Submit equipment designs as required to Commander, U.S. Army Armament Research and Development Command, ATTN: DRDAR-QAA-1, Dover, N.J. 07801.

6.4 Distribution of Ammunition Data Cards. - Distribution of data cards shall include the following: Commander, U.S. Army Armament Research and Development Command, ATTN: DRDAR-QAA-Q, Dover, New Jersey 07801.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

6.5 Drawings. - Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by, and identified as, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under the cognizance of ARRADCOM,

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project Number: 1345-A-189



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID RESTRICTIVE LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Armament R&D Command
ATTN: DRDAR-QAA
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.