[METRIC]
A-A-1189A
February 3, 1993
TO SUPERSEDE
A-A-1189
May 7, 1981

COMMERCIAL ITEM DESCRIPTION

CALKING LEAD
(Packing and Gasketing)

The General Services Administration has authorized the use of this commercial item description.

1. SCOPE

1.1 Scope. This commercial item description covers lead wool used for calking purposes.

1.2 Classification. The lead shall be of the following grades as specified:

Grade AA
Grade D

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of the invitation for bids or request for proposal unless otherwise specified.

These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.

FSC 5330

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:12Z
Check the source to verify that this is the current version before use.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from the Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Material. The chemical composition shall be in accordance with requirements shown in Table I.

3.2 Construction. The calking shall consist of fine strands of lead. Unless otherwise specified, the diameter of the strands shall be from 0.13 to 4.00 millimeters and the length such that it will cling together in handling without excessive unraveling. The calking shall be furnished in rope form and weigh between 0.45 and 1.04 kilograms per lineal meter, unless otherwise specified. Calking shall be furnished in weight quantities as specified by the contract or order. Calking shall be capable of being applied to a dense structure using a pneumatic hammer without flaking or powdering.

3.3 Workmanship. The calking shall be of uniform quality, clean and free from foreign material and any defects which might render the material unsuitable for the purposes intended.

3.4 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

3.5 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Table I. Chemical Composition

ELEMENT	Grade AA (Maximum)	Grade D or Range (Maximum)
Lead	99.70[1]	99.82[1]
Antimony and arsenic	.02[2]	.002
Iron	_____	.002
Bismuth	_____	.025
Zinc	_____	.001
Copper	_____	.040 to .080
Silver	_____	.020
Tellurium	_____	.035 to .055
Tin	_____	.016

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the use of the contractor's own or any other facilities suitable for the performance of the inspection requirements specified herein shall be permitted, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.3 Lot formation. All calking from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

[1] Minimum

[2] Antimony content only

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

4.4 Sampling for visual and dimensional examination. A random sample of calking shall be selected from each lot in accordance with inspection level S-2, AQL 2.5 expressed in terms of defects per hundred units. The sample unit shall be five pounds of calking. The sample calking shall be visually and dimensionally examined to verify compliance with table II and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.

Table II. Classification of defects

Examine	Defect
Material	Material not as specified
Construction	Strand diameter not as specified
and	Excessive unraveling of rope
Workmanship	Weight quantities not as specified
	Rope weight not as specified

4.5 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate and shipping containers (as applicable) for conformance with the preservation, packaging, packing, labeling, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5, expressed in terms of defects per hundred units.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. The packaging, packing, and marking desired.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

6.2 National Stock Number: The following NSNs corresponds to the item described by this cid:

5330-00-171-6545
5330-00-185-0030

MILITARY INTERESTS:

Military Coordinating Activity:

Navy - SH

Custodians:

Army - MR
Navy - SH
Air Force - 99

Preparing Activity:

GSA - FSS

(DoD Project 5330-____)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.