NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.



① AN PART NO. STEEL	① AN PART NO. BRASS	TRADE SIZE	A DIA.	B DIA.	① L MIN.	① FOR USE WITH MATERIAL THICKNESS (MAX.)
AN240F2	AN240-2	0	1/8	5/16	.170	.094
AN240F3	AN240-3	AA	3/16	3/8	.190	.109
AN240F4	AN240-4	SMALL KLONDYKE	1/4	1/2	.210	.125
AN240F5	AN240-5	LARGE KLONDYKE	5/16	5/8	.235	.141

① MATERIAL: BRASS OR STEEL

① FINISH: STEEL, CADMIUM PLATE, SPEC. AN-QQ-P-421 OR ZINC PLATE, SPEC. AN-P-32. STEEL AND BRASS, BLACK ENAMEL UNLESS OTHERWISE SPECIFIED.

COMMERCIAL PRODUCT.

① DIMENSIONS IN INCHES.

DIMENSIONS GIVEN ARE APPROXIMATE FOR DRAFTING ROOM REFERENCE.

APPROVED 9-26-42 REVISED ① 4-15-43

NOTE: This drawing was approved by joint action of the War and Navy Departments as the Army-Navy standard for the product. This drawing supersedes all associated standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new design, not later than six months after the indicated date of approval shown. It may be put into effect, however, at an earlier date after promulgation.

PROCUREMENT SPECIFICATION	ARMY-NAVY AERONAUTICAL STANDARD	AN 240
NONE	EYELET - LACING	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:14Z
Check the source to verify that this is the current version before use.