AN100044

FED. SUP CLASS.
1661



.404-.411 DIA 12 HOLES EQUALLY SPACED AND LOCATED WITHIN .005 OF TRUE POSITION
CAST PART NUMBER
A
11.000
10.940
.469R
.406
.281R
.219
10.000 BASIC
A



SECTION A-A



PART NO.	FINISH	APPROX WEIGHT EA
AN100044		1.410

MATERIAL: MAGNESIUM AMS 4424 OR AMS 4484

PARTING LINES OF CASTINGS ARE TO BE COMMERCIALLY CLEAN.

SURFACE ROUGHNESS: AS 291 UNSPECIFIED SURFACES AS CAST.

MACHINED PARTS SUBJECT TO FLUORESCENT PENETRANT INSPECTION PER AMS 2645.

FINISH: AMS 2510 UNLESS OTHERWISE SPECIFIED.

CASTING IDENTIFICATION: AMS 2804

BREAK SHARP EDGES .003-.015 UNLESS OTHERWISE SPECIFIED.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED: TOLERANCES; LINEAR DIMENSIONS ±.010.

COVERS SUITABLE FOR FLIGHT, SHIPMENT, AND STORAGE.

③ CANCELLED AS OF 28 AUGUST 1987

THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE.

APPROVED 9 FEB 50 REVISED ① 16 Dec 54 ② 6 Jan 58 ③ 28 AUG 87

PROCUREMENT SPECIFICATION	AIR FORCE-NAVY AERONAUTICAL STANDARD	AN100044
PA - 11	COVER - TYPE XVI, XVII-C, D, E AND F ENGINE ACCESSORY DRIVE	

AMSC N/A

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

NOTE: This drawing was approved by joint action of the Air Force and Navy Departments and the Air Force-Navy standard for this product. This drawing supersedes all contractor's detail drawings for the same product and shall become effective for the procurement of aeronautical supplies, for use in new design, not later than 6 months after the latest date of approval shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:24Z
Check the source to verify that this is the current version before use.