MIL-P-156B
AMENDMENT 1 (PA)
31 July 1974

MILITARY SPECIFICATION

INTERIM AMENDMENT
POTASSIUM NITRATE

This Interim Amendment is issued for use by the Department of the Army with Military Specification MIL-P-156B, dated 18 April 1956.

Paragraph 2.2, Other publications: Add

"AMERICAN SOCIETY FOR TESTING AND MATERIALS

ASTM Designation E70 - pH of Aqueous Solutions with Glass Electrode, Test for

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, Penn. 19103)."

Paragraph 3.1. TABLE I:

	Class 1	Class 2	Class 3
Delete "Acidity	None	None	None
Alkalinity	None	None	None"
and substitute:	Class 1	Class 2	Class 3
"pH value	7 ± 1	7 ± 1	7 ± 1

Paragraphs 4.4.2 and 4.4.3: Delete in their entirety and substitute:

"4.4.2 pH Value - Weigh 5 ± 0.05 gm of the sample and place in a 250 ml beaker. Add 100 ml of neutral distilled water to the beaker and dissolve the sample. Determine the pH value of this solution in accordance with ASTM E70."

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 6810-AA34

FSC: 6810

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T05:21Z
Check the source to verify that this is the current version before use.