INCH-POUND

A-A-55101
10 DECEMBER 1992

COMMERCIAL ITEM DESCRIPTION

CLOTH, KNITTED; Cotton

The General Services Administration has authorized the use of this Commercial Item Description in preference to Military Specification MIL-C-12836(MU).

ABSTRACT

Abstract. The cloth shall be one type of jersey knit cotton cloth intended for use as a filter material in dust respirators.

SALIENT CHARACTERISTICS

General description. The cloth shall be manufactured from cotton of suitable grade and staple to comply with this Commercial Item Description. The cloth shall be jersey knit, well napped on one side, and finished in tubular form. The width of the finished cloth, in tubular form, shall be 32 ± 1 inch when laid flat on a horizontal surface. The color shall be Olive Drab.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8305

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Physical Requirements. The finished cloth shall conform to the following requirements:

Characteristic	Requirement	Test Method 1/
Weight, oz./sq yd. (minimum)	10.5	ASTM-D 3776 Option C
Yarns Per Inch (minimum):		
Wales	19	ASTM-D 3887
Courses	22	ASTM-D 3887
Bursting Strength (lbs) (minimum)	90	ASTM-D 3787
Air Permeability (cubic feet/minute/ square foot)	85 to 100	ASTM-D 737
Colorfastness to Water	Class 4 minimum	AATCC 107-1986

1/ The test methods indicated from ASTM and AATCC, have been found acceptable to determine if the cloth meets the stated requirements. If the Government requires proof that the cloth meets the stated requirements, the test methods indicated shall be used.

Length and put up. The cloth shall be furnished in rolls having a minimum length of 25 yards.

Label/marking. Each roll shall be labeled or ticketed for fiber content in accordance with the Textile Fiber Products Identification Act.

Workmanship. After completion, the finished cloth shall be thoroughly cleaned, all lint and foreign matter removed, and shall be evenly knitted and free from any defect which may affect appearance or serviceability.

QUALITY ASSURANCE

Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Visual examination. Cloth lots shall be inspected in accordance with ANSI/ASQC Z1.4. The Acceptable Quality Level (AQL) shall be 2.5 defects per hundred units. The unit of product for this examination shall be one linear yard. The required yardage of each roll shall be examined on both sides and visual defects classified. An approximate equal number of yards shall be examined in each roll of the sample. The sample size shall be in accordance with the following:

Lot size (yards)	Sample size in rolls*
Up to 400	3
401 to 800	5
801 and up	7

*If a lot contains fewer than 3 rolls, each roll in the lot shall be examined.

Defects. The cloth shall be examined for the following defects: any hole, cut or tear; abrasion mark resulting in a weak area, shade bar or streak, stains or spots, clearly visible at normal inspection distance of three feet, caused by yarn of different weight, twist, thickness, or other physical difference from adjacent yarns; oversized knot extending above surface of cloth; any run or dropped stitch; slubs or heavy yarns, more than twice the normal thickness; any mend clearly visible at normal inspection distance of three feet which may affect serviceability; heavy or light areas; ends cut or frayed; embedded crease or wrinkle; uneven knitting throughout the roll; unevenly napped.

Length examination. During the visual examination, each roll in the sample shall be examined for length. Any length found to be less than the minimum specified or more than 2 yards less than the length marked on the roll ticket shall be considered a length defect. If two or more rolls in the sample are defective with respect to length or if the total of the actual length of rolls in the sample is less than the total of length marked on the roll tickets, the lot shall be rejected.

Regulatory requirements. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practicable

PACKAGING

Packaging. Level C. The cloth shall be packaged to afford adequate protection from the supply source to the first receiving activity for immediate use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Packing. Level C. The cloth, packaged as specified above, shall be packed to insure carrier acceptance and safe delivery to the first domestic destination. Containers shall comply with the Uniform Freight Classification rules or regulations of other carriers applicable to the mode of transportation.

Marking. In addition to any special marking required by the contract or order, unit packages and shipping containers shall be marked in accordance with MIL-STD-129.

NOTES

Source for Government documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Rules and Regulations Under the Textile Fiber Products Identification Act is available from:

Federal Trade Commission
Washington, DC 20580

Source for Non-Government Documents.

ASTM Test Methods are available from:

American Society for Testing and Materials
1916 Race Street
Philadelphia, PA 19111-5094

AATCC 107-1986 - Colorfastness to Water is available from:

American Association of Textile Chemists and Colorists (AATCC)
P. O. Box 12215
Triangle Park, NC 27709-2215

ANSI/ASQC Z1.4 - Sampling Procedures and Tables for Inspection By Attributes is available from:

American National Standards Institute
1430 Broadway
New York, NY 10018-3308

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Uniform Freight Classification Ratings, Rules and Regulations is available from:

Uniform Classification Committee
202 Union Station
Chicago, IL 60606

International interest. Certain provisions of this specification are the subject of international standardization agreement. When amendment, revision, or cancellation of this specification is proposed, the departmental custodians will inform their respective Departmental Standardization Office so that appropriate action may be taken respecting the International Agreement concerned.

Review Activity:
Army - EA
Army - GL

Civil Agency Coordinating Activity:
GSA - FSS

Preparing Activity:
DLA - CT

Project Number:
8305-0466

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7
3. The preparing activity must provide a reply within 30 days from receipt of the form

NOTE This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

I RECOMMEND A CHANGE:	1 DOCUMENT NUMBER	2 DOCUMENT DATE (YYMMDD)
	A-A-55101	92-12-10

3 DOCUMENT TITLE
CLOTH, KNITTED; Cotton

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible Attach extra sheets as needed)

5 REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a NAME	b TELEPHONE (Include Area Code)	
Defense Personnel Support Center ATTN: DPSC-FSSD (12-3-D)	(1) Commercial 215-737-8105	(2) AUTOVON 444-8105
c ADDRESS (Include Zip Code) 2800 South 20th Street P. O. Box 8419 Philadelphia, Pennsylvania 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.