MIL-G-14971A (PA)
AMENDMENT 3
9 July 1975
SUPERSEDING
AMENDMENT 2
9 September 1974

MILITARY SPECIFICATION

GRENADE, HAND, M33, M59, M67 AND M68

METAL PARTS ASSEMBLY FOR

This Amendment forms a part of Military Specification MIL-G-14971A (PA) dated 10 April 1974, and is approved for use by all Departments and Agencies of the Department of Defense.

a. Paragraph 2.1 - Under Specification Federal change "PPP-T-4S" to "PPP-T-45". Under Drawings change "U.S. Army Munitions Command" to "U.S. Army Armament Command" and add the following drawings:

8828094 - Concentricity Gage
8801486 - Special Go Thread Plug
8801487 - Gage, Receiver
8801488 - Concentricity Gage
8827906 - Special Micrometer Caliper

b. Paragraph 4.3.2.2

For Major 102 change 8810486 to 8801486
For Major 104 change 8810486 to 8801486
For Major 105 change 8810488 to 8801488
For Minor 202 change 8810487 to 8801487

*c. Paragraph 4.3.3.2.-Delete this paragraph and substitute a new paragraph to read:

"4.3.3.2 Torque test of weld of insert (See Dwg. 8810744) Major Defect, Code No. 05001.-Forty (40) top cup assemblies shall be selected from each four (4) hours production. Twenty (20) top cup assemblies shall be tested as specified in paragraph 4.4.2

FSC: 1330

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:13Z
Check the source to verify that this is the current version before use.

using equipment in accordance with paragraph 4.3.4. If none of the twenty top cup assemblies fails to meet the applicable requirement, the quantity of production represented by the sample shall be acceptable. If two (2) of the twenty top cup assemblies fail to meet the applicable requirement, the quantity of production represented by the sample shall be rejected. If one (1) of the twenty top cup assemblies fails to meet the specified requirement, the additional 20 top cup assemblies shall be subjected to this test. If one or more of these second twenty fail to meet the applicable requirement, the quantity of production represented by the sample shall be rejected."

*d. Paragraph 4.3.3.3.-Delete this paragraph and substitute a new paragraph to read:

"4.3.3.3 Strength of weld of metal parts assembly (See paragraph 3.3), Major Defect, Code No. 06001.-Forty (40) metal parts assemblies shall be selected from each four (4) hours production. Twenty (20) metal parts assemblies shall be tested as specified in paragraph 4.4.3 using equipment in accordance with paragraph 4.3.4. If none of the twenty metal parts assemblies fails to meet the applicable requirement, the quantity of production represented by the sample shall be acceptable. If two (2) of the twenty metal parts assemblies fail to meet the applicable requirement, the quantity of production represented by the sample shall be rejected. If one (1) of the twenty metal parts assemblies fails to meet the specified requirement, the additional 20 metal parts assemblies shall be subjected to this test. If one or more of these second twenty fail to meet the applicable requirement, the quantity of production represented by the sample shall be rejected.

e. Paragraph 4.3.3.5 - Add the following sentences to the end of this paragraph "This test shall be conducted for 96 hours. Salt spray test not required for inside surface. The test shall be performed as specified in 4.4.5."

f. Paragraph 5.1.1 - Delete entirely and add the following:

5.1.1 Level C.-One hundred twenty-five (125) metal part assemblies shall be packed in cells formed by half slotted chipboard .040 thick commercial, No. 2 finish partitions, in five (5) layers, each layer in a 5 x 5 cell arrangement. The inside

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:13Z
Check the source to verify that this is the current version before use.

dimension of the carton shall be 13 1/8 x 13 1/8 x 13 3/4 high. The outside dimensions of the separators shall be 13 x 2 5/8 inches to form cells measuring 2 9/16 x 2 9/16 inches. A "B" flute corrugated fiberboard pad 13 x 13 shall be placed on each layer.

*Asterisk indicates additions to or changes from Amendment 2.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1330-A060

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:13Z
Check the source to verify that this is the current version before use.