MIL-R-900D
INTERIM AMENDMENT - I(SHIPS)
13 October 1959

MILITARY SPECIFICATION

RUBBER SHEETS; AND CUT, MOLDED AND

EXTRUDED SPECIAL SHAPED SECTIONS———SYNTHETIC,

MEDIUM SOFT, LOW TEMPERATURE,

GASKET APPLICATION

(This interim amendment forms a part of Military Specification MIL-R-900D, dated 21 May 1956. It was developed by the Department of the Navy, Bureau of Ships for immediate use pending the inclusion of its contents in a coordinated document under Project No. 5330-0018.)

Page 2: Add new paragraph 3.1.1:

"3.1.1 Plasticizer exudation. - Synthetic rubber shall not show evidence of plasticizer exudation, however a light bloom of nonliquid compounding materials shall be considered acceptable (see 4.2.1.1)."

Page 2, paragraph 3.4: Add "When 100-foot lengths are supplied a maximum of four seams per length will be acceptable providing the seams are not less than 80 percent of the tensile strength specified in 3.7."

Pages 4 and 5, paragraphs 4.1.2, 4.1.3.1, 4.1.3.2.2 and 4.1.3.2.3: Delete "Government".

Page 6, paragraph 4.2.1.1: Delete and substitute:

"4.2.1.1 Each of the samples selected in accordance with 4.1.2 shall be subjected to surface inspection for workmanship, dimensions, tolerances, and exudation of plasticizer. Any sample roll or gasket found nonconforming to 3.1.1, 3.3, 3.4, 3.5 or 3.14 shall be rejected, and if the number of nonconforming rolls or gaskets in any sample exceeds the acceptance number for that sample, the lot represented by the sample shall be rejected. A rejected lot may be resubmitted for inspection, but only after the manufacturer, subsequent to the first inspection, has inspected the lot 100 percent for the deficiency noted and has removed all nonconforming packing or gaskets."

Page 8, paragraph 4.3.7, line 6: After "buffing.", insert "The unstretched samples shall have a thickness not exceeding 0.080 inch."

Page 9: Add new paragraph 4.3.12:

"4.3.12 Unless otherwise specified herein the supplier is responsible for the performance of all inspection requirements prior to submission for Government inspection and acceptance. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. Inspection records of the examinations and tests shall be kept complete and available to the Government as specified in the contract or order."

Preparing activity:
Navy - Bureau of Ships
(Project 5330-0020Sh)

FSC 5330

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:45Z
Check the source to verify that this is the current version before use.