MIL-C-43153 (PA)
AMENDMENT 3
31 January 1975
SUPERSEDING
AMENDMENT 2
2 October 1973

MILITARY SPECIFICATION

CLOTH, CARTRIDGE, POLYESTER, VISCOSE RAYON
(FOR CARTRIDGE BAGS)

This Amendment forms a part of Specification MIL-C-43153 (MU), dated 12 July 1963 and is approved for use by all Departments and Agencies of the Department of Defense.

Delete "MU" and substitute "PA" when applicable.

Paragraph 1.2 CLASSIFICATION: Add new classes:

"Class 5 - Breaking strength 70 pounds per inch, min

Class 6 - Breaking strength: warp - 200 pounds per inch, min.
filling - 115 pounds per inch, min.

Class 7 - Breaking strength - 50 pounds per inch min"

Paragraph 2 APPLICABLE DOCUMENTS, SPECIFICATIONS, FEDERAL: Add the following:

"V-T-285 - Thread Polyester
PPP-B-585- Boxes, Wood, Wirebound"

Paragraph 2 APPLICABLE DOCUMENTS, SPECIFICATIONS, MILITARY: Delete the following:

"MIL-T-40040 - Thread Polyester
MIL-T-107 - Boxes, Wood, Wirebound (Overseas Type)"

FSC: 8305

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:48Z
Check the source to verify that this is the current version before use.

Paragraph 3.4 CHEMICAL PROPERTIES: Delete the following from Table I:

"Sizing Starch - 10.0"

Paragraph 3.4 CHEMICAL PROPERTIES: Add the following to Table I:

"Sizing Starch - 5.0"

Paragraph 3.5 PHYSICAL REQUIREMENTS: Add the following to Table II:

"Weave	Class 5 Plain Single	Class 6 (2x1) Modified Oxford	Class 7 Plain Single One inch in Dent
Weight oz. per sq. yd.			
Min	3.50	6.5	3.00
Max	4.00	7.5	3.50
Thread Count, thread per inches, min.	65	100	65
Warp	55	35	50
Breaking Strength, pounds per inch, minimum			
Warp	70	200	50
Filling	70	115	50
Slippage value, min			
Warp	60	30	35
Filling	60	60	50
Stretch, percent, max.			
Warp	12	10	10
Filling	12	15	20
Stiffness, inches	-	-	1 30/32 - 2 30/32"

Add new paragraph 4.3.2.1:

"4.3.2.1 Width (Class 6 only) - Code No. 17001.-The width of the fabric shall be as specified in the contract or purchase order."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:48Z
Check the source to verify that this is the current version before use.

Paragraph 4.3.11: Add the following

"Class	Tension (pounds)
5	30
6	50
7	20"

Add new paragraph:

"4.3.12 Stiffness.(The stiffness requirement applies to cloth for automated lines only.) The stiffness shall be determined in accordance with Method 5200 of Federal Standard No. 191."

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 8305-A451

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:48Z
Check the source to verify that this is the current version before use.