TT-T-001386
AMENDMENT-2
November 15, 1983
SUPERSEDING
INTERIM AMENDMENT-1
January 18, 1983

AMENDMENT

TO

INTERIM FEDERAL SPECIFICATION

THINNER, SYNTHETIC RESIN ENAMEL

This amendment, which forms a part of TT-T-001386 dated June 9, 1977, is approved by the Assistant Administrator, Federal Supply Service, General Services Administration, for the use of all federal agencies.

PAGE 1

Paragraph 2.1. Under Federal Specifications, delete "TT-E-001384", "TT-P-001385" and their titles.

PAGE 2

Paragraph 2.2. Under American Society for Testing and Materials (ASTM) Standards, delete "D 3539" and its title; add "E 260 - General Gas Chromatography Procedures."

Add: Air Pollution Regulations (SCAQMD)

Rules and Regulations

(Application for copy should be addressed to the South Coast Air Quality Management District, 9150 East Flair Drive, El Monte, CA 91131.)

Paragraph 3.1. Table I. Delete and substitute the following:

TABLE I - CONSTITUENTS

Ingredient	Type I Parts by Weight Min.	Type I Parts by Weight Max.	Type II Parts by Weight Min.	Type II Parts by Weight Max.
V.M.&P. naphtha (excluding aromatic)	36.0	38.0	36.0	38.0
Toluene (from all sources)	11.0	12.0	11.0	12.0
Xylene (from all sources)	7.0	8.0	7.0	8.0
Isobutyl acetate	7.0	8.0	7.0	8.0
Acetone	25.5	27.5	25.5	27.5
Ethylene glycol monoethyl ether acetate	9.5	10.5	--	--
Ethylene glycol monobutyl ether acetate	--	--	9.5	10.5

Paragraph 3.2. Delete in its entirety.

Paragraph 3.3. Delete in its entirety and substitute the following:

"The thinner shall comply with air pollution regulations requiring "non-photochemically reactive" solvent blends such as defined in Rule 102 of the South Coast Air Quality Management District regulations in California."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:18Z
Check the source to verify that this is the current version before use.

PAGE 3

Paragraph 3.7. Delete in its entirety

Paragraph 3.8. Delete in its entirety

PAGE 4

TABLE II. Delete and substitute the following:

TABLE II. INDEX OF TESTS

	Requirement Reference Paragraph	Test Reference Paragraph	Test Method
Materials	3.1	4.3.3	E 260 1/
Color	3.4	4.3	D 1209 1/
Nonvolatile residue	3.5	4.3.4	--
Stain	3.6	4.3	4491 2/

1/ ASTM
2/ Federal Test Method Standard No. 141

Paragraph 4.3.2. Delete in its entirety.

Paragraph 4.3.3. Delete in its entirety and substitute the following:

"4.3.3 Materials. Test for conformance with Table I by applicable options in ASTM E 260."

Paragraphs 4.3.3.1 and 4.3.3.2. Delete in their entirety.

PAGE 5

Paragraph 4.3.5. Delete in its entirety.

Paragraph 6.1. Intended use. Add the following sentence at the end of paragraph: "The flash points of the thinner blends in TABLE I are approximately 5°F for Type I and 6°F for Type II (SETA Flash).

PAGE 6 and 7

Delete Figures 1 and 2

PREPARING ACTIVITY
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:18Z
Check the source to verify that this is the current version before use.