INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

THINNER: DOPE AND LACQUER (CELLULOSE-NITRATE)

This interim amendment was developed by the Federal Supply Service, General Services Administration, Washington, DC 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification TT-T-266D, dated March 30, 1976.

PAGE 1

Paragraph 2.1. Under "Federal Specifications". Delete the first nine references and their titles.

PAGE 2

Paragraph 2.1. Delete "Military Specification", "MIL-L-19537", its title, and the succeeding parenthetical sentence.

Paragraph 2.2. Under American Society for Testing and Materials (ASTM) Standards, delete "D56", "D1364", and their respective titles. Also delete "County of Los Angeles - Air Pollution Control District", "Rule 66 - Organic Solvents", and the succeeding parenthetical sentence.

Table I. To the list of ingredients, add "Ethyl Acetate", "Isopropyl Acetate", "Ethyl Alcohol", and "Methyl Propyl Ketone". Delete the heading, "Federal Specifications" and all specification references under that heading.

Paragraph 3.2.1. Delete in its entirety and substitute the following:

"3.2.1 The thinner shall conform to the quantitative requirements specified in tables II and III."

PAGE 3

Table II. Delete in its entirety and substitute the following Tables II and III:

TABLE II. Constituents Allowable in Compliance with Air Pollution Regulations

	Constituents	Maximum Volume Percent Allowed
a.	Compounds with olefinic or cycloolefinic type of unsaturation.	5
b.	Aromatic compounds with 8 or more carbon atoms to the molecule, except ethylebenzene.	8
c.	Ethylbenzene, toluene, and branched chain ketones.	20
d.	Total of all nonexempt compounds (a + b + c).	20

FSC 8010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:15Z
Check the source to verify that this is the current version before use.

TABLE III. Quantitative Requirements

Characteristics	Requirements Minimum	Maximum
Total alcohol, percent by volume		30
Aliphatic naphtha, percent by volume		17
Total ester or ketone, percent by volume	42	
Isobutyl acetate or n-butyl acetate, percent by volume	30	
Isobutyl alcohol or n-butyl alcohol, percent by volume	10	
Nonvolatile matter, grams per 100 ml sample		0.005
Acidity, mg of KOH per gram sample		0.28

Paragraph 3.3.5. Delete in its entirety.

Paragraph 3.3.11. Delete in its entirety.

PAGE 4

Paragraph 4.3, line 3. Delete "III" and substitute "IV".

Table III. Delete in its entirety and substitute the following Table IV:

TABLE IV. Index

Characteristic	Requirement Reference	Fed. Test Method Std. No. 141	ASTM	Paragraph Reference
Condition in container	3.3.1	3011		4.3.1
Appearance	3.3.2			4.3.2
Color	3.3.3	4247		4.3.3
Odor	3.3.4		D1296	4.3.4
Aromatic hydrocarbons test	3.3.6			4.3.6
Copper corrosion	3.3.7		D1616	4.3.7
Spot test	3.3.8	4491		4.3.8
Sulfur test	3.3.9		D853	4.3.9
Heptane miscibility of lacquer solvents	3.3.10		D1476	4.3.10
Composition of the thinner or solvent	Tables I, II, & III	7361		4.3.12
Acidity	Table III	5252		

Paragraph 4.3.5. Delete in its entirety.

PAGE 5

Paragraph 4.3.10. Delete the entire text and substitute the following:

"4.3.10 Water. Test for water in accordance with ASTM D1476. The thinner shall be considered free from moisture when there is no turbidity in a solution containing, by volume, 19 parts of heptane and one part of thinner."

Paragraph 4.3.11. Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:15Z
Check the source to verify that this is the current version before use.

PAGES 5, 6, and 7

Paragraph 4.3.12. Delete in its entirety and substitute the following:

"4.3.12 Analysis of thinner. To determine compliance with the composition requirements in tables I, II, and III, test the thinner in accordance with method 7361 of Federal Test Method Standard 141, using such columns and allowable options as are necessary to accommodate the various specified chemical components in the thinner."

PAGE 7

Paragraph 4.3.13. Delete in its entirety.

GSA DC 78-6962

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:15Z
Check the source to verify that this is the current version before use.