FEDERAL SPECIFICATION

REAMERS, HAND AND MACHINE: ARBORS, SHELL REAMER:
AND PILOTS, ADJUSTABLE HAND REAMER

This amendment, which forms a part of GGG-R-180E, dated 25 October 1985, is approved by the Assistant Administrator Office of Federal Supply and Services, General Services Administration, for the use of all Federal Agencies.

PAGE 3

Paragraph 2.1, delete "FED-STD-358 - Sampling Procedures."

PAGE 6

TABLE I, column 8 under heading "Diameter of pilot (F)," delete:

"+0.000
-0.000"

Substitute:

"+0.001"
-0.000"

PAGE 8

TABLE II, column 3 under "Range of expansion" for size letter "L 2/," delete:

"1 15/16"

Substitute:

"1 13/16."

PAGE 23

Paragraph 4.2.2 Quality conformance inspection. Delete second sentence in the paragraph.

FSC 3455
3460
5110

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:38Z
Check the source to verify that this is the current version before use.

PAGE 24

Delete paragraph 4.4.2.1 in its entirety and substitute:

"4.4.2.1 Type I (hand reamer) test. The reamers shall be tested by hand reaming 10 holes under standard machine shop practice for hand reamers. The reamers shall be tested in material that is three times thicker than the diameter of the reamer or 1 1/2 inches, whichever is less, except for Class 3 reamers which shall be tested in 1/2 inch thick material. The test holes shall be prepared 0.002 to 0.003 inch smaller than the size hole desired. The reamed hole shall be inspected for finish and parallelism. For sets, three representative sizes shall be subjected to the above tests."

PAGE 24

Delete paragraph 4.4.2.4 in its entirety and substitute:

"4.4.2.4 Type III, classes 1, 2, and 3 (hand reamer) test. The reamers shall be tested by hand reaming 10 holes of each size specified in 1/2 inch thick steel. The test holes shall be prepared 0.002 to 0.004 inch smaller than the size hole desired. The reamed hole shall be inspected for finish and parallelism. For sets, one reamer in each of the size ranges specified in Table XI, for the applicable class of reamer, shall be tested.

Preparing Activity
Army - AL

Project No. 5110-0304

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:38Z
Check the source to verify that this is the current version before use.