FED. SUP CLASS
6640



PART NUMBER	CAPACITY ml	Tol ±	OVERALL HEIGHT mm
MS36491-1	50	0.10	146
MS36491-2	100	0.16	184
MS36491-3	200	0.20	209
MS36491-4	250	0.24	222
MS36491-5	500	0.40	279
MS36491-6	1000	0.60	317

MATERIAL: The flasks shall be made of either transparent polymethylpentene or polypropylene, as specified in invitation for bids. The screw closures caps shall be molded polypropylene.

DESIGN: The flasks shall have a spherical shaped body with a flatten base and tubular threaded neck, which will accomodate a standard thread cap. The flasks shall be calibrated at 25°C to contain/to deliver and marked with a permanent color graduation line.

NOTES:
1. Items differing from this military standard by minor variations in design or dimensions are considered standard under this document, provided such variations do not affect performance and are not in conflict with the material requirements as specified herein.
2. Referenced documents shall be of the issue on date of invitation for bids.

USER ACTIVITIES:

REVIEWER ACTIVITIES: ARMY - MD
NAVY - OS
AIR FORCE - 03

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 12 FEB 1982 REVISED

P.A. EA	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Other Cust MS 99		FLASK, VOLUMETRIC Plastic	MS36491
Procurement Specifications None	SUPERSEDES:		SHEET 1 OF 1

Project number 6640-0796

DD FORM 1 MAY 73 672 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE STANDARD DATE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:41Z
Check the source to verify that this is the current version before use.